

Com-Port	Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen	Set Umax 30000 V															
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:25:49	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:25:50	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
15.01.2020 09:25:51	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
15.01.2020 09:25:52	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
15.01.2020 09:25:53	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:25:54	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:25:55	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.875	2004
15.01.2020 09:25:56	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:25:57	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:25:58	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.875	2004
15.01.2020 09:25:59	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:26:01	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.8125	2004
15.01.2020 09:26:02	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:26:03	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:04	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:05	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:06	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	18.5625	2004
15.01.2020 09:26:07	1	0	1	1	20.25	38.5	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:08	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:09	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
15.01.2020 09:26:10	1	0	1	1	20.25	38.5	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:26:12	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:13	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:14	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:26:15	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:16	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:17	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:18	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	16.8125	2004
15.01.2020 09:26:19	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:20	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:21	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:22	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:23	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:24	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:25	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:26:26	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:27	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:28	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:26:29	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:30	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:31	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:32	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:26:33	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:34	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:35	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:36	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:37	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:38	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:39	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:26:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
15.01.2020 09:26:46	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:47	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:48	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:49	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:26:50	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	20.125	2004
15.01.2020 09:26:51	1	0	1	1	19.75	40	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:52	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:26:53	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:26:54	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:26:55	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:26:56	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:26:57	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:26:58	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:26:59	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:00	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:01	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:27:02	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:27:03	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:27:04	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:05	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:27:06	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:07	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:08	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:09	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:27:10	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:11	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:12	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:13	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:14	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:15	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:27:16	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:27:17	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:27:19	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:20	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:27:21	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:22	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:27:23	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:27:24	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:25	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:26	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:27	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:28	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:29	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:27:30	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:31	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:27:32	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:33	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:34	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:27:35	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:36	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:37	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:27:38	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:27:39	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:40	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:41	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:48	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:27:49	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:50	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:27:51	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:27:52	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:27:53	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:27:54	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:27:55	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:27:56	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:27:57	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
15.01.2020 09:27:59	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:28:00	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:28:01	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:02	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:28:03	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:04	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:05	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:06	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:07	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:08	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:09	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:10	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:28:11	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:12	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:13	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:14	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:28:15	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:16	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:17	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:18	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:28:19	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:20	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:21	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:28:22	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:28:23	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:24	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:25	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:26	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:27	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:28	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:29	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:30	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:28:31	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:28:32	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:28:33	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:28:34	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:28:35	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:36	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:38	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:28:39	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:40	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:28:41	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:42	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:28:43	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:50	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:51	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:28:52	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:28:53	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:54	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:28:55	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:28:56	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:28:57	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:28:58	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:28:59	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:00	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:01	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
15.01.2020 09:29:02	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:03	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:29:04	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:05	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:06	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:07	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:08	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:29:09	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:10	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:29:11	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:29:12	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:13	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:14	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:29:16	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:29:17	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:18	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:19	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:20	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:21	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:22	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:29:23	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:24	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:25	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:26	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:27	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:28	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:29	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:30	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:29:31	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:32	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:33	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:34	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:35	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:36	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:37	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:38	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:29:39	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:40	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:41	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:42	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:43	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:29:44	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:29:50	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:50	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:50	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:50	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:50	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:29:51	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:29:54	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:29:56	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:57	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:29:58	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:29:59	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:00	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:01	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:02	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:03	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:04	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:05	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:06	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:30:07	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:08	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:09	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:10	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:11	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:12	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:13	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:14	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:15	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:16	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:30:17	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:18	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:30:19	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:20	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:30:21	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:22	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:23	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:24	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:25	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:26	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:27	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:30:28	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:29	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:30	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:31	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:33	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:30:34	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:30:35	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:30:36	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:37	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:38	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:39	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:40	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:41	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:42	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:43	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:30:44	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:30:45	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:46	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:30:52	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:52	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:54	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:30:56	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:30:57	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:30:58	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:30:59	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:31:00	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:01	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:31:02	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:31:03	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:31:04	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:05	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:31:06	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:07	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:31:08	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:09	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:11	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:12	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:31:13	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:14	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:15	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:16	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:31:17	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:18	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:19	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:20	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:21	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:22	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:31:23	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:31:24	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:25	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.125	2004
15.01.2020 09:31:26	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:27	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:31:28	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:29	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:30	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:31:31	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:31:32	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:33	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.1875	2004
15.01.2020 09:31:34	1	0	1	1	19.75	37	0	0	0	0	30000	0	0	30000	17.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:31:35	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:31:36	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:37	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:31:38	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:39	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:40	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:41	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:42	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:43	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:44	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:45	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:31:46	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:31:47	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:31:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:53	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:54	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:31:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:56	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:57	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:58	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:31:59	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:00	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:32:01	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:02	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:03	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:04	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:05	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:06	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:32:07	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:08	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:32:09	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:10	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:11	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:32:12	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:13	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:14	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:15	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:32:16	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:32:17	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:18	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:32:19	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:32:20	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:32:21	1	0	1	1	19.75	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:22	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:23	1	0	1	1	19.75	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:32:24	1	0	1	1	19.75	37.25	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:32:25	1	0	1	1	20	38	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:26	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:32:28	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:29	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:32:30	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:32:31	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:32	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:33	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:32:34	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:32:35	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:36	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:37	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:38	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	20.8125	2004
15.01.2020 09:32:39	1	0	1	1	20	40.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:32:40	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:32:41	1	0	1	1	20	38	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:42	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:32:43	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:32:44	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:45	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
15.01.2020 09:32:46	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:32:47	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:32:48	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:49	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:32:55	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:56	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:32:57	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:32:58	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:32:59	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:00	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:01	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:33:02	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:33:03	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:04	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:05	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:33:07	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:08	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:09	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:10	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:11	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:33:12	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:13	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:14	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:15	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:33:16	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:17	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:18	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
15.01.2020 09:33:19	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:20	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:21	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:33:22	1	0	1	1	20	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:33:23	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:33:24	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:25	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:33:26	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:27	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:28	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:29	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:30	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:31	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:32	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:33	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:33:34	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:35	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:36	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:37	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:33:38	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:33:39	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:40	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:33:41	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:42	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:43	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:33:45	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:46	1	0	1	1	20	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:47	1	0	1	1	20	37.5	0	0	0	0	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:33:48	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:33:49	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:50	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:33:51	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:57	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:33:58	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:33:59	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:00	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:01	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:34:02	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:03	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:34:04	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:05	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:06	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:07	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:08	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:34:09	1	0	1	1	20	38	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:10	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:11	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:34:12	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:34:13	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:34:14	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:15	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:16	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:34:17	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:18	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:34:19	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:20	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:21	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:22	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:23	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:24	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:26	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:27	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:28	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:29	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:34:30	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:31	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:34:32	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:33	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:34	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:34:35	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:36	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:34:37	1	0	1	1	20	38	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:38	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:34:39	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:34:40	1	0	1	1	20	40.75	0	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:34:41	1	0	1	1	20	37.75	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:34:42	1	0	1	1	20	38	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:34:43	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:44	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:45	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:34:46	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:47	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:48	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:49	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.375	2004
15.01.2020 09:34:50	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:51	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:34:52	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:34:58	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:58	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:58	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:58	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:34:58	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:34:59	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:35:00	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:01	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:02	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:35:03	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:05	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:06	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:07	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:08	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:09	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:10	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:35:11	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:35:12	1	0	1	1	20.25	37.5	0	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:13	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:14	1	0	1	1	20.25	37.75	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:35:15	1	0	1	1	20.25	38	0	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:35:16	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:35:17	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	20.9375	2004
15.01.2020 09:35:18	1	0	1	1	20.25	40.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:35:19	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:35:20	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:35:21	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:22	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:35:23	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:24	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:25	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:26	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:27	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:28	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:29	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:35:30	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:31	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:32	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:33	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:35:34	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:35	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:35:36	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:37	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:38	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:35:39	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:40	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:41	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:43	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:35:44	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:45	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:46	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:35:47	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:49	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:49	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:35:50	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:51	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:35:52	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:35:53	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:35:54	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:36:00	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:01	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
15.01.2020 09:36:02	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:36:03	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:36:04	1	0	1	1	20.25	38	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:05	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:36:06	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:07	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:08	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:36:09	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:10	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:11	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:12	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:13	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:14	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:15	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:16	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:17	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.5	2004
15.01.2020 09:36:18	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:36:19	1	0	1	1	20.25	38	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:21	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:22	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:23	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:24	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:25	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:26	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:27	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:36:28	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:29	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:30	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:31	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:32	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:36:33	1	0	1	1	20.25	38.25	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:34	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:36:35	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:36	1	0	1	1	20.25	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:37	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:36:38	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:39	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:36:40	1	0	1	1	20.25	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:41	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:42	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:43	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:36:44	1	0	1	1	20.25	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:45	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:36:46	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:47	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:36:48	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:49	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:36:50	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:36:51	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:36:52	1	0	1	1	20.5	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:36:53	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:36:54	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:36:55	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:01	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:02	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:37:04	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:37:05	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:06	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:07	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:08	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:09	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:10	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:11	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.75	2004
15.01.2020 09:37:12	1	0	1	1	20.5	38.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:13	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:14	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:15	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:16	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:17	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:18	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:19	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:37:20	1	0	1	1	20.5	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:21	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:22	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:23	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:24	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:37:25	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:26	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:27	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:37:28	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:29	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:30	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:31	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:32	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.625	2004
15.01.2020 09:37:33	1	0	1	1	20.5	37.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:37:34	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:35	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:37	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:38	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:37:39	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:40	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:41	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:42	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:43	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:44	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:45	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:37:46	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:37:47	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:48	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:49	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:50	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:51	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:52	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:37:53	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:54	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:55	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:37:56	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:37:57	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:03	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:04	1	0	1	1	20.5	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:38:05	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:38:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:07	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:38:08	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:09	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:10	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:11	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:38:12	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:13	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:15	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:38:16	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:17	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:18	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:19	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:20	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:21	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:22	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:23	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:24	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:25	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:26	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:27	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:28	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.6875	2004
15.01.2020 09:38:29	1	0	1	1	20.5	38.5	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:30	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:38:31	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:32	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:33	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:34	1	0	1	1	20.5	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:35	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:36	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:38:37	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:38	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:39	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:40	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:41	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:38:42	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:38:43	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:44	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:45	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:46	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:47	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:48	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:49	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:50	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:38:51	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:38:52	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:53	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:38:55	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:38:56	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:39:41	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:42	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:39:43	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:39:44	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:45	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:39:46	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.6875	2004
15.01.2020 09:39:47	1	0	1	1	20.75	38.5	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:48	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:39:49	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:39:50	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:39:51	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:39:52	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:39:53	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:54	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:55	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:39:56	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:39:57	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:39:58	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:39:59	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:00	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:06	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:07	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:08	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:10	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.6875	2004
15.01.2020 09:40:11	1	0	1	1	20.75	37.5	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:12	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:13	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:40:14	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:40:15	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:16	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:40:17	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:18	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.5625	2004
15.01.2020 09:40:19	1	0	1	1	20.75	37.5	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:40:20	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:21	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:40:22	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:23	1	0	1	1	20.75	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:24	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:40:25	1	0	1	1	21	39.25	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:26	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:40:27	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:28	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:29	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:30	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:31	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:32	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:33	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:34	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:40:35	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:36	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:37	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:38	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:39	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:40	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:41	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:42	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:43	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:44	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:45	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:46	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:40:48	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:40:49	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:50	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:51	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:52	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:53	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:40:54	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:40:55	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:56	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:40:57	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:40:58	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:40:59	1	0	1	1	21	38.25	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:00	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:01	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:02	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:41:09	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:10	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:41:11	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:12	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:41:13	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:14	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:15	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:16	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.75	2004
15.01.2020 09:41:17	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:18	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:41:19	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:20	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:21	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:22	1	0	1	1	21	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:24	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:25	1	0	1	1	21	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:26	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:27	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:28	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:29	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:30	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:31	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:32	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:33	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:34	1	0	1	1	21.25	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:35	1	0	1	1	21.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:36	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:37	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	20.25	2004
15.01.2020 09:41:38	1	0	1	1	21.5	40.25	0	0	0	0	30000	0	0	30000	17.875	2004
15.01.2020 09:41:39	1	0	1	1	21.5	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:40	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:41	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:42	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:43	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:44	1	0	1	1	21.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:45	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:46	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:47	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:48	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:49	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:50	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:51	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:52	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:41:53	1	0	1	1	21.75	37.75	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:41:54	1	0	1	1	21.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:41:55	1	0	1	1	22.25	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:41:56	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:57	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:58	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:41:59	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:42:00	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:01	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:03	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:04	1	0	1	1	22.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:10	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:11	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:12	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:13	1	0	1	1	22.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:14	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:15	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:16	1	0	1	1	23.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:17	1	0	1	1	23.25	38	0	0	0	0	30000	0	0	30000	19.0625	2004
15.01.2020 09:42:18	1	0	1	1	23.25	39	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:19	1	0	1	1	23.25	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:20	1	0	1	1	23.25	37.75	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:21	1	0	1	1	23.25	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:22	1	0	1	1	23.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:23	1	0	1	1	23.25	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:24	1	0	1	1	23.25	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:25	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:26	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:27	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:28	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:29	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:30	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:31	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:32	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:33	1	0	1	1	23.5	37.75	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:34	1	0	1	1	23.5	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:35	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:36	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:42:37	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:38	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:39	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:40	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:42	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:43	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:44	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:45	1	0	1	1	24.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:46	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:47	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:48	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:42:49	1	0	1	1	24.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:50	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:51	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:52	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:53	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:54	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:55	1	0	1	1	24.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:56	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:42:57	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:42:58	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	21.1875	2004
15.01.2020 09:42:59	1	0	1	1	25.25	41	0	0	0	0	30000	0	0	30000	19.6875	2004
15.01.2020 09:43:00	1	0	1	1	25.25	39.5	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:43:01	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:43:02	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:43:03	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:04	1	0	1	1	25.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:05	1	0	1	1	25.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:11	1	0	1	1	25.75	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:12	1	0	1	1	25.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:13	1	0	1	1	25.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:14	1	0	1	1	25.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:15	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:16	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:17	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:18	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:19	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:20	1	0	1	1	26.25	38	0	0	0	0	30000	0	0	30000	18.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:43:22	1	0	1	1	26.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:23	1	0	1	1	26.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:24	1	0	1	1	26.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:25	1	0	1	1	26.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:26	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:27	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:28	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:29	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:30	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:31	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:43:32	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:33	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:34	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:35	1	0	1	1	26.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:36	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:37	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:38	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	20	2004
15.01.2020 09:43:39	1	0	1	1	27	40	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:40	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:41	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:42	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:43:43	1	0	1	1	27	38	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:43:44	1	0	1	1	27	37.75	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:45	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:46	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:47	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:48	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:49	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:50	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:51	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:52	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:43:53	1	0	1	1	27.5	37.75	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:54	1	0	1	1	27.5	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:43:55	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:43:56	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:57	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:43:58	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:00	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:01	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:02	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:03	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:04	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:05	1	0	1	1	27.75	38	0	0	0	0	0	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:44:06	1	0	1	1	28	38.25	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:07	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:15	1	0	1	1	28	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:16	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:17	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:18	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:44:19	1	0	1	1	28.75	37.75	0	0	0	0	30000	0	0	30000	18.375	2004
15.01.2020 09:44:20	1	0	1	1	28.75	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:21	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:22	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:23	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:24	1	0	1	1	28.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:25	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:26	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:27	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:44:28	1	0	1	1	29	38.25	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:29	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:30	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:31	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:32	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:33	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:34	1	0	1	1	29	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:36	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:37	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:38	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:39	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:40	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:41	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:42	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:43	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:44	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:45	1	0	1	1	29.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:46	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:44:47	1	0	1	1	29.5	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:44:48	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:44:49	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:44:50	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:51	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:44:52	1	0	1	1	29.5	38.25	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:44:53	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	19.8125	2004
15.01.2020 09:44:54	1	0	1	1	29.5	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:44:55	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:44:56	1	0	1	1	30	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:57	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:58	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:44:59	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:00	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:01	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:02	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:03	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:04	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:45:05	1	0	1	1	30	37.75	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:06	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:45:07	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:08	1	0	1	1	30	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:19	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:20	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:21	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:22	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:23	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:45:24	1	0	1	1	30.5	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:45:25	1	0	1	1	30.5	38.25	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:45:26	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:27	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:28	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:29	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:30	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	20.125	2004
15.01.2020 09:45:31	1	0	1	1	30.75	40	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:45:32	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:33	1	0	1	1	30.75	38	0	0	0	0	30000	0	0	30000	18.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:45:34	1	0	1	1	30.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:35	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:45:36	1	0	1	1	31.25	37.75	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:37	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:38	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:39	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:45:40	1	0	1	1	31.25	38.25	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:45:41	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:42	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:45:43	1	0	1	1	31.25	38.25	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:45:44	1	0	1	1	31.25	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:45	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:46	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:47	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:48	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:45:49	1	0	1	1	31.5	38.25	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:51	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:52	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:45:53	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:54	1	0	1	1	31.5	38	0	0	0	0	0	30000	0	0	30000	17.9375	2004
15.01.2020 09:45:55	1	0	1	1	31.5	37.75	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:56	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:45:57	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:45:58	1	0	1	1	31.75	38.25	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:45:59	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:46:00	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:01	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:46:02	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:03	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:04	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:05	1	0	1	1	31.75	38	0	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:46:06	1	0	1	1	32.25	38	0	0	0	0	0	30000	0	0	30000	17.8125	2004
15.01.2020 09:46:07	1	0	1	1	32.25	37.75	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:08	1	0	1	1	32.25	38	0	0	0	0	0	30000	0	0	30000	20.6875	2004
15.01.2020 09:46:09	1	0	1	1	32.25	40.5	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:10	1	0	1	1	32.25	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:46:19	1	0	1	1	32.75	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:19	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:20	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:21	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:22	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:23	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:24	1	0	1	1	32.75	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:46:25	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:26	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:27	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:29	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:30	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18	2004
15.01.2020 09:46:31	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:32	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:33	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:34	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:35	1	0	1	1	33.25	38	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:46:36	1	0	1	1	33.75	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:37	1	0	1	1	33.75	38.25	0	0	0	0	30000	0	0	30000	18.375	2004
15.01.2020 09:46:38	1	0	1	1	33.75	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:39	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:40	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:41	1	0	1	1	33.75	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:42	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:43	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:44	1	0	1	1	33.75	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:45	1	0	1	1	33.75	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:46	1	0	1	1	34.5	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:47	1	0	1	1	34.5	38	0	0	0	0	30000	0	0	30000	19.25	2004
15.01.2020 09:46:48	1	0	1	1	34.5	39.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:49	1	0	1	1	34.5	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:50	1	0	1	1	34.5	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:51	1	0	1	1	34.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:46:52	1	0	1	1	34.5	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:53	1	0	1	1	34.5	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:54	1	0	1	1	34.5	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:55	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:56	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:46:57	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:46:58	1	0	1	1	35	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:46:59	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:00	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:01	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:47:02	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:03	1	0	1	1	35	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:04	1	0	1	1	35	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:05	1	0	1	1	35.5	38.25	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:06	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:07	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:09	1	0	1	1	35.5	38.25	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:10	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:11	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:12	1	0	1	1	35.5	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:20	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:23	1	0	1	1	36	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:23	1	0	1	1	36	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:23	1	0	1	1	36	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:23	1	0	1	1	36	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:24	1	0	1	1	36	38.25	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:25	1	0	1	1	36	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:26	1	0	1	1	36.5	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:27	1	0	1	1	36.5	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:28	1	0	1	1	36.5	38.25	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:29	1	0	1	1	36.5	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:30	1	0	1	1	36.5	38.25	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:31	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:32	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:33	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:34	1	0	1	1	36.5	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:35	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:36	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:47:37	1	0	1	1	36.75	38.25	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:38	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:39	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:40	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:41	1	0	1	1	36.75	38.25	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:42	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:43	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:44	1	0	1	1	36.75	38	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:47:45	1	0	1	1	37	38	0	0	0	0	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 09:47:47	1	0	1	1	37	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:48	1	0	1	1	37	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:49	1	0	1	1	37	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:50	1	0	1	1	37	38.25	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:51	1	0	1	1	37	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:52	1	0	1	1	37	38.25	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:53	1	0	1	1	37	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:54	1	0	1	1	37	38.25	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:55	1	0	1	1	37	38.25	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:47:56	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:57	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:47:58	1	0	1	1	37.5	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:47:59	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:00	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:01	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:48:02	1	0	1	1	37.5	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:03	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:04	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:05	1	0	1	1	37.5	38	0	0	0	0	0	30000	0	0	30000	19.75	2004
15.01.2020 09:48:06	1	0	1	1	38	39.75	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:48:07	1	0	1	1	38	38.25	0	0	0	0	0	30000	0	0	30000	18.3125	2004
15.01.2020 09:48:08	1	0	1	1	38	39	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:09	1	0	1	1	38	38	0	0	0	0	0	30000	0	0	30000	18.25	2004
15.01.2020 09:48:10	1	0	1	1	38	38.25	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:11	1	0	1	1	38	38	0	0	0	0	0	30000	0	0	30000	18.125	2004
15.01.2020 09:48:12	1	0	1	1	38	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:13	1	0	1	1	38	38	0	0	0	0	0	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	11611.374	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	11611.374	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	11611.374	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	11611.374	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	12369.668	0	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:19	1	1	1	1	38.5	38	0	13127.962	2.150537634	0	0	30000	0	0	30000	18	2004
15.01.2020 09:48:20	1	1	1	1	38.5	38	0	13127.962	2.150537634	0	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:21	1	1	1	1	38.5	38	0	13886.256	4.301075269	88.87560134	0	30000	0	0	30000	18.5625	2004
15.01.2020 09:48:22	1	1	1	1	38.5	38.5	0	14644.55	10.75268817	157.3668904	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:23	1	1	1	1	38.5	38	0	15402.844	15.05376344	231.565787	0	30000	0	0	30000	19.25	2004
15.01.2020 09:48:24	1	1	1	1	38.5	39.25	0	16208.531	21.50537634	348.1640529	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:26	1	1	1	1	38.5	38	0	16966.825	27.95698925	473.7314163	0	30000	0	0	30000	18.25	2004
15.01.2020 09:48:27	1	1	1	1	38.5	38.25	0	17677.725	36.55913978	645.7750116	0	30000	0	0	30000	18.0625	2004
15.01.2020 09:48:28	1	1	1	1	38.5	38	0	18436.019	43.01075269	792.5420596	0	30000	0	0	30000	18.125	2004
15.01.2020 09:48:29	1	1	1	1	38.5	38	0	19336.493	58.06451613	995.5698095	0	30000	0	0	30000	18.375	2004
15.01.2020 09:48:30	1	1	1	1	38.5	38.25	0	20000	58.06451613	1161.090425	0	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:48:31	1	1	1	1	38.5	38.25	0	20758.294	66.66666667	1383.687114	30000	0	0	30000	18.875	2004
15.01.2020 09:48:32	1	1	1	1	38.5	38.75	0	21563.981	77.41935484	1730.220422	30000	0	0	30000	18.125	2004
15.01.2020 09:48:33	1	1	1	1	38.5	38	0	22369.668	88.17204301	1924.279075	30000	0	0	30000	18.125	2004
15.01.2020 09:48:34	1	1	1	1	38.5	38	0	23080.569	94.62365591	2233.305248	30000	0	0	30000	18.5	2004
15.01.2020 09:48:35	1	1	1	1	38.5	38.5	0	23886.256	103.2258065	2521.94711	30000	0	0	30000	18.8125	2004
15.01.2020 09:48:36	1	1	1	1	38.5	38.75	0	24691.943	120.4301075	3026.66268	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:37	1	1	1	1	38.5	38	0	25355.45	139.7849462	3543.608839	30000	0	0	30000	18.5625	2004
15.01.2020 09:48:38	1	1	1	1	38.5	38.5	0	26208.531	156.9892473	3987.171473	30000	0	0	30000	18.375	2004
15.01.2020 09:48:39	1	1	1	1	38.5	38.25	0	26777.251	174.1935484	4663.930639	30000	0	0	30000	18.3125	2004
15.01.2020 09:48:40	1	1	1	1	38.5	38.25	0	27109.005	191.3978495	5130.323703	30000	0	0	30000	18.3125	2004
15.01.2020 09:48:41	1	1	1	1	38.5	38.25	0	27298.578	206.4516129	5401.027369	30000	0	0	30000	18.1875	2004
15.01.2020 09:48:42	1	1	1	1	38.5	38	0	28199.052	223.655914	6143.831707	30000	0	0	30000	19.0625	2004
15.01.2020 09:48:43	1	1	1	1	38.5	39	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	18.25	2004
15.01.2020 09:48:44	1	1	1	1	38.5	38.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	20.5	2004
15.01.2020 09:48:45	1	1	1	1	38.5	40.5	0	28625.592	264.516129	7510.395999	30000	0	0	30000	20.125	2004
15.01.2020 09:48:46	1	1	1	1	39.5	40	0	28815.166	279.5698925	8015.926943	30000	0	0	30000	19.75	2004
15.01.2020 09:48:47	1	1	1	1	39.5	38.25	0	28957.346	298.9247312	8655.994347	30000	0	0	30000	18.3125	2004
15.01.2020 09:48:48	1	1	1	1	39.5	38.25	0	29857.82	326.8817204	9760.008697	30000	0	0	30000	19.6875	2004
15.01.2020 09:48:49	1	1	1	1	39.5	39.5	0	29715.64	341.9354839	10160.35659	30000	0	0	30000	18.625	2004
15.01.2020 09:48:50	1	1	1	1	39.5	38.5	0	29573.46	354.8387097	10510.15139	30000	0	0	30000	18.4375	2004
15.01.2020 09:48:51	1	1	1	1	39.5	38.25	0	29810.427	369.8924731	11026.28217	30000	0	0	30000	18.5625	2004
15.01.2020 09:48:52	1	1	1	1	39.5	38.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	18.75	2004
15.01.2020 09:48:53	1	1	1	1	39.5	38.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	18.25	2004
15.01.2020 09:48:54	1	1	1	1	39.5	38.25	0	30000	391.3978495	11805.77827	30000	0	0	30000	18.375	2004
15.01.2020 09:48:55	1	1	1	1	40	38.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	18	2004
15.01.2020 09:48:56	1	1	1	1	40	38	0	30000	384.9462366	11548.12057	30000	0	0	30000	18.125	2004
15.01.2020 09:48:57	1	1	1	1	40	38	0	30000	380.6451613	11548.12057	30000	0	0	30000	18.25	2004
15.01.2020 09:48:58	1	1	1	1	40	38.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	18.125	2004
15.01.2020 09:48:59	1	1	1	1	40	38	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.875	2004
15.01.2020 09:49:00	1	1	1	1	40	37.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	18.25	2004
15.01.2020 09:49:01	1	1	1	1	40	38.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	18.25	2004
15.01.2020 09:49:03	1	1	1	1	40	38.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	18.0625	2004
15.01.2020 09:49:04	1	1	1	1	40	38	0	30000	406.4516129	12193.08021	30000	0	0	30000	18.5	2004
15.01.2020 09:49:05	1	1	1	1	40	38.5	0	30047.393	415.0537634	12599.95108	30000	0	0	30000	18.5	2004
15.01.2020 09:49:06	1	1	1	1	41.5	38.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.625	2004
15.01.2020 09:49:07	1	1	1	1	41.5	38.5	0	30000	423.655914	12709.21099	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:08	1	1	1	1	41.5	38.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.25	2004
15.01.2020 09:49:09	1	1	1	1	41.5	38.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	18.75	2004
15.01.2020 09:49:10	1	1	1	1	41.5	38.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.125	2004
15.01.2020 09:49:11	1	1	1	1	41.5	38	0	30047.393	438.7096774	12967.68407	30000	0	0	30000	18.625	2004
15.01.2020 09:49:12	1	1	1	1	41.5	38.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	19.25	2004
15.01.2020 09:49:13	1	1	1	1	41.5	39.25	0	30000	453.7634409	13591.44402	30000	0	0	30000	19.0625	2004
15.01.2020 09:49:14	1	1	1	1	41.5	39	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:49:15	1	1	1	1	41.5	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.25	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.875	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.875	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.875	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.875	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.875	2004
15.01.2020 09:49:21	1	1	1	1	43.25	38.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	19.4375	2004
15.01.2020 09:49:22	1	1	1	1	43.25	39.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	18.5	2004
15.01.2020 09:49:23	1	1	1	1	43.25	38.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	19.4375	2004
15.01.2020 09:49:24	1	1	1	1	43.25	39.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	18.625	2004
15.01.2020 09:49:25	1	1	1	1	43.25	38.5	0	30000	412.9032258	12154.7577	30000	0	0	30000	19.3125	2004
15.01.2020 09:49:26	1	1	1	1	44.75	39.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	18.375	2004
15.01.2020 09:49:27	1	1	1	1	44.75	39	0	30000	404.3010753	12045.49778	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:28	1	1	1	1	44.75	38.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.5625	2004
15.01.2020 09:49:29	1	1	1	1	44.75	38.5	0	30000	412.9032258	12367.56992	30000	0	0	30000	18.625	2004
15.01.2020 09:49:30	1	1	1	1	44.75	38.5	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	18.3125	2004
15.01.2020 09:49:31	1	1	1	1	44.75	38.25	0	30094.787	415.0537634	12387.13886	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:32	1	1	1	1	44.75	38.25	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	18.5	2004
15.01.2020 09:49:33	1	1	1	1	44.75	38.5	0	30000	419.3548387	12348.00098	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:34	1	1	1	1	44.75	38.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	18.3125	2004
15.01.2020 09:49:35	1	1	1	1	45.75	38.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.8125	2004
15.01.2020 09:49:36	1	1	1	1	45.75	38.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	18.375	2004
15.01.2020 09:49:37	1	1	1	1	45.75	38.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	18.3125	2004
15.01.2020 09:49:38	1	1	1	1	45.75	38.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.5625	2004
15.01.2020 09:49:39	1	1	1	1	45.75	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.3125	2004
15.01.2020 09:49:40	1	1	1	1	45.75	38.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.75	2004
15.01.2020 09:49:41	1	1	1	1	45.75	38.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:42	1	1	1	1	45.75	38.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.1875	2004
15.01.2020 09:49:44	1	1	1	1	45.75	39	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.375	2004
15.01.2020 09:49:45	1	1	1	1	45.75	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.375	2004
15.01.2020 09:49:46	1	1	1	1	46.5	38.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.625	2004
15.01.2020 09:49:47	1	1	1	1	46.5	38.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	18.4375	2004
15.01.2020 09:49:48	1	1	1	1	46.5	38.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	18.5	2004
15.01.2020 09:49:49	1	1	1	1	46.5	38.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.25	2004
15.01.2020 09:49:50	1	1	1	1	46.5	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.3125	2004
15.01.2020 09:49:51	1	1	1	1	46.5	38.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.1875	2004
15.01.2020 09:49:52	1	1	1	1	46.5	38	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.125	2004
15.01.2020 09:49:53	1	1	1	1	46.5	39	0	30000	445.1612903	13289.7562	30000	0	0	30000	18.875	2004
15.01.2020 09:49:54	1	1	1	1	46.5	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.8125	2004
15.01.2020 09:49:55	1	1	1	1	46.5	38.75	0	30000	464.516129	13913.51616	30000	0	0	30000	18.875	2004
15.01.2020 09:49:56	1	1	1	1	48	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.5625	2004
15.01.2020 09:49:57	1	1	1	1	48	38.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	18.5625	2004
15.01.2020 09:49:58	1	1	1	1	48	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:49:59	1	1	1	1	48	38.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.25	2004
15.01.2020 09:50:00	1	1	1	1	48	39.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	19.75	2004
15.01.2020 09:50:01	1	1	1	1	48	39.75	0	30000	451.6129032	13569.42897	30000	0	0	30000	18.1875	2004
15.01.2020 09:50:02	1	1	1	1	48	38	0	30000	443.0107527	13225.34178	30000	0	0	30000	19.25	2004
15.01.2020 09:50:03	1	1	1	1	48	39.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	19	2004
15.01.2020 09:50:04	1	1	1	1	48	39	0	30000	440.8602151	13289.7562	30000	0	0	30000	20.25	2004
15.01.2020 09:50:05	1	1	1	1	49.25	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.3125	2004
15.01.2020 09:50:06	1	1	1	1	49.25	39.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	18.75	2004
15.01.2020 09:50:07	1	1	1	1	49.25	38.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.75	2004
15.01.2020 09:50:08	1	1	1	1	49.25	39.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	18.875	2004
15.01.2020 09:50:09	1	1	1	1	49.25	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.125	2004
15.01.2020 09:50:10	1	1	1	1	49.25	39	0	30000	449.4623656	13354.17063	30000	0	0	30000	19.9375	2004
15.01.2020 09:50:11	1	1	1	1	49.25	39.75	0	30000	451.6129032	13548.22928	30000	0	0	30000	18.875	2004
15.01.2020 09:50:12	1	1	1	1	49.25	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.5	2004
15.01.2020 09:50:13	1	1	1	1	49.25	38.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.625	2004
15.01.2020 09:50:14	1	1	1	1	49.25	38.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.4375	2004
15.01.2020 09:50:15	1	1	1	1	50.75	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.125	2004
15.01.2020 09:50:16	1	1	1	1	50.75	39	0	30000	445.1612903	13375.37032	30000	0	0	30000	19.6875	2004
15.01.2020 09:50:22	1	1	1	1	50.75	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.75	2004
15.01.2020 09:50:22	1	1	1	1	50.75	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.75	2004
15.01.2020 09:50:22	1	1	1	1	50.75	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.75	2004
15.01.2020 09:50:22	1	1	1	1	50.75	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.75	2004
15.01.2020 09:50:22	1	1	1	1	50.75	38.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	18.75	2004
15.01.2020 09:50:23	1	1	1	1	50.75	38.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	18.6875	2004
15.01.2020 09:50:24	1	1	1	1	50.75	38.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.4375	2004
15.01.2020 09:50:25	1	1	1	1	50.75	38.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	18.75	2004
15.01.2020 09:50:26	1	1	1	1	51.25	38.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	18.5625	2004
15.01.2020 09:50:27	1	1	1	1	51.25	38.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	18.5	2004
15.01.2020 09:50:28	1	1	1	1	51.25	38.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.75	2004
15.01.2020 09:50:29	1	1	1	1	51.25	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.3125	2004
15.01.2020 09:50:30	1	1	1	1	51.25	39.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	19.1875	2004
15.01.2020 09:50:31	1	1	1	1	51.25	39	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.5	2004
15.01.2020 09:50:32	1	1	1	1	51.25	38.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	18.375	2004
15.01.2020 09:50:33	1	1	1	1	51.25	38.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	18.625	2004
15.01.2020 09:50:34	1	1	1	1	51.25	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.625	2004
15.01.2020 09:50:35	1	1	1	1	51.25	38.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	19.4375	2004
15.01.2020 09:50:36	1	1	1	1	52.25	39.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	19.1875	2004
15.01.2020 09:50:37	1	1	1	1	52.25	39	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.4375	2004
15.01.2020 09:50:38	1	1	1	1	52.25	38.25	0	30000	443.0107527	13333.78632	30000	0	0	30000	18.9375	2004
15.01.2020 09:50:39	1	1	1	1	52.25	38.75	0	30000	434.4086022	12838.03984	30000	0	0	30000	18.75	2004
15.01.2020 09:50:40	1	1	1	1	52.25	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.625	2004
15.01.2020 09:50:41	1	1	1	1	52.25	38.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.0625	2004
15.01.2020 09:50:42	1	1	1	1	52.25	39	0	30000	453.7634409	13591.44402	30000	0	0	30000	20.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:50:43	1	1	1	1	52.25	40.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.0625	2004
15.01.2020 09:50:44	1	1	1	1	52.25	39	0	30000	432.2580645	12967.68407	30000	0	0	30000	19.5	2004
15.01.2020 09:50:45	1	1	1	1	52.25	39.5	0	30000	464.516129	13999.94564	30000	0	0	30000	20.125	2004
15.01.2020 09:50:46	1	1	1	1	53.75	39.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.0625	2004
15.01.2020 09:50:47	1	1	1	1	53.75	39	0	30000	445.1612903	13375.37032	30000	0	0	30000	19.1875	2004
15.01.2020 09:50:48	1	1	1	1	53.75	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.8125	2004
15.01.2020 09:50:49	1	1	1	1	53.75	38.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	18.6875	2004
15.01.2020 09:50:50	1	1	1	1	53.75	38.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	19.1875	2004
15.01.2020 09:50:51	1	1	1	1	53.75	39	0	30000	458.0645161	13741.47256	30000	0	0	30000	19	2004
15.01.2020 09:50:52	1	1	1	1	53.75	39	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.5	2004
15.01.2020 09:50:53	1	1	1	1	53.75	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.0625	2004
15.01.2020 09:50:54	1	1	1	1	53.75	39	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	18.875	2004
15.01.2020 09:50:55	1	1	1	1	54.5	38.75	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	21.1875	2004
15.01.2020 09:50:56	1	1	1	1	54.5	41	0	30000	466.6666667	14064.36007	30000	0	0	30000	20.25	2004
15.01.2020 09:50:57	1	1	1	1	54.5	40.25	0	30000	481.7204301	14193.18892	30000	0	0	30000	19.5	2004
15.01.2020 09:50:58	1	1	1	1	54.5	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.375	2004
15.01.2020 09:50:59	1	1	1	1	54.5	39.25	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	18.875	2004
15.01.2020 09:51:01	1	1	1	1	54.5	38.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
15.01.2020 09:51:02	1	1	1	1	54.5	39.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	19.0625	2004
15.01.2020 09:51:03	1	1	1	1	54.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.25	2004
15.01.2020 09:51:04	1	1	1	1	54.5	40.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	18.5	2004
15.01.2020 09:51:05	1	1	1	1	54.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.5	2004
15.01.2020 09:51:06	1	1	1	1	56	38.5	0	30000	458.0645161	13612.64371	30000	0	0	30000	18.625	2004
15.01.2020 09:51:07	1	1	1	1	56	38.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	18.75	2004
15.01.2020 09:51:08	1	1	1	1	56	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.6875	2004
15.01.2020 09:51:09	1	1	1	1	56	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.5625	2004
15.01.2020 09:51:10	1	1	1	1	56	39.5	0	30000	464.516129	13741.47256	30000	0	0	30000	18.625	2004
15.01.2020 09:51:11	1	1	1	1	56	38.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	18.4375	2004
15.01.2020 09:51:12	1	1	1	1	56	38.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	19.3125	2004
15.01.2020 09:51:13	1	1	1	1	56	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
15.01.2020 09:51:14	1	1	1	1	56	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.4375	2004
15.01.2020 09:51:15	1	1	1	1	56	39.25	0	30000	483.8709677	14493.246	30000	0	0	30000	18.875	2004
15.01.2020 09:51:16	1	1	1	1	56.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
15.01.2020 09:51:17	1	1	1	1	56.5	38.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.125	2004
15.01.2020 09:51:18	1	1	1	1	56.5	39	0	30000	464.516129	13935.53122	30000	0	0	30000	20.0625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	41	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	41	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	41	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	41	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	41	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:24	1	1	1	1	56.5	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
15.01.2020 09:51:25	1	1	1	1	58	39.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	18.6875	2004
15.01.2020 09:51:26	1	1	1	1	58	38.5	0	30000	468.8172043	14451.662	30000	0	0	30000	19.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:51:27	1	1	1	1	58	39	0	29905.213	464.516129	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:28	1	1	1	1	58	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
15.01.2020 09:51:29	1	1	1	1	58	39.25	0	30000	466.6666667	14128.7745	30000	0	0	30000	19.9375	2004
15.01.2020 09:51:30	1	1	1	1	58	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	18.625	2004
15.01.2020 09:51:31	1	1	1	1	58	38.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	18.75	2004
15.01.2020 09:51:32	1	1	1	1	58	38.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.0625	2004
15.01.2020 09:51:33	1	1	1	1	58	39	0	30000	453.7634409	13677.05814	30000	0	0	30000	19.25	2004
15.01.2020 09:51:34	1	1	1	1	58	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	18.8125	2004
15.01.2020 09:51:35	1	1	1	1	58.5	38.75	0	30000	466.6666667	13762.67225	30000	0	0	30000	19.875	2004
15.01.2020 09:51:36	1	1	1	1	58.5	39.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	18.6875	2004
15.01.2020 09:51:37	1	1	1	1	58.5	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.125	2004
15.01.2020 09:51:38	1	1	1	1	58.5	39	0	30000	481.7204301	14083.92901	30000	0	0	30000	18.8125	2004
15.01.2020 09:51:40	1	1	1	1	58.5	38.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	19	2004
15.01.2020 09:51:41	1	1	1	1	58.5	39	0	30000	481.7204301	14193.18892	30000	0	0	30000	19.4375	2004
15.01.2020 09:51:42	1	1	1	1	58.5	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.875	2004
15.01.2020 09:51:43	1	1	1	1	58.5	39.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	19	2004
15.01.2020 09:51:44	1	1	1	1	58.5	39	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
15.01.2020 09:51:45	1	1	1	1	58.5	39.5	0	29952.607	470.9677419	14193.18892	30000	0	0	30000	19.25	2004
15.01.2020 09:51:46	1	1	1	1	59.25	39.25	0	29905.213	466.6666667	14451.662	30000	0	0	30000	19.3125	2004
15.01.2020 09:51:47	1	1	1	1	59.25	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
15.01.2020 09:51:48	1	1	1	1	59.25	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.125	2004
15.01.2020 09:51:49	1	1	1	1	59.25	39	0	29952.607	455.9139785	13999.94564	30000	0	0	30000	19.125	2004
15.01.2020 09:51:50	1	1	1	1	59.25	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19	2004
15.01.2020 09:51:51	1	1	1	1	59.25	39	0	30000	470.9677419	14128.7745	30000	0	0	30000	19.1875	2004
15.01.2020 09:51:52	1	1	1	1	59.25	39	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.5	2004
15.01.2020 09:51:53	1	1	1	1	59.25	39.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19	2004
15.01.2020 09:51:54	1	1	1	1	59.25	39	0	29952.607	483.8709677	14406.00114	30000	0	0	30000	18.75	2004
15.01.2020 09:51:55	1	1	1	1	59.25	38.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	19.3125	2004
15.01.2020 09:51:56	1	1	1	1	59.75	39.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	19.75	2004
15.01.2020 09:51:57	1	1	1	1	59.75	39.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	21	2004
15.01.2020 09:51:58	1	1	1	1	59.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	19	2004
15.01.2020 09:51:59	1	1	1	1	59.75	39	0	30000	468.8172043	14128.7745	30000	0	0	30000	21.125	2004
15.01.2020 09:52:00	1	1	1	1	59.75	41	0	30000	460.2150538	13612.64371	30000	0	0	30000	20.875	2004
15.01.2020 09:52:01	1	1	1	1	59.75	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.875	2004
15.01.2020 09:52:02	1	1	1	1	59.75	40	0	30000	488.172043	14580.49085	30000	0	0	30000	19.625	2004
15.01.2020 09:52:03	1	1	1	1	59.75	39.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	20.5625	2004
15.01.2020 09:52:04	1	1	1	1	59.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
15.01.2020 09:52:05	1	1	1	1	60.5	40	0	30000	503.2258065	15032.20721	30000	0	0	30000	19.4375	2004
15.01.2020 09:52:06	1	1	1	1	60.5	39.25	0	30000	486.0215054	14451.662	30000	0	0	30000	19.5625	2004
15.01.2020 09:52:07	1	1	1	1	60.5	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.375	2004
15.01.2020 09:52:08	1	1	1	1	60.5	39.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.875	2004
15.01.2020 09:52:09	1	1	1	1	60.5	40.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	18.9375	2004
15.01.2020 09:52:10	1	1	1	1	60.5	38.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:52:11	1	1	1	1	60.5	40.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	19	2004
15.01.2020 09:52:12	1	1	1	1	60.5	39	0	29810.427	494.6236559	15024.86886	30000	0	0	30000	20.25	2004
15.01.2020 09:52:13	1	1	1	1	60.5	40.25	0	30000	496.7741935	14967.79279	30000	0	0	30000	20	2004
15.01.2020 09:52:14	1	1	1	1	60.5	40	0	30000	501.0752688	15032.20721	30000	0	0	30000	19.875	2004
15.01.2020 09:52:15	1	1	1	1	60.5	39.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	18.875	2004
15.01.2020 09:52:17	1	1	1	1	60.5	38.75	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	19.5625	2004
15.01.2020 09:52:18	1	1	1	1	60.5	39.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
15.01.2020 09:52:19	1	1	1	1	60.5	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.625	2004
15.01.2020 09:52:20	1	1	1	1	60.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
15.01.2020 09:52:25	1	1	1	1	60.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:52:25	1	1	1	1	60.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:52:25	1	1	1	1	60.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:52:25	1	1	1	1	60.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:52:25	1	1	1	1	60.5	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:52:26	1	1	1	1	61.5	40.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	19.375	2004
15.01.2020 09:52:27	1	1	1	1	61.5	39.25	0	29905.213	464.516129	14451.662	30000	0	0	30000	19.5	2004
15.01.2020 09:52:28	1	1	1	1	61.5	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19	2004
15.01.2020 09:52:29	1	1	1	1	61.5	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
15.01.2020 09:52:30	1	1	1	1	61.5	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.0625	2004
15.01.2020 09:52:31	1	1	1	1	61.5	39	0	30000	481.7204301	14451.662	30000	0	0	30000	19.1875	2004
15.01.2020 09:52:32	1	1	1	1	61.5	39	0	30000	488.172043	14709.31971	30000	0	0	30000	20.0625	2004
15.01.2020 09:52:33	1	1	1	1	61.5	40	0	30000	496.7741935	14598.42905	30000	0	0	30000	19.5	2004
15.01.2020 09:52:34	1	1	1	1	61.5	39.5	0	30000	488.172043	14644.90528	30000	0	0	30000	19.4375	2004
15.01.2020 09:52:35	1	1	1	1	61.5	39.25	0	30000	496.7741935	15096.62164	30000	0	0	30000	20.25	2004
15.01.2020 09:52:36	1	1	1	1	61.75	40.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	21.3125	2004
15.01.2020 09:52:37	1	1	1	1	61.75	41.25	0	30000	488.172043	14773.73413	30000	0	0	30000	19.9375	2004
15.01.2020 09:52:38	1	1	1	1	61.75	39.75	0	30000	494.6236559	14750.9037	30000	0	0	30000	20.5625	2004
15.01.2020 09:52:39	1	1	1	1	61.75	40.5	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	19.9375	2004
15.01.2020 09:52:40	1	1	1	1	61.75	39.75	0	30000	486.0215054	14406.00114	30000	0	0	30000	19.5	2004
15.01.2020 09:52:41	1	1	1	1	61.75	41	0	30000	507.5268817	15161.03607	30000	0	0	30000	19.3125	2004
15.01.2020 09:52:42	1	1	1	1	61.75	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.25	2004
15.01.2020 09:52:43	1	1	1	1	61.75	39.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	19.9375	2004
15.01.2020 09:52:44	1	1	1	1	61.75	39.75	0	30047.393	492.4731183	14773.73413	30000	0	0	30000	19.9375	2004
15.01.2020 09:52:45	1	1	1	1	62.5	39.75	0	30000	511.827957	15266.21912	30000	0	0	30000	19.875	2004
15.01.2020 09:52:46	1	1	1	1	62.5	39.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	20.5625	2004
15.01.2020 09:52:47	1	1	1	1	62.5	40.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.125	2004
15.01.2020 09:52:48	1	1	1	1	62.5	40	0	30000	498.9247312	15032.20721	30000	0	0	30000	19.8125	2004
15.01.2020 09:52:49	1	1	1	1	62.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.375	2004
15.01.2020 09:52:50	1	1	1	1	62.5	39.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.25	2004
15.01.2020 09:52:51	1	1	1	1	62.5	40.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.1875	2004
15.01.2020 09:52:52	1	1	1	1	62.5	40	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.25	2004
15.01.2020 09:52:53	1	1	1	1	62.5	40.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	19.5625	2004
15.01.2020 09:52:54	1	1	1	1	62.5	39.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	20.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:52:55	1	1	1	1	63.5	40.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	19.75	2004
15.01.2020 09:52:56	1	1	1	1	63.5	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.9375	2004
15.01.2020 09:52:58	1	1	1	1	63.5	39.75	0	30047.393	498.9247312	14902.56299	30000	0	0	30000	19.5625	2004
15.01.2020 09:52:59	1	1	1	1	63.5	39.5	0	30000	511.827957	15289.86492	30000	0	0	30000	20.125	2004
15.01.2020 09:53:00	1	1	1	1	63.5	40	0	30000	511.827957	15483.92357	30000	0	0	30000	20.6875	2004
15.01.2020 09:53:01	1	1	1	1	63.5	40.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.125	2004
15.01.2020 09:53:02	1	1	1	1	63.5	39	0	30000	498.9247312	14750.9037	30000	0	0	30000	19.6875	2004
15.01.2020 09:53:03	1	1	1	1	63.5	39.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	19.5	2004
15.01.2020 09:53:04	1	1	1	1	63.5	39.5	0	30047.393	511.827957	15314.32609	30000	0	0	30000	21.25	2004
15.01.2020 09:53:05	1	1	1	1	63.5	41.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	19.9375	2004
15.01.2020 09:53:06	1	1	1	1	64.25	39.75	0	30000	526.8817204	15498.60028	30000	0	0	30000	20.25	2004
15.01.2020 09:53:07	1	1	1	1	64.25	40.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	19.1875	2004
15.01.2020 09:53:08	1	1	1	1	64.25	39	0	29952.607	516.1290323	15548.338	30000	0	0	30000	19.375	2004
15.01.2020 09:53:09	1	1	1	1	64.25	39.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	19.25	2004
15.01.2020 09:53:10	1	1	1	1	64.25	39.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	19.9375	2004
15.01.2020 09:53:11	1	1	1	1	64.25	39.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	19.9375	2004
15.01.2020 09:53:12	1	1	1	1	64.25	39.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	19.8125	2004
15.01.2020 09:53:13	1	1	1	1	64.25	39.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	19.375	2004
15.01.2020 09:53:14	1	1	1	1	64.25	39.25	0	30000	501.0752688	15008.56141	30000	0	0	30000	19.875	2004
15.01.2020 09:53:15	1	1	1	1	64.25	39.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	19.25	2004
15.01.2020 09:53:16	1	1	1	1	66	39.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.125	2004
15.01.2020 09:53:17	1	1	1	1	66	40	0	30000	511.827957	15483.92357	30000	0	0	30000	19.6875	2004
15.01.2020 09:53:18	1	1	1	1	66	39.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	20.5	2004
15.01.2020 09:53:19	1	1	1	1	66	40.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.125	2004
15.01.2020 09:53:20	1	1	1	1	66	40	0	30000	494.6236559	14902.56299	30000	0	0	30000	19.375	2004
15.01.2020 09:53:21	1	1	1	1	66	40.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.0625	2004
15.01.2020 09:53:27	1	1	1	1	67	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20	2004
15.01.2020 09:53:27	1	1	1	1	67	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20	2004
15.01.2020 09:53:27	1	1	1	1	67	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20	2004
15.01.2020 09:53:27	1	1	1	1	67	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20	2004
15.01.2020 09:53:27	1	1	1	1	67	39.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20	2004
15.01.2020 09:53:27	1	1	1	1	67	40	0	30000	503.2258065	15032.20721	30000	0	0	30000	19.5625	2004
15.01.2020 09:53:28	1	1	1	1	67	39.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	19.125	2004
15.01.2020 09:53:29	1	1	1	1	67	39	0	30000	505.3763441	15161.03607	30000	0	0	30000	19.3125	2004
15.01.2020 09:53:30	1	1	1	1	67	39.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.9375	2004
15.01.2020 09:53:31	1	1	1	1	67	39.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	19.8125	2004
15.01.2020 09:53:32	1	1	1	1	67	39.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.375	2004
15.01.2020 09:53:33	1	1	1	1	67	40.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.6875	2004
15.01.2020 09:53:34	1	1	1	1	67	39.5	0	30000	498.9247312	14856.08676	30000	0	0	30000	19.5	2004
15.01.2020 09:53:35	1	1	1	1	68	39.5	0	30000	488.172043	14644.90528	30000	0	0	30000	19.8125	2004
15.01.2020 09:53:37	1	1	1	1	68	39.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	19.4375	2004
15.01.2020 09:53:38	1	1	1	1	68	39.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	20.6875	2004
15.01.2020 09:53:39	1	1	1	1	68	40.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	19.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:53:40	1	1	1	1	68	39.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.25	2004
15.01.2020 09:53:41	1	1	1	1	68	39.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	20.8125	2004
15.01.2020 09:53:42	1	1	1	1	68	40.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:53:43	1	1	1	1	68	40	0	30000	501.0752688	15032.20721	30000	0	0	30000	19.9375	2004
15.01.2020 09:53:44	1	1	1	1	68	39.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	19.1875	2004
15.01.2020 09:53:45	1	1	1	1	68	39	0	30000	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
15.01.2020 09:53:46	1	1	1	1	69.25	40.75	0	30000	483.8709677	14451.662	30000	0	0	30000	19.1875	2004
15.01.2020 09:53:47	1	1	1	1	69.25	39	0	30000	488.172043	14644.90528	30000	0	0	30000	19.5625	2004
15.01.2020 09:53:48	1	1	1	1	69.25	39.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.8125	2004
15.01.2020 09:53:49	1	1	1	1	69.25	39.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	20	2004
15.01.2020 09:53:50	1	1	1	1	69.25	40	0	30000	496.7741935	15032.20721	30000	0	0	30000	19.4375	2004
15.01.2020 09:53:51	1	1	1	1	69.25	39.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	20.0625	2004
15.01.2020 09:53:52	1	1	1	1	69.25	40	0	30000	490.3225806	14773.73413	30000	0	0	30000	19.8125	2004
15.01.2020 09:53:53	1	1	1	1	69.25	39.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19.75	2004
15.01.2020 09:53:54	1	1	1	1	69.25	39.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	19.625	2004
15.01.2020 09:53:55	1	1	1	1	69.25	39.5	0	29952.607	470.9677419	14451.662	30000	0	0	30000	20.1875	2004
15.01.2020 09:53:56	1	1	1	1	70.75	40	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.5	2004
15.01.2020 09:53:57	1	1	1	1	70.75	40.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.3125	2004
15.01.2020 09:53:58	1	1	1	1	70.75	40.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	20.6875	2004
15.01.2020 09:53:59	1	1	1	1	70.75	40.5	0	30047.393	509.6774194	15314.32609	30000	0	0	30000	20.5	2004
15.01.2020 09:54:00	1	1	1	1	70.75	40.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	20.8125	2004
15.01.2020 09:54:01	1	1	1	1	70.75	40.25	0	30047.393	518.2795699	15548.338	30000	0	0	30000	20.8125	2004
15.01.2020 09:54:02	1	1	1	1	70.75	40.75	0	30000	511.827957	15306.17237	30000	0	0	30000	19.875	2004
15.01.2020 09:54:03	1	1	1	1	70.75	39.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.5625	2004
15.01.2020 09:54:04	1	1	1	1	70.75	40.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	20.6875	2004
15.01.2020 09:54:05	1	1	1	1	71.75	40.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:06	1	1	1	1	71.75	39.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	19.875	2004
15.01.2020 09:54:07	1	1	1	1	71.75	39.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	19.5625	2004
15.01.2020 09:54:08	1	1	1	1	71.75	39.5	0	30000	511.827957	15483.92357	30000	0	0	30000	20.1875	2004
15.01.2020 09:54:09	1	1	1	1	71.75	40	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	19.875	2004
15.01.2020 09:54:10	1	1	1	1	71.75	39.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	19.875	2004
15.01.2020 09:54:11	1	1	1	1	71.75	39.75	0	30000	496.7741935	15055.85302	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:12	1	1	1	1	71.75	39.75	0	30000	516.1290323	15548.338	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:13	1	1	1	1	71.75	39.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.6875	2004
15.01.2020 09:54:14	1	1	1	1	71.75	39.5	0	30000	518.2795699	15523.87682	30000	0	0	30000	19.3125	2004
15.01.2020 09:54:16	1	1	1	1	71.5	39.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.5625	2004
15.01.2020 09:54:17	1	1	1	1	71.5	39.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.125	2004
15.01.2020 09:54:18	1	1	1	1	71.5	40	0	30000	516.1290323	15112.92909	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:19	1	1	1	1	71.5	39.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	19.9375	2004
15.01.2020 09:54:20	1	1	1	1	71.5	39.75	0	30000	501.0752688	15008.56141	30000	0	0	30000	19.5	2004
15.01.2020 09:54:21	1	1	1	1	71.5	39.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.9375	2004
15.01.2020 09:54:22	1	1	1	1	71.5	40.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:23	1	1	1	1	71.5	40	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:29	1	1	1	1	71.75	40.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:30	1	1	1	1	71.75	40	0	30000	501.0752688	15096.62164	30000	0	0	30000	19.625	2004
15.01.2020 09:54:31	1	1	1	1	71.75	39.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:32	1	1	1	1	71.75	40	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.5	2004
15.01.2020 09:54:33	1	1	1	1	71.75	40.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:34	1	1	1	1	71.75	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	19.625	2004
15.01.2020 09:54:35	1	1	1	1	71.75	39.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	19.4375	2004
15.01.2020 09:54:36	1	1	1	1	71.75	39.25	0	30000	488.172043	14644.90528	30000	0	0	30000	19.375	2004
15.01.2020 09:54:37	1	1	1	1	71.75	39.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.75	2004
15.01.2020 09:54:38	1	1	1	1	71.75	39.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.1875	2004
15.01.2020 09:54:39	1	1	1	1	71.75	41	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	21.875	2004
15.01.2020 09:54:40	1	1	1	1	71.75	41.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20	2004
15.01.2020 09:54:41	1	1	1	1	71.75	40.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.75	2004
15.01.2020 09:54:42	1	1	1	1	71.75	39.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	20.25	2004
15.01.2020 09:54:43	1	1	1	1	71.75	40.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:44	1	1	1	1	71.75	39.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	19.75	2004
15.01.2020 09:54:45	1	1	1	1	73.25	39.75	0	30000	470.9677419	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:54:46	1	1	1	1	73.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
15.01.2020 09:54:47	1	1	1	1	73.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	19.8125	2004
15.01.2020 09:54:48	1	1	1	1	73.25	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.875	2004
15.01.2020 09:54:49	1	1	1	1	73.25	39.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	20	2004
15.01.2020 09:54:50	1	1	1	1	73.25	40	0	30000	488.172043	14773.73413	30000	0	0	30000	19.75	2004
15.01.2020 09:54:51	1	1	1	1	73.25	39.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	19.9375	2004
15.01.2020 09:54:52	1	1	1	1	73.25	39.75	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	19.625	2004
15.01.2020 09:54:54	1	1	1	1	73.25	39.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	20.4375	2004
15.01.2020 09:54:55	1	1	1	1	73.25	40.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	20.6875	2004
15.01.2020 09:54:56	1	1	1	1	73.25	40.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	20	2004
15.01.2020 09:54:57	1	1	1	1	73.25	40	0	30000	507.5268817	15289.86492	30000	0	0	30000	20	2004
15.01.2020 09:54:58	1	1	1	1	73.25	40	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.0625	2004
15.01.2020 09:54:59	1	1	1	1	73.25	40	0	30000	507.5268817	15289.86492	30000	0	0	30000	19.75	2004
15.01.2020 09:55:00	1	1	1	1	73.25	39.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	20.125	2004
15.01.2020 09:55:01	1	1	1	1	73.25	40	0	29952.607	511.827957	15483.92357	30000	0	0	30000	19.8125	2004
15.01.2020 09:55:02	1	1	1	1	73.25	39.75	0	30000	511.827957	15314.32609	30000	0	0	30000	19.875	2004
15.01.2020 09:55:03	1	1	1	1	73.25	39.75	0	30000	511.827957	15289.86492	30000	0	0	30000	19.75	2004
15.01.2020 09:55:04	1	1	1	1	73.25	39.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	20.25	2004
15.01.2020 09:55:05	1	1	1	1	73.25	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	20.5	2004
15.01.2020 09:55:06	1	1	1	1	73.25	40.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	20.75	2004
15.01.2020 09:55:07	1	1	1	1	73.25	40.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:55:08	1	1	1	1	73.25	40.5	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	19.875	2004
15.01.2020 09:55:09	1	1	1	1	73.25	39.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.3125	2004
15.01.2020 09:55:10	1	1	1	1	73.25	41.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	20.375	2004
15.01.2020 09:55:11	1	1	1	1	73.25	40.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	19.6875	2004
15.01.2020 09:55:12	1	1	1	1	73.25	39.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.75	2004
15.01.2020 09:55:13	1	1	1	1	73.25	40.75	0	30000	490.3225806	14686.48928	30000	0	0	30000	19.8125	2004
15.01.2020 09:55:14	1	1	1	1	73.25	39.75	0	30000	483.8709677	14451.662	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:15	1	1	1	1	73.25	40	0	30000	501.0752688	15161.03607	30000	0	0	30000	20.25	2004
15.01.2020 09:55:16	1	1	1	1	73.75	40.25	0	30000	488.172043	14773.73413	30000	0	0	30000	21.6875	2004
15.01.2020 09:55:17	1	1	1	1	73.75	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	20.625	2004
15.01.2020 09:55:18	1	1	1	1	73.75	40.5	0	30000	492.4731183	14727.2579	30000	0	0	30000	22.0625	2004
15.01.2020 09:55:19	1	1	1	1	73.75	42	0	30000	511.827957	15483.92357	30000	0	0	30000	19.875	2004
15.01.2020 09:55:20	1	1	1	1	73.75	40.75	0	30000	516.1290323	15459.4624	30000	0	0	30000	19.8125	2004
15.01.2020 09:55:21	1	1	1	1	73.75	39.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	20.625	2004
15.01.2020 09:55:22	1	1	1	1	73.75	40.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:23	1	1	1	1	73.75	40	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.4375	2004
15.01.2020 09:55:24	1	1	1	1	73.75	40.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.3125	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:31	1	1	1	1	74.25	40	0	30000	526.8817204	15960.10111	30000	0	0	30000	20.25	2004
15.01.2020 09:55:32	1	1	1	1	74.25	40.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	19.875	2004
15.01.2020 09:55:33	1	1	1	1	74.25	39.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	20	2004
15.01.2020 09:55:35	1	1	1	1	74.25	40	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	20.1875	2004
15.01.2020 09:55:36	1	1	1	1	74.5	40	0	30000	503.2258065	15032.20721	30000	0	0	30000	20.0625	2004
15.01.2020 09:55:37	1	1	1	1	74.5	40	0	30000	498.9247312	14984.10024	30000	0	0	30000	20.8125	2004
15.01.2020 09:55:38	1	1	1	1	74.5	40.75	0	30000	511.827957	15289.86492	30000	0	0	30000	21.0625	2004
15.01.2020 09:55:39	1	1	1	1	74.5	41	0	30047.393	509.6774194	15314.32609	30000	0	0	30000	21.1875	2004
15.01.2020 09:55:40	1	1	1	1	74.5	41	0	29905.213	518.2795699	15548.338	30000	0	0	30000	20.6875	2004
15.01.2020 09:55:41	1	1	1	1	74.5	40.5	0	29905.213	529.0322581	16128.88321	30000	0	0	30000	20	2004
15.01.2020 09:55:42	1	1	1	1	74.5	40	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	20.3125	2004
15.01.2020 09:55:43	1	1	1	1	74.5	40.25	0	30000	511.827957	15354.27935	30000	0	0	30000	20	2004
15.01.2020 09:55:44	1	1	1	1	74.5	40	0	29905.213	507.5268817	15201.80469	30000	0	0	30000	20.8125	2004
15.01.2020 09:55:45	1	1	1	1	74.5	40.75	0	30000	516.1290323	15548.338	30000	0	0	30000	20.5	2004
15.01.2020 09:55:46	1	1	1	1	75	40.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	20.5	2004
15.01.2020 09:55:47	1	1	1	1	75	40.5	0	30000	520.4301075	15548.338	30000	0	0	30000	20.375	2004
15.01.2020 09:55:48	1	1	1	1	75	40.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	19.9375	2004
15.01.2020 09:55:49	1	1	1	1	75	39.75	0	29952.607	516.1290323	15498.60028	30000	0	0	30000	20.5	2004
15.01.2020 09:55:50	1	1	1	1	75	40.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	20	2004
15.01.2020 09:55:51	1	1	1	1	75	40	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:55:52	1	1	1	1	75	41.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	21.3125	2004
15.01.2020 09:55:53	1	1	1	1	75	41.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	21	2004
15.01.2020 09:55:54	1	1	1	1	75	41	0	29905.213	535.483871	16013.10032	30000	0	0	30000	20.5	2004
15.01.2020 09:55:55	1	1	1	1	75	40.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	20.25	2004
15.01.2020 09:55:56	1	1	1	1	76.25	40.25	0	29763.033	533.3333333	16090.5607	30000	0	0	30000	21.0625	2004
15.01.2020 09:55:57	1	1	1	1	76.25	41	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.125	2004
15.01.2020 09:55:58	1	1	1	1	76.25	42	0	29810.427	535.483871	15962.54722	30000	0	0	30000	20.4375	2004
15.01.2020 09:55:59	1	1	1	1	76.25	40.25	0	29573.46	535.483871	15861.44103	30000	0	0	30000	20.875	2004
15.01.2020 09:56:00	1	1	1	1	76.25	40.75	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	21.9375	2004
15.01.2020 09:56:01	1	1	1	1	76.25	41.75	0	29905.213	529.0322581	16064.46878	30000	0	0	30000	22.0625	2004
15.01.2020 09:56:02	1	1	1	1	76.25	41	0	29905.213	531.1827957	15949.50126	30000	0	0	30000	21	2004
15.01.2020 09:56:03	1	1	1	1	76.25	41	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	20.625	2004
15.01.2020 09:56:04	1	1	1	1	76.25	40.5	0	30000	533.3333333	15870.41013	30000	0	0	30000	21.0625	2004
15.01.2020 09:56:05	1	1	1	1	76.5	41	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	21.5625	2004
15.01.2020 09:56:06	1	1	1	1	76.5	41.5	0	29905.213	544.0860215	15962.54722	30000	0	0	30000	20.6875	2004
15.01.2020 09:56:07	1	1	1	1	76.5	40.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.5	2004
15.01.2020 09:56:08	1	1	1	1	76.5	40.5	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	20.25	2004
15.01.2020 09:56:09	1	1	1	1	76.5	40.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	20.3125	2004
15.01.2020 09:56:10	1	1	1	1	76.5	40.25	0	29810.427	535.483871	15987.82377	30000	0	0	30000	20.6875	2004
15.01.2020 09:56:11	1	1	1	1	76.5	40.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	21	2004
15.01.2020 09:56:12	1	1	1	1	76.5	41	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	20.4375	2004
15.01.2020 09:56:13	1	1	1	1	76.5	40.25	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	20.5	2004
15.01.2020 09:56:15	1	1	1	1	76.5	40.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	21.625	2004
15.01.2020 09:56:16	1	1	1	1	77.5	41.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	20.6875	2004
15.01.2020 09:56:17	1	1	1	1	77.5	40.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	20.9375	2004
15.01.2020 09:56:18	1	1	1	1	77.5	40.75	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	20.9375	2004
15.01.2020 09:56:19	1	1	1	1	77.5	40.75	0	29905.213	535.483871	15987.82377	30000	0	0	30000	21.9375	2004
15.01.2020 09:56:20	1	1	1	1	77.5	41.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	20.8125	2004
15.01.2020 09:56:21	1	1	1	1	77.5	40.75	0	30000	533.3333333	15949.50126	30000	0	0	30000	21.9375	2004
15.01.2020 09:56:22	1	1	1	1	77.5	41.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:23	1	1	1	1	77.5	41	0	30000	526.8817204	15741.58128	30000	0	0	30000	22.25	2004
15.01.2020 09:56:24	1	1	1	1	77.5	42.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	21	2004
15.01.2020 09:56:25	1	1	1	1	77.5	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	21	2004
15.01.2020 09:56:26	1	1	1	1	78.25	41	0	30000	524.7311828	15741.58128	30000	0	0	30000	21.875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:32	1	1	1	1	78.25	40.5	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:33	1	1	1	1	78.25	41	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.5	2004
15.01.2020 09:56:34	1	1	1	1	78.25	41.5	0	30000	507.5268817	15354.27935	30000	0	0	30000	20.4375	2004
15.01.2020 09:56:35	1	1	1	1	78.25	40.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:56:36	1	1	1	1	78.5	41	0	30047.393	511.827957	15337.9719	30000	0	0	30000	20.4375	2004
15.01.2020 09:56:37	1	1	1	1	78.5	40.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.9375	2004
15.01.2020 09:56:38	1	1	1	1	78.5	40.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:39	1	1	1	1	78.5	41	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	21.375	2004
15.01.2020 09:56:40	1	1	1	1	78.5	42.25	0	30000	522.5806452	15627.42913	30000	0	0	30000	20.9375	2004
15.01.2020 09:56:41	1	1	1	1	78.5	40.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	20.4375	2004
15.01.2020 09:56:42	1	1	1	1	78.5	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.6875	2004
15.01.2020 09:56:43	1	1	1	1	78.5	41.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.3125	2004
15.01.2020 09:56:44	1	1	1	1	78.5	41.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	20.5	2004
15.01.2020 09:56:45	1	1	1	1	79.25	40.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.5	2004
15.01.2020 09:56:46	1	1	1	1	79.25	41.5	0	30000	522.5806452	15805.99571	30000	0	0	30000	21.1875	2004
15.01.2020 09:56:47	1	1	1	1	79.25	41	0	30047.393	520.4301075	15483.92357	30000	0	0	30000	20.625	2004
15.01.2020 09:56:48	1	1	1	1	79.25	40.5	0	30000	490.3225806	14902.56299	30000	0	0	30000	20.5625	2004
15.01.2020 09:56:49	1	1	1	1	79.25	40.5	0	30000	516.1290323	15548.338	30000	0	0	30000	21.0625	2004
15.01.2020 09:56:50	1	1	1	1	79.25	41	0	30000	520.4301075	15572.79917	30000	0	0	30000	20.5	2004
15.01.2020 09:56:52	1	1	1	1	79.25	40.5	0	30000	524.7311828	15895.68668	30000	0	0	30000	21.375	2004
15.01.2020 09:56:53	1	1	1	1	79.25	41.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	20.5	2004
15.01.2020 09:56:54	1	1	1	1	79.25	40.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	21	2004
15.01.2020 09:56:55	1	1	1	1	79.25	41	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.3125	2004
15.01.2020 09:56:56	1	1	1	1	79	41.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	21.25	2004
15.01.2020 09:56:57	1	1	1	1	79	41.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	20.9375	2004
15.01.2020 09:56:58	1	1	1	1	79	40.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.0625	2004
15.01.2020 09:56:59	1	1	1	1	79	42	0	29952.607	535.483871	16064.46878	30000	0	0	30000	20.8125	2004
15.01.2020 09:57:00	1	1	1	1	79	40.75	0	30000	535.483871	16013.10032	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:01	1	1	1	1	79	40.5	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:02	1	1	1	1	79	40.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.1875	2004
15.01.2020 09:57:03	1	1	1	1	79	41	0	29857.82	541.9354839	16116.65262	30000	0	0	30000	20.625	2004
15.01.2020 09:57:04	1	1	1	1	79	40.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	20.875	2004
15.01.2020 09:57:05	1	1	1	1	79	40.75	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	21.125	2004
15.01.2020 09:57:06	1	1	1	1	79.25	41	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	21.375	2004
15.01.2020 09:57:07	1	1	1	1	79.25	41.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:08	1	1	1	1	79.25	40.5	0	29810.427	535.483871	15655.96717	30000	0	0	30000	20.8125	2004
15.01.2020 09:57:09	1	1	1	1	79.25	40.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	20.5	2004
15.01.2020 09:57:10	1	1	1	1	79.25	40.5	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	21.75	2004
15.01.2020 09:57:11	1	1	1	1	79.25	41.75	0	29763.033	537.6344086	16154.97513	30000	0	0	30000	21.625	2004
15.01.2020 09:57:12	1	1	1	1	79.25	41.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.125	2004
15.01.2020 09:57:13	1	1	1	1	79.25	42	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	21.75	2004
15.01.2020 09:57:14	1	1	1	1	79.25	41.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.5	2004
15.01.2020 09:57:15	1	1	1	1	79.25	42.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	22.375	2004
15.01.2020 09:57:16	1	1	1	1	79.25	42.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	22.9375	2004
15.01.2020 09:57:17	1	1	1	1	79.25	42.75	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:18	1	1	1	1	79.25	41.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	21.3125	2004
15.01.2020 09:57:19	1	1	1	1	79.25	41.25	0	29857.82	529.0322581	15885.08684	30000	0	0	30000	21.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:57:20	1	1	1	1	79.25	41.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	21.75	2004
15.01.2020 09:57:21	1	1	1	1	79.25	41.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	22.25	2004
15.01.2020 09:57:22	1	1	1	1	79.25	42.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	22	2004
15.01.2020 09:57:23	1	1	1	1	79.25	42	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	21.8125	2004
15.01.2020 09:57:24	1	1	1	1	79.25	41.75	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	21.375	2004
15.01.2020 09:57:25	1	1	1	1	79	41.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	21.0625	2004
15.01.2020 09:57:26	1	1	1	1	79	41	0	30000	529.0322581	15870.41013	30000	0	0	30000	20.875	2004
15.01.2020 09:57:27	1	1	1	1	79	40.75	0	30000	531.1827957	16064.46878	30000	0	0	30000	20.8125	2004
15.01.2020 09:57:33	1	1	1	1	79	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.25	2004
15.01.2020 09:57:33	1	1	1	1	79	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.25	2004
15.01.2020 09:57:33	1	1	1	1	79	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.25	2004
15.01.2020 09:57:33	1	1	1	1	79	40.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.25	2004
15.01.2020 09:57:34	1	1	1	1	79	41.25	0	30000	516.1290323	15508.38475	30000	0	0	30000	20.5625	2004
15.01.2020 09:57:35	1	1	1	1	79	40.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	20.625	2004
15.01.2020 09:57:36	1	1	1	1	78.75	40.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	21.5625	2004
15.01.2020 09:57:37	1	1	1	1	78.75	41.5	0	30000	518.2795699	15548.338	30000	0	0	30000	20.875	2004
15.01.2020 09:57:38	1	1	1	1	78.75	40.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	20.875	2004
15.01.2020 09:57:39	1	1	1	1	78.75	40.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	21.3125	2004
15.01.2020 09:57:40	1	1	1	1	78.75	41.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	21.1875	2004
15.01.2020 09:57:41	1	1	1	1	78.75	41	0	30000	535.483871	15870.41013	30000	0	0	30000	21.25	2004
15.01.2020 09:57:42	1	1	1	1	78.75	41.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:43	1	1	1	1	78.75	40.5	0	29905.213	516.1290323	15677.16685	30000	0	0	30000	21.6875	2004
15.01.2020 09:57:44	1	1	1	1	78.75	41.5	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	20.6875	2004
15.01.2020 09:57:45	1	1	1	1	78.75	40.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	22.0625	2004
15.01.2020 09:57:46	1	1	1	1	81.25	42	0	30000	520.4301075	15627.42913	30000	0	0	30000	20.4375	2004
15.01.2020 09:57:47	1	1	1	1	81.25	40.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	21	2004
15.01.2020 09:57:48	1	1	1	1	81.25	41	0	30000	533.3333333	16000.05436	30000	0	0	30000	20.8125	2004
15.01.2020 09:57:49	1	1	1	1	81.25	40.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.125	2004
15.01.2020 09:57:50	1	1	1	1	81.25	42	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.5625	2004
15.01.2020 09:57:51	1	1	1	1	81.25	41.5	0	29952.607	522.5806452	15870.41013	30000	0	0	30000	21.3125	2004
15.01.2020 09:57:52	1	1	1	1	81.25	41.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	21.375	2004
15.01.2020 09:57:53	1	1	1	1	81.25	41.25	0	29905.213	524.7311828	15805.99571	30000	0	0	30000	21.6875	2004
15.01.2020 09:57:54	1	1	1	1	81.25	41.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	20.75	2004
15.01.2020 09:57:55	1	1	1	1	81.25	40.75	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	22.1875	2004
15.01.2020 09:57:56	1	1	1	1	82.75	42	0	30000	529.0322581	15805.99571	30000	0	0	30000	22.9375	2004
15.01.2020 09:57:57	1	1	1	1	82.75	42.75	0	29810.427	529.0322581	15924.22472	30000	0	0	30000	21.5	2004
15.01.2020 09:57:58	1	1	1	1	82.75	41.5	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	21.3125	2004
15.01.2020 09:57:59	1	1	1	1	82.75	41.25	0	30047.393	529.0322581	15677.16685	30000	0	0	30000	21.4375	2004
15.01.2020 09:58:00	1	1	1	1	82.75	41.25	0	30000	529.0322581	16089.74533	30000	0	0	30000	21	2004
15.01.2020 09:58:01	1	1	1	1	82.75	41	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.625	2004
15.01.2020 09:58:02	1	1	1	1	82.75	41.5	0	30000	520.4301075	15741.58128	30000	0	0	30000	21.3125	2004
15.01.2020 09:58:03	1	1	1	1	82.75	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	20.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:58:04	1	1	1	1	82.75	40.75	0	30000	518.2795699	15548.338	30000	0	0	30000	22.125	2004
15.01.2020 09:58:05	1	1	1	1	82.75	42	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.1875	2004
15.01.2020 09:58:06	1	1	1	1	82.75	41	0	30000	522.5806452	15677.16685	30000	0	0	30000	22.3125	2004
15.01.2020 09:58:07	1	1	1	1	82.75	42.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	20.6875	2004
15.01.2020 09:58:08	1	1	1	1	82.75	40.5	0	30000	533.3333333	15910.36338	30000	0	0	30000	21	2004
15.01.2020 09:58:09	1	1	1	1	82.75	41	0	29857.82	535.483871	15987.82377	30000	0	0	30000	21.75	2004
15.01.2020 09:58:11	1	1	1	1	82.75	41.75	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	22.375	2004
15.01.2020 09:58:12	1	1	1	1	82.75	42.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	22	2004
15.01.2020 09:58:13	1	1	1	1	82.75	42	0	30000	522.5806452	15627.42913	30000	0	0	30000	21.4375	2004
15.01.2020 09:58:14	1	1	1	1	82.75	41.25	0	29810.427	533.3333333	15834.53374	30000	0	0	30000	21.8125	2004
15.01.2020 09:58:15	1	1	1	1	82.75	41.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22	2004
15.01.2020 09:58:16	1	1	1	1	83.75	42	0	29905.213	526.8817204	16039.19224	30000	0	0	30000	21.1875	2004
15.01.2020 09:58:17	1	1	1	1	83.75	41	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	22.25	2004
15.01.2020 09:58:18	1	1	1	1	83.75	42.25	0	29810.427	526.8817204	16013.10032	30000	0	0	30000	22.375	2004
15.01.2020 09:58:19	1	1	1	1	83.75	42.25	0	30000	535.483871	16064.46878	30000	0	0	30000	21.5625	2004
15.01.2020 09:58:20	1	1	1	1	83.75	41.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	21.4375	2004
15.01.2020 09:58:21	1	1	1	1	83.75	41.25	0	29905.213	535.483871	16039.19224	30000	0	0	30000	21.625	2004
15.01.2020 09:58:22	1	1	1	1	83.75	41.5	0	30000	520.4301075	15741.58128	30000	0	0	30000	21.0625	2004
15.01.2020 09:58:23	1	1	1	1	83.75	41	0	30000	529.0322581	15805.99571	30000	0	0	30000	22	2004
15.01.2020 09:58:24	1	1	1	1	83.75	42	0	29905.213	535.483871	15987.82377	30000	0	0	30000	23.25	2004
15.01.2020 09:58:25	1	1	1	1	83.75	43.25	0	29952.607	535.483871	16128.88321	30000	0	0	30000	21.875	2004
15.01.2020 09:58:26	1	1	1	1	85.75	41.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	22.625	2004
15.01.2020 09:58:27	1	1	1	1	85.75	42.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	23	2004
15.01.2020 09:58:28	1	1	1	1	85.75	43	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	21.5625	2004
15.01.2020 09:58:29	1	1	1	1	85.75	41.5	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	21.8125	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	20.875	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	20.875	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	20.875	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	20.875	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29810.427	533.3333333	16052.2382	30000	0	0	30000	20.875	2004
15.01.2020 09:58:35	1	1	1	1	85.75	40.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.1875	2004
15.01.2020 09:58:36	1	1	1	1	86.75	42	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	22.375	2004
15.01.2020 09:58:37	1	1	1	1	86.75	42.25	0	29810.427	535.483871	16077.51474	30000	0	0	30000	22.5625	2004
15.01.2020 09:58:38	1	1	1	1	86.75	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.75	2004
15.01.2020 09:58:39	1	1	1	1	86.75	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.75	2004
15.01.2020 09:58:40	1	1	1	1	86.75	41.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.4375	2004
15.01.2020 09:58:41	1	1	1	1	86.75	41.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	21.625	2004
15.01.2020 09:58:42	1	1	1	1	86.75	41.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	21.6875	2004
15.01.2020 09:58:43	1	1	1	1	86.75	41.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.4375	2004
15.01.2020 09:58:44	1	1	1	1	86.75	42.25	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	22.1875	2004
15.01.2020 09:58:45	1	1	1	1	87.25	42	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	21.6875	2004
15.01.2020 09:58:46	1	1	1	1	87.25	41.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	22.5625	2004
15.01.2020 09:58:47	1	1	1	1	87.25	42.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	21.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:58:50	1	1	1	1	87.25	41.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	22.8125	2004
15.01.2020 09:58:50	1	1	1	1	87.25	41.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	22.8125	2004
15.01.2020 09:58:51	1	1	1	1	87.25	42.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	21.5	2004
15.01.2020 09:58:52	1	1	1	1	87.25	41.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	21.5625	2004
15.01.2020 09:58:53	1	1	1	1	87.25	41.5	0	29573.46	535.483871	15988.63914	30000	0	0	30000	22	2004
15.01.2020 09:58:54	1	1	1	1	87.25	42	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	21.75	2004
15.01.2020 09:58:55	1	1	1	1	87.25	41.75	0	29573.46	541.9354839	16000.86973	30000	0	0	30000	22.0625	2004
15.01.2020 09:58:56	1	1	1	1	88.25	42	0	29620.853	535.483871	15988.63914	30000	0	0	30000	21.75	2004
15.01.2020 09:58:57	1	1	1	1	88.25	41.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.25	2004
15.01.2020 09:58:58	1	1	1	1	88.25	41.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	21.125	2004
15.01.2020 09:58:59	1	1	1	1	88.25	41	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.4375	2004
15.01.2020 09:59:00	1	1	1	1	88.25	41.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	21.1875	2004
15.01.2020 09:59:01	1	1	1	1	88.25	41	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	21.75	2004
15.01.2020 09:59:02	1	1	1	1	88.25	41.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	21	2004
15.01.2020 09:59:03	1	1	1	1	88.25	41	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	21.6875	2004
15.01.2020 09:59:04	1	1	1	1	88.25	41.5	0	29478.673	539.7849462	16255.26595	30000	0	0	30000	21.3125	2004
15.01.2020 09:59:05	1	1	1	1	88.25	41.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	21.875	2004
15.01.2020 09:59:06	1	1	1	1	87.25	41.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	21.6875	2004
15.01.2020 09:59:07	1	1	1	1	87.25	41.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	21.1875	2004
15.01.2020 09:59:08	1	1	1	1	87.25	41	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	21.75	2004
15.01.2020 09:59:09	1	1	1	1	87.25	41.75	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	22.625	2004
15.01.2020 09:59:10	1	1	1	1	87.25	42.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	21.1875	2004
15.01.2020 09:59:11	1	1	1	1	87.25	41	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	22.25	2004
15.01.2020 09:59:12	1	1	1	1	87.25	42.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	22.0625	2004
15.01.2020 09:59:13	1	1	1	1	87.25	42	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	21.5	2004
15.01.2020 09:59:14	1	1	1	1	87.25	41.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.5625	2004
15.01.2020 09:59:15	1	1	1	1	87.25	42.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	22.5	2004
15.01.2020 09:59:16	1	1	1	1	89	42.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	21.625	2004
15.01.2020 09:59:17	1	1	1	1	89	41.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	22.5	2004
15.01.2020 09:59:18	1	1	1	1	89	42.25	0	29810.427	533.3333333	16116.65262	30000	0	0	30000	23.0625	2004
15.01.2020 09:59:19	1	1	1	1	89	43	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	22.625	2004
15.01.2020 09:59:20	1	1	1	1	89	42.5	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	22.625	2004
15.01.2020 09:59:21	1	1	1	1	89	42.5	0	29810.427	535.483871	15848.39508	30000	0	0	30000	20.9375	2004
15.01.2020 09:59:22	1	1	1	1	89	40.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	21.5	2004
15.01.2020 09:59:23	1	1	1	1	89	41.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.125	2004
15.01.2020 09:59:24	1	1	1	1	89	42	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	22.5625	2004
15.01.2020 09:59:25	1	1	1	1	89.25	42.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	22.125	2004
15.01.2020 09:59:27	1	1	1	1	89.25	42	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	21.5	2004
15.01.2020 09:59:28	1	1	1	1	89.25	41.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.5	2004
15.01.2020 09:59:29	1	1	1	1	89.25	41.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.125	2004
15.01.2020 09:59:30	1	1	1	1	89.25	42	0	29810.427	535.483871	15911.99413	30000	0	0	30000	21.9375	2004
15.01.2020 09:59:31	1	1	1	1	89.25	41.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.75	2004
15.01.2020 09:59:37	1	1	1	1	90.5	41.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	21.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 09:59:37	1	1	1	1	90.5	41.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	21.25	2004
15.01.2020 09:59:37	1	1	1	1	90.5	41.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	21.25	2004
15.01.2020 09:59:37	1	1	1	1	90.5	41.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	21.25	2004
15.01.2020 09:59:37	1	1	1	1	90.5	41.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	21.25	2004
15.01.2020 09:59:37	1	1	1	1	90.5	41.25	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	22.375	2004
15.01.2020 09:59:38	1	1	1	1	90.5	42.25	0	29668.246	539.7849462	15886.71758	30000	0	0	30000	21.5625	2004
15.01.2020 09:59:39	1	1	1	1	90.5	41.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	21.6875	2004
15.01.2020 09:59:40	1	1	1	1	90.5	41.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	21.9375	2004
15.01.2020 09:59:41	1	1	1	1	90.5	41.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	21.6875	2004
15.01.2020 09:59:42	1	1	1	1	90.5	41.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	22.0625	2004
15.01.2020 09:59:43	1	1	1	1	90.5	42	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	21.3125	2004
15.01.2020 09:59:44	1	1	1	1	90.5	41.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.25	2004
15.01.2020 09:59:45	1	1	1	1	90.5	42.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	22	2004
15.01.2020 09:59:46	1	1	1	1	90.25	42	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	21.6875	2004
15.01.2020 09:59:47	1	1	1	1	90.25	41.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.5	2004
15.01.2020 09:59:48	1	1	1	1	90.25	41.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	21.5625	2004
15.01.2020 09:59:49	1	1	1	1	90.25	41.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.3125	2004
15.01.2020 09:59:50	1	1	1	1	90.25	42.25	0	29526.066	533.3333333	15937.27068	30000	0	0	30000	21.75	2004
15.01.2020 09:59:51	1	1	1	1	90.25	41.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	22.0625	2004
15.01.2020 09:59:52	1	1	1	1	90.25	42	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	22.6875	2004
15.01.2020 09:59:53	1	1	1	1	90.25	42.5	0	29715.64	546.2365591	15975.59318	30000	0	0	30000	22.125	2004
15.01.2020 09:59:54	1	1	1	1	90.25	42	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	24.25	2004
15.01.2020 09:59:55	1	1	1	1	90.25	44.25	0	29905.213	541.9354839	16077.51474	30000	0	0	30000	21.8125	2004
15.01.2020 09:59:56	1	1	1	1	89.75	42.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	22.625	2004
15.01.2020 09:59:57	1	1	1	1	89.75	42.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	21.1875	2004
15.01.2020 09:59:58	1	1	1	1	89.75	41	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	21.8125	2004
15.01.2020 09:59:59	1	1	1	1	89.75	41.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.3125	2004
15.01.2020 10:00:00	1	1	1	1	89.75	42.25	0	29715.64	537.6344086	16154.97513	30000	0	0	30000	22.75	2004
15.01.2020 10:00:01	1	1	1	1	89.75	42.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	21.6875	2004
15.01.2020 10:00:02	1	1	1	1	89.75	41.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.3125	2004
15.01.2020 10:00:03	1	1	1	1	89.75	42.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:05	1	1	1	1	89.75	42.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	22.875	2004
15.01.2020 10:00:06	1	1	1	1	90.25	42.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	21.4375	2004
15.01.2020 10:00:07	1	1	1	1	90.25	41.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	22.125	2004
15.01.2020 10:00:08	1	1	1	1	90.25	42	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	21.9375	2004
15.01.2020 10:00:09	1	1	1	1	90.25	41.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	22.3125	2004
15.01.2020 10:00:10	1	1	1	1	90.25	42.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.3125	2004
15.01.2020 10:00:11	1	1	1	1	90.25	42.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	21.5625	2004
15.01.2020 10:00:12	1	1	1	1	90.25	41.5	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	21.75	2004
15.01.2020 10:00:13	1	1	1	1	90.25	41.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	22.375	2004
15.01.2020 10:00:14	1	1	1	1	90.25	42.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22.3125	2004
15.01.2020 10:00:15	1	1	1	1	90.25	42.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	21.9375	2004
15.01.2020 10:00:16	1	1	1	1	91.5	41.75	0	29620.853	550.5376344	15963.3626	30000	0	0	30000	21.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:00:17	1	1	1	1	91.5	41.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.1875	2004
15.01.2020 10:00:18	1	1	1	1	91.5	42	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	23.125	2004
15.01.2020 10:00:19	1	1	1	1	91.5	43	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	21.875	2004
15.01.2020 10:00:20	1	1	1	1	91.5	41.75	0	29763.033	537.6344086	15962.54722	30000	0	0	30000	21.9375	2004
15.01.2020 10:00:21	1	1	1	1	91.5	41.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	21.4375	2004
15.01.2020 10:00:22	1	1	1	1	91.5	41.25	0	29620.853	535.483871	15797.84198	30000	0	0	30000	23.1875	2004
15.01.2020 10:00:23	1	1	1	1	91.5	43	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	22.375	2004
15.01.2020 10:00:24	1	1	1	1	91.5	42.25	0	29620.853	541.9354839	15899.76354	30000	0	0	30000	22.375	2004
15.01.2020 10:00:25	1	1	1	1	91.5	42.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	22.125	2004
15.01.2020 10:00:26	1	1	1	1	92.25	42	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	21.75	2004
15.01.2020 10:00:27	1	1	1	1	92.25	41.75	0	29668.246	546.2365591	15988.63914	30000	0	0	30000	23.0625	2004
15.01.2020 10:00:28	1	1	1	1	92.25	43	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	22.4375	2004
15.01.2020 10:00:29	1	1	1	1	92.25	42.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	22.125	2004
15.01.2020 10:00:30	1	1	1	1	92.25	42	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	23.4375	2004
15.01.2020 10:00:31	1	1	1	1	92.25	43.25	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	23	2004
15.01.2020 10:00:32	1	1	1	1	92.25	43.75	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:38	1	1	1	1	93.75	42.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.4375	2004
15.01.2020 10:00:38	1	1	1	1	93.75	42.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.4375	2004
15.01.2020 10:00:38	1	1	1	1	93.75	42.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.4375	2004
15.01.2020 10:00:38	1	1	1	1	93.75	42.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.4375	2004
15.01.2020 10:00:38	1	1	1	1	93.75	42.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:39	1	1	1	1	93.75	42.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	21.625	2004
15.01.2020 10:00:40	1	1	1	1	93.75	41.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	21.75	2004
15.01.2020 10:00:41	1	1	1	1	93.75	41.75	0	29241.706	546.2365591	15795.39586	30000	0	0	30000	22.0625	2004
15.01.2020 10:00:43	1	1	1	1	93.75	42	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	22.5	2004
15.01.2020 10:00:44	1	1	1	1	93.75	42.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:45	1	1	1	1	93.75	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	21.625	2004
15.01.2020 10:00:46	1	1	1	1	93	41.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	21.375	2004
15.01.2020 10:00:47	1	1	1	1	93	41.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:48	1	1	1	1	93	42.75	0	29478.673	535.483871	15937.27068	30000	0	0	30000	22.8125	2004
15.01.2020 10:00:49	1	1	1	1	93	42.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	22.6875	2004
15.01.2020 10:00:50	1	1	1	1	93	42.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	21.4375	2004
15.01.2020 10:00:51	1	1	1	1	93	41.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	22.6875	2004
15.01.2020 10:00:52	1	1	1	1	93	42.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.9375	2004
15.01.2020 10:00:53	1	1	1	1	93	42.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	22.875	2004
15.01.2020 10:00:54	1	1	1	1	93	42.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	21.5625	2004
15.01.2020 10:00:55	1	1	1	1	93	41.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	23.1875	2004
15.01.2020 10:00:56	1	1	1	1	93.75	43	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	23.1875	2004
15.01.2020 10:00:57	1	1	1	1	93.75	43	0	29336.493	544.0860215	15658.41329	30000	0	0	30000	23.3125	2004
15.01.2020 10:00:58	1	1	1	1	93.75	43.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	22.6875	2004
15.01.2020 10:00:59	1	1	1	1	93.75	42.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	22.875	2004
15.01.2020 10:01:00	1	1	1	1	93.75	42.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	22.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:01:01	1	1	1	1	93.75	42	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:02	1	1	1	1	93.75	42.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	22.625	2004
15.01.2020 10:01:03	1	1	1	1	93.75	42.5	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	21.875	2004
15.01.2020 10:01:04	1	1	1	1	93.75	41.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	22.75	2004
15.01.2020 10:01:05	1	1	1	1	93.75	42.75	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	22.4375	2004
15.01.2020 10:01:06	1	1	1	1	94.75	42.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:07	1	1	1	1	94.75	42.75	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	22.625	2004
15.01.2020 10:01:08	1	1	1	1	94.75	42.5	0	29668.246	539.7849462	15950.31664	30000	0	0	30000	23.75	2004
15.01.2020 10:01:09	1	1	1	1	94.75	43.75	0	29810.427	544.0860215	16154.97513	30000	0	0	30000	23.4375	2004
15.01.2020 10:01:10	1	1	1	1	94.75	43.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	24.4375	2004
15.01.2020 10:01:11	1	1	1	1	94.75	44.25	0	29668.246	550.5376344	15988.63914	30000	0	0	30000	23.4375	2004
15.01.2020 10:01:12	1	1	1	1	94.75	43.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	24.3125	2004
15.01.2020 10:01:13	1	1	1	1	94.75	43.25	0	29857.82	541.9354839	16219.38956	30000	0	0	30000	22.0625	2004
15.01.2020 10:01:14	1	1	1	1	94.75	42	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:15	1	1	1	1	95.75	42.75	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	23.375	2004
15.01.2020 10:01:16	1	1	1	1	95.75	43.25	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	22.375	2004
15.01.2020 10:01:17	1	1	1	1	95.75	42.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:18	1	1	1	1	95.75	42.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.4375	2004
15.01.2020 10:01:19	1	1	1	1	95.75	43.25	0	29620.853	535.483871	16167.20572	30000	0	0	30000	22	2004
15.01.2020 10:01:20	1	1	1	1	95.75	42	0	29857.82	535.483871	15987.82377	30000	0	0	30000	23.6875	2004
15.01.2020 10:01:22	1	1	1	1	95.75	43.5	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	23.9375	2004
15.01.2020 10:01:23	1	1	1	1	95.75	43.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	23.5	2004
15.01.2020 10:01:24	1	1	1	1	95.75	43.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	22.25	2004
15.01.2020 10:01:25	1	1	1	1	95.75	42.25	0	29905.213	539.7849462	16052.2382	30000	0	0	30000	22.75	2004
15.01.2020 10:01:26	1	1	1	1	95.25	42.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	22.75	2004
15.01.2020 10:01:27	1	1	1	1	95.25	42.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	22.5	2004
15.01.2020 10:01:28	1	1	1	1	95.25	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.1875	2004
15.01.2020 10:01:29	1	1	1	1	95.25	43	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	23.6875	2004
15.01.2020 10:01:30	1	1	1	1	95.25	43.5	0	29810.427	541.9354839	15962.54722	30000	0	0	30000	22.5625	2004
15.01.2020 10:01:31	1	1	1	1	95.25	42.5	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	21.9375	2004
15.01.2020 10:01:32	1	1	1	1	95.25	41.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	22.875	2004
15.01.2020 10:01:33	1	1	1	1	95.25	42.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.1875	2004
15.01.2020 10:01:34	1	1	1	1	95.25	42	0	29857.82	535.483871	15987.82377	30000	0	0	30000	21.9375	2004
15.01.2020 10:01:40	1	1	1	1	94.5	43.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	22.1875	2004
15.01.2020 10:01:40	1	1	1	1	94.5	43.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	22.1875	2004
15.01.2020 10:01:40	1	1	1	1	94.5	43.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	22.1875	2004
15.01.2020 10:01:40	1	1	1	1	94.5	43.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	22.1875	2004
15.01.2020 10:01:40	1	1	1	1	94.5	42	0	29905.213	535.483871	16039.19224	30000	0	0	30000	23	2004
15.01.2020 10:01:41	1	1	1	1	94.5	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	21.875	2004
15.01.2020 10:01:42	1	1	1	1	94.5	41.75	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	22.3125	2004
15.01.2020 10:01:43	1	1	1	1	94.5	42.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	22.0625	2004
15.01.2020 10:01:44	1	1	1	1	94.5	42	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:01:45	1	1	1	1	94.5	42	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	23.3125	2004
15.01.2020 10:01:46	1	1	1	1	94	43.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.25	2004
15.01.2020 10:01:47	1	1	1	1	94	42.25	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	23.375	2004
15.01.2020 10:01:48	1	1	1	1	94	43.25	0	29715.64	550.5376344	16167.20572	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:49	1	1	1	1	94	42.75	0	29383.886	535.483871	15708.96638	30000	0	0	30000	24.75	2004
15.01.2020 10:01:50	1	1	1	1	94	44.75	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	22.375	2004
15.01.2020 10:01:51	1	1	1	1	94	42.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	22.875	2004
15.01.2020 10:01:52	1	1	1	1	94	43	0	29573.46	546.2365591	16115.83725	30000	0	0	30000	23.5625	2004
15.01.2020 10:01:53	1	1	1	1	94	43.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23	2004
15.01.2020 10:01:54	1	1	1	1	94	43	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	23.125	2004
15.01.2020 10:01:55	1	1	1	1	95	43	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.125	2004
15.01.2020 10:01:56	1	1	1	1	95	43	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	22.9375	2004
15.01.2020 10:01:57	1	1	1	1	95	42.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.5625	2004
15.01.2020 10:01:58	1	1	1	1	95	43.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	23.1875	2004
15.01.2020 10:01:59	1	1	1	1	95	43	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	22.9375	2004
15.01.2020 10:02:00	1	1	1	1	95	42.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22	2004
15.01.2020 10:02:01	1	1	1	1	95	42	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	22.5625	2004
15.01.2020 10:02:03	1	1	1	1	95	42.5	0	29573.46	533.3333333	16052.2382	30000	0	0	30000	23.1875	2004
15.01.2020 10:02:04	1	1	1	1	95	43	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	22.375	2004
15.01.2020 10:02:05	1	1	1	1	95	42.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.375	2004
15.01.2020 10:02:06	1	1	1	1	94.25	43.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	21.9375	2004
15.01.2020 10:02:07	1	1	1	1	94.25	41.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	22.9375	2004
15.01.2020 10:02:08	1	1	1	1	94.25	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.125	2004
15.01.2020 10:02:09	1	1	1	1	94.25	43	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	22.625	2004
15.01.2020 10:02:10	1	1	1	1	94.25	42.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	22.9375	2004
15.01.2020 10:02:11	1	1	1	1	94.25	42.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	22.875	2004
15.01.2020 10:02:12	1	1	1	1	94.25	42.75	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	23.125	2004
15.01.2020 10:02:13	1	1	1	1	94.25	43	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
15.01.2020 10:02:14	1	1	1	1	94.25	43.5	0	29431.28	537.6344086	16128.06784	30000	0	0	30000	22.6875	2004
15.01.2020 10:02:15	1	1	1	1	94.25	42.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	22.6875	2004
15.01.2020 10:02:16	1	1	1	1	95.5	42.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	23.1875	2004
15.01.2020 10:02:17	1	1	1	1	95.5	43	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	22.5625	2004
15.01.2020 10:02:18	1	1	1	1	95.5	42.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	23.8125	2004
15.01.2020 10:02:19	1	1	1	1	95.5	43.75	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	23.375	2004
15.01.2020 10:02:20	1	1	1	1	95.5	43.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
15.01.2020 10:02:21	1	1	1	1	95.5	43.25	0	29478.673	550.5376344	16229.17403	30000	0	0	30000	23.4375	2004
15.01.2020 10:02:22	1	1	1	1	95.5	43.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	23.25	2004
15.01.2020 10:02:23	1	1	1	1	95.5	43.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	22.4375	2004
15.01.2020 10:02:24	1	1	1	1	95.5	42.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	22.8125	2004
15.01.2020 10:02:25	1	1	1	1	95.5	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.875	2004
15.01.2020 10:02:26	1	1	1	1	96.25	43.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	22.8125	2004
15.01.2020 10:02:27	1	1	1	1	96.25	42.75	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	23.0625	2004
15.01.2020 10:02:28	1	1	1	1	96.25	43	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	24.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:02:29	1	1	1	1	96.25	44	0	29620.853	541.9354839	15797.84198	30000	0	0	30000	22.875	2004
15.01.2020 10:02:30	1	1	1	1	96.25	42.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	23.75	2004
15.01.2020 10:02:31	1	1	1	1	96.25	43.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	23.25	2004
15.01.2020 10:02:32	1	1	1	1	96.25	42.75	0	29620.853	541.9354839	15810.07257	30000	0	0	30000	23.0625	2004
15.01.2020 10:02:33	1	1	1	1	96.25	43	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	22.9375	2004
15.01.2020 10:02:34	1	1	1	1	96.25	42.75	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	24.5625	2004
15.01.2020 10:02:35	1	1	1	1	95.5	44.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	23.8125	2004
15.01.2020 10:02:42	1	1	1	1	95.5	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
15.01.2020 10:02:42	1	1	1	1	95.5	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
15.01.2020 10:02:42	1	1	1	1	95.5	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
15.01.2020 10:02:42	1	1	1	1	95.5	42.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.5	2004
15.01.2020 10:02:42	1	1	1	1	95.5	43.5	0	29336.493	544.0860215	16150.89827	30000	0	0	30000	24.125	2004
15.01.2020 10:02:43	1	1	1	1	95.5	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.9375	2004
15.01.2020 10:02:44	1	1	1	1	95.5	43.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	23.4375	2004
15.01.2020 10:02:45	1	1	1	1	95.5	43.25	0	29383.886	544.0860215	15708.96638	30000	0	0	30000	23.4375	2004
15.01.2020 10:02:46	1	1	1	1	95.25	43.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	23.75	2004
15.01.2020 10:02:47	1	1	1	1	95.25	43.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	22.9375	2004
15.01.2020 10:02:48	1	1	1	1	95.25	42.75	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	22.875	2004
15.01.2020 10:02:49	1	1	1	1	95.25	42.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	22.5625	2004
15.01.2020 10:02:50	1	1	1	1	95.25	42.5	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	22.875	2004
15.01.2020 10:02:51	1	1	1	1	95.25	42.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	22.375	2004
15.01.2020 10:02:52	1	1	1	1	95.25	42.25	0	29099.526	544.0860215	15858.17955	30000	0	0	30000	22.8125	2004
15.01.2020 10:02:53	1	1	1	1	95.25	42.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	22.6875	2004
15.01.2020 10:02:54	1	1	1	1	95.25	42.5	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	23.875	2004
15.01.2020 10:02:55	1	1	1	1	95.25	43.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.8125	2004
15.01.2020 10:02:56	1	1	1	1	96	42.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	22.375	2004
15.01.2020 10:02:57	1	1	1	1	96	42.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	22.6875	2004
15.01.2020 10:02:58	1	1	1	1	96	42.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	23	2004
15.01.2020 10:02:59	1	1	1	1	96	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
15.01.2020 10:03:00	1	1	1	1	96	43.25	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	23.6875	2004
15.01.2020 10:03:01	1	1	1	1	96	43.5	0	29052.133	550.5376344	16046.53059	30000	0	0	30000	23.0625	2004
15.01.2020 10:03:02	1	1	1	1	96	43	0	29431.28	546.2365591	16075.884	30000	0	0	30000	23.5625	2004
15.01.2020 10:03:03	1	1	1	1	96	43.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:04	1	1	1	1	96	42.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	22.8125	2004
15.01.2020 10:03:05	1	1	1	1	96	42.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	22.9375	2004
15.01.2020 10:03:06	1	1	1	1	96.5	42.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	23.8125	2004
15.01.2020 10:03:07	1	1	1	1	96.5	43.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	23.875	2004
15.01.2020 10:03:08	1	1	1	1	96.5	43.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.75	2004
15.01.2020 10:03:09	1	1	1	1	96.5	43.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	23.5	2004
15.01.2020 10:03:10	1	1	1	1	96.5	43.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	23.6875	2004
15.01.2020 10:03:11	1	1	1	1	96.5	43.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	22.875	2004
15.01.2020 10:03:12	1	1	1	1	96.5	42.75	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	25.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:03:13	1	1	1	1	96.5	45	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	25.125	2004
15.01.2020 10:03:14	1	1	1	1	96.5	43	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.625	2004
15.01.2020 10:03:15	1	1	1	1	98	43.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	23.375	2004
15.01.2020 10:03:16	1	1	1	1	98	43.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	23	2004
15.01.2020 10:03:17	1	1	1	1	98	43	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	23	2004
15.01.2020 10:03:18	1	1	1	1	98	43	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	23.75	2004
15.01.2020 10:03:19	1	1	1	1	98	43.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:21	1	1	1	1	98	42.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	23.8125	2004
15.01.2020 10:03:22	1	1	1	1	98	43.75	0	29336.493	535.483871	15949.50126	30000	0	0	30000	22.9375	2004
15.01.2020 10:03:23	1	1	1	1	98	42.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	22.5625	2004
15.01.2020 10:03:24	1	1	1	1	98	42.5	0	29478.673	550.5376344	16013.10032	30000	0	0	30000	23.6875	2004
15.01.2020 10:03:25	1	1	1	1	98	43.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	23.0625	2004
15.01.2020 10:03:26	1	1	1	1	98.25	43	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	23.9375	2004
15.01.2020 10:03:27	1	1	1	1	98.25	43.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	24.5	2004
15.01.2020 10:03:28	1	1	1	1	98.25	44.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	22.9375	2004
15.01.2020 10:03:29	1	1	1	1	98.25	42.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	23.8125	2004
15.01.2020 10:03:30	1	1	1	1	98.25	43.75	0	29336.493	546.2365591	15795.39586	30000	0	0	30000	23	2004
15.01.2020 10:03:31	1	1	1	1	98.25	43	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	24.375	2004
15.01.2020 10:03:32	1	1	1	1	98.25	44.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	23.1875	2004
15.01.2020 10:03:33	1	1	1	1	98.25	43	0	28862.559	546.2365591	15765.22708	30000	0	0	30000	24.3125	2004
15.01.2020 10:03:34	1	1	1	1	98.25	44.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.1875	2004
15.01.2020 10:03:35	1	1	1	1	98.25	43	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	23.75	2004
15.01.2020 10:03:36	1	1	1	1	99	43.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.6875	2004
15.01.2020 10:03:37	1	1	1	1	99	43.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	23.25	2004
15.01.2020 10:03:43	1	1	1	1	99	43.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:43	1	1	1	1	99	43.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:43	1	1	1	1	99	43.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:43	1	1	1	1	99	43.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	22.6875	2004
15.01.2020 10:03:43	1	1	1	1	99	42.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24	2004
15.01.2020 10:03:44	1	1	1	1	99	44	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	23.375	2004
15.01.2020 10:03:45	1	1	1	1	99	43.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	22.75	2004
15.01.2020 10:03:46	1	1	1	1	99.25	42.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	23.125	2004
15.01.2020 10:03:47	1	1	1	1	99.25	43	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	22.875	2004
15.01.2020 10:03:48	1	1	1	1	99.25	42.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	23.5625	2004
15.01.2020 10:03:49	1	1	1	1	99.25	43.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	24.0625	2004
15.01.2020 10:03:50	1	1	1	1	99.25	44	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	23.75	2004
15.01.2020 10:03:51	1	1	1	1	99.25	43.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	23.375	2004
15.01.2020 10:03:52	1	1	1	1	99.25	44.25	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	23.125	2004
15.01.2020 10:03:53	1	1	1	1	99.25	43	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	24.0625	2004
15.01.2020 10:03:54	1	1	1	1	99.25	44	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	23	2004
15.01.2020 10:03:55	1	1	1	1	99.75	43	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	22.9375	2004
15.01.2020 10:03:56	1	1	1	1	99.75	42.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:03:57	1	1	1	1	99.75	42.75	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	23	2004
15.01.2020 10:03:59	1	1	1	1	99.75	43	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	24.125	2004
15.01.2020 10:04:00	1	1	1	1	99.75	44	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.75	2004
15.01.2020 10:04:01	1	1	1	1	99.75	43.75	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	22.6875	2004
15.01.2020 10:04:02	1	1	1	1	99.75	42.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	23.9375	2004
15.01.2020 10:04:03	1	1	1	1	99.75	43.75	0	28862.559	544.0860215	15765.22708	30000	0	0	30000	22.9375	2004
15.01.2020 10:04:04	1	1	1	1	99.75	42.75	0	28957.346	544.0860215	15994.34675	30000	0	0	30000	22.8125	2004
15.01.2020 10:04:05	1	1	1	1	99.75	42.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.6875	2004
15.01.2020 10:04:06	1	1	1	1	98.75	43.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.125	2004
15.01.2020 10:04:07	1	1	1	1	98.75	44	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.6875	2004
15.01.2020 10:04:08	1	1	1	1	98.75	43.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.5625	2004
15.01.2020 10:04:09	1	1	1	1	98.75	43.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	23.8125	2004
15.01.2020 10:04:10	1	1	1	1	98.75	43.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.9375	2004
15.01.2020 10:04:11	1	1	1	1	98.75	44.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	23.875	2004
15.01.2020 10:04:12	1	1	1	1	98.75	43.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	22.875	2004
15.01.2020 10:04:13	1	1	1	1	98.75	42.75	0	29004.739	552.688172	16004.13122	30000	0	0	30000	24.5625	2004
15.01.2020 10:04:14	1	1	1	1	98.75	44.5	0	28957.346	559.1397849	15889.97907	30000	0	0	30000	23.3125	2004
15.01.2020 10:04:15	1	1	1	1	98.75	43.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	23.5625	2004
15.01.2020 10:04:16	1	1	1	1	99.5	43.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	24.125	2004
15.01.2020 10:04:17	1	1	1	1	99.5	44	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.4375	2004
15.01.2020 10:04:18	1	1	1	1	99.5	43.25	0	29052.133	552.688172	16082.40698	30000	0	0	30000	23.375	2004
15.01.2020 10:04:19	1	1	1	1	99.5	43.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	23.8125	2004
15.01.2020 10:04:20	1	1	1	1	99.5	43.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	24.3125	2004
15.01.2020 10:04:21	1	1	1	1	99.5	44.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	24.125	2004
15.01.2020 10:04:22	1	1	1	1	99.5	44	0	28862.559	550.5376344	15916.07099	30000	0	0	30000	24.5	2004
15.01.2020 10:04:23	1	1	1	1	99.5	44.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.6875	2004
15.01.2020 10:04:24	1	1	1	1	99.5	43.5	0	28957.346	552.688172	15951.94738	30000	0	0	30000	23.125	2004
15.01.2020 10:04:25	1	1	1	1	99.5	43	0	29004.739	550.5376344	15754.62724	30000	0	0	30000	23.3125	2004
15.01.2020 10:04:26	1	1	1	1	100	43.25	0	29289.1	554.8387097	16098.71443	30000	0	0	30000	25.375	2004
15.01.2020 10:04:27	1	1	1	1	100	45.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	25.625	2004
15.01.2020 10:04:28	1	1	1	1	100	45.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	24.0625	2004
15.01.2020 10:04:29	1	1	1	1	100	44.75	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	23.75	2004
15.01.2020 10:04:30	1	1	1	1	100	43.75	0	29052.133	552.688172	15994.34675	30000	0	0	30000	24.5	2004
15.01.2020 10:04:31	1	1	1	1	100	44.5	0	29052.133	544.0860215	15994.34675	30000	0	0	30000	24.875	2004
15.01.2020 10:04:32	1	1	1	1	100	44.75	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	24	2004
15.01.2020 10:04:33	1	1	1	1	100	44	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	24.6875	2004
15.01.2020 10:04:34	1	1	1	1	100	44.5	0	29099.526	541.9354839	16046.53059	30000	0	0	30000	25.3125	2004
15.01.2020 10:04:35	1	1	1	1	100	45.25	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	22.625	2004
15.01.2020 10:04:36	1	1	1	1	100	42.5	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	23.1875	2004
15.01.2020 10:04:38	1	1	1	1	100	43	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	22.875	2004
15.01.2020 10:04:39	1	1	1	1	100	42.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	23.375	2004
15.01.2020 10:04:45	1	1	1	1	100	44	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	23.75	2004
15.01.2020 10:04:45	1	1	1	1	100	44	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	23.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:04:45	1	1	1	1	100	44	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	23.75	2004
15.01.2020 10:04:45	1	1	1	1	100	44	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	23.75	2004
15.01.2020 10:04:45	1	1	1	1	100	44	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	23.75	2004
15.01.2020 10:04:45	1	1	1	1	100	43.75	0	28862.559	550.5376344	16066.09953	30000	0	0	30000	23.9375	2004
15.01.2020 10:04:46	1	1	1	1	98.5	43.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.25	2004
15.01.2020 10:04:47	1	1	1	1	98.5	44.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	22.9375	2004
15.01.2020 10:04:48	1	1	1	1	98.5	42.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	24	2004
15.01.2020 10:04:49	1	1	1	1	98.5	44	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	24.3125	2004
15.01.2020 10:04:50	1	1	1	1	98.5	44.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	25.375	2004
15.01.2020 10:04:51	1	1	1	1	98.5	45.25	0	28815.166	554.8387097	15785.61139	30000	0	0	30000	24.9375	2004
15.01.2020 10:04:52	1	1	1	1	98.5	44.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.5	2004
15.01.2020 10:04:53	1	1	1	1	98.5	44.5	0	29099.526	556.9892473	16207.97434	30000	0	0	30000	25.5	2004
15.01.2020 10:04:54	1	1	1	1	98.5	45.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.625	2004
15.01.2020 10:04:55	1	1	1	1	98.5	45.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	24.25	2004
15.01.2020 10:04:56	1	1	1	1	100.5	44.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.6875	2004
15.01.2020 10:04:57	1	1	1	1	100.5	44.5	0	28862.559	552.688172	16004.13122	30000	0	0	30000	24.9375	2004
15.01.2020 10:04:58	1	1	1	1	100.5	44.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.0625	2004
15.01.2020 10:04:59	1	1	1	1	100.5	45	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	23.6875	2004
15.01.2020 10:05:00	1	1	1	1	100.5	43.5	0	29099.526	559.1397849	16181.06705	30000	0	0	30000	23.875	2004
15.01.2020 10:05:01	1	1	1	1	100.5	43.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	24.9375	2004
15.01.2020 10:05:02	1	1	1	1	100.5	44.75	0	28862.559	552.688172	16128.88321	30000	0	0	30000	24.0625	2004
15.01.2020 10:05:03	1	1	1	1	100.5	44	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	24.25	2004
15.01.2020 10:05:04	1	1	1	1	100.5	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.9375	2004
15.01.2020 10:05:05	1	1	1	1	100.5	44.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	23.875	2004
15.01.2020 10:05:06	1	1	1	1	101.3	43.75	0	28862.559	552.688172	16004.13122	30000	0	0	30000	23.5625	2004
15.01.2020 10:05:07	1	1	1	1	101.3	43.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	24.3125	2004
15.01.2020 10:05:08	1	1	1	1	101.3	43.75	0	28815.166	544.0860215	15951.94738	30000	0	0	30000	23.875	2004
15.01.2020 10:05:09	1	1	1	1	101.3	43.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	22.6875	2004
15.01.2020 10:05:10	1	1	1	1	101.3	42.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.0625	2004
15.01.2020 10:05:11	1	1	1	1	101.3	44	0	29052.133	552.688172	16056.31506	30000	0	0	30000	24.8125	2004
15.01.2020 10:05:12	1	1	1	1	101.3	44.75	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	24.25	2004
15.01.2020 10:05:13	1	1	1	1	101.3	44.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.3125	2004
15.01.2020 10:05:14	1	1	1	1	101.3	43.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.75	2004
15.01.2020 10:05:16	1	1	1	1	101	44.75	0	29004.739	552.688172	16004.13122	30000	0	0	30000	25	2004
15.01.2020 10:05:17	1	1	1	1	101	45	0	28957.346	552.688172	16128.88321	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:18	1	1	1	1	101	44.25	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	24.125	2004
15.01.2020 10:05:19	1	1	1	1	101	44	0	29099.526	552.688172	16082.40698	30000	0	0	30000	25.0625	2004
15.01.2020 10:05:20	1	1	1	1	101	45	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	24.625	2004
15.01.2020 10:05:21	1	1	1	1	101	44.5	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	25	2004
15.01.2020 10:05:22	1	1	1	1	101	45	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.125	2004
15.01.2020 10:05:23	1	1	1	1	101	45	0	28815.166	546.2365591	15889.97907	30000	0	0	30000	25.25	2004
15.01.2020 10:05:24	1	1	1	1	101	45.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	23.6875	2004
15.01.2020 10:05:25	1	1	1	1	101	43.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:05:26	1	1	1	1	102	45.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24	2004
15.01.2020 10:05:27	1	1	1	1	102	44	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.5625	2004
15.01.2020 10:05:28	1	1	1	1	102	45.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	24.5625	2004
15.01.2020 10:05:29	1	1	1	1	102	44.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	25.3125	2004
15.01.2020 10:05:30	1	1	1	1	102	45.25	0	29146.919	552.688172	16082.40698	30000	0	0	30000	24.3125	2004
15.01.2020 10:05:31	1	1	1	1	102	44.25	0	28862.559	550.5376344	15942.16291	30000	0	0	30000	24.1875	2004
15.01.2020 10:05:32	1	1	1	1	102	44	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:33	1	1	1	1	102	44.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	25.0625	2004
15.01.2020 10:05:34	1	1	1	1	102	45	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.625	2004
15.01.2020 10:05:35	1	1	1	1	102	44.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.375	2004
15.01.2020 10:05:36	1	1	1	1	102	44.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	24.3125	2004
15.01.2020 10:05:37	1	1	1	1	102	44.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	24.25	2004
15.01.2020 10:05:38	1	1	1	1	102	44.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	24.125	2004
15.01.2020 10:05:39	1	1	1	1	102	44	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	23.375	2004
15.01.2020 10:05:40	1	1	1	1	102	43.25	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	25.125	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:46	1	1	1	1	102.3	46	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	24.4375	2004
15.01.2020 10:05:47	1	1	1	1	102.3	43.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	23.875	2004
15.01.2020 10:05:48	1	1	1	1	102.3	43.75	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	24.6875	2004
15.01.2020 10:05:49	1	1	1	1	102.3	44.5	0	29146.919	550.5376344	15972.33169	30000	0	0	30000	24	2004
15.01.2020 10:05:50	1	1	1	1	102.3	44	0	29146.919	537.6344086	15920.96323	30000	0	0	30000	25.875	2004
15.01.2020 10:05:51	1	1	1	1	102.3	45.75	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	24.75	2004
15.01.2020 10:05:52	1	1	1	1	102.3	44.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	24.1875	2004
15.01.2020 10:05:53	1	1	1	1	102.3	44	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	24.5	2004
15.01.2020 10:05:55	1	1	1	1	102.3	44.5	0	28862.559	552.688172	16004.13122	30000	0	0	30000	24.5	2004
15.01.2020 10:05:56	1	1	1	1	103.5	44.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	24.75	2004
15.01.2020 10:05:57	1	1	1	1	103.5	44.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	24.5625	2004
15.01.2020 10:05:58	1	1	1	1	103.5	44.5	0	28862.559	541.9354839	15942.16291	30000	0	0	30000	25.3125	2004
15.01.2020 10:05:59	1	1	1	1	103.5	45.25	0	29052.133	552.688172	16270.75802	30000	0	0	30000	24.6875	2004
15.01.2020 10:06:00	1	1	1	1	103.5	44.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	24.5625	2004
15.01.2020 10:06:01	1	1	1	1	103.5	44.5	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	24.8125	2004
15.01.2020 10:06:02	1	1	1	1	103.5	44.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.1875	2004
15.01.2020 10:06:03	1	1	1	1	103.5	45	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	23.6875	2004
15.01.2020 10:06:04	1	1	1	1	103.5	43.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	24.5625	2004
15.01.2020 10:06:05	1	1	1	1	103.5	44.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	25.375	2004
15.01.2020 10:06:06	1	1	1	1	103	45.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.375	2004
15.01.2020 10:06:07	1	1	1	1	103	45.25	0	28862.559	544.0860215	15951.94738	30000	0	0	30000	24.5	2004
15.01.2020 10:06:08	1	1	1	1	103	44.5	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	24.6875	2004
15.01.2020 10:06:09	1	1	1	1	103	44.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	24	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:06:54	1	1	1	1	104	45.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.375	2004
15.01.2020 10:06:55	1	1	1	1	104	45.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	25.4375	2004
15.01.2020 10:06:56	1	1	1	1	103.3	45.25	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	25.0625	2004
15.01.2020 10:06:57	1	1	1	1	103.3	45	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	25.75	2004
15.01.2020 10:06:58	1	1	1	1	103.3	45.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	25.75	2004
15.01.2020 10:06:59	1	1	1	1	103.3	45.75	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	25.75	2004
15.01.2020 10:07:00	1	1	1	1	103.3	45.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	25.0625	2004
15.01.2020 10:07:01	1	1	1	1	103.3	45	0	29052.133	552.688172	16181.06705	30000	0	0	30000	24.375	2004
15.01.2020 10:07:02	1	1	1	1	103.3	44.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	25.4375	2004
15.01.2020 10:07:03	1	1	1	1	103.3	45.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	25.625	2004
15.01.2020 10:07:04	1	1	1	1	103.3	45.5	0	28672.986	550.5376344	15863.88715	30000	0	0	30000	24.875	2004
15.01.2020 10:07:05	1	1	1	1	103.3	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.8125	2004
15.01.2020 10:07:06	1	1	1	1	104	44.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	25.6875	2004
15.01.2020 10:07:07	1	1	1	1	104	46	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	24.75	2004
15.01.2020 10:07:08	1	1	1	1	104	44.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	25.0625	2004
15.01.2020 10:07:09	1	1	1	1	104	45	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.25	2004
15.01.2020 10:07:10	1	1	1	1	104	45.25	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	25.125	2004
15.01.2020 10:07:11	1	1	1	1	104	45	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	23.75	2004
15.01.2020 10:07:12	1	1	1	1	104	43.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.4375	2004
15.01.2020 10:07:14	1	1	1	1	104	45.25	0	28957.346	552.688172	15978.0393	30000	0	0	30000	24.625	2004
15.01.2020 10:07:15	1	1	1	1	104	44.5	0	29099.526	552.688172	15868.77939	30000	0	0	30000	24.6875	2004
15.01.2020 10:07:16	1	1	1	1	104	44.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.5625	2004
15.01.2020 10:07:17	1	1	1	1	104	44.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25	2004
15.01.2020 10:07:18	1	1	1	1	104	45	0	28862.559	552.688172	15889.97907	30000	0	0	30000	24.1875	2004
15.01.2020 10:07:19	1	1	1	1	104	44	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	24.9375	2004
15.01.2020 10:07:20	1	1	1	1	104	44.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	24.1875	2004
15.01.2020 10:07:21	1	1	1	1	104	44	0	28909.953	552.688172	15978.0393	30000	0	0	30000	25.375	2004
15.01.2020 10:07:22	1	1	1	1	104	45.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	25.875	2004
15.01.2020 10:07:23	1	1	1	1	104	45.75	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	25.25	2004
15.01.2020 10:07:24	1	1	1	1	104	45.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	25.6875	2004
15.01.2020 10:07:25	1	1	1	1	104	45.5	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	25.0625	2004
15.01.2020 10:07:26	1	1	1	1	104	45	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	24.3125	2004
15.01.2020 10:07:27	1	1	1	1	104	44.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.8125	2004
15.01.2020 10:07:28	1	1	1	1	104	45.75	0	28957.346	554.8387097	15889.97907	30000	0	0	30000	24.375	2004
15.01.2020 10:07:29	1	1	1	1	104	44.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	25.4375	2004
15.01.2020 10:07:30	1	1	1	1	104	45.25	0	28815.166	561.2903226	15925.85546	30000	0	0	30000	24.375	2004
15.01.2020 10:07:31	1	1	1	1	104	44.25	0	28957.346	552.688172	15951.94738	30000	0	0	30000	24.6875	2004
15.01.2020 10:07:32	1	1	1	1	104	44.5	0	28957.346	556.9892473	15942.16291	30000	0	0	30000	23.875	2004
15.01.2020 10:07:33	1	1	1	1	104	43.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	24.1875	2004
15.01.2020 10:07:34	1	1	1	1	104	44	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	23.6875	2004
15.01.2020 10:07:35	1	1	1	1	104	43.5	0	28862.559	561.2903226	15951.94738	30000	0	0	30000	24.5625	2004
15.01.2020 10:07:36	1	1	1	1	104.8	44.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	25.1875	2004
15.01.2020 10:07:37	1	1	1	1	104.8	45	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	25.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:07:38	1	1	1	1	104.8	45.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	25.3125	2004
15.01.2020 10:07:39	1	1	1	1	104.8	45.25	0	28815.166	541.9354839	15863.88715	30000	0	0	30000	24.875	2004
15.01.2020 10:07:40	1	1	1	1	104.8	44.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	24.1875	2004
15.01.2020 10:07:41	1	1	1	1	104.8	44	0	28957.346	556.9892473	16252.81983	30000	0	0	30000	25.3125	2004
15.01.2020 10:07:42	1	1	1	1	104.8	45.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	24.625	2004
15.01.2020 10:07:43	1	1	1	1	104.8	44.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.8125	2004
15.01.2020 10:07:49	1	1	1	1	105.3	44.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:07:49	1	1	1	1	105.3	44.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:07:49	1	1	1	1	105.3	44.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:07:49	1	1	1	1	105.3	44.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:07:50	1	1	1	1	105.3	44.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:07:50	1	1	1	1	105.3	46.25	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	25.1875	2004
15.01.2020 10:07:52	1	1	1	1	105.3	45	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	25.375	2004
15.01.2020 10:07:53	1	1	1	1	105.3	45.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	24.4375	2004
15.01.2020 10:07:54	1	1	1	1	105.3	44.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.25	2004
15.01.2020 10:07:55	1	1	1	1	105.3	45.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	24.4375	2004
15.01.2020 10:07:56	1	1	1	1	105.3	44.25	0	28625.592	559.1397849	16235.69701	30000	0	0	30000	25.6875	2004
15.01.2020 10:07:57	1	1	1	1	105.3	45.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	25.125	2004
15.01.2020 10:07:58	1	1	1	1	105.3	45	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.8125	2004
15.01.2020 10:07:59	1	1	1	1	105.3	45.75	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	25.375	2004
15.01.2020 10:08:00	1	1	1	1	105.3	45.25	0	28530.806	559.1397849	15917.70174	30000	0	0	30000	25.75	2004
15.01.2020 10:08:01	1	1	1	1	105.3	45.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	26.0625	2004
15.01.2020 10:08:02	1	1	1	1	105.3	46	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	25.25	2004
15.01.2020 10:08:03	1	1	1	1	105.3	45.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	25.25	2004
15.01.2020 10:08:04	1	1	1	1	105.3	45.25	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	26.5	2004
15.01.2020 10:08:05	1	1	1	1	105.3	46.5	0	28388.626	554.8387097	15811.70331	30000	0	0	30000	25.6875	2004
15.01.2020 10:08:06	1	1	1	1	105.5	45.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	24.4375	2004
15.01.2020 10:08:07	1	1	1	1	105.5	44.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.375	2004
15.01.2020 10:08:08	1	1	1	1	105.5	45.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	26.1875	2004
15.01.2020 10:08:09	1	1	1	1	105.5	46	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	24.125	2004
15.01.2020 10:08:10	1	1	1	1	105.5	44	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	24.9375	2004
15.01.2020 10:08:11	1	1	1	1	105.5	44.75	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	26.5625	2004
15.01.2020 10:08:12	1	1	1	1	105.5	46.5	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	26.3125	2004
15.01.2020 10:08:13	1	1	1	1	105.5	46.25	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	26.0625	2004
15.01.2020 10:08:14	1	1	1	1	105.5	46	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	26.5	2004
15.01.2020 10:08:15	1	1	1	1	105.5	46.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.75	2004
15.01.2020 10:08:16	1	1	1	1	105.8	45.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	25.1875	2004
15.01.2020 10:08:17	1	1	1	1	105.8	45	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	24.375	2004
15.01.2020 10:08:18	1	1	1	1	105.8	44.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	26.3125	2004
15.01.2020 10:08:19	1	1	1	1	105.8	46.25	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	25.875	2004
15.01.2020 10:08:20	1	1	1	1	105.8	45.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	26.25	2004
15.01.2020 10:08:21	1	1	1	1	105.8	46.25	0	28530.806	559.1397849	15952.76275	30000	0	0	30000	25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:08:22	1	1	1	1	105.8	45	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	26.4375	2004
15.01.2020 10:08:23	1	1	1	1	105.8	46.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	24.6875	2004
15.01.2020 10:08:24	1	1	1	1	105.8	44.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25.3125	2004
15.01.2020 10:08:25	1	1	1	1	106	45.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.625	2004
15.01.2020 10:08:26	1	1	1	1	106	45.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.1875	2004
15.01.2020 10:08:27	1	1	1	1	106	46	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	25.8125	2004
15.01.2020 10:08:28	1	1	1	1	106	45.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.4375	2004
15.01.2020 10:08:30	1	1	1	1	106	46.25	0	28293.839	559.1397849	15785.61139	30000	0	0	30000	25.375	2004
15.01.2020 10:08:31	1	1	1	1	106	45.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	25.4375	2004
15.01.2020 10:08:32	1	1	1	1	106	45.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.375	2004
15.01.2020 10:08:33	1	1	1	1	106	46.25	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	25.5625	2004
15.01.2020 10:08:34	1	1	1	1	106	45.5	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	25.5625	2004
15.01.2020 10:08:35	1	1	1	1	106	45.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.9375	2004
15.01.2020 10:08:36	1	1	1	1	106	45.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	26.0625	2004
15.01.2020 10:08:37	1	1	1	1	106	46	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	24.75	2004
15.01.2020 10:08:38	1	1	1	1	106	44.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26	2004
15.01.2020 10:08:39	1	1	1	1	106	46	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	24.9375	2004
15.01.2020 10:08:40	1	1	1	1	106	44.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.875	2004
15.01.2020 10:08:41	1	1	1	1	106	46.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	26.375	2004
15.01.2020 10:08:42	1	1	1	1	106	46.25	0	28815.166	552.688172	16075.884	30000	0	0	30000	26.125	2004
15.01.2020 10:08:43	1	1	1	1	106	46	0	28862.559	556.9892473	16075.884	30000	0	0	30000	24.6875	2004
15.01.2020 10:08:44	1	1	1	1	106	44.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	25.875	2004
15.01.2020 10:08:45	1	1	1	1	106	45.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	25.375	2004
15.01.2020 10:08:51	1	1	1	1	106.8	46	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
15.01.2020 10:08:51	1	1	1	1	106.8	46	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
15.01.2020 10:08:51	1	1	1	1	106.8	46	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
15.01.2020 10:08:51	1	1	1	1	106.8	46	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	25.375	2004
15.01.2020 10:08:51	1	1	1	1	106.8	45.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	24.875	2004
15.01.2020 10:08:52	1	1	1	1	106.8	44.75	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	26.3125	2004
15.01.2020 10:08:53	1	1	1	1	106.8	46.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.75	2004
15.01.2020 10:08:54	1	1	1	1	106.8	45.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	25.375	2004
15.01.2020 10:08:55	1	1	1	1	106.8	45.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	25.5	2004
15.01.2020 10:08:56	1	1	1	1	106.5	45.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	26.8125	2004
15.01.2020 10:08:57	1	1	1	1	106.5	46.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.375	2004
15.01.2020 10:08:58	1	1	1	1	106.5	46.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	25.0625	2004
15.01.2020 10:08:59	1	1	1	1	106.5	45	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	24.3125	2004
15.01.2020 10:09:00	1	1	1	1	106.5	44.25	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	26.25	2004
15.01.2020 10:09:01	1	1	1	1	106.5	46.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	26.4375	2004
15.01.2020 10:09:02	1	1	1	1	106.5	46.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	26.1875	2004
15.01.2020 10:09:03	1	1	1	1	106.5	46	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	26.25	2004
15.01.2020 10:09:04	1	1	1	1	106.5	45.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	25.0625	2004
15.01.2020 10:09:05	1	1	1	1	107	45	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	24.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:09:06	1	1	1	1	107	44.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	26.8125	2004
15.01.2020 10:09:07	1	1	1	1	107	46.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	26.25	2004
15.01.2020 10:09:09	1	1	1	1	107	46.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	25.8125	2004
15.01.2020 10:09:10	1	1	1	1	107	45.75	0	28578.199	550.5376344	15969.88558	30000	0	0	30000	24.3125	2004
15.01.2020 10:09:11	1	1	1	1	107	44.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	25.0625	2004
15.01.2020 10:09:12	1	1	1	1	107	45	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	25.4375	2004
15.01.2020 10:09:13	1	1	1	1	107	45.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	25.5625	2004
15.01.2020 10:09:14	1	1	1	1	107	45.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	25.6875	2004
15.01.2020 10:09:15	1	1	1	1	107	45.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	26	2004
15.01.2020 10:09:16	1	1	1	1	107.3	46	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	24.625	2004
15.01.2020 10:09:17	1	1	1	1	107.3	44.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:18	1	1	1	1	107.3	46	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	26.5	2004
15.01.2020 10:09:19	1	1	1	1	107.3	46.5	0	28578.199	561.2903226	15925.85546	30000	0	0	30000	24.875	2004
15.01.2020 10:09:20	1	1	1	1	107.3	44.75	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:21	1	1	1	1	107.3	46	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	25.1875	2004
15.01.2020 10:09:22	1	1	1	1	107.3	45	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	25.25	2004
15.01.2020 10:09:23	1	1	1	1	107.3	45.25	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	25.875	2004
15.01.2020 10:09:24	1	1	1	1	107.3	45.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	26.3125	2004
15.01.2020 10:09:25	1	1	1	1	107.3	46.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	25.6875	2004
15.01.2020 10:09:26	1	1	1	1	107.5	45.5	0	28578.199	556.9892473	15969.88558	30000	0	0	30000	26.8125	2004
15.01.2020 10:09:27	1	1	1	1	107.5	46.75	0	28578.199	559.1397849	16190.03615	30000	0	0	30000	25.375	2004
15.01.2020 10:09:28	1	1	1	1	107.5	45.25	0	28625.592	559.1397849	15969.88558	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:29	1	1	1	1	107.5	46	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:30	1	1	1	1	107.5	46	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	27.1875	2004
15.01.2020 10:09:31	1	1	1	1	107.5	47	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	25.5625	2004
15.01.2020 10:09:32	1	1	1	1	107.5	45.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	25.0625	2004
15.01.2020 10:09:33	1	1	1	1	107.5	45	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	25.75	2004
15.01.2020 10:09:34	1	1	1	1	107.5	45.75	0	28436.019	559.1397849	15864.70252	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:35	1	1	1	1	107.5	46	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	26	2004
15.01.2020 10:09:36	1	1	1	1	107.8	46	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	26.0625	2004
15.01.2020 10:09:37	1	1	1	1	107.8	46	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	25.5625	2004
15.01.2020 10:09:38	1	1	1	1	107.8	45.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	26.3125	2004
15.01.2020 10:09:39	1	1	1	1	107.8	46.25	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	26.375	2004
15.01.2020 10:09:40	1	1	1	1	107.8	46.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.5	2004
15.01.2020 10:09:41	1	1	1	1	107.8	47.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.5625	2004
15.01.2020 10:09:42	1	1	1	1	107.8	46.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	26.6875	2004
15.01.2020 10:09:43	1	1	1	1	107.8	46.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.1875	2004
15.01.2020 10:09:44	1	1	1	1	107.8	47	0	28578.199	559.1397849	15952.76275	30000	0	0	30000	25.25	2004
15.01.2020 10:09:45	1	1	1	1	108.3	45.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	26.6875	2004
15.01.2020 10:09:46	1	1	1	1	108.3	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.3125	2004
15.01.2020 10:09:52	1	1	1	1	108.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004
15.01.2020 10:09:52	1	1	1	1	108.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004
15.01.2020 10:09:52	1	1	1	1	108.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:09:52	1	1	1	1	108.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004
15.01.2020 10:09:52	1	1	1	1	108.3	45.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	25.5	2004
15.01.2020 10:09:53	1	1	1	1	108.3	45.5	0	28483.412	567.7419355	15987.0084	30000	0	0	30000	25.0625	2004
15.01.2020 10:09:54	1	1	1	1	108.3	45	0	28483.412	572.0430108	15995.16212	30000	0	0	30000	25.8125	2004
15.01.2020 10:09:55	1	1	1	1	108.3	45.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.5625	2004
15.01.2020 10:09:56	1	1	1	1	108.8	46.5	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	26.3125	2004
15.01.2020 10:09:57	1	1	1	1	108.8	46.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	26.1875	2004
15.01.2020 10:09:58	1	1	1	1	108.8	46	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	26.3125	2004
15.01.2020 10:09:59	1	1	1	1	108.8	46.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	25.375	2004
15.01.2020 10:10:00	1	1	1	1	108.8	45.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	26	2004
15.01.2020 10:10:01	1	1	1	1	108.8	46	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	24.9375	2004
15.01.2020 10:10:02	1	1	1	1	108.8	44.75	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	25.8125	2004
15.01.2020 10:10:03	1	1	1	1	108.8	45.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	26.25	2004
15.01.2020 10:10:04	1	1	1	1	108.8	46.25	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	26.9375	2004
15.01.2020 10:10:05	1	1	1	1	108.8	46.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.125	2004
15.01.2020 10:10:06	1	1	1	1	108.8	47	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	26.6875	2004
15.01.2020 10:10:07	1	1	1	1	108.8	46.5	0	28341.232	567.7419355	16056.31506	30000	0	0	30000	25.5625	2004
15.01.2020 10:10:08	1	1	1	1	108.8	45.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	25.125	2004
15.01.2020 10:10:09	1	1	1	1	108.8	45	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	26	2004
15.01.2020 10:10:10	1	1	1	1	108.8	46	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	25.3125	2004
15.01.2020 10:10:11	1	1	1	1	108.8	45.25	0	28483.412	559.1397849	16048.16134	30000	0	0	30000	26.5	2004
15.01.2020 10:10:12	1	1	1	1	108.8	46.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	26.625	2004
15.01.2020 10:10:13	1	1	1	1	108.8	46.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	26.0625	2004
15.01.2020 10:10:14	1	1	1	1	108.8	46	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	25.375	2004
15.01.2020 10:10:17	1	1	1	1	108.5	45.25	0	28341.232	563.4408602	15785.61139	30000	0	0	30000	26.6875	2004
15.01.2020 10:10:17	1	1	1	1	108.5	45.25	0	28341.232	563.4408602	15785.61139	30000	0	0	30000	26.6875	2004
15.01.2020 10:10:17	1	1	1	1	108.5	45.25	0	28341.232	563.4408602	15785.61139	30000	0	0	30000	26.6875	2004
15.01.2020 10:10:18	1	1	1	1	108.5	46.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	26.9375	2004
15.01.2020 10:10:19	1	1	1	1	108.5	46.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27	2004
15.01.2020 10:10:20	1	1	1	1	108.5	47	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	27.8125	2004
15.01.2020 10:10:21	1	1	1	1	108.5	47.75	0	28388.626	554.8387097	16022.06942	30000	0	0	30000	25.9375	2004
15.01.2020 10:10:22	1	1	1	1	108.5	45.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	27.375	2004
15.01.2020 10:10:23	1	1	1	1	108.5	46.75	0	28578.199	563.4408602	15864.70252	30000	0	0	30000	25.0625	2004
15.01.2020 10:10:24	1	1	1	1	108.5	45	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	26.6875	2004
15.01.2020 10:10:25	1	1	1	1	109	46.5	0	28483.412	559.1397849	16048.16134	30000	0	0	30000	24.9375	2004
15.01.2020 10:10:27	1	1	1	1	109	44.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.375	2004
15.01.2020 10:10:28	1	1	1	1	109	45.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	26.375	2004
15.01.2020 10:10:29	1	1	1	1	109	46.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	24.75	2004
15.01.2020 10:10:30	1	1	1	1	109	44.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	25.125	2004
15.01.2020 10:10:31	1	1	1	1	109	45	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	26.9375	2004
15.01.2020 10:10:32	1	1	1	1	109	46.75	0	28578.199	565.5913978	16013.91569	30000	0	0	30000	25.625	2004
15.01.2020 10:10:33	1	1	1	1	109	45.5	0	28672.986	563.4408602	16235.69701	30000	0	0	30000	25.9375	2004
15.01.2020 10:10:34	1	1	1	1	109	45.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	25.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:10:35	1	1	1	1	109	45.75	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	27.625	2004
15.01.2020 10:10:36	1	1	1	1	108.3	47.5	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	26.375	2004
15.01.2020 10:10:37	1	1	1	1	108.3	46.25	0	28672.986	559.1397849	15925.85546	30000	0	0	30000	26.4375	2004
15.01.2020 10:10:38	1	1	1	1	108.3	46.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	25.75	2004
15.01.2020 10:10:39	1	1	1	1	108.3	45.75	0	28483.412	559.1397849	15681.24371	30000	0	0	30000	26.5625	2004
15.01.2020 10:10:40	1	1	1	1	108.3	46.5	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	25.8125	2004
15.01.2020 10:10:41	1	1	1	1	108.3	45.75	0	28672.986	559.1397849	16297.66532	30000	0	0	30000	25.875	2004
15.01.2020 10:10:42	1	1	1	1	108.3	45.75	0	28483.412	554.8387097	15978.85467	30000	0	0	30000	26	2004
15.01.2020 10:10:43	1	1	1	1	108.3	46	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	25.0625	2004
15.01.2020 10:10:44	1	1	1	1	108.3	45	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	26.3125	2004
15.01.2020 10:10:45	1	1	1	1	108.3	46.25	0	28341.232	561.2903226	15872.85625	30000	0	0	30000	25.5	2004
15.01.2020 10:10:46	1	1	1	1	109	45.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	25.625	2004
15.01.2020 10:10:47	1	1	1	1	109	45.5	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	25.3125	2004
15.01.2020 10:10:48	1	1	1	1	109	45.25	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	26	2004
15.01.2020 10:10:54	1	1	1	1	109	46	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	25.4375	2004
15.01.2020 10:10:54	1	1	1	1	109	46	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	25.4375	2004
15.01.2020 10:10:54	1	1	1	1	109	46	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	25.4375	2004
15.01.2020 10:10:54	1	1	1	1	109	46	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	25.4375	2004
15.01.2020 10:10:54	1	1	1	1	109	46	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	25.4375	2004
15.01.2020 10:10:54	1	1	1	1	109	45.25	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	26.25	2004
15.01.2020 10:10:55	1	1	1	1	109	46.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	25.25	2004
15.01.2020 10:10:56	1	1	1	1	108.3	45.25	0	28436.019	569.8924731	16144.37529	30000	0	0	30000	26.5625	2004
15.01.2020 10:10:57	1	1	1	1	108.3	46.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	25.1875	2004
15.01.2020 10:10:58	1	1	1	1	108.3	45	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	26.9375	2004
15.01.2020 10:10:59	1	1	1	1	108.3	46.75	0	28578.199	561.2903226	16190.03615	30000	0	0	30000	25	2004
15.01.2020 10:11:00	1	1	1	1	108.3	45	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	25.5625	2004
15.01.2020 10:11:01	1	1	1	1	108.3	46	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	25.125	2004
15.01.2020 10:11:02	1	1	1	1	108.3	45	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	26.1875	2004
15.01.2020 10:11:03	1	1	1	1	108.3	46	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	25.4375	2004
15.01.2020 10:11:05	1	1	1	1	108.3	45.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	27.125	2004
15.01.2020 10:11:06	1	1	1	1	108.3	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.8125	2004
15.01.2020 10:11:07	1	1	1	1	108.3	45.75	0	28388.626	563.4408602	15811.70331	30000	0	0	30000	26.5625	2004
15.01.2020 10:11:08	1	1	1	1	108.3	46.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	25.25	2004
15.01.2020 10:11:09	1	1	1	1	108.3	45.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	26.5	2004
15.01.2020 10:11:10	1	1	1	1	108.3	46.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	27.125	2004
15.01.2020 10:11:11	1	1	1	1	108.3	47	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	27	2004
15.01.2020 10:11:12	1	1	1	1	108.3	47	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	25.9375	2004
15.01.2020 10:11:13	1	1	1	1	108.3	45.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	27.375	2004
15.01.2020 10:11:14	1	1	1	1	108.3	47.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.375	2004
15.01.2020 10:11:15	1	1	1	1	108.3	46.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	27.0625	2004
15.01.2020 10:11:16	1	1	1	1	109	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.3125	2004
15.01.2020 10:11:17	1	1	1	1	109	45.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	25.3125	2004
15.01.2020 10:11:18	1	1	1	1	109	45.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	26.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:11:19	1	1	1	1	109	46.75	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	25.3125	2004
15.01.2020 10:11:20	1	1	1	1	109	45.25	0	28815.166	554.8387097	16173.7287	30000	0	0	30000	26.8125	2004
15.01.2020 10:11:21	1	1	1	1	109	46.75	0	28815.166	554.8387097	15908.73264	30000	0	0	30000	25.6875	2004
15.01.2020 10:11:22	1	1	1	1	109	45.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	27.5	2004
15.01.2020 10:11:23	1	1	1	1	109	47.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	26.3125	2004
15.01.2020 10:11:24	1	1	1	1	109	46.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	26.1875	2004
15.01.2020 10:11:25	1	1	1	1	109	46	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	27.5625	2004
15.01.2020 10:11:26	1	1	1	1	109.3	47.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27.3125	2004
15.01.2020 10:11:27	1	1	1	1	109.3	47.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.375	2004
15.01.2020 10:11:28	1	1	1	1	109.3	47.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	26.5	2004
15.01.2020 10:11:29	1	1	1	1	109.3	46.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	25.75	2004
15.01.2020 10:11:30	1	1	1	1	109.3	45.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	26.4375	2004
15.01.2020 10:11:31	1	1	1	1	109.3	46.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.75	2004
15.01.2020 10:11:32	1	1	1	1	109.3	45.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	27.8125	2004
15.01.2020 10:11:33	1	1	1	1	109.3	47.75	0	28199.052	556.9892473	15827.19539	30000	0	0	30000	27.5	2004
15.01.2020 10:11:34	1	1	1	1	109.3	47.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	27.8125	2004
15.01.2020 10:11:35	1	1	1	1	109.3	47.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	27.625	2004
15.01.2020 10:11:36	1	1	1	1	110	47.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	27.9375	2004
15.01.2020 10:11:37	1	1	1	1	110	47.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	26.875	2004
15.01.2020 10:11:38	1	1	1	1	110	46.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	27.375	2004
15.01.2020 10:11:39	1	1	1	1	110	47.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	27.0625	2004
15.01.2020 10:11:40	1	1	1	1	110	47.25	0	28436.019	563.4408602	15811.70331	30000	0	0	30000	26.75	2004
15.01.2020 10:11:41	1	1	1	1	110	46.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	26.5625	2004
15.01.2020 10:11:42	1	1	1	1	110	46.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	27.0625	2004
15.01.2020 10:11:44	1	1	1	1	110	47	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	26.5625	2004
15.01.2020 10:11:45	1	1	1	1	110	46.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.25	2004
15.01.2020 10:11:46	1	1	1	1	109.5	46.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	25.375	2004
15.01.2020 10:11:47	1	1	1	1	109.5	45.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	25.8125	2004
15.01.2020 10:11:48	1	1	1	1	109.5	45.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	25.5	2004
15.01.2020 10:11:49	1	1	1	1	109.5	45.5	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	26.0625	2004
15.01.2020 10:11:50	1	1	1	1	109.5	46	0	28293.839	565.5913978	16009.83883	30000	0	0	30000	26.125	2004
15.01.2020 10:11:57	1	1	1	1	109	46	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.25	2004
15.01.2020 10:11:57	1	1	1	1	109	46	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.25	2004
15.01.2020 10:11:57	1	1	1	1	109	46	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.25	2004
15.01.2020 10:11:57	1	1	1	1	109	46	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.25	2004
15.01.2020 10:11:57	1	1	1	1	109	46	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	26.25	2004
15.01.2020 10:11:57	1	1	1	1	109	46.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	26.4375	2004
15.01.2020 10:11:58	1	1	1	1	109	46.25	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	27.6875	2004
15.01.2020 10:11:59	1	1	1	1	109	47.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	26.625	2004
15.01.2020 10:12:00	1	1	1	1	109	46.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	27	2004
15.01.2020 10:12:01	1	1	1	1	109	47	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	25.625	2004
15.01.2020 10:12:02	1	1	1	1	109	45.5	0	28293.839	565.5913978	16056.31506	30000	0	0	30000	27.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:12:03	1	1	1	1	109	47.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	27.5	2004
15.01.2020 10:12:04	1	1	1	1	109	47.5	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	26.625	2004
15.01.2020 10:12:05	1	1	1	1	109	46.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	26.25	2004
15.01.2020 10:12:06	1	1	1	1	110	46.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.0625	2004
15.01.2020 10:12:07	1	1	1	1	110	47	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27.1875	2004
15.01.2020 10:12:08	1	1	1	1	110	47	0	28009.479	561.2903226	15721.19697	30000	0	0	30000	26	2004
15.01.2020 10:12:09	1	1	1	1	110	46	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	26.75	2004
15.01.2020 10:12:10	1	1	1	1	110	46.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	26.5625	2004
15.01.2020 10:12:11	1	1	1	1	110	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.5	2004
15.01.2020 10:12:12	1	1	1	1	110	47.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	26.8125	2004
15.01.2020 10:12:13	1	1	1	1	110	46.75	0	28483.412	559.1397849	15742.39665	30000	0	0	30000	25.6875	2004
15.01.2020 10:12:14	1	1	1	1	110	45.5	0	28625.592	565.5913978	16066.9149	30000	0	0	30000	26.9375	2004
15.01.2020 10:12:15	1	1	1	1	110	46.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	27.25	2004
15.01.2020 10:12:16	1	1	1	1	110.3	47.25	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	27.875	2004
15.01.2020 10:12:17	1	1	1	1	110.3	47.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	27.5625	2004
15.01.2020 10:12:18	1	1	1	1	110.3	47.5	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	26.875	2004
15.01.2020 10:12:19	1	1	1	1	110.3	46.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	27	2004
15.01.2020 10:12:20	1	1	1	1	110.3	47	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	26.4375	2004
15.01.2020 10:12:21	1	1	1	1	110.3	46.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	27.25	2004
15.01.2020 10:12:22	1	1	1	1	110.3	48	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.75	2004
15.01.2020 10:12:23	1	1	1	1	110.3	46.75	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	26.6875	2004
15.01.2020 10:12:25	1	1	1	1	110.3	46.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	26.1875	2004
15.01.2020 10:12:26	1	1	1	1	110	46	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	26.375	2004
15.01.2020 10:12:27	1	1	1	1	110	46.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	26.1875	2004
15.01.2020 10:12:28	1	1	1	1	110	46	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.75	2004
15.01.2020 10:12:29	1	1	1	1	110	46.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.125	2004
15.01.2020 10:12:30	1	1	1	1	110	46	0	28341.232	563.4408602	16144.37529	30000	0	0	30000	26.6875	2004
15.01.2020 10:12:31	1	1	1	1	110	46.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	27.25	2004
15.01.2020 10:12:32	1	1	1	1	110	47.25	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	27.375	2004
15.01.2020 10:12:33	1	1	1	1	110	47.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	26.6875	2004
15.01.2020 10:12:34	1	1	1	1	110	46.5	0	28815.166	554.8387097	16075.884	30000	0	0	30000	26.4375	2004
15.01.2020 10:12:35	1	1	1	1	110	46.25	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	27.375	2004
15.01.2020 10:12:36	1	1	1	1	110.3	47.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	27.3125	2004
15.01.2020 10:12:37	1	1	1	1	110.3	47.25	0	28625.592	552.688172	15987.82377	30000	0	0	30000	26.125	2004
15.01.2020 10:12:38	1	1	1	1	110.3	46	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	27.75	2004
15.01.2020 10:12:39	1	1	1	1	110.3	47.75	0	28625.592	552.688172	15987.82377	30000	0	0	30000	26.0625	2004
15.01.2020 10:12:40	1	1	1	1	110.3	46	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	27	2004
15.01.2020 10:12:41	1	1	1	1	110.3	47	0	28625.592	561.2903226	16093.82219	30000	0	0	30000	27.375	2004
15.01.2020 10:12:42	1	1	1	1	110.3	47.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.3125	2004
15.01.2020 10:12:43	1	1	1	1	110.3	47.25	0	28815.166	554.8387097	15969.88558	30000	0	0	30000	26.875	2004
15.01.2020 10:12:44	1	1	1	1	110.3	46.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27.6875	2004
15.01.2020 10:12:45	1	1	1	1	110.3	47.5	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	27.75	2004
15.01.2020 10:12:46	1	1	1	1	111	47.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:12:47	1	1	1	1	111	47.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.25	2004
15.01.2020 10:12:48	1	1	1	1	111	47.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	27.375	2004
15.01.2020 10:12:49	1	1	1	1	111	47.25	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	27.0625	2004
15.01.2020 10:12:50	1	1	1	1	111	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	25.625	2004
15.01.2020 10:12:51	1	1	1	1	111	45.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	27.5	2004
15.01.2020 10:12:57	1	1	1	1	111.3	47	0	28578.199	556.9892473	15794.58049	30000	0	0	30000	27.4375	2004
15.01.2020 10:12:57	1	1	1	1	111.3	47	0	28578.199	556.9892473	15794.58049	30000	0	0	30000	27.4375	2004
15.01.2020 10:12:57	1	1	1	1	111.3	47	0	28578.199	556.9892473	15794.58049	30000	0	0	30000	27.4375	2004
15.01.2020 10:12:57	1	1	1	1	111.3	47	0	28578.199	556.9892473	15794.58049	30000	0	0	30000	27.4375	2004
15.01.2020 10:12:57	1	1	1	1	111.3	47.25	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	26.25	2004
15.01.2020 10:12:58	1	1	1	1	111.3	46.25	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	27.5	2004
15.01.2020 10:12:59	1	1	1	1	111.3	47.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	26.8125	2004
15.01.2020 10:13:00	1	1	1	1	111.3	46.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.5625	2004
15.01.2020 10:13:01	1	1	1	1	111.3	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.0625	2004
15.01.2020 10:13:03	1	1	1	1	111.3	48	0	28530.806	559.1397849	16013.91569	30000	0	0	30000	26.4375	2004
15.01.2020 10:13:04	1	1	1	1	111.3	46.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	26.0625	2004
15.01.2020 10:13:05	1	1	1	1	111.3	46	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.875	2004
15.01.2020 10:13:06	1	1	1	1	111.8	47.75	0	28436.019	554.8387097	16109.31427	30000	0	0	30000	27.0625	2004
15.01.2020 10:13:07	1	1	1	1	111.8	47	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.375	2004
15.01.2020 10:13:08	1	1	1	1	111.8	47.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	27.75	2004
15.01.2020 10:13:09	1	1	1	1	111.8	47.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.5	2004
15.01.2020 10:13:10	1	1	1	1	111.8	47.5	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	26.5625	2004
15.01.2020 10:13:11	1	1	1	1	111.8	46.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	27.75	2004
15.01.2020 10:13:12	1	1	1	1	111.8	47.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.125	2004
15.01.2020 10:13:13	1	1	1	1	111.8	48	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	27.75	2004
15.01.2020 10:13:14	1	1	1	1	111.8	47.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	27.75	2004
15.01.2020 10:13:15	1	1	1	1	111.8	47.75	0	28199.052	561.2903226	15881.00997	30000	0	0	30000	27.8125	2004
15.01.2020 10:13:16	1	1	1	1	112	47.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	27.8125	2004
15.01.2020 10:13:17	1	1	1	1	112	47.75	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	26.0625	2004
15.01.2020 10:13:18	1	1	1	1	112	46	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	27.8125	2004
15.01.2020 10:13:19	1	1	1	1	112	47.75	0	28483.412	565.5913978	15960.91648	30000	0	0	30000	27.9375	2004
15.01.2020 10:13:20	1	1	1	1	112	47.75	0	28436.019	559.1397849	15750.55038	30000	0	0	30000	27.0625	2004
15.01.2020 10:13:21	1	1	1	1	112	47	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.25	2004
15.01.2020 10:13:22	1	1	1	1	112	47.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	28.0625	2004
15.01.2020 10:13:23	1	1	1	1	112	48	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.0625	2004
15.01.2020 10:13:24	1	1	1	1	112	48	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	27.125	2004
15.01.2020 10:13:25	1	1	1	1	112	47	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.8125	2004
15.01.2020 10:13:26	1	1	1	1	111.5	47.75	0	28625.592	556.9892473	16031.85389	30000	0	0	30000	26.8125	2004
15.01.2020 10:13:27	1	1	1	1	111.5	46.75	0	28483.412	559.1397849	15716.30473	30000	0	0	30000	27.1875	2004
15.01.2020 10:13:28	1	1	1	1	111.5	47	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	28.375	2004
15.01.2020 10:13:29	1	1	1	1	111.5	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.5	2004
15.01.2020 10:13:30	1	1	1	1	111.5	46.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	26.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:13:31	1	1	1	1	111.5	46	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	27.3125	2004
15.01.2020 10:13:32	1	1	1	1	111.5	47.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	27.6875	2004
15.01.2020 10:13:33	1	1	1	1	111.5	47.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.5	2004
15.01.2020 10:13:34	1	1	1	1	111.5	48.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	27.5	2004
15.01.2020 10:13:35	1	1	1	1	111.5	47.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	27.1875	2004
15.01.2020 10:13:36	1	1	1	1	111.3	47	0	28341.232	556.9892473	16056.31506	30000	0	0	30000	27.625	2004
15.01.2020 10:13:37	1	1	1	1	111.3	47.5	0	28530.806	563.4408602	16013.91569	30000	0	0	30000	25.8125	2004
15.01.2020 10:13:38	1	1	1	1	111.3	47.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	27.625	2004
15.01.2020 10:13:39	1	1	1	1	111.3	47.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	25.6875	2004
15.01.2020 10:13:41	1	1	1	1	111.3	45.5	0	28578.199	559.1397849	16545.53855	30000	0	0	30000	27.8125	2004
15.01.2020 10:13:42	1	1	1	1	111.3	47.75	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	27.1875	2004
15.01.2020 10:13:43	1	1	1	1	111.3	47	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	25.8125	2004
15.01.2020 10:13:44	1	1	1	1	111.3	45.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	27.625	2004
15.01.2020 10:13:45	1	1	1	1	111.3	47.5	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	27.875	2004
15.01.2020 10:13:46	1	1	1	1	111.3	47.75	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	28.1875	2004
15.01.2020 10:13:47	1	1	1	1	111.3	48	0	28815.166	559.1397849	16199.82062	30000	0	0	30000	27.625	2004
15.01.2020 10:13:48	1	1	1	1	111.3	47.5	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	27.875	2004
15.01.2020 10:13:49	1	1	1	1	111.3	47.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	28.375	2004
15.01.2020 10:13:50	1	1	1	1	111.3	48.25	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	28	2004
15.01.2020 10:13:51	1	1	1	1	111.3	48	0	28578.199	552.688172	16005.76197	30000	0	0	30000	26.1875	2004
15.01.2020 10:13:52	1	1	1	1	111.3	46	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	27.125	2004
15.01.2020 10:13:53	1	1	1	1	111.3	47	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	26.5	2004
15.01.2020 10:13:59	1	1	1	1	110.5	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.4375	2004
15.01.2020 10:13:59	1	1	1	1	110.5	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.4375	2004
15.01.2020 10:13:59	1	1	1	1	110.5	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.4375	2004
15.01.2020 10:13:59	1	1	1	1	110.5	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.4375	2004
15.01.2020 10:13:59	1	1	1	1	110.5	47.25	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	27.4375	2004
15.01.2020 10:14:00	1	1	1	1	110.5	47.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	26.125	2004
15.01.2020 10:14:01	1	1	1	1	110.5	46	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	27.3125	2004
15.01.2020 10:14:02	1	1	1	1	110.5	47.25	0	28388.626	572.0430108	16056.31506	30000	0	0	30000	27.25	2004
15.01.2020 10:14:03	1	1	1	1	110.5	47.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	27.0625	2004
15.01.2020 10:14:04	1	1	1	1	110.5	47	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	26.6875	2004
15.01.2020 10:14:05	1	1	1	1	110.5	46.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	26.5625	2004
15.01.2020 10:14:06	1	1	1	1	111.8	46.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.375	2004
15.01.2020 10:14:07	1	1	1	1	111.8	47.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.25	2004
15.01.2020 10:14:08	1	1	1	1	111.8	48.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.5	2004
15.01.2020 10:14:09	1	1	1	1	111.8	48.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	27.1875	2004
15.01.2020 10:14:10	1	1	1	1	111.8	47	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	27.0625	2004
15.01.2020 10:14:11	1	1	1	1	111.8	47	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	27.5625	2004
15.01.2020 10:14:12	1	1	1	1	111.8	47.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	28	2004
15.01.2020 10:14:13	1	1	1	1	111.8	48	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	26.8125	2004
15.01.2020 10:14:14	1	1	1	1	111.8	46.75	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	28.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:14:15	1	1	1	1	111.8	48.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	27.125	2004
15.01.2020 10:14:16	1	1	1	1	112.5	47	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:17	1	1	1	1	112.5	48.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	28.0625	2004
15.01.2020 10:14:19	1	1	1	1	112.5	48	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:20	1	1	1	1	112.5	47.75	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:21	1	1	1	1	112.5	47.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	27.6875	2004
15.01.2020 10:14:22	1	1	1	1	112.5	47.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:23	1	1	1	1	112.5	47.75	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	27.1875	2004
15.01.2020 10:14:24	1	1	1	1	112.5	47	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	28.5	2004
15.01.2020 10:14:25	1	1	1	1	112.5	48.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	26.0625	2004
15.01.2020 10:14:26	1	1	1	1	112.5	46	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	28.3125	2004
15.01.2020 10:14:27	1	1	1	1	112.5	48.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.625	2004
15.01.2020 10:14:28	1	1	1	1	112.5	47.5	0	28436.019	563.4408602	15838.61061	30000	0	0	30000	27.875	2004
15.01.2020 10:14:29	1	1	1	1	112.5	47.75	0	28388.626	559.1397849	16022.06942	30000	0	0	30000	27.875	2004
15.01.2020 10:14:30	1	1	1	1	112.5	47.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	26.8125	2004
15.01.2020 10:14:31	1	1	1	1	112.5	46.75	0	28530.806	561.2903226	16075.06863	30000	0	0	30000	27.75	2004
15.01.2020 10:14:32	1	1	1	1	112.5	47.75	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	27.6875	2004
15.01.2020 10:14:33	1	1	1	1	112.5	47.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	28.0625	2004
15.01.2020 10:14:34	1	1	1	1	112.5	48	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28.4375	2004
15.01.2020 10:14:35	1	1	1	1	112.5	48.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	28.3125	2004
15.01.2020 10:14:36	1	1	1	1	113.3	48.25	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	26.5	2004
15.01.2020 10:14:37	1	1	1	1	113.3	46.5	0	28483.412	559.1397849	16286.2501	30000	0	0	30000	26.625	2004
15.01.2020 10:14:38	1	1	1	1	113.3	46.5	0	28815.166	561.2903226	16359.63363	30000	0	0	30000	27.75	2004
15.01.2020 10:14:39	1	1	1	1	113.3	47.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	27.75	2004
15.01.2020 10:14:40	1	1	1	1	113.3	47.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	27.3125	2004
15.01.2020 10:14:41	1	1	1	1	113.3	47.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	26.4375	2004
15.01.2020 10:14:42	1	1	1	1	113.3	46.25	0	28578.199	559.1397849	16252.00446	30000	0	0	30000	28	2004
15.01.2020 10:14:43	1	1	1	1	113.3	48	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	28.5	2004
15.01.2020 10:14:44	1	1	1	1	113.3	48.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	28.25	2004
15.01.2020 10:14:45	1	1	1	1	113.3	48.25	0	28483.412	561.2903226	15838.61061	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:46	1	1	1	1	113.3	47.75	0	28672.986	565.5913978	16216.94344	30000	0	0	30000	27.875	2004
15.01.2020 10:14:47	1	1	1	1	113.3	47.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27	2004
15.01.2020 10:14:48	1	1	1	1	113.3	47	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	27.8125	2004
15.01.2020 10:14:49	1	1	1	1	113.3	47.75	0	28625.592	561.2903226	16093.82219	30000	0	0	30000	28	2004
15.01.2020 10:14:50	1	1	1	1	113.3	48	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	27	2004
15.01.2020 10:14:51	1	1	1	1	113.3	47	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	27.25	2004
15.01.2020 10:14:52	1	1	1	1	113.3	47.25	0	28483.412	561.2903226	16171.28258	30000	0	0	30000	27.375	2004
15.01.2020 10:14:53	1	1	1	1	113.3	47.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	28.8125	2004
15.01.2020 10:14:54	1	1	1	1	113.3	48.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	28.0625	2004
15.01.2020 10:15:00	1	1	1	1	113.5	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:00	1	1	1	1	113.5	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:00	1	1	1	1	113.5	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:00	1	1	1	1	113.5	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:15:00	1	1	1	1	113.5	47.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:01	1	1	1	1	113.5	47	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	28.875	2004
15.01.2020 10:15:02	1	1	1	1	113.5	48.75	0	28388.626	565.5913978	16144.37529	30000	0	0	30000	26.8125	2004
15.01.2020 10:15:03	1	1	1	1	113.5	46.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:04	1	1	1	1	113.5	47	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:05	1	1	1	1	113.5	47	0	28341.232	567.7419355	16117.468	30000	0	0	30000	28.5625	2004
15.01.2020 10:15:06	1	1	1	1	113	48.5	0	28341.232	565.5913978	15758.7041	30000	0	0	30000	26.8125	2004
15.01.2020 10:15:07	1	1	1	1	113	46.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.5625	2004
15.01.2020 10:15:08	1	1	1	1	113	47.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	27.8125	2004
15.01.2020 10:15:09	1	1	1	1	113	47.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.375	2004
15.01.2020 10:15:10	1	1	1	1	113	48.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.625	2004
15.01.2020 10:15:11	1	1	1	1	113	47.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	28	2004
15.01.2020 10:15:12	1	1	1	1	113	48	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	28.6875	2004
15.01.2020 10:15:13	1	1	1	1	113	48.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	28.3125	2004
15.01.2020 10:15:14	1	1	1	1	113	48.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.875	2004
15.01.2020 10:15:15	1	1	1	1	113	47.75	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	27.0625	2004
15.01.2020 10:15:16	1	1	1	1	112.3	47	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.5	2004
15.01.2020 10:15:17	1	1	1	1	112.3	48.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:15:18	1	1	1	1	112.3	46.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	28.1875	2004
15.01.2020 10:15:19	1	1	1	1	112.3	48	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	27.125	2004
15.01.2020 10:15:20	1	1	1	1	112.3	47	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	27.75	2004
15.01.2020 10:15:21	1	1	1	1	112.3	47.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.875	2004
15.01.2020 10:15:22	1	1	1	1	112.3	46.75	0	28293.839	563.4408602	16238.9585	30000	0	0	30000	28.3125	2004
15.01.2020 10:15:23	1	1	1	1	112.3	48.25	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	27.25	2004
15.01.2020 10:15:24	1	1	1	1	112.3	47.25	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	27	2004
15.01.2020 10:15:25	1	1	1	1	112.3	47	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	28.4375	2004
15.01.2020 10:15:26	1	1	1	1	112.8	48.25	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	26.875	2004
15.01.2020 10:15:27	1	1	1	1	112.8	46.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.1875	2004
15.01.2020 10:15:28	1	1	1	1	112.8	48	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	28.375	2004
15.01.2020 10:15:29	1	1	1	1	112.8	48.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	27.125	2004
15.01.2020 10:15:30	1	1	1	1	112.8	47	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	28.5	2004
15.01.2020 10:15:31	1	1	1	1	112.8	48.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.25	2004
15.01.2020 10:15:32	1	1	1	1	112.8	48.25	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	27.625	2004
15.01.2020 10:15:33	1	1	1	1	112.8	47.5	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	28.0625	2004
15.01.2020 10:15:34	1	1	1	1	112.8	48	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.5625	2004
15.01.2020 10:15:35	1	1	1	1	112.8	48.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	28.125	2004
15.01.2020 10:15:36	1	1	1	1	113.3	48	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	28.375	2004
15.01.2020 10:15:38	1	1	1	1	113.3	48.25	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	27	2004
15.01.2020 10:15:39	1	1	1	1	113.3	47	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	28.25	2004
15.01.2020 10:15:40	1	1	1	1	113.3	48.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28.5625	2004
15.01.2020 10:15:41	1	1	1	1	113.3	48.5	0	28009.479	559.1397849	15888.34833	30000	0	0	30000	27.375	2004
15.01.2020 10:15:42	1	1	1	1	113.3	47.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	28.8125	2004
15.01.2020 10:15:43	1	1	1	1	113.3	48.75	0	28341.232	565.5913978	15819.85704	30000	0	0	30000	28	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:15:44	1	1	1	1	113.3	48	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	26.3125	2004
15.01.2020 10:15:45	1	1	1	1	113.3	46.25	0	28341.232	561.2903226	16177.80556	30000	0	0	30000	28.1875	2004
15.01.2020 10:15:46	1	1	1	1	113.3	48	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	28.9375	2004
15.01.2020 10:15:47	1	1	1	1	113.3	48.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	27.4375	2004
15.01.2020 10:15:48	1	1	1	1	113.3	47.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.875	2004
15.01.2020 10:15:49	1	1	1	1	113.3	48.75	0	28388.626	569.8924731	16056.31506	30000	0	0	30000	27.5625	2004
15.01.2020 10:15:50	1	1	1	1	113.3	47.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	27.8125	2004
15.01.2020 10:15:51	1	1	1	1	113.3	47.75	0	28293.839	565.5913978	15881.00997	30000	0	0	30000	27.6875	2004
15.01.2020 10:15:52	1	1	1	1	113.3	47.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.8125	2004
15.01.2020 10:15:53	1	1	1	1	113.3	48.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.875	2004
15.01.2020 10:15:54	1	1	1	1	113.3	47.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	28.375	2004
15.01.2020 10:15:55	1	1	1	1	113.3	48.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	26.75	2004
15.01.2020 10:15:56	1	1	1	1	113.3	46.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	28.125	2004
15.01.2020 10:16:02	1	1	1	1	113.3	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:16:02	1	1	1	1	113.3	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:16:02	1	1	1	1	113.3	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:16:02	1	1	1	1	113.3	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:16:02	1	1	1	1	113.3	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	26.9375	2004
15.01.2020 10:16:02	1	1	1	1	113.3	46.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	27.8125	2004
15.01.2020 10:16:03	1	1	1	1	113.3	47.75	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	27.25	2004
15.01.2020 10:16:04	1	1	1	1	113.3	47.25	0	28483.412	569.8924731	16090.5607	30000	0	0	30000	28.1875	2004
15.01.2020 10:16:05	1	1	1	1	113.3	48	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	29.125	2004
15.01.2020 10:16:06	1	1	1	1	113	49	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	27.875	2004
15.01.2020 10:16:07	1	1	1	1	113	47.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	27.8125	2004
15.01.2020 10:16:08	1	1	1	1	113	47.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29	2004
15.01.2020 10:16:09	1	1	1	1	113	49	0	28293.839	561.2903226	15706.52026	30000	0	0	30000	28.625	2004
15.01.2020 10:16:10	1	1	1	1	113	48.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	28.3125	2004
15.01.2020 10:16:11	1	1	1	1	113	48.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	28.6875	2004
15.01.2020 10:16:12	1	1	1	1	113	48.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.75	2004
15.01.2020 10:16:13	1	1	1	1	113	48.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	29.375	2004
15.01.2020 10:16:15	1	1	1	1	113	47.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	29	2004
15.01.2020 10:16:16	1	1	1	1	113.3	49	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.125	2004
15.01.2020 10:16:17	1	1	1	1	113.3	48	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	29.0625	2004
15.01.2020 10:16:18	1	1	1	1	113.3	49	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	28.5625	2004
15.01.2020 10:16:19	1	1	1	1	113.3	48.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	29.0625	2004
15.01.2020 10:16:20	1	1	1	1	113.3	49	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	27.8125	2004
15.01.2020 10:16:21	1	1	1	1	113.3	47.75	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	27.8125	2004
15.01.2020 10:16:22	1	1	1	1	113.3	47.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	28	2004
15.01.2020 10:16:23	1	1	1	1	113.3	48	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	28.3125	2004
15.01.2020 10:16:24	1	1	1	1	113.3	48.25	0	28483.412	550.5376344	16040.00761	30000	0	0	30000	27.1875	2004
15.01.2020 10:16:25	1	1	1	1	113.3	47	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	28.9375	2004
15.01.2020 10:16:26	1	1	1	1	113.3	48.75	0	28578.199	550.5376344	15943.79366	30000	0	0	30000	28.4375	2004
15.01.2020 10:16:27	1	1	1	1	113.3	48.25	0	28862.559	554.8387097	16137.85231	30000	0	0	30000	29.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:16:28	1	1	1	1	113.3	49.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.9375	2004
15.01.2020 10:16:29	1	1	1	1	113.3	48.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28	2004
15.01.2020 10:16:30	1	1	1	1	113.3	48	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	28.625	2004
15.01.2020 10:16:31	1	1	1	1	113.3	48.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.5625	2004
15.01.2020 10:16:32	1	1	1	1	113.3	48.5	0	28341.232	559.1397849	15995.16212	30000	0	0	30000	27.875	2004
15.01.2020 10:16:33	1	1	1	1	113.3	47.75	0	28483.412	559.1397849	16109.31427	30000	0	0	30000	29.1875	2004
15.01.2020 10:16:34	1	1	1	1	113.3	49	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28.125	2004
15.01.2020 10:16:35	1	1	1	1	113.3	48	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	28.375	2004
15.01.2020 10:16:36	1	1	1	1	113.5	48.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	26.875	2004
15.01.2020 10:16:37	1	1	1	1	113.5	46.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	27.5	2004
15.01.2020 10:16:38	1	1	1	1	113.5	47.5	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	28.625	2004
15.01.2020 10:16:39	1	1	1	1	113.5	48.5	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	27.75	2004
15.01.2020 10:16:40	1	1	1	1	113.5	47.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	28.4375	2004
15.01.2020 10:16:41	1	1	1	1	113.5	48.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	29.1875	2004
15.01.2020 10:16:42	1	1	1	1	113.5	49	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	28.3125	2004
15.01.2020 10:16:43	1	1	1	1	113.5	48.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	28.5625	2004
15.01.2020 10:16:44	1	1	1	1	113.5	48.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	29.25	2004
15.01.2020 10:16:45	1	1	1	1	113.5	49.25	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	28.9375	2004
15.01.2020 10:16:46	1	1	1	1	114.5	48.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29.0625	2004
15.01.2020 10:16:47	1	1	1	1	114.5	49	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	29.4375	2004
15.01.2020 10:16:48	1	1	1	1	114.5	49.25	0	28341.232	554.8387097	15750.55038	30000	0	0	30000	29.375	2004
15.01.2020 10:16:49	1	1	1	1	114.5	49.25	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	28.8125	2004
15.01.2020 10:16:50	1	1	1	1	114.5	48.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	28.5	2004
15.01.2020 10:16:51	1	1	1	1	114.5	48.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	28.3125	2004
15.01.2020 10:16:52	1	1	1	1	114.5	48.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	29.5625	2004
15.01.2020 10:16:53	1	1	1	1	114.5	49.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	29.75	2004
15.01.2020 10:16:54	1	1	1	1	114.5	49.75	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	27.8125	2004
15.01.2020 10:16:55	1	1	1	1	114.5	47.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	29.25	2004
15.01.2020 10:16:57	1	1	1	1	114	48.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	28.875	2004
15.01.2020 10:16:58	1	1	1	1	114	48.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.5625	2004
15.01.2020 10:17:03	1	1	1	1	114	48.5	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	29	2004
15.01.2020 10:17:03	1	1	1	1	114	48.5	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	29	2004
15.01.2020 10:17:03	1	1	1	1	114	48.5	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	29	2004
15.01.2020 10:17:03	1	1	1	1	114	48.5	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	29	2004
15.01.2020 10:17:04	1	1	1	1	114	49	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	27.0625	2004
15.01.2020 10:17:05	1	1	1	1	114	47	0	28199.052	563.4408602	15975.59318	30000	0	0	30000	28.75	2004
15.01.2020 10:17:06	1	1	1	1	113.8	48.75	0	28293.839	561.2903226	16002.50048	30000	0	0	30000	28.0625	2004
15.01.2020 10:17:07	1	1	1	1	113.8	48	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	28.5625	2004
15.01.2020 10:17:08	1	1	1	1	113.8	48.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	28.9375	2004
15.01.2020 10:17:09	1	1	1	1	113.8	48.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	28.0625	2004
15.01.2020 10:17:10	1	1	1	1	113.8	48	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	27.1875	2004
15.01.2020 10:17:11	1	1	1	1	113.8	47	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:17:12	1	1	1	1	113.8	49	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29.1875	2004
15.01.2020 10:17:13	1	1	1	1	113.8	49	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	27.1875	2004
15.01.2020 10:17:14	1	1	1	1	113.8	47	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	28.0625	2004
15.01.2020 10:17:15	1	1	1	1	113.8	48	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28.625	2004
15.01.2020 10:17:16	1	1	1	1	114.8	48.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29	2004
15.01.2020 10:17:17	1	1	1	1	114.8	49	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	28.3125	2004
15.01.2020 10:17:18	1	1	1	1	114.8	48.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.375	2004
15.01.2020 10:17:19	1	1	1	1	114.8	48.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	28.875	2004
15.01.2020 10:17:20	1	1	1	1	114.8	48.75	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	28.375	2004
15.01.2020 10:17:21	1	1	1	1	114.8	48.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	29.3125	2004
15.01.2020 10:17:22	1	1	1	1	114.8	49.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	29.375	2004
15.01.2020 10:17:23	1	1	1	1	114.8	49.25	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	28.3125	2004
15.01.2020 10:17:24	1	1	1	1	114.8	48.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	27.8125	2004
15.01.2020 10:17:25	1	1	1	1	114.8	47.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	28.6875	2004
15.01.2020 10:17:26	1	1	1	1	114.8	48.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	28.8125	2004
15.01.2020 10:17:27	1	1	1	1	114.8	48.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.25	2004
15.01.2020 10:17:28	1	1	1	1	114.8	49.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.4375	2004
15.01.2020 10:17:29	1	1	1	1	114.8	49.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	28.25	2004
15.01.2020 10:17:30	1	1	1	1	114.8	48.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	27.75	2004
15.01.2020 10:17:31	1	1	1	1	114.8	47.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	28.75	2004
15.01.2020 10:17:32	1	1	1	1	114.8	48.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.75	2004
15.01.2020 10:17:34	1	1	1	1	114.8	49.75	0	28293.839	563.4408602	15915.25562	30000	0	0	30000	29.6875	2004
15.01.2020 10:17:35	1	1	1	1	114.8	48.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	29.3125	2004
15.01.2020 10:17:36	1	1	1	1	114.5	49.25	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	29.3125	2004
15.01.2020 10:17:37	1	1	1	1	114.5	49.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	28.25	2004
15.01.2020 10:17:38	1	1	1	1	114.5	48.25	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	29.125	2004
15.01.2020 10:17:39	1	1	1	1	114.5	49	0	28530.806	554.8387097	16066.9149	30000	0	0	30000	28.625	2004
15.01.2020 10:17:40	1	1	1	1	114.5	48.5	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	27.75	2004
15.01.2020 10:17:41	1	1	1	1	114.5	47.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.5625	2004
15.01.2020 10:17:42	1	1	1	1	114.5	49.5	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	29.125	2004
15.01.2020 10:17:43	1	1	1	1	114.5	49	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.875	2004
15.01.2020 10:17:44	1	1	1	1	114.5	47.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	28.25	2004
15.01.2020 10:17:45	1	1	1	1	114.5	48.25	0	28341.232	561.2903226	15785.61139	30000	0	0	30000	29.75	2004
15.01.2020 10:17:46	1	1	1	1	113.5	49.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	28.375	2004
15.01.2020 10:17:47	1	1	1	1	113.5	48.25	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	28.5	2004
15.01.2020 10:17:48	1	1	1	1	113.5	48.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.5	2004
15.01.2020 10:17:49	1	1	1	1	113.5	48.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	28.0625	2004
15.01.2020 10:17:50	1	1	1	1	113.5	48	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	29.4375	2004
15.01.2020 10:17:51	1	1	1	1	113.5	49.25	0	28199.052	567.7419355	16185.14391	30000	0	0	30000	28.9375	2004
15.01.2020 10:17:52	1	1	1	1	113.5	48.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	29.125	2004
15.01.2020 10:17:53	1	1	1	1	113.5	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.3125	2004
15.01.2020 10:17:54	1	1	1	1	113.5	49.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.8125	2004
15.01.2020 10:17:55	1	1	1	1	113.5	48.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:17:56	1	1	1	1	114.8	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	28.1875	2004
15.01.2020 10:17:57	1	1	1	1	114.8	48	0	28009.479	572.0430108	16043.2691	30000	0	0	30000	29.1875	2004
15.01.2020 10:17:58	1	1	1	1	114.8	49	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	28.75	2004
15.01.2020 10:17:59	1	1	1	1	114.8	48.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.5	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:06	1	1	1	1	115	49.25	0	28293.839	569.8924731	16097.08368	30000	0	0	30000	29.75	2004
15.01.2020 10:18:07	1	1	1	1	115	49.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.375	2004
15.01.2020 10:18:08	1	1	1	1	115	48.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	28.9375	2004
15.01.2020 10:18:09	1	1	1	1	115	48.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.8125	2004
15.01.2020 10:18:10	1	1	1	1	115	47.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.625	2004
15.01.2020 10:18:11	1	1	1	1	115	49.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.625	2004
15.01.2020 10:18:13	1	1	1	1	115	49.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.375	2004
15.01.2020 10:18:14	1	1	1	1	115	50	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	29.8125	2004
15.01.2020 10:18:15	1	1	1	1	115	49.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	27.6875	2004
15.01.2020 10:18:16	1	1	1	1	115.5	47.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	28.5625	2004
15.01.2020 10:18:17	1	1	1	1	115.5	48.5	0	28199.052	576.344086	16009.83883	30000	0	0	30000	28.375	2004
15.01.2020 10:18:18	1	1	1	1	115.5	48.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	28.75	2004
15.01.2020 10:18:19	1	1	1	1	115.5	48.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:18:20	1	1	1	1	115.5	48.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	29.5	2004
15.01.2020 10:18:21	1	1	1	1	115.5	49.5	0	28341.232	569.8924731	16029.40777	30000	0	0	30000	29.75	2004
15.01.2020 10:18:22	1	1	1	1	115.5	49.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.1875	2004
15.01.2020 10:18:23	1	1	1	1	115.5	48	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	29.6875	2004
15.01.2020 10:18:24	1	1	1	1	115.5	49.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	27.9375	2004
15.01.2020 10:18:25	1	1	1	1	115.5	47.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.6875	2004
15.01.2020 10:18:26	1	1	1	1	115.3	49.5	0	28199.052	556.9892473	16002.50048	30000	0	0	30000	29.25	2004
15.01.2020 10:18:27	1	1	1	1	115.3	49.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.8125	2004
15.01.2020 10:18:28	1	1	1	1	115.3	48.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	29.8125	2004
15.01.2020 10:18:29	1	1	1	1	115.3	49.75	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	29.0625	2004
15.01.2020 10:18:30	1	1	1	1	115.3	49	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.8125	2004
15.01.2020 10:18:31	1	1	1	1	115.3	49.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29	2004
15.01.2020 10:18:32	1	1	1	1	115.3	49	0	28341.232	569.8924731	15907.10189	30000	0	0	30000	28.3125	2004
15.01.2020 10:18:33	1	1	1	1	115.3	48.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.0625	2004
15.01.2020 10:18:34	1	1	1	1	115.3	49	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	28.8125	2004
15.01.2020 10:18:35	1	1	1	1	115.3	48.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	29.25	2004
15.01.2020 10:18:36	1	1	1	1	115.8	49.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	29.4375	2004
15.01.2020 10:18:37	1	1	1	1	115.8	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.75	2004
15.01.2020 10:18:38	1	1	1	1	115.8	49.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.375	2004
15.01.2020 10:18:39	1	1	1	1	115.8	49.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	28.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:18:40	1	1	1	1	115.8	48.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	28.0625	2004
15.01.2020 10:18:41	1	1	1	1	115.8	48	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	29.5	2004
15.01.2020 10:18:42	1	1	1	1	115.8	49.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29.1875	2004
15.01.2020 10:18:43	1	1	1	1	115.8	49	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.5625	2004
15.01.2020 10:18:44	1	1	1	1	115.8	49.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	29.125	2004
15.01.2020 10:18:45	1	1	1	1	115.8	49	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	27.875	2004
15.01.2020 10:18:46	1	1	1	1	115.8	47.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29	2004
15.01.2020 10:18:47	1	1	1	1	115.8	49	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.625	2004
15.01.2020 10:18:48	1	1	1	1	115.8	49.5	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	29.5	2004
15.01.2020 10:18:49	1	1	1	1	115.8	49.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.1875	2004
15.01.2020 10:18:50	1	1	1	1	115.8	48	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.9375	2004
15.01.2020 10:18:52	1	1	1	1	115.8	48.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	30	2004
15.01.2020 10:18:53	1	1	1	1	115.8	50	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.0625	2004
15.01.2020 10:18:54	1	1	1	1	115.8	50	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	30.125	2004
15.01.2020 10:18:55	1	1	1	1	115.8	50	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	29.875	2004
15.01.2020 10:18:56	1	1	1	1	115.5	49.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	28.6875	2004
15.01.2020 10:18:57	1	1	1	1	115.5	48.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	29.625	2004
15.01.2020 10:18:58	1	1	1	1	115.5	49.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:18:59	1	1	1	1	115.5	48.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	28.875	2004
15.01.2020 10:19:00	1	1	1	1	115.5	48.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	29	2004
15.01.2020 10:19:01	1	1	1	1	115.5	49	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	29.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.5	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	28.9375	2004
15.01.2020 10:19:08	1	1	1	1	116	48.75	0	28341.232	569.8924731	16063.65341	30000	0	0	30000	28.375	2004
15.01.2020 10:19:09	1	1	1	1	116	48.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	30	2004
15.01.2020 10:19:10	1	1	1	1	116	50	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.125	2004
15.01.2020 10:19:11	1	1	1	1	116	49	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	28.0625	2004
15.01.2020 10:19:12	1	1	1	1	116	48	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	28.5625	2004
15.01.2020 10:19:13	1	1	1	1	116	48.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	29.625	2004
15.01.2020 10:19:14	1	1	1	1	116	49.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	29.5625	2004
15.01.2020 10:19:15	1	1	1	1	116	49.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	28.125	2004
15.01.2020 10:19:16	1	1	1	1	115	48	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	29.5	2004
15.01.2020 10:19:17	1	1	1	1	115	49.5	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	29.1875	2004
15.01.2020 10:19:18	1	1	1	1	115	49	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	29.9375	2004
15.01.2020 10:19:19	1	1	1	1	115	49.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29	2004
15.01.2020 10:19:20	1	1	1	1	115	49	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	29	2004
15.01.2020 10:19:21	1	1	1	1	115	49	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.4375	2004
15.01.2020 10:19:22	1	1	1	1	115	49.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.0625	2004
15.01.2020 10:19:23	1	1	1	1	115	50	0	28293.839	559.1397849	16029.40777	30000	0	0	30000	29.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:19:24	1	1	1	1	115	49.75	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	29	2004
15.01.2020 10:19:25	1	1	1	1	115	49	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	29.375	2004
15.01.2020 10:19:26	1	1	1	1	114.5	49.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	29.625	2004
15.01.2020 10:19:27	1	1	1	1	114.5	49.5	0	28293.839	563.4408602	16056.31506	30000	0	0	30000	29.25	2004
15.01.2020 10:19:29	1	1	1	1	114.5	49.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	29.625	2004
15.01.2020 10:19:30	1	1	1	1	114.5	49.5	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	28.875	2004
15.01.2020 10:19:31	1	1	1	1	114.5	48.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.9375	2004
15.01.2020 10:19:32	1	1	1	1	114.5	50.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	29.9375	2004
15.01.2020 10:19:33	1	1	1	1	114.5	49.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	29.875	2004
15.01.2020 10:19:34	1	1	1	1	114.5	49.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	30	2004
15.01.2020 10:19:35	1	1	1	1	114.5	50	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	29.6875	2004
15.01.2020 10:19:36	1	1	1	1	115.8	49.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	30	2004
15.01.2020 10:19:37	1	1	1	1	115.8	50	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.5625	2004
15.01.2020 10:19:38	1	1	1	1	115.8	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.8125	2004
15.01.2020 10:19:39	1	1	1	1	115.8	49.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	30.25	2004
15.01.2020 10:19:40	1	1	1	1	115.8	50.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	30.0625	2004
15.01.2020 10:19:41	1	1	1	1	115.8	50	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.6875	2004
15.01.2020 10:19:42	1	1	1	1	115.8	48.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	29.4375	2004
15.01.2020 10:19:43	1	1	1	1	115.8	49.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	29.6875	2004
15.01.2020 10:19:44	1	1	1	1	115.8	49.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	30.25	2004
15.01.2020 10:19:45	1	1	1	1	115.8	50.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	28.125	2004
15.01.2020 10:19:46	1	1	1	1	115.3	48	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.3125	2004
15.01.2020 10:19:47	1	1	1	1	115.3	49.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	30	2004
15.01.2020 10:19:48	1	1	1	1	115.3	50	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	28.25	2004
15.01.2020 10:19:49	1	1	1	1	115.3	48.25	0	28246.445	563.4408602	15975.59318	30000	0	0	30000	29.75	2004
15.01.2020 10:19:50	1	1	1	1	115.3	49.75	0	28341.232	567.7419355	16422.41731	30000	0	0	30000	30.25	2004
15.01.2020 10:19:51	1	1	1	1	115.3	50.25	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	29.75	2004
15.01.2020 10:19:52	1	1	1	1	115.3	49.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	30.1875	2004
15.01.2020 10:19:53	1	1	1	1	115.3	50	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	28.625	2004
15.01.2020 10:19:54	1	1	1	1	115.3	48.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.5625	2004
15.01.2020 10:19:55	1	1	1	1	115.3	49.5	0	28009.479	563.4408602	16142.74454	30000	0	0	30000	29.1875	2004
15.01.2020 10:19:56	1	1	1	1	115.5	49	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
15.01.2020 10:19:57	1	1	1	1	115.5	50.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	29.3125	2004
15.01.2020 10:19:58	1	1	1	1	115.5	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.3125	2004
15.01.2020 10:19:59	1	1	1	1	115.5	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.4375	2004
15.01.2020 10:20:00	1	1	1	1	115.5	49.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	30.375	2004
15.01.2020 10:20:01	1	1	1	1	115.5	50.25	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	29.5625	2004
15.01.2020 10:20:02	1	1	1	1	115.5	49.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	30.25	2004
15.01.2020 10:20:08	1	1	1	1	115	50.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	29.75	2004
15.01.2020 10:20:08	1	1	1	1	115	50.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	29.75	2004
15.01.2020 10:20:08	1	1	1	1	115	50.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	29.75	2004
15.01.2020 10:20:08	1	1	1	1	115	50.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	29.75	2004
15.01.2020 10:20:08	1	1	1	1	115	50.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	29.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:20:08	1	1	1	1	115	49.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.1875	2004
15.01.2020 10:20:09	1	1	1	1	115	50	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	30.625	2004
15.01.2020 10:20:11	1	1	1	1	115	50.5	0	27867.299	576.344086	15941.34754	30000	0	0	30000	29	2004
15.01.2020 10:20:12	1	1	1	1	115	49	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	30.3125	2004
15.01.2020 10:20:13	1	1	1	1	115	50.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	30.25	2004
15.01.2020 10:20:14	1	1	1	1	115	49.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	28.6875	2004
15.01.2020 10:20:15	1	1	1	1	115	48.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.75	2004
15.01.2020 10:20:16	1	1	1	1	115.5	49.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	30.5	2004
15.01.2020 10:20:17	1	1	1	1	115.5	50.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	29.3125	2004
15.01.2020 10:20:18	1	1	1	1	115.5	49.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	30	2004
15.01.2020 10:20:19	1	1	1	1	115.5	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
15.01.2020 10:20:20	1	1	1	1	115.5	50.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.4375	2004
15.01.2020 10:20:21	1	1	1	1	115.5	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.25	2004
15.01.2020 10:20:22	1	1	1	1	115.5	50.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.875	2004
15.01.2020 10:20:23	1	1	1	1	115.5	49.75	0	28199.052	569.8924731	15841.8721	30000	0	0	30000	30.1875	2004
15.01.2020 10:20:24	1	1	1	1	115.5	50	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.25	2004
15.01.2020 10:20:25	1	1	1	1	115.5	50.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	28.8125	2004
15.01.2020 10:20:26	1	1	1	1	115.8	48.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	29.9375	2004
15.01.2020 10:20:27	1	1	1	1	115.8	49.75	0	28388.626	572.0430108	16212.05121	30000	0	0	30000	30.0625	2004
15.01.2020 10:20:28	1	1	1	1	115.8	50	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.5	2004
15.01.2020 10:20:29	1	1	1	1	115.8	50.5	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	29.5625	2004
15.01.2020 10:20:30	1	1	1	1	115.8	49.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	30.375	2004
15.01.2020 10:20:31	1	1	1	1	115.8	50.25	0	28199.052	569.8924731	15888.34833	30000	0	0	30000	29.8125	2004
15.01.2020 10:20:32	1	1	1	1	115.8	49.75	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	30.25	2004
15.01.2020 10:20:33	1	1	1	1	115.8	50.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.75	2004
15.01.2020 10:20:34	1	1	1	1	115.8	49.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.0625	2004
15.01.2020 10:20:35	1	1	1	1	115.8	50	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	29.5	2004
15.01.2020 10:20:36	1	1	1	1	116.5	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.875	2004
15.01.2020 10:20:37	1	1	1	1	116.5	49.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	29.8125	2004
15.01.2020 10:20:38	1	1	1	1	116.5	49.75	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	30.5	2004
15.01.2020 10:20:39	1	1	1	1	116.5	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.125	2004
15.01.2020 10:20:40	1	1	1	1	116.5	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.5	2004
15.01.2020 10:20:41	1	1	1	1	116.5	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.1875	2004
15.01.2020 10:20:42	1	1	1	1	116.5	49	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.25	2004
15.01.2020 10:20:43	1	1	1	1	116.5	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30	2004
15.01.2020 10:20:44	1	1	1	1	116.5	50	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	30.5625	2004
15.01.2020 10:20:45	1	1	1	1	116.5	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30	2004
15.01.2020 10:20:46	1	1	1	1	116.5	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	29.9375	2004
15.01.2020 10:20:47	1	1	1	1	116.5	49.75	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	29.875	2004
15.01.2020 10:20:48	1	1	1	1	116.5	49.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.125	2004
15.01.2020 10:20:49	1	1	1	1	116.5	50	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	30.8125	2004
15.01.2020 10:20:51	1	1	1	1	116.5	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.8125	2004
15.01.2020 10:20:52	1	1	1	1	116.5	49.75	0	28199.052	567.7419355	16029.40777	30000	0	0	30000	29.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:20:53	1	1	1	1	116.5	50.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	30.75	2004
15.01.2020 10:20:54	1	1	1	1	116.5	50.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.625	2004
15.01.2020 10:20:55	1	1	1	1	116.5	49.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.6875	2004
15.01.2020 10:20:56	1	1	1	1	117	49.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.625	2004
15.01.2020 10:20:57	1	1	1	1	117	50.5	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	30.375	2004
15.01.2020 10:20:58	1	1	1	1	117	50.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30	2004
15.01.2020 10:20:59	1	1	1	1	117	50	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	29.4375	2004
15.01.2020 10:21:00	1	1	1	1	117	49.25	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	30	2004
15.01.2020 10:21:01	1	1	1	1	117	50	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.375	2004
15.01.2020 10:21:02	1	1	1	1	117	50.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	30.5	2004
15.01.2020 10:21:03	1	1	1	1	117	50.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	30.625	2004
15.01.2020 10:21:04	1	1	1	1	117	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:11	1	1	1	1	116.8	49.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.125	2004
15.01.2020 10:21:12	1	1	1	1	116.8	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.625	2004
15.01.2020 10:21:13	1	1	1	1	116.8	49.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.9375	2004
15.01.2020 10:21:14	1	1	1	1	116.8	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30	2004
15.01.2020 10:21:15	1	1	1	1	116.8	50	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.6875	2004
15.01.2020 10:21:16	1	1	1	1	116.5	50.5	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	30.3125	2004
15.01.2020 10:21:17	1	1	1	1	116.5	50.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.25	2004
15.01.2020 10:21:18	1	1	1	1	116.5	50.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.625	2004
15.01.2020 10:21:19	1	1	1	1	116.5	49.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	29.6875	2004
15.01.2020 10:21:20	1	1	1	1	116.5	49.5	0	28009.479	584.9462366	16082.40698	30000	0	0	30000	30.375	2004
15.01.2020 10:21:21	1	1	1	1	116.5	50.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	29.875	2004
15.01.2020 10:21:22	1	1	1	1	116.5	49.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	29.75	2004
15.01.2020 10:21:23	1	1	1	1	116.5	49.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	30.625	2004
15.01.2020 10:21:24	1	1	1	1	116.5	50.5	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	29.6875	2004
15.01.2020 10:21:25	1	1	1	1	116.5	49.5	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	30.5625	2004
15.01.2020 10:21:26	1	1	1	1	116.5	50.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	30.25	2004
15.01.2020 10:21:27	1	1	1	1	116.5	50.25	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	29.25	2004
15.01.2020 10:21:28	1	1	1	1	116.5	49.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30	2004
15.01.2020 10:21:29	1	1	1	1	116.5	50	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	30.625	2004
15.01.2020 10:21:31	1	1	1	1	116.5	50.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	30.25	2004
15.01.2020 10:21:32	1	1	1	1	116.5	50.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.75	2004
15.01.2020 10:21:33	1	1	1	1	116.5	49.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	31.0625	2004
15.01.2020 10:21:34	1	1	1	1	116.5	50.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	29.125	2004
15.01.2020 10:21:35	1	1	1	1	116.5	49	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	29.875	2004
15.01.2020 10:21:36	1	1	1	1	116.3	49.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:21:37	1	1	1	1	116.3	49.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	30.625	2004
15.01.2020 10:21:38	1	1	1	1	116.3	50.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	30.3125	2004
15.01.2020 10:21:39	1	1	1	1	116.3	50.25	0	27630.332	576.344086	16006.57734	30000	0	0	30000	30.25	2004
15.01.2020 10:21:40	1	1	1	1	116.3	50.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.75	2004
15.01.2020 10:21:41	1	1	1	1	116.3	50.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	30.75	2004
15.01.2020 10:21:42	1	1	1	1	116.3	50.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	30.25	2004
15.01.2020 10:21:45	1	1	1	1	116.3	50.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.5625	2004
15.01.2020 10:21:45	1	1	1	1	116.3	50.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.5625	2004
15.01.2020 10:21:45	1	1	1	1	116.3	50.5	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	30.9375	2004
15.01.2020 10:21:46	1	1	1	1	116.5	50.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	30.25	2004
15.01.2020 10:21:47	1	1	1	1	116.5	50.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	30.8125	2004
15.01.2020 10:21:48	1	1	1	1	116.5	50.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.5625	2004
15.01.2020 10:21:49	1	1	1	1	116.5	50.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	30.8125	2004
15.01.2020 10:21:50	1	1	1	1	116.5	50.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	29.8125	2004
15.01.2020 10:21:51	1	1	1	1	116.5	49.75	0	27772.512	574.1935484	15805.18033	30000	0	0	30000	30.9375	2004
15.01.2020 10:21:52	1	1	1	1	116.5	50.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.5	2004
15.01.2020 10:21:53	1	1	1	1	116.5	50.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.4375	2004
15.01.2020 10:21:54	1	1	1	1	116.5	50.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	30.6875	2004
15.01.2020 10:21:55	1	1	1	1	116.5	50.5	0	27819.905	580.6451613	16038.37687	30000	0	0	30000	29.875	2004
15.01.2020 10:21:56	1	1	1	1	116.8	49.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.5625	2004
15.01.2020 10:21:57	1	1	1	1	116.8	50.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	29.625	2004
15.01.2020 10:21:58	1	1	1	1	116.8	49.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	30.375	2004
15.01.2020 10:21:59	1	1	1	1	116.8	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.1875	2004
15.01.2020 10:22:00	1	1	1	1	116.8	50	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	29.375	2004
15.01.2020 10:22:01	1	1	1	1	116.8	49.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.875	2004
15.01.2020 10:22:02	1	1	1	1	116.8	50.75	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	30.9375	2004
15.01.2020 10:22:03	1	1	1	1	116.8	50.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.5	2004
15.01.2020 10:22:04	1	1	1	1	116.8	50.5	0	27582.938	576.344086	15929.11695	30000	0	0	30000	30.875	2004
15.01.2020 10:22:05	1	1	1	1	116.8	50.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	30.6875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:12	1	1	1	1	116.3	50.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:13	1	1	1	1	116.3	51	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	30.375	2004
15.01.2020 10:22:14	1	1	1	1	116.3	50.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	30.6875	2004
15.01.2020 10:22:15	1	1	1	1	116.3	49.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	30.3125	2004
15.01.2020 10:22:16	1	1	1	1	116.3	50.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	31	2004
15.01.2020 10:22:17	1	1	1	1	116.3	51	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	30.375	2004
15.01.2020 10:22:18	1	1	1	1	116.3	50.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	29.8125	2004
15.01.2020 10:22:19	1	1	1	1	116.3	49.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	30.4375	2004
15.01.2020 10:22:20	1	1	1	1	116.3	50.25	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	30.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:22:21	1	1	1	1	116.3	50.25	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:22	1	1	1	1	116.3	51	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	30.9375	2004
15.01.2020 10:22:23	1	1	1	1	116.3	50.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.125	2004
15.01.2020 10:22:24	1	1	1	1	116.3	51	0	27819.905	574.1935484	15983.74691	30000	0	0	30000	30.875	2004
15.01.2020 10:22:25	1	1	1	1	116.3	50.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.0625	2004
15.01.2020 10:22:26	1	1	1	1	116	50	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	29.9375	2004
15.01.2020 10:22:27	1	1	1	1	116	49.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	30.6875	2004
15.01.2020 10:22:28	1	1	1	1	116	50.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	30.4375	2004
15.01.2020 10:22:29	1	1	1	1	116	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30	2004
15.01.2020 10:22:30	1	1	1	1	116	50	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.9375	2004
15.01.2020 10:22:31	1	1	1	1	116	50.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:22:32	1	1	1	1	116	51	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	30.25	2004
15.01.2020 10:22:33	1	1	1	1	116	50.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	29.5	2004
15.01.2020 10:22:34	1	1	1	1	116	49.5	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	30.25	2004
15.01.2020 10:22:35	1	1	1	1	116	50.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	30.3125	2004
15.01.2020 10:22:36	1	1	1	1	116	50.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	29.9375	2004
15.01.2020 10:22:37	1	1	1	1	116	49.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	30.875	2004
15.01.2020 10:22:38	1	1	1	1	116	50.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	31.1875	2004
15.01.2020 10:22:39	1	1	1	1	116	51	0	28009.479	576.344086	16082.40698	30000	0	0	30000	29.6875	2004
15.01.2020 10:22:40	1	1	1	1	116	49.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.5	2004
15.01.2020 10:22:41	1	1	1	1	116	50.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	30.0625	2004
15.01.2020 10:22:42	1	1	1	1	116	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.9375	2004
15.01.2020 10:22:43	1	1	1	1	116	50.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	30.25	2004
15.01.2020 10:22:44	1	1	1	1	116	50.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	31.0625	2004
15.01.2020 10:22:45	1	1	1	1	116	51	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	30	2004
15.01.2020 10:22:47	1	1	1	1	115.8	50	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	28.9375	2004
15.01.2020 10:22:48	1	1	1	1	115.8	48.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.4375	2004
15.01.2020 10:22:49	1	1	1	1	115.8	51.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	29.25	2004
15.01.2020 10:22:50	1	1	1	1	115.8	49.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	31.0625	2004
15.01.2020 10:22:51	1	1	1	1	115.8	51.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	30.6875	2004
15.01.2020 10:22:52	1	1	1	1	115.8	50.5	0	27725.118	576.344086	16093.00682	30000	0	0	30000	29.5625	2004
15.01.2020 10:22:53	1	1	1	1	115.8	49.5	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	30.9375	2004
15.01.2020 10:22:54	1	1	1	1	115.8	50.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	29.8125	2004
15.01.2020 10:22:55	1	1	1	1	115.8	49.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	29.9375	2004
15.01.2020 10:22:56	1	1	1	1	115.3	49.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	28.875	2004
15.01.2020 10:22:57	1	1	1	1	115.3	48.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	31	2004
15.01.2020 10:22:58	1	1	1	1	115.3	51	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.0625	2004
15.01.2020 10:22:59	1	1	1	1	115.3	51	0	27867.299	576.344086	16148.45215	30000	0	0	30000	30.5625	2004
15.01.2020 10:23:00	1	1	1	1	115.3	50.5	0	27962.085	574.1935484	15907.91727	30000	0	0	30000	30.1875	2004
15.01.2020 10:23:01	1	1	1	1	115.3	50	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	31	2004
15.01.2020 10:23:02	1	1	1	1	115.3	51	0	27867.299	578.4946237	16000.86973	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:03	1	1	1	1	115.3	50.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31.1875	2004
15.01.2020 10:23:04	1	1	1	1	115.3	51	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:23:05	1	1	1	1	115.3	49.5	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	28.625	2004
15.01.2020 10:23:06	1	1	1	1	115.8	48.5	0	27725.118	572.0430108	15864.70252	30000	0	0	30000	31.125	2004
15.01.2020 10:23:07	1	1	1	1	115.8	51	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	29.9375	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:13	1	1	1	1	115.8	50.25	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:14	1	1	1	1	115.8	51	0	27725.118	576.344086	15973.96244	30000	0	0	30000	30.75	2004
15.01.2020 10:23:15	1	1	1	1	115.8	50.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31.125	2004
15.01.2020 10:23:16	1	1	1	1	116	51	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	30.375	2004
15.01.2020 10:23:17	1	1	1	1	116	50.25	0	27819.905	582.7956989	15946.23977	30000	0	0	30000	31.3125	2004
15.01.2020 10:23:18	1	1	1	1	116	51.25	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	30.9375	2004
15.01.2020 10:23:19	1	1	1	1	116	50.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:20	1	1	1	1	116	50.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:21	1	1	1	1	116	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.0625	2004
15.01.2020 10:23:22	1	1	1	1	116	50	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	30.625	2004
15.01.2020 10:23:23	1	1	1	1	116	50.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	31.25	2004
15.01.2020 10:23:24	1	1	1	1	116	51.25	0	27630.332	576.344086	15946.23977	30000	0	0	30000	30.25	2004
15.01.2020 10:23:26	1	1	1	1	116	50.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	31.125	2004
15.01.2020 10:23:27	1	1	1	1	116.3	51	0	27867.299	576.344086	16000.86973	30000	0	0	30000	31.125	2004
15.01.2020 10:23:28	1	1	1	1	116.3	51	0	27867.299	576.344086	15941.34754	30000	0	0	30000	31.375	2004
15.01.2020 10:23:29	1	1	1	1	116.3	51.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:30	1	1	1	1	116.3	51.25	0	27914.692	576.344086	16061.20729	30000	0	0	30000	31.25	2004
15.01.2020 10:23:31	1	1	1	1	116.3	51.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	31.375	2004
15.01.2020 10:23:32	1	1	1	1	116.3	51.25	0	27962.085	578.4946237	16055.49969	30000	0	0	30000	31.5	2004
15.01.2020 10:23:33	1	1	1	1	116.3	51.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	29.625	2004
15.01.2020 10:23:34	1	1	1	1	116.3	49.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	31.5	2004
15.01.2020 10:23:35	1	1	1	1	116.3	51.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	29.5	2004
15.01.2020 10:23:36	1	1	1	1	116.5	49.5	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	31.125	2004
15.01.2020 10:23:37	1	1	1	1	116.5	51	0	27867.299	576.344086	15627.42913	30000	0	0	30000	31.375	2004
15.01.2020 10:23:38	1	1	1	1	116.5	51.25	0	27725.118	576.344086	15973.96244	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:39	1	1	1	1	116.5	50.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.1875	2004
15.01.2020 10:23:40	1	1	1	1	116.5	51	0	27582.938	576.344086	15837.79523	30000	0	0	30000	30.25	2004
15.01.2020 10:23:41	1	1	1	1	116.5	50.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.5	2004
15.01.2020 10:23:42	1	1	1	1	116.5	50.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	31.5	2004
15.01.2020 10:23:43	1	1	1	1	116.5	51.5	0	27725.118	576.344086	15978.85467	30000	0	0	30000	28.9375	2004
15.01.2020 10:23:44	1	1	1	1	116.5	48.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	30.3125	2004
15.01.2020 10:23:45	1	1	1	1	116.5	50.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	31	2004
15.01.2020 10:23:46	1	1	1	1	116.5	51	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.3125	2004
15.01.2020 10:23:47	1	1	1	1	116.5	50.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.25	2004
15.01.2020 10:23:48	1	1	1	1	116.5	50.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	31	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:23:49	1	1	1	1	116.5	51	0	27819.905	576.344086	15924.22472	30000	0	0	30000	30.9375	2004
15.01.2020 10:23:50	1	1	1	1	116.5	50.75	0	27725.118	576.344086	16006.57734	30000	0	0	30000	30.5	2004
15.01.2020 10:23:51	1	1	1	1	116.5	50.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31	2004
15.01.2020 10:23:52	1	1	1	1	116.5	51	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	30.5625	2004
15.01.2020 10:23:53	1	1	1	1	116.5	50.5	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	30.1875	2004
15.01.2020 10:23:54	1	1	1	1	116.5	50	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:55	1	1	1	1	116.5	50.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	31.375	2004
15.01.2020 10:23:56	1	1	1	1	116.3	51.25	0	27630.332	574.1935484	16102.79129	30000	0	0	30000	31.1875	2004
15.01.2020 10:23:57	1	1	1	1	116.3	51	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.5625	2004
15.01.2020 10:23:58	1	1	1	1	116.3	51.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.6875	2004
15.01.2020 10:23:59	1	1	1	1	116.3	50.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	31.4375	2004
15.01.2020 10:24:00	1	1	1	1	116.3	51.25	0	27772.512	580.6451613	16153.34439	30000	0	0	30000	31.1875	2004
15.01.2020 10:24:01	1	1	1	1	116.3	51	0	27440.758	580.6451613	15814.9648	30000	0	0	30000	30.6875	2004
15.01.2020 10:24:03	1	1	1	1	116.3	50.5	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:04	1	1	1	1	116.3	51.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	31.25	2004
15.01.2020 10:24:05	1	1	1	1	116.3	51.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	30.625	2004
15.01.2020 10:24:06	1	1	1	1	116.3	50.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31	2004
15.01.2020 10:24:07	1	1	1	1	116.8	51	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	31.375	2004
15.01.2020 10:24:08	1	1	1	1	116.8	51.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:09	1	1	1	1	116.8	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.8125	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:15	1	1	1	1	116.8	51	0	27630.332	576.344086	15805.18033	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:16	1	1	1	1	117	51.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	31.5	2004
15.01.2020 10:24:17	1	1	1	1	117	51.5	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	30.0625	2004
15.01.2020 10:24:18	1	1	1	1	117	50	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:19	1	1	1	1	117	51	0	27630.332	576.344086	15864.70252	30000	0	0	30000	30.0625	2004
15.01.2020 10:24:20	1	1	1	1	117	50	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.25	2004
15.01.2020 10:24:21	1	1	1	1	117	50.25	0	27630.332	567.7419355	15805.18033	30000	0	0	30000	30.4375	2004
15.01.2020 10:24:22	1	1	1	1	117	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.375	2004
15.01.2020 10:24:23	1	1	1	1	117	49.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.25	2004
15.01.2020 10:24:24	1	1	1	1	117	51.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	31.25	2004
15.01.2020 10:24:25	1	1	1	1	117	51.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:26	1	1	1	1	116.5	51.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.625	2004
15.01.2020 10:24:27	1	1	1	1	116.5	51.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.1875	2004
15.01.2020 10:24:28	1	1	1	1	116.5	51	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.6875	2004
15.01.2020 10:24:29	1	1	1	1	116.5	51.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.5	2004
15.01.2020 10:24:30	1	1	1	1	116.5	51.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.125	2004
15.01.2020 10:24:31	1	1	1	1	116.5	51	0	27819.905	587.0967742	15983.74691	30000	0	0	30000	31.5	2004
15.01.2020 10:24:32	1	1	1	1	116.5	51.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:24:33	1	1	1	1	116.5	51.25	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	30.375	2004
15.01.2020 10:24:34	1	1	1	1	116.5	50.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.5625	2004
15.01.2020 10:24:35	1	1	1	1	116.5	50.5	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	30.3125	2004
15.01.2020 10:24:36	1	1	1	1	116.5	50.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:37	1	1	1	1	116.5	51	0	27440.758	580.6451613	16193.29764	30000	0	0	30000	31.75	2004
15.01.2020 10:24:38	1	1	1	1	116.5	51.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	31.375	2004
15.01.2020 10:24:39	1	1	1	1	116.5	51.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	31.25	2004
15.01.2020 10:24:40	1	1	1	1	116.5	51.25	0	27393.365	582.7956989	15933.19381	30000	0	0	30000	31.3125	2004
15.01.2020 10:24:42	1	1	1	1	116.5	51.25	0	27488.152	584.9462366	16051.42282	30000	0	0	30000	30.6875	2004
15.01.2020 10:24:43	1	1	1	1	116.5	50.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:44	1	1	1	1	116.5	51	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.8125	2004
15.01.2020 10:24:45	1	1	1	1	116.5	51.75	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	31.4375	2004
15.01.2020 10:24:46	1	1	1	1	117.3	51.5	0	27819.905	584.9462366	16162.31348	30000	0	0	30000	31.625	2004
15.01.2020 10:24:47	1	1	1	1	117.3	51.5	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	31.75	2004
15.01.2020 10:24:48	1	1	1	1	117.3	51.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:49	1	1	1	1	117.3	51	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.5	2004
15.01.2020 10:24:50	1	1	1	1	117.3	51.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	31.5625	2004
15.01.2020 10:24:51	1	1	1	1	117.3	51.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	31.125	2004
15.01.2020 10:24:52	1	1	1	1	117.3	51	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.625	2004
15.01.2020 10:24:53	1	1	1	1	117.3	51.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:54	1	1	1	1	117.3	51	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.375	2004
15.01.2020 10:24:55	1	1	1	1	117.3	51.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	31.0625	2004
15.01.2020 10:24:56	1	1	1	1	117	51	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.3125	2004
15.01.2020 10:24:57	1	1	1	1	117	51.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.75	2004
15.01.2020 10:24:58	1	1	1	1	117	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:24:59	1	1	1	1	117	51	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.25	2004
15.01.2020 10:25:00	1	1	1	1	117	51.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.25	2004
15.01.2020 10:25:01	1	1	1	1	117	51.25	0	27582.938	584.9462366	16110.12964	30000	0	0	30000	31.1875	2004
15.01.2020 10:25:02	1	1	1	1	117	51	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	31.375	2004
15.01.2020 10:25:03	1	1	1	1	117	51.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.75	2004
15.01.2020 10:25:04	1	1	1	1	117	51.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	31.625	2004
15.01.2020 10:25:05	1	1	1	1	117	51.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	30.6875	2004
15.01.2020 10:25:06	1	1	1	1	116.3	50.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.375	2004
15.01.2020 10:25:07	1	1	1	1	116.3	50.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	30.75	2004
15.01.2020 10:25:08	1	1	1	1	116.3	50.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.75	2004
15.01.2020 10:25:09	1	1	1	1	116.3	51.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31	2004
15.01.2020 10:25:10	1	1	1	1	116.3	51	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.3125	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	31.0625	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	31.0625	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	31.0625	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	31.0625	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	31.0625	2004
15.01.2020 10:25:16	1	1	1	1	116.3	51	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	31.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:25:17	1	1	1	1	116.3	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.8125	2004
15.01.2020 10:25:18	1	1	1	1	116.3	51.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.6875	2004
15.01.2020 10:25:20	1	1	1	1	116.3	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.75	2004
15.01.2020 10:25:21	1	1	1	1	116.3	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.5625	2004
15.01.2020 10:25:22	1	1	1	1	116.3	51.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	31.8125	2004
15.01.2020 10:25:23	1	1	1	1	116.3	51.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	32	2004
15.01.2020 10:25:24	1	1	1	1	116.3	52	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	30.75	2004
15.01.2020 10:25:25	1	1	1	1	116.3	50.5	0	27867.299	587.0967742	16043.2691	30000	0	0	30000	31.1875	2004
15.01.2020 10:25:26	1	1	1	1	115.8	51	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	31.3125	2004
15.01.2020 10:25:27	1	1	1	1	115.8	51.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.375	2004
15.01.2020 10:25:28	1	1	1	1	115.8	51.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	31.9375	2004
15.01.2020 10:25:29	1	1	1	1	115.8	51.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	30.75	2004
15.01.2020 10:25:30	1	1	1	1	115.8	50.75	0	27582.938	587.0967742	16047.34596	30000	0	0	30000	31.4375	2004
15.01.2020 10:25:31	1	1	1	1	115.8	51.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	31.25	2004
15.01.2020 10:25:32	1	1	1	1	115.8	51.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	31.75	2004
15.01.2020 10:25:33	1	1	1	1	115.8	51.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31	2004
15.01.2020 10:25:34	1	1	1	1	115.8	51	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	31.75	2004
15.01.2020 10:25:35	1	1	1	1	115.8	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	31.5	2004
15.01.2020 10:25:36	1	1	1	1	116	51.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	31.875	2004
15.01.2020 10:25:37	1	1	1	1	116	51.75	0	27582.938	578.4946237	15897.31742	30000	0	0	30000	31.3125	2004
15.01.2020 10:25:38	1	1	1	1	116	51.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	30.8125	2004
15.01.2020 10:25:39	1	1	1	1	116	50.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	30.8125	2004
15.01.2020 10:25:40	1	1	1	1	116	50.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	31.25	2004
15.01.2020 10:25:41	1	1	1	1	116	51.25	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	31.75	2004
15.01.2020 10:25:42	1	1	1	1	116	51.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.875	2004
15.01.2020 10:25:43	1	1	1	1	116	50.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.9375	2004
15.01.2020 10:25:44	1	1	1	1	116	50.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	32.0625	2004
15.01.2020 10:25:45	1	1	1	1	116	52	0	27535.545	580.6451613	16134.59082	30000	0	0	30000	31.9375	2004
15.01.2020 10:25:46	1	1	1	1	115.8	51.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	30.9375	2004
15.01.2020 10:25:47	1	1	1	1	115.8	50.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32	2004
15.01.2020 10:25:48	1	1	1	1	115.8	52	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	31	2004
15.01.2020 10:25:49	1	1	1	1	115.8	51	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	32.1875	2004
15.01.2020 10:25:50	1	1	1	1	115.8	52	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.5	2004
15.01.2020 10:25:51	1	1	1	1	115.8	51.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.9375	2004
15.01.2020 10:25:52	1	1	1	1	115.8	51.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	30.0625	2004
15.01.2020 10:25:53	1	1	1	1	115.8	50	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.125	2004
15.01.2020 10:25:54	1	1	1	1	115.8	51	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	31.875	2004
15.01.2020 10:25:55	1	1	1	1	115.8	51.75	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	31.25	2004
15.01.2020 10:25:56	1	1	1	1	115.5	51.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	31.25	2004
15.01.2020 10:25:57	1	1	1	1	115.5	51.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	32	2004
15.01.2020 10:25:59	1	1	1	1	115.5	52	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.1875	2004
15.01.2020 10:26:00	1	1	1	1	115.5	51	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.125	2004
15.01.2020 10:26:01	1	1	1	1	115.5	50	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	32.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:26:02	1	1	1	1	115.5	52	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	31.9375	2004
15.01.2020 10:26:03	1	1	1	1	115.5	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:04	1	1	1	1	115.5	52.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.375	2004
15.01.2020 10:26:05	1	1	1	1	115.5	51.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	30.3125	2004
15.01.2020 10:26:06	1	1	1	1	116.3	50.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	31.875	2004
15.01.2020 10:26:07	1	1	1	1	116.3	51.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	31.8125	2004
15.01.2020 10:26:08	1	1	1	1	116.3	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.625	2004
15.01.2020 10:26:09	1	1	1	1	116.3	51.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.4375	2004
15.01.2020 10:26:10	1	1	1	1	116.3	51.25	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	32.1875	2004
15.01.2020 10:26:11	1	1	1	1	116.3	52	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.5625	2004
15.01.2020 10:26:12	1	1	1	1	116.3	51.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:18	1	1	1	1	116	49.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.6875	2004
15.01.2020 10:26:18	1	1	1	1	116	49.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.6875	2004
15.01.2020 10:26:18	1	1	1	1	116	49.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.6875	2004
15.01.2020 10:26:18	1	1	1	1	116	51.5	0	27345.972	580.6451613	15733.42755	30000	0	0	30000	31.9375	2004
15.01.2020 10:26:18	1	1	1	1	116	51.5	0	27345.972	580.6451613	15733.42755	30000	0	0	30000	31.9375	2004
15.01.2020 10:26:18	1	1	1	1	116	51.5	0	27345.972	580.6451613	15733.42755	30000	0	0	30000	31.9375	2004
15.01.2020 10:26:19	1	1	1	1	116	51.75	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:20	1	1	1	1	116	52	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	31.4375	2004
15.01.2020 10:26:21	1	1	1	1	116	51.25	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	31.75	2004
15.01.2020 10:26:22	1	1	1	1	116	51.75	0	27440.758	576.344086	15991.90063	30000	0	0	30000	32	2004
15.01.2020 10:26:23	1	1	1	1	116	52	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	32.25	2004
15.01.2020 10:26:24	1	1	1	1	116	52.25	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	31.8125	2004
15.01.2020 10:26:25	1	1	1	1	116	51.75	0	27393.365	580.6451613	15873.67162	30000	0	0	30000	31.0625	2004
15.01.2020 10:26:26	1	1	1	1	116	51	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	32.125	2004
15.01.2020 10:26:27	1	1	1	1	116	52	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:28	1	1	1	1	116	52	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:29	1	1	1	1	116	52	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	30.875	2004
15.01.2020 10:26:30	1	1	1	1	116	50.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:31	1	1	1	1	116	52	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	31.875	2004
15.01.2020 10:26:32	1	1	1	1	116	51.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:33	1	1	1	1	116	52	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.1875	2004
15.01.2020 10:26:34	1	1	1	1	116	52	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.625	2004
15.01.2020 10:26:35	1	1	1	1	116	51.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	31.9375	2004
15.01.2020 10:26:36	1	1	1	1	116	51.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	32.125	2004
15.01.2020 10:26:38	1	1	1	1	116	52	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:39	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	32.1875	2004
15.01.2020 10:26:40	1	1	1	1	116	52	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	31.5625	2004
15.01.2020 10:26:41	1	1	1	1	116	51.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31.875	2004
15.01.2020 10:26:42	1	1	1	1	116	51.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:43	1	1	1	1	116	52	0	27582.938	578.4946237	16162.31348	30000	0	0	30000	31.5625	2004
15.01.2020 10:26:44	1	1	1	1	116	51.5	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	32.5	2004
15.01.2020 10:26:45	1	1	1	1	116	51.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	30.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:26:46	1	1	1	1	115.8	50.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	31.5	2004
15.01.2020 10:26:47	1	1	1	1	115.8	51.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	32.1875	2004
15.01.2020 10:26:48	1	1	1	1	115.8	52	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	31.8125	2004
15.01.2020 10:26:49	1	1	1	1	115.8	51.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.625	2004
15.01.2020 10:26:50	1	1	1	1	115.8	51.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.1875	2004
15.01.2020 10:26:51	1	1	1	1	115.8	51	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.1875	2004
15.01.2020 10:26:52	1	1	1	1	115.8	52	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.3125	2004
15.01.2020 10:26:53	1	1	1	1	115.8	51.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.3125	2004
15.01.2020 10:26:54	1	1	1	1	115.8	51.25	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	31.8125	2004
15.01.2020 10:26:55	1	1	1	1	115.8	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.125	2004
15.01.2020 10:26:56	1	1	1	1	115.5	52	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	31.875	2004
15.01.2020 10:26:57	1	1	1	1	115.5	51.75	0	27440.758	576.344086	15991.90063	30000	0	0	30000	31.0625	2004
15.01.2020 10:26:58	1	1	1	1	115.5	51	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	32.0625	2004
15.01.2020 10:26:59	1	1	1	1	115.5	52	0	27440.758	578.4946237	16168.83646	30000	0	0	30000	31.5	2004
15.01.2020 10:27:00	1	1	1	1	115.5	51.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.25	2004
15.01.2020 10:27:01	1	1	1	1	115.5	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.375	2004
15.01.2020 10:27:02	1	1	1	1	115.5	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:03	1	1	1	1	115.5	52.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	31.5625	2004
15.01.2020 10:27:04	1	1	1	1	115.5	51.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.6875	2004
15.01.2020 10:27:05	1	1	1	1	115.5	51.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.4375	2004
15.01.2020 10:27:06	1	1	1	1	115.8	51.25	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	31.5	2004
15.01.2020 10:27:07	1	1	1	1	115.8	51.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	30.875	2004
15.01.2020 10:27:08	1	1	1	1	115.8	50.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.3125	2004
15.01.2020 10:27:09	1	1	1	1	115.8	52.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:10	1	1	1	1	115.8	52	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:11	1	1	1	1	115.8	52	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:12	1	1	1	1	115.8	52.25	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	31.5	2004
15.01.2020 10:27:13	1	1	1	1	115.8	51.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31.375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.9375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.9375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.9375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.9375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.9375	2004
15.01.2020 10:27:20	1	1	1	1	115.5	50.75	0	27345.972	580.6451613	15701.62803	30000	0	0	30000	32.375	2004
15.01.2020 10:27:21	1	1	1	1	115.5	52.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.9375	2004
15.01.2020 10:27:22	1	1	1	1	115.5	51.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	31.6875	2004
15.01.2020 10:27:23	1	1	1	1	115.5	51.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.4375	2004
15.01.2020 10:27:24	1	1	1	1	115.5	51.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.75	2004
15.01.2020 10:27:25	1	1	1	1	115.5	51.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	32.375	2004
15.01.2020 10:27:26	1	1	1	1	115.3	52.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.875	2004
15.01.2020 10:27:27	1	1	1	1	115.3	51.75	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	32.25	2004
15.01.2020 10:27:28	1	1	1	1	115.3	52.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.3125	2004
15.01.2020 10:27:29	1	1	1	1	115.3	51.25	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:27:30	1	1	1	1	115.3	52.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.8125	2004
15.01.2020 10:27:31	1	1	1	1	115.3	51.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.125	2004
15.01.2020 10:27:32	1	1	1	1	115.3	52	0	27725.118	580.6451613	16212.86658	30000	0	0	30000	31.0625	2004
15.01.2020 10:27:33	1	1	1	1	115.3	51	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31	2004
15.01.2020 10:27:34	1	1	1	1	115.3	51	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:35	1	1	1	1	115.3	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.875	2004
15.01.2020 10:27:36	1	1	1	1	115.5	51.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	31.9375	2004
15.01.2020 10:27:37	1	1	1	1	115.5	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31	2004
15.01.2020 10:27:38	1	1	1	1	115.5	51	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	32.1875	2004
15.01.2020 10:27:39	1	1	1	1	115.5	52	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:40	1	1	1	1	115.5	52.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:41	1	1	1	1	115.5	52	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:42	1	1	1	1	115.5	52.25	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	31.875	2004
15.01.2020 10:27:43	1	1	1	1	115.5	51	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:44	1	1	1	1	115.5	52	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	31.375	2004
15.01.2020 10:27:45	1	1	1	1	115.5	51.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:46	1	1	1	1	115.5	52.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.5	2004
15.01.2020 10:27:47	1	1	1	1	115.5	52.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	32.1875	2004
15.01.2020 10:27:48	1	1	1	1	115.5	52	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:49	1	1	1	1	115.5	52	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	31.875	2004
15.01.2020 10:27:50	1	1	1	1	115.5	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.6875	2004
15.01.2020 10:27:51	1	1	1	1	115.5	51.5	0	27867.299	578.4946237	16043.2691	30000	0	0	30000	31.9375	2004
15.01.2020 10:27:52	1	1	1	1	115.5	51.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.875	2004
15.01.2020 10:27:54	1	1	1	1	115.5	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.4375	2004
15.01.2020 10:27:55	1	1	1	1	115.5	52.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.5	2004
15.01.2020 10:27:56	1	1	1	1	115.5	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.0625	2004
15.01.2020 10:27:57	1	1	1	1	114.5	52	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	31.875	2004
15.01.2020 10:27:58	1	1	1	1	114.5	51.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.625	2004
15.01.2020 10:27:59	1	1	1	1	114.5	52.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.375	2004
15.01.2020 10:28:00	1	1	1	1	114.5	52.25	0	27535.545	578.4946237	15987.82377	30000	0	0	30000	32.5	2004
15.01.2020 10:28:01	1	1	1	1	114.5	52.5	0	27630.332	580.6451613	15756.25798	30000	0	0	30000	31.25	2004
15.01.2020 10:28:02	1	1	1	1	114.5	52.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	32.375	2004
15.01.2020 10:28:03	1	1	1	1	114.5	52.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	32.375	2004
15.01.2020 10:28:04	1	1	1	1	114.5	52.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	31.9375	2004
15.01.2020 10:28:05	1	1	1	1	114.5	51.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.25	2004
15.01.2020 10:28:06	1	1	1	1	115.5	52.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.5625	2004
15.01.2020 10:28:07	1	1	1	1	115.5	52.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.3125	2004
15.01.2020 10:28:08	1	1	1	1	115.5	52.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:09	1	1	1	1	115.5	52.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.6875	2004
15.01.2020 10:28:10	1	1	1	1	115.5	51.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.125	2004
15.01.2020 10:28:11	1	1	1	1	115.5	52	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	32.5625	2004
15.01.2020 10:28:12	1	1	1	1	115.5	52.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:13	1	1	1	1	115.5	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:28:14	1	1	1	1	115.5	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.5	2004
15.01.2020 10:28:15	1	1	1	1	115.5	52.5	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	31.9375	2004
15.01.2020 10:28:21	1	1	1	1	115.8	52.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:21	1	1	1	1	115.8	52.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:21	1	1	1	1	115.8	52.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:21	1	1	1	1	115.8	52.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:21	1	1	1	1	115.8	52.25	0	27345.972	578.4946237	16082.40698	30000	0	0	30000	32	2004
15.01.2020 10:28:22	1	1	1	1	115.8	52	0	27582.938	591.3978495	16312.34202	30000	0	0	30000	32.625	2004
15.01.2020 10:28:23	1	1	1	1	115.8	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.875	2004
15.01.2020 10:28:24	1	1	1	1	115.8	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.8125	2004
15.01.2020 10:28:25	1	1	1	1	115.8	51.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:26	1	1	1	1	115.5	52.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	31.9375	2004
15.01.2020 10:28:27	1	1	1	1	115.5	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.5625	2004
15.01.2020 10:28:28	1	1	1	1	115.5	51.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32	2004
15.01.2020 10:28:29	1	1	1	1	115.5	52	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	32	2004
15.01.2020 10:28:30	1	1	1	1	115.5	52	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	32	2004
15.01.2020 10:28:31	1	1	1	1	115.5	52	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.25	2004
15.01.2020 10:28:33	1	1	1	1	115.5	51.25	0	27630.332	584.9462366	15987.82377	30000	0	0	30000	32.375	2004
15.01.2020 10:28:34	1	1	1	1	115.5	52.25	0	27630.332	593.5483871	16162.31348	30000	0	0	30000	31.6875	2004
15.01.2020 10:28:35	1	1	1	1	115.5	51.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.5	2004
15.01.2020 10:28:36	1	1	1	1	115.5	52.5	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:37	1	1	1	1	115.3	52.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	31.8125	2004
15.01.2020 10:28:38	1	1	1	1	115.3	51.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.3125	2004
15.01.2020 10:28:39	1	1	1	1	115.3	52.25	0	27582.938	580.6451613	15810.07257	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:40	1	1	1	1	115.3	52.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.4375	2004
15.01.2020 10:28:41	1	1	1	1	115.3	52.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	32.0625	2004
15.01.2020 10:28:42	1	1	1	1	115.3	52	0	27582.938	582.7956989	16015.54644	30000	0	0	30000	32.5	2004
15.01.2020 10:28:43	1	1	1	1	115.3	52.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	32.5625	2004
15.01.2020 10:28:44	1	1	1	1	115.3	52.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	32.6875	2004
15.01.2020 10:28:45	1	1	1	1	115.3	52.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.75	2004
15.01.2020 10:28:46	1	1	1	1	115.3	52.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.125	2004
15.01.2020 10:28:47	1	1	1	1	115.3	51	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	32.5	2004
15.01.2020 10:28:48	1	1	1	1	115.3	52.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	32.3125	2004
15.01.2020 10:28:49	1	1	1	1	115.3	52.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	30.9375	2004
15.01.2020 10:28:50	1	1	1	1	115.3	50.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	30.9375	2004
15.01.2020 10:28:51	1	1	1	1	115.3	50.75	0	27630.332	580.6451613	15696.73579	30000	0	0	30000	32.25	2004
15.01.2020 10:28:52	1	1	1	1	115.3	52.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	31.8125	2004
15.01.2020 10:28:53	1	1	1	1	115.3	51.75	0	27440.758	576.344086	15760.33485	30000	0	0	30000	31.75	2004
15.01.2020 10:28:54	1	1	1	1	115.3	51.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	32	2004
15.01.2020 10:28:55	1	1	1	1	115.3	52	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.6875	2004
15.01.2020 10:28:56	1	1	1	1	114.8	51.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.0625	2004
15.01.2020 10:28:57	1	1	1	1	114.8	52	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:28:58	1	1	1	1	114.8	52.5	0	27582.938	582.7956989	16047.34596	30000	0	0	30000	32.75	2004
15.01.2020 10:28:59	1	1	1	1	114.8	52.75	0	27345.972	572.0430108	15846.76433	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:00	1	1	1	1	114.8	52.25	0	27582.938	582.7956989	16047.34596	30000	0	0	30000	32.5	2004
15.01.2020 10:29:01	1	1	1	1	114.8	52.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	32.625	2004
15.01.2020 10:29:02	1	1	1	1	114.8	52.5	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:03	1	1	1	1	114.8	52.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.5625	2004
15.01.2020 10:29:04	1	1	1	1	114.8	52.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	31.3125	2004
15.01.2020 10:29:05	1	1	1	1	114.8	51.25	0	27630.332	578.4946237	15778.27304	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:06	1	1	1	1	114.8	52.25	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	32.5625	2004
15.01.2020 10:29:07	1	1	1	1	114.8	52.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	32.625	2004
15.01.2020 10:29:08	1	1	1	1	114.8	52.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.5	2004
15.01.2020 10:29:09	1	1	1	1	114.8	52.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:10	1	1	1	1	114.8	52.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.9375	2004
15.01.2020 10:29:11	1	1	1	1	114.8	51.75	0	27582.938	580.6451613	16051.42282	30000	0	0	30000	32.3125	2004
15.01.2020 10:29:12	1	1	1	1	114.8	52.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.625	2004
15.01.2020 10:29:13	1	1	1	1	114.8	52.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	31.4375	2004
15.01.2020 10:29:15	1	1	1	1	114.8	51.25	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:16	1	1	1	1	114.8	52.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:17	1	1	1	1	114.5	52.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:23	1	1	1	1	114.5	52.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:23	1	1	1	1	114.5	52.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:23	1	1	1	1	114.5	52.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:23	1	1	1	1	114.5	52.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:23	1	1	1	1	114.5	52.5	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	32.375	2004
15.01.2020 10:29:24	1	1	1	1	114.5	52.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.5625	2004
15.01.2020 10:29:25	1	1	1	1	114.5	52.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	31.0625	2004
15.01.2020 10:29:26	1	1	1	1	114.8	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:27	1	1	1	1	114.8	52.5	0	27535.545	576.344086	15897.31742	30000	0	0	30000	31.5	2004
15.01.2020 10:29:28	1	1	1	1	114.8	51.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	31.4375	2004
15.01.2020 10:29:29	1	1	1	1	114.8	51.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	32.625	2004
15.01.2020 10:29:30	1	1	1	1	114.8	52.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.75	2004
15.01.2020 10:29:31	1	1	1	1	114.8	52.75	0	27725.118	576.344086	15805.18033	30000	0	0	30000	32.6875	2004
15.01.2020 10:29:32	1	1	1	1	114.8	52.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	31.8125	2004
15.01.2020 10:29:33	1	1	1	1	114.8	51.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	32.75	2004
15.01.2020 10:29:34	1	1	1	1	114.8	52.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	32.5	2004
15.01.2020 10:29:35	1	1	1	1	114.8	52.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	30.9375	2004
15.01.2020 10:29:36	1	1	1	1	114.8	50.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	32.625	2004
15.01.2020 10:29:37	1	1	1	1	114.8	52.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:38	1	1	1	1	114.8	52.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.0625	2004
15.01.2020 10:29:39	1	1	1	1	114.8	52	0	27819.905	567.7419355	15881.00997	30000	0	0	30000	32.5	2004
15.01.2020 10:29:40	1	1	1	1	114.8	52.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	32.5	2004
15.01.2020 10:29:41	1	1	1	1	114.8	52.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:29:42	1	1	1	1	114.8	52.5	0	27582.938	576.344086	15929.11695	30000	0	0	30000	32.75	2004
15.01.2020 10:29:43	1	1	1	1	114.8	52.75	0	27819.905	576.344086	16043.2691	30000	0	0	30000	32.625	2004
15.01.2020 10:29:44	1	1	1	1	114.8	52.5	0	27819.905	580.6451613	16033.48463	30000	0	0	30000	32.75	2004
15.01.2020 10:29:45	1	1	1	1	114.8	52.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	32.5625	2004
15.01.2020 10:29:46	1	1	1	1	115	52.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:47	1	1	1	1	115	52.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.3125	2004
15.01.2020 10:29:48	1	1	1	1	115	52.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	32.75	2004
15.01.2020 10:29:49	1	1	1	1	115	52.75	0	27819.905	580.6451613	15745.65814	30000	0	0	30000	31.9375	2004
15.01.2020 10:29:50	1	1	1	1	115	51.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	31.5625	2004
15.01.2020 10:29:52	1	1	1	1	115	51.5	0	27630.332	576.344086	16332.72633	30000	0	0	30000	32.8125	2004
15.01.2020 10:29:53	1	1	1	1	115	52.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	32.75	2004
15.01.2020 10:29:54	1	1	1	1	115	52.75	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	32.5625	2004
15.01.2020 10:29:55	1	1	1	1	115	52.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	31.75	2004
15.01.2020 10:29:56	1	1	1	1	115	51.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	32.75	2004
15.01.2020 10:29:57	1	1	1	1	115	52.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	32.8125	2004
15.01.2020 10:29:58	1	1	1	1	115	52.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	32.4375	2004
15.01.2020 10:29:59	1	1	1	1	115	52.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	31.4375	2004
15.01.2020 10:30:00	1	1	1	1	115	51.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	32.625	2004
15.01.2020 10:30:01	1	1	1	1	115	52.5	0	27535.545	580.6451613	15756.25798	30000	0	0	30000	31.6875	2004
15.01.2020 10:30:02	1	1	1	1	115	51.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	32.5	2004
15.01.2020 10:30:03	1	1	1	1	115	52.5	0	27440.758	580.6451613	15936.4553	30000	0	0	30000	32.5	2004
15.01.2020 10:30:04	1	1	1	1	115	52.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.625	2004
15.01.2020 10:30:05	1	1	1	1	115	52.5	0	27582.938	587.0967742	16075.06863	30000	0	0	30000	32.5625	2004
15.01.2020 10:30:06	1	1	1	1	115	52.5	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	32.6875	2004
15.01.2020 10:30:07	1	1	1	1	115	52.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.875	2004
15.01.2020 10:30:08	1	1	1	1	115	52.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.9375	2004
15.01.2020 10:30:09	1	1	1	1	115	52.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	32.0625	2004
15.01.2020 10:30:10	1	1	1	1	115	52	0	27535.545	584.9462366	15873.67162	30000	0	0	30000	32.625	2004
15.01.2020 10:30:11	1	1	1	1	115	52.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	32.4375	2004
15.01.2020 10:30:12	1	1	1	1	115	52.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	32.375	2004
15.01.2020 10:30:13	1	1	1	1	115	52.25	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	32.5	2004
15.01.2020 10:30:14	1	1	1	1	115	52.5	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	32.8125	2004
15.01.2020 10:30:15	1	1	1	1	115	52.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.625	2004
15.01.2020 10:30:16	1	1	1	1	115.5	52.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	32.75	2004
15.01.2020 10:30:17	1	1	1	1	115.5	52.75	0	27345.972	580.6451613	16168.83646	30000	0	0	30000	32.5625	2004
15.01.2020 10:30:18	1	1	1	1	115.5	52.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:30:24	1	1	1	1	115.5	52.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	32.75	2004
15.01.2020 10:30:25	1	1	1	1	115.5	52.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:30:26	1	1	1	1	115.8	52.75	0	27440.758	584.9462366	16047.34596	30000	0	0	30000	32.625	2004
15.01.2020 10:30:27	1	1	1	1	115.8	52.5	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	32.9375	2004
15.01.2020 10:30:29	1	1	1	1	115.8	52.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.75	2004
15.01.2020 10:30:30	1	1	1	1	115.8	51.75	0	27535.545	582.7956989	16051.42282	30000	0	0	30000	33.125	2004
15.01.2020 10:30:31	1	1	1	1	115.8	53	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	33	2004
15.01.2020 10:30:32	1	1	1	1	115.8	53	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	32.4375	2004
15.01.2020 10:30:33	1	1	1	1	115.8	52.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.4375	2004
15.01.2020 10:30:34	1	1	1	1	115.8	52.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	32.75	2004
15.01.2020 10:30:35	1	1	1	1	115.8	52.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	32.75	2004
15.01.2020 10:30:36	1	1	1	1	115.8	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.3125	2004
15.01.2020 10:30:37	1	1	1	1	115.5	52.25	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	33.0625	2004
15.01.2020 10:30:38	1	1	1	1	115.5	52.5	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	32.9375	2004
15.01.2020 10:30:39	1	1	1	1	115.5	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.5	2004
15.01.2020 10:30:40	1	1	1	1	115.5	52.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	32.5	2004
15.01.2020 10:30:41	1	1	1	1	115.5	52.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.4375	2004
15.01.2020 10:30:42	1	1	1	1	115.5	52.25	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	32.1875	2004
15.01.2020 10:30:43	1	1	1	1	115.5	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
15.01.2020 10:30:44	1	1	1	1	115.5	52.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.125	2004
15.01.2020 10:30:45	1	1	1	1	115.5	53	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	32.5	2004
15.01.2020 10:30:46	1	1	1	1	115	52.5	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	32.6875	2004
15.01.2020 10:30:47	1	1	1	1	115	52.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	32.75	2004
15.01.2020 10:30:48	1	1	1	1	115	52.75	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	33.0625	2004
15.01.2020 10:30:49	1	1	1	1	115	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.125	2004
15.01.2020 10:30:50	1	1	1	1	115	53	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	32.9375	2004
15.01.2020 10:30:51	1	1	1	1	115	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.5625	2004
15.01.2020 10:30:52	1	1	1	1	115	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
15.01.2020 10:30:53	1	1	1	1	115	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
15.01.2020 10:30:54	1	1	1	1	115	52.75	0	27061.611	584.9462366	15770.93469	30000	0	0	30000	32.875	2004
15.01.2020 10:30:55	1	1	1	1	115	52.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	33.125	2004
15.01.2020 10:30:56	1	1	1	1	115.5	53	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	33.0625	2004
15.01.2020 10:30:57	1	1	1	1	115.5	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
15.01.2020 10:30:58	1	1	1	1	115.5	52.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	32.75	2004
15.01.2020 10:30:59	1	1	1	1	115.5	52.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.125	2004
15.01.2020 10:31:00	1	1	1	1	115.5	53	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	31.625	2004
15.01.2020 10:31:01	1	1	1	1	115.5	51.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	32.875	2004
15.01.2020 10:31:02	1	1	1	1	115.5	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.9375	2004
15.01.2020 10:31:03	1	1	1	1	115.5	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.5	2004
15.01.2020 10:31:04	1	1	1	1	115.5	52.5	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	32.125	2004
15.01.2020 10:31:06	1	1	1	1	115.5	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.6875	2004
15.01.2020 10:31:07	1	1	1	1	115	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33	2004
15.01.2020 10:31:08	1	1	1	1	115	53	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	31.75	2004
15.01.2020 10:31:09	1	1	1	1	115	51.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.125	2004
15.01.2020 10:31:10	1	1	1	1	115	52	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:31:11	1	1	1	1	115	53.25	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	33	2004
15.01.2020 10:31:12	1	1	1	1	115	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.8125	2004
15.01.2020 10:31:13	1	1	1	1	115	52.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	31.5	2004
15.01.2020 10:31:14	1	1	1	1	115	51.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	33	2004
15.01.2020 10:31:15	1	1	1	1	115	52.75	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	32.25	2004
15.01.2020 10:31:16	1	1	1	1	115.3	52.25	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	32.75	2004
15.01.2020 10:31:17	1	1	1	1	115.3	52.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.3125	2004
15.01.2020 10:31:18	1	1	1	1	115.3	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.25	2004
15.01.2020 10:31:19	1	1	1	1	115.3	52.25	0	27109.005	580.6451613	15767.6732	30000	0	0	30000	33.375	2004
15.01.2020 10:31:20	1	1	1	1	115.3	53.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.25	2004
15.01.2020 10:31:26	1	1	1	1	115.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
15.01.2020 10:31:26	1	1	1	1	115.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
15.01.2020 10:31:26	1	1	1	1	115.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
15.01.2020 10:31:26	1	1	1	1	115.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
15.01.2020 10:31:26	1	1	1	1	115	52	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	33.125	2004
15.01.2020 10:31:27	1	1	1	1	115	53	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	33	2004
15.01.2020 10:31:28	1	1	1	1	115	53	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.9375	2004
15.01.2020 10:31:29	1	1	1	1	115	51.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	32.1875	2004
15.01.2020 10:31:30	1	1	1	1	115	52	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	32.625	2004
15.01.2020 10:31:31	1	1	1	1	115	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.0625	2004
15.01.2020 10:31:32	1	1	1	1	115	52	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.625	2004
15.01.2020 10:31:33	1	1	1	1	115	52.5	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	33	2004
15.01.2020 10:31:34	1	1	1	1	115	53	0	27582.938	587.0967742	16221.0203	30000	0	0	30000	33.0625	2004
15.01.2020 10:31:35	1	1	1	1	115	53	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.1875	2004
15.01.2020 10:31:36	1	1	1	1	115.3	53	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.1875	2004
15.01.2020 10:31:37	1	1	1	1	115.3	53	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	33.125	2004
15.01.2020 10:31:38	1	1	1	1	115.3	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.3125	2004
15.01.2020 10:31:39	1	1	1	1	115.3	53.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	31.0625	2004
15.01.2020 10:31:40	1	1	1	1	115.3	51	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	32.875	2004
15.01.2020 10:31:41	1	1	1	1	115.3	52.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.1875	2004
15.01.2020 10:31:42	1	1	1	1	115.3	53	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	32.625	2004
15.01.2020 10:31:43	1	1	1	1	115.3	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.3125	2004
15.01.2020 10:31:44	1	1	1	1	115.3	52.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	33.125	2004
15.01.2020 10:31:46	1	1	1	1	115.3	53	0	27582.938	589.2473118	16193.29764	30000	0	0	30000	32.9375	2004
15.01.2020 10:31:47	1	1	1	1	115	52.75	0	27345.972	584.9462366	15760.33485	30000	0	0	30000	31.75	2004
15.01.2020 10:31:48	1	1	1	1	115	51.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.0625	2004
15.01.2020 10:31:49	1	1	1	1	115	53	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	33.1875	2004
15.01.2020 10:31:50	1	1	1	1	115	53	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.625	2004
15.01.2020 10:31:51	1	1	1	1	115	52.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	32.3125	2004
15.01.2020 10:31:52	1	1	1	1	115	52.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	32.125	2004
15.01.2020 10:31:53	1	1	1	1	115	52	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	33.0625	2004
15.01.2020 10:31:54	1	1	1	1	115	53	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:31:55	1	1	1	1	115	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.6875	2004
15.01.2020 10:31:56	1	1	1	1	115	51.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	33.1875	2004
15.01.2020 10:31:57	1	1	1	1	115	53	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	32.875	2004
15.01.2020 10:31:58	1	1	1	1	115	52.75	0	27440.758	587.0967742	15819.04167	30000	0	0	30000	32.25	2004
15.01.2020 10:31:59	1	1	1	1	115	52.25	0	27298.578	580.6451613	15733.42755	30000	0	0	30000	33.1875	2004
15.01.2020 10:32:00	1	1	1	1	115	53	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	30.9375	2004
15.01.2020 10:32:01	1	1	1	1	115	50.75	0	27535.545	587.0967742	16106.86815	30000	0	0	30000	33.3125	2004
15.01.2020 10:32:02	1	1	1	1	115	53.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.0625	2004
15.01.2020 10:32:03	1	1	1	1	115	53	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	31.125	2004
15.01.2020 10:32:04	1	1	1	1	115	51	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:05	1	1	1	1	115	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	33.125	2004
15.01.2020 10:32:06	1	1	1	1	114.3	53	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.0625	2004
15.01.2020 10:32:07	1	1	1	1	114.3	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.75	2004
15.01.2020 10:32:08	1	1	1	1	114.3	52.75	0	27488.152	587.0967742	16110.12964	30000	0	0	30000	32.875	2004
15.01.2020 10:32:09	1	1	1	1	114.3	52.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.5625	2004
15.01.2020 10:32:10	1	1	1	1	114.3	52.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	33.25	2004
15.01.2020 10:32:11	1	1	1	1	114.3	53.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.3125	2004
15.01.2020 10:32:12	1	1	1	1	114.3	53.25	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	33.3125	2004
15.01.2020 10:32:13	1	1	1	1	114.3	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:14	1	1	1	1	114.3	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.375	2004
15.01.2020 10:32:15	1	1	1	1	114.3	51.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.25	2004
15.01.2020 10:32:16	1	1	1	1	115	52.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	32.375	2004
15.01.2020 10:32:17	1	1	1	1	115	52.25	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	33	2004
15.01.2020 10:32:18	1	1	1	1	115	53	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	33.1875	2004
15.01.2020 10:32:19	1	1	1	1	115	53	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	32.5625	2004
15.01.2020 10:32:20	1	1	1	1	115	52.5	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	32.875	2004
15.01.2020 10:32:21	1	1	1	1	115	52.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:28	1	1	1	1	114.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:28	1	1	1	1	114.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:28	1	1	1	1	114.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:28	1	1	1	1	114.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:28	1	1	1	1	114.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:29	1	1	1	1	114.8	52.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	33.4375	2004
15.01.2020 10:32:30	1	1	1	1	114.8	53.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	33.125	2004
15.01.2020 10:32:31	1	1	1	1	114.8	53	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	31.625	2004
15.01.2020 10:32:32	1	1	1	1	114.8	51.5	0	27535.545	584.9462366	16193.29764	30000	0	0	30000	31.75	2004
15.01.2020 10:32:33	1	1	1	1	114.8	51.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.3125	2004
15.01.2020 10:32:34	1	1	1	1	114.8	53.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	31.875	2004
15.01.2020 10:32:35	1	1	1	1	114.8	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	33.25	2004
15.01.2020 10:32:36	1	1	1	1	115	53.5	0	27630.332	587.0967742	16162.31348	30000	0	0	30000	32.75	2004
15.01.2020 10:32:37	1	1	1	1	115	52.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	32.5	2004
15.01.2020 10:32:38	1	1	1	1	115	52.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	33	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:32:39	1	1	1	1	115	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.5	2004
15.01.2020 10:32:40	1	1	1	1	115	52.5	0	27440.758	591.3978495	15995.9775	30000	0	0	30000	32.875	2004
15.01.2020 10:32:41	1	1	1	1	115	52.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:42	1	1	1	1	115	52.25	0	27582.938	587.0967742	15873.67162	30000	0	0	30000	32	2004
15.01.2020 10:32:43	1	1	1	1	115	52	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:44	1	1	1	1	115	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.5	2004
15.01.2020 10:32:45	1	1	1	1	115	52.5	0	27630.332	587.0967742	16047.34596	30000	0	0	30000	33.1875	2004
15.01.2020 10:32:46	1	1	1	1	114.5	53	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:47	1	1	1	1	114.5	52.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.25	2004
15.01.2020 10:32:48	1	1	1	1	114.5	53.25	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	32.6875	2004
15.01.2020 10:32:49	1	1	1	1	114.5	52.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	33.375	2004
15.01.2020 10:32:50	1	1	1	1	114.5	53.25	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	32.8125	2004
15.01.2020 10:32:51	1	1	1	1	114.5	52.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.4375	2004
15.01.2020 10:32:52	1	1	1	1	114.5	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.75	2004
15.01.2020 10:32:53	1	1	1	1	114.5	52.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.875	2004
15.01.2020 10:32:54	1	1	1	1	114.5	51.75	0	27061.611	578.4946237	15857.36417	30000	0	0	30000	31.625	2004
15.01.2020 10:32:55	1	1	1	1	114.5	51.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:56	1	1	1	1	114.3	52.25	0	27345.972	591.3978495	15968.25483	30000	0	0	30000	33.5625	2004
15.01.2020 10:32:57	1	1	1	1	114.3	53.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.625	2004
15.01.2020 10:32:58	1	1	1	1	114.3	53.5	0	27156.398	578.4946237	15968.25483	30000	0	0	30000	32.4375	2004
15.01.2020 10:32:59	1	1	1	1	114.3	52.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.25	2004
15.01.2020 10:33:00	1	1	1	1	114.3	51.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.875	2004
15.01.2020 10:33:01	1	1	1	1	114.3	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.3125	2004
15.01.2020 10:33:02	1	1	1	1	114.3	53.25	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	33.0625	2004
15.01.2020 10:33:04	1	1	1	1	114.3	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.25	2004
15.01.2020 10:33:05	1	1	1	1	114.3	53.25	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	33	2004
15.01.2020 10:33:06	1	1	1	1	114.3	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.0625	2004
15.01.2020 10:33:07	1	1	1	1	115.5	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.5	2004
15.01.2020 10:33:08	1	1	1	1	115.5	53.5	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	32.0625	2004
15.01.2020 10:33:09	1	1	1	1	115.5	52	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.75	2004
15.01.2020 10:33:12	1	1	1	1	115.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
15.01.2020 10:33:12	1	1	1	1	115.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
15.01.2020 10:33:12	1	1	1	1	115.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
15.01.2020 10:33:13	1	1	1	1	115.5	53.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	32.375	2004
15.01.2020 10:33:14	1	1	1	1	115.5	52.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.9375	2004
15.01.2020 10:33:15	1	1	1	1	115.5	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.375	2004
15.01.2020 10:33:16	1	1	1	1	115.3	53.25	0	27298.578	587.0967742	16172.09795	30000	0	0	30000	32.5	2004
15.01.2020 10:33:17	1	1	1	1	115.3	52.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31	2004
15.01.2020 10:33:18	1	1	1	1	115.3	51	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.3125	2004
15.01.2020 10:33:19	1	1	1	1	115.3	53.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	31.4375	2004
15.01.2020 10:33:20	1	1	1	1	115.3	51.25	0	27109.005	580.6451613	15682.05909	30000	0	0	30000	32.8125	2004
15.01.2020 10:33:21	1	1	1	1	115.3	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33	2004
15.01.2020 10:33:22	1	1	1	1	115.3	53	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:33:23	1	1	1	1	115.3	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.75	2004
15.01.2020 10:33:29	1	1	1	1	114.8	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
15.01.2020 10:33:29	1	1	1	1	114.8	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
15.01.2020 10:33:29	1	1	1	1	114.8	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
15.01.2020 10:33:29	1	1	1	1	114.8	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
15.01.2020 10:33:29	1	1	1	1	114.8	52.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	32.4375	2004
15.01.2020 10:33:30	1	1	1	1	114.8	52.25	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	31.75	2004
15.01.2020 10:33:31	1	1	1	1	114.8	51.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.625	2004
15.01.2020 10:33:32	1	1	1	1	114.8	52.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.1875	2004
15.01.2020 10:33:33	1	1	1	1	114.8	53	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	33	2004
15.01.2020 10:33:34	1	1	1	1	114.8	53	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.4375	2004
15.01.2020 10:33:35	1	1	1	1	114.8	52.25	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	33.5625	2004
15.01.2020 10:33:36	1	1	1	1	114.5	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.5625	2004
15.01.2020 10:33:37	1	1	1	1	114.5	52.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	33.4375	2004
15.01.2020 10:33:38	1	1	1	1	114.5	53.25	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	31.5625	2004
15.01.2020 10:33:39	1	1	1	1	114.5	51.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	32.4375	2004
15.01.2020 10:33:40	1	1	1	1	114.5	52.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.75	2004
15.01.2020 10:33:41	1	1	1	1	114.5	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
15.01.2020 10:33:42	1	1	1	1	114.5	52.25	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	32.5	2004
15.01.2020 10:33:44	1	1	1	1	114.5	52.5	0	27440.758	587.0967742	16287.06547	30000	0	0	30000	32.6875	2004
15.01.2020 10:33:45	1	1	1	1	114.5	52.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	32.4375	2004
15.01.2020 10:33:46	1	1	1	1	114.5	52.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	33.5	2004
15.01.2020 10:33:47	1	1	1	1	114.5	53.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	31.0625	2004
15.01.2020 10:33:48	1	1	1	1	114.5	51	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	33	2004
15.01.2020 10:33:49	1	1	1	1	114.5	53	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	33.5	2004
15.01.2020 10:33:50	1	1	1	1	114.5	53.5	0	27535.545	582.7956989	15873.67162	30000	0	0	30000	33.375	2004
15.01.2020 10:33:51	1	1	1	1	114.5	53.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	33.625	2004
15.01.2020 10:33:52	1	1	1	1	114.5	53.5	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	33.9375	2004
15.01.2020 10:33:53	1	1	1	1	114.5	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.625	2004
15.01.2020 10:33:54	1	1	1	1	114.5	52.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	33.625	2004
15.01.2020 10:33:55	1	1	1	1	114.5	53.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.4375	2004
15.01.2020 10:33:56	1	1	1	1	115.5	53.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.6875	2004
15.01.2020 10:33:57	1	1	1	1	115.5	53.5	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	33.625	2004
15.01.2020 10:33:58	1	1	1	1	115.5	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.75	2004
15.01.2020 10:33:59	1	1	1	1	115.5	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
15.01.2020 10:34:00	1	1	1	1	115.5	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:01	1	1	1	1	115.5	53.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	33.3125	2004
15.01.2020 10:34:02	1	1	1	1	115.5	53.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	33.5	2004
15.01.2020 10:34:03	1	1	1	1	115.5	53.5	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	30.875	2004
15.01.2020 10:34:04	1	1	1	1	115.5	50.75	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	33.5	2004
15.01.2020 10:34:05	1	1	1	1	115.5	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
15.01.2020 10:34:06	1	1	1	1	115.3	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:34:07	1	1	1	1	115.3	53	0	27298.578	580.6451613	16054.68431	30000	0	0	30000	32.3125	2004
15.01.2020 10:34:08	1	1	1	1	115.3	52.25	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	32.75	2004
15.01.2020 10:34:09	1	1	1	1	115.3	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.0625	2004
15.01.2020 10:34:10	1	1	1	1	115.3	52	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.625	2004
15.01.2020 10:34:11	1	1	1	1	115.3	53.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.875	2004
15.01.2020 10:34:12	1	1	1	1	115.3	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.125	2004
15.01.2020 10:34:13	1	1	1	1	115.3	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5	2004
15.01.2020 10:34:14	1	1	1	1	115.3	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.8125	2004
15.01.2020 10:34:15	1	1	1	1	115.3	53.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:16	1	1	1	1	114.8	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.375	2004
15.01.2020 10:34:17	1	1	1	1	114.8	53.25	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	32.3125	2004
15.01.2020 10:34:18	1	1	1	1	114.8	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:19	1	1	1	1	114.8	53.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	33.0625	2004
15.01.2020 10:34:20	1	1	1	1	114.8	53	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.5625	2004
15.01.2020 10:34:21	1	1	1	1	114.8	53.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:23	1	1	1	1	114.8	53.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	32.625	2004
15.01.2020 10:34:24	1	1	1	1	114.8	52.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.125	2004
15.01.2020 10:34:25	1	1	1	1	114.8	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.875	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:31	1	1	1	1	114.8	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.9375	2004
15.01.2020 10:34:32	1	1	1	1	114.8	54.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	33.5	2004
15.01.2020 10:34:33	1	1	1	1	114.8	53.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.0625	2004
15.01.2020 10:34:34	1	1	1	1	114.8	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5	2004
15.01.2020 10:34:35	1	1	1	1	114.8	53.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.75	2004
15.01.2020 10:34:36	1	1	1	1	115	52.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.875	2004
15.01.2020 10:34:37	1	1	1	1	115	52.75	0	27345.972	576.344086	15873.67162	30000	0	0	30000	33.375	2004
15.01.2020 10:34:38	1	1	1	1	115	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.1875	2004
15.01.2020 10:34:39	1	1	1	1	115	53	0	27298.578	580.6451613	15995.9775	30000	0	0	30000	32.25	2004
15.01.2020 10:34:40	1	1	1	1	115	52.25	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	33	2004
15.01.2020 10:34:41	1	1	1	1	115	53	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.5	2004
15.01.2020 10:34:42	1	1	1	1	115	52.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:43	1	1	1	1	115	53.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	33.375	2004
15.01.2020 10:34:44	1	1	1	1	115	53.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	33.125	2004
15.01.2020 10:34:45	1	1	1	1	115	53	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:46	1	1	1	1	114.3	53.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.6875	2004
15.01.2020 10:34:47	1	1	1	1	114.3	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.8125	2004
15.01.2020 10:34:48	1	1	1	1	114.3	53.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	33.875	2004
15.01.2020 10:34:49	1	1	1	1	114.3	53.75	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	33.6875	2004
15.01.2020 10:34:50	1	1	1	1	114.3	53.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	33.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:35:35	1	1	1	1	114.8	53.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	34	2004
15.01.2020 10:35:37	1	1	1	1	115.5	54	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	34.0625	2004
15.01.2020 10:35:38	1	1	1	1	115.5	54	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	33.3125	2004
15.01.2020 10:35:39	1	1	1	1	115.5	53.25	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	32.0625	2004
15.01.2020 10:35:40	1	1	1	1	115.5	52	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34	2004
15.01.2020 10:35:41	1	1	1	1	115.5	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.3125	2004
15.01.2020 10:35:42	1	1	1	1	115.5	51.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	34	2004
15.01.2020 10:35:43	1	1	1	1	115.5	54	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	33.25	2004
15.01.2020 10:35:44	1	1	1	1	115.5	53.25	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	32.625	2004
15.01.2020 10:35:45	1	1	1	1	115.5	52.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.8125	2004
15.01.2020 10:35:46	1	1	1	1	115.5	52.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	34.375	2004
15.01.2020 10:35:47	1	1	1	1	115.3	54.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	31.1875	2004
15.01.2020 10:35:48	1	1	1	1	115.3	51	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.9375	2004
15.01.2020 10:35:49	1	1	1	1	115.3	53.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	32.75	2004
15.01.2020 10:35:50	1	1	1	1	115.3	52.75	0	27393.365	582.7956989	15936.4553	30000	0	0	30000	34.25	2004
15.01.2020 10:35:51	1	1	1	1	115.3	54.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	32.4375	2004
15.01.2020 10:35:52	1	1	1	1	115.3	52.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	34.0625	2004
15.01.2020 10:35:53	1	1	1	1	115.3	54	0	27345.972	582.7956989	15792.13437	30000	0	0	30000	33.375	2004
15.01.2020 10:35:54	1	1	1	1	115.3	53.25	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	33.0625	2004
15.01.2020 10:35:55	1	1	1	1	115.3	53	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.125	2004
15.01.2020 10:35:56	1	1	1	1	115	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.3125	2004
15.01.2020 10:35:57	1	1	1	1	115	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
15.01.2020 10:35:58	1	1	1	1	115	51.25	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	34	2004
15.01.2020 10:35:59	1	1	1	1	115	54	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	34.125	2004
15.01.2020 10:36:00	1	1	1	1	115	54	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:01	1	1	1	1	115	53.75	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	33.75	2004
15.01.2020 10:36:02	1	1	1	1	115	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.8125	2004
15.01.2020 10:36:03	1	1	1	1	115	52.75	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	31.6875	2004
15.01.2020 10:36:04	1	1	1	1	115	51.5	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	32.875	2004
15.01.2020 10:36:05	1	1	1	1	115	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.3125	2004
15.01.2020 10:36:06	1	1	1	1	114.5	53.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:07	1	1	1	1	114.5	53.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.25	2004
15.01.2020 10:36:08	1	1	1	1	114.5	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
15.01.2020 10:36:09	1	1	1	1	114.5	52.75	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	33.1875	2004
15.01.2020 10:36:10	1	1	1	1	114.5	53	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.1875	2004
15.01.2020 10:36:11	1	1	1	1	114.5	54	0	27345.972	580.6451613	16054.68431	30000	0	0	30000	32.3125	2004
15.01.2020 10:36:12	1	1	1	1	114.5	52.25	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	34.125	2004
15.01.2020 10:36:13	1	1	1	1	114.5	54	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34	2004
15.01.2020 10:36:14	1	1	1	1	114.5	54	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	32.125	2004
15.01.2020 10:36:15	1	1	1	1	114.5	52	0	27345.972	587.0967742	16289.51159	30000	0	0	30000	32.4375	2004
15.01.2020 10:36:17	1	1	1	1	115	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.75	2004
15.01.2020 10:36:18	1	1	1	1	115	52.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	34.125	2004
15.01.2020 10:36:19	1	1	1	1	115	54	0	27345.972	582.7956989	15819.04167	30000	0	0	30000	32.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:36:20	1	1	1	1	115	52.25	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	34.1875	2004
15.01.2020 10:36:21	1	1	1	1	115	54	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	32.625	2004
15.01.2020 10:36:22	1	1	1	1	115	52.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.25	2004
15.01.2020 10:36:23	1	1	1	1	115	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
15.01.2020 10:36:24	1	1	1	1	115	52	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.3125	2004
15.01.2020 10:36:25	1	1	1	1	115	53.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	33.4375	2004
15.01.2020 10:36:26	1	1	1	1	115	53.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:36:27	1	1	1	1	115.5	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.25	2004
15.01.2020 10:36:28	1	1	1	1	115.5	54.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	32.6875	2004
15.01.2020 10:36:34	1	1	1	1	115.5	53.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:34	1	1	1	1	115.5	53.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:34	1	1	1	1	115.5	53.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:34	1	1	1	1	115.5	53.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:34	1	1	1	1	115.5	53.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:36:35	1	1	1	1	115.5	53.75	0	27298.578	574.1935484	15819.04167	30000	0	0	30000	33.875	2004
15.01.2020 10:36:36	1	1	1	1	115	53.75	0	27440.758	587.0967742	15873.67162	30000	0	0	30000	33.625	2004
15.01.2020 10:36:37	1	1	1	1	115	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.125	2004
15.01.2020 10:36:38	1	1	1	1	115	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.0625	2004
15.01.2020 10:36:39	1	1	1	1	115	54	0	27109.005	584.9462366	15909.54801	30000	0	0	30000	32.625	2004
15.01.2020 10:36:40	1	1	1	1	115	52.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:36:41	1	1	1	1	115	54.25	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	33.3125	2004
15.01.2020 10:36:42	1	1	1	1	115	53.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	34.125	2004
15.01.2020 10:36:43	1	1	1	1	115	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.375	2004
15.01.2020 10:36:44	1	1	1	1	115	53.25	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	34.125	2004
15.01.2020 10:36:45	1	1	1	1	115	54	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.625	2004
15.01.2020 10:36:46	1	1	1	1	116	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.0625	2004
15.01.2020 10:36:47	1	1	1	1	116	54	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	34.375	2004
15.01.2020 10:36:48	1	1	1	1	116	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.625	2004
15.01.2020 10:36:49	1	1	1	1	116	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
15.01.2020 10:36:50	1	1	1	1	116	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.1875	2004
15.01.2020 10:36:51	1	1	1	1	116	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.1875	2004
15.01.2020 10:36:52	1	1	1	1	116	53	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	34.25	2004
15.01.2020 10:36:53	1	1	1	1	116	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.25	2004
15.01.2020 10:36:55	1	1	1	1	116	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.375	2004
15.01.2020 10:36:56	1	1	1	1	116	53.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.1875	2004
15.01.2020 10:36:57	1	1	1	1	115.5	54	0	27440.758	587.0967742	15995.9775	30000	0	0	30000	34.25	2004
15.01.2020 10:36:58	1	1	1	1	115.5	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.625	2004
15.01.2020 10:36:59	1	1	1	1	115.5	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5625	2004
15.01.2020 10:37:00	1	1	1	1	115.5	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.375	2004
15.01.2020 10:37:01	1	1	1	1	115.5	52.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.375	2004
15.01.2020 10:37:02	1	1	1	1	115.5	52.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.375	2004
15.01.2020 10:37:03	1	1	1	1	115.5	52.25	0	27298.578	576.344086	15968.25483	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:37:04	1	1	1	1	115.5	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.25	2004
15.01.2020 10:37:05	1	1	1	1	115.5	54.25	0	27488.152	587.0967742	16165.57497	30000	0	0	30000	32.9375	2004
15.01.2020 10:37:06	1	1	1	1	115.5	52.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:37:07	1	1	1	1	114.5	53.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	34.25	2004
15.01.2020 10:37:08	1	1	1	1	114.5	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.125	2004
15.01.2020 10:37:09	1	1	1	1	114.5	53	0	27109.005	576.344086	15826.38002	30000	0	0	30000	32.3125	2004
15.01.2020 10:37:10	1	1	1	1	114.5	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33	2004
15.01.2020 10:37:11	1	1	1	1	114.5	53	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	32.4375	2004
15.01.2020 10:37:12	1	1	1	1	114.5	52.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	34	2004
15.01.2020 10:37:13	1	1	1	1	114.5	54	0	27440.758	584.9462366	16193.29764	30000	0	0	30000	34.1875	2004
15.01.2020 10:37:14	1	1	1	1	114.5	54	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	33.4375	2004
15.01.2020 10:37:15	1	1	1	1	114.5	53.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	33.4375	2004
15.01.2020 10:37:16	1	1	1	1	115	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.375	2004
15.01.2020 10:37:17	1	1	1	1	115	53.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34	2004
15.01.2020 10:37:18	1	1	1	1	115	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.1875	2004
15.01.2020 10:37:19	1	1	1	1	115	54	0	27440.758	580.6451613	15819.04167	30000	0	0	30000	33.75	2004
15.01.2020 10:37:20	1	1	1	1	115	53.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.9375	2004
15.01.2020 10:37:21	1	1	1	1	115	52.75	0	27535.545	578.4946237	16102.79129	30000	0	0	30000	34.3125	2004
15.01.2020 10:37:22	1	1	1	1	115	54.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	34.25	2004
15.01.2020 10:37:23	1	1	1	1	115	54.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	34.25	2004
15.01.2020 10:37:24	1	1	1	1	115	54.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.625	2004
15.01.2020 10:37:25	1	1	1	1	115	52.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	34.0625	2004
15.01.2020 10:37:26	1	1	1	1	115.3	54	0	27345.972	574.1935484	15991.90063	30000	0	0	30000	32.5625	2004
15.01.2020 10:37:27	1	1	1	1	115.3	52.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	34.4375	2004
15.01.2020 10:37:28	1	1	1	1	115.3	54.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	34.0625	2004
15.01.2020 10:37:29	1	1	1	1	115.3	54	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	34.25	2004
15.01.2020 10:37:36	1	1	1	1	115.3	54.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	32.125	2004
15.01.2020 10:37:36	1	1	1	1	115.3	54.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	32.125	2004
15.01.2020 10:37:36	1	1	1	1	115.3	54.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	32.125	2004
15.01.2020 10:37:36	1	1	1	1	115.3	54.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	32.125	2004
15.01.2020 10:37:36	1	1	1	1	115.3	52	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	33.625	2004
15.01.2020 10:37:37	1	1	1	1	115.3	53.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	33.0625	2004
15.01.2020 10:37:38	1	1	1	1	115.3	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.3125	2004
15.01.2020 10:37:39	1	1	1	1	115.3	54.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.125	2004
15.01.2020 10:37:40	1	1	1	1	115.3	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.375	2004
15.01.2020 10:37:41	1	1	1	1	115.3	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.4375	2004
15.01.2020 10:37:42	1	1	1	1	115.3	52.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34.75	2004
15.01.2020 10:37:43	1	1	1	1	115.3	54.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	34.375	2004
15.01.2020 10:37:44	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.5	2004
15.01.2020 10:37:45	1	1	1	1	115.3	54	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.1875	2004
15.01.2020 10:37:46	1	1	1	1	114.3	53	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	34.375	2004
15.01.2020 10:37:47	1	1	1	1	114.3	54.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:37:48	1	1	1	1	114.3	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.3125	2004
15.01.2020 10:37:49	1	1	1	1	114.3	54.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.125	2004
15.01.2020 10:37:50	1	1	1	1	114.3	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
15.01.2020 10:37:51	1	1	1	1	114.3	54.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	32.3125	2004
15.01.2020 10:37:52	1	1	1	1	114.3	52.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.75	2004
15.01.2020 10:37:53	1	1	1	1	114.3	53.75	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	34.4375	2004
15.01.2020 10:37:54	1	1	1	1	114.3	54.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.25	2004
15.01.2020 10:37:55	1	1	1	1	114.3	54.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.3125	2004
15.01.2020 10:37:56	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	34.1875	2004
15.01.2020 10:37:57	1	1	1	1	114.8	54	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	34.1875	2004
15.01.2020 10:37:58	1	1	1	1	114.8	54	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.1875	2004
15.01.2020 10:37:59	1	1	1	1	114.8	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:38:00	1	1	1	1	114.8	54.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	34	2004
15.01.2020 10:38:01	1	1	1	1	114.8	54	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.5625	2004
15.01.2020 10:38:02	1	1	1	1	114.8	53.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	33.125	2004
15.01.2020 10:38:03	1	1	1	1	114.8	53	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	33.8125	2004
15.01.2020 10:38:04	1	1	1	1	114.8	53.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	33.4375	2004
15.01.2020 10:38:05	1	1	1	1	114.8	53.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	32.9375	2004
15.01.2020 10:38:06	1	1	1	1	114.8	52.75	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	34.5	2004
15.01.2020 10:38:07	1	1	1	1	114.8	54.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	32.6875	2004
15.01.2020 10:38:08	1	1	1	1	114.8	52.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	34.0625	2004
15.01.2020 10:38:10	1	1	1	1	114.8	54	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.8125	2004
15.01.2020 10:38:11	1	1	1	1	114.8	53.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.1875	2004
15.01.2020 10:38:12	1	1	1	1	114.8	54	0	27393.365	584.9462366	15877.74848	30000	0	0	30000	33.1875	2004
15.01.2020 10:38:13	1	1	1	1	114.8	53	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.6875	2004
15.01.2020 10:38:14	1	1	1	1	114.8	53.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:15	1	1	1	1	114.8	54.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.9375	2004
15.01.2020 10:38:16	1	1	1	1	114.8	53.75	0	27298.578	589.2473118	15682.05909	30000	0	0	30000	33	2004
15.01.2020 10:38:17	1	1	1	1	114.8	53	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	34.5	2004
15.01.2020 10:38:18	1	1	1	1	114.8	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.375	2004
15.01.2020 10:38:19	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	34.5	2004
15.01.2020 10:38:20	1	1	1	1	114.8	54.5	0	27345.972	582.7956989	16026.96165	30000	0	0	30000	33.0625	2004
15.01.2020 10:38:21	1	1	1	1	114.8	53	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	33.5625	2004
15.01.2020 10:38:22	1	1	1	1	114.8	54	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:23	1	1	1	1	114.8	54.25	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:24	1	1	1	1	114.8	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:38:25	1	1	1	1	114.8	54.5	0	27298.578	584.9462366	15709.78175	30000	0	0	30000	33.1875	2004
15.01.2020 10:38:26	1	1	1	1	115	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.875	2004
15.01.2020 10:38:27	1	1	1	1	115	53.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.75	2004
15.01.2020 10:38:28	1	1	1	1	115	53.75	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	34.625	2004
15.01.2020 10:38:29	1	1	1	1	115	54.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.625	2004
15.01.2020 10:38:30	1	1	1	1	115	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:38:31	1	1	1	1	115	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:37	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.3125	2004
15.01.2020 10:38:38	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.625	2004
15.01.2020 10:38:39	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16165.57497	30000	0	0	30000	33.75	2004
15.01.2020 10:38:40	1	1	1	1	115.3	53.75	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	34.5	2004
15.01.2020 10:38:41	1	1	1	1	115.3	54.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	33.9375	2004
15.01.2020 10:38:42	1	1	1	1	115.3	53.75	0	27488.152	584.9462366	15991.90063	30000	0	0	30000	33.9375	2004
15.01.2020 10:38:43	1	1	1	1	115.3	53.75	0	27440.758	584.9462366	15877.74848	30000	0	0	30000	34	2004
15.01.2020 10:38:44	1	1	1	1	115.3	54	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	34.1875	2004
15.01.2020 10:38:45	1	1	1	1	115.3	54	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	33.9375	2004
15.01.2020 10:38:46	1	1	1	1	115.3	53.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	34.375	2004
15.01.2020 10:38:48	1	1	1	1	115.3	54.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	34.5625	2004
15.01.2020 10:38:49	1	1	1	1	115.3	54.5	0	27582.938	580.6451613	15814.9648	30000	0	0	30000	34.5625	2004
15.01.2020 10:38:50	1	1	1	1	115.3	54.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.5625	2004
15.01.2020 10:38:51	1	1	1	1	115.3	54.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	34.4375	2004
15.01.2020 10:38:52	1	1	1	1	115.3	54.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	33.75	2004
15.01.2020 10:38:53	1	1	1	1	115.3	53.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	33.875	2004
15.01.2020 10:38:54	1	1	1	1	115.3	53.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	33.875	2004
15.01.2020 10:38:55	1	1	1	1	115.3	53.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.8125	2004
15.01.2020 10:38:56	1	1	1	1	115.3	53.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.25	2004
15.01.2020 10:38:57	1	1	1	1	115.5	54.25	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	34.9375	2004
15.01.2020 10:38:58	1	1	1	1	115.5	54.75	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	33.625	2004
15.01.2020 10:38:59	1	1	1	1	115.5	53.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	32.8125	2004
15.01.2020 10:39:00	1	1	1	1	115.5	54.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	33.875	2004
15.01.2020 10:39:01	1	1	1	1	115.5	53.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	34.3125	2004
15.01.2020 10:39:02	1	1	1	1	115.5	54.25	0	27298.578	582.7956989	15674.72073	30000	0	0	30000	34.1875	2004
15.01.2020 10:39:03	1	1	1	1	115.5	54	0	27345.972	582.7956989	16054.68431	30000	0	0	30000	34.1875	2004
15.01.2020 10:39:04	1	1	1	1	115.5	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:05	1	1	1	1	115.5	54.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	34.375	2004
15.01.2020 10:39:06	1	1	1	1	115.3	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.75	2004
15.01.2020 10:39:07	1	1	1	1	115.3	54.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:08	1	1	1	1	115.3	54.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	33.5625	2004
15.01.2020 10:39:09	1	1	1	1	115.3	53.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	34.75	2004
15.01.2020 10:39:10	1	1	1	1	115.3	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:39:11	1	1	1	1	115.3	54.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.125	2004
15.01.2020 10:39:12	1	1	1	1	115.3	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:13	1	1	1	1	115.3	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:14	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.5	2004
15.01.2020 10:39:15	1	1	1	1	115.3	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:39:16	1	1	1	1	115.3	54.75	0	27345.972	589.2473118	16085.66847	30000	0	0	30000	34.25	2004
15.01.2020 10:39:17	1	1	1	1	115.3	54.25	0	27298.578	584.9462366	16230.80477	30000	0	0	30000	33.0625	2004
15.01.2020 10:39:18	1	1	1	1	115.3	53	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	34.375	2004
15.01.2020 10:39:19	1	1	1	1	115.3	54.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	34.4375	2004
15.01.2020 10:39:20	1	1	1	1	115.3	54.25	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	33.6875	2004
15.01.2020 10:39:21	1	1	1	1	115.3	53.5	0	27298.578	578.4946237	15995.9775	30000	0	0	30000	34.1875	2004
15.01.2020 10:39:22	1	1	1	1	115.3	54	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.3125	2004
15.01.2020 10:39:23	1	1	1	1	115.3	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.9375	2004
15.01.2020 10:39:25	1	1	1	1	115.3	53.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	34.5	2004
15.01.2020 10:39:26	1	1	1	1	115.3	54.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:27	1	1	1	1	115.3	54.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	33.9375	2004
15.01.2020 10:39:28	1	1	1	1	115.3	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.8125	2004
15.01.2020 10:39:29	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:30	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.375	2004
15.01.2020 10:39:31	1	1	1	1	115.3	54.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.25	2004
15.01.2020 10:39:32	1	1	1	1	115.3	54.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.875	2004
15.01.2020 10:39:33	1	1	1	1	115.3	53.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.4375	2004
15.01.2020 10:39:39	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:39	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:39	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:39	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:39	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:40	1	1	1	1	115.5	54.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.625	2004
15.01.2020 10:39:41	1	1	1	1	115.5	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:42	1	1	1	1	115.5	54.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:43	1	1	1	1	115.5	54.5	0	27440.758	587.0967742	16287.06547	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:44	1	1	1	1	115.5	54.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:45	1	1	1	1	115.5	54.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:46	1	1	1	1	115.3	54.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	34.6875	2004
15.01.2020 10:39:47	1	1	1	1	115.3	54.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	34.3125	2004
15.01.2020 10:39:48	1	1	1	1	115.3	54.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	34.4375	2004
15.01.2020 10:39:49	1	1	1	1	115.3	54.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	33.375	2004
15.01.2020 10:39:50	1	1	1	1	115.3	53.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.9375	2004
15.01.2020 10:39:51	1	1	1	1	115.3	54.75	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	33.4375	2004
15.01.2020 10:39:52	1	1	1	1	115.3	53.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	34.75	2004
15.01.2020 10:39:53	1	1	1	1	115.3	54.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	34.875	2004
15.01.2020 10:39:54	1	1	1	1	115.3	54.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	34.5625	2004
15.01.2020 10:39:55	1	1	1	1	115.3	54.5	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	33.6875	2004
15.01.2020 10:39:56	1	1	1	1	115.3	53.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.875	2004
15.01.2020 10:39:57	1	1	1	1	115.3	54.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.0625	2004
15.01.2020 10:39:58	1	1	1	1	115.3	54	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	34.75	2004
15.01.2020 10:39:59	1	1	1	1	115.3	54.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	33.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:40:00	1	1	1	1	115.3	53.75	0	27345.972	578.4946237	16051.42282	30000	0	0	30000	34.6875	2004
15.01.2020 10:40:01	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.6875	2004
15.01.2020 10:40:02	1	1	1	1	115.3	54.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	34.375	2004
15.01.2020 10:40:04	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.875	2004
15.01.2020 10:40:05	1	1	1	1	115.3	54.75	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	34.625	2004
15.01.2020 10:40:06	1	1	1	1	115.3	54.5	0	27393.365	580.6451613	15936.4553	30000	0	0	30000	33.3125	2004
15.01.2020 10:40:07	1	1	1	1	115.3	53.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.125	2004
15.01.2020 10:40:08	1	1	1	1	115.3	54	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.9375	2004
15.01.2020 10:40:09	1	1	1	1	115.3	53.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.6875	2004
15.01.2020 10:40:10	1	1	1	1	115.3	54.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34.875	2004
15.01.2020 10:40:11	1	1	1	1	115.3	54.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.625	2004
15.01.2020 10:40:12	1	1	1	1	115.3	54.5	0	27298.578	582.7956989	15826.38002	30000	0	0	30000	34.8125	2004
15.01.2020 10:40:13	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:40:14	1	1	1	1	115.3	54.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.375	2004
15.01.2020 10:40:15	1	1	1	1	115.3	54.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.75	2004
15.01.2020 10:40:16	1	1	1	1	115.3	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.1875	2004
15.01.2020 10:40:17	1	1	1	1	115.5	54.5	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	34.75	2004
15.01.2020 10:40:18	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:40:19	1	1	1	1	115.5	54.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	34	2004
15.01.2020 10:40:20	1	1	1	1	115.5	54	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:40:21	1	1	1	1	115.5	54.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.875	2004
15.01.2020 10:40:22	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.375	2004
15.01.2020 10:40:23	1	1	1	1	115.5	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.875	2004
15.01.2020 10:40:24	1	1	1	1	115.5	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.625	2004
15.01.2020 10:40:25	1	1	1	1	115.5	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.875	2004
15.01.2020 10:40:26	1	1	1	1	115.5	53.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.5625	2004
15.01.2020 10:40:27	1	1	1	1	115.5	53.5	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	34.1875	2004
15.01.2020 10:40:28	1	1	1	1	115.5	54	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	34.75	2004
15.01.2020 10:40:29	1	1	1	1	115.5	54.75	0	27014.218	584.9462366	15774.19618	30000	0	0	30000	34.875	2004
15.01.2020 10:40:30	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.4375	2004
15.01.2020 10:40:31	1	1	1	1	115.5	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:40:32	1	1	1	1	115.5	54.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.0625	2004
15.01.2020 10:40:33	1	1	1	1	115.5	54	0	27345.972	584.9462366	16082.40698	30000	0	0	30000	35	2004
15.01.2020 10:40:34	1	1	1	1	115.5	55	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.8125	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5	2004
15.01.2020 10:40:41	1	1	1	1	115.5	54.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.5625	2004
15.01.2020 10:40:42	1	1	1	1	115.5	54.5	0	27535.545	580.6451613	16221.0203	30000	0	0	30000	34.8125	2004
15.01.2020 10:40:44	1	1	1	1	115.5	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:40:45	1	1	1	1	115.5	53.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	33.625	2004
15.01.2020 10:40:46	1	1	1	1	115.5	53.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	34.625	2004
15.01.2020 10:40:47	1	1	1	1	115.3	54.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34.5625	2004
15.01.2020 10:40:48	1	1	1	1	115.3	54.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	33.625	2004
15.01.2020 10:40:49	1	1	1	1	115.3	53.5	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	33.625	2004
15.01.2020 10:40:50	1	1	1	1	115.3	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.8125	2004
15.01.2020 10:40:51	1	1	1	1	115.3	53.75	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	34.875	2004
15.01.2020 10:40:52	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.375	2004
15.01.2020 10:40:53	1	1	1	1	115.3	54.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.125	2004
15.01.2020 10:40:54	1	1	1	1	115.3	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35	2004
15.01.2020 10:40:55	1	1	1	1	115.3	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34	2004
15.01.2020 10:40:56	1	1	1	1	115.3	54	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	35.25	2004
15.01.2020 10:40:57	1	1	1	1	115.8	54.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.875	2004
15.01.2020 10:40:58	1	1	1	1	115.8	54.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.6875	2004
15.01.2020 10:40:59	1	1	1	1	115.8	54.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	34.4375	2004
15.01.2020 10:41:00	1	1	1	1	115.8	54.25	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	35	2004
15.01.2020 10:41:01	1	1	1	1	115.8	55	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:02	1	1	1	1	115.8	54.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:41:03	1	1	1	1	115.8	54.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	35	2004
15.01.2020 10:41:04	1	1	1	1	115.8	55	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	34.875	2004
15.01.2020 10:41:05	1	1	1	1	115.8	54.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.625	2004
15.01.2020 10:41:06	1	1	1	1	115.5	54.5	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	33.75	2004
15.01.2020 10:41:07	1	1	1	1	115.5	53.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	33.8125	2004
15.01.2020 10:41:08	1	1	1	1	115.5	53.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	34.8125	2004
15.01.2020 10:41:09	1	1	1	1	115.5	54.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.5	2004
15.01.2020 10:41:10	1	1	1	1	115.5	54.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	35	2004
15.01.2020 10:41:11	1	1	1	1	115.5	55	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:12	1	1	1	1	115.5	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.75	2004
15.01.2020 10:41:13	1	1	1	1	115.5	53.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	34.375	2004
15.01.2020 10:41:14	1	1	1	1	115.5	54.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:41:15	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.4375	2004
15.01.2020 10:41:16	1	1	1	1	115.3	54.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:41:17	1	1	1	1	115.3	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.125	2004
15.01.2020 10:41:18	1	1	1	1	115.3	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
15.01.2020 10:41:19	1	1	1	1	115.3	54.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:41:20	1	1	1	1	115.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.0625	2004
15.01.2020 10:41:22	1	1	1	1	115.3	55	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.625	2004
15.01.2020 10:41:23	1	1	1	1	115.3	54.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	35.125	2004
15.01.2020 10:41:24	1	1	1	1	115.3	55	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	34.25	2004
15.01.2020 10:41:25	1	1	1	1	115.3	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:41:26	1	1	1	1	115.3	54.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	34.875	2004
15.01.2020 10:41:27	1	1	1	1	115.5	54.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:28	1	1	1	1	115.5	54.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:41:29	1	1	1	1	115.5	54.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.4375	2004
15.01.2020 10:41:30	1	1	1	1	115.5	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.625	2004
15.01.2020 10:41:31	1	1	1	1	115.5	54.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.4375	2004
15.01.2020 10:41:32	1	1	1	1	115.5	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:33	1	1	1	1	115.5	54.75	0	27109.005	584.9462366	15713.04324	30000	0	0	30000	34.25	2004
15.01.2020 10:41:34	1	1	1	1	115.5	54.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.3125	2004
15.01.2020 10:41:35	1	1	1	1	115.5	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
15.01.2020 10:41:36	1	1	1	1	114.8	54.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.875	2004
15.01.2020 10:41:42	1	1	1	1	114.8	54	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:42	1	1	1	1	114.8	54	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:42	1	1	1	1	114.8	54	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:42	1	1	1	1	114.8	54	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:42	1	1	1	1	114.8	54	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	34.9375	2004
15.01.2020 10:41:43	1	1	1	1	114.8	54.75	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	34.875	2004
15.01.2020 10:41:44	1	1	1	1	114.8	54.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	34.6875	2004
15.01.2020 10:41:45	1	1	1	1	114.8	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.1875	2004
15.01.2020 10:41:46	1	1	1	1	115.3	54	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	35	2004
15.01.2020 10:41:47	1	1	1	1	115.3	55	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	34.875	2004
15.01.2020 10:41:48	1	1	1	1	115.3	54.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	33.5625	2004
15.01.2020 10:41:49	1	1	1	1	115.3	53.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.0625	2004
15.01.2020 10:41:50	1	1	1	1	115.3	55	0	27298.578	587.0967742	15915.25562	30000	0	0	30000	34.75	2004
15.01.2020 10:41:51	1	1	1	1	115.3	54.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	35.125	2004
15.01.2020 10:41:52	1	1	1	1	115.3	55	0	27298.578	589.2473118	16088.11459	30000	0	0	30000	34.1875	2004
15.01.2020 10:41:53	1	1	1	1	115.3	54	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	33.9375	2004
15.01.2020 10:41:54	1	1	1	1	115.3	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.1875	2004
15.01.2020 10:41:55	1	1	1	1	115.3	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.375	2004
15.01.2020 10:41:56	1	1	1	1	115	54.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	34.1875	2004
15.01.2020 10:41:57	1	1	1	1	115	54	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	34.75	2004
15.01.2020 10:41:58	1	1	1	1	115	54.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	34.6875	2004
15.01.2020 10:41:59	1	1	1	1	115	54.5	0	27061.611	595.6989247	16295.2192	30000	0	0	30000	34.9375	2004
15.01.2020 10:42:01	1	1	1	1	115	54.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	35.125	2004
15.01.2020 10:42:02	1	1	1	1	115	55	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	34	2004
15.01.2020 10:42:03	1	1	1	1	115	54	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35	2004
15.01.2020 10:42:04	1	1	1	1	115	55	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	35.125	2004
15.01.2020 10:42:05	1	1	1	1	115	55	0	26966.825	589.2473118	16063.65341	30000	0	0	30000	34.6875	2004
15.01.2020 10:42:06	1	1	1	1	115	54.5	0	27014.218	584.9462366	16004.13122	30000	0	0	30000	35.125	2004
15.01.2020 10:42:07	1	1	1	1	115.5	55	0	27298.578	589.2473118	15829.64151	30000	0	0	30000	35	2004
15.01.2020 10:42:08	1	1	1	1	115.5	55	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.25	2004
15.01.2020 10:42:09	1	1	1	1	115.5	55.25	0	27298.578	591.3978495	16001.6851	30000	0	0	30000	35.125	2004
15.01.2020 10:42:10	1	1	1	1	115.5	55	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	34.875	2004
15.01.2020 10:42:11	1	1	1	1	115.5	54.75	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	35.25	2004
15.01.2020 10:42:12	1	1	1	1	115.5	55.25	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	33.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:42:13	1	1	1	1	115.5	53.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.6875	2004
15.01.2020 10:42:14	1	1	1	1	115.5	54.5	0	27061.611	595.6989247	15945.4244	30000	0	0	30000	35.4375	2004
15.01.2020 10:42:15	1	1	1	1	115.5	55.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:42:16	1	1	1	1	115.5	54.75	0	27345.972	593.5483871	16026.96165	30000	0	0	30000	34.3125	2004
15.01.2020 10:42:17	1	1	1	1	115.3	55	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:42:18	1	1	1	1	115.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.6875	2004
15.01.2020 10:42:19	1	1	1	1	115.3	54.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.0625	2004
15.01.2020 10:42:20	1	1	1	1	115.3	55	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.5	2004
15.01.2020 10:42:21	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.125	2004
15.01.2020 10:42:22	1	1	1	1	115.3	55	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	35.0625	2004
15.01.2020 10:42:23	1	1	1	1	115.3	55	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:24	1	1	1	1	115.3	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.25	2004
15.01.2020 10:42:25	1	1	1	1	115.3	54.25	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	35.1875	2004
15.01.2020 10:42:26	1	1	1	1	115	55	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	34.3125	2004
15.01.2020 10:42:27	1	1	1	1	115	54.25	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	33.875	2004
15.01.2020 10:42:28	1	1	1	1	115	53.75	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	34.875	2004
15.01.2020 10:42:29	1	1	1	1	115	54.75	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	34.625	2004
15.01.2020 10:42:30	1	1	1	1	115	54.5	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	34.6875	2004
15.01.2020 10:42:31	1	1	1	1	115	54.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:32	1	1	1	1	115	54.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.875	2004
15.01.2020 10:42:33	1	1	1	1	115	54.75	0	27298.578	587.0967742	15740.76591	30000	0	0	30000	34.875	2004
15.01.2020 10:42:34	1	1	1	1	115	54.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	34.6875	2004
15.01.2020 10:42:35	1	1	1	1	115	54.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:36	1	1	1	1	114.8	54.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	35.125	2004
15.01.2020 10:42:37	1	1	1	1	114.8	55	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	35.1875	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:44	1	1	1	1	114.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:42:45	1	1	1	1	114.8	54.5	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:42:46	1	1	1	1	114.8	54.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.0625	2004
15.01.2020 10:42:47	1	1	1	1	115.8	55	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	34	2004
15.01.2020 10:42:48	1	1	1	1	115.8	54	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	34.25	2004
15.01.2020 10:42:49	1	1	1	1	115.8	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.875	2004
15.01.2020 10:42:50	1	1	1	1	115.8	53.75	0	27109.005	584.9462366	15909.54801	30000	0	0	30000	35.125	2004
15.01.2020 10:42:51	1	1	1	1	115.8	55	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	34.625	2004
15.01.2020 10:42:52	1	1	1	1	115.8	54.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.125	2004
15.01.2020 10:42:53	1	1	1	1	115.8	55	0	27298.578	584.9462366	16085.66847	30000	0	0	30000	35	2004
15.01.2020 10:42:54	1	1	1	1	115.8	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.9375	2004
15.01.2020 10:42:55	1	1	1	1	115.8	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.875	2004
15.01.2020 10:42:56	1	1	1	1	115.8	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:42:57	1	1	1	1	114.8	55.5	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	33.875	2004
15.01.2020 10:42:58	1	1	1	1	114.8	53.75	0	27156.398	591.3978495	16085.66847	30000	0	0	30000	35.1875	2004
15.01.2020 10:42:59	1	1	1	1	114.8	54.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.5625	2004
15.01.2020 10:43:00	1	1	1	1	114.8	54.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.4375	2004
15.01.2020 10:43:01	1	1	1	1	114.8	54.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	35.25	2004
15.01.2020 10:43:02	1	1	1	1	114.8	55.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.1875	2004
15.01.2020 10:43:03	1	1	1	1	114.8	55	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:43:04	1	1	1	1	114.8	54.5	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	33.3125	2004
15.01.2020 10:43:05	1	1	1	1	114.8	53.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	35.3125	2004
15.01.2020 10:43:06	1	1	1	1	115.3	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.3125	2004
15.01.2020 10:43:07	1	1	1	1	115.3	55.25	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	35.25	2004
15.01.2020 10:43:08	1	1	1	1	115.3	55.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.0625	2004
15.01.2020 10:43:09	1	1	1	1	115.3	54	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	34.8125	2004
15.01.2020 10:43:10	1	1	1	1	115.3	54.75	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	34	2004
15.01.2020 10:43:11	1	1	1	1	115.3	54	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	35.5	2004
15.01.2020 10:43:12	1	1	1	1	115.3	55.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	35.375	2004
15.01.2020 10:43:13	1	1	1	1	115.3	55.25	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	35.375	2004
15.01.2020 10:43:14	1	1	1	1	115.3	55.25	0	26966.825	589.2473118	16062.02267	30000	0	0	30000	34.5625	2004
15.01.2020 10:43:15	1	1	1	1	115.3	54.5	0	27298.578	587.0967742	15915.25562	30000	0	0	30000	34.375	2004
15.01.2020 10:43:16	1	1	1	1	115.3	54.25	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	34.625	2004
15.01.2020 10:43:17	1	1	1	1	115.3	54.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35	2004
15.01.2020 10:43:18	1	1	1	1	115.3	55	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	35.1875	2004
15.01.2020 10:43:19	1	1	1	1	115.3	55	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	35.0625	2004
15.01.2020 10:43:21	1	1	1	1	115.3	55	0	27298.578	580.6451613	15674.72073	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:22	1	1	1	1	115.3	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.25	2004
15.01.2020 10:43:23	1	1	1	1	115.3	55.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:43:24	1	1	1	1	115.3	55.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	34.4375	2004
15.01.2020 10:43:25	1	1	1	1	115.3	54.25	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	34.3125	2004
15.01.2020 10:43:26	1	1	1	1	115.3	54.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35	2004
15.01.2020 10:43:27	1	1	1	1	116	55	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.125	2004
15.01.2020 10:43:28	1	1	1	1	116	55	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35.25	2004
15.01.2020 10:43:29	1	1	1	1	116	55.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.4375	2004
15.01.2020 10:43:30	1	1	1	1	116	54.25	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:43:31	1	1	1	1	116	54.75	0	27345.972	584.9462366	16168.83646	30000	0	0	30000	35.125	2004
15.01.2020 10:43:32	1	1	1	1	116	55	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	34.4375	2004
15.01.2020 10:43:33	1	1	1	1	116	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.75	2004
15.01.2020 10:43:34	1	1	1	1	116	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 10:43:35	1	1	1	1	116	55.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.25	2004
15.01.2020 10:43:36	1	1	1	1	115.5	55.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	35.3125	2004
15.01.2020 10:43:37	1	1	1	1	115.5	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:43:38	1	1	1	1	115.5	54.75	0	27393.365	589.2473118	16110.12964	30000	0	0	30000	34.875	2004
15.01.2020 10:43:39	1	1	1	1	115.5	54.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.25	2004
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:45	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:46	1	1	1	1	115.3	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.4375	2004
15.01.2020 10:43:47	1	1	1	1	115.3	55.25	0	27345.972	584.9462366	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:43:48	1	1	1	1	115.3	54.5	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:43:49	1	1	1	1	115.3	54.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.75	2004
15.01.2020 10:43:50	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.75	2004
15.01.2020 10:43:51	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35	2004
15.01.2020 10:43:52	1	1	1	1	115.3	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.125	2004
15.01.2020 10:43:53	1	1	1	1	115.3	55	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	33.875	2004
15.01.2020 10:43:54	1	1	1	1	115.3	53.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.25	2004
15.01.2020 10:43:55	1	1	1	1	115.3	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.375	2004
15.01.2020 10:43:56	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.25	2004
15.01.2020 10:43:57	1	1	1	1	115.5	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
15.01.2020 10:43:58	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:43:59	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	35.1875	2004
15.01.2020 10:44:01	1	1	1	1	115.5	55	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	34.3125	2004
15.01.2020 10:44:02	1	1	1	1	115.5	54.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.4375	2004
15.01.2020 10:44:03	1	1	1	1	115.5	55.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.4375	2004
15.01.2020 10:44:04	1	1	1	1	115.5	55.25	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	34.75	2004
15.01.2020 10:44:05	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.625	2004
15.01.2020 10:44:06	1	1	1	1	115.5	54.5	0	27014.218	576.344086	15829.64151	30000	0	0	30000	35.375	2004
15.01.2020 10:44:07	1	1	1	1	115.3	55.25	0	27298.578	589.2473118	15885.08684	30000	0	0	30000	35.5	2004
15.01.2020 10:44:08	1	1	1	1	115.3	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.0625	2004
15.01.2020 10:44:09	1	1	1	1	115.3	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 10:44:10	1	1	1	1	115.3	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.6875	2004
15.01.2020 10:44:11	1	1	1	1	115.3	54.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:44:12	1	1	1	1	115.3	55.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	33.4375	2004
15.01.2020 10:44:13	1	1	1	1	115.3	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.5625	2004
15.01.2020 10:44:14	1	1	1	1	115.3	54.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	34.5625	2004
15.01.2020 10:44:15	1	1	1	1	115.3	54.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	35.25	2004
15.01.2020 10:44:16	1	1	1	1	115	55	0	27440.758	584.9462366	16134.59082	30000	0	0	30000	35.4375	2004
15.01.2020 10:44:17	1	1	1	1	115	55.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.625	2004
15.01.2020 10:44:18	1	1	1	1	115	54.5	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	35.375	2004
15.01.2020 10:44:19	1	1	1	1	115	55.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	34.3125	2004
15.01.2020 10:44:20	1	1	1	1	115	54.25	0	27488.152	582.7956989	15991.90063	30000	0	0	30000	35.5	2004
15.01.2020 10:44:21	1	1	1	1	115	55.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	33.5625	2004
15.01.2020 10:44:22	1	1	1	1	115	53.5	0	27630.332	580.6451613	16217.75881	30000	0	0	30000	34.0625	2004
15.01.2020 10:44:23	1	1	1	1	115	54	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	35.4375	2004
15.01.2020 10:44:24	1	1	1	1	115	55.25	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:44:25	1	1	1	1	115	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.8125	2004
15.01.2020 10:44:26	1	1	1	1	115.5	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.5	2004
15.01.2020 10:44:27	1	1	1	1	115.5	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
15.01.2020 10:44:28	1	1	1	1	115.5	54.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.4375	2004
15.01.2020 10:44:29	1	1	1	1	115.5	54.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.625	2004
15.01.2020 10:44:30	1	1	1	1	115.5	55.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	35.25	2004
15.01.2020 10:44:31	1	1	1	1	115.5	55.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	35.625	2004
15.01.2020 10:44:32	1	1	1	1	115.5	55.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	35.5625	2004
15.01.2020 10:44:33	1	1	1	1	115.5	55.5	0	27440.758	574.1935484	15991.90063	30000	0	0	30000	34.75	2004
15.01.2020 10:44:34	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.6875	2004
15.01.2020 10:44:35	1	1	1	1	115.5	53.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.25	2004
15.01.2020 10:44:36	1	1	1	1	115	55.25	0	27440.758	589.2473118	16165.57497	30000	0	0	30000	35.5	2004
15.01.2020 10:44:39	1	1	1	1	115	54.75	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	35.375	2004
15.01.2020 10:44:39	1	1	1	1	115	54.75	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	35.375	2004
15.01.2020 10:44:40	1	1	1	1	115	55.25	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	35.375	2004
15.01.2020 10:44:41	1	1	1	1	115	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.5	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:47	1	1	1	1	115.5	55.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:44:48	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35	2004
15.01.2020 10:44:49	1	1	1	1	115.5	55	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:44:50	1	1	1	1	115.5	55.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	34.875	2004
15.01.2020 10:44:51	1	1	1	1	115.5	54.75	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	35.375	2004
15.01.2020 10:44:52	1	1	1	1	115.5	55.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	35.0625	2004
15.01.2020 10:44:53	1	1	1	1	115.5	55	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	35.5	2004
15.01.2020 10:44:54	1	1	1	1	115.5	55.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	35.375	2004
15.01.2020 10:44:55	1	1	1	1	115.5	55.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.1875	2004
15.01.2020 10:44:56	1	1	1	1	115.5	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
15.01.2020 10:44:57	1	1	1	1	115.5	55.25	0	27345.972	589.2473118	16026.96165	30000	0	0	30000	34.5	2004
15.01.2020 10:44:58	1	1	1	1	115.5	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.3125	2004
15.01.2020 10:44:59	1	1	1	1	115.5	55.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 10:45:00	1	1	1	1	115.5	55.25	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:01	1	1	1	1	115.5	55.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:02	1	1	1	1	115.5	55.25	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	35.1875	2004
15.01.2020 10:45:03	1	1	1	1	115.5	55	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 10:45:04	1	1	1	1	115.5	55.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.5625	2004
15.01.2020 10:45:05	1	1	1	1	115.5	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.1875	2004
15.01.2020 10:45:06	1	1	1	1	115.8	55	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	35.5625	2004
15.01.2020 10:45:07	1	1	1	1	115.8	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.875	2004
15.01.2020 10:45:08	1	1	1	1	115.8	54.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	34.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:45:09	1	1	1	1	115.8	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:10	1	1	1	1	115.8	55.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	35.3125	2004
15.01.2020 10:45:11	1	1	1	1	115.8	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35	2004
15.01.2020 10:45:12	1	1	1	1	115.8	55	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	35.5	2004
15.01.2020 10:45:13	1	1	1	1	115.8	55.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:14	1	1	1	1	115.8	55.25	0	27156.398	587.0967742	15968.25483	30000	0	0	30000	35.5	2004
15.01.2020 10:45:16	1	1	1	1	115.8	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 10:45:17	1	1	1	1	115.5	55.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.0625	2004
15.01.2020 10:45:18	1	1	1	1	115.5	55	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	35.625	2004
15.01.2020 10:45:19	1	1	1	1	115.5	55.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	35.0625	2004
15.01.2020 10:45:20	1	1	1	1	115.5	55	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.375	2004
15.01.2020 10:45:21	1	1	1	1	115.5	55.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:45:22	1	1	1	1	115.5	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.5625	2004
15.01.2020 10:45:23	1	1	1	1	115.5	54.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:45:24	1	1	1	1	115.5	54.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:25	1	1	1	1	115.5	55.25	0	27345.972	584.9462366	16228.35866	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:26	1	1	1	1	115.5	55.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	35	2004
15.01.2020 10:45:27	1	1	1	1	115.5	55	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:28	1	1	1	1	115.5	55.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:45:29	1	1	1	1	115.5	55.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.625	2004
15.01.2020 10:45:30	1	1	1	1	115.5	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.625	2004
15.01.2020 10:45:31	1	1	1	1	115.5	55.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.75	2004
15.01.2020 10:45:32	1	1	1	1	115.5	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.625	2004
15.01.2020 10:45:33	1	1	1	1	115.5	55.5	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	35.8125	2004
15.01.2020 10:45:34	1	1	1	1	115.5	55.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	34.875	2004
15.01.2020 10:45:35	1	1	1	1	115.5	54.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	35.625	2004
15.01.2020 10:45:36	1	1	1	1	115.5	55.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:45:37	1	1	1	1	115.5	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:38	1	1	1	1	115.5	55.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	34.375	2004
15.01.2020 10:45:39	1	1	1	1	115.5	54.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:40	1	1	1	1	115.5	55.5	0	27440.758	584.9462366	16252.81983	30000	0	0	30000	35.625	2004
15.01.2020 10:45:41	1	1	1	1	115.5	55.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	35.8125	2004
15.01.2020 10:45:42	1	1	1	1	115.5	55.75	0	27488.152	584.9462366	16051.42282	30000	0	0	30000	35.4375	2004
15.01.2020 10:45:48	1	1	1	1	115	54.25	0	27345.972	582.7956989	16228.35866	30000	0	0	30000	35.375	2004
15.01.2020 10:45:48	1	1	1	1	115	54.25	0	27345.972	582.7956989	16228.35866	30000	0	0	30000	35.375	2004
15.01.2020 10:45:48	1	1	1	1	115	54.25	0	27345.972	582.7956989	16228.35866	30000	0	0	30000	35.375	2004
15.01.2020 10:45:48	1	1	1	1	115	54.25	0	27345.972	582.7956989	16228.35866	30000	0	0	30000	35.375	2004
15.01.2020 10:45:48	1	1	1	1	115	55.25	0	27440.758	591.3978495	16051.42282	30000	0	0	30000	35.625	2004
15.01.2020 10:45:49	1	1	1	1	115	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.1875	2004
15.01.2020 10:45:50	1	1	1	1	115	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:51	1	1	1	1	115	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:52	1	1	1	1	115	55.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:45:53	1	1	1	1	115	55	0	27109.005	578.4946237	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:45:55	1	1	1	1	115	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.0625	2004
15.01.2020 10:45:56	1	1	1	1	115	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.625	2004
15.01.2020 10:45:57	1	1	1	1	115.3	55.5	0	27109.005	587.0967742	15826.38002	30000	0	0	30000	35.6875	2004
15.01.2020 10:45:58	1	1	1	1	115.3	55.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.5	2004
15.01.2020 10:45:59	1	1	1	1	115.3	55.5	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	35.125	2004
15.01.2020 10:46:00	1	1	1	1	115.3	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:01	1	1	1	1	115.3	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.625	2004
15.01.2020 10:46:02	1	1	1	1	115.3	55.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	35.625	2004
15.01.2020 10:46:03	1	1	1	1	115.3	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:04	1	1	1	1	115.3	55.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:05	1	1	1	1	115.3	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:06	1	1	1	1	115.3	54.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.875	2004
15.01.2020 10:46:07	1	1	1	1	115.3	55.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.125	2004
15.01.2020 10:46:08	1	1	1	1	115.3	55	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.1875	2004
15.01.2020 10:46:09	1	1	1	1	115.3	55	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	35.9375	2004
15.01.2020 10:46:10	1	1	1	1	115.3	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.875	2004
15.01.2020 10:46:11	1	1	1	1	115.3	55.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
15.01.2020 10:46:12	1	1	1	1	115.3	55.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.25	2004
15.01.2020 10:46:13	1	1	1	1	115.3	55.75	0	27440.758	584.9462366	16193.29764	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:14	1	1	1	1	115.3	55.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:15	1	1	1	1	115.3	55.25	0	27488.152	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
15.01.2020 10:46:16	1	1	1	1	114.8	55.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	35.625	2004
15.01.2020 10:46:17	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.875	2004
15.01.2020 10:46:18	1	1	1	1	114.8	54.75	0	27582.938	593.5483871	16106.86815	30000	0	0	30000	35.25	2004
15.01.2020 10:46:19	1	1	1	1	114.8	55.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:20	1	1	1	1	114.8	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.75	2004
15.01.2020 10:46:21	1	1	1	1	114.8	55.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:22	1	1	1	1	114.8	55.5	0	27488.152	582.7956989	16051.42282	30000	0	0	30000	35.625	2004
15.01.2020 10:46:23	1	1	1	1	114.8	55.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:24	1	1	1	1	114.8	55.25	0	27298.578	584.9462366	15709.78175	30000	0	0	30000	35.1875	2004
15.01.2020 10:46:25	1	1	1	1	114.8	55	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:26	1	1	1	1	115.3	55.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.1875	2004
15.01.2020 10:46:27	1	1	1	1	115.3	55	0	27582.938	589.2473118	16162.31348	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:28	1	1	1	1	115.3	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.875	2004
15.01.2020 10:46:29	1	1	1	1	115.3	54.75	0	27440.758	580.6451613	16193.29764	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:30	1	1	1	1	115.3	55.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.8125	2004
15.01.2020 10:46:31	1	1	1	1	115.3	55.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	34.3125	2004
15.01.2020 10:46:32	1	1	1	1	115.3	54.25	0	27582.938	582.7956989	16162.31348	30000	0	0	30000	34.875	2004
15.01.2020 10:46:34	1	1	1	1	115.3	54.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	35.875	2004
15.01.2020 10:46:35	1	1	1	1	115.3	55.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	35.8125	2004
15.01.2020 10:46:36	1	1	1	1	115.3	55.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	35.75	2004
15.01.2020 10:46:37	1	1	1	1	114.8	55.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	34.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:46:38	1	1	1	1	114.8	54.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.9375	2004
15.01.2020 10:46:39	1	1	1	1	114.8	54.75	0	27582.938	587.0967742	16165.57497	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:40	1	1	1	1	114.8	55.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.5	2004
15.01.2020 10:46:41	1	1	1	1	114.8	54.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:42	1	1	1	1	114.8	55.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.5625	2004
15.01.2020 10:46:43	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	16230.80477	30000	0	0	30000	35.625	2004
15.01.2020 10:46:44	1	1	1	1	114.8	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.25	2004
15.01.2020 10:46:50	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:50	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:50	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:50	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:50	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.6875	2004
15.01.2020 10:46:51	1	1	1	1	114.8	54.5	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	35.9375	2004
15.01.2020 10:46:52	1	1	1	1	114.8	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.1875	2004
15.01.2020 10:46:53	1	1	1	1	114.8	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.625	2004
15.01.2020 10:46:54	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16203.08211	30000	0	0	30000	34.5	2004
15.01.2020 10:46:55	1	1	1	1	114.8	54.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	35.6875	2004
15.01.2020 10:46:56	1	1	1	1	115	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.4375	2004
15.01.2020 10:46:57	1	1	1	1	115	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:46:58	1	1	1	1	115	54.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	34	2004
15.01.2020 10:46:59	1	1	1	1	115	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
15.01.2020 10:47:00	1	1	1	1	115	54.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	35.9375	2004
15.01.2020 10:47:01	1	1	1	1	115	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.1875	2004
15.01.2020 10:47:02	1	1	1	1	115	55	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	35.625	2004
15.01.2020 10:47:03	1	1	1	1	115	55.5	0	27109.005	578.4946237	15798.65735	30000	0	0	30000	35.875	2004
15.01.2020 10:47:04	1	1	1	1	115	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:05	1	1	1	1	115	55.75	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	35.875	2004
15.01.2020 10:47:06	1	1	1	1	115.3	55.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.625	2004
15.01.2020 10:47:07	1	1	1	1	115.3	54.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.6875	2004
15.01.2020 10:47:08	1	1	1	1	115.3	55.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.625	2004
15.01.2020 10:47:09	1	1	1	1	115.3	55.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	33.5625	2004
15.01.2020 10:47:10	1	1	1	1	115.3	53.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	35.875	2004
15.01.2020 10:47:12	1	1	1	1	115.3	55.75	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	35.875	2004
15.01.2020 10:47:13	1	1	1	1	115.3	55.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	34.5625	2004
15.01.2020 10:47:14	1	1	1	1	115.3	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 10:47:15	1	1	1	1	115.3	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.25	2004
15.01.2020 10:47:16	1	1	1	1	115.3	55.25	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	35.625	2004
15.01.2020 10:47:17	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 10:47:18	1	1	1	1	114.8	55.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.6875	2004
15.01.2020 10:47:19	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 10:47:20	1	1	1	1	114.8	55.75	0	27440.758	593.5483871	16051.42282	30000	0	0	30000	34.5625	2004
15.01.2020 10:47:21	1	1	1	1	114.8	54.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:47:22	1	1	1	1	114.8	55.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	35.5625	2004
15.01.2020 10:47:23	1	1	1	1	114.8	55.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	35.4375	2004
15.01.2020 10:47:24	1	1	1	1	114.8	55.25	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	35.8125	2004
15.01.2020 10:47:25	1	1	1	1	114.8	55.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	35.125	2004
15.01.2020 10:47:26	1	1	1	1	114.8	55	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:47:27	1	1	1	1	114.8	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.1875	2004
15.01.2020 10:47:28	1	1	1	1	114.8	56	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.75	2004
15.01.2020 10:47:29	1	1	1	1	114.8	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:47:30	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.3125	2004
15.01.2020 10:47:31	1	1	1	1	114.8	56.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.75	2004
15.01.2020 10:47:32	1	1	1	1	114.8	56.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.875	2004
15.01.2020 10:47:33	1	1	1	1	114.8	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36	2004
15.01.2020 10:47:34	1	1	1	1	114.8	56	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	35.1875	2004
15.01.2020 10:47:35	1	1	1	1	114.8	55	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	35.5625	2004
15.01.2020 10:47:36	1	1	1	1	115.3	55.5	0	27298.578	582.7956989	16085.66847	30000	0	0	30000	36	2004
15.01.2020 10:47:37	1	1	1	1	115.3	56	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36	2004
15.01.2020 10:47:38	1	1	1	1	115.3	56	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.875	2004
15.01.2020 10:47:39	1	1	1	1	115.3	54.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.4375	2004
15.01.2020 10:47:40	1	1	1	1	115.3	55.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36	2004
15.01.2020 10:47:41	1	1	1	1	115.3	56	0	27298.578	578.4946237	16054.68431	30000	0	0	30000	35.9375	2004
15.01.2020 10:47:42	1	1	1	1	115.3	55.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.1875	2004
15.01.2020 10:47:43	1	1	1	1	115.3	55	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36	2004
15.01.2020 10:47:44	1	1	1	1	115.3	56	0	27393.365	584.9462366	15760.33485	30000	0	0	30000	35.9375	2004
15.01.2020 10:47:45	1	1	1	1	115.3	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.8125	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:52	1	1	1	1	114.8	55.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:47:53	1	1	1	1	114.8	55.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.4375	2004
15.01.2020 10:47:54	1	1	1	1	114.8	55.25	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	36.0625	2004
15.01.2020 10:47:55	1	1	1	1	114.8	56	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	36	2004
15.01.2020 10:47:56	1	1	1	1	114.8	56	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 10:47:57	1	1	1	1	114.5	55.75	0	27345.972	582.7956989	16023.70016	30000	0	0	30000	36	2004
15.01.2020 10:47:58	1	1	1	1	114.5	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.875	2004
15.01.2020 10:47:59	1	1	1	1	114.5	55.75	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:00	1	1	1	1	114.5	55.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:01	1	1	1	1	114.5	55.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:02	1	1	1	1	114.5	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.625	2004
15.01.2020 10:48:03	1	1	1	1	114.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.3125	2004
15.01.2020 10:48:04	1	1	1	1	114.5	55.25	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	35.5625	2004
15.01.2020 10:48:05	1	1	1	1	114.5	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:48:06	1	1	1	1	114.5	55.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36	2004
15.01.2020 10:48:07	1	1	1	1	114.5	56	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	35.5625	2004
15.01.2020 10:48:08	1	1	1	1	114.5	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:48:09	1	1	1	1	114.5	56.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	35.875	2004
15.01.2020 10:48:10	1	1	1	1	114.5	55.75	0	27345.972	587.0967742	16228.35866	30000	0	0	30000	36	2004
15.01.2020 10:48:11	1	1	1	1	114.5	55.25	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	35.875	2004
15.01.2020 10:48:12	1	1	1	1	114.5	55.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	35.6875	2004
15.01.2020 10:48:13	1	1	1	1	114.5	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:48:14	1	1	1	1	114.5	56	0	27109.005	580.6451613	15826.38002	30000	0	0	30000	36.125	2004
15.01.2020 10:48:15	1	1	1	1	114.5	56	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	35.4375	2004
15.01.2020 10:48:16	1	1	1	1	114.8	55.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:17	1	1	1	1	114.8	55.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.9375	2004
15.01.2020 10:48:18	1	1	1	1	114.8	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:19	1	1	1	1	114.8	56	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	35.8125	2004
15.01.2020 10:48:20	1	1	1	1	114.8	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:21	1	1	1	1	114.8	56	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.6875	2004
15.01.2020 10:48:22	1	1	1	1	114.8	55.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.375	2004
15.01.2020 10:48:23	1	1	1	1	114.8	55.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.1875	2004
15.01.2020 10:48:24	1	1	1	1	114.8	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:25	1	1	1	1	114.8	56	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.6875	2004
15.01.2020 10:48:26	1	1	1	1	114.5	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.8125	2004
15.01.2020 10:48:27	1	1	1	1	114.5	55.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36	2004
15.01.2020 10:48:29	1	1	1	1	114.5	56	0	27298.578	582.7956989	15936.4553	30000	0	0	30000	36	2004
15.01.2020 10:48:30	1	1	1	1	114.5	56	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:31	1	1	1	1	114.5	56	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:32	1	1	1	1	114.5	56	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 10:48:33	1	1	1	1	114.5	55.75	0	27630.332	580.6451613	16075.06863	30000	0	0	30000	35.5625	2004
15.01.2020 10:48:34	1	1	1	1	114.5	55.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	35.4375	2004
15.01.2020 10:48:35	1	1	1	1	114.5	55.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	35.5625	2004
15.01.2020 10:48:36	1	1	1	1	114.5	55.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	35.375	2004
15.01.2020 10:48:37	1	1	1	1	114.8	55.25	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	34.5	2004
15.01.2020 10:48:38	1	1	1	1	114.8	54.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:39	1	1	1	1	114.8	55.75	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	35.9375	2004
15.01.2020 10:48:40	1	1	1	1	114.8	55.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	35.3125	2004
15.01.2020 10:48:41	1	1	1	1	114.8	55.25	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	35.6875	2004
15.01.2020 10:48:42	1	1	1	1	114.8	55.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:43	1	1	1	1	114.8	56	0	27345.972	580.6451613	16054.68431	30000	0	0	30000	36.0625	2004
15.01.2020 10:48:44	1	1	1	1	114.8	56	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	35.75	2004
15.01.2020 10:48:45	1	1	1	1	114.8	55.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	35.6875	2004
15.01.2020 10:48:46	1	1	1	1	114.8	55.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.5	2004
15.01.2020 10:48:47	1	1	1	1	114.5	56.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	36.25	2004
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004
15.01.2020 10:48:53	1	1	1	1	114.5	56	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35	2004
15.01.2020 10:48:54	1	1	1	1	114.5	55	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	35.5	2004
15.01.2020 10:48:55	1	1	1	1	114.5	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.1875	2004
15.01.2020 10:48:56	1	1	1	1	114.8	56	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	35.5	2004
15.01.2020 10:48:57	1	1	1	1	114.8	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.25	2004
15.01.2020 10:48:58	1	1	1	1	114.8	56.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:48:59	1	1	1	1	114.8	55.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:00	1	1	1	1	114.8	56	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36	2004
15.01.2020 10:49:01	1	1	1	1	114.8	56	0	27156.398	582.7956989	15885.08684	30000	0	0	30000	36.25	2004
15.01.2020 10:49:02	1	1	1	1	114.8	56.25	0	27440.758	589.2473118	16113.39113	30000	0	0	30000	36.125	2004
15.01.2020 10:49:03	1	1	1	1	114.8	56	0	27061.611	580.6451613	15713.04324	30000	0	0	30000	36.125	2004
15.01.2020 10:49:04	1	1	1	1	114.8	56	0	27393.365	587.0967742	16051.42282	30000	0	0	30000	35.75	2004
15.01.2020 10:49:05	1	1	1	1	114.8	55.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:06	1	1	1	1	114.8	56	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.3125	2004
15.01.2020 10:49:07	1	1	1	1	114.8	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.0625	2004
15.01.2020 10:49:09	1	1	1	1	114.8	56	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	35.4375	2004
15.01.2020 10:49:10	1	1	1	1	114.8	55.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.5	2004
15.01.2020 10:49:11	1	1	1	1	114.8	55.5	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	36.0625	2004
15.01.2020 10:49:12	1	1	1	1	114.8	56	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:13	1	1	1	1	114.8	56	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	35.9375	2004
15.01.2020 10:49:14	1	1	1	1	114.8	55.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36	2004
15.01.2020 10:49:15	1	1	1	1	114.8	56	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	36.0625	2004
15.01.2020 10:49:16	1	1	1	1	114.8	56	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	35.8125	2004
15.01.2020 10:49:17	1	1	1	1	114.5	55.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.625	2004
15.01.2020 10:49:18	1	1	1	1	114.5	55.5	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	35.8125	2004
15.01.2020 10:49:19	1	1	1	1	114.5	55.75	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	35.375	2004
15.01.2020 10:49:20	1	1	1	1	114.5	55.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.8125	2004
15.01.2020 10:49:21	1	1	1	1	114.5	55.75	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	35.0625	2004
15.01.2020 10:49:22	1	1	1	1	114.5	55	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	35.5625	2004
15.01.2020 10:49:23	1	1	1	1	114.5	55.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36.5	2004
15.01.2020 10:49:24	1	1	1	1	114.5	56.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.0625	2004
15.01.2020 10:49:25	1	1	1	1	114.5	56	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	36.125	2004
15.01.2020 10:49:26	1	1	1	1	115.3	56	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.75	2004
15.01.2020 10:49:27	1	1	1	1	115.3	54.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:28	1	1	1	1	115.3	56	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	35.875	2004
15.01.2020 10:49:29	1	1	1	1	115.3	55.75	0	27156.398	580.6451613	15826.38002	30000	0	0	30000	36	2004
15.01.2020 10:49:30	1	1	1	1	115.3	56	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:31	1	1	1	1	115.3	56	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.125	2004
15.01.2020 10:49:32	1	1	1	1	115.3	56	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.25	2004
15.01.2020 10:49:33	1	1	1	1	115.3	56.25	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:49:34	1	1	1	1	115.3	55.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.1875	2004
15.01.2020 10:49:35	1	1	1	1	115.3	56	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:36	1	1	1	1	115	55	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	36.125	2004
15.01.2020 10:49:37	1	1	1	1	115	56	0	27345.972	582.7956989	16054.68431	30000	0	0	30000	35.6875	2004
15.01.2020 10:49:38	1	1	1	1	115	55.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.125	2004
15.01.2020 10:49:39	1	1	1	1	115	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.25	2004
15.01.2020 10:49:40	1	1	1	1	115	56.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	35.3125	2004
15.01.2020 10:49:41	1	1	1	1	115	55.25	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	36.125	2004
15.01.2020 10:49:42	1	1	1	1	115	56	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	34.9375	2004
15.01.2020 10:49:43	1	1	1	1	115	54.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	36.3125	2004
15.01.2020 10:49:44	1	1	1	1	115	56.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.5	2004
15.01.2020 10:49:45	1	1	1	1	115	56.5	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	35.5	2004
15.01.2020 10:49:47	1	1	1	1	115.3	55.5	0	27440.758	587.0967742	15819.04167	30000	0	0	30000	36.375	2004
15.01.2020 10:49:48	1	1	1	1	115.3	56.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.6875	2004
15.01.2020 10:49:49	1	1	1	1	115.3	54.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	36.25	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:55	1	1	1	1	115.3	56	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	35.1875	2004
15.01.2020 10:49:56	1	1	1	1	115.3	55	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.375	2004
15.01.2020 10:49:57	1	1	1	1	115	56.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	36.375	2004
15.01.2020 10:49:58	1	1	1	1	115	56.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	36.3125	2004
15.01.2020 10:49:59	1	1	1	1	115	56.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	35.875	2004
15.01.2020 10:50:00	1	1	1	1	115	55.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	36.25	2004
15.01.2020 10:50:01	1	1	1	1	115	56.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	35.375	2004
15.01.2020 10:50:02	1	1	1	1	115	55.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	36.25	2004
15.01.2020 10:50:03	1	1	1	1	115	56.25	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:04	1	1	1	1	115	56.25	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	36.5625	2004
15.01.2020 10:50:05	1	1	1	1	115	56.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
15.01.2020 10:50:06	1	1	1	1	115	55.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	36.1875	2004
15.01.2020 10:50:07	1	1	1	1	115	56	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	36.25	2004
15.01.2020 10:50:08	1	1	1	1	115	56.25	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	36.25	2004
15.01.2020 10:50:09	1	1	1	1	115	56.25	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	36.375	2004
15.01.2020 10:50:10	1	1	1	1	115	56.25	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	35.375	2004
15.01.2020 10:50:11	1	1	1	1	115	55.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	35.5	2004
15.01.2020 10:50:12	1	1	1	1	115	55.5	0	27061.611	580.6451613	15829.64151	30000	0	0	30000	35.75	2004
15.01.2020 10:50:13	1	1	1	1	115	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.1875	2004
15.01.2020 10:50:14	1	1	1	1	115	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.9375	2004
15.01.2020 10:50:15	1	1	1	1	115	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:16	1	1	1	1	115	56.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	35.4375	2004
15.01.2020 10:50:17	1	1	1	1	115	55.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:50:18	1	1	1	1	115	56.25	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	36.0625	2004
15.01.2020 10:50:19	1	1	1	1	115	56	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	35.1875	2004
15.01.2020 10:50:20	1	1	1	1	115	55	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	35.25	2004
15.01.2020 10:50:21	1	1	1	1	115	55.25	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	35.3125	2004
15.01.2020 10:50:22	1	1	1	1	115	55.25	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	35.625	2004
15.01.2020 10:50:24	1	1	1	1	115	55.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.75	2004
15.01.2020 10:50:25	1	1	1	1	115	55.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:26	1	1	1	1	115	56.25	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	36.25	2004
15.01.2020 10:50:27	1	1	1	1	114.8	56.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:28	1	1	1	1	114.8	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.25	2004
15.01.2020 10:50:29	1	1	1	1	114.8	56.25	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	35.1875	2004
15.01.2020 10:50:30	1	1	1	1	114.8	55	0	26966.825	587.0967742	15688.58207	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:31	1	1	1	1	114.8	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.0625	2004
15.01.2020 10:50:32	1	1	1	1	114.8	56	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:33	1	1	1	1	114.8	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:34	1	1	1	1	114.8	56.25	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:50:35	1	1	1	1	114.8	56	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	36.375	2004
15.01.2020 10:50:36	1	1	1	1	114.8	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36	2004
15.01.2020 10:50:37	1	1	1	1	115.8	56	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:38	1	1	1	1	115.8	56.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:39	1	1	1	1	115.8	56.25	0	27109.005	578.4946237	15942.97828	30000	0	0	30000	36.375	2004
15.01.2020 10:50:40	1	1	1	1	115.8	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.1875	2004
15.01.2020 10:50:41	1	1	1	1	115.8	56	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	36.5	2004
15.01.2020 10:50:42	1	1	1	1	115.8	56.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	36.375	2004
15.01.2020 10:50:43	1	1	1	1	115.8	56.25	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	36.375	2004
15.01.2020 10:50:44	1	1	1	1	115.8	56.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	36.3125	2004
15.01.2020 10:50:45	1	1	1	1	115.8	56	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:46	1	1	1	1	115.8	56.25	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	35.5625	2004
15.01.2020 10:50:47	1	1	1	1	115.8	55.5	0	27156.398	582.7956989	15798.65735	30000	0	0	30000	35.5	2004
15.01.2020 10:50:48	1	1	1	1	115.8	55.5	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	36.375	2004
15.01.2020 10:50:49	1	1	1	1	115.8	56.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	35.25	2004
15.01.2020 10:50:50	1	1	1	1	115.8	55.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.4375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:56	1	1	1	1	115.3	56	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.9375	2004
15.01.2020 10:50:57	1	1	1	1	115.3	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.1875	2004
15.01.2020 10:50:58	1	1	1	1	115.3	55	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	35.125	2004
15.01.2020 10:50:59	1	1	1	1	115.3	55	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.375	2004
15.01.2020 10:51:00	1	1	1	1	115.3	56.25	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	36.5	2004
15.01.2020 10:51:01	1	1	1	1	115.3	56.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:51:02	1	1	1	1	115.3	56.25	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	36.4375	2004
15.01.2020 10:51:04	1	1	1	1	115.3	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 10:51:05	1	1	1	1	115.3	56.5	0	27156.398	584.9462366	16144.37529	30000	0	0	30000	35.875	2004
15.01.2020 10:51:06	1	1	1	1	115.3	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	35.9375	2004
15.01.2020 10:51:07	1	1	1	1	115.5	55.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.25	2004
15.01.2020 10:51:08	1	1	1	1	115.5	56.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.5	2004
15.01.2020 10:51:09	1	1	1	1	115.5	56.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.3125	2004
15.01.2020 10:51:10	1	1	1	1	115.5	56.25	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	36.375	2004
15.01.2020 10:51:11	1	1	1	1	115.5	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5	2004
15.01.2020 10:51:12	1	1	1	1	115.5	56.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.375	2004
15.01.2020 10:51:13	1	1	1	1	115.5	56.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 10:51:14	1	1	1	1	115.5	56.25	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	36.3125	2004
15.01.2020 10:51:15	1	1	1	1	115.5	56.25	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	36.3125	2004
15.01.2020 10:51:16	1	1	1	1	115.5	56.25	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	36.3125	2004
15.01.2020 10:51:17	1	1	1	1	115.8	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:51:18	1	1	1	1	115.8	56.25	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	36.5	2004
15.01.2020 10:51:19	1	1	1	1	115.8	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.0625	2004
15.01.2020 10:51:20	1	1	1	1	115.8	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:51:21	1	1	1	1	115.8	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.125	2004
15.01.2020 10:51:22	1	1	1	1	115.8	56	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:23	1	1	1	1	115.8	56.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	36.25	2004
15.01.2020 10:51:24	1	1	1	1	115.8	56.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	35.3125	2004
15.01.2020 10:51:25	1	1	1	1	115.8	55.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.125	2004
15.01.2020 10:51:26	1	1	1	1	115	56	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.4375	2004
15.01.2020 10:51:27	1	1	1	1	115	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.375	2004
15.01.2020 10:51:28	1	1	1	1	115	56.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36	2004
15.01.2020 10:51:29	1	1	1	1	115	56	0	27488.152	584.9462366	16110.12964	30000	0	0	30000	35.6875	2004
15.01.2020 10:51:30	1	1	1	1	115	55.5	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	35.75	2004
15.01.2020 10:51:31	1	1	1	1	115	55.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.5	2004
15.01.2020 10:51:32	1	1	1	1	115	56.5	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	36.1875	2004
15.01.2020 10:51:33	1	1	1	1	115	56	0	27061.611	578.4946237	15857.36417	30000	0	0	30000	35.9375	2004
15.01.2020 10:51:34	1	1	1	1	115	55.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	35.875	2004
15.01.2020 10:51:35	1	1	1	1	115	55.75	0	27440.758	591.3978495	16172.09795	30000	0	0	30000	35.875	2004
15.01.2020 10:51:36	1	1	1	1	115.5	55.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	35.8125	2004
15.01.2020 10:51:37	1	1	1	1	115.5	55.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	36	2004
15.01.2020 10:51:38	1	1	1	1	115.5	56	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:51:39	1	1	1	1	115.5	56.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.5	2004
15.01.2020 10:51:41	1	1	1	1	115.5	56.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	35.6875	2004
15.01.2020 10:51:42	1	1	1	1	115.5	55.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:43	1	1	1	1	115.5	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:44	1	1	1	1	115.5	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:51:45	1	1	1	1	115.5	56	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.25	2004
15.01.2020 10:51:46	1	1	1	1	115.5	56.25	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:51:47	1	1	1	1	116	56.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	36.375	2004
15.01.2020 10:51:48	1	1	1	1	116	56.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36	2004
15.01.2020 10:51:49	1	1	1	1	116	56	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:50	1	1	1	1	116	56.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.5	2004
15.01.2020 10:51:51	1	1	1	1	116	56.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	35.375	2004
15.01.2020 10:51:52	1	1	1	1	116	55.25	0	27393.365	587.0967742	15995.9775	30000	0	0	30000	36.125	2004
15.01.2020 10:51:58	1	1	1	1	115.5	56	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:58	1	1	1	1	115.5	56	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:58	1	1	1	1	115.5	56	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:58	1	1	1	1	115.5	56	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:58	1	1	1	1	115.5	56	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:51:59	1	1	1	1	115.5	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 10:52:00	1	1	1	1	115.5	56.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.8125	2004
15.01.2020 10:52:01	1	1	1	1	115.5	56.75	0	27345.972	591.3978495	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 10:52:02	1	1	1	1	115.5	56	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.1875	2004
15.01.2020 10:52:03	1	1	1	1	115.5	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 10:52:04	1	1	1	1	115.5	56.5	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	35.75	2004
15.01.2020 10:52:05	1	1	1	1	115.5	55.75	0	27109.005	584.9462366	15973.96244	30000	0	0	30000	35.9375	2004
15.01.2020 10:52:06	1	1	1	1	116	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.625	2004
15.01.2020 10:52:07	1	1	1	1	116	56.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.6875	2004
15.01.2020 10:52:08	1	1	1	1	116	56.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	36.25	2004
15.01.2020 10:52:09	1	1	1	1	116	56.25	0	27393.365	589.2473118	16172.09795	30000	0	0	30000	36.3125	2004
15.01.2020 10:52:10	1	1	1	1	116	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:52:11	1	1	1	1	116	56.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	36.375	2004
15.01.2020 10:52:12	1	1	1	1	116	56.25	0	27582.938	587.0967742	16312.34202	30000	0	0	30000	35.375	2004
15.01.2020 10:52:13	1	1	1	1	116	55.25	0	27582.938	582.7956989	16162.31348	30000	0	0	30000	36.625	2004
15.01.2020 10:52:14	1	1	1	1	116	56.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	35.625	2004
15.01.2020 10:52:15	1	1	1	1	116	55.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 10:52:16	1	1	1	1	115.3	56.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.625	2004
15.01.2020 10:52:17	1	1	1	1	115.3	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:52:18	1	1	1	1	115.3	56.25	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	35.75	2004
15.01.2020 10:52:19	1	1	1	1	115.3	55.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.75	2004
15.01.2020 10:52:21	1	1	1	1	115.3	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.5	2004
15.01.2020 10:52:22	1	1	1	1	115.3	56.5	0	27345.972	591.3978495	15968.25483	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:23	1	1	1	1	115.3	56.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.3125	2004
15.01.2020 10:52:24	1	1	1	1	115.3	56.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.5	2004
15.01.2020 10:52:25	1	1	1	1	115.3	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.9375	2004
15.01.2020 10:52:26	1	1	1	1	115.3	55.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.625	2004
15.01.2020 10:52:27	1	1	1	1	115.3	56.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.0625	2004
15.01.2020 10:52:28	1	1	1	1	115.3	56	0	27109.005	576.344086	15909.54801	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:29	1	1	1	1	115.3	56.5	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:52:30	1	1	1	1	115.3	56	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:52:31	1	1	1	1	115.3	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5	2004
15.01.2020 10:52:32	1	1	1	1	115.3	56.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:33	1	1	1	1	115.3	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 10:52:34	1	1	1	1	115.3	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:52:35	1	1	1	1	115.3	56	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	36.4375	2004
15.01.2020 10:52:36	1	1	1	1	115.3	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.0625	2004
15.01.2020 10:52:37	1	1	1	1	115.3	56	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	36.25	2004
15.01.2020 10:52:38	1	1	1	1	115.3	56.25	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	36.4375	2004
15.01.2020 10:52:39	1	1	1	1	115.3	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:52:40	1	1	1	1	115.3	56	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 10:52:41	1	1	1	1	115.3	56.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.5	2004
15.01.2020 10:52:42	1	1	1	1	115.3	56.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	36.625	2004
15.01.2020 10:52:43	1	1	1	1	115.3	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.625	2004
15.01.2020 10:52:44	1	1	1	1	115.3	56.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	36.375	2004
15.01.2020 10:52:45	1	1	1	1	115.3	56.25	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	36.25	2004
15.01.2020 10:52:46	1	1	1	1	115.3	56.25	0	27061.611	584.9462366	15915.25562	30000	0	0	30000	36.0625	2004
15.01.2020 10:52:47	1	1	1	1	115.3	56	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:48	1	1	1	1	115.3	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:49	1	1	1	1	115.3	56.5	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	35.9375	2004
15.01.2020 10:52:50	1	1	1	1	115.3	55.75	0	27156.398	591.3978495	16001.6851	30000	0	0	30000	35.8125	2004
15.01.2020 10:52:51	1	1	1	1	115.3	55.75	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:52	1	1	1	1	115.3	56.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	36.5625	2004
15.01.2020 10:52:53	1	1	1	1	115.3	56.5	0	27014.218	591.3978495	16005.76197	30000	0	0	30000	36.0625	2004
15.01.2020 10:53:00	1	1	1	1	114.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:00	1	1	1	1	114.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:00	1	1	1	1	114.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:00	1	1	1	1	114.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:00	1	1	1	1	114.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:01	1	1	1	1	114.5	56.5	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	36.1875	2004
15.01.2020 10:53:02	1	1	1	1	114.5	56	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	36.4375	2004
15.01.2020 10:53:03	1	1	1	1	114.5	56.25	0	26824.645	595.6989247	15805.99571	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:04	1	1	1	1	114.5	56.5	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:05	1	1	1	1	114.5	56.5	0	27109.005	593.5483871	16176.99019	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:06	1	1	1	1	114.5	56.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	36.625	2004
15.01.2020 10:53:07	1	1	1	1	114.5	56.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	36.625	2004
15.01.2020 10:53:08	1	1	1	1	114.5	56.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	35.1875	2004
15.01.2020 10:53:09	1	1	1	1	114.5	55	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	36.5	2004
15.01.2020 10:53:10	1	1	1	1	114.5	56.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.6875	2004
15.01.2020 10:53:11	1	1	1	1	114.5	54.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	36.75	2004
15.01.2020 10:53:12	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:13	1	1	1	1	114.5	56.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:53:14	1	1	1	1	114.5	56.25	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:53:15	1	1	1	1	114.5	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36	2004
15.01.2020 10:53:16	1	1	1	1	114.5	56	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	37	2004
15.01.2020 10:53:17	1	1	1	1	114.8	57	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:18	1	1	1	1	114.8	56.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.25	2004
15.01.2020 10:53:19	1	1	1	1	114.8	56.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.125	2004
15.01.2020 10:53:20	1	1	1	1	114.8	57	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	36.4375	2004
15.01.2020 10:53:21	1	1	1	1	114.8	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.0625	2004
15.01.2020 10:53:22	1	1	1	1	114.8	56.25	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	36.625	2004
15.01.2020 10:53:23	1	1	1	1	114.8	56.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:24	1	1	1	1	114.8	56.5	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	36.5625	2004
15.01.2020 10:53:25	1	1	1	1	114.8	56.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	36.8125	2004
15.01.2020 10:53:26	1	1	1	1	115	56.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.5625	2004
15.01.2020 10:53:27	1	1	1	1	115	56.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	35.5625	2004
15.01.2020 10:53:28	1	1	1	1	115	55.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	36.8125	2004
15.01.2020 10:53:29	1	1	1	1	115	56.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:30	1	1	1	1	115	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.75	2004
15.01.2020 10:53:31	1	1	1	1	115	56.75	0	27109.005	587.0967742	15945.4244	30000	0	0	30000	36.5625	2004
15.01.2020 10:53:32	1	1	1	1	115	56.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:33	1	1	1	1	115	56.5	0	27014.218	587.0967742	15945.4244	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:34	1	1	1	1	115	56.5	0	27298.578	591.3978495	15915.25562	30000	0	0	30000	36.75	2004
15.01.2020 10:53:35	1	1	1	1	115	56.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 10:53:37	1	1	1	1	114.8	56.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	36.25	2004
15.01.2020 10:53:38	1	1	1	1	114.8	56.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	36.75	2004
15.01.2020 10:53:39	1	1	1	1	114.8	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:53:40	1	1	1	1	114.8	56.25	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:53:41	1	1	1	1	114.8	56.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.75	2004
15.01.2020 10:53:42	1	1	1	1	114.8	56.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	36.625	2004
15.01.2020 10:53:43	1	1	1	1	114.8	56.5	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:44	1	1	1	1	114.8	56.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:45	1	1	1	1	114.8	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.125	2004
15.01.2020 10:53:46	1	1	1	1	114.8	56	0	27156.398	578.4946237	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:53:47	1	1	1	1	114.5	56.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.5	2004
15.01.2020 10:53:48	1	1	1	1	114.5	56.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.625	2004
15.01.2020 10:53:49	1	1	1	1	114.5	56.5	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	36.375	2004
15.01.2020 10:53:50	1	1	1	1	114.5	56.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:51	1	1	1	1	114.5	56.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.625	2004
15.01.2020 10:53:52	1	1	1	1	114.5	56.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	36.875	2004
15.01.2020 10:53:53	1	1	1	1	114.5	56.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	36.25	2004
15.01.2020 10:53:54	1	1	1	1	114.5	56.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	36.6875	2004
15.01.2020 10:53:55	1	1	1	1	114.5	56.5	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	37	2004
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004
15.01.2020 10:54:01	1	1	1	1	114.5	56.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	35.9375	2004
15.01.2020 10:54:02	1	1	1	1	114.5	55.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36.875	2004
15.01.2020 10:54:03	1	1	1	1	114.5	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37	2004
15.01.2020 10:54:04	1	1	1	1	114.5	57	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	36.4375	2004
15.01.2020 10:54:05	1	1	1	1	114.5	56.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	36.5	2004
15.01.2020 10:54:06	1	1	1	1	114.5	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 10:54:07	1	1	1	1	114.5	56.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	36.8125	2004
15.01.2020 10:54:08	1	1	1	1	114.5	56.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.75	2004
15.01.2020 10:54:09	1	1	1	1	114.5	56.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	36.6875	2004
15.01.2020 10:54:10	1	1	1	1	114.5	56.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36.5	2004
15.01.2020 10:54:11	1	1	1	1	114.5	56.5	0	27582.938	587.0967742	16165.57497	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:12	1	1	1	1	114.5	56.75	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	36.875	2004
15.01.2020 10:54:13	1	1	1	1	114.5	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37	2004
15.01.2020 10:54:14	1	1	1	1	114.5	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:15	1	1	1	1	114.5	56.75	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	36.5625	2004
15.01.2020 10:54:17	1	1	1	1	114.5	56.5	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	35.875	2004
15.01.2020 10:54:18	1	1	1	1	114.5	55.75	0	27440.758	593.5483871	16051.42282	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:19	1	1	1	1	114.5	56.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	35.625	2004
15.01.2020 10:54:20	1	1	1	1	114.5	55.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.8125	2004
15.01.2020 10:54:21	1	1	1	1	114.5	56.75	0	27440.758	589.2473118	15964.17797	30000	0	0	30000	36.875	2004
15.01.2020 10:54:22	1	1	1	1	114.5	56.75	0	27440.758	580.6451613	16168.83646	30000	0	0	30000	36.8125	2004
15.01.2020 10:54:23	1	1	1	1	114.5	56.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	36.75	2004
15.01.2020 10:54:24	1	1	1	1	114.5	56.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	36.875	2004
15.01.2020 10:54:25	1	1	1	1	114.5	56.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36.875	2004
15.01.2020 10:54:26	1	1	1	1	114.5	56.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.25	2004
15.01.2020 10:54:27	1	1	1	1	114.8	56.25	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	36.4375	2004
15.01.2020 10:54:28	1	1	1	1	114.8	56.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37	2004
15.01.2020 10:54:29	1	1	1	1	114.8	57	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36.8125	2004
15.01.2020 10:54:30	1	1	1	1	114.8	56.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:54:31	1	1	1	1	114.8	56.25	0	27156.398	584.9462366	15709.78175	30000	0	0	30000	36.375	2004
15.01.2020 10:54:32	1	1	1	1	114.8	56.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.25	2004
15.01.2020 10:54:33	1	1	1	1	114.8	56.25	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	36.875	2004
15.01.2020 10:54:34	1	1	1	1	114.8	56.75	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	35.875	2004
15.01.2020 10:54:35	1	1	1	1	114.8	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.875	2004
15.01.2020 10:54:36	1	1	1	1	114.8	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:37	1	1	1	1	114.3	56.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.75	2004
15.01.2020 10:54:38	1	1	1	1	114.3	56.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37	2004
15.01.2020 10:54:39	1	1	1	1	114.3	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:40	1	1	1	1	114.3	56.75	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 10:54:41	1	1	1	1	114.3	56.5	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	36.6875	2004
15.01.2020 10:54:42	1	1	1	1	114.3	56.5	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:54:43	1	1	1	1	114.3	56.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.9375	2004
15.01.2020 10:54:44	1	1	1	1	114.3	56.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	36.75	2004
15.01.2020 10:54:45	1	1	1	1	114.3	56.75	0	27061.611	582.7956989	15770.93469	30000	0	0	30000	36.5	2004
15.01.2020 10:54:46	1	1	1	1	114.5	56.5	0	27061.611	584.9462366	15857.36417	30000	0	0	30000	36.875	2004
15.01.2020 10:54:47	1	1	1	1	114.5	56.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:54:48	1	1	1	1	114.5	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.25	2004
15.01.2020 10:54:49	1	1	1	1	114.5	56.25	0	27156.398	587.0967742	16059.57655	30000	0	0	30000	35.75	2004
15.01.2020 10:54:50	1	1	1	1	114.5	55.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	36.25	2004
15.01.2020 10:54:51	1	1	1	1	114.5	56.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.5	2004
15.01.2020 10:54:52	1	1	1	1	114.5	56.5	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	37	2004
15.01.2020 10:54:54	1	1	1	1	114.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:54:55	1	1	1	1	114.5	56	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.875	2004
15.01.2020 10:54:56	1	1	1	1	114.5	56.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37	2004
15.01.2020 10:54:57	1	1	1	1	114.3	57	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	36.6875	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:03	1	1	1	1	114.3	56.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:04	1	1	1	1	114.3	56	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	35.8125	2004
15.01.2020 10:55:05	1	1	1	1	114.3	55.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.4375	2004
15.01.2020 10:55:06	1	1	1	1	114.3	56.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	35.3125	2004
15.01.2020 10:55:07	1	1	1	1	114	55.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	35.25	2004
15.01.2020 10:55:08	1	1	1	1	114	55.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.75	2004
15.01.2020 10:55:09	1	1	1	1	114	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37	2004
15.01.2020 10:55:10	1	1	1	1	114	57	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.5625	2004
15.01.2020 10:55:11	1	1	1	1	114	56.5	0	27156.398	578.4946237	15909.54801	30000	0	0	30000	36.125	2004
15.01.2020 10:55:12	1	1	1	1	114	56	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37	2004
15.01.2020 10:55:13	1	1	1	1	114	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.5	2004
15.01.2020 10:55:14	1	1	1	1	114	56.5	0	27345.972	578.4946237	16051.42282	30000	0	0	30000	37.125	2004
15.01.2020 10:55:15	1	1	1	1	114	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:55:16	1	1	1	1	114	57.25	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:55:17	1	1	1	1	114.3	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.9375	2004
15.01.2020 10:55:18	1	1	1	1	114.3	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.9375	2004
15.01.2020 10:55:19	1	1	1	1	114.3	56.75	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	36.6875	2004
15.01.2020 10:55:20	1	1	1	1	114.3	56.5	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	36.6875	2004
15.01.2020 10:55:21	1	1	1	1	114.3	56.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.125	2004
15.01.2020 10:55:22	1	1	1	1	114.3	57	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	35.6875	2004
15.01.2020 10:55:23	1	1	1	1	114.3	55.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.5625	2004
15.01.2020 10:55:24	1	1	1	1	114.3	56.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.875	2004
15.01.2020 10:55:25	1	1	1	1	114.3	56.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:55:26	1	1	1	1	113.8	56.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:55:27	1	1	1	1	113.8	56.25	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:28	1	1	1	1	113.8	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.6875	2004
15.01.2020 10:55:29	1	1	1	1	113.8	56.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:31	1	1	1	1	113.8	57	0	27345.972	587.0967742	15877.74848	30000	0	0	30000	37.125	2004
15.01.2020 10:55:32	1	1	1	1	113.8	57	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	36.875	2004
15.01.2020 10:55:33	1	1	1	1	113.8	56.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:34	1	1	1	1	113.8	57	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:55:35	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16113.39113	30000	0	0	30000	36.4375	2004
15.01.2020 10:55:36	1	1	1	1	113.8	56.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.875	2004
15.01.2020 10:55:37	1	1	1	1	114	56.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	36	2004
15.01.2020 10:55:38	1	1	1	1	114	56	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:55:39	1	1	1	1	114	57	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	36.75	2004
15.01.2020 10:55:40	1	1	1	1	114	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.0625	2004
15.01.2020 10:55:41	1	1	1	1	114	56	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	36.875	2004
15.01.2020 10:55:42	1	1	1	1	114	56.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:43	1	1	1	1	114	57	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:44	1	1	1	1	114	57	0	27298.578	580.6451613	16085.66847	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:45	1	1	1	1	114	57	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:46	1	1	1	1	114	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:55:47	1	1	1	1	113.5	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:48	1	1	1	1	113.5	57	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	37.1875	2004
15.01.2020 10:55:49	1	1	1	1	113.5	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.875	2004
15.01.2020 10:55:50	1	1	1	1	113.5	56.75	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	37.125	2004
15.01.2020 10:55:51	1	1	1	1	113.5	57	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	37.3125	2004
15.01.2020 10:55:52	1	1	1	1	113.5	57.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	37.375	2004
15.01.2020 10:55:53	1	1	1	1	113.5	57.25	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	36.6875	2004
15.01.2020 10:55:54	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5	2004
15.01.2020 10:55:55	1	1	1	1	113.5	56.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	36.8125	2004
15.01.2020 10:55:56	1	1	1	1	113.5	56.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.0625	2004
15.01.2020 10:55:57	1	1	1	1	113.5	57	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	36.5	2004
15.01.2020 10:55:58	1	1	1	1	113.5	56.5	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:04	1	1	1	1	113.5	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:56:07	1	1	1	1	113.8	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:56:07	1	1	1	1	113.8	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:56:07	1	1	1	1	113.8	57	0	27393.365	587.0967742	16113.39113	30000	0	0	30000	36.8125	2004
15.01.2020 10:56:08	1	1	1	1	113.8	56.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 10:56:10	1	1	1	1	113.8	56.25	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	37.125	2004
15.01.2020 10:56:11	1	1	1	1	113.8	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:56:12	1	1	1	1	113.8	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:13	1	1	1	1	113.8	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:56:14	1	1	1	1	113.8	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.25	2004
15.01.2020 10:56:15	1	1	1	1	113.8	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37	2004
15.01.2020 10:56:16	1	1	1	1	113.8	57	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37	2004
15.01.2020 10:56:17	1	1	1	1	113.5	57	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37.1875	2004
15.01.2020 10:56:18	1	1	1	1	113.5	57	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:19	1	1	1	1	113.5	57	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	36.8125	2004
15.01.2020 10:56:20	1	1	1	1	113.5	56.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 10:56:21	1	1	1	1	113.5	55.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.875	2004
15.01.2020 10:56:22	1	1	1	1	113.5	56.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	36	2004
15.01.2020 10:56:23	1	1	1	1	113.5	56	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.5	2004
15.01.2020 10:56:24	1	1	1	1	113.5	56.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.4375	2004
15.01.2020 10:56:25	1	1	1	1	113.5	56.25	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	36.875	2004
15.01.2020 10:56:26	1	1	1	1	113.5	56.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	37	2004
15.01.2020 10:56:27	1	1	1	1	113.8	57	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	37	2004
15.01.2020 10:56:28	1	1	1	1	113.8	57	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.1875	2004
15.01.2020 10:56:29	1	1	1	1	113.8	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:30	1	1	1	1	113.8	57	0	27298.578	576.344086	16026.96165	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:31	1	1	1	1	113.8	57	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	37.125	2004
15.01.2020 10:56:32	1	1	1	1	113.8	57	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:33	1	1	1	1	113.8	57	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.125	2004
15.01.2020 10:56:34	1	1	1	1	113.8	57	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:35	1	1	1	1	113.8	57	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37.25	2004
15.01.2020 10:56:36	1	1	1	1	114	57.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	36.5625	2004
15.01.2020 10:56:37	1	1	1	1	114	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 10:56:38	1	1	1	1	114	56.25	0	27109.005	582.7956989	15909.54801	30000	0	0	30000	37.1875	2004
15.01.2020 10:56:39	1	1	1	1	114	57	0	27345.972	584.9462366	15733.42755	30000	0	0	30000	37.1875	2004
15.01.2020 10:56:40	1	1	1	1	114	57	0	27630.332	582.7956989	15991.90063	30000	0	0	30000	36.6875	2004
15.01.2020 10:56:41	1	1	1	1	114	56.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	37	2004
15.01.2020 10:56:42	1	1	1	1	114	57	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.8125	2004
15.01.2020 10:56:43	1	1	1	1	114	56.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.6875	2004
15.01.2020 10:56:44	1	1	1	1	114	56.5	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	37.125	2004
15.01.2020 10:56:45	1	1	1	1	114	57	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.125	2004
15.01.2020 10:56:46	1	1	1	1	114.5	57	0	27440.758	584.9462366	16023.70016	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:47	1	1	1	1	114.5	57	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	36.625	2004
15.01.2020 10:56:48	1	1	1	1	114.5	56.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	36.875	2004
15.01.2020 10:56:49	1	1	1	1	114.5	56.75	0	27345.972	580.6451613	15792.13437	30000	0	0	30000	36.6875	2004
15.01.2020 10:56:51	1	1	1	1	114.5	56.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37	2004
15.01.2020 10:56:52	1	1	1	1	114.5	57	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.1875	2004
15.01.2020 10:56:53	1	1	1	1	114.5	57	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.625	2004
15.01.2020 10:56:54	1	1	1	1	114.5	56.5	0	27156.398	589.2473118	15857.36417	30000	0	0	30000	37.0625	2004
15.01.2020 10:56:55	1	1	1	1	114.5	57	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:56:56	1	1	1	1	114.5	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.8125	2004
15.01.2020 10:56:57	1	1	1	1	114.5	56.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	36.5625	2004
15.01.2020 10:56:58	1	1	1	1	114.5	56.5	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	36.5625	2004
15.01.2020 10:56:59	1	1	1	1	114.5	56.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	36.5	2004
15.01.2020 10:57:00	1	1	1	1	114.5	56.5	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	35.75	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:06	1	1	1	1	114.5	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.875	2004
15.01.2020 10:57:07	1	1	1	1	114.8	56.75	0	27345.972	587.0967742	15909.54801	30000	0	0	30000	36.9375	2004
15.01.2020 10:57:08	1	1	1	1	114.8	56.75	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	36.9375	2004
15.01.2020 10:57:09	1	1	1	1	114.8	56.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.25	2004
15.01.2020 10:57:10	1	1	1	1	114.8	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.125	2004
15.01.2020 10:57:11	1	1	1	1	114.8	57	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.9375	2004
15.01.2020 10:57:12	1	1	1	1	114.8	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.4375	2004
15.01.2020 10:57:13	1	1	1	1	114.8	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37	2004
15.01.2020 10:57:14	1	1	1	1	114.8	57	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.8125	2004
15.01.2020 10:57:15	1	1	1	1	114.8	56.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.4375	2004
15.01.2020 10:57:16	1	1	1	1	114.8	57	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	36.9375	2004
15.01.2020 10:57:17	1	1	1	1	114.8	56.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:18	1	1	1	1	114.8	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.25	2004
15.01.2020 10:57:19	1	1	1	1	114.8	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.25	2004
15.01.2020 10:57:20	1	1	1	1	114.8	56.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:21	1	1	1	1	114.8	57.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.1875	2004
15.01.2020 10:57:22	1	1	1	1	114.8	57	0	26966.825	587.0967742	15945.4244	30000	0	0	30000	37.0625	2004
15.01.2020 10:57:23	1	1	1	1	114.8	57	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	37.125	2004
15.01.2020 10:57:24	1	1	1	1	114.8	57	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:25	1	1	1	1	114.8	57.25	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	36.8125	2004
15.01.2020 10:57:26	1	1	1	1	115	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.25	2004
15.01.2020 10:57:27	1	1	1	1	115	57.25	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	37.1875	2004
15.01.2020 10:57:29	1	1	1	1	115	57	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	36.875	2004
15.01.2020 10:57:30	1	1	1	1	115	56.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 10:57:31	1	1	1	1	115	57	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	37.25	2004
15.01.2020 10:57:32	1	1	1	1	115	57.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.0625	2004
15.01.2020 10:57:33	1	1	1	1	115	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.25	2004
15.01.2020 10:57:34	1	1	1	1	115	57.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	37.125	2004
15.01.2020 10:57:35	1	1	1	1	115	57	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	36.6875	2004
15.01.2020 10:57:36	1	1	1	1	115	56.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	36.6875	2004
15.01.2020 10:57:37	1	1	1	1	115	56.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36.6875	2004
15.01.2020 10:57:38	1	1	1	1	115	56.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:39	1	1	1	1	115	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:57:40	1	1	1	1	115	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.1875	2004
15.01.2020 10:57:41	1	1	1	1	115	57	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.125	2004
15.01.2020 10:57:42	1	1	1	1	115	57	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:43	1	1	1	1	115	57.25	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:44	1	1	1	1	115	57.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:45	1	1	1	1	115	57.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	36.6875	2004
15.01.2020 10:57:46	1	1	1	1	115	56.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	37.25	2004
15.01.2020 10:57:47	1	1	1	1	114.8	57.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:48	1	1	1	1	114.8	57.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.25	2004
15.01.2020 10:57:49	1	1	1	1	114.8	57.25	0	27298.578	576.344086	15877.74848	30000	0	0	30000	37.5625	2004
15.01.2020 10:57:50	1	1	1	1	114.8	57.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	36.6875	2004
15.01.2020 10:57:51	1	1	1	1	114.8	56.5	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	37.4375	2004
15.01.2020 10:57:52	1	1	1	1	114.8	57.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:53	1	1	1	1	114.8	57.25	0	27345.972	582.7956989	16110.12964	30000	0	0	30000	36.875	2004
15.01.2020 10:57:54	1	1	1	1	114.8	56.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	37.25	2004
15.01.2020 10:57:55	1	1	1	1	114.8	57.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:57:56	1	1	1	1	114.3	57.25	0	27582.938	587.0967742	16134.59082	30000	0	0	30000	36.5625	2004
15.01.2020 10:57:57	1	1	1	1	114.3	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.25	2004
15.01.2020 10:57:58	1	1	1	1	114.3	57.25	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	37.1875	2004
15.01.2020 10:57:59	1	1	1	1	114.3	57	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	36.8125	2004
15.01.2020 10:58:00	1	1	1	1	114.3	56.75	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:01	1	1	1	1	114.3	57.25	0	27109.005	587.0967742	15945.4244	30000	0	0	30000	37.375	2004
15.01.2020 10:58:08	1	1	1	1	114.8	57.25	0	27061.611	589.2473118	15657.59791	30000	0	0	30000	37.1875	2004
15.01.2020 10:58:08	1	1	1	1	114.8	57	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:08	1	1	1	1	114.8	57	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:08	1	1	1	1	114.8	57	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:08	1	1	1	1	114.8	57	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:09	1	1	1	1	114.8	57.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	36.6875	2004
15.01.2020 10:58:10	1	1	1	1	114.8	56.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:11	1	1	1	1	114.8	57.25	0	27345.972	587.0967742	16345.77229	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:12	1	1	1	1	114.8	57.25	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	37.125	2004
15.01.2020 10:58:13	1	1	1	1	114.8	57	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	36	2004
15.01.2020 10:58:14	1	1	1	1	114.8	56	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 10:58:15	1	1	1	1	114.8	57	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	36.8125	2004
15.01.2020 10:58:16	1	1	1	1	114.8	56.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.6875	2004
15.01.2020 10:58:17	1	1	1	1	114.8	56.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	37.125	2004
15.01.2020 10:58:18	1	1	1	1	114.8	57	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:19	1	1	1	1	114.8	57.25	0	27061.611	591.3978495	15945.4244	30000	0	0	30000	36.375	2004
15.01.2020 10:58:20	1	1	1	1	114.8	56.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:21	1	1	1	1	114.8	57.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:22	1	1	1	1	114.8	57.25	0	27014.218	589.2473118	15889.97907	30000	0	0	30000	36.875	2004
15.01.2020 10:58:23	1	1	1	1	114.8	56.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:58:24	1	1	1	1	114.8	57.25	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:25	1	1	1	1	114.8	57.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	37.1875	2004
15.01.2020 10:58:26	1	1	1	1	114.8	57	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	37.0625	2004
15.01.2020 10:58:27	1	1	1	1	115	57	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	37.375	2004
15.01.2020 10:58:28	1	1	1	1	115	57.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	37.25	2004
15.01.2020 10:58:29	1	1	1	1	115	57.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.625	2004
15.01.2020 10:58:30	1	1	1	1	115	57.5	0	27298.578	589.2473118	16261.78893	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:31	1	1	1	1	115	56.5	0	27109.005	587.0967742	15770.93469	30000	0	0	30000	37.375	2004
15.01.2020 10:58:32	1	1	1	1	115	57.25	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:33	1	1	1	1	115	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:58:34	1	1	1	1	115	57	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.125	2004
15.01.2020 10:58:35	1	1	1	1	115	57	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	37.25	2004
15.01.2020 10:58:36	1	1	1	1	114.5	57.25	0	27109.005	587.0967742	16261.78893	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:37	1	1	1	1	114.5	57.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.375	2004
15.01.2020 10:58:38	1	1	1	1	114.5	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:58:39	1	1	1	1	114.5	57	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	36.75	2004
15.01.2020 10:58:40	1	1	1	1	114.5	56.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 10:58:41	1	1	1	1	114.5	57.25	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:42	1	1	1	1	114.5	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:44	1	1	1	1	114.5	57.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	36.8125	2004
15.01.2020 10:58:45	1	1	1	1	114.5	56.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:46	1	1	1	1	114.5	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.375	2004
15.01.2020 10:58:47	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:48	1	1	1	1	114.3	57.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 10:58:49	1	1	1	1	114.3	57	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:50	1	1	1	1	114.3	57.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	37.1875	2004
15.01.2020 10:58:51	1	1	1	1	114.3	57	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:52	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 10:58:53	1	1	1	1	114.3	57.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:54	1	1	1	1	114.3	57.25	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	37.625	2004
15.01.2020 10:58:55	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:58:56	1	1	1	1	114.3	57	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:58:57	1	1	1	1	114	57.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.125	2004
15.01.2020 10:58:58	1	1	1	1	114	57	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	37.375	2004
15.01.2020 10:58:59	1	1	1	1	114	57.25	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	37.4375	2004
15.01.2020 10:59:00	1	1	1	1	114	57.25	0	27298.578	589.2473118	15915.25562	30000	0	0	30000	37.0625	2004
15.01.2020 10:59:01	1	1	1	1	114	57	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:02	1	1	1	1	114	57.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:03	1	1	1	1	114	57.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004
15.01.2020 10:59:09	1	1	1	1	114.5	57.5	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	36.6875	2004
15.01.2020 10:59:10	1	1	1	1	114.5	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 10:59:11	1	1	1	1	114.5	57	0	27061.611	593.5483871	15829.64151	30000	0	0	30000	37.375	2004
15.01.2020 10:59:12	1	1	1	1	114.5	57.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:13	1	1	1	1	114.5	57.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.25	2004
15.01.2020 10:59:14	1	1	1	1	114.5	57.25	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:15	1	1	1	1	114.5	57.25	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	37.25	2004
15.01.2020 10:59:16	1	1	1	1	113.8	57.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	36.75	2004
15.01.2020 10:59:17	1	1	1	1	113.8	56.75	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:18	1	1	1	1	113.8	57.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	37.25	2004
15.01.2020 10:59:19	1	1	1	1	113.8	57.25	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	36.125	2004
15.01.2020 10:59:20	1	1	1	1	113.8	56	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.375	2004
15.01.2020 10:59:21	1	1	1	1	113.8	57.25	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	37.25	2004
15.01.2020 10:59:22	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:24	1	1	1	1	113.8	57.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:25	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 10:59:26	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:27	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 10:59:28	1	1	1	1	114.3	57	0	26966.825	580.6451613	15887.53295	30000	0	0	30000	36.875	2004
15.01.2020 10:59:29	1	1	1	1	114.3	56.75	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	37.125	2004
15.01.2020 10:59:30	1	1	1	1	114.3	57	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	37.375	2004
15.01.2020 10:59:31	1	1	1	1	114.3	57.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:32	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:59:33	1	1	1	1	114.3	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.75	2004
15.01.2020 10:59:34	1	1	1	1	114.3	56.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 10:59:35	1	1	1	1	114.3	57.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	36.5625	2004
15.01.2020 10:59:36	1	1	1	1	114.3	56.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 10:59:37	1	1	1	1	113.8	57.5	0	26966.825	584.9462366	15887.53295	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:38	1	1	1	1	113.8	57.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:39	1	1	1	1	113.8	57.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 10:59:40	1	1	1	1	113.8	57	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 10:59:41	1	1	1	1	113.8	57.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	37.625	2004
15.01.2020 10:59:42	1	1	1	1	113.8	57.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	36.125	2004
15.01.2020 10:59:43	1	1	1	1	113.8	56	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	37	2004
15.01.2020 10:59:44	1	1	1	1	113.8	57	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:45	1	1	1	1	113.8	57.5	0	27061.611	584.9462366	15654.33642	30000	0	0	30000	37.125	2004
15.01.2020 10:59:46	1	1	1	1	113.8	57	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	37	2004
15.01.2020 10:59:47	1	1	1	1	113.5	57	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.5	2004
15.01.2020 10:59:48	1	1	1	1	113.5	57.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:49	1	1	1	1	113.5	57.5	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	36.75	2004
15.01.2020 10:59:50	1	1	1	1	113.5	56.75	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:51	1	1	1	1	113.5	57.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 10:59:52	1	1	1	1	113.5	57.5	0	27109.005	591.3978495	16062.02267	30000	0	0	30000	36.8125	2004
15.01.2020 10:59:53	1	1	1	1	113.5	56.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	37.5625	2004
15.01.2020 10:59:54	1	1	1	1	113.5	57.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	37.4375	2004
15.01.2020 10:59:55	1	1	1	1	113.5	57.25	0	27061.611	584.9462366	16031.85389	30000	0	0	30000	37.5	2004
15.01.2020 10:59:56	1	1	1	1	114	57.5	0	27109.005	593.5483871	16265.05042	30000	0	0	30000	36.3125	2004
15.01.2020 10:59:57	1	1	1	1	114	56.25	0	27109.005	597.8494624	16148.45215	30000	0	0	30000	37.125	2004
15.01.2020 10:59:58	1	1	1	1	114	57	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	37.3125	2004
15.01.2020 10:59:59	1	1	1	1	114	57.25	0	26824.645	587.0967742	16035.93075	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:00	1	1	1	1	114	57.5	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	37.25	2004
15.01.2020 11:00:01	1	1	1	1	114	57.25	0	26919.431	597.8494624	15978.0393	30000	0	0	30000	37.5	2004
15.01.2020 11:00:03	1	1	1	1	114	57.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	37.4375	2004
15.01.2020 11:00:04	1	1	1	1	114	57.25	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	36.8125	2004
15.01.2020 11:00:05	1	1	1	1	114	56.75	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	37.125	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:11	1	1	1	1	114.5	56.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.9375	2004
15.01.2020 11:00:12	1	1	1	1	114.5	55.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:13	1	1	1	1	114.5	57.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 11:00:14	1	1	1	1	114.5	57	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	37.4375	2004
15.01.2020 11:00:15	1	1	1	1	114.5	57.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.375	2004
15.01.2020 11:00:16	1	1	1	1	114.5	57.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.3125	2004
15.01.2020 11:00:17	1	1	1	1	114.3	57.25	0	27203.791	587.0967742	15942.97828	30000	0	0	30000	37.5	2004
15.01.2020 11:00:18	1	1	1	1	114.3	57.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.0625	2004
15.01.2020 11:00:19	1	1	1	1	114.3	57	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.3125	2004
15.01.2020 11:00:20	1	1	1	1	114.3	57.25	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:21	1	1	1	1	114.3	57.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	37.0625	2004
15.01.2020 11:00:22	1	1	1	1	114.3	57	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.5	2004
15.01.2020 11:00:23	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:00:24	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:25	1	1	1	1	114.3	57.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	36.75	2004
15.01.2020 11:00:26	1	1	1	1	114.3	56.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	37.375	2004
15.01.2020 11:00:27	1	1	1	1	114.5	57.25	0	26966.825	587.0967742	15889.97907	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:28	1	1	1	1	114.5	57.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	37.625	2004
15.01.2020 11:00:29	1	1	1	1	114.5	57.5	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	37.5	2004
15.01.2020 11:00:30	1	1	1	1	114.5	57.5	0	27061.611	584.9462366	15973.96244	30000	0	0	30000	37.4375	2004
15.01.2020 11:00:31	1	1	1	1	114.5	57.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:32	1	1	1	1	114.5	57.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	37.375	2004
15.01.2020 11:00:33	1	1	1	1	114.5	57.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.5	2004
15.01.2020 11:00:34	1	1	1	1	114.5	57.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.125	2004
15.01.2020 11:00:35	1	1	1	1	114.5	57	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:00:36	1	1	1	1	114	57	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 11:00:37	1	1	1	1	114	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:38	1	1	1	1	114	57.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	37	2004
15.01.2020 11:00:39	1	1	1	1	114	57	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	36.875	2004
15.01.2020 11:00:41	1	1	1	1	114	56.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	37.125	2004
15.01.2020 11:00:42	1	1	1	1	114	57	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:43	1	1	1	1	114	57.5	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	37.125	2004
15.01.2020 11:00:44	1	1	1	1	114	57	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	36.875	2004
15.01.2020 11:00:45	1	1	1	1	114	56.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.4375	2004
15.01.2020 11:00:46	1	1	1	1	114	57.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:47	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 11:00:48	1	1	1	1	114.3	57	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:49	1	1	1	1	114.3	57.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.5625	2004
15.01.2020 11:00:50	1	1	1	1	114.3	57.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.25	2004
15.01.2020 11:00:51	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.4375	2004
15.01.2020 11:00:52	1	1	1	1	114.3	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:00:53	1	1	1	1	114.3	57.5	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:00:54	1	1	1	1	114.3	57.5	0	27298.578	595.6989247	15973.96244	30000	0	0	30000	35.75	2004
15.01.2020 11:00:55	1	1	1	1	114.3	55.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 11:00:56	1	1	1	1	114.3	57.25	0	27061.611	589.2473118	15829.64151	30000	0	0	30000	37.5	2004
15.01.2020 11:00:57	1	1	1	1	114	57.5	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:00:58	1	1	1	1	114	57.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.75	2004
15.01.2020 11:00:59	1	1	1	1	114	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:01:00	1	1	1	1	114	57.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	37.3125	2004
15.01.2020 11:01:01	1	1	1	1	114	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37	2004
15.01.2020 11:01:02	1	1	1	1	114	57	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37.1875	2004
15.01.2020 11:01:03	1	1	1	1	114	57	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	37.625	2004
15.01.2020 11:01:04	1	1	1	1	114	57.5	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:01:05	1	1	1	1	114	58	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.3125	2004
15.01.2020 11:01:06	1	1	1	1	114	57.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27393.365	584.9462366	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:13	1	1	1	1	114	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:01:14	1	1	1	1	114	57.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	37.4375	2004
15.01.2020 11:01:15	1	1	1	1	114	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 11:01:16	1	1	1	1	114	57.25	0	27345.972	591.3978495	16054.68431	30000	0	0	30000	37.625	2004
15.01.2020 11:01:18	1	1	1	1	114	57.5	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	37.375	2004
15.01.2020 11:01:19	1	1	1	1	114	57.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.5	2004
15.01.2020 11:01:20	1	1	1	1	114	57.5	0	27061.611	584.9462366	15945.4244	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:01:21	1	1	1	1	114	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 11:01:22	1	1	1	1	114	57.25	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	37.75	2004
15.01.2020 11:01:23	1	1	1	1	114	57.75	0	27061.611	587.0967742	15657.59791	30000	0	0	30000	36.8125	2004
15.01.2020 11:01:24	1	1	1	1	114	56.75	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	37.4375	2004
15.01.2020 11:01:25	1	1	1	1	114	57.25	0	27440.758	587.0967742	15873.67162	30000	0	0	30000	37.1875	2004
15.01.2020 11:01:26	1	1	1	1	114	57	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.625	2004
15.01.2020 11:01:27	1	1	1	1	113.8	57.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:28	1	1	1	1	113.8	57.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	37.8125	2004
15.01.2020 11:01:29	1	1	1	1	113.8	57.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.3125	2004
15.01.2020 11:01:30	1	1	1	1	113.8	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:31	1	1	1	1	113.8	57.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	37.5	2004
15.01.2020 11:01:32	1	1	1	1	113.8	57.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.6875	2004
15.01.2020 11:01:33	1	1	1	1	113.8	57.5	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	37.75	2004
15.01.2020 11:01:34	1	1	1	1	113.8	57.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	37.625	2004
15.01.2020 11:01:35	1	1	1	1	113.8	57.5	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	37.625	2004
15.01.2020 11:01:36	1	1	1	1	113.8	57.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.625	2004
15.01.2020 11:01:37	1	1	1	1	114.3	57.5	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	36.4375	2004
15.01.2020 11:01:38	1	1	1	1	114.3	56.25	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	37.625	2004
15.01.2020 11:01:39	1	1	1	1	114.3	57.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.75	2004
15.01.2020 11:01:40	1	1	1	1	114.3	57.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	37.6875	2004
15.01.2020 11:01:41	1	1	1	1	114.3	57.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	37.625	2004
15.01.2020 11:01:42	1	1	1	1	114.3	57.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.75	2004
15.01.2020 11:01:43	1	1	1	1	114.3	57.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	37.8125	2004
15.01.2020 11:01:44	1	1	1	1	114.3	57.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	37.875	2004
15.01.2020 11:01:45	1	1	1	1	114.3	57.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37.625	2004
15.01.2020 11:01:46	1	1	1	1	114.3	57.5	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:47	1	1	1	1	114.3	57.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.3125	2004
15.01.2020 11:01:48	1	1	1	1	114.3	57.25	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	37.8125	2004
15.01.2020 11:01:49	1	1	1	1	114.3	57.75	0	27156.398	578.4946237	15968.25483	30000	0	0	30000	37.75	2004
15.01.2020 11:01:50	1	1	1	1	114.3	57.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37	2004
15.01.2020 11:01:51	1	1	1	1	114.3	57	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:52	1	1	1	1	114.3	57.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:01:53	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	15915.25562	30000	0	0	30000	37.75	2004
15.01.2020 11:01:54	1	1	1	1	114.3	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:56	1	1	1	1	114.3	57.5	0	27061.611	580.6451613	16031.85389	30000	0	0	30000	37.75	2004
15.01.2020 11:01:57	1	1	1	1	114	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:01:58	1	1	1	1	114	57.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.5625	2004
15.01.2020 11:01:59	1	1	1	1	114	57.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:00	1	1	1	1	114	57.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:01	1	1	1	1	114	57.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.625	2004
15.01.2020 11:02:02	1	1	1	1	114	57.5	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:03	1	1	1	1	114	57.5	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	37.5625	2004
15.01.2020 11:02:04	1	1	1	1	114	57.5	0	27156.398	589.2473118	16031.85389	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:02:05	1	1	1	1	114	57	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	37.5	2004
15.01.2020 11:02:06	1	1	1	1	114	57.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.5	2004
15.01.2020 11:02:07	1	1	1	1	113.8	57.5	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	37.0625	2004
15.01.2020 11:02:08	1	1	1	1	113.8	57	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	37.3125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:14	1	1	1	1	113.8	57.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:15	1	1	1	1	113.8	57.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:16	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:17	1	1	1	1	113.5	57.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	37.625	2004
15.01.2020 11:02:18	1	1	1	1	113.5	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	37.75	2004
15.01.2020 11:02:19	1	1	1	1	113.5	57.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:20	1	1	1	1	113.5	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:21	1	1	1	1	113.5	57.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:22	1	1	1	1	113.5	57.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:23	1	1	1	1	113.5	57.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:24	1	1	1	1	113.5	57.5	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	37.875	2004
15.01.2020 11:02:25	1	1	1	1	113.5	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.1875	2004
15.01.2020 11:02:26	1	1	1	1	113.8	57	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.1875	2004
15.01.2020 11:02:27	1	1	1	1	113.8	57	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	37.5625	2004
15.01.2020 11:02:28	1	1	1	1	113.8	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:02:29	1	1	1	1	113.8	57.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	36.9375	2004
15.01.2020 11:02:30	1	1	1	1	113.8	56.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:31	1	1	1	1	113.8	57.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	37.625	2004
15.01.2020 11:02:32	1	1	1	1	113.8	57.5	0	27298.578	591.3978495	15909.54801	30000	0	0	30000	37.75	2004
15.01.2020 11:02:33	1	1	1	1	113.8	57.75	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	37.0625	2004
15.01.2020 11:02:34	1	1	1	1	113.8	57	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.75	2004
15.01.2020 11:02:36	1	1	1	1	113.8	57.75	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	37.4375	2004
15.01.2020 11:02:37	1	1	1	1	114	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 11:02:38	1	1	1	1	114	57.25	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:39	1	1	1	1	114	57.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	37.875	2004
15.01.2020 11:02:40	1	1	1	1	114	57.75	0	27345.972	582.7956989	16082.40698	30000	0	0	30000	37.6875	2004
15.01.2020 11:02:41	1	1	1	1	114	57.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	37.4375	2004
15.01.2020 11:02:42	1	1	1	1	114	57.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	37.375	2004
15.01.2020 11:02:43	1	1	1	1	114	57.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.75	2004
15.01.2020 11:02:44	1	1	1	1	114	57.75	0	27061.611	587.0967742	16031.85389	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:45	1	1	1	1	114	57.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	37.5625	2004
15.01.2020 11:02:46	1	1	1	1	114	57.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.75	2004
15.01.2020 11:02:47	1	1	1	1	114.3	57.75	0	27061.611	591.3978495	15887.53295	30000	0	0	30000	36.75	2004
15.01.2020 11:02:48	1	1	1	1	114.3	56.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:02:49	1	1	1	1	114.3	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	36.6875	2004
15.01.2020 11:02:50	1	1	1	1	114.3	56.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.875	2004
15.01.2020 11:02:51	1	1	1	1	114.3	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.875	2004
15.01.2020 11:02:52	1	1	1	1	114.3	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.5	2004
15.01.2020 11:02:53	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 11:02:54	1	1	1	1	114.3	57.25	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	37.875	2004
15.01.2020 11:02:55	1	1	1	1	114.3	57.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	37.625	2004
15.01.2020 11:02:56	1	1	1	1	114.3	57.5	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	37.8125	2004
15.01.2020 11:02:57	1	1	1	1	113.8	57.75	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	37.875	2004
15.01.2020 11:02:58	1	1	1	1	113.8	57.75	0	27298.578	597.8494624	16144.37529	30000	0	0	30000	38	2004
15.01.2020 11:02:59	1	1	1	1	113.8	58	0	26966.825	584.9462366	15832.08763	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:00	1	1	1	1	113.8	57.75	0	27061.611	589.2473118	15832.08763	30000	0	0	30000	37.625	2004
15.01.2020 11:03:01	1	1	1	1	113.8	57.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	38	2004
15.01.2020 11:03:02	1	1	1	1	113.8	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.75	2004
15.01.2020 11:03:03	1	1	1	1	113.8	57.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:04	1	1	1	1	113.8	57.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	37.5	2004
15.01.2020 11:03:05	1	1	1	1	113.8	57.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	37.75	2004
15.01.2020 11:03:06	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:07	1	1	1	1	113.8	57.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	37.6875	2004
15.01.2020 11:03:08	1	1	1	1	113.8	57.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:03:09	1	1	1	1	113.8	57.5	0	27298.578	584.9462366	16230.80477	30000	0	0	30000	37.1875	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:16	1	1	1	1	113.8	57.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38	2004
15.01.2020 11:03:17	1	1	1	1	113.5	58	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	37.875	2004
15.01.2020 11:03:18	1	1	1	1	113.5	57.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.5	2004
15.01.2020 11:03:19	1	1	1	1	113.5	57.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.6875	2004
15.01.2020 11:03:20	1	1	1	1	113.5	57.5	0	27109.005	589.2473118	16379.20257	30000	0	0	30000	37.6875	2004
15.01.2020 11:03:21	1	1	1	1	113.5	57.5	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	37.75	2004
15.01.2020 11:03:22	1	1	1	1	113.5	57.75	0	27298.578	591.3978495	15942.97828	30000	0	0	30000	37.625	2004
15.01.2020 11:03:23	1	1	1	1	113.5	57.5	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	37.5625	2004
15.01.2020 11:03:24	1	1	1	1	113.5	57.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.875	2004
15.01.2020 11:03:25	1	1	1	1	113.5	57.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:03:26	1	1	1	1	113.5	57.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:27	1	1	1	1	114	57.75	0	27109.005	584.9462366	16031.85389	30000	0	0	30000	37.625	2004
15.01.2020 11:03:28	1	1	1	1	114	57.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.0625	2004
15.01.2020 11:03:29	1	1	1	1	114	58	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	37.875	2004
15.01.2020 11:03:30	1	1	1	1	114	57.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:31	1	1	1	1	114	57.75	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:32	1	1	1	1	114	57.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:03:33	1	1	1	1	114	57.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	37.75	2004
15.01.2020 11:03:34	1	1	1	1	114	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:03:35	1	1	1	1	114	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.5	2004
15.01.2020 11:03:36	1	1	1	1	114	57.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.875	2004
15.01.2020 11:03:37	1	1	1	1	113.5	57.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	38.1875	2004
15.01.2020 11:03:38	1	1	1	1	113.5	58	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	37.625	2004
15.01.2020 11:03:39	1	1	1	1	113.5	57.5	0	27156.398	595.6989247	16207.15897	30000	0	0	30000	37.3125	2004
15.01.2020 11:03:40	1	1	1	1	113.5	57.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	37.6875	2004
15.01.2020 11:03:41	1	1	1	1	113.5	57.5	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	37.5625	2004
15.01.2020 11:03:42	1	1	1	1	113.5	57.5	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:43	1	1	1	1	113.5	57.75	0	27156.398	593.5483871	16144.37529	30000	0	0	30000	37.4375	2004
15.01.2020 11:03:44	1	1	1	1	113.5	57.25	0	27061.611	591.3978495	15973.96244	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:45	1	1	1	1	113.5	57.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:46	1	1	1	1	113.8	57.75	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	37.375	2004
15.01.2020 11:03:47	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:03:48	1	1	1	1	113.8	57.5	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	38	2004
15.01.2020 11:03:49	1	1	1	1	113.8	58	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	37.875	2004
15.01.2020 11:03:51	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:03:52	1	1	1	1	113.8	58	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	37.875	2004
15.01.2020 11:03:53	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:54	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:55	1	1	1	1	113.8	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:56	1	1	1	1	113.8	57.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.9375	2004
15.01.2020 11:03:57	1	1	1	1	113.5	57.75	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	37.8125	2004
15.01.2020 11:03:58	1	1	1	1	113.5	57.75	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	37.5	2004
15.01.2020 11:03:59	1	1	1	1	113.5	57.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:00	1	1	1	1	113.5	58	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:04:01	1	1	1	1	113.5	57.75	0	27109.005	589.2473118	16148.45215	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:02	1	1	1	1	113.5	57.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	37.9375	2004
15.01.2020 11:04:03	1	1	1	1	113.5	57.75	0	27109.005	591.3978495	16118.28337	30000	0	0	30000	37.5	2004
15.01.2020 11:04:04	1	1	1	1	113.5	57.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.125	2004
15.01.2020 11:04:05	1	1	1	1	113.5	57	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:06	1	1	1	1	113.5	58	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	38	2004
15.01.2020 11:04:07	1	1	1	1	113	58	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	38.125	2004
15.01.2020 11:04:08	1	1	1	1	113	58	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	37.4375	2004
15.01.2020 11:04:09	1	1	1	1	113	57.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	37.4375	2004
15.01.2020 11:04:10	1	1	1	1	113	57.25	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	38	2004
15.01.2020 11:04:11	1	1	1	1	113	58	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	37.875	2004
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:04:17	1	1	1	1	113.3	57.25	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	37.5	2004
15.01.2020 11:04:18	1	1	1	1	113.3	57.5	0	27440.758	591.3978495	15995.9775	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:19	1	1	1	1	113.3	58	0	27109.005	587.0967742	15770.93469	30000	0	0	30000	37.9375	2004
15.01.2020 11:04:20	1	1	1	1	113.3	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.75	2004
15.01.2020 11:04:21	1	1	1	1	113.3	57.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:22	1	1	1	1	113.3	57.75	0	27109.005	584.9462366	16085.66847	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:23	1	1	1	1	113.3	58	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	37.875	2004
15.01.2020 11:04:24	1	1	1	1	113.3	57.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	37.5625	2004
15.01.2020 11:04:25	1	1	1	1	113.3	57.5	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	37.625	2004
15.01.2020 11:04:26	1	1	1	1	113.5	57.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:27	1	1	1	1	113.5	58	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	37.9375	2004
15.01.2020 11:04:28	1	1	1	1	113.5	57.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.6875	2004
15.01.2020 11:04:29	1	1	1	1	113.5	57.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.25	2004
15.01.2020 11:04:31	1	1	1	1	113.5	58.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.9375	2004
15.01.2020 11:04:32	1	1	1	1	113.5	57.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.875	2004
15.01.2020 11:04:33	1	1	1	1	113.5	57.75	0	27109.005	589.2473118	15798.65735	30000	0	0	30000	37.375	2004
15.01.2020 11:04:34	1	1	1	1	113.5	57.25	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	38	2004
15.01.2020 11:04:35	1	1	1	1	113.5	58	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38	2004
15.01.2020 11:04:36	1	1	1	1	113.5	58	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.6875	2004
15.01.2020 11:04:37	1	1	1	1	113	57.5	0	27061.611	584.9462366	15945.4244	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:38	1	1	1	1	113	57.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:04:39	1	1	1	1	113	58	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	37.625	2004
15.01.2020 11:04:40	1	1	1	1	113	57.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.5625	2004
15.01.2020 11:04:41	1	1	1	1	113	57.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	38	2004
15.01.2020 11:04:42	1	1	1	1	113	58	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.4375	2004
15.01.2020 11:04:43	1	1	1	1	113	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.125	2004
15.01.2020 11:04:44	1	1	1	1	113	58	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:45	1	1	1	1	113	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:04:46	1	1	1	1	113	57.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	38.1875	2004
15.01.2020 11:04:47	1	1	1	1	113.3	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:48	1	1	1	1	113.3	57.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	37.875	2004
15.01.2020 11:04:49	1	1	1	1	113.3	57.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.0625	2004
15.01.2020 11:04:50	1	1	1	1	113.3	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:04:51	1	1	1	1	113.3	58	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 11:04:52	1	1	1	1	113.3	57.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37.625	2004
15.01.2020 11:04:53	1	1	1	1	113.3	57.5	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	37.375	2004
15.01.2020 11:04:54	1	1	1	1	113.3	57.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.9375	2004
15.01.2020 11:04:55	1	1	1	1	113.3	57.75	0	26919.431	587.0967742	15920.14785	30000	0	0	30000	37.5625	2004
15.01.2020 11:04:56	1	1	1	1	113.3	57.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.6875	2004
15.01.2020 11:04:57	1	1	1	1	113.3	57.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.4375	2004
15.01.2020 11:04:58	1	1	1	1	113.3	58.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	37.8125	2004
15.01.2020 11:04:59	1	1	1	1	113.3	57.75	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	38	2004
15.01.2020 11:05:00	1	1	1	1	113.3	58	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:05:01	1	1	1	1	113.3	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38	2004
15.01.2020 11:05:02	1	1	1	1	113.3	58	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:03	1	1	1	1	113.3	58	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	37.8125	2004
15.01.2020 11:05:04	1	1	1	1	113.3	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.9375	2004
15.01.2020 11:05:05	1	1	1	1	113.3	57.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	37.3125	2004
15.01.2020 11:05:06	1	1	1	1	113	57.25	0	27061.611	595.6989247	15887.53295	30000	0	0	30000	38	2004
15.01.2020 11:05:08	1	1	1	1	113	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.8125	2004
15.01.2020 11:05:09	1	1	1	1	113	57.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	37.8125	2004
15.01.2020 11:05:10	1	1	1	1	113	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:11	1	1	1	1	113	58	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:12	1	1	1	1	113	58	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	37.9375	2004
15.01.2020 11:05:13	1	1	1	1	113	57.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:19	1	1	1	1	113	57.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:20	1	1	1	1	113	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.125	2004
15.01.2020 11:05:21	1	1	1	1	113	58	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.5625	2004
15.01.2020 11:05:22	1	1	1	1	113	57.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.625	2004
15.01.2020 11:05:23	1	1	1	1	113	57.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	37.5625	2004
15.01.2020 11:05:24	1	1	1	1	113	57.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.125	2004
15.01.2020 11:05:25	1	1	1	1	113	58	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	37.9375	2004
15.01.2020 11:05:26	1	1	1	1	113	57.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:27	1	1	1	1	112.8	58	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:05:28	1	1	1	1	112.8	58	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.125	2004
15.01.2020 11:05:29	1	1	1	1	112.8	58	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.875	2004
15.01.2020 11:05:30	1	1	1	1	112.8	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.75	2004
15.01.2020 11:05:31	1	1	1	1	112.8	57.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.3125	2004
15.01.2020 11:05:32	1	1	1	1	112.8	58.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	37.6875	2004
15.01.2020 11:05:33	1	1	1	1	112.8	57.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	38.3125	2004
15.01.2020 11:05:34	1	1	1	1	112.8	58.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	38	2004
15.01.2020 11:05:35	1	1	1	1	112.8	58	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	38.375	2004
15.01.2020 11:05:36	1	1	1	1	112.8	58.25	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	38	2004
15.01.2020 11:05:37	1	1	1	1	113	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37.75	2004
15.01.2020 11:05:38	1	1	1	1	113	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:39	1	1	1	1	113	58	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	37.625	2004
15.01.2020 11:05:40	1	1	1	1	113	57.5	0	27109.005	584.9462366	16144.37529	30000	0	0	30000	38.25	2004
15.01.2020 11:05:41	1	1	1	1	113	58.25	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	37.875	2004
15.01.2020 11:05:42	1	1	1	1	113	57.75	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	37.625	2004
15.01.2020 11:05:43	1	1	1	1	113	57.5	0	27109.005	587.0967742	15968.25483	30000	0	0	30000	37.9375	2004
15.01.2020 11:05:44	1	1	1	1	113	57.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:05:45	1	1	1	1	113	57.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:05:47	1	1	1	1	113.8	57.75	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	37.8125	2004
15.01.2020 11:05:48	1	1	1	1	113.8	57.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:49	1	1	1	1	113.8	58	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:50	1	1	1	1	113.8	58	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:51	1	1	1	1	113.8	58	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	38.125	2004
15.01.2020 11:05:52	1	1	1	1	113.8	58	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	38.0625	2004
15.01.2020 11:05:53	1	1	1	1	113.8	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.9375	2004
15.01.2020 11:05:54	1	1	1	1	113.8	57.75	0	27156.398	597.8494624	15887.53295	30000	0	0	30000	38	2004
15.01.2020 11:05:55	1	1	1	1	113.8	58	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.25	2004
15.01.2020 11:05:56	1	1	1	1	113.8	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.125	2004
15.01.2020 11:05:57	1	1	1	1	113.8	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.125	2004
15.01.2020 11:05:58	1	1	1	1	113.8	58	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.625	2004
15.01.2020 11:05:59	1	1	1	1	113.8	57.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.3125	2004
15.01.2020 11:06:00	1	1	1	1	113.8	58.25	0	27156.398	589.2473118	16031.85389	30000	0	0	30000	38.0625	2004
15.01.2020 11:06:01	1	1	1	1	113.8	58	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:02	1	1	1	1	113.8	58	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	38.0625	2004
15.01.2020 11:06:03	1	1	1	1	113.8	58	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:06:04	1	1	1	1	113.8	58	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:05	1	1	1	1	113.8	58	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.8125	2004
15.01.2020 11:06:06	1	1	1	1	113.8	57.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.25	2004
15.01.2020 11:06:07	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	37.75	2004
15.01.2020 11:06:08	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.875	2004
15.01.2020 11:06:09	1	1	1	1	113.8	57.75	0	27061.611	584.9462366	15859.81029	30000	0	0	30000	38.3125	2004
15.01.2020 11:06:10	1	1	1	1	113.8	58.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	38.125	2004
15.01.2020 11:06:11	1	1	1	1	113.8	58	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	37.75	2004
15.01.2020 11:06:12	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:06:13	1	1	1	1	113.8	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:06:14	1	1	1	1	113.8	58	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:21	1	1	1	1	114	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.125	2004
15.01.2020 11:06:22	1	1	1	1	114	58	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	37.5625	2004
15.01.2020 11:06:23	1	1	1	1	114	57.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.9375	2004
15.01.2020 11:06:24	1	1	1	1	114	57.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	37.8125	2004
15.01.2020 11:06:26	1	1	1	1	114	57.75	0	27298.578	591.3978495	15942.97828	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:27	1	1	1	1	113.8	58	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	37.75	2004
15.01.2020 11:06:28	1	1	1	1	113.8	57.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	38.125	2004
15.01.2020 11:06:29	1	1	1	1	113.8	58	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:06:30	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.125	2004
15.01.2020 11:06:31	1	1	1	1	113.8	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.25	2004
15.01.2020 11:06:32	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:33	1	1	1	1	113.8	58	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	38	2004
15.01.2020 11:06:34	1	1	1	1	113.8	58	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	37.25	2004
15.01.2020 11:06:35	1	1	1	1	113.8	57.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:06:36	1	1	1	1	113.8	58	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	37.0625	2004
15.01.2020 11:06:37	1	1	1	1	113.8	57	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	38.25	2004
15.01.2020 11:06:38	1	1	1	1	113.8	58.25	0	27109.005	582.7956989	15857.36417	30000	0	0	30000	38.3125	2004
15.01.2020 11:06:39	1	1	1	1	113.8	58.25	0	27345.972	589.2473118	16144.37529	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:40	1	1	1	1	113.8	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.25	2004
15.01.2020 11:06:41	1	1	1	1	113.8	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.125	2004
15.01.2020 11:06:42	1	1	1	1	113.8	57	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:43	1	1	1	1	113.8	58	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.125	2004
15.01.2020 11:06:44	1	1	1	1	113.8	58	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.25	2004
15.01.2020 11:06:45	1	1	1	1	113.8	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:46	1	1	1	1	113.8	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.9375	2004
15.01.2020 11:06:47	1	1	1	1	114	57.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	38.3125	2004
15.01.2020 11:06:48	1	1	1	1	114	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	36.4375	2004
15.01.2020 11:06:49	1	1	1	1	114	56.25	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	37.9375	2004
15.01.2020 11:06:50	1	1	1	1	114	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38	2004
15.01.2020 11:06:51	1	1	1	1	114	58	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	37.5625	2004
15.01.2020 11:06:52	1	1	1	1	114	57.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	38.3125	2004
15.01.2020 11:06:53	1	1	1	1	114	58.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.625	2004
15.01.2020 11:06:54	1	1	1	1	114	58.5	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:55	1	1	1	1	114	58	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:56	1	1	1	1	113.8	58	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:57	1	1	1	1	113.8	58	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	38.1875	2004
15.01.2020 11:06:58	1	1	1	1	113.8	58	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	38	2004
15.01.2020 11:06:59	1	1	1	1	113.8	58	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	37.9375	2004
15.01.2020 11:07:00	1	1	1	1	113.8	57.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	38	2004
15.01.2020 11:07:01	1	1	1	1	113.8	58	0	27061.611	593.5483871	16031.85389	30000	0	0	30000	38.25	2004
15.01.2020 11:07:03	1	1	1	1	113.8	58.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	38.25	2004
15.01.2020 11:07:04	1	1	1	1	113.8	58.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38	2004
15.01.2020 11:07:05	1	1	1	1	113.8	58	0	26682.464	580.6451613	15863.88715	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:06	1	1	1	1	113.8	58.25	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	37.3125	2004
15.01.2020 11:07:07	1	1	1	1	113.3	57.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	37.875	2004
15.01.2020 11:07:08	1	1	1	1	113.3	57.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:09	1	1	1	1	113.3	58.25	0	27298.578	589.2473118	16203.08211	30000	0	0	30000	37.25	2004
15.01.2020 11:07:10	1	1	1	1	113.3	57.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.4375	2004
15.01.2020 11:07:11	1	1	1	1	113.3	57.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	38.125	2004
15.01.2020 11:07:12	1	1	1	1	113.3	58	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	38.25	2004
15.01.2020 11:07:13	1	1	1	1	113.3	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:07:14	1	1	1	1	113.3	58	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:15	1	1	1	1	113.3	58	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.25	2004
15.01.2020 11:07:16	1	1	1	1	113.3	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:22	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:23	1	1	1	1	113.8	58	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.375	2004
15.01.2020 11:07:24	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.4375	2004
15.01.2020 11:07:25	1	1	1	1	113.8	58.25	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	38.125	2004
15.01.2020 11:07:26	1	1	1	1	113.8	58	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.25	2004
15.01.2020 11:07:27	1	1	1	1	114	58.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:28	1	1	1	1	114	58	0	26966.825	587.0967742	16119.91411	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:29	1	1	1	1	114	58.25	0	27014.218	584.9462366	15832.08763	30000	0	0	30000	38.625	2004
15.01.2020 11:07:30	1	1	1	1	114	58.5	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	38.375	2004
15.01.2020 11:07:31	1	1	1	1	114	58.25	0	26966.825	580.6451613	15945.4244	30000	0	0	30000	37.5625	2004
15.01.2020 11:07:34	1	1	1	1	114	58.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:34	1	1	1	1	114	58.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:34	1	1	1	1	114	58.25	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:35	1	1	1	1	114	58.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	38.1875	2004
15.01.2020 11:07:36	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.1875	2004
15.01.2020 11:07:37	1	1	1	1	114	58	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.375	2004
15.01.2020 11:07:38	1	1	1	1	114	58.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.875	2004
15.01.2020 11:07:40	1	1	1	1	114	57.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	38.375	2004
15.01.2020 11:07:41	1	1	1	1	114	58.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38	2004
15.01.2020 11:07:42	1	1	1	1	114	58	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	38.4375	2004
15.01.2020 11:07:43	1	1	1	1	114	58.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	38.3125	2004
15.01.2020 11:07:44	1	1	1	1	114	58.25	0	26872.038	580.6451613	15804.36496	30000	0	0	30000	38	2004
15.01.2020 11:07:45	1	1	1	1	114	58	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	38.25	2004
15.01.2020 11:07:46	1	1	1	1	114	58.25	0	27061.611	595.6989247	16092.19145	30000	0	0	30000	37.9375	2004
15.01.2020 11:07:47	1	1	1	1	113.5	57.75	0	27014.218	602.1505376	16063.65341	30000	0	0	30000	38.1875	2004
15.01.2020 11:07:48	1	1	1	1	113.5	58	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.375	2004
15.01.2020 11:07:49	1	1	1	1	113.5	58.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	38.25	2004
15.01.2020 11:07:50	1	1	1	1	113.5	58.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	38.4375	2004
15.01.2020 11:07:51	1	1	1	1	113.5	58.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.1875	2004
15.01.2020 11:07:52	1	1	1	1	113.5	58	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38	2004
15.01.2020 11:07:53	1	1	1	1	113.5	58	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	38.4375	2004
15.01.2020 11:07:54	1	1	1	1	113.5	58.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	38.125	2004
15.01.2020 11:07:55	1	1	1	1	113.5	58	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	37.875	2004
15.01.2020 11:07:56	1	1	1	1	113.5	57.75	0	27203.791	593.5483871	16118.28337	30000	0	0	30000	38.375	2004
15.01.2020 11:07:57	1	1	1	1	113.5	58.25	0	27156.398	595.6989247	16031.85389	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:07:58	1	1	1	1	113.5	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.0625	2004
15.01.2020 11:07:59	1	1	1	1	113.5	58	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.125	2004
15.01.2020 11:08:00	1	1	1	1	113.5	58	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	37.8125	2004
15.01.2020 11:08:01	1	1	1	1	113.5	57.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.25	2004
15.01.2020 11:08:02	1	1	1	1	113.5	58.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	37.9375	2004
15.01.2020 11:08:03	1	1	1	1	113.5	57.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.1875	2004
15.01.2020 11:08:04	1	1	1	1	113.5	58	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	38.1875	2004
15.01.2020 11:08:05	1	1	1	1	113.5	58	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	37.6875	2004
15.01.2020 11:08:06	1	1	1	1	113.5	57.5	0	26966.825	591.3978495	16236.51238	30000	0	0	30000	38.375	2004
15.01.2020 11:08:07	1	1	1	1	113.8	58.25	0	26872.038	591.3978495	15978.0393	30000	0	0	30000	38.1875	2004
15.01.2020 11:08:08	1	1	1	1	113.8	58	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	38.75	2004
15.01.2020 11:08:09	1	1	1	1	113.8	58.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	38.375	2004
15.01.2020 11:08:10	1	1	1	1	113.8	58.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	38.4375	2004
15.01.2020 11:08:11	1	1	1	1	113.8	58.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	38.375	2004
15.01.2020 11:08:12	1	1	1	1	113.8	58.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.125	2004
15.01.2020 11:08:13	1	1	1	1	113.8	58	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	38.125	2004
15.01.2020 11:08:14	1	1	1	1	113.8	58	0	27061.611	591.3978495	16352.29527	30000	0	0	30000	38.1875	2004
15.01.2020 11:08:15	1	1	1	1	113.8	58	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.3125	2004
15.01.2020 11:08:16	1	1	1	1	114.3	58.25	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	37.875	2004
15.01.2020 11:08:18	1	1	1	1	114.3	57.75	0	26966.825	582.7956989	15975.59318	30000	0	0	30000	38	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:24	1	1	1	1	114.3	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:08:25	1	1	1	1	114.3	58.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	37.6875	2004
15.01.2020 11:08:26	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	16261.78893	30000	0	0	30000	38	2004
15.01.2020 11:08:27	1	1	1	1	114	58	0	27298.578	593.5483871	16203.08211	30000	0	0	30000	38.5	2004
15.01.2020 11:08:28	1	1	1	1	114	58.5	0	27109.005	587.0967742	15770.93469	30000	0	0	30000	38.5	2004
15.01.2020 11:08:29	1	1	1	1	114	58.5	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	38.4375	2004
15.01.2020 11:08:30	1	1	1	1	114	58.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.375	2004
15.01.2020 11:08:31	1	1	1	1	114	58.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.125	2004
15.01.2020 11:08:32	1	1	1	1	114	58	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	38	2004
15.01.2020 11:08:33	1	1	1	1	114	58	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.5625	2004
15.01.2020 11:08:34	1	1	1	1	114	58.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.25	2004
15.01.2020 11:08:35	1	1	1	1	114	58.25	0	27109.005	580.6451613	16144.37529	30000	0	0	30000	37.5625	2004
15.01.2020 11:08:36	1	1	1	1	114	57.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.4375	2004
15.01.2020 11:08:37	1	1	1	1	113.8	58.25	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	38.0625	2004
15.01.2020 11:08:38	1	1	1	1	113.8	58	0	27109.005	591.3978495	16144.37529	30000	0	0	30000	38.4375	2004
15.01.2020 11:08:39	1	1	1	1	113.8	58.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	37.875	2004
15.01.2020 11:08:40	1	1	1	1	113.8	57.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	38	2004
15.01.2020 11:08:41	1	1	1	1	113.8	58	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:08:42	1	1	1	1	113.8	57.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	38.5625	2004
15.01.2020 11:08:43	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.3125	2004
15.01.2020 11:08:44	1	1	1	1	113.8	58.25	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	38.4375	2004
15.01.2020 11:08:45	1	1	1	1	113.8	58.25	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:08:46	1	1	1	1	113.8	58.5	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.0625	2004
15.01.2020 11:08:47	1	1	1	1	114.3	58	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	37.75	2004
15.01.2020 11:08:48	1	1	1	1	114.3	57.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38	2004
15.01.2020 11:08:49	1	1	1	1	114.3	58.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	37.8125	2004
15.01.2020 11:08:50	1	1	1	1	114.3	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.375	2004
15.01.2020 11:08:51	1	1	1	1	114.3	58.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	38.3125	2004
15.01.2020 11:08:52	1	1	1	1	114.3	58.25	0	27061.611	580.6451613	16085.66847	30000	0	0	30000	37.8125	2004
15.01.2020 11:08:53	1	1	1	1	114.3	57.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	37.875	2004
15.01.2020 11:08:55	1	1	1	1	114.3	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.3125	2004
15.01.2020 11:08:56	1	1	1	1	114.3	58.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	38.25	2004
15.01.2020 11:08:57	1	1	1	1	114.8	58.25	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	38.0625	2004
15.01.2020 11:08:58	1	1	1	1	114.8	58	0	27109.005	584.9462366	16144.37529	30000	0	0	30000	38.375	2004
15.01.2020 11:08:59	1	1	1	1	114.8	58.25	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:00	1	1	1	1	114.8	58.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.625	2004
15.01.2020 11:09:01	1	1	1	1	114.8	58.5	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	38.5	2004
15.01.2020 11:09:02	1	1	1	1	114.8	58.5	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	38.25	2004
15.01.2020 11:09:03	1	1	1	1	114.8	58.25	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:04	1	1	1	1	114.8	58.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.3125	2004
15.01.2020 11:09:05	1	1	1	1	114.8	58.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38	2004
15.01.2020 11:09:06	1	1	1	1	114.8	58	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38	2004
15.01.2020 11:09:07	1	1	1	1	114.3	58	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	38.5	2004
15.01.2020 11:09:08	1	1	1	1	114.3	58.5	0	27061.611	582.7956989	16031.85389	30000	0	0	30000	38.5	2004
15.01.2020 11:09:09	1	1	1	1	114.3	58.5	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:10	1	1	1	1	114.3	58.25	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:11	1	1	1	1	114.3	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:12	1	1	1	1	114.3	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:13	1	1	1	1	114.3	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	37.5625	2004
15.01.2020 11:09:14	1	1	1	1	114.3	57.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:15	1	1	1	1	114.3	58.25	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:16	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.625	2004
15.01.2020 11:09:17	1	1	1	1	113.8	58.5	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	38.125	2004
15.01.2020 11:09:18	1	1	1	1	113.8	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.5	2004
15.01.2020 11:09:19	1	1	1	1	113.8	58.5	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	38.5	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:25	1	1	1	1	113.8	58.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:09:26	1	1	1	1	113.8	58.75	0	27061.611	587.0967742	15973.96244	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:27	1	1	1	1	113.8	58.5	0	27298.578	597.8494624	16144.37529	30000	0	0	30000	38.5	2004
15.01.2020 11:09:28	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:29	1	1	1	1	113.8	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.125	2004
15.01.2020 11:09:30	1	1	1	1	113.8	58	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	38.5	2004
15.01.2020 11:09:31	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	38.5	2004
15.01.2020 11:09:32	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	38.4375	2004
15.01.2020 11:09:34	1	1	1	1	113.8	58.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	37.9375	2004
15.01.2020 11:09:35	1	1	1	1	113.8	57.75	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:36	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.6875	2004
15.01.2020 11:09:37	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.5	2004
15.01.2020 11:09:38	1	1	1	1	113.8	58.5	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	38.5	2004
15.01.2020 11:09:39	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	15915.25562	30000	0	0	30000	37.9375	2004
15.01.2020 11:09:40	1	1	1	1	113.8	57.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38.25	2004
15.01.2020 11:09:41	1	1	1	1	113.8	58.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.375	2004
15.01.2020 11:09:42	1	1	1	1	113.8	58.25	0	27014.218	593.5483871	16004.13122	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:43	1	1	1	1	113.8	58	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.0625	2004
15.01.2020 11:09:44	1	1	1	1	113.8	58	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:45	1	1	1	1	113.8	58.5	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	38.625	2004
15.01.2020 11:09:46	1	1	1	1	113.8	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	38.625	2004
15.01.2020 11:09:47	1	1	1	1	113.8	58.5	0	27298.578	587.0967742	15826.38002	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:48	1	1	1	1	113.8	58.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	38	2004
15.01.2020 11:09:49	1	1	1	1	113.8	58	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:50	1	1	1	1	113.8	58.5	0	27014.218	587.0967742	16004.13122	30000	0	0	30000	38.5	2004
15.01.2020 11:09:51	1	1	1	1	113.8	58.5	0	27156.398	589.2473118	16320.49575	30000	0	0	30000	38.125	2004
15.01.2020 11:09:52	1	1	1	1	113.8	58	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:53	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	38.75	2004
15.01.2020 11:09:54	1	1	1	1	113.8	58.75	0	27061.611	595.6989247	15774.19618	30000	0	0	30000	37.25	2004
15.01.2020 11:09:55	1	1	1	1	113.8	57.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	37.625	2004
15.01.2020 11:09:56	1	1	1	1	113.8	57.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.25	2004
15.01.2020 11:09:57	1	1	1	1	113.8	58.25	0	27109.005	597.8494624	16090.5607	30000	0	0	30000	38.1875	2004
15.01.2020 11:09:58	1	1	1	1	113.8	58	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	38.5625	2004
15.01.2020 11:09:59	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	38.625	2004
15.01.2020 11:10:00	1	1	1	1	113.8	58.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.5625	2004
15.01.2020 11:10:01	1	1	1	1	113.8	58.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	38.625	2004
15.01.2020 11:10:02	1	1	1	1	113.8	58.5	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	38.875	2004
15.01.2020 11:10:03	1	1	1	1	113.8	58.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	38.6875	2004
15.01.2020 11:10:04	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.5	2004
15.01.2020 11:10:05	1	1	1	1	113.8	58.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	38.3125	2004
15.01.2020 11:10:06	1	1	1	1	113.8	58	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	38.625	2004
15.01.2020 11:10:07	1	1	1	1	113.8	58.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.625	2004
15.01.2020 11:10:08	1	1	1	1	113.8	58.5	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	38.375	2004
15.01.2020 11:10:09	1	1	1	1	113.8	58.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:10:10	1	1	1	1	113.8	58.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	38.5	2004
15.01.2020 11:10:11	1	1	1	1	113.8	58.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	37.875	2004
15.01.2020 11:10:13	1	1	1	1	113.8	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.5	2004
15.01.2020 11:10:14	1	1	1	1	113.8	58.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.3125	2004
15.01.2020 11:10:15	1	1	1	1	113.8	58.25	0	27109.005	587.0967742	16320.49575	30000	0	0	30000	38.5625	2004
15.01.2020 11:10:16	1	1	1	1	113.8	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	37.375	2004
15.01.2020 11:10:17	1	1	1	1	113.8	57.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.375	2004
15.01.2020 11:10:18	1	1	1	1	113.8	58.25	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	38.8125	2004
15.01.2020 11:10:19	1	1	1	1	113.8	58.75	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	37.9375	2004
15.01.2020 11:10:20	1	1	1	1	113.8	57.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:10:21	1	1	1	1	113.8	58.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.1875	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:27	1	1	1	1	114	58.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:28	1	1	1	1	114	58	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.625	2004
15.01.2020 11:10:29	1	1	1	1	114	58.5	0	27109.005	587.0967742	15857.36417	30000	0	0	30000	38.6875	2004
15.01.2020 11:10:30	1	1	1	1	114	58.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	38.625	2004
15.01.2020 11:10:31	1	1	1	1	114	58.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	38.625	2004
15.01.2020 11:10:32	1	1	1	1	114	58.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	38.375	2004
15.01.2020 11:10:33	1	1	1	1	114	58.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	38.6875	2004
15.01.2020 11:10:34	1	1	1	1	114	58.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	38.25	2004
15.01.2020 11:10:35	1	1	1	1	114	58.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.1875	2004
15.01.2020 11:10:36	1	1	1	1	114	58	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38.4375	2004
15.01.2020 11:10:37	1	1	1	1	114.5	58.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.25	2004
15.01.2020 11:10:38	1	1	1	1	114.5	58.25	0	27156.398	584.9462366	15973.96244	30000	0	0	30000	38.4375	2004
15.01.2020 11:10:39	1	1	1	1	114.5	58.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.625	2004
15.01.2020 11:10:40	1	1	1	1	114.5	58.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.625	2004
15.01.2020 11:10:41	1	1	1	1	114.5	58.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	38.375	2004
15.01.2020 11:10:42	1	1	1	1	114.5	58.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.3125	2004
15.01.2020 11:10:43	1	1	1	1	114.5	58.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.75	2004
15.01.2020 11:10:44	1	1	1	1	114.5	58.75	0	27109.005	595.6989247	15829.64151	30000	0	0	30000	38.5	2004
15.01.2020 11:10:45	1	1	1	1	114.5	58	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	38.625	2004
15.01.2020 11:10:46	1	1	1	1	114.3	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.0625	2004
15.01.2020 11:10:47	1	1	1	1	114.3	58	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	38.6875	2004
15.01.2020 11:10:48	1	1	1	1	114.3	58.5	0	27298.578	593.5483871	16203.08211	30000	0	0	30000	38.875	2004
15.01.2020 11:10:49	1	1	1	1	114.3	58.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	38.25	2004
15.01.2020 11:10:51	1	1	1	1	114.3	58.25	0	26919.431	591.3978495	16121.54486	30000	0	0	30000	38.75	2004
15.01.2020 11:10:52	1	1	1	1	114.3	58.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	37.875	2004
15.01.2020 11:10:53	1	1	1	1	114.3	57.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.6875	2004
15.01.2020 11:10:54	1	1	1	1	114.3	58.5	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:10:55	1	1	1	1	114.3	58.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.8125	2004
15.01.2020 11:10:56	1	1	1	1	114.3	58.75	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	38.375	2004
15.01.2020 11:10:57	1	1	1	1	114	58.25	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	38.625	2004
15.01.2020 11:10:58	1	1	1	1	114	58.5	0	26966.825	593.5483871	15804.36496	30000	0	0	30000	38.125	2004
15.01.2020 11:10:59	1	1	1	1	114	58	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.625	2004
15.01.2020 11:11:00	1	1	1	1	114	58.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.625	2004
15.01.2020 11:11:01	1	1	1	1	114	58.5	0	27061.611	591.3978495	16090.5607	30000	0	0	30000	38.5625	2004
15.01.2020 11:11:02	1	1	1	1	114	58.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39	2004
15.01.2020 11:11:03	1	1	1	1	114	59	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:11:04	1	1	1	1	114	58.5	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	38.4375	2004
15.01.2020 11:11:05	1	1	1	1	114	58.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.4375	2004
15.01.2020 11:11:06	1	1	1	1	114	58.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.5	2004
15.01.2020 11:11:07	1	1	1	1	114	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.5	2004
15.01.2020 11:11:08	1	1	1	1	114	58.5	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	38.625	2004
15.01.2020 11:11:09	1	1	1	1	114	58.5	0	27061.611	587.0967742	15859.81029	30000	0	0	30000	38.25	2004
15.01.2020 11:11:10	1	1	1	1	114	58.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:11	1	1	1	1	114	58.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	38.875	2004
15.01.2020 11:11:12	1	1	1	1	114	58.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.625	2004
15.01.2020 11:11:13	1	1	1	1	114	58.5	0	27156.398	580.6451613	16026.96165	30000	0	0	30000	38.25	2004
15.01.2020 11:11:14	1	1	1	1	114	58.25	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:15	1	1	1	1	114	58.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	38.0625	2004
15.01.2020 11:11:16	1	1	1	1	114	58	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:17	1	1	1	1	114.3	58.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	38.4375	2004
15.01.2020 11:11:18	1	1	1	1	114.3	58.25	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	38.25	2004
15.01.2020 11:11:19	1	1	1	1	114.3	58.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.3125	2004
15.01.2020 11:11:20	1	1	1	1	114.3	58.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:11:21	1	1	1	1	114.3	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.75	2004
15.01.2020 11:11:22	1	1	1	1	114.3	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:29	1	1	1	1	114.3	58.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	37.5	2004
15.01.2020 11:11:30	1	1	1	1	114.3	57.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.75	2004
15.01.2020 11:11:31	1	1	1	1	114.3	58.75	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	38.4375	2004
15.01.2020 11:11:32	1	1	1	1	114.3	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:33	1	1	1	1	114.3	58.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	38.625	2004
15.01.2020 11:11:34	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	37.8125	2004
15.01.2020 11:11:35	1	1	1	1	114.3	57.75	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	38.125	2004
15.01.2020 11:11:36	1	1	1	1	114.3	58	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	38.375	2004
15.01.2020 11:11:37	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.5	2004
15.01.2020 11:11:38	1	1	1	1	113.8	58.5	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:11:39	1	1	1	1	113.8	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.5625	2004
15.01.2020 11:11:40	1	1	1	1	113.8	58.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38	2004
15.01.2020 11:11:41	1	1	1	1	113.8	58	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	38.5	2004
15.01.2020 11:11:42	1	1	1	1	113.8	58.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:11:43	1	1	1	1	113.8	58	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.75	2004
15.01.2020 11:11:44	1	1	1	1	113.8	58.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	38.75	2004
15.01.2020 11:11:45	1	1	1	1	113.8	58.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	38.75	2004
15.01.2020 11:11:46	1	1	1	1	113.8	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:47	1	1	1	1	114	58.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	38.1875	2004
15.01.2020 11:11:48	1	1	1	1	114	58	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.875	2004
15.01.2020 11:11:49	1	1	1	1	114	58.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	38.8125	2004
15.01.2020 11:11:50	1	1	1	1	114	58.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.3125	2004
15.01.2020 11:11:51	1	1	1	1	114	58.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.75	2004
15.01.2020 11:11:52	1	1	1	1	114	58.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.5625	2004
15.01.2020 11:11:53	1	1	1	1	114	58.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:54	1	1	1	1	114	58.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	38.75	2004
15.01.2020 11:11:55	1	1	1	1	114	58.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:56	1	1	1	1	114	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.6875	2004
15.01.2020 11:11:57	1	1	1	1	114	58.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:11:58	1	1	1	1	114	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.625	2004
15.01.2020 11:11:59	1	1	1	1	114	58.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.625	2004
15.01.2020 11:12:00	1	1	1	1	114	58.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	38.0625	2004
15.01.2020 11:12:01	1	1	1	1	114	58	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	38.3125	2004
15.01.2020 11:12:02	1	1	1	1	114	58.25	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	39.125	2004
15.01.2020 11:12:03	1	1	1	1	114	59	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	38.9375	2004
15.01.2020 11:12:04	1	1	1	1	114	58.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:05	1	1	1	1	114	58.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	38.75	2004
15.01.2020 11:12:06	1	1	1	1	114	58.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	38.75	2004
15.01.2020 11:12:07	1	1	1	1	114	58.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	38.875	2004
15.01.2020 11:12:08	1	1	1	1	114	58.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:09	1	1	1	1	114	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:11	1	1	1	1	114	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:12:12	1	1	1	1	114	58.5	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	38.25	2004
15.01.2020 11:12:13	1	1	1	1	114	58.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.1875	2004
15.01.2020 11:12:14	1	1	1	1	114	58	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:15	1	1	1	1	114	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.6875	2004
15.01.2020 11:12:16	1	1	1	1	114	58.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	38.75	2004
15.01.2020 11:12:17	1	1	1	1	114.8	58.75	0	27061.611	587.0967742	16059.57655	30000	0	0	30000	38.5625	2004
15.01.2020 11:12:18	1	1	1	1	114.8	58.5	0	27156.398	587.0967742	15826.38002	30000	0	0	30000	38.6875	2004
15.01.2020 11:12:19	1	1	1	1	114.8	58.5	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	38.75	2004
15.01.2020 11:12:20	1	1	1	1	114.8	58.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	38	2004
15.01.2020 11:12:21	1	1	1	1	114.8	58	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39	2004
15.01.2020 11:12:22	1	1	1	1	114.8	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:12:23	1	1	1	1	114.8	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:12:24	1	1	1	1	114.8	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.9375	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:30	1	1	1	1	114	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:12:31	1	1	1	1	114	58.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	38.375	2004
15.01.2020 11:12:32	1	1	1	1	114	58.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	38.875	2004
15.01.2020 11:12:33	1	1	1	1	114	58.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	38.5625	2004
15.01.2020 11:12:34	1	1	1	1	114	58.5	0	27345.972	589.2473118	16168.83646	30000	0	0	30000	38.875	2004
15.01.2020 11:12:35	1	1	1	1	114	58.75	0	27156.398	587.0967742	15885.08684	30000	0	0	30000	38.375	2004
15.01.2020 11:12:36	1	1	1	1	114	58.25	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	38.875	2004
15.01.2020 11:12:37	1	1	1	1	114	58.75	0	27109.005	587.0967742	15857.36417	30000	0	0	30000	38.0625	2004
15.01.2020 11:12:38	1	1	1	1	114	58	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:39	1	1	1	1	114	58.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.6875	2004
15.01.2020 11:12:40	1	1	1	1	114	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39	2004
15.01.2020 11:12:41	1	1	1	1	114	59	0	27298.578	584.9462366	16203.08211	30000	0	0	30000	38.8125	2004
15.01.2020 11:12:42	1	1	1	1	114	58.75	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	38.25	2004
15.01.2020 11:12:43	1	1	1	1	114	58.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	39.0625	2004
15.01.2020 11:12:44	1	1	1	1	114	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:12:45	1	1	1	1	114	58.5	0	27440.758	584.9462366	16054.68431	30000	0	0	30000	38.625	2004
15.01.2020 11:12:46	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	38.9375	2004
15.01.2020 11:12:47	1	1	1	1	114.3	58.75	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	38.6875	2004
15.01.2020 11:12:48	1	1	1	1	114.3	58.5	0	27061.611	587.0967742	16148.45215	30000	0	0	30000	38.875	2004
15.01.2020 11:12:50	1	1	1	1	114.3	58.75	0	27014.218	584.9462366	16031.85389	30000	0	0	30000	38.9375	2004
15.01.2020 11:12:51	1	1	1	1	114.3	58.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	38.75	2004
15.01.2020 11:12:52	1	1	1	1	114.3	58.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	36.625	2004
15.01.2020 11:12:53	1	1	1	1	114.3	56.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.125	2004
15.01.2020 11:12:54	1	1	1	1	114.3	58	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38	2004
15.01.2020 11:12:55	1	1	1	1	114.3	58	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.5	2004
15.01.2020 11:12:56	1	1	1	1	114.3	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.0625	2004
15.01.2020 11:12:57	1	1	1	1	114	58	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	38.5625	2004
15.01.2020 11:12:58	1	1	1	1	114	58.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:12:59	1	1	1	1	114	58.75	0	27014.218	587.0967742	16004.13122	30000	0	0	30000	38.5	2004
15.01.2020 11:13:00	1	1	1	1	114	58.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	39	2004
15.01.2020 11:13:01	1	1	1	1	114	59	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	38.875	2004
15.01.2020 11:13:02	1	1	1	1	114	58.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:03	1	1	1	1	114	58.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:04	1	1	1	1	114	58.75	0	27156.398	593.5483871	16176.99019	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:05	1	1	1	1	114	58.75	0	27156.398	593.5483871	15915.25562	30000	0	0	30000	38.625	2004
15.01.2020 11:13:06	1	1	1	1	114	58.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:13:07	1	1	1	1	114.5	58.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	38.1875	2004
15.01.2020 11:13:08	1	1	1	1	114.5	58	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	38.75	2004
15.01.2020 11:13:09	1	1	1	1	114.5	58.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:10	1	1	1	1	114.5	58.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	38.75	2004
15.01.2020 11:13:11	1	1	1	1	114.5	58.75	0	27061.611	593.5483871	15832.08763	30000	0	0	30000	38.5625	2004
15.01.2020 11:13:12	1	1	1	1	114.5	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.75	2004
15.01.2020 11:13:13	1	1	1	1	114.5	58.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.625	2004
15.01.2020 11:13:14	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.0625	2004
15.01.2020 11:13:15	1	1	1	1	114.5	58	0	27014.218	587.0967742	16004.13122	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:16	1	1	1	1	114.5	58.75	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	38.5625	2004
15.01.2020 11:13:17	1	1	1	1	114.5	58.5	0	27061.611	589.2473118	15715.48936	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:18	1	1	1	1	114.5	58.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	38.1875	2004
15.01.2020 11:13:19	1	1	1	1	114.5	58	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:20	1	1	1	1	114.5	58.75	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	39.125	2004
15.01.2020 11:13:21	1	1	1	1	114.5	59	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.0625	2004
15.01.2020 11:13:22	1	1	1	1	114.5	59	0	26824.645	589.2473118	15833.71837	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:23	1	1	1	1	114.5	58.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	38.25	2004
15.01.2020 11:13:24	1	1	1	1	114.5	58.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39	2004
15.01.2020 11:13:25	1	1	1	1	114.5	59	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.75	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:32	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:13:33	1	1	1	1	114.5	59	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:34	1	1	1	1	114.5	58.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39	2004
15.01.2020 11:13:35	1	1	1	1	114.5	59	0	26966.825	593.5483871	16062.02267	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:36	1	1	1	1	114.5	58.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.0625	2004
15.01.2020 11:13:37	1	1	1	1	114.5	59	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	38.375	2004
15.01.2020 11:13:38	1	1	1	1	114.5	58.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	38.875	2004
15.01.2020 11:13:39	1	1	1	1	114.5	58.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	38.75	2004
15.01.2020 11:13:40	1	1	1	1	114.5	58.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	38.8125	2004
15.01.2020 11:13:41	1	1	1	1	114.5	58.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	38.5	2004
15.01.2020 11:13:42	1	1	1	1	114.5	58.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	38.4375	2004
15.01.2020 11:13:43	1	1	1	1	114.5	58.25	0	26966.825	589.2473118	15975.59318	30000	0	0	30000	38.1875	2004
15.01.2020 11:13:44	1	1	1	1	114.5	58	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	38.875	2004
15.01.2020 11:13:45	1	1	1	1	114.5	58.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:46	1	1	1	1	114.5	58.75	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	38.9375	2004
15.01.2020 11:13:47	1	1	1	1	114.3	58.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.75	2004
15.01.2020 11:13:48	1	1	1	1	114.3	58.75	0	27109.005	593.5483871	16118.28337	30000	0	0	30000	38.5625	2004
15.01.2020 11:13:49	1	1	1	1	114.3	58.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	39	2004
15.01.2020 11:13:50	1	1	1	1	114.3	59	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:13:51	1	1	1	1	114.3	58.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	39	2004
15.01.2020 11:13:52	1	1	1	1	114.3	59	0	26966.825	587.0967742	16004.13122	30000	0	0	30000	38.875	2004
15.01.2020 11:13:53	1	1	1	1	114.3	58.75	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	37.875	2004
15.01.2020 11:13:54	1	1	1	1	114.3	57.75	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	39.0625	2004
15.01.2020 11:13:55	1	1	1	1	114.3	59	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39	2004
15.01.2020 11:13:56	1	1	1	1	114.3	59	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	38.75	2004
15.01.2020 11:13:57	1	1	1	1	114.3	58.75	0	27109.005	593.5483871	15887.53295	30000	0	0	30000	39	2004
15.01.2020 11:13:58	1	1	1	1	114.3	59	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.0625	2004
15.01.2020 11:13:59	1	1	1	1	114.3	59	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	38.375	2004
15.01.2020 11:14:00	1	1	1	1	114.3	58.25	0	26919.431	602.1505376	15863.88715	30000	0	0	30000	39.1875	2004
15.01.2020 11:14:01	1	1	1	1	114.3	59	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	38.75	2004
15.01.2020 11:14:02	1	1	1	1	114.3	58.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	38.625	2004
15.01.2020 11:14:03	1	1	1	1	114.3	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.5	2004
15.01.2020 11:14:04	1	1	1	1	114.3	58.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.875	2004
15.01.2020 11:14:05	1	1	1	1	114.3	58.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:06	1	1	1	1	114.3	58.75	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	38.625	2004
15.01.2020 11:14:08	1	1	1	1	114.3	58.5	0	27156.398	591.3978495	16320.49575	30000	0	0	30000	38.8125	2004
15.01.2020 11:14:09	1	1	1	1	114.3	58.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:10	1	1	1	1	114.3	58.75	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	38.6875	2004
15.01.2020 11:14:11	1	1	1	1	114.3	58.5	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	38.625	2004
15.01.2020 11:14:12	1	1	1	1	114.3	58.5	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	38.75	2004
15.01.2020 11:14:13	1	1	1	1	114.3	58.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	38.875	2004
15.01.2020 11:14:14	1	1	1	1	114.3	58.75	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	38.8125	2004
15.01.2020 11:14:15	1	1	1	1	114.3	58.75	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	39.0625	2004
15.01.2020 11:14:16	1	1	1	1	114.3	59	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:14:17	1	1	1	1	114	59	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.6875	2004
15.01.2020 11:14:18	1	1	1	1	114	58.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	38.6875	2004
15.01.2020 11:14:19	1	1	1	1	114	58.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	38.1875	2004
15.01.2020 11:14:20	1	1	1	1	114	58	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.8125	2004
15.01.2020 11:14:21	1	1	1	1	114	58.75	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	38.5	2004
15.01.2020 11:14:22	1	1	1	1	114	58.5	0	27061.611	582.7956989	16031.85389	30000	0	0	30000	39	2004
15.01.2020 11:14:23	1	1	1	1	114	59	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.25	2004
15.01.2020 11:14:24	1	1	1	1	114	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.3125	2004
15.01.2020 11:14:25	1	1	1	1	114	58.25	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:26	1	1	1	1	114	58.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:14:27	1	1	1	1	114.3	59	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:33	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:34	1	1	1	1	114.3	58.5	0	27203.791	589.2473118	16026.96165	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:14:35	1	1	1	1	114.3	58.25	0	27014.218	587.0967742	15832.08763	30000	0	0	30000	38.6875	2004
15.01.2020 11:14:36	1	1	1	1	114.3	58.5	0	27298.578	584.9462366	16261.78893	30000	0	0	30000	38.5625	2004
15.01.2020 11:14:37	1	1	1	1	114	58.5	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:38	1	1	1	1	114	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.125	2004
15.01.2020 11:14:39	1	1	1	1	114	59	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.625	2004
15.01.2020 11:14:40	1	1	1	1	114	58.5	0	27156.398	597.8494624	16031.85389	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:41	1	1	1	1	114	58.75	0	27109.005	591.3978495	16144.37529	30000	0	0	30000	39	2004
15.01.2020 11:14:42	1	1	1	1	114	59	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	39.25	2004
15.01.2020 11:14:43	1	1	1	1	114	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.75	2004
15.01.2020 11:14:44	1	1	1	1	114	58.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	38.25	2004
15.01.2020 11:14:45	1	1	1	1	114	59	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.0625	2004
15.01.2020 11:14:46	1	1	1	1	114.3	59	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	38.25	2004
15.01.2020 11:14:48	1	1	1	1	114.3	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39	2004
15.01.2020 11:14:49	1	1	1	1	114.3	59	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	38.875	2004
15.01.2020 11:14:50	1	1	1	1	114.3	58.75	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	39.125	2004
15.01.2020 11:14:51	1	1	1	1	114.3	59	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.75	2004
15.01.2020 11:14:52	1	1	1	1	114.3	58.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	38.9375	2004
15.01.2020 11:14:53	1	1	1	1	114.3	58.75	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	39	2004
15.01.2020 11:14:54	1	1	1	1	114.3	59	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:14:55	1	1	1	1	114.3	59	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.25	2004
15.01.2020 11:14:56	1	1	1	1	114.3	58.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39	2004
15.01.2020 11:14:57	1	1	1	1	114.3	59	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.0625	2004
15.01.2020 11:14:58	1	1	1	1	114.3	59	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	39.125	2004
15.01.2020 11:14:59	1	1	1	1	114.3	59	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	38.5	2004
15.01.2020 11:15:00	1	1	1	1	114.3	58.5	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	38.4375	2004
15.01.2020 11:15:01	1	1	1	1	114.3	58.25	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:02	1	1	1	1	114.3	59	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	39	2004
15.01.2020 11:15:03	1	1	1	1	114.3	59	0	27109.005	595.6989247	15945.4244	30000	0	0	30000	38.375	2004
15.01.2020 11:15:04	1	1	1	1	114.3	58.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	38.875	2004
15.01.2020 11:15:05	1	1	1	1	114.3	58.75	0	26824.645	591.3978495	16123.1756	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:06	1	1	1	1	114.3	58.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	39.25	2004
15.01.2020 11:15:07	1	1	1	1	114	59.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.125	2004
15.01.2020 11:15:08	1	1	1	1	114	59	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	38.8125	2004
15.01.2020 11:15:09	1	1	1	1	114	58.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39	2004
15.01.2020 11:15:10	1	1	1	1	114	59	0	27014.218	587.0967742	15945.4244	30000	0	0	30000	39.1875	2004
15.01.2020 11:15:11	1	1	1	1	114	59	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	38.375	2004
15.01.2020 11:15:12	1	1	1	1	114	58.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	38.75	2004
15.01.2020 11:15:13	1	1	1	1	114	58.75	0	27109.005	587.0967742	16203.08211	30000	0	0	30000	39.25	2004
15.01.2020 11:15:14	1	1	1	1	114	59.25	0	27061.611	584.9462366	15973.96244	30000	0	0	30000	38.8125	2004
15.01.2020 11:15:15	1	1	1	1	114	58.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	38.5625	2004
15.01.2020 11:15:16	1	1	1	1	114	58.5	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:17	1	1	1	1	114	59	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	39.1875	2004
15.01.2020 11:15:18	1	1	1	1	114	59	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:15:19	1	1	1	1	114	59	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:20	1	1	1	1	114	59	0	27061.611	587.0967742	15832.08763	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:21	1	1	1	1	114	58.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.6875	2004
15.01.2020 11:15:22	1	1	1	1	114	58.5	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:15:24	1	1	1	1	114	59	0	27109.005	593.5483871	15945.4244	30000	0	0	30000	39.1875	2004
15.01.2020 11:15:25	1	1	1	1	114	59	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	38.875	2004
15.01.2020 11:15:26	1	1	1	1	114	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:27	1	1	1	1	114.3	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.5625	2004
15.01.2020 11:15:28	1	1	1	1	114.3	58.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:29	1	1	1	1	114.3	58.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:35	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:36	1	1	1	1	114.3	59	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:37	1	1	1	1	114.5	58.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.1875	2004
15.01.2020 11:15:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	38.4375	2004
15.01.2020 11:15:39	1	1	1	1	114.5	58.25	0	27203.791	584.9462366	15968.25483	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:40	1	1	1	1	114.5	58.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:41	1	1	1	1	114.5	59	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	38.25	2004
15.01.2020 11:15:42	1	1	1	1	114.5	58.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:43	1	1	1	1	114.5	59	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	38.625	2004
15.01.2020 11:15:44	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.5	2004
15.01.2020 11:15:45	1	1	1	1	114.5	58.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.125	2004
15.01.2020 11:15:46	1	1	1	1	114.5	59	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:47	1	1	1	1	114.3	58.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	38.6875	2004
15.01.2020 11:15:48	1	1	1	1	114.3	58.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39	2004
15.01.2020 11:15:49	1	1	1	1	114.3	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:50	1	1	1	1	114.3	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:15:51	1	1	1	1	114.3	59.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	39.25	2004
15.01.2020 11:15:52	1	1	1	1	114.3	59.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	39.25	2004
15.01.2020 11:15:53	1	1	1	1	114.3	59.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	38.4375	2004
15.01.2020 11:15:54	1	1	1	1	114.3	58.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39	2004
15.01.2020 11:15:55	1	1	1	1	114.3	59	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:15:56	1	1	1	1	114.3	59	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
15.01.2020 11:15:57	1	1	1	1	114.5	59.5	0	27109.005	587.0967742	16118.28337	30000	0	0	30000	38.9375	2004
15.01.2020 11:15:58	1	1	1	1	114.5	58.75	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	39.3125	2004
15.01.2020 11:15:59	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.25	2004
15.01.2020 11:16:00	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	16320.49575	30000	0	0	30000	38.5625	2004
15.01.2020 11:16:02	1	1	1	1	114.5	58.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.25	2004
15.01.2020 11:16:03	1	1	1	1	114.5	58.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:16:04	1	1	1	1	114.5	58.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	38.75	2004
15.01.2020 11:16:05	1	1	1	1	114.5	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	37.3125	2004
15.01.2020 11:16:06	1	1	1	1	114.5	57.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.25	2004
15.01.2020 11:16:07	1	1	1	1	114.5	59.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:08	1	1	1	1	114.5	59	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	39.25	2004
15.01.2020 11:16:09	1	1	1	1	114.5	59.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:10	1	1	1	1	114.5	59	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	39	2004
15.01.2020 11:16:11	1	1	1	1	114.5	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:16:12	1	1	1	1	114.5	58.75	0	27109.005	593.5483871	15887.53295	30000	0	0	30000	37.875	2004
15.01.2020 11:16:13	1	1	1	1	114.5	57.75	0	26966.825	593.5483871	16062.02267	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:14	1	1	1	1	114.5	59	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.0625	2004
15.01.2020 11:16:15	1	1	1	1	114.5	58	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.875	2004
15.01.2020 11:16:16	1	1	1	1	114.5	58.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.75	2004
15.01.2020 11:16:17	1	1	1	1	114.3	58.75	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:18	1	1	1	1	114.3	59	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.625	2004
15.01.2020 11:16:19	1	1	1	1	114.3	58.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:20	1	1	1	1	114.3	59	0	27440.758	591.3978495	16228.35866	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:21	1	1	1	1	114.3	59	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	39.25	2004
15.01.2020 11:16:22	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.0625	2004
15.01.2020 11:16:23	1	1	1	1	114.3	58	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:16:24	1	1	1	1	114.3	59.25	0	26966.825	587.0967742	15859.81029	30000	0	0	30000	39	2004
15.01.2020 11:16:25	1	1	1	1	114.3	59	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.125	2004
15.01.2020 11:16:26	1	1	1	1	114.3	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.1875	2004
15.01.2020 11:16:27	1	1	1	1	114.5	58	0	27345.972	589.2473118	15909.54801	30000	0	0	30000	38.9375	2004
15.01.2020 11:16:28	1	1	1	1	114.5	58.75	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:29	1	1	1	1	114.5	59	0	27393.365	584.9462366	16082.40698	30000	0	0	30000	38.625	2004
15.01.2020 11:16:30	1	1	1	1	114.5	58.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:37	1	1	1	1	114.5	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
15.01.2020 11:16:37	1	1	1	1	114.5	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
15.01.2020 11:16:37	1	1	1	1	114.5	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
15.01.2020 11:16:37	1	1	1	1	114.5	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
15.01.2020 11:16:37	1	1	1	1	114.5	59	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.75	2004
15.01.2020 11:16:37	1	1	1	1	115	58.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:38	1	1	1	1	115	59	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	39.25	2004
15.01.2020 11:16:40	1	1	1	1	115	59.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	38.4375	2004
15.01.2020 11:16:41	1	1	1	1	115	58.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	38.625	2004
15.01.2020 11:16:42	1	1	1	1	115	58.5	0	27393.365	582.7956989	15936.4553	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:43	1	1	1	1	115	59	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:44	1	1	1	1	115	59	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	38.4375	2004
15.01.2020 11:16:45	1	1	1	1	115	58.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39	2004
15.01.2020 11:16:46	1	1	1	1	115	59	0	27582.938	587.0967742	16106.86815	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:47	1	1	1	1	114.5	59	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:16:48	1	1	1	1	114.5	58.75	0	27298.578	582.7956989	15857.36417	30000	0	0	30000	38.9375	2004
15.01.2020 11:16:49	1	1	1	1	114.5	58.75	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	38.5	2004
15.01.2020 11:16:50	1	1	1	1	114.5	58.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	39.375	2004
15.01.2020 11:16:51	1	1	1	1	114.5	59.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:16:52	1	1	1	1	114.5	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:53	1	1	1	1	114.5	59	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	39.125	2004
15.01.2020 11:16:54	1	1	1	1	114.5	59	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	38.9375	2004
15.01.2020 11:16:55	1	1	1	1	114.5	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.0625	2004
15.01.2020 11:16:56	1	1	1	1	114.5	59	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:16:57	1	1	1	1	114.3	58.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.1875	2004
15.01.2020 11:16:58	1	1	1	1	114.3	59	0	27298.578	587.0967742	15798.65735	30000	0	0	30000	38.5625	2004
15.01.2020 11:16:59	1	1	1	1	114.3	58.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.1875	2004
15.01.2020 11:17:00	1	1	1	1	114.3	59	0	27156.398	578.4946237	16026.96165	30000	0	0	30000	39	2004
15.01.2020 11:17:01	1	1	1	1	114.3	59	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.1875	2004
15.01.2020 11:17:02	1	1	1	1	114.3	59	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	39.25	2004
15.01.2020 11:17:03	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	38.6875	2004
15.01.2020 11:17:04	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39	2004
15.01.2020 11:17:05	1	1	1	1	114.3	59	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:17:06	1	1	1	1	114.3	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39	2004
15.01.2020 11:17:07	1	1	1	1	114.3	59	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:17:08	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.75	2004
15.01.2020 11:17:09	1	1	1	1	114.3	58.75	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	38.625	2004
15.01.2020 11:17:10	1	1	1	1	114.3	58.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	38.5625	2004
15.01.2020 11:17:11	1	1	1	1	114.3	58.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:17:12	1	1	1	1	114.3	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.3125	2004
15.01.2020 11:17:13	1	1	1	1	114.3	59.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.125	2004
15.01.2020 11:17:14	1	1	1	1	114.3	59	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	38.375	2004
15.01.2020 11:17:15	1	1	1	1	114.3	58.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	38.875	2004
15.01.2020 11:17:16	1	1	1	1	114.3	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.9375	2004
15.01.2020 11:17:17	1	1	1	1	114.5	58.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.5625	2004
15.01.2020 11:17:18	1	1	1	1	114.5	59.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:20	1	1	1	1	114.5	58.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.25	2004
15.01.2020 11:17:21	1	1	1	1	114.5	58.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.3125	2004
15.01.2020 11:17:22	1	1	1	1	114.5	59.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.375	2004
15.01.2020 11:17:23	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:17:24	1	1	1	1	114.5	58.75	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	38.6875	2004
15.01.2020 11:17:25	1	1	1	1	114.5	58.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.9375	2004
15.01.2020 11:17:26	1	1	1	1	114.5	58.75	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	39	2004
15.01.2020 11:17:27	1	1	1	1	114.3	59	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	39.0625	2004
15.01.2020 11:17:28	1	1	1	1	114.3	59	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	39.4375	2004
15.01.2020 11:17:29	1	1	1	1	114.3	59.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.5	2004
15.01.2020 11:17:30	1	1	1	1	114.3	58.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	39.375	2004
15.01.2020 11:17:31	1	1	1	1	114.3	59.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:17:32	1	1	1	1	114.3	59	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	39.0625	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:38	1	1	1	1	114.5	59	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:39	1	1	1	1	114.5	58.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	38.4375	2004
15.01.2020 11:17:40	1	1	1	1	114.5	58.25	0	27061.611	595.6989247	16090.5607	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:41	1	1	1	1	114.5	58.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39	2004
15.01.2020 11:17:42	1	1	1	1	114.5	59	0	26966.825	591.3978495	15832.08763	30000	0	0	30000	39.375	2004
15.01.2020 11:17:43	1	1	1	1	114.5	59.25	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	38.8125	2004
15.01.2020 11:17:44	1	1	1	1	114.5	58.75	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:17:45	1	1	1	1	114.5	59	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.25	2004
15.01.2020 11:17:46	1	1	1	1	114.5	59.25	0	27061.611	587.0967742	16031.85389	30000	0	0	30000	39	2004
15.01.2020 11:17:47	1	1	1	1	114.3	59	0	27156.398	591.3978495	15857.36417	30000	0	0	30000	39.375	2004
15.01.2020 11:17:48	1	1	1	1	114.3	59.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.6875	2004
15.01.2020 11:17:49	1	1	1	1	114.3	58.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:17:50	1	1	1	1	114.3	59.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.375	2004
15.01.2020 11:17:51	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.625	2004
15.01.2020 11:17:52	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:17:53	1	1	1	1	114.3	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.375	2004
15.01.2020 11:17:55	1	1	1	1	114.3	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.3125	2004
15.01.2020 11:17:56	1	1	1	1	114.3	59.25	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:17:57	1	1	1	1	114.5	59	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:17:58	1	1	1	1	114.5	59	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	39.3125	2004
15.01.2020 11:17:59	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	38.6875	2004
15.01.2020 11:18:00	1	1	1	1	114.5	58.5	0	27061.611	580.6451613	15973.96244	30000	0	0	30000	39.25	2004
15.01.2020 11:18:01	1	1	1	1	114.5	59.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.25	2004
15.01.2020 11:18:02	1	1	1	1	114.5	59.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.25	2004
15.01.2020 11:18:03	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.875	2004
15.01.2020 11:18:04	1	1	1	1	114.5	58.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.125	2004
15.01.2020 11:18:05	1	1	1	1	114.5	59	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	39.4375	2004
15.01.2020 11:18:06	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	39.5	2004
15.01.2020 11:18:07	1	1	1	1	114.5	59.5	0	27061.611	589.2473118	15715.48936	30000	0	0	30000	38.8125	2004
15.01.2020 11:18:08	1	1	1	1	114.5	58.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.375	2004
15.01.2020 11:18:09	1	1	1	1	114.5	59.25	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	39.125	2004
15.01.2020 11:18:10	1	1	1	1	114.5	59	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	39.25	2004
15.01.2020 11:18:11	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.125	2004
15.01.2020 11:18:12	1	1	1	1	114.5	59	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.375	2004
15.01.2020 11:18:13	1	1	1	1	114.5	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	38.9375	2004
15.01.2020 11:18:14	1	1	1	1	114.5	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:18:15	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:18:16	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	39.25	2004
15.01.2020 11:18:17	1	1	1	1	114.8	59.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	38.8125	2004
15.01.2020 11:18:18	1	1	1	1	114.8	58.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.5	2004
15.01.2020 11:18:19	1	1	1	1	114.8	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	38.75	2004
15.01.2020 11:18:20	1	1	1	1	114.8	58.75	0	27014.218	589.2473118	15975.59318	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:21	1	1	1	1	114.8	59.25	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	39.4375	2004
15.01.2020 11:18:22	1	1	1	1	114.8	59.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	38.875	2004
15.01.2020 11:18:23	1	1	1	1	114.8	58.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.375	2004
15.01.2020 11:18:24	1	1	1	1	114.8	59.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.9375	2004
15.01.2020 11:18:25	1	1	1	1	114.8	58.75	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	38.1875	2004
15.01.2020 11:18:26	1	1	1	1	114.8	58	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:27	1	1	1	1	114.8	59	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:18:28	1	1	1	1	114.8	59.75	0	27156.398	589.2473118	15798.65735	30000	0	0	30000	39.4375	2004
15.01.2020 11:18:29	1	1	1	1	114.8	59.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:18:30	1	1	1	1	114.8	59	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.5625	2004
15.01.2020 11:18:31	1	1	1	1	114.8	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.8125	2004
15.01.2020 11:18:33	1	1	1	1	114.8	59.5	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:34	1	1	1	1	114.8	59	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:40	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:40	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:40	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:40	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:40	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:41	1	1	1	1	114.5	59.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:42	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.125	2004
15.01.2020 11:18:43	1	1	1	1	114.5	59	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	38.1875	2004
15.01.2020 11:18:44	1	1	1	1	114.5	58	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:45	1	1	1	1	114.5	59.25	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:46	1	1	1	1	114.5	59	0	27061.611	593.5483871	16031.85389	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:47	1	1	1	1	114.5	59	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:48	1	1	1	1	114.5	59	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	39.375	2004
15.01.2020 11:18:49	1	1	1	1	114.5	59.25	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	38.8125	2004
15.01.2020 11:18:50	1	1	1	1	114.5	58.75	0	26919.431	593.5483871	15718.75085	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:51	1	1	1	1	114.5	59.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:52	1	1	1	1	114.5	59.25	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	39.1875	2004
15.01.2020 11:18:53	1	1	1	1	114.5	59	0	26919.431	591.3978495	15949.50126	30000	0	0	30000	38.75	2004
15.01.2020 11:18:54	1	1	1	1	114.5	58.75	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:55	1	1	1	1	114.5	59.25	0	26919.431	604.3010753	16035.93075	30000	0	0	30000	39.125	2004
15.01.2020 11:18:56	1	1	1	1	114.5	59	0	26872.038	597.8494624	16035.93075	30000	0	0	30000	39.4375	2004
15.01.2020 11:18:57	1	1	1	1	114.5	59.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	39.3125	2004
15.01.2020 11:18:58	1	1	1	1	114.5	59.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:02	1	1	1	1	114.5	58.75	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:19:02	1	1	1	1	114.5	58.75	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	39.25	2004
15.01.2020 11:19:02	1	1	1	1	114.5	58.75	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	39.25	2004
15.01.2020 11:19:02	1	1	1	1	114.5	59.25	0	26872.038	591.3978495	15978.0393	30000	0	0	30000	38.125	2004
15.01.2020 11:19:03	1	1	1	1	114.5	58	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	39.25	2004
15.01.2020 11:19:04	1	1	1	1	114.5	59.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	39.25	2004
15.01.2020 11:19:05	1	1	1	1	114.5	59.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	39.1875	2004
15.01.2020 11:19:06	1	1	1	1	114.5	59	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	39.125	2004
15.01.2020 11:19:07	1	1	1	1	115	59	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	39.25	2004
15.01.2020 11:19:08	1	1	1	1	115	59.25	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	39.375	2004
15.01.2020 11:19:09	1	1	1	1	115	59.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	39.6875	2004
15.01.2020 11:19:10	1	1	1	1	115	59.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.125	2004
15.01.2020 11:19:11	1	1	1	1	115	59	0	26824.645	593.5483871	16036.74612	30000	0	0	30000	38.8125	2004
15.01.2020 11:19:12	1	1	1	1	115	58.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.1875	2004
15.01.2020 11:19:14	1	1	1	1	115	58.75	0	26919.431	589.2473118	16005.76197	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:15	1	1	1	1	115	59.25	0	26824.645	593.5483871	16035.93075	30000	0	0	30000	39.5625	2004
15.01.2020 11:19:16	1	1	1	1	115	59.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:17	1	1	1	1	115	59.25	0	26777.251	591.3978495	15978.85467	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:18	1	1	1	1	115	59.25	0	26919.431	602.1505376	15891.60982	30000	0	0	30000	39.375	2004
15.01.2020 11:19:19	1	1	1	1	115	59.25	0	26919.431	595.6989247	16121.54486	30000	0	0	30000	39.0625	2004
15.01.2020 11:19:20	1	1	1	1	115	59	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	38.9375	2004
15.01.2020 11:19:21	1	1	1	1	115	58.75	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	39.375	2004
15.01.2020 11:19:22	1	1	1	1	115	59.25	0	27109.005	595.6989247	16062.02267	30000	0	0	30000	39.375	2004
15.01.2020 11:19:23	1	1	1	1	115	59.25	0	26872.038	589.2473118	16093.82219	30000	0	0	30000	38.875	2004
15.01.2020 11:19:24	1	1	1	1	115	58.75	0	27014.218	595.6989247	16005.76197	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:25	1	1	1	1	115	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.5625	2004
15.01.2020 11:19:26	1	1	1	1	115	59.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	39.125	2004
15.01.2020 11:19:27	1	1	1	1	115	59	0	27298.578	597.8494624	16090.5607	30000	0	0	30000	39.375	2004
15.01.2020 11:19:28	1	1	1	1	115	59.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:29	1	1	1	1	115	59.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.5625	2004
15.01.2020 11:19:30	1	1	1	1	115	59.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	39.1875	2004
15.01.2020 11:19:31	1	1	1	1	115	59	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:32	1	1	1	1	115	59.25	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	39.0625	2004
15.01.2020 11:19:33	1	1	1	1	115	59	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.25	2004
15.01.2020 11:19:34	1	1	1	1	115	59.25	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	39.1875	2004
15.01.2020 11:19:35	1	1	1	1	115	59	0	26824.645	593.5483871	15835.34912	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:41	1	1	1	1	114.8	59	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	38.5625	2004
15.01.2020 11:19:42	1	1	1	1	114.8	58.5	0	26966.825	591.3978495	16034.3	30000	0	0	30000	39.5	2004
15.01.2020 11:19:43	1	1	1	1	114.8	59.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:19:44	1	1	1	1	114.8	59.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:45	1	1	1	1	114.8	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.25	2004
15.01.2020 11:19:46	1	1	1	1	114.8	59.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	39.0625	2004
15.01.2020 11:19:47	1	1	1	1	114.5	59	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:48	1	1	1	1	114.5	59.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:49	1	1	1	1	114.5	59.25	0	27061.611	591.3978495	15774.19618	30000	0	0	30000	39.3125	2004
15.01.2020 11:19:50	1	1	1	1	114.5	59.25	0	26777.251	591.3978495	15893.24056	30000	0	0	30000	39.5625	2004
15.01.2020 11:19:51	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16295.2192	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:52	1	1	1	1	114.5	59.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	39.75	2004
15.01.2020 11:19:53	1	1	1	1	114.5	59.75	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	38.9375	2004
15.01.2020 11:19:55	1	1	1	1	114.5	59.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	39.1875	2004
15.01.2020 11:19:56	1	1	1	1	114.5	59	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	39.25	2004
15.01.2020 11:19:57	1	1	1	1	115	59.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	39.375	2004
15.01.2020 11:19:58	1	1	1	1	115	59.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.4375	2004
15.01.2020 11:19:59	1	1	1	1	115	59.25	0	27109.005	591.3978495	16118.28337	30000	0	0	30000	39	2004
15.01.2020 11:20:00	1	1	1	1	115	59	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	39.375	2004
15.01.2020 11:20:01	1	1	1	1	115	59.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.125	2004
15.01.2020 11:20:02	1	1	1	1	115	59	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	39.375	2004
15.01.2020 11:20:03	1	1	1	1	115	59.25	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	39	2004
15.01.2020 11:20:04	1	1	1	1	115	59	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.5	2004
15.01.2020 11:20:05	1	1	1	1	115	59.5	0	26824.645	591.3978495	15835.34912	30000	0	0	30000	39.375	2004
15.01.2020 11:20:06	1	1	1	1	115	59.25	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	39.0625	2004
15.01.2020 11:20:07	1	1	1	1	115.3	59	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	39.3125	2004
15.01.2020 11:20:08	1	1	1	1	115.3	59.25	0	27061.611	597.8494624	16148.45215	30000	0	0	30000	39.375	2004
15.01.2020 11:20:09	1	1	1	1	115.3	59.25	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	38.75	2004
15.01.2020 11:20:10	1	1	1	1	115.3	58.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.125	2004
15.01.2020 11:20:11	1	1	1	1	115.3	59	0	27109.005	595.6989247	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:12	1	1	1	1	115.3	59.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.5625	2004
15.01.2020 11:20:13	1	1	1	1	115.3	59.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:14	1	1	1	1	115.3	59.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:15	1	1	1	1	115.3	59.25	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	39.5	2004
15.01.2020 11:20:16	1	1	1	1	115.3	59.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	39.0625	2004
15.01.2020 11:20:17	1	1	1	1	114.5	59	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:18	1	1	1	1	114.5	59.25	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	38.8125	2004
15.01.2020 11:20:19	1	1	1	1	114.5	58.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	39.0625	2004
15.01.2020 11:20:20	1	1	1	1	114.5	59	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	39.1875	2004
15.01.2020 11:20:21	1	1	1	1	114.5	59	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	39.125	2004
15.01.2020 11:20:22	1	1	1	1	114.5	59	0	26919.431	584.9462366	15978.0393	30000	0	0	30000	39.3125	2004
15.01.2020 11:20:23	1	1	1	1	114.5	59.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.5	2004
15.01.2020 11:20:24	1	1	1	1	114.5	59.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.375	2004
15.01.2020 11:20:25	1	1	1	1	114.5	59.25	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	39.0625	2004
15.01.2020 11:20:26	1	1	1	1	114.5	59	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.375	2004
15.01.2020 11:20:27	1	1	1	1	114.3	59.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:20:28	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:20:29	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.1875	2004
15.01.2020 11:20:30	1	1	1	1	114.3	59	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	39.5625	2004
15.01.2020 11:20:32	1	1	1	1	114.3	59.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
15.01.2020 11:20:33	1	1	1	1	114.3	58.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.375	2004
15.01.2020 11:20:34	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:35	1	1	1	1	114.3	59.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	39.5	2004
15.01.2020 11:20:36	1	1	1	1	114.3	59.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	39.0625	2004
15.01.2020 11:20:37	1	1	1	1	114.5	59	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	39.25	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:43	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:20:44	1	1	1	1	114.5	59.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:45	1	1	1	1	114.5	59.25	0	27109.005	595.6989247	15887.53295	30000	0	0	30000	39.25	2004
15.01.2020 11:20:46	1	1	1	1	114.5	59.25	0	27298.578	595.6989247	15942.97828	30000	0	0	30000	39.5	2004
15.01.2020 11:20:47	1	1	1	1	114.8	59.5	0	27156.398	587.0967742	15968.25483	30000	0	0	30000	39.5625	2004
15.01.2020 11:20:48	1	1	1	1	114.8	59.5	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:49	1	1	1	1	114.8	59.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	39.1875	2004
15.01.2020 11:20:50	1	1	1	1	114.8	59	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39	2004
15.01.2020 11:20:51	1	1	1	1	114.8	59	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.375	2004
15.01.2020 11:20:52	1	1	1	1	114.8	59.25	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	39.375	2004
15.01.2020 11:20:53	1	1	1	1	114.8	59.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	39.4375	2004
15.01.2020 11:20:54	1	1	1	1	114.8	59.25	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	39.5	2004
15.01.2020 11:20:55	1	1	1	1	114.8	59.5	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	39.5	2004
15.01.2020 11:20:56	1	1	1	1	114.8	59.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	38.875	2004
15.01.2020 11:20:57	1	1	1	1	114.5	58.75	0	27061.611	582.7956989	15770.93469	30000	0	0	30000	39.5625	2004
15.01.2020 11:20:58	1	1	1	1	114.5	59.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.5	2004
15.01.2020 11:20:59	1	1	1	1	114.5	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:21:00	1	1	1	1	114.5	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:01	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.5	2004
15.01.2020 11:21:02	1	1	1	1	114.5	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:21:03	1	1	1	1	114.5	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:04	1	1	1	1	114.5	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:05	1	1	1	1	114.5	59.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	39.25	2004
15.01.2020 11:21:06	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40	2004
15.01.2020 11:21:07	1	1	1	1	114.8	60	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.25	2004
15.01.2020 11:21:08	1	1	1	1	114.8	59.25	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:21:09	1	1	1	1	114.8	59.75	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	39.8125	2004
15.01.2020 11:21:11	1	1	1	1	114.8	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	38.9375	2004
15.01.2020 11:21:12	1	1	1	1	114.8	59.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:21:13	1	1	1	1	114.8	58.25	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	39.625	2004
15.01.2020 11:21:14	1	1	1	1	114.8	59.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:21:15	1	1	1	1	114.8	59.5	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:16	1	1	1	1	114.8	59.25	0	27109.005	587.0967742	15945.4244	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:17	1	1	1	1	114.5	59.5	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	39.6875	2004
15.01.2020 11:21:18	1	1	1	1	114.5	59.5	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	39	2004
15.01.2020 11:21:19	1	1	1	1	114.5	59	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:20	1	1	1	1	114.5	59.25	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:21	1	1	1	1	114.5	59.25	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:22	1	1	1	1	114.5	59.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.5	2004
15.01.2020 11:21:23	1	1	1	1	114.5	59.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	38.75	2004
15.01.2020 11:21:24	1	1	1	1	114.5	58.75	0	27109.005	584.9462366	16261.78893	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:25	1	1	1	1	114.5	59.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	39.375	2004
15.01.2020 11:21:26	1	1	1	1	114.5	59.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	39.0625	2004
15.01.2020 11:21:27	1	1	1	1	114.3	59	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:21:28	1	1	1	1	114.3	59.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:21:29	1	1	1	1	114.3	59.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:30	1	1	1	1	114.3	59.25	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	39.5	2004
15.01.2020 11:21:31	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:32	1	1	1	1	114.3	59.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:21:33	1	1	1	1	114.3	59	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	39.5	2004
15.01.2020 11:21:34	1	1	1	1	114.3	59.5	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	39.125	2004
15.01.2020 11:21:35	1	1	1	1	114.3	59	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.625	2004
15.01.2020 11:21:36	1	1	1	1	114.3	59.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.25	2004
15.01.2020 11:21:37	1	1	1	1	114.3	59.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.5	2004
15.01.2020 11:21:38	1	1	1	1	114.3	59.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	38.875	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:45	1	1	1	1	114.3	59.5	0	26966.825	589.2473118	15917.70174	30000	0	0	30000	39.1875	2004
15.01.2020 11:21:46	1	1	1	1	114.3	59	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	39.3125	2004
15.01.2020 11:21:47	1	1	1	1	114.5	59.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:21:48	1	1	1	1	114.5	59.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	39.25	2004
15.01.2020 11:21:50	1	1	1	1	114.5	59.25	0	26966.825	591.3978495	15832.08763	30000	0	0	30000	39.5625	2004
15.01.2020 11:21:51	1	1	1	1	114.5	59	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.4375	2004
15.01.2020 11:21:52	1	1	1	1	114.5	59.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.625	2004
15.01.2020 11:21:53	1	1	1	1	114.5	59.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.75	2004
15.01.2020 11:21:54	1	1	1	1	114.5	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.875	2004
15.01.2020 11:21:55	1	1	1	1	114.5	58.75	0	27156.398	597.8494624	16118.28337	30000	0	0	30000	39.625	2004
15.01.2020 11:21:56	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:21:57	1	1	1	1	114.3	59	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.375	2004
15.01.2020 11:21:58	1	1	1	1	114.3	59.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.25	2004
15.01.2020 11:21:59	1	1	1	1	114.3	59.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:00	1	1	1	1	114.3	59.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.0625	2004
15.01.2020 11:22:01	1	1	1	1	114.3	59	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	39.5	2004
15.01.2020 11:22:02	1	1	1	1	114.3	59.5	0	26966.825	597.8494624	15920.14785	30000	0	0	30000	39.625	2004
15.01.2020 11:22:03	1	1	1	1	114.3	59.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.4375	2004
15.01.2020 11:22:04	1	1	1	1	114.3	59.25	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	39.625	2004
15.01.2020 11:22:05	1	1	1	1	114.3	59.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	38.375	2004
15.01.2020 11:22:06	1	1	1	1	114.3	58.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	39.5	2004
15.01.2020 11:22:07	1	1	1	1	114.3	59.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:08	1	1	1	1	114.3	59.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:09	1	1	1	1	114.3	59.5	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	39.625	2004
15.01.2020 11:22:10	1	1	1	1	114.3	59.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:11	1	1	1	1	114.3	59.5	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	38.75	2004
15.01.2020 11:22:12	1	1	1	1	114.3	58.75	0	27014.218	593.5483871	16062.02267	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:13	1	1	1	1	114.3	59.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.625	2004
15.01.2020 11:22:14	1	1	1	1	114.3	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.75	2004
15.01.2020 11:22:15	1	1	1	1	114.3	59.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:16	1	1	1	1	114.3	59.5	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	39.375	2004
15.01.2020 11:22:17	1	1	1	1	114	59.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:18	1	1	1	1	114	59.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.625	2004
15.01.2020 11:22:19	1	1	1	1	114	59.5	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	39.375	2004
15.01.2020 11:22:20	1	1	1	1	114	59.25	0	26919.431	595.6989247	15775.82692	30000	0	0	30000	39.375	2004
15.01.2020 11:22:21	1	1	1	1	114	59.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:22	1	1	1	1	114	59.5	0	27109.005	597.8494624	16119.91411	30000	0	0	30000	39.625	2004
15.01.2020 11:22:23	1	1	1	1	114	59.5	0	26777.251	589.2473118	15835.34912	30000	0	0	30000	39.3125	2004
15.01.2020 11:22:24	1	1	1	1	114	59.25	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:25	1	1	1	1	114	59.5	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	39.625	2004
15.01.2020 11:22:26	1	1	1	1	114	59.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	39.125	2004
15.01.2020 11:22:28	1	1	1	1	114.3	59	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:29	1	1	1	1	114.3	59.5	0	26919.431	595.6989247	16151.71364	30000	0	0	30000	39.5	2004
15.01.2020 11:22:30	1	1	1	1	114.3	59.5	0	27109.005	602.1505376	16062.02267	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:31	1	1	1	1	114.3	59.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:32	1	1	1	1	114.3	59.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	39.1875	2004
15.01.2020 11:22:33	1	1	1	1	114.3	59	0	26777.251	587.0967742	15978.85467	30000	0	0	30000	39.5	2004
15.01.2020 11:22:34	1	1	1	1	114.3	59.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:35	1	1	1	1	114.3	59.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	39.625	2004
15.01.2020 11:22:36	1	1	1	1	114.3	59.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	39.1875	2004
15.01.2020 11:22:37	1	1	1	1	113.8	59	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	39.3125	2004
15.01.2020 11:22:38	1	1	1	1	113.8	59.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:39	1	1	1	1	113.8	59.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	39.25	2004
15.01.2020 11:22:40	1	1	1	1	113.8	59.25	0	27298.578	589.2473118	16261.78893	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:47	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:48	1	1	1	1	114	59.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	38.875	2004
15.01.2020 11:22:49	1	1	1	1	114	58.75	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	39.625	2004
15.01.2020 11:22:50	1	1	1	1	114	59.5	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	39.125	2004
15.01.2020 11:22:51	1	1	1	1	114	59	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	39.3125	2004
15.01.2020 11:22:52	1	1	1	1	114	59.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.4375	2004
15.01.2020 11:22:53	1	1	1	1	114	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:22:54	1	1	1	1	114	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.8125	2004
15.01.2020 11:22:55	1	1	1	1	114	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:56	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:22:57	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:22:58	1	1	1	1	114.3	59.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	39.5625	2004
15.01.2020 11:22:59	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
15.01.2020 11:23:00	1	1	1	1	114.3	59.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:01	1	1	1	1	114.3	59.5	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	39.1875	2004
15.01.2020 11:23:02	1	1	1	1	114.3	59	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	39.0625	2004
15.01.2020 11:23:03	1	1	1	1	114.3	59	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	39.625	2004
15.01.2020 11:23:04	1	1	1	1	114.3	59.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:05	1	1	1	1	114.3	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.375	2004
15.01.2020 11:23:06	1	1	1	1	114.3	59.25	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	39.875	2004
15.01.2020 11:23:08	1	1	1	1	114.3	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:23:09	1	1	1	1	114.3	59.5	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	39.875	2004
15.01.2020 11:23:10	1	1	1	1	114.3	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.875	2004
15.01.2020 11:23:11	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	39.375	2004
15.01.2020 11:23:12	1	1	1	1	114.3	59.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.625	2004
15.01.2020 11:23:13	1	1	1	1	114.3	59.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:23:14	1	1	1	1	114.3	59.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.5	2004
15.01.2020 11:23:15	1	1	1	1	114.3	59.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:16	1	1	1	1	114.3	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:17	1	1	1	1	114.3	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:18	1	1	1	1	114.3	59.5	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	39.4375	2004
15.01.2020 11:23:19	1	1	1	1	114.3	59.25	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:20	1	1	1	1	114.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.6875	2004
15.01.2020 11:23:21	1	1	1	1	114.3	58.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.625	2004
15.01.2020 11:23:22	1	1	1	1	114.3	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:23	1	1	1	1	114.3	59.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.375	2004
15.01.2020 11:23:24	1	1	1	1	114.3	59.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:23:25	1	1	1	1	114.3	59.5	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	39.25	2004
15.01.2020 11:23:26	1	1	1	1	114.3	59.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	39.375	2004
15.01.2020 11:23:27	1	1	1	1	114	59.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.625	2004
15.01.2020 11:23:28	1	1	1	1	114	59.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:29	1	1	1	1	114	59.5	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	39.625	2004
15.01.2020 11:23:30	1	1	1	1	114	59.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	39.25	2004
15.01.2020 11:23:31	1	1	1	1	114	59.25	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	39.0625	2004
15.01.2020 11:23:32	1	1	1	1	114	59	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	39.0625	2004
15.01.2020 11:23:33	1	1	1	1	114	59	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39	2004
15.01.2020 11:23:34	1	1	1	1	114	59	0	27061.611	591.3978495	15887.53295	30000	0	0	30000	39.25	2004
15.01.2020 11:23:35	1	1	1	1	114	59.25	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	39.5625	2004
15.01.2020 11:23:36	1	1	1	1	114	59.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:37	1	1	1	1	114	59.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:38	1	1	1	1	114	59.5	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	39.625	2004
15.01.2020 11:23:39	1	1	1	1	114	59.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	39.75	2004
15.01.2020 11:23:40	1	1	1	1	114	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:41	1	1	1	1	114	59.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	39.8125	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:48	1	1	1	1	114	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:23:49	1	1	1	1	114	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.3125	2004
15.01.2020 11:23:50	1	1	1	1	114	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
15.01.2020 11:23:51	1	1	1	1	114	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.3125	2004
15.01.2020 11:23:52	1	1	1	1	114	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:23:53	1	1	1	1	114	59.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:54	1	1	1	1	114	59.5	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	39.5	2004
15.01.2020 11:23:55	1	1	1	1	114	59.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:23:56	1	1	1	1	114	59.5	0	27109.005	584.9462366	15973.96244	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:57	1	1	1	1	114	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004
15.01.2020 11:23:58	1	1	1	1	114	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.125	2004
15.01.2020 11:23:59	1	1	1	1	114	59	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.5	2004
15.01.2020 11:24:00	1	1	1	1	114	59.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	39.25	2004
15.01.2020 11:24:01	1	1	1	1	114	59.25	0	26966.825	584.9462366	15832.08763	30000	0	0	30000	38.375	2004
15.01.2020 11:24:02	1	1	1	1	114	58.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.6875	2004
15.01.2020 11:24:03	1	1	1	1	114	59.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	38.625	2004
15.01.2020 11:24:04	1	1	1	1	114	58.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.625	2004
15.01.2020 11:24:05	1	1	1	1	114	59.5	0	27014.218	589.2473118	15917.70174	30000	0	0	30000	39.625	2004
15.01.2020 11:24:06	1	1	1	1	114	59.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.75	2004
15.01.2020 11:24:07	1	1	1	1	114	59.75	0	26966.825	591.3978495	15832.08763	30000	0	0	30000	39.125	2004
15.01.2020 11:24:08	1	1	1	1	114	59	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:24:09	1	1	1	1	114	59.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:24:10	1	1	1	1	114	59.75	0	27156.398	593.5483871	16148.45215	30000	0	0	30000	39.75	2004
15.01.2020 11:24:11	1	1	1	1	114	59.75	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	39.3125	2004
15.01.2020 11:24:12	1	1	1	1	114	59.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.75	2004
15.01.2020 11:24:13	1	1	1	1	114	59.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.3125	2004
15.01.2020 11:24:14	1	1	1	1	114	59.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:24:15	1	1	1	1	114	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.375	2004
15.01.2020 11:24:16	1	1	1	1	114	59.25	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	39.75	2004
15.01.2020 11:24:17	1	1	1	1	113.8	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:24:18	1	1	1	1	113.8	59.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	38.375	2004
15.01.2020 11:24:19	1	1	1	1	113.8	58.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	39	2004
15.01.2020 11:24:20	1	1	1	1	113.8	59	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.6875	2004
15.01.2020 11:24:21	1	1	1	1	113.8	59.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	39.5625	2004
15.01.2020 11:24:22	1	1	1	1	113.8	59.5	0	27109.005	593.5483871	16234.88164	30000	0	0	30000	39.1875	2004
15.01.2020 11:24:23	1	1	1	1	113.8	59	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:24:24	1	1	1	1	113.8	59.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.6875	2004
15.01.2020 11:24:26	1	1	1	1	113.8	59.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.4375	2004
15.01.2020 11:24:27	1	1	1	1	113.8	59.25	0	26966.825	587.0967742	15975.59318	30000	0	0	30000	40.125	2004
15.01.2020 11:24:28	1	1	1	1	114	60	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.625	2004
15.01.2020 11:24:29	1	1	1	1	114	59.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:24:30	1	1	1	1	114	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:24:31	1	1	1	1	114	58.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.875	2004
15.01.2020 11:24:32	1	1	1	1	114	59.75	0	27298.578	587.0967742	15857.36417	30000	0	0	30000	39.75	2004
15.01.2020 11:24:33	1	1	1	1	114	59.75	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	39.0625	2004
15.01.2020 11:24:34	1	1	1	1	114	59	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.75	2004
15.01.2020 11:24:35	1	1	1	1	114	59.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.625	2004
15.01.2020 11:24:36	1	1	1	1	114	59.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.75	2004
15.01.2020 11:24:37	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.625	2004
15.01.2020 11:24:38	1	1	1	1	113.8	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.75	2004
15.01.2020 11:24:39	1	1	1	1	113.8	59.75	0	27345.972	589.2473118	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:24:40	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.4375	2004
15.01.2020 11:24:41	1	1	1	1	113.8	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:24:42	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.5	2004
15.01.2020 11:24:43	1	1	1	1	113.8	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.25	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	39.75	2004
15.01.2020 11:24:50	1	1	1	1	114	59.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	39.875	2004
15.01.2020 11:24:51	1	1	1	1	114	59.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:24:52	1	1	1	1	114	59.75	0	27298.578	589.2473118	15770.93469	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:24:53	1	1	1	1	114	59.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.8125	2004
15.01.2020 11:24:54	1	1	1	1	114	59.75	0	27109.005	595.6989247	15945.4244	30000	0	0	30000	39.6875	2004
15.01.2020 11:24:55	1	1	1	1	114	59.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.25	2004
15.01.2020 11:24:56	1	1	1	1	114	59.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.625	2004
15.01.2020 11:24:57	1	1	1	1	113.8	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:24:58	1	1	1	1	113.8	59.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.625	2004
15.01.2020 11:24:59	1	1	1	1	113.8	59.5	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:25:00	1	1	1	1	113.8	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.0625	2004
15.01.2020 11:25:01	1	1	1	1	113.8	59	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.875	2004
15.01.2020 11:25:02	1	1	1	1	113.8	58.75	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	39.75	2004
15.01.2020 11:25:03	1	1	1	1	113.8	59.75	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.75	2004
15.01.2020 11:25:04	1	1	1	1	113.8	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:25:05	1	1	1	1	113.8	59.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.5625	2004
15.01.2020 11:25:07	1	1	1	1	113.8	59.5	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:08	1	1	1	1	114	59.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.75	2004
15.01.2020 11:25:09	1	1	1	1	114	59.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	39.75	2004
15.01.2020 11:25:10	1	1	1	1	114	59.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:25:11	1	1	1	1	114	59.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.75	2004
15.01.2020 11:25:12	1	1	1	1	114	59.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	39.5	2004
15.01.2020 11:25:13	1	1	1	1	114	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:25:14	1	1	1	1	114	59.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	39.875	2004
15.01.2020 11:25:15	1	1	1	1	114	59.75	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	39.1875	2004
15.01.2020 11:25:16	1	1	1	1	114	59	0	27298.578	591.3978495	15973.96244	30000	0	0	30000	39.3125	2004
15.01.2020 11:25:17	1	1	1	1	114	59.25	0	27061.611	589.2473118	15829.64151	30000	0	0	30000	39.5	2004
15.01.2020 11:25:18	1	1	1	1	114	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:19	1	1	1	1	114	59.75	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	39.5	2004
15.01.2020 11:25:20	1	1	1	1	114	59.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.875	2004
15.01.2020 11:25:21	1	1	1	1	114	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.75	2004
15.01.2020 11:25:22	1	1	1	1	114	59.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:23	1	1	1	1	114	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.6875	2004
15.01.2020 11:25:24	1	1	1	1	114	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.75	2004
15.01.2020 11:25:25	1	1	1	1	114	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.6875	2004
15.01.2020 11:25:26	1	1	1	1	114	59.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	39.875	2004
15.01.2020 11:25:27	1	1	1	1	113.8	59.75	0	27345.972	587.0967742	16228.35866	30000	0	0	30000	39.9375	2004
15.01.2020 11:25:28	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15885.08684	30000	0	0	30000	39.375	2004
15.01.2020 11:25:29	1	1	1	1	113.8	59.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.3125	2004
15.01.2020 11:25:30	1	1	1	1	113.8	59.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.3125	2004
15.01.2020 11:25:31	1	1	1	1	113.8	59.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	39.6875	2004
15.01.2020 11:25:32	1	1	1	1	113.8	59.5	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	39.75	2004
15.01.2020 11:25:33	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.75	2004
15.01.2020 11:25:34	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:35	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.75	2004
15.01.2020 11:25:36	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:25:37	1	1	1	1	114	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:25:38	1	1	1	1	114	59.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	39.375	2004
15.01.2020 11:25:39	1	1	1	1	114	59.25	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	40	2004
15.01.2020 11:25:40	1	1	1	1	114	60	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	39.5625	2004
15.01.2020 11:25:41	1	1	1	1	114	59.5	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	39.25	2004
15.01.2020 11:25:42	1	1	1	1	114	59.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:43	1	1	1	1	114	59.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	39.75	2004
15.01.2020 11:25:45	1	1	1	1	114	59.75	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	39.875	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:51	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:25:52	1	1	1	1	114	59.75	0	27156.398	576.344086	15909.54801	30000	0	0	30000	39.375	2004
15.01.2020 11:25:53	1	1	1	1	114	59.25	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:54	1	1	1	1	114	59.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	39.25	2004
15.01.2020 11:25:55	1	1	1	1	114	59.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39.75	2004
15.01.2020 11:25:56	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:25:57	1	1	1	1	113.8	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:58	1	1	1	1	113.8	59.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.8125	2004
15.01.2020 11:25:59	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:26:00	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:01	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:02	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:03	1	1	1	1	113.8	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:04	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:05	1	1	1	1	113.8	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:26:06	1	1	1	1	113.8	59.75	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:07	1	1	1	1	114	59.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:08	1	1	1	1	114	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:09	1	1	1	1	114	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.75	2004
15.01.2020 11:26:10	1	1	1	1	114	59.75	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	39.5625	2004
15.01.2020 11:26:11	1	1	1	1	114	59.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.75	2004
15.01.2020 11:26:12	1	1	1	1	114	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.5	2004
15.01.2020 11:26:13	1	1	1	1	114	59.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	39.75	2004
15.01.2020 11:26:14	1	1	1	1	114	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:15	1	1	1	1	114	59.75	0	27109.005	584.9462366	15740.76591	30000	0	0	30000	39.3125	2004
15.01.2020 11:26:16	1	1	1	1	114	59.25	0	27298.578	580.6451613	15826.38002	30000	0	0	30000	39.6875	2004
15.01.2020 11:26:17	1	1	1	1	114	59.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:18	1	1	1	1	114	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.75	2004
15.01.2020 11:26:19	1	1	1	1	114	59.75	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	39.3125	2004
15.01.2020 11:26:20	1	1	1	1	114	59.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:26:21	1	1	1	1	114	59.5	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:22	1	1	1	1	114	59.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.625	2004
15.01.2020 11:26:23	1	1	1	1	114	59.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:25	1	1	1	1	114	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:26	1	1	1	1	114	59.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	39.875	2004
15.01.2020 11:26:27	1	1	1	1	114	59.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	39.6875	2004
15.01.2020 11:26:28	1	1	1	1	114.3	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.6875	2004
15.01.2020 11:26:29	1	1	1	1	114.3	59.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	39.75	2004
15.01.2020 11:26:30	1	1	1	1	114.3	59.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	39.25	2004
15.01.2020 11:26:31	1	1	1	1	114.3	59.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:32	1	1	1	1	114.3	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:33	1	1	1	1	114.3	59.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.3125	2004
15.01.2020 11:26:34	1	1	1	1	114.3	59.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.5625	2004
15.01.2020 11:26:35	1	1	1	1	114.3	59.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39	2004
15.01.2020 11:26:36	1	1	1	1	114.3	59	0	27345.972	584.9462366	15877.74848	30000	0	0	30000	39.375	2004
15.01.2020 11:26:37	1	1	1	1	114	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:26:38	1	1	1	1	114	59.75	0	27535.545	578.4946237	16047.34596	30000	0	0	30000	39.5	2004
15.01.2020 11:26:39	1	1	1	1	114	59.5	0	27440.758	578.4946237	16015.54644	30000	0	0	30000	39.0625	2004
15.01.2020 11:26:40	1	1	1	1	114	59	0	27345.972	589.2473118	15909.54801	30000	0	0	30000	39.3125	2004
15.01.2020 11:26:41	1	1	1	1	114	59.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	39.625	2004
15.01.2020 11:26:42	1	1	1	1	114	59.5	0	27582.938	589.2473118	15991.90063	30000	0	0	30000	38.9375	2004
15.01.2020 11:26:43	1	1	1	1	114	58.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
15.01.2020 11:26:44	1	1	1	1	114	59.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	39.3125	2004
15.01.2020 11:26:45	1	1	1	1	114	59.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:46	1	1	1	1	114	59.75	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	39.875	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:52	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:26:53	1	1	1	1	113.8	59.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	40	2004
15.01.2020 11:26:54	1	1	1	1	113.8	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.875	2004
15.01.2020 11:26:55	1	1	1	1	113.8	59.75	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	39.875	2004
15.01.2020 11:26:56	1	1	1	1	113.8	59.75	0	27109.005	582.7956989	15829.64151	30000	0	0	30000	39.875	2004
15.01.2020 11:26:57	1	1	1	1	114	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:26:58	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:26:59	1	1	1	1	114	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.1875	2004
15.01.2020 11:27:00	1	1	1	1	114	59	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:01	1	1	1	1	114	59.75	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:02	1	1	1	1	114	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.6875	2004
15.01.2020 11:27:03	1	1	1	1	114	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.3125	2004
15.01.2020 11:27:04	1	1	1	1	114	59.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:27:06	1	1	1	1	114	59.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:07	1	1	1	1	114	59.75	0	27109.005	584.9462366	16001.6851	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:08	1	1	1	1	114.3	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.875	2004
15.01.2020 11:27:09	1	1	1	1	114.3	59.75	0	26919.431	589.2473118	15804.36496	30000	0	0	30000	39.75	2004
15.01.2020 11:27:10	1	1	1	1	114.3	59.75	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	39.875	2004
15.01.2020 11:27:11	1	1	1	1	114.3	59.75	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.1875	2004
15.01.2020 11:27:12	1	1	1	1	114.3	59	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:13	1	1	1	1	114.3	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.5625	2004
15.01.2020 11:27:14	1	1	1	1	114.3	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.875	2004
15.01.2020 11:27:15	1	1	1	1	114.3	59.75	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	40	2004
15.01.2020 11:27:16	1	1	1	1	114.3	60	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.5625	2004
15.01.2020 11:27:17	1	1	1	1	114.3	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.8125	2004
15.01.2020 11:27:18	1	1	1	1	114.3	59.75	0	26872.038	591.3978495	15833.71837	30000	0	0	30000	39.6875	2004
15.01.2020 11:27:19	1	1	1	1	114.3	59.5	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	39.8125	2004
15.01.2020 11:27:20	1	1	1	1	114.3	59.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.5	2004
15.01.2020 11:27:21	1	1	1	1	114.3	59.5	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	40	2004
15.01.2020 11:27:22	1	1	1	1	114.3	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.75	2004
15.01.2020 11:27:23	1	1	1	1	114.3	59.75	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	39.625	2004
15.01.2020 11:27:24	1	1	1	1	114.3	59.5	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	39.875	2004
15.01.2020 11:27:25	1	1	1	1	114.3	59.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	39.75	2004
15.01.2020 11:27:26	1	1	1	1	114.3	59.75	0	26919.431	584.9462366	15947.87052	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:27	1	1	1	1	113.8	59.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	40	2004
15.01.2020 11:27:28	1	1	1	1	113.8	60	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	39.6875	2004
15.01.2020 11:27:29	1	1	1	1	113.8	59.5	0	26919.431	602.1505376	15978.0393	30000	0	0	30000	40.0625	2004
15.01.2020 11:27:30	1	1	1	1	113.8	60	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	39.625	2004
15.01.2020 11:27:31	1	1	1	1	113.8	59.5	0	27061.611	591.3978495	16148.45215	30000	0	0	30000	39.4375	2004
15.01.2020 11:27:32	1	1	1	1	113.8	59.25	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:33	1	1	1	1	113.8	59.75	0	26966.825	589.2473118	15975.59318	30000	0	0	30000	39.875	2004
15.01.2020 11:27:34	1	1	1	1	113.8	59.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	40	2004
15.01.2020 11:27:35	1	1	1	1	113.8	60	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40	2004
15.01.2020 11:27:36	1	1	1	1	113.8	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40	2004
15.01.2020 11:27:37	1	1	1	1	113.8	60	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.875	2004
15.01.2020 11:27:38	1	1	1	1	113.8	59.75	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	40	2004
15.01.2020 11:27:39	1	1	1	1	113.8	60	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	39.8125	2004
15.01.2020 11:27:40	1	1	1	1	113.8	59.75	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	38.6875	2004
15.01.2020 11:27:41	1	1	1	1	113.8	58.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.375	2004
15.01.2020 11:27:42	1	1	1	1	113.8	59.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:27:44	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	38.9375	2004
15.01.2020 11:27:45	1	1	1	1	113.8	58.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.875	2004
15.01.2020 11:27:46	1	1	1	1	113.8	59.75	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	40.25	2004
15.01.2020 11:27:47	1	1	1	1	113.8	60.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	38.9375	2004
15.01.2020 11:27:48	1	1	1	1	113.8	58.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.0625	2004
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:54	1	1	1	1	113.8	59.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:55	1	1	1	1	113.8	59.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	39.875	2004
15.01.2020 11:27:56	1	1	1	1	113.8	59.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.9375	2004
15.01.2020 11:27:57	1	1	1	1	113.5	59.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	39.75	2004
15.01.2020 11:27:58	1	1	1	1	113.5	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.5	2004
15.01.2020 11:27:59	1	1	1	1	113.5	59.5	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	40.0625	2004
15.01.2020 11:28:00	1	1	1	1	113.5	60	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.875	2004
15.01.2020 11:28:01	1	1	1	1	113.5	59.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	39.8125	2004
15.01.2020 11:28:02	1	1	1	1	113.5	59.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	40	2004
15.01.2020 11:28:03	1	1	1	1	113.5	60	0	27109.005	597.8494624	16207.15897	30000	0	0	30000	39.5625	2004
15.01.2020 11:28:04	1	1	1	1	113.5	59.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40	2004
15.01.2020 11:28:05	1	1	1	1	113.5	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.0625	2004
15.01.2020 11:28:06	1	1	1	1	113.5	59	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	39.9375	2004
15.01.2020 11:28:07	1	1	1	1	113.8	59.75	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	39.875	2004
15.01.2020 11:28:08	1	1	1	1	113.8	59.75	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	38.9375	2004
15.01.2020 11:28:09	1	1	1	1	113.8	58.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.6875	2004
15.01.2020 11:28:10	1	1	1	1	113.8	59.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	39	2004
15.01.2020 11:28:11	1	1	1	1	113.8	59	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
15.01.2020 11:28:12	1	1	1	1	113.8	59.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	39.75	2004
15.01.2020 11:28:13	1	1	1	1	113.8	59.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	39.75	2004
15.01.2020 11:28:14	1	1	1	1	113.8	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40	2004
15.01.2020 11:28:15	1	1	1	1	113.8	60	0	27109.005	582.7956989	16059.57655	30000	0	0	30000	39.75	2004
15.01.2020 11:28:16	1	1	1	1	113.8	59.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.875	2004
15.01.2020 11:28:17	1	1	1	1	113.8	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.8125	2004
15.01.2020 11:28:18	1	1	1	1	113.8	59.75	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:19	1	1	1	1	113.8	59.25	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	39.9375	2004
15.01.2020 11:28:20	1	1	1	1	113.8	59.75	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	39.6875	2004
15.01.2020 11:28:21	1	1	1	1	113.8	59.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.625	2004
15.01.2020 11:28:23	1	1	1	1	113.8	59.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	39.75	2004
15.01.2020 11:28:24	1	1	1	1	113.8	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40	2004
15.01.2020 11:28:25	1	1	1	1	113.8	60	0	27061.611	589.2473118	15947.87052	30000	0	0	30000	39.75	2004
15.01.2020 11:28:26	1	1	1	1	113.8	59.75	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	40.4375	2004
15.01.2020 11:28:27	1	1	1	1	113.8	60.25	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	39.875	2004
15.01.2020 11:28:28	1	1	1	1	113.8	59.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.6875	2004
15.01.2020 11:28:29	1	1	1	1	113.8	60.25	0	27061.611	587.0967742	16031.85389	30000	0	0	30000	40	2004
15.01.2020 11:28:30	1	1	1	1	113.8	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.375	2004
15.01.2020 11:28:31	1	1	1	1	113.8	59.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:32	1	1	1	1	113.8	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.875	2004
15.01.2020 11:28:33	1	1	1	1	113.8	59.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:28:34	1	1	1	1	113.8	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.375	2004
15.01.2020 11:28:35	1	1	1	1	113.8	59.25	0	27156.398	593.5483871	16118.28337	30000	0	0	30000	39.375	2004
15.01.2020 11:28:36	1	1	1	1	113.8	59.25	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	39.75	2004
15.01.2020 11:28:37	1	1	1	1	113.8	59.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:38	1	1	1	1	113.8	59.25	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	40	2004
15.01.2020 11:28:39	1	1	1	1	113.8	60	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	39.625	2004
15.01.2020 11:28:40	1	1	1	1	113.8	59.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:41	1	1	1	1	113.8	59.25	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	40	2004
15.01.2020 11:28:42	1	1	1	1	113.8	60	0	26777.251	587.0967742	15664.93627	30000	0	0	30000	40.0625	2004
15.01.2020 11:28:43	1	1	1	1	113.8	60	0	26777.251	589.2473118	15978.85467	30000	0	0	30000	39.8125	2004
15.01.2020 11:28:44	1	1	1	1	113.8	59.75	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	40.0625	2004
15.01.2020 11:28:45	1	1	1	1	113.8	60	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	39.875	2004
15.01.2020 11:28:46	1	1	1	1	113.8	59.75	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	40.0625	2004
15.01.2020 11:28:47	1	1	1	1	114	60	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	39.9375	2004
15.01.2020 11:28:48	1	1	1	1	114	59.75	0	26824.645	593.5483871	15835.34912	30000	0	0	30000	40.0625	2004
15.01.2020 11:28:49	1	1	1	1	114	60	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.125	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.4375	2004
15.01.2020 11:28:56	1	1	1	1	114	59.25	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	39.375	2004
15.01.2020 11:28:57	1	1	1	1	114.5	59.25	0	26966.825	593.5483871	15804.36496	30000	0	0	30000	39.5625	2004
15.01.2020 11:28:58	1	1	1	1	114.5	59.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40	2004
15.01.2020 11:29:00	1	1	1	1	114.5	60	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:01	1	1	1	1	114.5	59.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:29:02	1	1	1	1	114.5	60	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	40.125	2004
15.01.2020 11:29:03	1	1	1	1	114.5	60	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	39.625	2004
15.01.2020 11:29:04	1	1	1	1	114.5	59.5	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	40.25	2004
15.01.2020 11:29:05	1	1	1	1	114.5	60.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.4375	2004
15.01.2020 11:29:06	1	1	1	1	114.5	59.75	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:29:07	1	1	1	1	114.3	59.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	40	2004
15.01.2020 11:29:08	1	1	1	1	114.3	60	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	39.875	2004
15.01.2020 11:29:09	1	1	1	1	114.3	59.75	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	38.875	2004
15.01.2020 11:29:10	1	1	1	1	114.3	58.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.5625	2004
15.01.2020 11:29:11	1	1	1	1	114.3	59.5	0	26966.825	597.8494624	15920.14785	30000	0	0	30000	40	2004
15.01.2020 11:29:12	1	1	1	1	114.3	60	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.1875	2004
15.01.2020 11:29:13	1	1	1	1	114.3	59	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40	2004
15.01.2020 11:29:14	1	1	1	1	114.3	60	0	26682.464	591.3978495	15835.34912	30000	0	0	30000	40.125	2004
15.01.2020 11:29:15	1	1	1	1	114.3	60	0	26919.431	602.1505376	16035.93075	30000	0	0	30000	39.75	2004
15.01.2020 11:29:16	1	1	1	1	114.3	59.75	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	39.75	2004
15.01.2020 11:29:17	1	1	1	1	114	59.75	0	26824.645	595.6989247	15949.50126	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:29:18	1	1	1	1	114	60	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	39.8125	2004
15.01.2020 11:29:19	1	1	1	1	114	59.75	0	26682.464	591.3978495	15779.90379	30000	0	0	30000	40.125	2004
15.01.2020 11:29:20	1	1	1	1	114	60	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.8125	2004
15.01.2020 11:29:21	1	1	1	1	114	59.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:22	1	1	1	1	114	59.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.5625	2004
15.01.2020 11:29:23	1	1	1	1	114	59.5	0	26824.645	595.6989247	15893.24056	30000	0	0	30000	40.0625	2004
15.01.2020 11:29:24	1	1	1	1	114	60	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:25	1	1	1	1	114	59.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.875	2004
15.01.2020 11:29:26	1	1	1	1	114	59.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	40.125	2004
15.01.2020 11:29:27	1	1	1	1	114	60	0	26919.431	597.8494624	16063.65341	30000	0	0	30000	40	2004
15.01.2020 11:29:28	1	1	1	1	114	60	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:29	1	1	1	1	114	59.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39	2004
15.01.2020 11:29:30	1	1	1	1	114	59	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:31	1	1	1	1	114	59.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	40	2004
15.01.2020 11:29:32	1	1	1	1	114	60	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	39.75	2004
15.01.2020 11:29:33	1	1	1	1	114	59.75	0	26682.464	591.3978495	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:34	1	1	1	1	114	59.75	0	26540.284	595.6989247	15894.87131	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:35	1	1	1	1	114	59.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	40.0625	2004
15.01.2020 11:29:36	1	1	1	1	114	60	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	40	2004
15.01.2020 11:29:37	1	1	1	1	114	60	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.0625	2004
15.01.2020 11:29:38	1	1	1	1	114	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:40	1	1	1	1	114	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.9375	2004
15.01.2020 11:29:41	1	1	1	1	114	59.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	39.625	2004
15.01.2020 11:29:42	1	1	1	1	114	59.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.875	2004
15.01.2020 11:29:43	1	1	1	1	114	59.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.75	2004
15.01.2020 11:29:44	1	1	1	1	114	59.75	0	26587.678	600	15951.94738	30000	0	0	30000	39.25	2004
15.01.2020 11:29:45	1	1	1	1	114	59.25	0	26587.678	597.8494624	15980.48542	30000	0	0	30000	40	2004
15.01.2020 11:29:46	1	1	1	1	114	59.75	0	26587.678	604.3010753	16411.00209	30000	0	0	30000	40.125	2004
15.01.2020 11:29:47	1	1	1	1	113.8	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40	2004
15.01.2020 11:29:48	1	1	1	1	113.8	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.6875	2004
15.01.2020 11:29:49	1	1	1	1	113.8	59.5	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	39.75	2004
15.01.2020 11:29:50	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	39.75	2004
15.01.2020 11:29:51	1	1	1	1	113.8	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:57	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
15.01.2020 11:29:58	1	1	1	1	113.8	59.75	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	39.75	2004
15.01.2020 11:29:59	1	1	1	1	113.8	59.75	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	39.75	2004
15.01.2020 11:30:00	1	1	1	1	113.8	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
15.01.2020 11:30:01	1	1	1	1	113.8	59.75	0	26777.251	602.1505376	15951.94738	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:30:02	1	1	1	1	113.8	59.5	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:03	1	1	1	1	113.8	59.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:04	1	1	1	1	113.8	59.5	0	26635.071	593.5483871	15894.05593	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:05	1	1	1	1	113.8	60	0	26777.251	597.8494624	15836.97986	30000	0	0	30000	39.75	2004
15.01.2020 11:30:06	1	1	1	1	113.8	59.75	0	26919.431	597.8494624	16179.43631	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:07	1	1	1	1	113.8	60	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:08	1	1	1	1	113.8	59.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	39.625	2004
15.01.2020 11:30:09	1	1	1	1	113.8	59.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:10	1	1	1	1	113.8	59.75	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	39.75	2004
15.01.2020 11:30:11	1	1	1	1	113.8	59.75	0	26682.464	597.8494624	15837.79523	30000	0	0	30000	39.75	2004
15.01.2020 11:30:12	1	1	1	1	113.8	59.75	0	26919.431	604.3010753	16123.1756	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:13	1	1	1	1	113.8	59.5	0	26777.251	600	16123.99098	30000	0	0	30000	40.125	2004
15.01.2020 11:30:14	1	1	1	1	113.8	60	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.5625	2004
15.01.2020 11:30:15	1	1	1	1	113.8	59.5	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:16	1	1	1	1	113.8	59.75	0	26635.071	600	15837.79523	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:17	1	1	1	1	113.3	59.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40.125	2004
15.01.2020 11:30:18	1	1	1	1	113.3	60	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	40	2004
15.01.2020 11:30:19	1	1	1	1	113.3	60	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.5625	2004
15.01.2020 11:30:21	1	1	1	1	113.3	59.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.125	2004
15.01.2020 11:30:22	1	1	1	1	113.3	60	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	39.75	2004
15.01.2020 11:30:23	1	1	1	1	113.3	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.125	2004
15.01.2020 11:30:24	1	1	1	1	113.3	60	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.125	2004
15.01.2020 11:30:25	1	1	1	1	113.3	60	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.4375	2004
15.01.2020 11:30:26	1	1	1	1	113.3	60.25	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	40.125	2004
15.01.2020 11:30:27	1	1	1	1	113.3	60	0	26872.038	591.3978495	16007.39271	30000	0	0	30000	40	2004
15.01.2020 11:30:30	1	1	1	1	113	60	0	26919.431	589.2473118	16063.65341	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:30	1	1	1	1	113	60	0	26919.431	589.2473118	16063.65341	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:30	1	1	1	1	113	60	0	26919.431	589.2473118	16063.65341	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:31	1	1	1	1	113	60	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	40	2004
15.01.2020 11:30:32	1	1	1	1	113	60	0	26919.431	591.3978495	15949.50126	30000	0	0	30000	40	2004
15.01.2020 11:30:33	1	1	1	1	113	60	0	27014.218	593.5483871	16005.76197	30000	0	0	30000	40	2004
15.01.2020 11:30:34	1	1	1	1	113	60	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	40	2004
15.01.2020 11:30:35	1	1	1	1	113	60	0	26966.825	591.3978495	16178.62093	30000	0	0	30000	40.0625	2004
15.01.2020 11:30:36	1	1	1	1	113	60	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:37	1	1	1	1	112.8	59.75	0	27156.398	591.3978495	16261.78893	30000	0	0	30000	39.1875	2004
15.01.2020 11:30:38	1	1	1	1	112.8	59	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.75	2004
15.01.2020 11:30:39	1	1	1	1	112.8	59.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.75	2004
15.01.2020 11:30:40	1	1	1	1	112.8	59.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	40	2004
15.01.2020 11:30:41	1	1	1	1	112.8	60	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	40.0625	2004
15.01.2020 11:30:42	1	1	1	1	112.8	60	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	40.25	2004
15.01.2020 11:30:43	1	1	1	1	112.8	60.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	40.0625	2004
15.01.2020 11:30:44	1	1	1	1	112.8	60	0	26966.825	600	16063.65341	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:45	1	1	1	1	112.8	59.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:30:46	1	1	1	1	112.8	60	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:47	1	1	1	1	112.8	60	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40.0625	2004
15.01.2020 11:30:48	1	1	1	1	112.8	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.125	2004
15.01.2020 11:30:49	1	1	1	1	112.8	60	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	40.1875	2004
15.01.2020 11:30:50	1	1	1	1	112.8	60	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	39.75	2004
15.01.2020 11:30:51	1	1	1	1	112.8	59.75	0	27298.578	591.3978495	15945.4244	30000	0	0	30000	39.9375	2004
15.01.2020 11:30:52	1	1	1	1	112.8	59.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.0625	2004
15.01.2020 11:30:59	1	1	1	1	112.3	60	0	27061.611	593.5483871	15887.53295	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:59	1	1	1	1	112.3	60	0	27061.611	593.5483871	15887.53295	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:59	1	1	1	1	112.3	60	0	27061.611	593.5483871	15887.53295	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:59	1	1	1	1	112.3	60	0	27061.611	593.5483871	15887.53295	30000	0	0	30000	39.6875	2004
15.01.2020 11:30:59	1	1	1	1	112.3	59.5	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	39.75	2004
15.01.2020 11:31:00	1	1	1	1	112.3	59.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:02	1	1	1	1	112.3	60	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	40.25	2004
15.01.2020 11:31:03	1	1	1	1	112.3	60.25	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	39.8125	2004
15.01.2020 11:31:04	1	1	1	1	112.3	59.75	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	39.75	2004
15.01.2020 11:31:05	1	1	1	1	112.3	59.75	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	40.5	2004
15.01.2020 11:31:06	1	1	1	1	112.3	60.5	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	40.125	2004
15.01.2020 11:31:07	1	1	1	1	112.3	60	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	40.125	2004
15.01.2020 11:31:08	1	1	1	1	112.3	60.5	0	26919.431	591.3978495	15804.36496	30000	0	0	30000	39.875	2004
15.01.2020 11:31:09	1	1	1	1	112.3	59.75	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	40.125	2004
15.01.2020 11:31:10	1	1	1	1	112.3	60	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:11	1	1	1	1	112.3	60	0	27014.218	593.5483871	15832.08763	30000	0	0	30000	40.125	2004
15.01.2020 11:31:12	1	1	1	1	112.3	60	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.1875	2004
15.01.2020 11:31:13	1	1	1	1	112.3	59	0	26966.825	595.6989247	16179.43631	30000	0	0	30000	39.75	2004
15.01.2020 11:31:14	1	1	1	1	112.3	59.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	39.875	2004
15.01.2020 11:31:15	1	1	1	1	112.3	59.75	0	26872.038	595.6989247	15748.10426	30000	0	0	30000	39.75	2004
15.01.2020 11:31:16	1	1	1	1	112.3	59.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.8125	2004
15.01.2020 11:31:17	1	1	1	1	111.5	59.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40	2004
15.01.2020 11:31:18	1	1	1	1	111.5	60	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:19	1	1	1	1	111.5	60	0	26682.464	593.5483871	15951.13201	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:20	1	1	1	1	111.5	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:21	1	1	1	1	111.5	60	0	26777.251	593.5483871	15921.7786	30000	0	0	30000	40	2004
15.01.2020 11:31:22	1	1	1	1	111.5	60	0	26824.645	597.8494624	16209.60509	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:23	1	1	1	1	111.5	60	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:24	1	1	1	1	111.5	60	0	26587.678	600	15894.87131	30000	0	0	30000	40.125	2004
15.01.2020 11:31:25	1	1	1	1	111.5	60	0	26966.825	595.6989247	16062.02267	30000	0	0	30000	40.125	2004
15.01.2020 11:31:26	1	1	1	1	111.5	60	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:27	1	1	1	1	111.5	60	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	39.875	2004
15.01.2020 11:31:28	1	1	1	1	111.5	59.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:29	1	1	1	1	111.5	60	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:31:30	1	1	1	1	111.5	60	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.0625	2004
15.01.2020 11:31:31	1	1	1	1	111.5	60	0	26919.431	595.6989247	15949.50126	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:32	1	1	1	1	111.5	60	0	26919.431	600	15920.14785	30000	0	0	30000	39.9375	2004
15.01.2020 11:31:33	1	1	1	1	111.5	59.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	39.8125	2004
15.01.2020 11:31:34	1	1	1	1	111.5	59.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:35	1	1	1	1	111.5	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.75	2004
15.01.2020 11:31:36	1	1	1	1	111.5	59.75	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	39.75	2004
15.01.2020 11:31:37	1	1	1	1	111.3	59.75	0	26777.251	593.5483871	15835.34912	30000	0	0	30000	40.3125	2004
15.01.2020 11:31:38	1	1	1	1	111.3	60.25	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	39.5	2004
15.01.2020 11:31:39	1	1	1	1	111.3	59.5	0	26872.038	600	16123.1756	30000	0	0	30000	39.5	2004
15.01.2020 11:31:41	1	1	1	1	111.3	59.5	0	26919.431	595.6989247	15949.50126	30000	0	0	30000	40	2004
15.01.2020 11:31:42	1	1	1	1	111.3	60	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:43	1	1	1	1	111.3	60	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	40	2004
15.01.2020 11:31:44	1	1	1	1	111.3	60	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	39.75	2004
15.01.2020 11:31:45	1	1	1	1	111.3	59.75	0	26872.038	600	15863.88715	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:46	1	1	1	1	111.3	60	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.375	2004
15.01.2020 11:31:47	1	1	1	1	111.3	60.25	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	40.5625	2004
15.01.2020 11:31:48	1	1	1	1	111	60.5	0	26682.464	591.3978495	15951.13201	30000	0	0	30000	39.9375	2004
15.01.2020 11:31:49	1	1	1	1	111	59.75	0	26777.251	591.3978495	16123.1756	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:50	1	1	1	1	111	60	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	40.3125	2004
15.01.2020 11:31:51	1	1	1	1	111	60.25	0	26824.645	597.8494624	16181.06705	30000	0	0	30000	40	2004
15.01.2020 11:31:52	1	1	1	1	111	60	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:53	1	1	1	1	111	60	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	40.1875	2004
15.01.2020 11:31:54	1	1	1	1	111	60	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	39.875	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:00	1	1	1	1	110.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:01	1	1	1	1	110.8	60	0	26872.038	591.3978495	16007.39271	30000	0	0	30000	40.25	2004
15.01.2020 11:32:02	1	1	1	1	110.8	60.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.25	2004
15.01.2020 11:32:03	1	1	1	1	110.8	60.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:04	1	1	1	1	110.8	60	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	40	2004
15.01.2020 11:32:05	1	1	1	1	110.8	60	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	40.1875	2004
15.01.2020 11:32:06	1	1	1	1	110.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
15.01.2020 11:32:07	1	1	1	1	110.8	60.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:08	1	1	1	1	110.8	60	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	39.9375	2004
15.01.2020 11:32:09	1	1	1	1	110.8	59.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.25	2004
15.01.2020 11:32:10	1	1	1	1	110.8	60.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	39.5625	2004
15.01.2020 11:32:11	1	1	1	1	110.8	59.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	40	2004
15.01.2020 11:32:12	1	1	1	1	110.8	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
15.01.2020 11:32:13	1	1	1	1	110.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:32:14	1	1	1	1	110.8	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.25	2004
15.01.2020 11:32:15	1	1	1	1	110.8	60.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	40.25	2004
15.01.2020 11:32:16	1	1	1	1	110.8	60.25	0	27630.332	567.7419355	15973.96244	30000	0	0	30000	39.6875	2004
15.01.2020 11:32:17	1	1	1	1	110	59.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	38.875	2004
15.01.2020 11:32:18	1	1	1	1	110	58.75	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	40.25	2004
15.01.2020 11:32:20	1	1	1	1	110	60.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	38.875	2004
15.01.2020 11:32:21	1	1	1	1	110	58.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:22	1	1	1	1	110	60.25	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	40.1875	2004
15.01.2020 11:32:23	1	1	1	1	110	60	0	27819.905	576.344086	16006.57734	30000	0	0	30000	40	2004
15.01.2020 11:32:24	1	1	1	1	110	60	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:25	1	1	1	1	110	60	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:26	1	1	1	1	110	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.25	2004
15.01.2020 11:32:27	1	1	1	1	110	60.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:28	1	1	1	1	110.3	60.25	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	40.25	2004
15.01.2020 11:32:29	1	1	1	1	110.3	60.25	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	39.875	2004
15.01.2020 11:32:30	1	1	1	1	110.3	59.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	39.875	2004
15.01.2020 11:32:31	1	1	1	1	110.3	59.75	0	27440.758	576.344086	15933.19381	30000	0	0	30000	39.625	2004
15.01.2020 11:32:32	1	1	1	1	110.3	59.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:33	1	1	1	1	110.3	60	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	39.75	2004
15.01.2020 11:32:34	1	1	1	1	110.3	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.875	2004
15.01.2020 11:32:35	1	1	1	1	110.3	59.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	40.1875	2004
15.01.2020 11:32:36	1	1	1	1	110.3	60	0	27440.758	576.344086	15756.25798	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:37	1	1	1	1	109.8	60.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	39.375	2004
15.01.2020 11:32:38	1	1	1	1	109.8	59.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	40.4375	2004
15.01.2020 11:32:39	1	1	1	1	109.8	60.25	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
15.01.2020 11:32:40	1	1	1	1	109.8	59.75	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	40.125	2004
15.01.2020 11:32:41	1	1	1	1	109.8	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	39.9375	2004
15.01.2020 11:32:42	1	1	1	1	109.8	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.9375	2004
15.01.2020 11:32:43	1	1	1	1	109.8	59.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.125	2004
15.01.2020 11:32:44	1	1	1	1	109.8	60	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:45	1	1	1	1	109.8	60.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	40	2004
15.01.2020 11:32:46	1	1	1	1	109.8	60	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
15.01.2020 11:32:47	1	1	1	1	109.8	60	0	26966.825	589.2473118	15975.59318	30000	0	0	30000	40.125	2004
15.01.2020 11:32:48	1	1	1	1	109.8	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40	2004
15.01.2020 11:32:49	1	1	1	1	109.8	60	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:50	1	1	1	1	109.8	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	39.3125	2004
15.01.2020 11:32:51	1	1	1	1	109.8	59.25	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	40.3125	2004
15.01.2020 11:32:52	1	1	1	1	109.8	60.25	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	40.0625	2004
15.01.2020 11:32:53	1	1	1	1	109.8	60	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	40.1875	2004
15.01.2020 11:32:54	1	1	1	1	109.8	60	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	39.875	2004
15.01.2020 11:32:55	1	1	1	1	109.8	59.75	0	26966.825	591.3978495	15746.47351	30000	0	0	30000	39	2004
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:02	1	1	1	1	109.3	60.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:03	1	1	1	1	109.3	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:04	1	1	1	1	109.3	60	0	27298.578	589.2473118	16059.57655	30000	0	0	30000	40.375	2004
15.01.2020 11:33:05	1	1	1	1	109.3	60.25	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:06	1	1	1	1	109.3	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.625	2004
15.01.2020 11:33:07	1	1	1	1	109.3	60.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	40	2004
15.01.2020 11:33:08	1	1	1	1	108.8	60.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:33:09	1	1	1	1	108.8	59.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.0625	2004
15.01.2020 11:33:10	1	1	1	1	108.8	60	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:11	1	1	1	1	108.8	60	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	39.6875	2004
15.01.2020 11:33:12	1	1	1	1	108.8	59.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.375	2004
15.01.2020 11:33:13	1	1	1	1	108.8	60.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:14	1	1	1	1	108.8	60.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:15	1	1	1	1	108.8	60.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	40.375	2004
15.01.2020 11:33:16	1	1	1	1	108.8	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.25	2004
15.01.2020 11:33:17	1	1	1	1	108.3	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.875	2004
15.01.2020 11:33:18	1	1	1	1	108.3	59.75	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	39.75	2004
15.01.2020 11:33:19	1	1	1	1	108.3	59.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.375	2004
15.01.2020 11:33:20	1	1	1	1	108.3	60.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.25	2004
15.01.2020 11:33:21	1	1	1	1	108.3	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.125	2004
15.01.2020 11:33:22	1	1	1	1	108.3	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
15.01.2020 11:33:23	1	1	1	1	108.3	60	0	27535.545	576.344086	15987.82377	30000	0	0	30000	39.6875	2004
15.01.2020 11:33:24	1	1	1	1	108.3	59.5	0	27725.118	576.344086	15973.96244	30000	0	0	30000	40.0625	2004
15.01.2020 11:33:25	1	1	1	1	108.3	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
15.01.2020 11:33:26	1	1	1	1	108.3	59.75	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	39.0625	2004
15.01.2020 11:33:27	1	1	1	1	108	59	0	27582.938	576.344086	15956.02424	30000	0	0	30000	40.375	2004
15.01.2020 11:33:28	1	1	1	1	108	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:29	1	1	1	1	108	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:30	1	1	1	1	108	60	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:31	1	1	1	1	108	59.75	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	40.25	2004
15.01.2020 11:33:32	1	1	1	1	108	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.75	2004
15.01.2020 11:33:33	1	1	1	1	108	59.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:34	1	1	1	1	108	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:35	1	1	1	1	108	60	0	28199.052	576.344086	15961.73185	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:36	1	1	1	1	108	60.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:38	1	1	1	1	108	60.25	0	27867.299	572.0430108	15508.38475	30000	0	0	30000	40.25	2004
15.01.2020 11:33:39	1	1	1	1	108	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.375	2004
15.01.2020 11:33:40	1	1	1	1	108	60.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	40.0625	2004
15.01.2020 11:33:41	1	1	1	1	108	60	0	27867.299	576.344086	16148.45215	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:42	1	1	1	1	108	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:33:43	1	1	1	1	108	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.0625	2004
15.01.2020 11:33:44	1	1	1	1	108	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.5	2004
15.01.2020 11:33:45	1	1	1	1	108	60.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.5625	2004
15.01.2020 11:33:46	1	1	1	1	108	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.25	2004
15.01.2020 11:33:47	1	1	1	1	107.5	60.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	39.75	2004
15.01.2020 11:33:48	1	1	1	1	107.5	59.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.25	2004
15.01.2020 11:33:49	1	1	1	1	107.5	60.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:33:50	1	1	1	1	107.5	59.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.75	2004
15.01.2020 11:33:51	1	1	1	1	107.5	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:33:52	1	1	1	1	107.5	59.75	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	40.3125	2004
15.01.2020 11:33:53	1	1	1	1	107.5	60.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.875	2004
15.01.2020 11:33:54	1	1	1	1	107.5	59.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.75	2004
15.01.2020 11:33:55	1	1	1	1	107.5	59.75	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	39.8125	2004
15.01.2020 11:33:56	1	1	1	1	107.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.1875	2004
15.01.2020 11:33:57	1	1	1	1	107	60	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	39.875	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:03	1	1	1	1	107	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.375	2004
15.01.2020 11:34:04	1	1	1	1	107	60.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:05	1	1	1	1	107	60.25	0	27535.545	582.7956989	16193.29764	30000	0	0	30000	39.4375	2004
15.01.2020 11:34:06	1	1	1	1	107	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:34:07	1	1	1	1	106.8	59.75	0	27440.758	589.2473118	15933.19381	30000	0	0	30000	39.9375	2004
15.01.2020 11:34:08	1	1	1	1	106.8	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.1875	2004
15.01.2020 11:34:09	1	1	1	1	106.8	60	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.5	2004
15.01.2020 11:34:10	1	1	1	1	106.8	60.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:11	1	1	1	1	106.8	60.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.25	2004
15.01.2020 11:34:12	1	1	1	1	106.8	60.25	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	40.25	2004
15.01.2020 11:34:13	1	1	1	1	106.8	60.25	0	27630.332	576.344086	15956.02424	30000	0	0	30000	40.25	2004
15.01.2020 11:34:15	1	1	1	1	106.8	60.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.0625	2004
15.01.2020 11:34:16	1	1	1	1	106.8	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
15.01.2020 11:34:17	1	1	1	1	106.8	60	0	27867.299	580.6451613	16181.06705	30000	0	0	30000	39.75	2004
15.01.2020 11:34:18	1	1	1	1	106	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.75	2004
15.01.2020 11:34:19	1	1	1	1	106	59.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.9375	2004
15.01.2020 11:34:20	1	1	1	1	106	59.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	40.25	2004
15.01.2020 11:34:21	1	1	1	1	106	60.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.0625	2004
15.01.2020 11:34:22	1	1	1	1	106	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.625	2004
15.01.2020 11:34:23	1	1	1	1	106	58.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
15.01.2020 11:34:24	1	1	1	1	106	60.5	0	27345.972	580.6451613	15733.42755	30000	0	0	30000	40.0625	2004
15.01.2020 11:34:25	1	1	1	1	106	60	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	40.375	2004
15.01.2020 11:34:26	1	1	1	1	106	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:34:27	1	1	1	1	106	59.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:28	1	1	1	1	106	60.25	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:29	1	1	1	1	106	60.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.25	2004
15.01.2020 11:34:30	1	1	1	1	106	60.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.875	2004
15.01.2020 11:34:31	1	1	1	1	106	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:32	1	1	1	1	106	60.25	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	40.0625	2004
15.01.2020 11:34:33	1	1	1	1	106	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:34	1	1	1	1	106	60.25	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	40.375	2004
15.01.2020 11:34:35	1	1	1	1	106	60.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:36	1	1	1	1	106	60.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:37	1	1	1	1	106	60.25	0	27061.611	584.9462366	15770.93469	30000	0	0	30000	40.25	2004
15.01.2020 11:34:38	1	1	1	1	106	60.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40	2004
15.01.2020 11:34:39	1	1	1	1	106	60	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.3125	2004
15.01.2020 11:34:40	1	1	1	1	106	60.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.4375	2004
15.01.2020 11:34:41	1	1	1	1	106	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.25	2004
15.01.2020 11:34:42	1	1	1	1	106	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.375	2004
15.01.2020 11:34:43	1	1	1	1	106	60.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	40.125	2004
15.01.2020 11:34:44	1	1	1	1	106	60	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.6875	2004
15.01.2020 11:34:45	1	1	1	1	106	59.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.375	2004
15.01.2020 11:34:46	1	1	1	1	106	60.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.25	2004
15.01.2020 11:34:47	1	1	1	1	105.3	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.3125	2004
15.01.2020 11:34:48	1	1	1	1	105.3	59.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.25	2004
15.01.2020 11:34:49	1	1	1	1	105.3	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.25	2004
15.01.2020 11:34:50	1	1	1	1	105.3	60.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.4375	2004
15.01.2020 11:34:52	1	1	1	1	105.3	60.25	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.25	2004
15.01.2020 11:34:53	1	1	1	1	105.3	60.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	40.1875	2004
15.01.2020 11:34:54	1	1	1	1	105.3	60	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.375	2004
15.01.2020 11:34:55	1	1	1	1	105.3	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	39.625	2004
15.01.2020 11:34:56	1	1	1	1	105.3	59.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.5	2004
15.01.2020 11:34:57	1	1	1	1	105.3	59.5	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	40.25	2004
15.01.2020 11:34:58	1	1	1	1	104.8	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.4375	2004
15.01.2020 11:34:59	1	1	1	1	104.8	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.375	2004
15.01.2020 11:35:05	1	1	1	1	104.8	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:05	1	1	1	1	104.8	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:05	1	1	1	1	104.8	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:05	1	1	1	1	104.8	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:05	1	1	1	1	104.8	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:06	1	1	1	1	104.8	60.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.8125	2004
15.01.2020 11:35:07	1	1	1	1	104	59.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	39.8125	2004
15.01.2020 11:35:08	1	1	1	1	104	59.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:09	1	1	1	1	104	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.375	2004
15.01.2020 11:35:10	1	1	1	1	104	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:35:11	1	1	1	1	104	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
15.01.2020 11:35:12	1	1	1	1	104	59.5	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	40.125	2004
15.01.2020 11:35:13	1	1	1	1	104	60	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:14	1	1	1	1	104	60.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.0625	2004
15.01.2020 11:35:15	1	1	1	1	104	60	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	40	2004
15.01.2020 11:35:16	1	1	1	1	104	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:17	1	1	1	1	104.8	60.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.25	2004
15.01.2020 11:35:18	1	1	1	1	104.8	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:19	1	1	1	1	104.8	60.25	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	40.375	2004
15.01.2020 11:35:20	1	1	1	1	104.8	60.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.375	2004
15.01.2020 11:35:21	1	1	1	1	104.8	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.0625	2004
15.01.2020 11:35:22	1	1	1	1	104.8	60	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:23	1	1	1	1	104.8	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.625	2004
15.01.2020 11:35:24	1	1	1	1	104.8	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:25	1	1	1	1	104.8	60.25	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	40.25	2004
15.01.2020 11:35:26	1	1	1	1	104.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.0625	2004
15.01.2020 11:35:27	1	1	1	1	104.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
15.01.2020 11:35:28	1	1	1	1	104.5	60	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	40	2004
15.01.2020 11:35:29	1	1	1	1	104.5	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
15.01.2020 11:35:31	1	1	1	1	104.5	59.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:32	1	1	1	1	104.5	60.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
15.01.2020 11:35:33	1	1	1	1	104.5	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40	2004
15.01.2020 11:35:34	1	1	1	1	104.5	60	0	27582.938	576.344086	15956.02424	30000	0	0	30000	40.25	2004
15.01.2020 11:35:35	1	1	1	1	104.5	60.25	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	39.75	2004
15.01.2020 11:35:36	1	1	1	1	104.5	59.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	40	2004
15.01.2020 11:35:37	1	1	1	1	104.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.5	2004
15.01.2020 11:35:38	1	1	1	1	104	60.5	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39.9375	2004
15.01.2020 11:35:39	1	1	1	1	104	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.0625	2004
15.01.2020 11:35:40	1	1	1	1	104	60	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:41	1	1	1	1	104	60.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:42	1	1	1	1	104	60.25	0	27535.545	576.344086	15983.74691	30000	0	0	30000	40.1875	2004
15.01.2020 11:35:43	1	1	1	1	104	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.125	2004
15.01.2020 11:35:44	1	1	1	1	104	60	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	40	2004
15.01.2020 11:35:45	1	1	1	1	104	60	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:46	1	1	1	1	104	60.25	0	27582.938	572.0430108	16102.79129	30000	0	0	30000	40.1875	2004
15.01.2020 11:35:47	1	1	1	1	103.8	60	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:48	1	1	1	1	103.8	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40	2004
15.01.2020 11:35:49	1	1	1	1	103.8	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.5	2004
15.01.2020 11:35:50	1	1	1	1	103.8	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.375	2004
15.01.2020 11:35:51	1	1	1	1	103.8	60.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	40.375	2004
15.01.2020 11:35:52	1	1	1	1	103.8	60.25	0	27440.758	576.344086	15760.33485	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:53	1	1	1	1	103.8	60.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	40.375	2004
15.01.2020 11:35:54	1	1	1	1	103.8	60.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:35:55	1	1	1	1	103.8	60.5	0	27630.332	569.8924731	16000.86973	30000	0	0	30000	40.25	2004
15.01.2020 11:35:56	1	1	1	1	103.8	60.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	40.4375	2004
15.01.2020 11:35:57	1	1	1	1	103.8	60.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	40.3125	2004
15.01.2020 11:35:58	1	1	1	1	103.8	60.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	40.375	2004
15.01.2020 11:35:59	1	1	1	1	103.8	60.25	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	39.75	2004
15.01.2020 11:36:00	1	1	1	1	103.8	59.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.4375	2004
15.01.2020 11:36:07	1	1	1	1	103.8	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40	2004
15.01.2020 11:36:07	1	1	1	1	103.8	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40	2004
15.01.2020 11:36:07	1	1	1	1	103.8	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40	2004
15.01.2020 11:36:07	1	1	1	1	103.8	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40	2004
15.01.2020 11:36:07	1	1	1	1	103.8	60.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40	2004
15.01.2020 11:36:07	1	1	1	1	103	60	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.4375	2004
15.01.2020 11:36:09	1	1	1	1	103	60.25	0	29905.213	533.3333333	15770.11932	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:10	1	1	1	1	103	60.25	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:11	1	1	1	1	103	60.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	40.25	2004
15.01.2020 11:36:12	1	1	1	1	103	60.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.75	2004
15.01.2020 11:36:13	1	1	1	1	103	59.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.125	2004
15.01.2020 11:36:14	1	1	1	1	103	60	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:15	1	1	1	1	103	60	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.25	2004
15.01.2020 11:36:16	1	1	1	1	103	60.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	40.5	2004
15.01.2020 11:36:17	1	1	1	1	103	60.5	0	29715.64	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
15.01.2020 11:36:18	1	1	1	1	102.8	60.75	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	40.5	2004
15.01.2020 11:36:19	1	1	1	1	102.8	60.5	0	29336.493	535.483871	15987.0084	30000	0	0	30000	39.875	2004
15.01.2020 11:36:20	1	1	1	1	102.8	59.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:21	1	1	1	1	102.8	60.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.4375	2004
15.01.2020 11:36:22	1	1	1	1	102.8	60.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.375	2004
15.01.2020 11:36:23	1	1	1	1	102.8	60.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.25	2004
15.01.2020 11:36:24	1	1	1	1	102.8	60.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.4375	2004
15.01.2020 11:36:25	1	1	1	1	102.8	60.25	0	29383.886	544.0860215	15708.96638	30000	0	0	30000	39.8125	2004
15.01.2020 11:36:26	1	1	1	1	102.8	59.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	40.375	2004
15.01.2020 11:36:27	1	1	1	1	102.3	60.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.4375	2004
15.01.2020 11:36:28	1	1	1	1	102.3	60.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:29	1	1	1	1	102.3	60	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:30	1	1	1	1	102.3	60	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.25	2004
15.01.2020 11:36:31	1	1	1	1	102.3	60.25	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:32	1	1	1	1	102.3	60.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:33	1	1	1	1	102.3	60	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	39.4375	2004
15.01.2020 11:36:34	1	1	1	1	102.3	59.25	0	28957.346	541.9354839	15968.25483	30000	0	0	30000	40.125	2004
15.01.2020 11:36:35	1	1	1	1	102.3	60	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:36	1	1	1	1	102.3	60.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:37	1	1	1	1	101.8	60.25	0	28625.592	559.1397849	16297.66532	30000	0	0	30000	40.125	2004
15.01.2020 11:36:38	1	1	1	1	101.8	60	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:36:39	1	1	1	1	101.8	59.25	0	28436.019	569.8924731	16083.22235	30000	0	0	30000	40.375	2004
15.01.2020 11:36:40	1	1	1	1	101.8	60.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	40.625	2004
15.01.2020 11:36:41	1	1	1	1	101.8	60.5	0	28388.626	559.1397849	16109.31427	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:42	1	1	1	1	101.8	60	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:43	1	1	1	1	101.8	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:44	1	1	1	1	101.8	60	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:45	1	1	1	1	101.8	60	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	39.8125	2004
15.01.2020 11:36:47	1	1	1	1	101.8	59.75	0	28862.559	554.8387097	16049.79208	30000	0	0	30000	40.5625	2004
15.01.2020 11:36:48	1	1	1	1	101.5	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.375	2004
15.01.2020 11:36:49	1	1	1	1	101.5	60.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.375	2004
15.01.2020 11:36:50	1	1	1	1	101.5	60.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.375	2004
15.01.2020 11:36:51	1	1	1	1	101.5	60.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	39.25	2004
15.01.2020 11:36:52	1	1	1	1	101.5	59.25	0	29241.706	548.3870968	15972.33169	30000	0	0	30000	40.0625	2004
15.01.2020 11:36:53	1	1	1	1	101.5	60	0	29336.493	541.9354839	15809.2572	30000	0	0	30000	40.3125	2004
15.01.2020 11:36:54	1	1	1	1	101.5	60.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.0625	2004
15.01.2020 11:36:55	1	1	1	1	101.5	60	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.1875	2004
15.01.2020 11:36:56	1	1	1	1	101.5	60	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	40.375	2004
15.01.2020 11:36:57	1	1	1	1	101.5	60.25	0	29431.28	541.9354839	15937.27068	30000	0	0	30000	40.875	2004
15.01.2020 11:36:58	1	1	1	1	101	60.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.125	2004
15.01.2020 11:36:59	1	1	1	1	101	60	0	29573.46	539.7849462	15810.07257	30000	0	0	30000	40.625	2004
15.01.2020 11:37:00	1	1	1	1	101	60.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.25	2004
15.01.2020 11:37:01	1	1	1	1	101	60.25	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	40.125	2004
15.01.2020 11:37:02	1	1	1	1	101	60	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:08	1	1	1	1	100.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:37:09	1	1	1	1	100.5	60.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	39.9375	2004
15.01.2020 11:37:10	1	1	1	1	100.5	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
15.01.2020 11:37:11	1	1	1	1	100.5	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
15.01.2020 11:37:12	1	1	1	1	100.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
15.01.2020 11:37:13	1	1	1	1	100.5	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.8125	2004
15.01.2020 11:37:14	1	1	1	1	100.5	59.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.375	2004
15.01.2020 11:37:15	1	1	1	1	100.5	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.375	2004
15.01.2020 11:37:16	1	1	1	1	100.5	60.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	39.75	2004
15.01.2020 11:37:17	1	1	1	1	100.3	59.75	0	29952.607	445.1612903	13591.44402	30000	0	0	30000	39.375	2004
15.01.2020 11:37:18	1	1	1	1	100.3	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
15.01.2020 11:37:19	1	1	1	1	100.3	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
15.01.2020 11:37:20	1	1	1	1	100.3	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
15.01.2020 11:37:21	1	1	1	1	100.3	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:22	1	1	1	1	100.3	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:37:23	1	1	1	1	100.3	59.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.9375	2004
15.01.2020 11:37:24	1	1	1	1	100.3	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:26	1	1	1	1	100.3	60.25	0	29952.607	494.6236559	15032.20721	30000	0	0	30000	39.5	2004
15.01.2020 11:37:27	1	1	1	1	100.3	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.125	2004
15.01.2020 11:37:28	1	1	1	1	99.75	60	0	30000	516.1290323	15701.62803	30000	0	0	30000	39.875	2004
15.01.2020 11:37:29	1	1	1	1	99.75	59.75	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	40.375	2004
15.01.2020 11:37:30	1	1	1	1	99.75	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.875	2004
15.01.2020 11:37:31	1	1	1	1	99.75	59.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	40.3125	2004
15.01.2020 11:37:32	1	1	1	1	99.75	60.25	0	29810.427	537.6344086	16141.92917	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:33	1	1	1	1	99.75	60.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	40.125	2004
15.01.2020 11:37:34	1	1	1	1	99.75	60	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	40.75	2004
15.01.2020 11:37:35	1	1	1	1	99.75	60.75	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	40.3125	2004
15.01.2020 11:37:36	1	1	1	1	99.75	59.5	0	29526.066	541.9354839	15810.07257	30000	0	0	30000	40.5	2004
15.01.2020 11:37:37	1	1	1	1	99.5	60.5	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	40.0625	2004
15.01.2020 11:37:38	1	1	1	1	99.5	60	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.1875	2004
15.01.2020 11:37:39	1	1	1	1	99.5	60	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	40.1875	2004
15.01.2020 11:37:40	1	1	1	1	99.5	60	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	40.5625	2004
15.01.2020 11:37:41	1	1	1	1	99.5	60.5	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	40.375	2004
15.01.2020 11:37:42	1	1	1	1	99.5	60.25	0	29431.28	546.2365591	15885.90221	30000	0	0	30000	40.0625	2004
15.01.2020 11:37:43	1	1	1	1	99.5	60	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	40.3125	2004
15.01.2020 11:37:44	1	1	1	1	99.5	60.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	39.875	2004
15.01.2020 11:37:45	1	1	1	1	99.5	59.75	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	40.375	2004
15.01.2020 11:37:46	1	1	1	1	99.5	60.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:47	1	1	1	1	99	60.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.125	2004
15.01.2020 11:37:48	1	1	1	1	99	60	0	29383.886	537.6344086	16075.884	30000	0	0	30000	39.875	2004
15.01.2020 11:37:49	1	1	1	1	99	59.75	0	29526.066	541.9354839	15848.39508	30000	0	0	30000	40.375	2004
15.01.2020 11:37:50	1	1	1	1	99	60.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	40.125	2004
15.01.2020 11:37:51	1	1	1	1	99	60	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.5	2004
15.01.2020 11:37:52	1	1	1	1	99	60.5	0	29526.066	533.3333333	15836.16449	30000	0	0	30000	40.5	2004
15.01.2020 11:37:53	1	1	1	1	99	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:54	1	1	1	1	99	60.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	39.5625	2004
15.01.2020 11:37:55	1	1	1	1	99	59.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.5	2004
15.01.2020 11:37:56	1	1	1	1	99	60.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.5	2004
15.01.2020 11:37:57	1	1	1	1	98.5	60.5	0	29715.64	544.0860215	16141.92917	30000	0	0	30000	40.4375	2004
15.01.2020 11:37:58	1	1	1	1	98.5	60.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.5	2004
15.01.2020 11:37:59	1	1	1	1	98.5	60.5	0	29431.28	539.7849462	15759.51947	30000	0	0	30000	40.375	2004
15.01.2020 11:38:00	1	1	1	1	98.5	60.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:01	1	1	1	1	98.5	60.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:03	1	1	1	1	98.5	60.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	40.25	2004
15.01.2020 11:38:04	1	1	1	1	98.5	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.375	2004
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:10	1	1	1	1	98.5	60.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:11	1	1	1	1	98.5	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.5625	2004
15.01.2020 11:38:12	1	1	1	1	98.5	60.5	0	29905.213	511.827957	15483.92357	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:13	1	1	1	1	98.5	60.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	40.5	2004
15.01.2020 11:38:14	1	1	1	1	98.5	60.5	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:15	1	1	1	1	98.5	60.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
15.01.2020 11:38:16	1	1	1	1	98.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
15.01.2020 11:38:17	1	1	1	1	98.25	60.25	0	29905.213	449.4623656	13333.78632	30000	0	0	30000	39.9375	2004
15.01.2020 11:38:18	1	1	1	1	98.25	59.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
15.01.2020 11:38:19	1	1	1	1	98.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.125	2004
15.01.2020 11:38:20	1	1	1	1	98.25	60	0	30000	412.9032258	12367.56992	30000	0	0	30000	40.25	2004
15.01.2020 11:38:21	1	1	1	1	98.25	60.25	0	30000	400	12064.25135	30000	0	0	30000	40.625	2004
15.01.2020 11:38:22	1	1	1	1	98.25	60.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:23	1	1	1	1	98.25	60.25	0	30000	427.9569892	12580.38214	30000	0	0	30000	40.5	2004
15.01.2020 11:38:24	1	1	1	1	98.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.375	2004
15.01.2020 11:38:25	1	1	1	1	98.25	60.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.625	2004
15.01.2020 11:38:26	1	1	1	1	98.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
15.01.2020 11:38:27	1	1	1	1	98.25	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:28	1	1	1	1	98.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
15.01.2020 11:38:29	1	1	1	1	98.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
15.01.2020 11:38:30	1	1	1	1	98.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5	2004
15.01.2020 11:38:31	1	1	1	1	98.25	60.5	0	30000	498.9247312	14967.79279	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:32	1	1	1	1	98.25	60.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.1875	2004
15.01.2020 11:38:33	1	1	1	1	98.25	60	0	30000	518.2795699	15548.338	30000	0	0	30000	39.625	2004
15.01.2020 11:38:34	1	1	1	1	98.25	59.5	0	30000	516.1290323	15548.338	30000	0	0	30000	40.1875	2004
15.01.2020 11:38:35	1	1	1	1	98.25	60	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.25	2004
15.01.2020 11:38:36	1	1	1	1	98.25	60.25	0	30000	511.827957	15289.86492	30000	0	0	30000	39.875	2004
15.01.2020 11:38:37	1	1	1	1	97.75	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	40.375	2004
15.01.2020 11:38:38	1	1	1	1	97.75	60.25	0	29905.213	529.0322581	15974.77781	30000	0	0	30000	40.375	2004
15.01.2020 11:38:39	1	1	1	1	97.75	60.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.5625	2004
15.01.2020 11:38:41	1	1	1	1	97.75	60.5	0	30047.393	539.7849462	16000.05436	30000	0	0	30000	40.1875	2004
15.01.2020 11:38:42	1	1	1	1	97.75	60	0	29905.213	537.6344086	16039.19224	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:43	1	1	1	1	97.75	60.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	40.4375	2004
15.01.2020 11:38:44	1	1	1	1	97.75	60.25	0	30000	529.0322581	15741.58128	30000	0	0	30000	40.625	2004
15.01.2020 11:38:45	1	1	1	1	97.75	60.5	0	29952.607	520.4301075	15523.87682	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:46	1	1	1	1	97.75	60.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.375	2004
15.01.2020 11:38:47	1	1	1	1	97.75	60.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.5625	2004
15.01.2020 11:38:48	1	1	1	1	97.5	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.8125	2004
15.01.2020 11:38:49	1	1	1	1	97.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.1875	2004
15.01.2020 11:38:50	1	1	1	1	97.5	60	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:51	1	1	1	1	97.5	60.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:38:52	1	1	1	1	97.5	60.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.0625	2004
15.01.2020 11:38:53	1	1	1	1	97.5	60	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.1875	2004
15.01.2020 11:38:54	1	1	1	1	97.5	60	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.375	2004
15.01.2020 11:38:55	1	1	1	1	97.5	60.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.3125	2004
15.01.2020 11:38:56	1	1	1	1	97.5	60.25	0	30000	529.0322581	15677.16685	30000	0	0	30000	40.25	2004
15.01.2020 11:38:57	1	1	1	1	97.25	60.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.0625	2004
15.01.2020 11:38:58	1	1	1	1	97.25	60	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.5625	2004
15.01.2020 11:38:59	1	1	1	1	97.25	60.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.3125	2004
15.01.2020 11:39:00	1	1	1	1	97.25	60.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.1875	2004
15.01.2020 11:39:01	1	1	1	1	97.25	60	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:02	1	1	1	1	97.25	60.25	0	30047.393	533.3333333	15934.82456	30000	0	0	30000	39.75	2004
15.01.2020 11:39:03	1	1	1	1	97.25	59.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
15.01.2020 11:39:04	1	1	1	1	97.25	60.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.8125	2004
15.01.2020 11:39:05	1	1	1	1	97.25	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40	2004
15.01.2020 11:39:12	1	1	1	1	97	60	0	30000	427.9569892	12818.4709	30000	0	0	30000	39.8125	2004
15.01.2020 11:39:13	1	1	1	1	97	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.5	2004
15.01.2020 11:39:14	1	1	1	1	97	60.5	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:15	1	1	1	1	97	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.0625	2004
15.01.2020 11:39:16	1	1	1	1	97	60	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	40.5	2004
15.01.2020 11:39:17	1	1	1	1	97	60.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.5	2004
15.01.2020 11:39:18	1	1	1	1	97	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.875	2004
15.01.2020 11:39:19	1	1	1	1	97	59.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.5	2004
15.01.2020 11:39:21	1	1	1	1	97	60.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.5	2004
15.01.2020 11:39:22	1	1	1	1	97	60.5	0	30000	438.7096774	13289.7562	30000	0	0	30000	40.3125	2004
15.01.2020 11:39:23	1	1	1	1	97	60.25	0	30094.787	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:24	1	1	1	1	97	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
15.01.2020 11:39:25	1	1	1	1	97	60	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:26	1	1	1	1	97	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.0625	2004
15.01.2020 11:39:27	1	1	1	1	97	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
15.01.2020 11:39:28	1	1	1	1	96.5	60.5	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	40.25	2004
15.01.2020 11:39:29	1	1	1	1	96.5	60.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.625	2004
15.01.2020 11:39:30	1	1	1	1	96.5	60.5	0	29952.607	488.172043	14773.73413	30000	0	0	30000	41	2004
15.01.2020 11:39:31	1	1	1	1	96.5	61	0	30000	496.7741935	14838.14856	30000	0	0	30000	40.25	2004
15.01.2020 11:39:32	1	1	1	1	96.5	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
15.01.2020 11:39:33	1	1	1	1	96.5	59.75	0	29905.213	483.8709677	14622.07485	30000	0	0	30000	40.3125	2004
15.01.2020 11:39:34	1	1	1	1	96.5	60.25	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.125	2004
15.01.2020 11:39:35	1	1	1	1	96.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:39:36	1	1	1	1	96.5	59.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.3125	2004
15.01.2020 11:39:37	1	1	1	1	96.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
15.01.2020 11:39:38	1	1	1	1	96.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
15.01.2020 11:39:39	1	1	1	1	96.5	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.5	2004
15.01.2020 11:39:40	1	1	1	1	96.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
15.01.2020 11:39:41	1	1	1	1	96.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
15.01.2020 11:39:42	1	1	1	1	96.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
15.01.2020 11:39:43	1	1	1	1	96.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:44	1	1	1	1	96.5	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
15.01.2020 11:39:45	1	1	1	1	96.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
15.01.2020 11:39:46	1	1	1	1	96.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
15.01.2020 11:39:47	1	1	1	1	96.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
15.01.2020 11:39:48	1	1	1	1	96.25	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	39.8125	2004
15.01.2020 11:39:49	1	1	1	1	96.25	59.75	0	30000	464.516129	13913.51616	30000	0	0	30000	39.9375	2004
15.01.2020 11:39:50	1	1	1	1	96.25	59.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	39.8125	2004
15.01.2020 11:39:51	1	1	1	1	96.25	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	39	2004
15.01.2020 11:39:52	1	1	1	1	96.25	59	0	30000	460.2150538	13935.53122	30000	0	0	30000	39	2004
15.01.2020 11:39:53	1	1	1	1	96.25	59	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
15.01.2020 11:39:54	1	1	1	1	96.25	60.25	0	30047.393	455.9139785	13633.84339	30000	0	0	30000	39.125	2004
15.01.2020 11:39:55	1	1	1	1	96.25	59	0	30000	451.6129032	13612.64371	30000	0	0	30000	39.5	2004
15.01.2020 11:39:56	1	1	1	1	96.25	59.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.75	2004
15.01.2020 11:39:57	1	1	1	1	95.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40	2004
15.01.2020 11:39:59	1	1	1	1	95.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:00	1	1	1	1	95.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
15.01.2020 11:40:01	1	1	1	1	95.75	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
15.01.2020 11:40:02	1	1	1	1	95.75	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
15.01.2020 11:40:03	1	1	1	1	95.75	59.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.1875	2004
15.01.2020 11:40:04	1	1	1	1	95.75	60	0	30000	520.4301075	15920.96323	30000	0	0	30000	39.9375	2004
15.01.2020 11:40:05	1	1	1	1	95.75	59.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.0625	2004
15.01.2020 11:40:06	1	1	1	1	95.75	60	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:07	1	1	1	1	95.75	60.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:13	1	1	1	1	96	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.125	2004
15.01.2020 11:40:14	1	1	1	1	96	60	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.625	2004
15.01.2020 11:40:15	1	1	1	1	96	59.5	0	30000	498.9247312	15008.56141	30000	0	0	30000	40.125	2004
15.01.2020 11:40:16	1	1	1	1	96	60	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	39.8125	2004
15.01.2020 11:40:17	1	1	1	1	95.75	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	40.375	2004
15.01.2020 11:40:18	1	1	1	1	95.75	60.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.25	2004
15.01.2020 11:40:19	1	1	1	1	95.75	60.25	0	30000	498.9247312	15249.91167	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:40:20	1	1	1	1	95.75	60	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.6875	2004
15.01.2020 11:40:21	1	1	1	1	95.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
15.01.2020 11:40:22	1	1	1	1	95.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
15.01.2020 11:40:23	1	1	1	1	95.75	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.1875	2004
15.01.2020 11:40:24	1	1	1	1	95.75	60	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
15.01.2020 11:40:25	1	1	1	1	95.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
15.01.2020 11:40:26	1	1	1	1	95.75	60.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.5	2004
15.01.2020 11:40:27	1	1	1	1	95.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
15.01.2020 11:40:28	1	1	1	1	95.75	59.5	0	29905.213	436.5591398	13289.7562	30000	0	0	30000	40.75	2004
15.01.2020 11:40:29	1	1	1	1	95.75	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:30	1	1	1	1	95.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
15.01.2020 11:40:31	1	1	1	1	95.75	60.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.5	2004
15.01.2020 11:40:32	1	1	1	1	95.75	60.5	0	30000	423.655914	12773.62542	30000	0	0	30000	40.1875	2004
15.01.2020 11:40:33	1	1	1	1	95.75	60	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.5	2004
15.01.2020 11:40:34	1	1	1	1	95.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
15.01.2020 11:40:35	1	1	1	1	95.75	60.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	40.6875	2004
15.01.2020 11:40:37	1	1	1	1	95.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
15.01.2020 11:40:38	1	1	1	1	95.75	60.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.0625	2004
15.01.2020 11:40:39	1	1	1	1	95.75	60	0	30000	402.1505376	11999.83693	30000	0	0	30000	40.25	2004
15.01.2020 11:40:40	1	1	1	1	95.75	60.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.875	2004
15.01.2020 11:40:41	1	1	1	1	95.75	59.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	40.25	2004
15.01.2020 11:40:42	1	1	1	1	95.75	60.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
15.01.2020 11:40:43	1	1	1	1	95.75	60.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.375	2004
15.01.2020 11:40:44	1	1	1	1	95.75	60.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.5625	2004
15.01.2020 11:40:45	1	1	1	1	95.75	60.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:46	1	1	1	1	95.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.3125	2004
15.01.2020 11:40:47	1	1	1	1	95.75	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
15.01.2020 11:40:48	1	1	1	1	95.5	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
15.01.2020 11:40:49	1	1	1	1	95.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004
15.01.2020 11:40:50	1	1	1	1	95.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.125	2004
15.01.2020 11:40:51	1	1	1	1	95.5	60.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.625	2004
15.01.2020 11:40:52	1	1	1	1	95.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
15.01.2020 11:40:53	1	1	1	1	95.5	60.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.3125	2004
15.01.2020 11:40:54	1	1	1	1	95.5	60.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.625	2004
15.01.2020 11:40:55	1	1	1	1	95.5	60.5	0	30000	395.6989247	11704.67208	30000	0	0	30000	40.5	2004
15.01.2020 11:40:56	1	1	1	1	95.5	60.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.75	2004
15.01.2020 11:40:57	1	1	1	1	95.25	60.75	0	30000	402.1505376	11852.2545	30000	0	0	30000	40.5	2004
15.01.2020 11:40:58	1	1	1	1	95.25	60.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.25	2004
15.01.2020 11:40:59	1	1	1	1	95.25	60.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:00	1	1	1	1	95.25	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
15.01.2020 11:41:01	1	1	1	1	95.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:02	1	1	1	1	95.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:03	1	1	1	1	95.25	60.5	0	30000	427.9569892	12689.64205	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:41:04	1	1	1	1	95.25	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:05	1	1	1	1	95.25	60.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	40	2004
15.01.2020 11:41:06	1	1	1	1	95.25	60	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.625	2004
15.01.2020 11:41:07	1	1	1	1	95.5	60.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.8125	2004
15.01.2020 11:41:08	1	1	1	1	95.5	60.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.375	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	60.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	39.8125	2004
15.01.2020 11:41:15	1	1	1	1	95.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:16	1	1	1	1	95.5	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.625	2004
15.01.2020 11:41:18	1	1	1	1	95	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:19	1	1	1	1	95	60.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	40.4375	2004
15.01.2020 11:41:20	1	1	1	1	95	60.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:21	1	1	1	1	95	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
15.01.2020 11:41:22	1	1	1	1	95	59.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:23	1	1	1	1	95	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
15.01.2020 11:41:24	1	1	1	1	95	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.375	2004
15.01.2020 11:41:25	1	1	1	1	95	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:26	1	1	1	1	95	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
15.01.2020 11:41:27	1	1	1	1	95	59.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
15.01.2020 11:41:28	1	1	1	1	95.5	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.625	2004
15.01.2020 11:41:29	1	1	1	1	95.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
15.01.2020 11:41:30	1	1	1	1	95.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:31	1	1	1	1	95.5	60.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:32	1	1	1	1	95.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5	2004
15.01.2020 11:41:33	1	1	1	1	95.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
15.01.2020 11:41:34	1	1	1	1	95.5	60.25	0	30000	511.827957	15289.86492	30000	0	0	30000	39.375	2004
15.01.2020 11:41:35	1	1	1	1	95.5	59.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.3125	2004
15.01.2020 11:41:36	1	1	1	1	95.5	60.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.625	2004
15.01.2020 11:41:37	1	1	1	1	95.25	60.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	40.6875	2004
15.01.2020 11:41:38	1	1	1	1	95.25	60.5	0	30000	526.8817204	15781.53453	30000	0	0	30000	40.125	2004
15.01.2020 11:41:39	1	1	1	1	95.25	60	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:40	1	1	1	1	95.25	60.5	0	29952.607	535.483871	16064.46878	30000	0	0	30000	40.25	2004
15.01.2020 11:41:41	1	1	1	1	95.25	60.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.1875	2004
15.01.2020 11:41:42	1	1	1	1	95.25	60	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:43	1	1	1	1	95.25	60.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	39.875	2004
15.01.2020 11:41:44	1	1	1	1	95.25	59.75	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:45	1	1	1	1	95.25	60.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.625	2004
15.01.2020 11:41:46	1	1	1	1	95.25	60.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.125	2004
15.01.2020 11:41:47	1	1	1	1	94.75	60	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:41:48	1	1	1	1	94.75	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.5	2004
15.01.2020 11:41:49	1	1	1	1	94.75	60.5	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	40.625	2004
15.01.2020 11:41:50	1	1	1	1	94.75	60.5	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	40.6875	2004
15.01.2020 11:41:51	1	1	1	1	94.75	60.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.75	2004
15.01.2020 11:41:52	1	1	1	1	94.75	60.75	0	29431.28	548.3870968	16075.884	30000	0	0	30000	40.625	2004
15.01.2020 11:41:53	1	1	1	1	94.75	60.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.5625	2004
15.01.2020 11:41:57	1	1	1	1	94.75	60.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	40.4375	2004
15.01.2020 11:41:57	1	1	1	1	94.75	60.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	40.4375	2004
15.01.2020 11:41:57	1	1	1	1	94.75	60.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	40.4375	2004
15.01.2020 11:41:58	1	1	1	1	95.25	60.25	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	40.6875	2004
15.01.2020 11:41:59	1	1	1	1	95.25	60.5	0	29336.493	544.0860215	16087.29921	30000	0	0	30000	40.5625	2004
15.01.2020 11:42:00	1	1	1	1	95.25	60.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5625	2004
15.01.2020 11:42:01	1	1	1	1	95.25	60.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	40.5	2004
15.01.2020 11:42:02	1	1	1	1	95.25	60.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	40.8125	2004
15.01.2020 11:42:03	1	1	1	1	95.25	60.75	0	29146.919	552.688172	15983.74691	30000	0	0	30000	39.9375	2004
15.01.2020 11:42:04	1	1	1	1	95.25	59.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.625	2004
15.01.2020 11:42:05	1	1	1	1	95.25	60.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	40.4375	2004
15.01.2020 11:42:06	1	1	1	1	95.25	60.25	0	29715.64	544.0860215	15988.63914	30000	0	0	30000	40.75	2004
15.01.2020 11:42:07	1	1	1	1	95.25	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.6875	2004
15.01.2020 11:42:08	1	1	1	1	95.25	60.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.8125	2004
15.01.2020 11:42:09	1	1	1	1	95.25	60.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.6875	2004
15.01.2020 11:42:10	1	1	1	1	95.25	60.5	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	40.75	2004
15.01.2020 11:42:16	1	1	1	1	95.25	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:16	1	1	1	1	95.25	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:16	1	1	1	1	95.25	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:17	1	1	1	1	95.25	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:17	1	1	1	1	95.25	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:17	1	1	1	1	94.75	60.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.4375	2004
15.01.2020 11:42:18	1	1	1	1	94.75	60.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	40.6875	2004
15.01.2020 11:42:19	1	1	1	1	94.75	60.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	39.625	2004
15.01.2020 11:42:20	1	1	1	1	94.75	59.5	0	29573.46	541.9354839	16064.46878	30000	0	0	30000	40.0625	2004
15.01.2020 11:42:21	1	1	1	1	94.75	60	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	40.8125	2004
15.01.2020 11:42:22	1	1	1	1	94.75	60.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:23	1	1	1	1	94.75	60.25	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	40.6875	2004
15.01.2020 11:42:24	1	1	1	1	94.75	60.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	40.5625	2004
15.01.2020 11:42:25	1	1	1	1	94.75	60.5	0	29620.853	533.3333333	15861.44103	30000	0	0	30000	40.125	2004
15.01.2020 11:42:26	1	1	1	1	94.75	60	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.75	2004
15.01.2020 11:42:27	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.0625	2004
15.01.2020 11:42:28	1	1	1	1	95	60	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.625	2004
15.01.2020 11:42:29	1	1	1	1	95	60.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	40.875	2004
15.01.2020 11:42:30	1	1	1	1	95	60.75	0	29573.46	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
15.01.2020 11:42:31	1	1	1	1	95	60.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:42:32	1	1	1	1	95	60.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.5625	2004
15.01.2020 11:42:34	1	1	1	1	95	60.5	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	40.25	2004
15.01.2020 11:42:35	1	1	1	1	95	60.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	40.75	2004
15.01.2020 11:42:36	1	1	1	1	95	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.625	2004
15.01.2020 11:42:37	1	1	1	1	95	60.5	0	29573.46	535.483871	15836.16449	30000	0	0	30000	40.25	2004
15.01.2020 11:42:38	1	1	1	1	94.75	60.25	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	40.1875	2004
15.01.2020 11:42:39	1	1	1	1	94.75	60	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	40.25	2004
15.01.2020 11:42:40	1	1	1	1	94.75	60.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.8125	2004
15.01.2020 11:42:41	1	1	1	1	94.75	60.75	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	40.375	2004
15.01.2020 11:42:42	1	1	1	1	94.75	60.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5	2004
15.01.2020 11:42:43	1	1	1	1	94.75	60.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:44	1	1	1	1	94.75	60.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:45	1	1	1	1	94.75	60.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.8125	2004
15.01.2020 11:42:46	1	1	1	1	94.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:42:47	1	1	1	1	95	60.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	40.625	2004
15.01.2020 11:42:48	1	1	1	1	95	60.5	0	29526.066	541.9354839	16281.35787	30000	0	0	30000	40.625	2004
15.01.2020 11:42:49	1	1	1	1	95	60.5	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	40.25	2004
15.01.2020 11:42:50	1	1	1	1	95	60.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:42:51	1	1	1	1	95	60.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	40.5625	2004
15.01.2020 11:42:52	1	1	1	1	95	60.5	0	29241.706	548.3870968	16046.53059	30000	0	0	30000	40.125	2004
15.01.2020 11:42:53	1	1	1	1	95	60	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.4375	2004
15.01.2020 11:42:54	1	1	1	1	95	60.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.625	2004
15.01.2020 11:42:55	1	1	1	1	95	60.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	40.75	2004
15.01.2020 11:42:56	1	1	1	1	95	60.75	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	40.75	2004
15.01.2020 11:42:57	1	1	1	1	94.75	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.625	2004
15.01.2020 11:42:58	1	1	1	1	94.75	60.5	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	40.6875	2004
15.01.2020 11:42:59	1	1	1	1	94.75	60.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	40.625	2004
15.01.2020 11:43:00	1	1	1	1	94.75	60.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	40.375	2004
15.01.2020 11:43:01	1	1	1	1	94.75	60.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	39.9375	2004
15.01.2020 11:43:02	1	1	1	1	94.75	59.75	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:03	1	1	1	1	94.75	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.75	2004
15.01.2020 11:43:04	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	40.875	2004
15.01.2020 11:43:05	1	1	1	1	94.75	60.75	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:06	1	1	1	1	94.75	60.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:07	1	1	1	1	94.5	60.75	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:08	1	1	1	1	94.5	60.75	0	29336.493	544.0860215	15909.54801	30000	0	0	30000	40.625	2004
15.01.2020 11:43:09	1	1	1	1	94.5	60.5	0	29573.46	550.5376344	16026.96165	30000	0	0	30000	40.0625	2004
15.01.2020 11:43:11	1	1	1	1	94.5	60	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	40.75	2004
15.01.2020 11:43:12	1	1	1	1	94.5	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:18	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:19	1	1	1	1	94.75	60.75	0	29526.066	546.2365591	16344.95692	30000	0	0	30000	40.25	2004
15.01.2020 11:43:20	1	1	1	1	94.75	60.25	0	29383.886	546.2365591	16265.86579	30000	0	0	30000	40.625	2004
15.01.2020 11:43:21	1	1	1	1	94.75	60.5	0	29099.526	546.2365591	15770.11932	30000	0	0	30000	40.375	2004
15.01.2020 11:43:22	1	1	1	1	94.75	60.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.375	2004
15.01.2020 11:43:23	1	1	1	1	94.75	60.25	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:24	1	1	1	1	94.75	60.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	41	2004
15.01.2020 11:43:25	1	1	1	1	94.75	61	0	29052.133	552.688172	16004.13122	30000	0	0	30000	40.4375	2004
15.01.2020 11:43:26	1	1	1	1	94.75	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	39.75	2004
15.01.2020 11:43:27	1	1	1	1	94.75	59.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:28	1	1	1	1	94.75	60.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:29	1	1	1	1	94.75	60.5	0	29336.493	541.9354839	16176.99019	30000	0	0	30000	40.3125	2004
15.01.2020 11:43:30	1	1	1	1	94.75	60.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	39.9375	2004
15.01.2020 11:43:31	1	1	1	1	94.75	59.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.75	2004
15.01.2020 11:43:32	1	1	1	1	94.75	60.75	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	40.0625	2004
15.01.2020 11:43:33	1	1	1	1	94.75	60	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.4375	2004
15.01.2020 11:43:34	1	1	1	1	94.75	60.25	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	40.5	2004
15.01.2020 11:43:35	1	1	1	1	94.75	60.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	40.375	2004
15.01.2020 11:43:36	1	1	1	1	94.75	60.25	0	29099.526	550.5376344	15983.74691	30000	0	0	30000	40.3125	2004
15.01.2020 11:43:37	1	1	1	1	94.75	60.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	40.75	2004
15.01.2020 11:43:38	1	1	1	1	94.75	60.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:39	1	1	1	1	94.75	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.75	2004
15.01.2020 11:43:40	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:41	1	1	1	1	94.75	60.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5625	2004
15.01.2020 11:43:42	1	1	1	1	94.75	60.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	40.3125	2004
15.01.2020 11:43:43	1	1	1	1	94.75	60.25	0	29478.673	546.2365591	16075.884	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:44	1	1	1	1	94.75	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.625	2004
15.01.2020 11:43:45	1	1	1	1	94.75	60.5	0	29336.493	546.2365591	15835.34912	30000	0	0	30000	40.0625	2004
15.01.2020 11:43:46	1	1	1	1	94.75	60	0	29526.066	541.9354839	15722.01234	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:47	1	1	1	1	93.75	60.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.625	2004
15.01.2020 11:43:48	1	1	1	1	93.75	60.5	0	29336.493	544.0860215	15924.22472	30000	0	0	30000	40.5	2004
15.01.2020 11:43:50	1	1	1	1	93.75	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:51	1	1	1	1	93.75	60.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.75	2004
15.01.2020 11:43:52	1	1	1	1	93.75	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.6875	2004
15.01.2020 11:43:53	1	1	1	1	93.75	60.5	0	29763.033	535.483871	15848.39508	30000	0	0	30000	40.8125	2004
15.01.2020 11:43:54	1	1	1	1	93.75	60.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	40.375	2004
15.01.2020 11:43:55	1	1	1	1	93.75	60.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	40.375	2004
15.01.2020 11:43:56	1	1	1	1	93.75	60.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	39.9375	2004
15.01.2020 11:43:57	1	1	1	1	93.75	59.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.75	2004
15.01.2020 11:43:58	1	1	1	1	94	60.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.875	2004
15.01.2020 11:43:59	1	1	1	1	94	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.75	2004
15.01.2020 11:44:00	1	1	1	1	94	60.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:44:01	1	1	1	1	94	60.75	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	40.375	2004
15.01.2020 11:44:02	1	1	1	1	94	60.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.0625	2004
15.01.2020 11:44:03	1	1	1	1	94	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.75	2004
15.01.2020 11:44:04	1	1	1	1	94	60.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.25	2004
15.01.2020 11:44:05	1	1	1	1	94	61.25	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	40.25	2004
15.01.2020 11:44:06	1	1	1	1	94	60.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	40.875	2004
15.01.2020 11:44:07	1	1	1	1	94	61	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	40.75	2004
15.01.2020 11:44:08	1	1	1	1	94	60.75	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	40.5	2004
15.01.2020 11:44:09	1	1	1	1	94	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.0625	2004
15.01.2020 11:44:10	1	1	1	1	94	60	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5	2004
15.01.2020 11:44:11	1	1	1	1	94	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.75	2004
15.01.2020 11:44:12	1	1	1	1	94	60.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.4375	2004
15.01.2020 11:44:13	1	1	1	1	94	60.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:20	1	1	1	1	94	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
15.01.2020 11:44:21	1	1	1	1	94	60.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.5	2004
15.01.2020 11:44:22	1	1	1	1	94	60.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	40.75	2004
15.01.2020 11:44:23	1	1	1	1	94	60.75	0	29620.853	529.0322581	15988.63914	30000	0	0	30000	40.625	2004
15.01.2020 11:44:24	1	1	1	1	94	60.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.6875	2004
15.01.2020 11:44:25	1	1	1	1	94	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004
15.01.2020 11:44:26	1	1	1	1	94	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	39.8125	2004
15.01.2020 11:44:28	1	1	1	1	94	59.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
15.01.2020 11:44:29	1	1	1	1	94	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.125	2004
15.01.2020 11:44:30	1	1	1	1	94	60	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.375	2004
15.01.2020 11:44:31	1	1	1	1	94	60.25	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	40.5	2004
15.01.2020 11:44:32	1	1	1	1	94	60.5	0	29336.493	546.2365591	15835.34912	30000	0	0	30000	40.6875	2004
15.01.2020 11:44:33	1	1	1	1	94	60.5	0	29526.066	550.5376344	16217.75881	30000	0	0	30000	40.375	2004
15.01.2020 11:44:34	1	1	1	1	94	60.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
15.01.2020 11:44:35	1	1	1	1	94	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.5	2004
15.01.2020 11:44:36	1	1	1	1	94	60.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	40.875	2004
15.01.2020 11:44:37	1	1	1	1	94	60.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	40.5625	2004
15.01.2020 11:44:38	1	1	1	1	94.25	60.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.375	2004
15.01.2020 11:44:39	1	1	1	1	94.25	60.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.25	2004
15.01.2020 11:44:40	1	1	1	1	94.25	60.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	40.875	2004
15.01.2020 11:44:41	1	1	1	1	94.25	60.75	0	28957.346	548.3870968	15994.34675	30000	0	0	30000	40.6875	2004
15.01.2020 11:44:42	1	1	1	1	94.25	60.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.75	2004
15.01.2020 11:44:43	1	1	1	1	94.25	60.25	0	28957.346	554.8387097	15889.97907	30000	0	0	30000	40.625	2004
15.01.2020 11:44:44	1	1	1	1	94.25	60.5	0	28909.953	552.688172	16066.09953	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:44:45	1	1	1	1	94.25	60.75	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	40.6875	2004
15.01.2020 11:44:46	1	1	1	1	94.25	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.4375	2004
15.01.2020 11:44:47	1	1	1	1	94.25	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.625	2004
15.01.2020 11:44:48	1	1	1	1	94.25	60.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.75	2004
15.01.2020 11:44:49	1	1	1	1	94.25	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.4375	2004
15.01.2020 11:44:50	1	1	1	1	94.25	60.25	0	28672.986	550.5376344	15697.55116	30000	0	0	30000	40.5	2004
15.01.2020 11:44:51	1	1	1	1	94.25	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
15.01.2020 11:44:52	1	1	1	1	94.25	60.75	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.8125	2004
15.01.2020 11:44:53	1	1	1	1	94.25	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.5625	2004
15.01.2020 11:44:54	1	1	1	1	94.25	60.5	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	39.9375	2004
15.01.2020 11:44:55	1	1	1	1	94.25	59.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.3125	2004
15.01.2020 11:44:56	1	1	1	1	94.25	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.75	2004
15.01.2020 11:44:57	1	1	1	1	94.5	60.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.6875	2004
15.01.2020 11:44:58	1	1	1	1	94.5	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.75	2004
15.01.2020 11:44:59	1	1	1	1	94.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.3125	2004
15.01.2020 11:45:00	1	1	1	1	94.5	60.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.6875	2004
15.01.2020 11:45:01	1	1	1	1	94.5	60.5	0	28862.559	556.9892473	16315.60351	30000	0	0	30000	40.5625	2004
15.01.2020 11:45:02	1	1	1	1	94.5	60.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.6875	2004
15.01.2020 11:45:03	1	1	1	1	94.5	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.5	2004
15.01.2020 11:45:04	1	1	1	1	94.5	60.5	0	28957.346	554.8387097	15978.0393	30000	0	0	30000	40.1875	2004
15.01.2020 11:45:05	1	1	1	1	94.5	60	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.8125	2004
15.01.2020 11:45:07	1	1	1	1	94.5	60.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.875	2004
15.01.2020 11:45:08	1	1	1	1	94.25	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.6875	2004
15.01.2020 11:45:09	1	1	1	1	94.25	60.5	0	28815.166	552.688172	15733.42755	30000	0	0	30000	40.625	2004
15.01.2020 11:45:10	1	1	1	1	94.25	60.5	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	40.625	2004
15.01.2020 11:45:11	1	1	1	1	94.25	60.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	40.8125	2004
15.01.2020 11:45:12	1	1	1	1	94.25	60.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.875	2004
15.01.2020 11:45:13	1	1	1	1	94.25	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.8125	2004
15.01.2020 11:45:14	1	1	1	1	94.25	60.75	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	40	2004
15.01.2020 11:45:15	1	1	1	1	94.25	60	0	28862.559	554.8387097	15765.22708	30000	0	0	30000	40.4375	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:21	1	1	1	1	94.75	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
15.01.2020 11:45:22	1	1	1	1	94.75	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.3125	2004
15.01.2020 11:45:23	1	1	1	1	94.75	61	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.0625	2004
15.01.2020 11:45:24	1	1	1	1	94.75	60	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.9375	2004
15.01.2020 11:45:25	1	1	1	1	94.75	60.75	0	29241.706	544.0860215	15669.8285	30000	0	0	30000	40.125	2004
15.01.2020 11:45:26	1	1	1	1	94.75	60	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	40.75	2004
15.01.2020 11:45:27	1	1	1	1	94.25	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.75	2004
15.01.2020 11:45:28	1	1	1	1	94.25	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:45:29	1	1	1	1	94.25	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.125	2004
15.01.2020 11:45:30	1	1	1	1	94.25	60	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.4375	2004
15.01.2020 11:45:31	1	1	1	1	94.25	60.25	0	29620.853	535.483871	15988.63914	30000	0	0	30000	40.625	2004
15.01.2020 11:45:32	1	1	1	1	94.25	60.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.75	2004
15.01.2020 11:45:33	1	1	1	1	94.25	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.75	2004
15.01.2020 11:45:34	1	1	1	1	94.25	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.625	2004
15.01.2020 11:45:35	1	1	1	1	94.25	60.5	0	29857.82	529.0322581	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:45:36	1	1	1	1	94.25	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	40.0625	2004
15.01.2020 11:45:37	1	1	1	1	94.5	60	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
15.01.2020 11:45:38	1	1	1	1	94.5	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.75	2004
15.01.2020 11:45:39	1	1	1	1	94.5	59.75	0	30000	522.5806452	15870.41013	30000	0	0	30000	39.3125	2004
15.01.2020 11:45:40	1	1	1	1	94.5	59.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.8125	2004
15.01.2020 11:45:41	1	1	1	1	94.5	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.125	2004
15.01.2020 11:45:42	1	1	1	1	94.5	60	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
15.01.2020 11:45:43	1	1	1	1	94.5	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.75	2004
15.01.2020 11:45:44	1	1	1	1	94.5	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
15.01.2020 11:45:46	1	1	1	1	94.5	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.6875	2004
15.01.2020 11:45:47	1	1	1	1	94.5	60.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.75	2004
15.01.2020 11:45:48	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.9375	2004
15.01.2020 11:45:49	1	1	1	1	94	60.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.5	2004
15.01.2020 11:45:50	1	1	1	1	94	60.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.625	2004
15.01.2020 11:45:51	1	1	1	1	94	60.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.125	2004
15.01.2020 11:45:52	1	1	1	1	94	60	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.1875	2004
15.01.2020 11:45:53	1	1	1	1	94	60	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.75	2004
15.01.2020 11:45:54	1	1	1	1	94	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.3125	2004
15.01.2020 11:45:55	1	1	1	1	94	60.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	39.75	2004
15.01.2020 11:45:56	1	1	1	1	94	59.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	39.9375	2004
15.01.2020 11:45:57	1	1	1	1	94	59.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	40.375	2004
15.01.2020 11:45:58	1	1	1	1	94.25	60.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.0625	2004
15.01.2020 11:45:59	1	1	1	1	94.25	60	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	41.0625	2004
15.01.2020 11:46:00	1	1	1	1	94.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.1875	2004
15.01.2020 11:46:01	1	1	1	1	94.25	61	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.0625	2004
15.01.2020 11:46:02	1	1	1	1	94.25	61	0	29146.919	539.7849462	15732.61218	30000	0	0	30000	40.5625	2004
15.01.2020 11:46:03	1	1	1	1	94.25	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.875	2004
15.01.2020 11:46:04	1	1	1	1	94.25	60.75	0	29526.066	550.5376344	16101.97592	30000	0	0	30000	39.5	2004
15.01.2020 11:46:05	1	1	1	1	94.25	59.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.3125	2004
15.01.2020 11:46:06	1	1	1	1	94.25	60.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:07	1	1	1	1	94.75	60.75	0	29526.066	541.9354839	15722.01234	30000	0	0	30000	40.875	2004
15.01.2020 11:46:08	1	1	1	1	94.75	60.75	0	29336.493	539.7849462	15809.2572	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:09	1	1	1	1	94.75	60.75	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	39.875	2004
15.01.2020 11:46:10	1	1	1	1	94.75	59.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.6875	2004
15.01.2020 11:46:11	1	1	1	1	94.75	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:46:12	1	1	1	1	94.75	60.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:46:13	1	1	1	1	94.75	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:14	1	1	1	1	94.75	60.75	0	29526.066	550.5376344	15949.50126	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:15	1	1	1	1	94.75	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.6875	2004
15.01.2020 11:46:16	1	1	1	1	94.75	60.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	40.1875	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:23	1	1	1	1	94.25	60	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	39.9375	2004
15.01.2020 11:46:25	1	1	1	1	94.25	59.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:26	1	1	1	1	94.25	60.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.75	2004
15.01.2020 11:46:27	1	1	1	1	94.25	60.75	0	29620.853	550.5376344	15988.63914	30000	0	0	30000	40.875	2004
15.01.2020 11:46:28	1	1	1	1	94.75	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:46:29	1	1	1	1	94.75	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:30	1	1	1	1	94.75	60.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:31	1	1	1	1	94.75	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	40.5	2004
15.01.2020 11:46:32	1	1	1	1	94.75	60.5	0	29905.213	509.6774194	15289.86492	30000	0	0	30000	40.5	2004
15.01.2020 11:46:33	1	1	1	1	94.75	60.5	0	30000	503.2258065	14902.56299	30000	0	0	30000	40.125	2004
15.01.2020 11:46:34	1	1	1	1	94.75	60	0	30000	488.172043	14861.79436	30000	0	0	30000	40.875	2004
15.01.2020 11:46:35	1	1	1	1	94.75	60.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5625	2004
15.01.2020 11:46:36	1	1	1	1	94.75	60.5	0	30000	490.3225806	14516.07643	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:37	1	1	1	1	94.75	60	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
15.01.2020 11:46:38	1	1	1	1	94.5	60.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	40.375	2004
15.01.2020 11:46:39	1	1	1	1	94.5	60.25	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	41.3125	2004
15.01.2020 11:46:40	1	1	1	1	94.5	61.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	40.625	2004
15.01.2020 11:46:41	1	1	1	1	94.5	60.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.25	2004
15.01.2020 11:46:42	1	1	1	1	94.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.4375	2004
15.01.2020 11:46:43	1	1	1	1	94.5	60.25	0	30000	518.2795699	15459.4624	30000	0	0	30000	40.375	2004
15.01.2020 11:46:44	1	1	1	1	94.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:45	1	1	1	1	94.5	60.75	0	30000	526.8817204	15677.16685	30000	0	0	30000	40.75	2004
15.01.2020 11:46:46	1	1	1	1	94.5	60.75	0	29952.607	524.7311828	15870.41013	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:47	1	1	1	1	94.5	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.0625	2004
15.01.2020 11:46:48	1	1	1	1	94.5	60	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	40.25	2004
15.01.2020 11:46:49	1	1	1	1	94.5	60.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	40.875	2004
15.01.2020 11:46:50	1	1	1	1	94.5	60.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.625	2004
15.01.2020 11:46:51	1	1	1	1	94.5	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
15.01.2020 11:46:52	1	1	1	1	94.5	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.3125	2004
15.01.2020 11:46:53	1	1	1	1	94.5	60.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:54	1	1	1	1	94.5	60.75	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:46:55	1	1	1	1	94.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
15.01.2020 11:46:56	1	1	1	1	94.5	60.75	0	29715.64	546.2365591	16141.92917	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:46:57	1	1	1	1	95	60.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:58	1	1	1	1	95	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	40.8125	2004
15.01.2020 11:46:59	1	1	1	1	95	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.3125	2004
15.01.2020 11:47:00	1	1	1	1	95	60.25	0	29336.493	546.2365591	16176.99019	30000	0	0	30000	40.875	2004
15.01.2020 11:47:01	1	1	1	1	95	60.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.1875	2004
15.01.2020 11:47:02	1	1	1	1	95	60	0	29099.526	539.7849462	15795.39586	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:03	1	1	1	1	95	60.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	40.875	2004
15.01.2020 11:47:05	1	1	1	1	95	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:06	1	1	1	1	95	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.75	2004
15.01.2020 11:47:07	1	1	1	1	95	60.75	0	29620.853	544.0860215	16141.92917	30000	0	0	30000	39.8125	2004
15.01.2020 11:47:08	1	1	1	1	94.75	59.75	0	29526.066	541.9354839	15823.11853	30000	0	0	30000	40.6875	2004
15.01.2020 11:47:09	1	1	1	1	94.75	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.0625	2004
15.01.2020 11:47:10	1	1	1	1	94.75	60	0	29668.246	539.7849462	15950.31664	30000	0	0	30000	40.4375	2004
15.01.2020 11:47:11	1	1	1	1	94.75	60.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.75	2004
15.01.2020 11:47:12	1	1	1	1	94.75	60.75	0	29573.46	533.3333333	15861.44103	30000	0	0	30000	40.5	2004
15.01.2020 11:47:13	1	1	1	1	94.75	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:14	1	1	1	1	94.75	60.75	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	40.4375	2004
15.01.2020 11:47:15	1	1	1	1	94.75	60.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:16	1	1	1	1	94.75	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.1875	2004
15.01.2020 11:47:17	1	1	1	1	94.75	60	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
15.01.2020 11:47:18	1	1	1	1	95	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:24	1	1	1	1	95	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:47:25	1	1	1	1	95	60.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.5625	2004
15.01.2020 11:47:26	1	1	1	1	95	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.875	2004
15.01.2020 11:47:27	1	1	1	1	95.5	60.75	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:28	1	1	1	1	95.5	60.75	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.0625	2004
15.01.2020 11:47:29	1	1	1	1	95.5	61	0	29478.673	539.7849462	16038.37687	30000	0	0	30000	40.6875	2004
15.01.2020 11:47:30	1	1	1	1	95.5	60.5	0	29478.673	537.6344086	16064.46878	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:31	1	1	1	1	95.5	60.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:32	1	1	1	1	95.5	60.75	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:33	1	1	1	1	95.5	60.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
15.01.2020 11:47:34	1	1	1	1	95.5	60.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.625	2004
15.01.2020 11:47:35	1	1	1	1	95.5	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.5625	2004
15.01.2020 11:47:36	1	1	1	1	95.5	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:37	1	1	1	1	95	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:38	1	1	1	1	95	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
15.01.2020 11:47:39	1	1	1	1	95	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:40	1	1	1	1	95	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:47:41	1	1	1	1	95	60.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.9375	2004
15.01.2020 11:47:43	1	1	1	1	95	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.75	2004
15.01.2020 11:47:44	1	1	1	1	95	60.75	0	29810.427	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
15.01.2020 11:47:45	1	1	1	1	95	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:46	1	1	1	1	95	60.75	0	29668.246	537.6344086	15911.99413	30000	0	0	30000	40.625	2004
15.01.2020 11:47:47	1	1	1	1	95	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.75	2004
15.01.2020 11:47:48	1	1	1	1	95.5	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.8125	2004
15.01.2020 11:47:49	1	1	1	1	95.5	60.75	0	29715.64	550.5376344	16052.2382	30000	0	0	30000	40.375	2004
15.01.2020 11:47:50	1	1	1	1	95.5	60.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
15.01.2020 11:47:51	1	1	1	1	95.5	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.5	2004
15.01.2020 11:47:52	1	1	1	1	95.5	60.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	39.625	2004
15.01.2020 11:47:53	1	1	1	1	95.5	59.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.375	2004
15.01.2020 11:47:54	1	1	1	1	95.5	60.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.6875	2004
15.01.2020 11:47:55	1	1	1	1	95.5	60.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41	2004
15.01.2020 11:47:56	1	1	1	1	95.5	61	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	40.5	2004
15.01.2020 11:47:57	1	1	1	1	95.5	60.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41	2004
15.01.2020 11:47:58	1	1	1	1	95.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40	2004
15.01.2020 11:47:59	1	1	1	1	95.5	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:00	1	1	1	1	95.5	60.75	0	29289.1	548.3870968	15909.54801	30000	0	0	30000	40.5	2004
15.01.2020 11:48:01	1	1	1	1	95.5	60.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
15.01.2020 11:48:02	1	1	1	1	95.5	60.5	0	29336.493	535.483871	15987.0084	30000	0	0	30000	40.5	2004
15.01.2020 11:48:03	1	1	1	1	95.5	60.5	0	29431.28	546.2365591	16165.57497	30000	0	0	30000	40.875	2004
15.01.2020 11:48:04	1	1	1	1	95.5	60.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:05	1	1	1	1	95.5	60.75	0	29336.493	548.3870968	15960.91648	30000	0	0	30000	40.6875	2004
15.01.2020 11:48:06	1	1	1	1	95.5	60.5	0	29668.246	550.5376344	16115.83725	30000	0	0	30000	40.875	2004
15.01.2020 11:48:07	1	1	1	1	95.75	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:48:08	1	1	1	1	95.75	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:48:09	1	1	1	1	95.75	60.75	0	29810.427	541.9354839	15975.59318	30000	0	0	30000	40.625	2004
15.01.2020 11:48:10	1	1	1	1	95.75	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.4375	2004
15.01.2020 11:48:11	1	1	1	1	95.75	60.25	0	29810.427	535.483871	16244.6661	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:12	1	1	1	1	95.75	60.75	0	29857.82	531.1827957	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:48:13	1	1	1	1	95.75	60.75	0	30000	522.5806452	15870.41013	30000	0	0	30000	40.4375	2004
15.01.2020 11:48:14	1	1	1	1	95.75	60.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	40.25	2004
15.01.2020 11:48:15	1	1	1	1	95.75	60.25	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:16	1	1	1	1	95.75	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.5625	2004
15.01.2020 11:48:17	1	1	1	1	95.75	60.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.6875	2004
15.01.2020 11:48:18	1	1	1	1	95.75	60.5	0	30000	516.1290323	15548.338	30000	0	0	30000	40.3125	2004
15.01.2020 11:48:20	1	1	1	1	95.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:48:26	1	1	1	1	95.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
15.01.2020 11:48:27	1	1	1	1	95.75	60.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:28	1	1	1	1	95.75	60.75	0	29763.033	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:29	1	1	1	1	95.75	60.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:30	1	1	1	1	95.75	60.75	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.5	2004
15.01.2020 11:48:31	1	1	1	1	95.75	60.5	0	29810.427	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:32	1	1	1	1	95.75	60.75	0	29478.673	546.2365591	15885.90221	30000	0	0	30000	41	2004
15.01.2020 11:48:33	1	1	1	1	95.75	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
15.01.2020 11:48:34	1	1	1	1	95.75	61	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	41	2004
15.01.2020 11:48:35	1	1	1	1	95.75	61	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.1875	2004
15.01.2020 11:48:36	1	1	1	1	95.75	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
15.01.2020 11:48:37	1	1	1	1	95.75	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.875	2004
15.01.2020 11:48:38	1	1	1	1	96	60.75	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:39	1	1	1	1	96	60.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
15.01.2020 11:48:40	1	1	1	1	96	60.75	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:41	1	1	1	1	96	60.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.75	2004
15.01.2020 11:48:42	1	1	1	1	96	60.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:43	1	1	1	1	96	60.75	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	40.75	2004
15.01.2020 11:48:44	1	1	1	1	96	60.75	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:45	1	1	1	1	96	60.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.75	2004
15.01.2020 11:48:46	1	1	1	1	96	60.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	40.5	2004
15.01.2020 11:48:47	1	1	1	1	95.75	60.5	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	40.8125	2004
15.01.2020 11:48:48	1	1	1	1	95.75	60.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.9375	2004
15.01.2020 11:48:49	1	1	1	1	95.75	60.75	0	29526.066	539.7849462	15848.39508	30000	0	0	30000	41.0625	2004
15.01.2020 11:48:50	1	1	1	1	95.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
15.01.2020 11:48:51	1	1	1	1	95.75	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
15.01.2020 11:48:52	1	1	1	1	95.75	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.75	2004
15.01.2020 11:48:53	1	1	1	1	95.75	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.875	2004
15.01.2020 11:48:54	1	1	1	1	95.75	60.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.875	2004
15.01.2020 11:48:55	1	1	1	1	95.75	60.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.875	2004
15.01.2020 11:48:56	1	1	1	1	95.75	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.4375	2004
15.01.2020 11:48:57	1	1	1	1	95.75	60.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.375	2004
15.01.2020 11:48:58	1	1	1	1	95.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.875	2004
15.01.2020 11:49:00	1	1	1	1	95.75	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.6875	2004
15.01.2020 11:49:01	1	1	1	1	95.75	60.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.1875	2004
15.01.2020 11:49:02	1	1	1	1	95.75	60	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
15.01.2020 11:49:03	1	1	1	1	95.75	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.5625	2004
15.01.2020 11:49:04	1	1	1	1	95.75	60.5	0	29573.46	533.3333333	15861.44103	30000	0	0	30000	40.875	2004
15.01.2020 11:49:05	1	1	1	1	95.75	60.75	0	29573.46	533.3333333	15925.04009	30000	0	0	30000	40.875	2004
15.01.2020 11:49:06	1	1	1	1	95.75	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.9375	2004
15.01.2020 11:49:07	1	1	1	1	95.75	60.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.0625	2004
15.01.2020 11:49:08	1	1	1	1	95.75	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	40.5	2004
15.01.2020 11:49:09	1	1	1	1	95.75	60.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:49:10	1	1	1	1	95.75	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.75	2004
15.01.2020 11:49:11	1	1	1	1	95.75	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
15.01.2020 11:49:12	1	1	1	1	95.75	61	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	40.8125	2004
15.01.2020 11:49:13	1	1	1	1	95.75	60.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.875	2004
15.01.2020 11:49:14	1	1	1	1	95.75	60.75	0	29905.213	516.1290323	15177.34352	30000	0	0	30000	41.125	2004
15.01.2020 11:49:15	1	1	1	1	95.75	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
15.01.2020 11:49:16	1	1	1	1	95.75	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.75	2004
15.01.2020 11:49:17	1	1	1	1	95.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
15.01.2020 11:49:18	1	1	1	1	95.25	59.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.9375	2004
15.01.2020 11:49:19	1	1	1	1	95.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.8125	2004
15.01.2020 11:49:20	1	1	1	1	95.25	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.375	2004
15.01.2020 11:49:21	1	1	1	1	95.25	60.25	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	40.875	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	60.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
15.01.2020 11:49:28	1	1	1	1	95.25	61	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.0625	2004
15.01.2020 11:49:29	1	1	1	1	95.25	60	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41	2004
15.01.2020 11:49:30	1	1	1	1	95.25	61	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	40.9375	2004
15.01.2020 11:49:31	1	1	1	1	95.25	60.75	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.0625	2004
15.01.2020 11:49:32	1	1	1	1	95.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
15.01.2020 11:49:33	1	1	1	1	95.25	61	0	29905.213	533.3333333	15987.82377	30000	0	0	30000	40.625	2004
15.01.2020 11:49:34	1	1	1	1	95.25	60.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	40.5625	2004
15.01.2020 11:49:35	1	1	1	1	95.25	60.5	0	29810.427	529.0322581	16141.92917	30000	0	0	30000	40.6875	2004
15.01.2020 11:49:36	1	1	1	1	95.25	60.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40	2004
15.01.2020 11:49:37	1	1	1	1	94.75	60	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
15.01.2020 11:49:39	1	1	1	1	94.75	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.8125	2004
15.01.2020 11:49:40	1	1	1	1	94.75	60.75	0	29526.066	537.6344086	16115.83725	30000	0	0	30000	41	2004
15.01.2020 11:49:41	1	1	1	1	94.75	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.375	2004
15.01.2020 11:49:42	1	1	1	1	94.75	60.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	40.5	2004
15.01.2020 11:49:43	1	1	1	1	94.75	60.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	40.375	2004
15.01.2020 11:49:44	1	1	1	1	94.75	60.25	0	29478.673	546.2365591	16075.884	30000	0	0	30000	40.75	2004
15.01.2020 11:49:45	1	1	1	1	94.75	60.75	0	29146.919	550.5376344	15770.11932	30000	0	0	30000	40.625	2004
15.01.2020 11:49:46	1	1	1	1	94.75	60.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.5625	2004
15.01.2020 11:49:47	1	1	1	1	94.75	60.5	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
15.01.2020 11:49:48	1	1	1	1	95	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
15.01.2020 11:49:49	1	1	1	1	95	61	0	29241.706	544.0860215	16024.51553	30000	0	0	30000	40.75	2004
15.01.2020 11:49:50	1	1	1	1	95	60.75	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	41	2004
15.01.2020 11:49:51	1	1	1	1	95	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
15.01.2020 11:49:52	1	1	1	1	95	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
15.01.2020 11:49:53	1	1	1	1	95	61	0	29431.28	544.0860215	16128.06784	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:49:54	1	1	1	1	95	60.5	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	40.9375	2004
15.01.2020 11:49:55	1	1	1	1	95	60.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	39.9375	2004
15.01.2020 11:49:56	1	1	1	1	95	59.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.5	2004
15.01.2020 11:49:57	1	1	1	1	95.5	60.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40.875	2004
15.01.2020 11:49:58	1	1	1	1	95.5	60.75	0	29431.28	544.0860215	16291.95771	30000	0	0	30000	40.375	2004
15.01.2020 11:49:59	1	1	1	1	95.5	60.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.625	2004
15.01.2020 11:50:00	1	1	1	1	95.5	60.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
15.01.2020 11:50:01	1	1	1	1	95.5	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
15.01.2020 11:50:02	1	1	1	1	95.5	61	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	40.875	2004
15.01.2020 11:50:03	1	1	1	1	95.5	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.0625	2004
15.01.2020 11:50:04	1	1	1	1	95.5	61	0	29431.28	554.8387097	16050.60745	30000	0	0	30000	41	2004
15.01.2020 11:50:05	1	1	1	1	95.5	61	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:06	1	1	1	1	95.5	60.75	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	40.6875	2004
15.01.2020 11:50:07	1	1	1	1	94.75	60.5	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41	2004
15.01.2020 11:50:08	1	1	1	1	94.75	61	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
15.01.2020 11:50:09	1	1	1	1	94.75	61	0	30000	524.7311828	15831.27225	30000	0	0	30000	40.8125	2004
15.01.2020 11:50:10	1	1	1	1	94.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
15.01.2020 11:50:11	1	1	1	1	94.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
15.01.2020 11:50:12	1	1	1	1	94.75	60.75	0	29810.427	533.3333333	16077.51474	30000	0	0	30000	41.125	2004
15.01.2020 11:50:13	1	1	1	1	94.75	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.875	2004
15.01.2020 11:50:14	1	1	1	1	94.75	60.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.625	2004
15.01.2020 11:50:15	1	1	1	1	94.75	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.4375	2004
15.01.2020 11:50:17	1	1	1	1	94.75	60.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41	2004
15.01.2020 11:50:18	1	1	1	1	95.25	61	0	29241.706	535.483871	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:19	1	1	1	1	95.25	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41	2004
15.01.2020 11:50:20	1	1	1	1	95.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.6875	2004
15.01.2020 11:50:21	1	1	1	1	95.25	60.5	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	40.5	2004
15.01.2020 11:50:22	1	1	1	1	95.25	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.875	2004
15.01.2020 11:50:23	1	1	1	1	95.25	60.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:29	1	1	1	1	95	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:50:30	1	1	1	1	95	61	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.6875	2004
15.01.2020 11:50:31	1	1	1	1	95	60.5	0	29478.673	546.2365591	16075.884	30000	0	0	30000	41.0625	2004
15.01.2020 11:50:32	1	1	1	1	95	61	0	29241.706	550.5376344	15795.39586	30000	0	0	30000	40.375	2004
15.01.2020 11:50:33	1	1	1	1	95	60.25	0	29241.706	548.3870968	16046.53059	30000	0	0	30000	40.625	2004
15.01.2020 11:50:34	1	1	1	1	95	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.5625	2004
15.01.2020 11:50:35	1	1	1	1	95	60.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	40.75	2004
15.01.2020 11:50:36	1	1	1	1	95	60.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	40.4375	2004
15.01.2020 11:50:37	1	1	1	1	95.25	60.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:50:38	1	1	1	1	95.25	60.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.6875	2004
15.01.2020 11:50:39	1	1	1	1	95.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:40	1	1	1	1	95.25	60.75	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	40.3125	2004
15.01.2020 11:50:41	1	1	1	1	95.25	60.25	0	29099.526	550.5376344	15983.74691	30000	0	0	30000	41.0625	2004
15.01.2020 11:50:42	1	1	1	1	95.25	61	0	29241.706	548.3870968	16098.71443	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:43	1	1	1	1	95.25	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41	2004
15.01.2020 11:50:44	1	1	1	1	95.25	61	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	40.875	2004
15.01.2020 11:50:45	1	1	1	1	95.25	60.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
15.01.2020 11:50:46	1	1	1	1	95.25	61	0	29431.28	550.5376344	16150.89827	30000	0	0	30000	41.125	2004
15.01.2020 11:50:47	1	1	1	1	95	61	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	40.25	2004
15.01.2020 11:50:48	1	1	1	1	95	60.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.75	2004
15.01.2020 11:50:49	1	1	1	1	95	60.75	0	28862.559	550.5376344	15916.07099	30000	0	0	30000	41.125	2004
15.01.2020 11:50:50	1	1	1	1	95	61	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	41.1875	2004
15.01.2020 11:50:51	1	1	1	1	95	61	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:52	1	1	1	1	95	60.75	0	28957.346	550.5376344	15889.97907	30000	0	0	30000	40.6875	2004
15.01.2020 11:50:54	1	1	1	1	95	60.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41	2004
15.01.2020 11:50:55	1	1	1	1	95	61	0	29099.526	548.3870968	15994.34675	30000	0	0	30000	40.9375	2004
15.01.2020 11:50:56	1	1	1	1	95	60.75	0	29241.706	550.5376344	15795.39586	30000	0	0	30000	40.125	2004
15.01.2020 11:50:57	1	1	1	1	95	60	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.125	2004
15.01.2020 11:50:58	1	1	1	1	94.75	61	0	28957.346	552.688172	15994.34675	30000	0	0	30000	41.1875	2004
15.01.2020 11:50:59	1	1	1	1	94.75	61	0	29146.919	552.688172	16056.31506	30000	0	0	30000	41.0625	2004
15.01.2020 11:51:00	1	1	1	1	94.75	61	0	28957.346	552.688172	16128.88321	30000	0	0	30000	40.8125	2004
15.01.2020 11:51:01	1	1	1	1	94.75	60.75	0	29146.919	556.9892473	16145.19066	30000	0	0	30000	41	2004
15.01.2020 11:51:02	1	1	1	1	94.75	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.625	2004
15.01.2020 11:51:03	1	1	1	1	94.75	60.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.8125	2004
15.01.2020 11:51:04	1	1	1	1	94.75	60.75	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	39.75	2004
15.01.2020 11:51:05	1	1	1	1	94.75	59.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.9375	2004
15.01.2020 11:51:06	1	1	1	1	94.75	60.75	0	29052.133	554.8387097	16422.41731	30000	0	0	30000	41.125	2004
15.01.2020 11:51:07	1	1	1	1	94.75	61	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.1875	2004
15.01.2020 11:51:08	1	1	1	1	94.75	61	0	28957.346	552.688172	16128.88321	30000	0	0	30000	40.5625	2004
15.01.2020 11:51:09	1	1	1	1	94.75	60.5	0	29052.133	552.688172	16066.09953	30000	0	0	30000	40.4375	2004
15.01.2020 11:51:10	1	1	1	1	94.75	60.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.5625	2004
15.01.2020 11:51:11	1	1	1	1	94.75	60.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.25	2004
15.01.2020 11:51:12	1	1	1	1	94.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 11:51:13	1	1	1	1	94.75	61.5	0	28957.346	552.688172	16128.88321	30000	0	0	30000	41.375	2004
15.01.2020 11:51:14	1	1	1	1	94.75	61.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	40.9375	2004
15.01.2020 11:51:15	1	1	1	1	94.75	61.25	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	40.25	2004
15.01.2020 11:51:16	1	1	1	1	94.75	60.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	40.625	2004
15.01.2020 11:51:17	1	1	1	1	94	60.5	0	28957.346	548.3870968	15817.41092	30000	0	0	30000	40.875	2004
15.01.2020 11:51:18	1	1	1	1	94	60.75	0	29052.133	548.3870968	15817.41092	30000	0	0	30000	41.25	2004
15.01.2020 11:51:19	1	1	1	1	94	61.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	41.125	2004
15.01.2020 11:51:20	1	1	1	1	94	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
15.01.2020 11:51:21	1	1	1	1	94	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:52:06	1	1	1	1	94.5	60.75	0	29004.739	550.5376344	16004.13122	30000	0	0	30000	40.6875	2004
15.01.2020 11:52:07	1	1	1	1	93.75	60.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
15.01.2020 11:52:08	1	1	1	1	93.75	60.75	0	29146.919	546.2365591	15669.8285	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:09	1	1	1	1	93.75	61	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	39.4375	2004
15.01.2020 11:52:10	1	1	1	1	93.75	59.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:11	1	1	1	1	93.75	61	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:12	1	1	1	1	93.75	61	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	40.875	2004
15.01.2020 11:52:14	1	1	1	1	93.75	60.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.25	2004
15.01.2020 11:52:15	1	1	1	1	93.75	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.6875	2004
15.01.2020 11:52:16	1	1	1	1	93.75	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:17	1	1	1	1	93.75	61	0	29336.493	548.3870968	15998.42361	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:18	1	1	1	1	93.75	61	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
15.01.2020 11:52:19	1	1	1	1	93.75	61	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	40.625	2004
15.01.2020 11:52:20	1	1	1	1	93.75	60.5	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41	2004
15.01.2020 11:52:21	1	1	1	1	93.75	61	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.5	2004
15.01.2020 11:52:22	1	1	1	1	93.75	60.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:23	1	1	1	1	93.75	61	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:24	1	1	1	1	93.75	61	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	40.5625	2004
15.01.2020 11:52:25	1	1	1	1	93.75	60.5	0	29146.919	539.7849462	15858.17955	30000	0	0	30000	40.9375	2004
15.01.2020 11:52:26	1	1	1	1	93.75	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:32	1	1	1	1	94	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.125	2004
15.01.2020 11:52:33	1	1	1	1	94	61	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:34	1	1	1	1	94	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:35	1	1	1	1	94	61	0	29099.526	541.9354839	15832.08763	30000	0	0	30000	41.125	2004
15.01.2020 11:52:36	1	1	1	1	94	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:37	1	1	1	1	94.25	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
15.01.2020 11:52:38	1	1	1	1	94.25	61.25	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.875	2004
15.01.2020 11:52:39	1	1	1	1	94.25	60.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.125	2004
15.01.2020 11:52:40	1	1	1	1	94.25	61	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	40.875	2004
15.01.2020 11:52:41	1	1	1	1	94.25	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.3125	2004
15.01.2020 11:52:42	1	1	1	1	94.25	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.25	2004
15.01.2020 11:52:43	1	1	1	1	94.25	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:44	1	1	1	1	94.25	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.8125	2004
15.01.2020 11:52:45	1	1	1	1	94.25	60.75	0	29336.493	535.483871	15708.96638	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:46	1	1	1	1	94.25	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:47	1	1	1	1	94.75	61	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:48	1	1	1	1	94.75	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.8125	2004
15.01.2020 11:52:49	1	1	1	1	94.75	60.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:52:50	1	1	1	1	94.75	61	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.9375	2004
15.01.2020 11:52:51	1	1	1	1	94.75	60.75	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	40.5625	2004
15.01.2020 11:52:52	1	1	1	1	94.75	60.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:53	1	1	1	1	94.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.0625	2004
15.01.2020 11:52:55	1	1	1	1	94.75	60	0	29431.28	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004
15.01.2020 11:52:56	1	1	1	1	94.75	61	0	29431.28	539.7849462	15860.62566	30000	0	0	30000	40.6875	2004
15.01.2020 11:52:57	1	1	1	1	94.75	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.0625	2004
15.01.2020 11:52:58	1	1	1	1	94.5	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.25	2004
15.01.2020 11:52:59	1	1	1	1	94.5	61.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:00	1	1	1	1	94.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.5625	2004
15.01.2020 11:53:01	1	1	1	1	94.5	60.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.75	2004
15.01.2020 11:53:02	1	1	1	1	94.5	60.75	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	41.125	2004
15.01.2020 11:53:03	1	1	1	1	94.5	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.25	2004
15.01.2020 11:53:04	1	1	1	1	94.5	61.25	0	29052.133	552.688172	15994.34675	30000	0	0	30000	41.0625	2004
15.01.2020 11:53:05	1	1	1	1	94.5	61	0	29052.133	552.688172	15942.16291	30000	0	0	30000	39.75	2004
15.01.2020 11:53:06	1	1	1	1	94.5	59.75	0	28957.346	546.2365591	16128.88321	30000	0	0	30000	40.875	2004
15.01.2020 11:53:07	1	1	1	1	94.5	60.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	40.8125	2004
15.01.2020 11:53:08	1	1	1	1	93.75	60.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.1875	2004
15.01.2020 11:53:09	1	1	1	1	93.75	60	0	29146.919	552.688172	16046.53059	30000	0	0	30000	40.875	2004
15.01.2020 11:53:10	1	1	1	1	93.75	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:11	1	1	1	1	93.75	61.25	0	29099.526	552.688172	16056.31506	30000	0	0	30000	40	2004
15.01.2020 11:53:12	1	1	1	1	93.75	60	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	40.8125	2004
15.01.2020 11:53:13	1	1	1	1	93.75	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5625	2004
15.01.2020 11:53:14	1	1	1	1	93.75	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 11:53:15	1	1	1	1	93.75	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40	2004
15.01.2020 11:53:16	1	1	1	1	93.75	60	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.0625	2004
15.01.2020 11:53:17	1	1	1	1	94.5	61	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 11:53:18	1	1	1	1	94.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.625	2004
15.01.2020 11:53:19	1	1	1	1	94.5	60.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.1875	2004
15.01.2020 11:53:20	1	1	1	1	94.5	61	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.125	2004
15.01.2020 11:53:21	1	1	1	1	94.5	61	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	40.9375	2004
15.01.2020 11:53:24	1	1	1	1	94.5	60.75	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:24	1	1	1	1	94.5	60.75	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:24	1	1	1	1	94.5	60.75	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:25	1	1	1	1	94.5	61.25	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	41.0625	2004
15.01.2020 11:53:26	1	1	1	1	94.5	61	0	29289.1	548.3870968	16061.20729	30000	0	0	30000	41.125	2004
15.01.2020 11:53:27	1	1	1	1	94.75	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:34	1	1	1	1	94.75	60.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:53:35	1	1	1	1	94.75	60.5	0	28862.559	541.9354839	15765.22708	30000	0	0	30000	41.0625	2004
15.01.2020 11:53:36	1	1	1	1	94.75	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.3125	2004
15.01.2020 11:53:37	1	1	1	1	94.75	60.25	0	29099.526	552.688172	16020.43867	30000	0	0	30000	41	2004
15.01.2020 11:53:38	1	1	1	1	94.25	61	0	28862.559	541.9354839	15703.25877	30000	0	0	30000	39.5625	2004
15.01.2020 11:53:39	1	1	1	1	94.25	59.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 11:53:40	1	1	1	1	94.25	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.25	2004
15.01.2020 11:53:41	1	1	1	1	94.25	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.8125	2004
15.01.2020 11:53:42	1	1	1	1	94.25	60.75	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	41	2004
15.01.2020 11:53:43	1	1	1	1	94.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
15.01.2020 11:53:44	1	1	1	1	94.25	60.75	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.125	2004
15.01.2020 11:53:45	1	1	1	1	94.25	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.875	2004
15.01.2020 11:53:46	1	1	1	1	94.25	60.75	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.1875	2004
15.01.2020 11:53:47	1	1	1	1	94.25	61	0	29052.133	541.9354839	16234.06626	30000	0	0	30000	40.875	2004
15.01.2020 11:53:48	1	1	1	1	94.75	60.75	0	28862.559	552.688172	15889.97907	30000	0	0	30000	40.9375	2004
15.01.2020 11:53:49	1	1	1	1	94.75	60.75	0	29052.133	552.688172	16082.40698	30000	0	0	30000	40.875	2004
15.01.2020 11:53:50	1	1	1	1	94.75	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41	2004
15.01.2020 11:53:51	1	1	1	1	94.75	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.9375	2004
15.01.2020 11:53:52	1	1	1	1	94.75	60.75	0	29146.919	556.9892473	16171.28258	30000	0	0	30000	41.5	2004
15.01.2020 11:53:53	1	1	1	1	94.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41	2004
15.01.2020 11:53:54	1	1	1	1	94.75	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.125	2004
15.01.2020 11:53:55	1	1	1	1	94.75	61	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.0625	2004
15.01.2020 11:53:56	1	1	1	1	94.75	61	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.5625	2004
15.01.2020 11:53:57	1	1	1	1	95	60.5	0	29052.133	559.1397849	16066.09953	30000	0	0	30000	40.375	2004
15.01.2020 11:53:58	1	1	1	1	95	60.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.6875	2004
15.01.2020 11:53:59	1	1	1	1	95	60.5	0	29052.133	554.8387097	16422.41731	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:00	1	1	1	1	95	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:01	1	1	1	1	95	61	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	41.0625	2004
15.01.2020 11:54:02	1	1	1	1	95	61	0	28909.953	552.688172	16066.09953	30000	0	0	30000	41.375	2004
15.01.2020 11:54:03	1	1	1	1	95	61.25	0	29052.133	554.8387097	15942.16291	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:04	1	1	1	1	95	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.0625	2004
15.01.2020 11:54:05	1	1	1	1	95	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:06	1	1	1	1	95	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
15.01.2020 11:54:07	1	1	1	1	94.5	61	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	40.625	2004
15.01.2020 11:54:08	1	1	1	1	94.5	60.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:09	1	1	1	1	94.5	61.25	0	28909.953	550.5376344	15879.37923	30000	0	0	30000	41.4375	2004
15.01.2020 11:54:10	1	1	1	1	94.5	61.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:12	1	1	1	1	94.5	60.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.125	2004
15.01.2020 11:54:13	1	1	1	1	94.5	61	0	29336.493	541.9354839	16087.29921	30000	0	0	30000	41	2004
15.01.2020 11:54:14	1	1	1	1	94.5	61	0	29336.493	541.9354839	15935.63993	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:15	1	1	1	1	94.5	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:16	1	1	1	1	94.5	61.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:17	1	1	1	1	94.5	61.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 11:54:18	1	1	1	1	94.75	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:54:19	1	1	1	1	94.75	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
15.01.2020 11:54:20	1	1	1	1	94.75	61	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:21	1	1	1	1	94.75	61	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:22	1	1	1	1	94.75	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.0625	2004
15.01.2020 11:54:23	1	1	1	1	94.75	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
15.01.2020 11:54:24	1	1	1	1	94.75	60.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:25	1	1	1	1	94.75	61	0	29431.28	544.0860215	15924.22472	30000	0	0	30000	40.875	2004
15.01.2020 11:54:26	1	1	1	1	94.75	60.75	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.25	2004
15.01.2020 11:54:27	1	1	1	1	94.75	61.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:28	1	1	1	1	94.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:29	1	1	1	1	94.5	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.0625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.5625	2004
15.01.2020 11:54:36	1	1	1	1	94.5	60.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.8125	2004
15.01.2020 11:54:37	1	1	1	1	94.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:38	1	1	1	1	94.5	61	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:39	1	1	1	1	94.5	61.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	41.25	2004
15.01.2020 11:54:40	1	1	1	1	94.5	61.25	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:41	1	1	1	1	94.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
15.01.2020 11:54:42	1	1	1	1	94.5	61	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.75	2004
15.01.2020 11:54:43	1	1	1	1	94.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:44	1	1	1	1	94.5	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:45	1	1	1	1	94.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.9375	2004
15.01.2020 11:54:46	1	1	1	1	94.5	60.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.375	2004
15.01.2020 11:54:47	1	1	1	1	95	61.25	0	28862.559	552.688172	16066.09953	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:48	1	1	1	1	95	61	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	41.3125	2004
15.01.2020 11:54:49	1	1	1	1	95	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:50	1	1	1	1	95	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.875	2004
15.01.2020 11:54:52	1	1	1	1	95	60.75	0	29099.526	554.8387097	16207.97434	30000	0	0	30000	41.125	2004
15.01.2020 11:54:53	1	1	1	1	95	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
15.01.2020 11:54:54	1	1	1	1	95	61	0	28909.953	554.8387097	16075.884	30000	0	0	30000	41.25	2004
15.01.2020 11:54:55	1	1	1	1	95	61.25	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	41.1875	2004
15.01.2020 11:54:56	1	1	1	1	95	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 11:54:57	1	1	1	1	95	61.25	0	28815.166	554.8387097	15951.94738	30000	0	0	30000	41	2004
15.01.2020 11:54:58	1	1	1	1	95.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.75	2004
15.01.2020 11:54:59	1	1	1	1	95.25	60.75	0	29099.526	556.9892473	16207.97434	30000	0	0	30000	41.0625	2004
15.01.2020 11:55:00	1	1	1	1	95.25	61	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	39.5	2004
15.01.2020 11:55:01	1	1	1	1	95.25	59.5	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.375	2004
15.01.2020 11:55:02	1	1	1	1	95.25	61.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:55:03	1	1	1	1	95.25	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.125	2004
15.01.2020 11:55:04	1	1	1	1	95.25	61	0	28862.559	554.8387097	16190.85152	30000	0	0	30000	40.6875	2004
15.01.2020 11:55:05	1	1	1	1	95.25	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.875	2004
15.01.2020 11:55:06	1	1	1	1	95.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
15.01.2020 11:55:07	1	1	1	1	95.25	61	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	40.8125	2004
15.01.2020 11:55:08	1	1	1	1	95.25	60.75	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
15.01.2020 11:55:09	1	1	1	1	95.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	40.625	2004
15.01.2020 11:55:10	1	1	1	1	95.25	60.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 11:55:11	1	1	1	1	95.25	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:12	1	1	1	1	95.25	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:13	1	1	1	1	95.25	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.8125	2004
15.01.2020 11:55:14	1	1	1	1	95.25	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:55:15	1	1	1	1	95.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
15.01.2020 11:55:16	1	1	1	1	95.25	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.25	2004
15.01.2020 11:55:17	1	1	1	1	95	60.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.375	2004
15.01.2020 11:55:18	1	1	1	1	95	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.1875	2004
15.01.2020 11:55:19	1	1	1	1	95	61	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.25	2004
15.01.2020 11:55:20	1	1	1	1	95	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41	2004
15.01.2020 11:55:21	1	1	1	1	95	61	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.375	2004
15.01.2020 11:55:22	1	1	1	1	95	61.25	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.125	2004
15.01.2020 11:55:23	1	1	1	1	95	61	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.25	2004
15.01.2020 11:55:24	1	1	1	1	95	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.125	2004
15.01.2020 11:55:25	1	1	1	1	95	61	0	29715.64	535.483871	15720.38159	30000	0	0	30000	40.625	2004
15.01.2020 11:55:26	1	1	1	1	95	60.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:27	1	1	1	1	95.75	61.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	40.8125	2004
15.01.2020 11:55:28	1	1	1	1	95.75	60.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.125	2004
15.01.2020 11:55:29	1	1	1	1	95.75	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.6875	2004
15.01.2020 11:55:30	1	1	1	1	95.75	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:37	1	1	1	1	95.75	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 11:55:38	1	1	1	1	95.5	61	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	41.1875	2004
15.01.2020 11:55:39	1	1	1	1	95.5	61	0	29478.673	550.5376344	16165.57497	30000	0	0	30000	41.1875	2004
15.01.2020 11:55:40	1	1	1	1	95.5	61	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.6875	2004
15.01.2020 11:55:41	1	1	1	1	95.5	60.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.25	2004
15.01.2020 11:55:42	1	1	1	1	95.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	40.9375	2004
15.01.2020 11:55:43	1	1	1	1	95.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
15.01.2020 11:55:44	1	1	1	1	95.5	61.25	0	29478.673	544.0860215	15823.11853	30000	0	0	30000	41.25	2004
15.01.2020 11:55:45	1	1	1	1	95.5	61.25	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	41.1875	2004
15.01.2020 11:55:46	1	1	1	1	95.5	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:55:47	1	1	1	1	95.5	61.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:48	1	1	1	1	95.5	61.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.0625	2004
15.01.2020 11:55:49	1	1	1	1	95.5	61	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.3125	2004
15.01.2020 11:55:50	1	1	1	1	95.5	61.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:51	1	1	1	1	95.5	61.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.375	2004
15.01.2020 11:55:52	1	1	1	1	95.5	61	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
15.01.2020 11:55:53	1	1	1	1	95.5	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.4375	2004
15.01.2020 11:55:54	1	1	1	1	95.5	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.375	2004
15.01.2020 11:55:55	1	1	1	1	95.5	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40	2004
15.01.2020 11:55:56	1	1	1	1	95.5	60	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
15.01.2020 11:55:57	1	1	1	1	95.75	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
15.01.2020 11:55:58	1	1	1	1	95.75	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.8125	2004
15.01.2020 11:55:59	1	1	1	1	95.75	60.75	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:00	1	1	1	1	95.75	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.375	2004
15.01.2020 11:56:01	1	1	1	1	95.75	60.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41	2004
15.01.2020 11:56:02	1	1	1	1	95.75	61	0	29289.1	546.2365591	15920.96323	30000	0	0	30000	41	2004
15.01.2020 11:56:03	1	1	1	1	95.75	61	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	40.875	2004
15.01.2020 11:56:04	1	1	1	1	95.75	60.75	0	29099.526	548.3870968	15868.77939	30000	0	0	30000	41.0625	2004
15.01.2020 11:56:05	1	1	1	1	95.75	61	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	41.375	2004
15.01.2020 11:56:06	1	1	1	1	95.75	61.25	0	29526.066	546.2365591	16408.55598	30000	0	0	30000	41.125	2004
15.01.2020 11:56:07	1	1	1	1	95.5	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.8125	2004
15.01.2020 11:56:09	1	1	1	1	95.5	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41	2004
15.01.2020 11:56:10	1	1	1	1	95.5	61	0	29526.066	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:11	1	1	1	1	95.5	61.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.375	2004
15.01.2020 11:56:12	1	1	1	1	95.5	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:13	1	1	1	1	95.5	61.25	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:14	1	1	1	1	95.5	61.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
15.01.2020 11:56:15	1	1	1	1	95.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	39.8125	2004
15.01.2020 11:56:16	1	1	1	1	95.5	59.75	0	29526.066	535.483871	16000.86973	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:17	1	1	1	1	95.5	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.125	2004
15.01.2020 11:56:18	1	1	1	1	96	61	0	29526.066	546.2365591	16255.26595	30000	0	0	30000	41.0625	2004
15.01.2020 11:56:19	1	1	1	1	96	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.25	2004
15.01.2020 11:56:20	1	1	1	1	96	61.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	40.3125	2004
15.01.2020 11:56:21	1	1	1	1	96	60.25	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	41.375	2004
15.01.2020 11:56:22	1	1	1	1	96	61.25	0	29383.886	548.3870968	16113.39113	30000	0	0	30000	40.5625	2004
15.01.2020 11:56:23	1	1	1	1	96	60.5	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:24	1	1	1	1	96	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	39.875	2004
15.01.2020 11:56:25	1	1	1	1	96	59.75	0	29099.526	548.3870968	15931.56307	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:26	1	1	1	1	96	61.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.8125	2004
15.01.2020 11:56:27	1	1	1	1	96	60.75	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:28	1	1	1	1	96	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 11:56:29	1	1	1	1	96	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 11:56:30	1	1	1	1	96	61.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:56:31	1	1	1	1	96	61.25	0	28957.346	550.5376344	15978.0393	30000	0	0	30000	41.1875	2004
15.01.2020 11:56:32	1	1	1	1	96	61	0	29052.133	559.1397849	16004.13122	30000	0	0	30000	40.9375	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.75	2004
15.01.2020 11:56:39	1	1	1	1	96.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 11:56:40	1	1	1	1	96.25	61.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.25	2004
15.01.2020 11:56:41	1	1	1	1	96.25	61.25	0	28578.199	552.688172	15943.79366	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:42	1	1	1	1	96.25	61.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:43	1	1	1	1	96.25	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
15.01.2020 11:56:44	1	1	1	1	96.25	61.25	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.375	2004
15.01.2020 11:56:45	1	1	1	1	96.25	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.6875	2004
15.01.2020 11:56:46	1	1	1	1	96.25	60.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:56:47	1	1	1	1	96	61.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:49	1	1	1	1	96	61.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.25	2004
15.01.2020 11:56:50	1	1	1	1	96	61.25	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	40.125	2004
15.01.2020 11:56:51	1	1	1	1	96	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.9375	2004
15.01.2020 11:56:52	1	1	1	1	96	60.75	0	28578.199	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
15.01.2020 11:56:53	1	1	1	1	96	60.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.1875	2004
15.01.2020 11:56:54	1	1	1	1	96	61	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:55	1	1	1	1	96	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.3125	2004
15.01.2020 11:56:56	1	1	1	1	96	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.1875	2004
15.01.2020 11:56:57	1	1	1	1	96	61	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:58	1	1	1	1	96	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
15.01.2020 11:56:59	1	1	1	1	96	61.25	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:57:00	1	1	1	1	96	61.5	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 11:57:01	1	1	1	1	96	61	0	28909.953	556.9892473	16075.884	30000	0	0	30000	40.625	2004
15.01.2020 11:57:02	1	1	1	1	96	60.5	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	41	2004
15.01.2020 11:57:03	1	1	1	1	96	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.25	2004
15.01.2020 11:57:04	1	1	1	1	96	60.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.375	2004
15.01.2020 11:57:05	1	1	1	1	96	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 11:57:06	1	1	1	1	96	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:07	1	1	1	1	96	61.25	0	28815.166	550.5376344	15513.27698	30000	0	0	30000	41.375	2004
15.01.2020 11:57:08	1	1	1	1	96.25	61.25	0	28672.986	552.688172	15820.67241	30000	0	0	30000	41.5625	2004
15.01.2020 11:57:09	1	1	1	1	96.25	61.5	0	28815.166	548.3870968	16049.79208	30000	0	0	30000	40.3125	2004
15.01.2020 11:57:10	1	1	1	1	96.25	60.25	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:11	1	1	1	1	96.25	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.1875	2004
15.01.2020 11:57:12	1	1	1	1	96.25	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 11:57:13	1	1	1	1	96.25	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.4375	2004
15.01.2020 11:57:14	1	1	1	1	96.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:57:15	1	1	1	1	96.25	60.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.125	2004
15.01.2020 11:57:16	1	1	1	1	96.25	61	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	41.4375	2004
15.01.2020 11:57:17	1	1	1	1	96.5	61.25	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	41	2004
15.01.2020 11:57:18	1	1	1	1	96.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.25	2004
15.01.2020 11:57:19	1	1	1	1	96.5	61.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.0625	2004
15.01.2020 11:57:20	1	1	1	1	96.5	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:21	1	1	1	1	96.5	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:22	1	1	1	1	96.5	61.25	0	28957.346	552.688172	16082.40698	30000	0	0	30000	41.1875	2004
15.01.2020 11:57:23	1	1	1	1	96.5	61	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:24	1	1	1	1	96.5	61.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:25	1	1	1	1	96.5	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
15.01.2020 11:57:26	1	1	1	1	96.5	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.25	2004
15.01.2020 11:57:28	1	1	1	1	96.25	60.25	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	41.375	2004
15.01.2020 11:57:29	1	1	1	1	96.25	61.25	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	41.25	2004
15.01.2020 11:57:30	1	1	1	1	96.25	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
15.01.2020 11:57:31	1	1	1	1	96.25	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.125	2004
15.01.2020 11:57:32	1	1	1	1	96.25	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:33	1	1	1	1	96.25	61.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	41.1875	2004
15.01.2020 11:57:34	1	1	1	1	96.25	61	0	29383.886	548.3870968	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 11:57:40	1	1	1	1	96	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 11:57:40	1	1	1	1	96	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 11:57:40	1	1	1	1	96	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 11:57:40	1	1	1	1	96	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 11:57:40	1	1	1	1	96	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 11:57:41	1	1	1	1	96	61.5	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.1875	2004
15.01.2020 11:57:42	1	1	1	1	96	61	0	29289.1	541.9354839	15872.85625	30000	0	0	30000	41.375	2004
15.01.2020 11:57:43	1	1	1	1	96	61.25	0	29336.493	544.0860215	16176.99019	30000	0	0	30000	41.5	2004
15.01.2020 11:57:44	1	1	1	1	96	61.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.375	2004
15.01.2020 11:57:45	1	1	1	1	96	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.4375	2004
15.01.2020 11:57:46	1	1	1	1	96	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.3125	2004
15.01.2020 11:57:47	1	1	1	1	96	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.6875	2004
15.01.2020 11:57:48	1	1	1	1	96.5	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
15.01.2020 11:57:49	1	1	1	1	96.5	59.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41	2004
15.01.2020 11:57:50	1	1	1	1	96.5	61	0	29289.1	541.9354839	15783.98065	30000	0	0	30000	41.375	2004
15.01.2020 11:57:51	1	1	1	1	96.5	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
15.01.2020 11:57:52	1	1	1	1	96.5	61.25	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	41.25	2004
15.01.2020 11:57:53	1	1	1	1	96.5	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	40.5	2004
15.01.2020 11:57:54	1	1	1	1	96.5	60.5	0	29336.493	535.483871	15898.1328	30000	0	0	30000	40.9375	2004
15.01.2020 11:57:55	1	1	1	1	96.5	60.75	0	29336.493	537.6344086	15898.1328	30000	0	0	30000	41	2004
15.01.2020 11:57:56	1	1	1	1	96.5	61	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	41.375	2004
15.01.2020 11:57:57	1	1	1	1	96.5	61.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
15.01.2020 11:57:58	1	1	1	1	96.5	60.75	0	29526.066	544.0860215	16013.10032	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:57:59	1	1	1	1	96.5	61.25	0	29478.673	546.2365591	16064.46878	30000	0	0	30000	41.25	2004
15.01.2020 11:58:00	1	1	1	1	96.5	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:01	1	1	1	1	96.5	61.25	0	29526.066	546.2365591	15911.99413	30000	0	0	30000	41.0625	2004
15.01.2020 11:58:02	1	1	1	1	96.5	61	0	29431.28	544.0860215	15771.75006	30000	0	0	30000	40.9375	2004
15.01.2020 11:58:03	1	1	1	1	96.5	60.75	0	29336.493	539.7849462	16050.60745	30000	0	0	30000	41.125	2004
15.01.2020 11:58:04	1	1	1	1	96.5	61	0	29289.1	541.9354839	16024.51553	30000	0	0	30000	40.875	2004
15.01.2020 11:58:06	1	1	1	1	96.5	60.75	0	29099.526	548.3870968	15894.87131	30000	0	0	30000	40.75	2004
15.01.2020 11:58:07	1	1	1	1	96.5	60.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:08	1	1	1	1	96.25	61.25	0	28957.346	552.688172	15968.25483	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:09	1	1	1	1	96.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
15.01.2020 11:58:10	1	1	1	1	96.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
15.01.2020 11:58:11	1	1	1	1	96.25	61.25	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	41.375	2004
15.01.2020 11:58:12	1	1	1	1	96.25	61.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:13	1	1	1	1	96.25	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.1875	2004
15.01.2020 11:58:14	1	1	1	1	96.25	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.625	2004
15.01.2020 11:58:15	1	1	1	1	96.25	60.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.125	2004
15.01.2020 11:58:16	1	1	1	1	96.25	61	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:17	1	1	1	1	96.25	61.25	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.375	2004
15.01.2020 11:58:18	1	1	1	1	96.25	61.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.25	2004
15.01.2020 11:58:19	1	1	1	1	96.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:20	1	1	1	1	96.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:21	1	1	1	1	96.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
15.01.2020 11:58:22	1	1	1	1	96.25	61.25	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	41.1875	2004
15.01.2020 11:58:23	1	1	1	1	96.25	61	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:24	1	1	1	1	96.25	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.375	2004
15.01.2020 11:58:25	1	1	1	1	96.25	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.25	2004
15.01.2020 11:58:26	1	1	1	1	96.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
15.01.2020 11:58:27	1	1	1	1	96.25	61	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	40.0625	2004
15.01.2020 11:58:28	1	1	1	1	96.25	60	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.4375	2004
15.01.2020 11:58:29	1	1	1	1	96.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
15.01.2020 11:58:30	1	1	1	1	96.25	61.5	0	29146.919	541.9354839	16035.11538	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:31	1	1	1	1	96.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5625	2004
15.01.2020 11:58:32	1	1	1	1	96.25	61.5	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	41.25	2004
15.01.2020 11:58:33	1	1	1	1	96.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.0625	2004
15.01.2020 11:58:34	1	1	1	1	96.25	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.25	2004
15.01.2020 11:58:35	1	1	1	1	96.25	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.25	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.125	2004
15.01.2020 11:58:42	1	1	1	1	96.25	60	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:58:43	1	1	1	1	96.25	61	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 11:58:45	1	1	1	1	96.25	61	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.4375	2004
15.01.2020 11:58:46	1	1	1	1	96.25	61.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 11:58:47	1	1	1	1	96.25	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 11:58:48	1	1	1	1	96.25	61.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.4375	2004
15.01.2020 11:58:49	1	1	1	1	96.25	61.25	0	28957.346	559.1397849	15951.94738	30000	0	0	30000	41.25	2004
15.01.2020 11:58:50	1	1	1	1	96.25	61.25	0	29052.133	559.1397849	16056.31506	30000	0	0	30000	41.1875	2004
15.01.2020 11:58:51	1	1	1	1	96.25	61	0	29052.133	552.688172	16181.06705	30000	0	0	30000	41.25	2004
15.01.2020 11:58:52	1	1	1	1	96.25	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41	2004
15.01.2020 11:58:53	1	1	1	1	96.25	61	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	40.75	2004
15.01.2020 11:58:54	1	1	1	1	96.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
15.01.2020 11:58:55	1	1	1	1	96.25	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.4375	2004
15.01.2020 11:58:56	1	1	1	1	96.25	61.25	0	28815.166	550.5376344	16173.7287	30000	0	0	30000	41.3125	2004
15.01.2020 11:58:57	1	1	1	1	96.25	61.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	40.25	2004
15.01.2020 11:58:58	1	1	1	1	96	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
15.01.2020 11:58:59	1	1	1	1	96	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:00	1	1	1	1	96	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:01	1	1	1	1	96	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 11:59:02	1	1	1	1	96	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:59:03	1	1	1	1	96	61.5	0	28957.346	561.2903226	16128.88321	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:04	1	1	1	1	96	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
15.01.2020 11:59:05	1	1	1	1	96	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.8125	2004
15.01.2020 11:59:06	1	1	1	1	96	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 11:59:07	1	1	1	1	96	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:08	1	1	1	1	96.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 11:59:09	1	1	1	1	96.75	61.5	0	28957.346	556.9892473	16181.06705	30000	0	0	30000	40.875	2004
15.01.2020 11:59:10	1	1	1	1	96.75	60.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.0625	2004
15.01.2020 11:59:11	1	1	1	1	96.75	60	0	29052.133	556.9892473	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:12	1	1	1	1	96.75	61.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:13	1	1	1	1	96.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
15.01.2020 11:59:14	1	1	1	1	96.75	61.25	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	40.6875	2004
15.01.2020 11:59:15	1	1	1	1	96.75	60.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.25	2004
15.01.2020 11:59:16	1	1	1	1	96.75	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.375	2004
15.01.2020 11:59:17	1	1	1	1	96.5	61.25	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	41.1875	2004
15.01.2020 11:59:18	1	1	1	1	96.5	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.125	2004
15.01.2020 11:59:19	1	1	1	1	96.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
15.01.2020 11:59:20	1	1	1	1	96.5	61.25	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	40.4375	2004
15.01.2020 11:59:21	1	1	1	1	96.5	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.6875	2004
15.01.2020 11:59:23	1	1	1	1	96.5	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.4375	2004
15.01.2020 11:59:24	1	1	1	1	96.5	61.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.5	2004
15.01.2020 11:59:25	1	1	1	1	96.5	61.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.375	2004
15.01.2020 11:59:26	1	1	1	1	96.5	61.25	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	40.8125	2004
15.01.2020 11:59:27	1	1	1	1	96.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 11:59:28	1	1	1	1	96.5	61	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:59:29	1	1	1	1	96.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 11:59:30	1	1	1	1	96.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:31	1	1	1	1	96.5	61.25	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	40.8125	2004
15.01.2020 11:59:32	1	1	1	1	96.5	60.75	0	29099.526	554.8387097	16056.31506	30000	0	0	30000	41.5	2004
15.01.2020 11:59:33	1	1	1	1	96.5	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 11:59:34	1	1	1	1	96.5	61.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	41	2004
15.01.2020 11:59:35	1	1	1	1	96.5	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.5625	2004
15.01.2020 11:59:36	1	1	1	1	96.5	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 11:59:37	1	1	1	1	96.5	61.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.5	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:43	1	1	1	1	96.5	61	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.625	2004
15.01.2020 11:59:44	1	1	1	1	96.5	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.8125	2004
15.01.2020 11:59:45	1	1	1	1	96.5	61.75	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	40.125	2004
15.01.2020 11:59:46	1	1	1	1	96.5	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 11:59:47	1	1	1	1	96.75	61.25	0	29052.133	552.688172	16181.06705	30000	0	0	30000	41.1875	2004
15.01.2020 11:59:48	1	1	1	1	96.75	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
15.01.2020 11:59:49	1	1	1	1	96.75	60.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.125	2004
15.01.2020 11:59:50	1	1	1	1	96.75	61	0	29099.526	556.9892473	16181.06705	30000	0	0	30000	41.5	2004
15.01.2020 11:59:51	1	1	1	1	96.75	61.5	0	28672.986	544.0860215	15863.88715	30000	0	0	30000	41.375	2004
15.01.2020 11:59:52	1	1	1	1	96.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:59:53	1	1	1	1	96.75	61.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 11:59:54	1	1	1	1	96.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 11:59:55	1	1	1	1	96.75	61	0	28815.166	559.1397849	16199.82062	30000	0	0	30000	41.5	2004
15.01.2020 11:59:56	1	1	1	1	96.75	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.375	2004
15.01.2020 11:59:57	1	1	1	1	96.25	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
15.01.2020 11:59:58	1	1	1	1	96.25	60.75	0	28815.166	561.2903226	15925.85546	30000	0	0	30000	41	2004
15.01.2020 12:00:00	1	1	1	1	96.25	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.375	2004
15.01.2020 12:00:01	1	1	1	1	96.25	61.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.4375	2004
15.01.2020 12:00:02	1	1	1	1	96.25	60.25	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.1875	2004
15.01.2020 12:00:03	1	1	1	1	96.25	61	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.125	2004
15.01.2020 12:00:04	1	1	1	1	96.25	61	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.1875	2004
15.01.2020 12:00:05	1	1	1	1	96.25	61	0	28625.592	556.9892473	16235.69701	30000	0	0	30000	41.5	2004
15.01.2020 12:00:06	1	1	1	1	96.25	61.5	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	41.0625	2004
15.01.2020 12:00:07	1	1	1	1	96.25	61	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	40.6875	2004
15.01.2020 12:00:08	1	1	1	1	96.5	60.5	0	28625.592	556.9892473	15794.58049	30000	0	0	30000	41.375	2004
15.01.2020 12:00:09	1	1	1	1	96.5	61.25	0	28483.412	554.8387097	15864.70252	30000	0	0	30000	41.5625	2004
15.01.2020 12:00:10	1	1	1	1	96.5	61.5	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	41.375	2004
15.01.2020 12:00:11	1	1	1	1	96.5	61.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:00:12	1	1	1	1	96.5	60.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41	2004
15.01.2020 12:00:13	1	1	1	1	96.5	61	0	28578.199	552.688172	16005.76197	30000	0	0	30000	41.5	2004
15.01.2020 12:00:14	1	1	1	1	96.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
15.01.2020 12:00:15	1	1	1	1	96.5	61.25	0	28625.592	556.9892473	15794.58049	30000	0	0	30000	41.375	2004
15.01.2020 12:00:16	1	1	1	1	96.5	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
15.01.2020 12:00:17	1	1	1	1	96.5	61.25	0	28957.346	556.9892473	15879.37923	30000	0	0	30000	41.5625	2004
15.01.2020 12:00:18	1	1	1	1	96.25	61.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	41.3125	2004
15.01.2020 12:00:19	1	1	1	1	96.25	61.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 12:00:20	1	1	1	1	96.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
15.01.2020 12:00:21	1	1	1	1	96.25	61.25	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	41.5	2004
15.01.2020 12:00:22	1	1	1	1	96.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.9375	2004
15.01.2020 12:00:23	1	1	1	1	96.25	60.75	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	40.625	2004
15.01.2020 12:00:24	1	1	1	1	96.25	60.5	0	29289.1	544.0860215	16150.89827	30000	0	0	30000	41.5625	2004
15.01.2020 12:00:25	1	1	1	1	96.25	61.25	0	29336.493	546.2365591	16035.11538	30000	0	0	30000	41.375	2004
15.01.2020 12:00:26	1	1	1	1	96.25	61.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.375	2004
15.01.2020 12:00:27	1	1	1	1	96.5	61.25	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	41.4375	2004
15.01.2020 12:00:28	1	1	1	1	96.5	61.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	40.9375	2004
15.01.2020 12:00:29	1	1	1	1	96.5	60.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	40.875	2004
15.01.2020 12:00:30	1	1	1	1	96.5	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
15.01.2020 12:00:31	1	1	1	1	96.5	61	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41	2004
15.01.2020 12:00:32	1	1	1	1	96.5	61	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
15.01.2020 12:00:33	1	1	1	1	96.5	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.1875	2004
15.01.2020 12:00:34	1	1	1	1	96.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:00:35	1	1	1	1	96.5	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:00:36	1	1	1	1	96.5	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.4375	2004
15.01.2020 12:00:37	1	1	1	1	96.75	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
15.01.2020 12:00:38	1	1	1	1	96.75	61.25	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	41.375	2004
15.01.2020 12:00:45	1	1	1	1	96.75	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:00:45	1	1	1	1	96.75	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:00:45	1	1	1	1	96.75	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:00:45	1	1	1	1	96.75	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:00:45	1	1	1	1	96.75	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:00:46	1	1	1	1	96.75	61.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	40.9375	2004
15.01.2020 12:00:47	1	1	1	1	96.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
15.01.2020 12:00:48	1	1	1	1	96.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
15.01.2020 12:00:49	1	1	1	1	96.5	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
15.01.2020 12:00:50	1	1	1	1	96.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.3125	2004
15.01.2020 12:00:51	1	1	1	1	96.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
15.01.2020 12:00:52	1	1	1	1	96.5	61.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	40.875	2004
15.01.2020 12:00:53	1	1	1	1	96.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 12:00:54	1	1	1	1	96.5	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5625	2004
15.01.2020 12:00:55	1	1	1	1	96.5	61.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:00:56	1	1	1	1	96.5	61.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	41.625	2004
15.01.2020 12:00:57	1	1	1	1	96.5	61.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.25	2004
15.01.2020 12:00:58	1	1	1	1	96.25	61.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.375	2004
15.01.2020 12:00:59	1	1	1	1	96.25	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.5625	2004
15.01.2020 12:01:00	1	1	1	1	96.25	61.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	41.1875	2004
15.01.2020 12:01:01	1	1	1	1	96.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
15.01.2020 12:01:02	1	1	1	1	96.25	61.5	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	40.75	2004
15.01.2020 12:01:03	1	1	1	1	96.25	60.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 12:01:04	1	1	1	1	96.25	61.5	0	29052.133	556.9892473	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:01:05	1	1	1	1	96.25	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 12:01:06	1	1	1	1	96.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
15.01.2020 12:01:07	1	1	1	1	95.75	61.25	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 12:01:08	1	1	1	1	95.75	61.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:01:09	1	1	1	1	95.75	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.5625	2004
15.01.2020 12:01:10	1	1	1	1	95.75	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
15.01.2020 12:01:11	1	1	1	1	95.75	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
15.01.2020 12:01:12	1	1	1	1	95.75	61.25	0	29526.066	546.2365591	15823.11853	30000	0	0	30000	41.1875	2004
15.01.2020 12:01:13	1	1	1	1	95.75	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.5	2004
15.01.2020 12:01:14	1	1	1	1	95.75	61.5	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	41.625	2004
15.01.2020 12:01:15	1	1	1	1	95.75	61.5	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:16	1	1	1	1	95.75	61.25	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	41.5	2004
15.01.2020 12:01:17	1	1	1	1	95.5	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
15.01.2020 12:01:19	1	1	1	1	95.5	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
15.01.2020 12:01:20	1	1	1	1	95.5	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:21	1	1	1	1	95.5	61.25	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.3125	2004
15.01.2020 12:01:22	1	1	1	1	95.5	61.25	0	29241.706	539.7849462	15783.98065	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:23	1	1	1	1	95.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
15.01.2020 12:01:24	1	1	1	1	95.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:25	1	1	1	1	95.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
15.01.2020 12:01:26	1	1	1	1	95.5	61.25	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:27	1	1	1	1	95.5	61.25	0	29478.673	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
15.01.2020 12:01:28	1	1	1	1	95.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.5	2004
15.01.2020 12:01:29	1	1	1	1	95.5	60.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.375	2004
15.01.2020 12:01:30	1	1	1	1	95.5	61.25	0	29905.213	535.483871	15885.08684	30000	0	0	30000	41.375	2004
15.01.2020 12:01:31	1	1	1	1	95.5	61.25	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	41.5	2004
15.01.2020 12:01:32	1	1	1	1	95.5	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
15.01.2020 12:01:33	1	1	1	1	95.5	61	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41	2004
15.01.2020 12:01:34	1	1	1	1	95.5	61	0	30000	535.483871	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 12:01:35	1	1	1	1	95.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:01:36	1	1	1	1	95.5	61.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	40.875	2004
15.01.2020 12:01:37	1	1	1	1	95.5	60.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
15.01.2020 12:01:38	1	1	1	1	95.25	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
15.01.2020 12:01:39	1	1	1	1	95.25	61.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:01:40	1	1	1	1	95.25	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.875	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:01:47	1	1	1	1	95.75	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5	2004
15.01.2020 12:01:48	1	1	1	1	95.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
15.01.2020 12:01:49	1	1	1	1	95.75	61.5	0	29620.853	533.3333333	15988.63914	30000	0	0	30000	41.375	2004
15.01.2020 12:01:50	1	1	1	1	95.75	61.25	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
15.01.2020 12:01:51	1	1	1	1	95.75	61.5	0	29715.64	535.483871	16040.00761	30000	0	0	30000	40.9375	2004
15.01.2020 12:01:52	1	1	1	1	95.75	60.75	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:01:53	1	1	1	1	95.75	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:54	1	1	1	1	95.75	61.25	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	41.5	2004
15.01.2020 12:01:55	1	1	1	1	95.75	61.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	41.5	2004
15.01.2020 12:01:57	1	1	1	1	95.75	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.5	2004
15.01.2020 12:01:58	1	1	1	1	96	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
15.01.2020 12:01:59	1	1	1	1	96	61.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	41.5	2004
15.01.2020 12:02:00	1	1	1	1	96	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
15.01.2020 12:02:01	1	1	1	1	96	61	0	30000	535.483871	16039.19224	30000	0	0	30000	40.875	2004
15.01.2020 12:02:02	1	1	1	1	96	60.75	0	29905.213	537.6344086	16116.65262	30000	0	0	30000	41.5	2004
15.01.2020 12:02:03	1	1	1	1	96	61.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41	2004
15.01.2020 12:02:04	1	1	1	1	96	61	0	30000	533.3333333	16128.88321	30000	0	0	30000	40.75	2004
15.01.2020 12:02:05	1	1	1	1	96	60.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 12:02:06	1	1	1	1	96	61.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.875	2004
15.01.2020 12:02:07	1	1	1	1	96	60.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:08	1	1	1	1	95.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:09	1	1	1	1	95.5	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:10	1	1	1	1	95.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:11	1	1	1	1	95.5	61.5	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:12	1	1	1	1	95.5	61.25	0	29289.1	539.7849462	16024.51553	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:13	1	1	1	1	95.5	61.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:14	1	1	1	1	95.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:15	1	1	1	1	95.5	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.75	2004
15.01.2020 12:02:16	1	1	1	1	95.5	60.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	40.5625	2004
15.01.2020 12:02:17	1	1	1	1	95.5	60.5	0	29241.706	554.8387097	16098.71443	30000	0	0	30000	41.375	2004
15.01.2020 12:02:18	1	1	1	1	95.75	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:19	1	1	1	1	95.75	61.5	0	28957.346	552.688172	15916.07099	30000	0	0	30000	41.0625	2004
15.01.2020 12:02:20	1	1	1	1	95.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 12:02:21	1	1	1	1	95.75	61.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:22	1	1	1	1	95.75	61.25	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	41.25	2004
15.01.2020 12:02:23	1	1	1	1	95.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:02:24	1	1	1	1	95.75	61.5	0	28957.346	554.8387097	16119.09874	30000	0	0	30000	41.5	2004
15.01.2020 12:02:25	1	1	1	1	95.75	61.5	0	28957.346	552.688172	15951.94738	30000	0	0	30000	41	2004
15.01.2020 12:02:26	1	1	1	1	95.75	61	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.4375	2004
15.01.2020 12:02:27	1	1	1	1	96	61.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:28	1	1	1	1	96	61.5	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	41.6875	2004
15.01.2020 12:02:29	1	1	1	1	96	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.4375	2004
15.01.2020 12:02:30	1	1	1	1	96	61.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:31	1	1	1	1	96	61.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:32	1	1	1	1	96	61	0	28862.559	546.2365591	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 12:02:34	1	1	1	1	96	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004
15.01.2020 12:02:35	1	1	1	1	96	61.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.0625	2004
15.01.2020 12:02:36	1	1	1	1	96	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
15.01.2020 12:02:37	1	1	1	1	96	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:02:38	1	1	1	1	95.25	61.5	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:39	1	1	1	1	95.25	61	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.4375	2004
15.01.2020 12:02:40	1	1	1	1	95.25	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:41	1	1	1	1	95.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.25	2004
15.01.2020 12:02:42	1	1	1	1	95.25	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
15.01.2020 12:02:48	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:48	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:48	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:48	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:48	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:02:49	1	1	1	1	95.25	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.5	2004
15.01.2020 12:02:50	1	1	1	1	95.25	61.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.375	2004
15.01.2020 12:02:51	1	1	1	1	95.25	61.25	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	41.4375	2004
15.01.2020 12:02:52	1	1	1	1	95.25	61.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.125	2004
15.01.2020 12:02:53	1	1	1	1	95.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.6875	2004
15.01.2020 12:02:54	1	1	1	1	95.25	61.5	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	41.25	2004
15.01.2020 12:02:55	1	1	1	1	95.25	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.875	2004
15.01.2020 12:02:56	1	1	1	1	95.25	60.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.8125	2004
15.01.2020 12:02:57	1	1	1	1	95.25	61.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
15.01.2020 12:02:58	1	1	1	1	94.75	61.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.6875	2004
15.01.2020 12:02:59	1	1	1	1	94.75	61.5	0	29099.526	554.8387097	16056.31506	30000	0	0	30000	41.5	2004
15.01.2020 12:03:00	1	1	1	1	94.75	61.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.0625	2004
15.01.2020 12:03:01	1	1	1	1	94.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:03:02	1	1	1	1	94.75	61.5	0	28957.346	559.1397849	15951.94738	30000	0	0	30000	41.125	2004
15.01.2020 12:03:03	1	1	1	1	94.75	61	0	28815.166	550.5376344	15759.51947	30000	0	0	30000	41.5	2004
15.01.2020 12:03:04	1	1	1	1	94.75	61.5	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.0625	2004
15.01.2020 12:03:05	1	1	1	1	94.75	61	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	41.4375	2004
15.01.2020 12:03:06	1	1	1	1	94.75	61.25	0	29099.526	548.3870968	15806.81108	30000	0	0	30000	41.25	2004
15.01.2020 12:03:07	1	1	1	1	95	61.25	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:03:08	1	1	1	1	95	61.25	0	29099.526	548.3870968	15994.34675	30000	0	0	30000	41.375	2004
15.01.2020 12:03:09	1	1	1	1	95	61.25	0	28862.559	552.688172	15765.22708	30000	0	0	30000	41.5	2004
15.01.2020 12:03:11	1	1	1	1	95	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 12:03:12	1	1	1	1	95	61	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.4375	2004
15.01.2020 12:03:13	1	1	1	1	95	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.5	2004
15.01.2020 12:03:14	1	1	1	1	95	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004
15.01.2020 12:03:15	1	1	1	1	95	61.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.8125	2004
15.01.2020 12:03:16	1	1	1	1	95	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:03:17	1	1	1	1	95	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
15.01.2020 12:03:18	1	1	1	1	95	61.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41	2004
15.01.2020 12:03:19	1	1	1	1	95	61	0	29241.706	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
15.01.2020 12:03:20	1	1	1	1	95	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.0625	2004
15.01.2020 12:03:21	1	1	1	1	95	61	0	28862.559	559.1397849	16075.884	30000	0	0	30000	41.375	2004
15.01.2020 12:03:22	1	1	1	1	95	61.25	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	41.125	2004
15.01.2020 12:03:23	1	1	1	1	95	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 12:03:24	1	1	1	1	95	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:03:25	1	1	1	1	95	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.5625	2004
15.01.2020 12:03:26	1	1	1	1	95	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:03:27	1	1	1	1	95	61.5	0	28909.953	554.8387097	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:03:28	1	1	1	1	95.25	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
15.01.2020 12:03:29	1	1	1	1	95.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 12:03:30	1	1	1	1	95.25	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:03:31	1	1	1	1	95.25	61.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	41.375	2004
15.01.2020 12:03:32	1	1	1	1	95.25	61.25	0	28957.346	554.8387097	15978.0393	30000	0	0	30000	41.5625	2004
15.01.2020 12:03:33	1	1	1	1	95.25	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
15.01.2020 12:03:34	1	1	1	1	95.25	61.5	0	28625.592	552.688172	15794.58049	30000	0	0	30000	41.3125	2004
15.01.2020 12:03:35	1	1	1	1	95.25	61.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	40.9375	2004
15.01.2020 12:03:36	1	1	1	1	95.25	60.75	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	40.8125	2004
15.01.2020 12:03:37	1	1	1	1	94.5	61.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.375	2004
15.01.2020 12:03:38	1	1	1	1	94.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5	2004
15.01.2020 12:03:39	1	1	1	1	94.5	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 12:03:40	1	1	1	1	94.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
15.01.2020 12:03:41	1	1	1	1	94.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
15.01.2020 12:03:42	1	1	1	1	94.5	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
15.01.2020 12:03:43	1	1	1	1	94.5	61.5	0	28815.166	552.688172	15846.76433	30000	0	0	30000	41.6875	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:50	1	1	1	1	95	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:03:51	1	1	1	1	95	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.125	2004
15.01.2020 12:03:52	1	1	1	1	95	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:03:53	1	1	1	1	95	61	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.3125	2004
15.01.2020 12:03:54	1	1	1	1	95	61.25	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.25	2004
15.01.2020 12:03:55	1	1	1	1	95	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5	2004
15.01.2020 12:03:56	1	1	1	1	95	61.5	0	29478.673	546.2365591	16229.17403	30000	0	0	30000	41.375	2004
15.01.2020 12:03:57	1	1	1	1	95	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.8125	2004
15.01.2020 12:03:58	1	1	1	1	94.25	60.75	0	29526.066	539.7849462	15696.73579	30000	0	0	30000	41.5	2004
15.01.2020 12:03:59	1	1	1	1	94.25	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
15.01.2020 12:04:00	1	1	1	1	94.25	61	0	29763.033	539.7849462	16129.69858	30000	0	0	30000	41.625	2004
15.01.2020 12:04:01	1	1	1	1	94.25	61.5	0	29810.427	535.483871	16065.28416	30000	0	0	30000	41.1875	2004
15.01.2020 12:04:02	1	1	1	1	94.25	61	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	41.6875	2004
15.01.2020 12:04:03	1	1	1	1	94.25	61.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:04	1	1	1	1	94.25	61.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:04:05	1	1	1	1	94.25	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:06	1	1	1	1	94.25	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:07	1	1	1	1	94.25	61.5	0	29383.886	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
15.01.2020 12:04:08	1	1	1	1	94.5	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:09	1	1	1	1	94.5	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.4375	2004
15.01.2020 12:04:10	1	1	1	1	94.5	60.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.4375	2004
15.01.2020 12:04:11	1	1	1	1	94.5	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	41.4375	2004
15.01.2020 12:04:12	1	1	1	1	94.5	61.25	0	29952.607	537.6344086	16064.46878	30000	0	0	30000	41.6875	2004
15.01.2020 12:04:13	1	1	1	1	94.5	61.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	41	2004
15.01.2020 12:04:14	1	1	1	1	94.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.0625	2004
15.01.2020 12:04:15	1	1	1	1	94.5	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:04:16	1	1	1	1	94.5	61.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:04:17	1	1	1	1	94.75	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:18	1	1	1	1	94.75	61.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:19	1	1	1	1	94.75	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:20	1	1	1	1	94.75	61.25	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	41.5	2004
15.01.2020 12:04:21	1	1	1	1	94.75	61.5	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	40.375	2004
15.01.2020 12:04:22	1	1	1	1	94.75	60.25	0	29620.853	541.9354839	15899.76354	30000	0	0	30000	41.5	2004
15.01.2020 12:04:23	1	1	1	1	94.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:04:24	1	1	1	1	94.75	61.25	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:25	1	1	1	1	94.75	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.8125	2004
15.01.2020 12:04:26	1	1	1	1	94.75	61.75	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
15.01.2020 12:04:28	1	1	1	1	94.75	61.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	41.625	2004
15.01.2020 12:04:29	1	1	1	1	94.75	61.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:30	1	1	1	1	94.75	61.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	40.875	2004
15.01.2020 12:04:31	1	1	1	1	94.75	60.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
15.01.2020 12:04:32	1	1	1	1	94.75	61.25	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.5	2004
15.01.2020 12:04:33	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:34	1	1	1	1	94.75	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.6875	2004
15.01.2020 12:04:35	1	1	1	1	94.75	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.75	2004
15.01.2020 12:04:36	1	1	1	1	94.75	61.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:04:37	1	1	1	1	94.75	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:38	1	1	1	1	95.25	61.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.375	2004
15.01.2020 12:04:39	1	1	1	1	95.25	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 12:04:40	1	1	1	1	95.25	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:04:41	1	1	1	1	95.25	61.5	0	29289.1	541.9354839	16150.89827	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:42	1	1	1	1	95.25	61.25	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	41.5	2004
15.01.2020 12:04:43	1	1	1	1	95.25	61.5	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	41.0625	2004
15.01.2020 12:04:44	1	1	1	1	95.25	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:45	1	1	1	1	95.25	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.625	2004
15.01.2020 12:04:52	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:52	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:52	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:52	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:52	1	1	1	1	94.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:04:54	1	1	1	1	94.75	61.25	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	41.625	2004
15.01.2020 12:04:54	1	1	1	1	94.75	61.25	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	41.625	2004
15.01.2020 12:04:54	1	1	1	1	94.75	61.25	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	41.625	2004
15.01.2020 12:04:55	1	1	1	1	94.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:04:56	1	1	1	1	94.75	61.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.25	2004
15.01.2020 12:04:57	1	1	1	1	94.75	61.25	0	29099.526	546.2365591	15744.0274	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:58	1	1	1	1	94.75	61.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.5625	2004
15.01.2020 12:04:59	1	1	1	1	94.75	61.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:00	1	1	1	1	94.75	61.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:05:01	1	1	1	1	94.75	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.3125	2004
15.01.2020 12:05:02	1	1	1	1	94.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:03	1	1	1	1	94.75	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.4375	2004
15.01.2020 12:05:04	1	1	1	1	94.75	61.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	41.5	2004
15.01.2020 12:05:05	1	1	1	1	94.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:05:07	1	1	1	1	94.75	61.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	40.5	2004
15.01.2020 12:05:08	1	1	1	1	95	60.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.5	2004
15.01.2020 12:05:09	1	1	1	1	95	61.5	0	28957.346	552.688172	16056.31506	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:10	1	1	1	1	95	61.5	0	28957.346	550.5376344	16181.06705	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:11	1	1	1	1	95	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:05:12	1	1	1	1	95	61.5	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.625	2004
15.01.2020 12:05:13	1	1	1	1	95	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
15.01.2020 12:05:14	1	1	1	1	95	61	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.3125	2004
15.01.2020 12:05:15	1	1	1	1	95	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.1875	2004
15.01.2020 12:05:16	1	1	1	1	95	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.375	2004
15.01.2020 12:05:17	1	1	1	1	95	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.625	2004
15.01.2020 12:05:18	1	1	1	1	94.75	61.5	0	29004.739	546.2365591	15994.34675	30000	0	0	30000	41.375	2004
15.01.2020 12:05:19	1	1	1	1	94.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
15.01.2020 12:05:20	1	1	1	1	94.75	61.5	0	29052.133	550.5376344	16181.06705	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:05:21	1	1	1	1	94.75	61.5	0	28957.346	550.5376344	15931.56307	30000	0	0	30000	41.625	2004
15.01.2020 12:05:22	1	1	1	1	94.75	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
15.01.2020 12:05:23	1	1	1	1	94.75	61.25	0	28957.346	554.8387097	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:24	1	1	1	1	94.75	61.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.375	2004
15.01.2020 12:05:25	1	1	1	1	94.75	61.25	0	28862.559	554.8387097	16252.81983	30000	0	0	30000	41.0625	2004
15.01.2020 12:05:26	1	1	1	1	94.75	61	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.5	2004
15.01.2020 12:05:27	1	1	1	1	94.75	61.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	41.75	2004
15.01.2020 12:05:28	1	1	1	1	94.5	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:29	1	1	1	1	94.5	61.5	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	41.25	2004
15.01.2020 12:05:30	1	1	1	1	94.5	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.875	2004
15.01.2020 12:05:31	1	1	1	1	94.5	60.75	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:32	1	1	1	1	94.5	61.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.3125	2004
15.01.2020 12:05:33	1	1	1	1	94.5	61.25	0	28625.592	546.2365591	15987.82377	30000	0	0	30000	40.6875	2004
15.01.2020 12:05:34	1	1	1	1	94.5	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:35	1	1	1	1	94.5	61.5	0	29099.526	556.9892473	16181.06705	30000	0	0	30000	41.4375	2004
15.01.2020 12:05:36	1	1	1	1	94.5	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.125	2004
15.01.2020 12:05:37	1	1	1	1	94	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.375	2004
15.01.2020 12:05:38	1	1	1	1	94	61.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.625	2004
15.01.2020 12:05:39	1	1	1	1	94	61.5	0	29052.133	552.688172	16359.63363	30000	0	0	30000	41.6875	2004
15.01.2020 12:05:40	1	1	1	1	94	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.9375	2004
15.01.2020 12:05:41	1	1	1	1	94	60.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.625	2004
15.01.2020 12:05:43	1	1	1	1	94	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:44	1	1	1	1	94	61.5	0	29052.133	559.1397849	16128.88321	30000	0	0	30000	41.25	2004
15.01.2020 12:05:45	1	1	1	1	94	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
15.01.2020 12:05:46	1	1	1	1	94	61.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	41.625	2004
15.01.2020 12:05:47	1	1	1	1	94	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:53	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:05:54	1	1	1	1	93.75	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:05:55	1	1	1	1	93.75	61.5	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	41.625	2004
15.01.2020 12:05:56	1	1	1	1	93.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 12:05:57	1	1	1	1	93.75	61.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.1875	2004
15.01.2020 12:05:58	1	1	1	1	94.25	61	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.25	2004
15.01.2020 12:05:59	1	1	1	1	94.25	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.625	2004
15.01.2020 12:06:00	1	1	1	1	94.25	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.25	2004
15.01.2020 12:06:01	1	1	1	1	94.25	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
15.01.2020 12:06:02	1	1	1	1	94.25	61	0	28815.166	554.8387097	16075.884	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:03	1	1	1	1	94.25	61.5	0	28578.199	552.688172	15820.67241	30000	0	0	30000	41.3125	2004
15.01.2020 12:06:04	1	1	1	1	94.25	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:06:05	1	1	1	1	94.25	61	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.625	2004
15.01.2020 12:06:06	1	1	1	1	94.25	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 12:06:07	1	1	1	1	94.25	61.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	41.125	2004
15.01.2020 12:06:08	1	1	1	1	94.25	61	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.9375	2004
15.01.2020 12:06:09	1	1	1	1	94.25	61.75	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.1875	2004
15.01.2020 12:06:10	1	1	1	1	94.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
15.01.2020 12:06:11	1	1	1	1	94.25	61.25	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	41.625	2004
15.01.2020 12:06:12	1	1	1	1	94.25	61.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41.75	2004
15.01.2020 12:06:13	1	1	1	1	94.25	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004
15.01.2020 12:06:14	1	1	1	1	94.25	60.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
15.01.2020 12:06:15	1	1	1	1	94.25	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
15.01.2020 12:06:16	1	1	1	1	94.25	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.0625	2004
15.01.2020 12:06:17	1	1	1	1	94	61	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
15.01.2020 12:06:18	1	1	1	1	94	61.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.3125	2004
15.01.2020 12:06:19	1	1	1	1	94	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.4375	2004
15.01.2020 12:06:21	1	1	1	1	94	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.375	2004
15.01.2020 12:06:22	1	1	1	1	94	61.25	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	40.875	2004
15.01.2020 12:06:23	1	1	1	1	94	60.75	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	41.3125	2004
15.01.2020 12:06:24	1	1	1	1	94	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.125	2004
15.01.2020 12:06:25	1	1	1	1	94	61	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	40.75	2004
15.01.2020 12:06:26	1	1	1	1	94	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.6875	2004
15.01.2020 12:06:27	1	1	1	1	94	61.5	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	41.25	2004
15.01.2020 12:06:28	1	1	1	1	93.75	61.25	0	29526.066	541.9354839	15988.63914	30000	0	0	30000	41	2004
15.01.2020 12:06:29	1	1	1	1	93.75	61	0	29431.28	550.5376344	15960.91648	30000	0	0	30000	41.125	2004
15.01.2020 12:06:30	1	1	1	1	93.75	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
15.01.2020 12:06:31	1	1	1	1	93.75	61.5	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.3125	2004
15.01.2020 12:06:32	1	1	1	1	93.75	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:06:33	1	1	1	1	93.75	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:34	1	1	1	1	93.75	61.5	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	40.625	2004
15.01.2020 12:06:35	1	1	1	1	93.75	60.5	0	29383.886	548.3870968	16176.99019	30000	0	0	30000	41.125	2004
15.01.2020 12:06:36	1	1	1	1	93.75	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.8125	2004
15.01.2020 12:06:37	1	1	1	1	93.75	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.9375	2004
15.01.2020 12:06:38	1	1	1	1	93.5	60.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	41.625	2004
15.01.2020 12:06:39	1	1	1	1	93.5	61.5	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:40	1	1	1	1	93.5	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
15.01.2020 12:06:41	1	1	1	1	93.5	61.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	41.5	2004
15.01.2020 12:06:42	1	1	1	1	93.5	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.375	2004
15.01.2020 12:06:43	1	1	1	1	93.5	61.25	0	29052.133	552.688172	15994.34675	30000	0	0	30000	41.625	2004
15.01.2020 12:06:44	1	1	1	1	93.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
15.01.2020 12:06:45	1	1	1	1	93.5	61.5	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:46	1	1	1	1	93.5	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:06:47	1	1	1	1	93.5	61.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.75	2004
15.01.2020 12:06:48	1	1	1	1	94	61.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:06:55	1	1	1	1	94	61.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:55	1	1	1	1	94	61.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:55	1	1	1	1	94	61.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:55	1	1	1	1	94	61.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:55	1	1	1	1	94	61.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:55	1	1	1	1	94	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.6875	2004
15.01.2020 12:06:56	1	1	1	1	94	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:57	1	1	1	1	94	61.5	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.5625	2004
15.01.2020 12:06:58	1	1	1	1	94	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:06:59	1	1	1	1	94	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.25	2004
15.01.2020 12:07:00	1	1	1	1	94	61.25	0	28625.592	546.2365591	15987.82377	30000	0	0	30000	41.5	2004
15.01.2020 12:07:01	1	1	1	1	94	61.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	41.5	2004
15.01.2020 12:07:03	1	1	1	1	94	61.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:04	1	1	1	1	94	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:05	1	1	1	1	94	61.5	0	29052.133	550.5376344	16046.53059	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:06	1	1	1	1	94	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:07:07	1	1	1	1	94	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:08	1	1	1	1	93.75	61.5	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.375	2004
15.01.2020 12:07:09	1	1	1	1	93.75	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:10	1	1	1	1	93.75	61.25	0	29241.706	550.5376344	16150.89827	30000	0	0	30000	41.625	2004
15.01.2020 12:07:11	1	1	1	1	93.75	61.5	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:12	1	1	1	1	93.75	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:13	1	1	1	1	93.75	61.5	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:14	1	1	1	1	93.75	61.25	0	29241.706	548.3870968	16124.80635	30000	0	0	30000	41.375	2004
15.01.2020 12:07:15	1	1	1	1	93.75	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:16	1	1	1	1	93.75	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
15.01.2020 12:07:17	1	1	1	1	93.75	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:18	1	1	1	1	93.75	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:19	1	1	1	1	93.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:20	1	1	1	1	93.75	61.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.0625	2004
15.01.2020 12:07:21	1	1	1	1	93.75	61	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.3125	2004
15.01.2020 12:07:22	1	1	1	1	93.75	61.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:23	1	1	1	1	93.75	61.5	0	29336.493	550.5376344	15972.33169	30000	0	0	30000	41.625	2004
15.01.2020 12:07:24	1	1	1	1	93.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.25	2004
15.01.2020 12:07:25	1	1	1	1	93.75	61.25	0	29146.919	548.3870968	15858.17955	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:26	1	1	1	1	93.75	61.5	0	29146.919	546.2365591	16187.59003	30000	0	0	30000	41.25	2004
15.01.2020 12:07:27	1	1	1	1	93.75	61.25	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41.3125	2004
15.01.2020 12:07:28	1	1	1	1	93.5	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.0625	2004
15.01.2020 12:07:29	1	1	1	1	93.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:30	1	1	1	1	93.5	61.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:31	1	1	1	1	93.5	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:32	1	1	1	1	93.5	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:07:33	1	1	1	1	93.5	61.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:34	1	1	1	1	93.5	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5	2004
15.01.2020 12:07:35	1	1	1	1	93.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.4375	2004
15.01.2020 12:07:36	1	1	1	1	93.5	61.25	0	29052.133	539.7849462	15832.08763	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:37	1	1	1	1	93.75	61.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 12:07:38	1	1	1	1	93.75	61.25	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	41.625	2004
15.01.2020 12:07:39	1	1	1	1	93.75	61.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41	2004
15.01.2020 12:07:41	1	1	1	1	93.75	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
15.01.2020 12:07:42	1	1	1	1	93.75	60.75	0	29052.133	541.9354839	15920.96323	30000	0	0	30000	41.375	2004
15.01.2020 12:07:43	1	1	1	1	93.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.625	2004
15.01.2020 12:07:44	1	1	1	1	93.75	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41	2004
15.01.2020 12:07:45	1	1	1	1	93.75	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:07:46	1	1	1	1	93.75	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:07:47	1	1	1	1	93.75	61.5	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	41.375	2004
15.01.2020 12:07:48	1	1	1	1	94	61.25	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.3125	2004
15.01.2020 12:07:49	1	1	1	1	94	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
15.01.2020 12:07:50	1	1	1	1	94	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
15.01.2020 12:07:57	1	1	1	1	94	61.5	0	29431.28	541.9354839	15734.24293	30000	0	0	30000	41.625	2004
15.01.2020 12:07:58	1	1	1	1	93.5	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
15.01.2020 12:07:59	1	1	1	1	93.5	61.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
15.01.2020 12:08:00	1	1	1	1	93.5	61.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.3125	2004
15.01.2020 12:08:01	1	1	1	1	93.5	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
15.01.2020 12:08:02	1	1	1	1	93.5	60.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.9375	2004
15.01.2020 12:08:03	1	1	1	1	93.5	60.75	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	41.125	2004
15.01.2020 12:08:04	1	1	1	1	93.5	61	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:05	1	1	1	1	93.5	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.5625	2004
15.01.2020 12:08:06	1	1	1	1	93.5	60.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	41.625	2004
15.01.2020 12:08:07	1	1	1	1	93.5	61.5	0	29336.493	550.5376344	15783.98065	30000	0	0	30000	41.9375	2004
15.01.2020 12:08:08	1	1	1	1	93	61.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.625	2004
15.01.2020 12:08:09	1	1	1	1	93	61.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
15.01.2020 12:08:10	1	1	1	1	93	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:08:11	1	1	1	1	93	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
15.01.2020 12:08:12	1	1	1	1	93	61.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.6875	2004
15.01.2020 12:08:13	1	1	1	1	93	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.9375	2004
15.01.2020 12:08:14	1	1	1	1	93	60.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.3125	2004
15.01.2020 12:08:15	1	1	1	1	93	61.25	0	29857.82	541.9354839	15962.54722	30000	0	0	30000	41.6875	2004
15.01.2020 12:08:16	1	1	1	1	93	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:08:17	1	1	1	1	93.5	61.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	41.0625	2004
15.01.2020 12:08:18	1	1	1	1	93.5	61	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.125	2004
15.01.2020 12:08:20	1	1	1	1	93.5	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:21	1	1	1	1	93.5	61.5	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	41.6875	2004
15.01.2020 12:08:22	1	1	1	1	93.5	61.5	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:08:23	1	1	1	1	93.5	61.5	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
15.01.2020 12:08:24	1	1	1	1	93.5	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
15.01.2020 12:08:25	1	1	1	1	93.5	61.25	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:26	1	1	1	1	93.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.625	2004
15.01.2020 12:08:27	1	1	1	1	93.5	61.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
15.01.2020 12:08:28	1	1	1	1	93.25	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:29	1	1	1	1	93.25	61.5	0	29526.066	548.3870968	16026.96165	30000	0	0	30000	41.625	2004
15.01.2020 12:08:30	1	1	1	1	93.25	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.625	2004
15.01.2020 12:08:31	1	1	1	1	93.25	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
15.01.2020 12:08:32	1	1	1	1	93.25	61.25	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	41.625	2004
15.01.2020 12:08:33	1	1	1	1	93.25	61.5	0	29431.28	550.5376344	15949.50126	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:34	1	1	1	1	93.25	61.5	0	29526.066	541.9354839	16128.06784	30000	0	0	30000	41.8125	2004
15.01.2020 12:08:35	1	1	1	1	93.25	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:36	1	1	1	1	93.25	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:08:37	1	1	1	1	93.25	61.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:38	1	1	1	1	93.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.1875	2004
15.01.2020 12:08:39	1	1	1	1	93.25	61	0	29478.673	550.5376344	15949.50126	30000	0	0	30000	41.3125	2004
15.01.2020 12:08:40	1	1	1	1	93.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
15.01.2020 12:08:41	1	1	1	1	93.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
15.01.2020 12:08:42	1	1	1	1	93.25	61	0	29478.673	544.0860215	15885.90221	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:43	1	1	1	1	93.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.3125	2004
15.01.2020 12:08:44	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 12:08:45	1	1	1	1	93.25	61.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.9375	2004
15.01.2020 12:08:46	1	1	1	1	93.25	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
15.01.2020 12:08:47	1	1	1	1	93.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.9375	2004
15.01.2020 12:08:48	1	1	1	1	93.25	61.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.8125	2004
15.01.2020 12:08:49	1	1	1	1	93.25	61.5	0	29146.919	539.7849462	15732.61218	30000	0	0	30000	41.5625	2004
15.01.2020 12:08:50	1	1	1	1	93.25	61.5	0	29336.493	550.5376344	15998.42361	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:51	1	1	1	1	93.25	61.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:58	1	1	1	1	93.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:08:59	1	1	1	1	93.5	61.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	41.5	2004
15.01.2020 12:09:00	1	1	1	1	93.5	61.5	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
15.01.2020 12:09:01	1	1	1	1	93.5	61.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:09:02	1	1	1	1	93.5	61.5	0	29383.886	546.2365591	16265.86579	30000	0	0	30000	41.1875	2004
15.01.2020 12:09:03	1	1	1	1	93.5	61	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41.3125	2004
15.01.2020 12:09:04	1	1	1	1	93.5	61.25	0	29336.493	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:09:05	1	1	1	1	93.5	61.5	0	29431.28	541.9354839	15823.11853	30000	0	0	30000	41.5	2004
15.01.2020 12:09:06	1	1	1	1	93.5	61.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.5	2004
15.01.2020 12:09:07	1	1	1	1	93.5	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:09:08	1	1	1	1	92.75	61.5	0	30000	533.3333333	15885.08684	30000	0	0	30000	41.75	2004
15.01.2020 12:09:09	1	1	1	1	92.75	61.75	0	30000	526.8817204	15756.25798	30000	0	0	30000	41.625	2004
15.01.2020 12:09:10	1	1	1	1	92.75	61.5	0	30047.393	518.2795699	15572.79917	30000	0	0	30000	41.75	2004
15.01.2020 12:09:11	1	1	1	1	92.75	61.75	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:12	1	1	1	1	92.75	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:13	1	1	1	1	92.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.625	2004
15.01.2020 12:09:14	1	1	1	1	92.75	60.5	0	30000	522.5806452	15652.70568	30000	0	0	30000	41.4375	2004
15.01.2020 12:09:15	1	1	1	1	92.75	61.25	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:16	1	1	1	1	92.75	61.5	0	29478.673	539.7849462	16101.97592	30000	0	0	30000	41.625	2004
15.01.2020 12:09:17	1	1	1	1	92.75	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
15.01.2020 12:09:18	1	1	1	1	92.5	61	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	41.375	2004
15.01.2020 12:09:19	1	1	1	1	92.5	61.25	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:20	1	1	1	1	92.5	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:09:21	1	1	1	1	92.5	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:22	1	1	1	1	92.5	61.5	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.5625	2004
15.01.2020 12:09:23	1	1	1	1	92.5	61.5	0	29146.919	539.7849462	16035.11538	30000	0	0	30000	41.5625	2004
15.01.2020 12:09:24	1	1	1	1	92.5	61.5	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
15.01.2020 12:09:25	1	1	1	1	92.5	61.75	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	41.9375	2004
15.01.2020 12:09:26	1	1	1	1	92.5	61.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.0625	2004
15.01.2020 12:09:27	1	1	1	1	93	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:09:28	1	1	1	1	93	61.5	0	29336.493	548.3870968	15972.33169	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:29	1	1	1	1	93	61.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
15.01.2020 12:09:30	1	1	1	1	93	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:31	1	1	1	1	93	61.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.625	2004
15.01.2020 12:09:32	1	1	1	1	93	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.8125	2004
15.01.2020 12:09:33	1	1	1	1	93	61.75	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	41.375	2004
15.01.2020 12:09:34	1	1	1	1	93	61.25	0	29004.739	550.5376344	15931.56307	30000	0	0	30000	41.125	2004
15.01.2020 12:09:36	1	1	1	1	93	61	0	29052.133	550.5376344	16234.06626	30000	0	0	30000	41.5625	2004
15.01.2020 12:09:37	1	1	1	1	93	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.875	2004
15.01.2020 12:09:38	1	1	1	1	92.75	61.75	0	29146.919	556.9892473	15994.34675	30000	0	0	30000	41	2004
15.01.2020 12:09:39	1	1	1	1	92.75	61	0	28957.346	552.688172	16056.31506	30000	0	0	30000	41.6875	2004
15.01.2020 12:09:40	1	1	1	1	92.75	61.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.625	2004
15.01.2020 12:09:41	1	1	1	1	92.75	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:09:42	1	1	1	1	92.75	61.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:09:43	1	1	1	1	92.75	61.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:09:44	1	1	1	1	92.75	61.5	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:09:45	1	1	1	1	92.75	61.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:09:46	1	1	1	1	92.75	61	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.625	2004
15.01.2020 12:09:47	1	1	1	1	92.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41	2004
15.01.2020 12:09:48	1	1	1	1	93	61	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	41.5	2004
15.01.2020 12:09:49	1	1	1	1	93	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
15.01.2020 12:09:50	1	1	1	1	93	61.25	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	41.1875	2004
15.01.2020 12:09:51	1	1	1	1	93	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.4375	2004
15.01.2020 12:09:52	1	1	1	1	93	61.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.25	2004
15.01.2020 12:09:53	1	1	1	1	93	61.25	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
15.01.2020 12:09:59	1	1	1	1	93	61.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:09:59	1	1	1	1	93	61.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:09:59	1	1	1	1	93	61.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:09:59	1	1	1	1	93	61.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:09:59	1	1	1	1	93	61.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:10:00	1	1	1	1	93	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.625	2004
15.01.2020 12:10:01	1	1	1	1	93	61.5	0	28862.559	548.3870968	15765.22708	30000	0	0	30000	41.3125	2004
15.01.2020 12:10:02	1	1	1	1	93	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.4375	2004
15.01.2020 12:10:03	1	1	1	1	93	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.875	2004
15.01.2020 12:10:04	1	1	1	1	93	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.75	2004
15.01.2020 12:10:05	1	1	1	1	93	61.75	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41.8125	2004
15.01.2020 12:10:06	1	1	1	1	93	61.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.125	2004
15.01.2020 12:10:07	1	1	1	1	93	61	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42	2004
15.01.2020 12:10:08	1	1	1	1	93.25	62	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:09	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.5625	2004
15.01.2020 12:10:10	1	1	1	1	93.25	61.5	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	41.625	2004
15.01.2020 12:10:11	1	1	1	1	93.25	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.625	2004
15.01.2020 12:10:12	1	1	1	1	93.25	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.75	2004
15.01.2020 12:10:13	1	1	1	1	93.25	61.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:10:14	1	1	1	1	93.25	61.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.625	2004
15.01.2020 12:10:15	1	1	1	1	93.25	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.875	2004
15.01.2020 12:10:16	1	1	1	1	93.25	61.75	0	29146.919	541.9354839	15983.74691	30000	0	0	30000	41.8125	2004
15.01.2020 12:10:17	1	1	1	1	93	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.625	2004
15.01.2020 12:10:19	1	1	1	1	93	61.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	41.1875	2004
15.01.2020 12:10:20	1	1	1	1	93	61	0	29336.493	548.3870968	16265.86579	30000	0	0	30000	41.75	2004
15.01.2020 12:10:21	1	1	1	1	93	61.75	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.0625	2004
15.01.2020 12:10:22	1	1	1	1	93	61	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	40.4375	2004
15.01.2020 12:10:23	1	1	1	1	93	60.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:10:24	1	1	1	1	93	61.5	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	41.1875	2004
15.01.2020 12:10:25	1	1	1	1	93	61	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:26	1	1	1	1	93	61.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.8125	2004
15.01.2020 12:10:27	1	1	1	1	93	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004
15.01.2020 12:10:28	1	1	1	1	93.5	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:29	1	1	1	1	93.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:10:30	1	1	1	1	93.5	61.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41.625	2004
15.01.2020 12:10:31	1	1	1	1	93.5	61.5	0	29431.28	546.2365591	16291.95771	30000	0	0	30000	41.4375	2004
15.01.2020 12:10:32	1	1	1	1	93.5	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41	2004
15.01.2020 12:10:33	1	1	1	1	93.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
15.01.2020 12:10:34	1	1	1	1	93.5	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:10:35	1	1	1	1	93.5	61.5	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:36	1	1	1	1	93.5	61.5	0	29431.28	554.8387097	16087.29921	30000	0	0	30000	41.5625	2004
15.01.2020 12:10:37	1	1	1	1	93.5	61.5	0	29289.1	539.7849462	16150.89827	30000	0	0	30000	41.125	2004
15.01.2020 12:10:38	1	1	1	1	93.25	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41	2004
15.01.2020 12:10:39	1	1	1	1	93.25	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:10:40	1	1	1	1	93.25	61.5	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:41	1	1	1	1	93.25	61.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.4375	2004
15.01.2020 12:10:42	1	1	1	1	93.25	61.25	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.4375	2004
15.01.2020 12:10:43	1	1	1	1	93.25	61.25	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:44	1	1	1	1	93.25	61.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:10:45	1	1	1	1	93.25	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.8125	2004
15.01.2020 12:10:46	1	1	1	1	93.25	61.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:47	1	1	1	1	93.25	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:48	1	1	1	1	93.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
15.01.2020 12:10:49	1	1	1	1	93.25	61.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
15.01.2020 12:10:50	1	1	1	1	93.25	61.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.75	2004
15.01.2020 12:10:51	1	1	1	1	93.25	61.75	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.75	2004
15.01.2020 12:10:52	1	1	1	1	93.25	61.75	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	41.6875	2004
15.01.2020 12:10:53	1	1	1	1	93.25	61.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.75	2004
15.01.2020 12:10:54	1	1	1	1	93.25	61.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.625	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:01	1	1	1	1	93.25	61.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	41.75	2004
15.01.2020 12:11:02	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.75	2004
15.01.2020 12:11:03	1	1	1	1	93.25	61.75	0	29146.919	541.9354839	15983.74691	30000	0	0	30000	41.3125	2004
15.01.2020 12:11:04	1	1	1	1	93.25	61.25	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	41.6875	2004
15.01.2020 12:11:05	1	1	1	1	93.25	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:06	1	1	1	1	93.25	61.5	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:11:07	1	1	1	1	93.25	61.5	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:11:08	1	1	1	1	93.5	61.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:09	1	1	1	1	93.5	61.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.5	2004
15.01.2020 12:11:10	1	1	1	1	93.5	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:11	1	1	1	1	93.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
15.01.2020 12:11:12	1	1	1	1	93.5	61.75	0	29052.133	541.9354839	16020.43867	30000	0	0	30000	41.4375	2004
15.01.2020 12:11:13	1	1	1	1	93.5	61.25	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:11:14	1	1	1	1	93.5	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.8125	2004
15.01.2020 12:11:15	1	1	1	1	93.5	61.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.9375	2004
15.01.2020 12:11:16	1	1	1	1	93.5	60.75	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	41.875	2004
15.01.2020 12:11:17	1	1	1	1	93.5	61.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
15.01.2020 12:11:18	1	1	1	1	93.25	61.25	0	29052.133	544.0860215	15832.08763	30000	0	0	30000	41.5	2004
15.01.2020 12:11:19	1	1	1	1	93.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:20	1	1	1	1	93.25	61.5	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	41.375	2004
15.01.2020 12:11:21	1	1	1	1	93.25	61.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004
15.01.2020 12:11:22	1	1	1	1	93.25	60.75	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:23	1	1	1	1	93.25	61.5	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:24	1	1	1	1	93.25	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.9375	2004
15.01.2020 12:11:25	1	1	1	1	93.25	61.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.9375	2004
15.01.2020 12:11:26	1	1	1	1	93.25	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004
15.01.2020 12:11:27	1	1	1	1	93.5	61.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	41.75	2004
15.01.2020 12:11:28	1	1	1	1	93.5	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.75	2004
15.01.2020 12:11:29	1	1	1	1	93.5	61.75	0	29146.919	546.2365591	16250.37371	30000	0	0	30000	41.6875	2004
15.01.2020 12:11:30	1	1	1	1	93.5	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.4375	2004
15.01.2020 12:11:31	1	1	1	1	93.5	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.3125	2004
15.01.2020 12:11:32	1	1	1	1	93.5	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.3125	2004
15.01.2020 12:11:34	1	1	1	1	93.5	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.75	2004
15.01.2020 12:11:35	1	1	1	1	93.5	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.625	2004
15.01.2020 12:11:36	1	1	1	1	93.5	61.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41	2004
15.01.2020 12:11:37	1	1	1	1	93.5	61	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.75	2004
15.01.2020 12:11:38	1	1	1	1	91.5	61.75	0	29478.673	541.9354839	16217.75881	30000	0	0	30000	40.875	2004
15.01.2020 12:11:39	1	1	1	1	91.5	60.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.625	2004
15.01.2020 12:11:40	1	1	1	1	91.5	61.5	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	41.8125	2004
15.01.2020 12:11:41	1	1	1	1	91.5	61.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.5	2004
15.01.2020 12:11:42	1	1	1	1	91.5	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.1875	2004
15.01.2020 12:11:43	1	1	1	1	91.5	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:44	1	1	1	1	91.5	61.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 12:11:45	1	1	1	1	91.5	61	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	41.625	2004
15.01.2020 12:11:46	1	1	1	1	91.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.125	2004
15.01.2020 12:11:47	1	1	1	1	91.5	61	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.4375	2004
15.01.2020 12:11:48	1	1	1	1	92.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
15.01.2020 12:11:49	1	1	1	1	92.5	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
15.01.2020 12:11:50	1	1	1	1	92.5	61.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:51	1	1	1	1	92.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.6875	2004
15.01.2020 12:11:52	1	1	1	1	92.5	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
15.01.2020 12:11:53	1	1	1	1	92.5	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:11:54	1	1	1	1	92.5	61.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.5	2004
15.01.2020 12:11:55	1	1	1	1	92.5	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.625	2004
15.01.2020 12:11:56	1	1	1	1	92.5	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:12:03	1	1	1	1	93	61.25	0	29431.28	533.3333333	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:12:03	1	1	1	1	93	62	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
15.01.2020 12:12:04	1	1	1	1	93	61.5	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
15.01.2020 12:12:05	1	1	1	1	93	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:06	1	1	1	1	93	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
15.01.2020 12:12:07	1	1	1	1	93.25	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.625	2004
15.01.2020 12:12:08	1	1	1	1	93.25	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5	2004
15.01.2020 12:12:09	1	1	1	1	93.25	61.5	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:10	1	1	1	1	93.25	61.5	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.3125	2004
15.01.2020 12:12:11	1	1	1	1	93.25	61.25	0	29241.706	541.9354839	15898.1328	30000	0	0	30000	41.375	2004
15.01.2020 12:12:13	1	1	1	1	93.25	61.25	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	41.75	2004
15.01.2020 12:12:14	1	1	1	1	93.25	61.75	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	41.75	2004
15.01.2020 12:12:15	1	1	1	1	93.25	61.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:16	1	1	1	1	93.25	61.5	0	29526.066	539.7849462	16052.2382	30000	0	0	30000	41.75	2004
15.01.2020 12:12:17	1	1	1	1	93.25	61.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
15.01.2020 12:12:18	1	1	1	1	93	61.5	0	29336.493	546.2365591	16213.68195	30000	0	0	30000	41.75	2004
15.01.2020 12:12:19	1	1	1	1	93	61.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.75	2004
15.01.2020 12:12:20	1	1	1	1	93	61.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
15.01.2020 12:12:21	1	1	1	1	93	61.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:22	1	1	1	1	93	61.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:23	1	1	1	1	93	61.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	41.75	2004
15.01.2020 12:12:24	1	1	1	1	93	61.75	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:25	1	1	1	1	93	61.75	0	29289.1	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:26	1	1	1	1	93	61.5	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:27	1	1	1	1	93	61.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:28	1	1	1	1	93	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:12:29	1	1	1	1	93	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:30	1	1	1	1	93	61.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	41.875	2004
15.01.2020 12:12:31	1	1	1	1	93	61.75	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:32	1	1	1	1	93	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.75	2004
15.01.2020 12:12:33	1	1	1	1	93	61.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.875	2004
15.01.2020 12:12:34	1	1	1	1	93	61.75	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:35	1	1	1	1	93	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41	2004
15.01.2020 12:12:36	1	1	1	1	93	61	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.625	2004
15.01.2020 12:12:37	1	1	1	1	93	61.5	0	29099.526	559.1397849	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:12:38	1	1	1	1	93.5	61.5	0	29099.526	552.688172	16108.4989	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:39	1	1	1	1	93.5	61.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:40	1	1	1	1	93.5	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.875	2004
15.01.2020 12:12:41	1	1	1	1	93.5	61.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:12:42	1	1	1	1	93.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:12:43	1	1	1	1	93.5	61.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
15.01.2020 12:12:44	1	1	1	1	93.5	61.25	0	29099.526	554.8387097	16181.06705	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:45	1	1	1	1	93.5	61.75	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:46	1	1	1	1	93.5	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.75	2004
15.01.2020 12:12:47	1	1	1	1	93	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.875	2004
15.01.2020 12:12:48	1	1	1	1	93	61.75	0	29099.526	554.8387097	16234.06626	30000	0	0	30000	41.75	2004
15.01.2020 12:12:50	1	1	1	1	93	61.75	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	41.8125	2004
15.01.2020 12:12:51	1	1	1	1	93	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
15.01.2020 12:12:52	1	1	1	1	93	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.6875	2004
15.01.2020 12:12:53	1	1	1	1	93	61.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.5625	2004
15.01.2020 12:12:54	1	1	1	1	93	61.5	0	28530.806	552.688172	15794.58049	30000	0	0	30000	41.5	2004
15.01.2020 12:12:55	1	1	1	1	93	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.625	2004
15.01.2020 12:12:56	1	1	1	1	93	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:12:57	1	1	1	1	93	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41	2004
15.01.2020 12:12:58	1	1	1	1	93	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.75	2004
15.01.2020 12:13:04	1	1	1	1	93	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:04	1	1	1	1	93	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:04	1	1	1	1	93	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:04	1	1	1	1	93	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:04	1	1	1	1	93	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:05	1	1	1	1	93	61.75	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	41.5625	2004
15.01.2020 12:13:06	1	1	1	1	93	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:07	1	1	1	1	93	61.5	0	29146.919	556.9892473	16082.40698	30000	0	0	30000	41.1875	2004
15.01.2020 12:13:08	1	1	1	1	93.25	61	0	29289.1	550.5376344	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:13:09	1	1	1	1	93.25	61.75	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:10	1	1	1	1	93.25	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
15.01.2020 12:13:11	1	1	1	1	93.25	61.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.875	2004
15.01.2020 12:13:12	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:13	1	1	1	1	93.25	61.5	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	41	2004
15.01.2020 12:13:14	1	1	1	1	93.25	61	0	29241.706	548.3870968	16061.20729	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:15	1	1	1	1	93.25	61.5	0	29241.706	554.8387097	16035.11538	30000	0	0	30000	41.875	2004
15.01.2020 12:13:16	1	1	1	1	93.25	61.75	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	41.625	2004
15.01.2020 12:13:17	1	1	1	1	93.25	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:18	1	1	1	1	93.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:19	1	1	1	1	93.25	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.3125	2004
15.01.2020 12:13:20	1	1	1	1	93.25	61.25	0	29383.886	533.3333333	15885.90221	30000	0	0	30000	41.9375	2004
15.01.2020 12:13:21	1	1	1	1	93.25	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.375	2004
15.01.2020 12:13:22	1	1	1	1	93.25	61.75	0	29478.673	537.6344086	15873.67162	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:23	1	1	1	1	93.25	61.5	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
15.01.2020 12:13:24	1	1	1	1	93.25	61.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.875	2004
15.01.2020 12:13:25	1	1	1	1	93.25	61.75	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:13:26	1	1	1	1	93.25	61.75	0	29478.673	544.0860215	15885.90221	30000	0	0	30000	41.875	2004
15.01.2020 12:13:27	1	1	1	1	93.25	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.75	2004
15.01.2020 12:13:29	1	1	1	1	93.25	61.75	0	29526.066	546.2365591	16217.75881	30000	0	0	30000	41.75	2004
15.01.2020 12:13:30	1	1	1	1	93.25	61.75	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	41.25	2004
15.01.2020 12:13:31	1	1	1	1	93.25	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
15.01.2020 12:13:32	1	1	1	1	93.25	61.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:33	1	1	1	1	93.25	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:34	1	1	1	1	93.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.4375	2004
15.01.2020 12:13:35	1	1	1	1	93.25	60.25	0	29573.46	546.2365591	16090.5607	30000	0	0	30000	41.9375	2004
15.01.2020 12:13:36	1	1	1	1	93.25	61.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.75	2004
15.01.2020 12:13:37	1	1	1	1	93.25	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.875	2004
15.01.2020 12:13:38	1	1	1	1	93	61.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.8125	2004
15.01.2020 12:13:39	1	1	1	1	93	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
15.01.2020 12:13:40	1	1	1	1	93	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.75	2004
15.01.2020 12:13:41	1	1	1	1	93	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.25	2004
15.01.2020 12:13:42	1	1	1	1	93	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 12:13:43	1	1	1	1	93	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
15.01.2020 12:13:44	1	1	1	1	93	61.5	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	41.875	2004
15.01.2020 12:13:45	1	1	1	1	93	61.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.625	2004
15.01.2020 12:13:46	1	1	1	1	93	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.9375	2004
15.01.2020 12:13:47	1	1	1	1	93	61.75	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.5	2004
15.01.2020 12:13:48	1	1	1	1	93.25	61.5	0	29052.133	552.688172	16108.4989	30000	0	0	30000	40.8125	2004
15.01.2020 12:13:49	1	1	1	1	93.25	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.875	2004
15.01.2020 12:13:50	1	1	1	1	93.25	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.375	2004
15.01.2020 12:13:51	1	1	1	1	93.25	61.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.125	2004
15.01.2020 12:13:52	1	1	1	1	93.25	61	0	29052.133	548.3870968	16207.97434	30000	0	0	30000	41.0625	2004
15.01.2020 12:13:53	1	1	1	1	93.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.6875	2004
15.01.2020 12:13:54	1	1	1	1	93.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
15.01.2020 12:13:55	1	1	1	1	93.25	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.4375	2004
15.01.2020 12:13:56	1	1	1	1	93.25	61.25	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:13:57	1	1	1	1	93.25	61.25	0	29146.919	552.688172	16082.40698	30000	0	0	30000	41.5	2004
15.01.2020 12:13:58	1	1	1	1	93	61.5	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	41.625	2004
15.01.2020 12:13:59	1	1	1	1	93	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 12:14:06	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 12:14:06	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 12:14:06	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 12:14:06	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 12:14:06	1	1	1	1	93	61	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	41.75	2004
15.01.2020 12:14:08	1	1	1	1	93.25	61.75	0	28815.166	550.5376344	16111.76039	30000	0	0	30000	41.4375	2004
15.01.2020 12:14:09	1	1	1	1	93.25	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
15.01.2020 12:14:10	1	1	1	1	93.25	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:14:11	1	1	1	1	93.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.5	2004
15.01.2020 12:14:12	1	1	1	1	93.25	61.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.875	2004
15.01.2020 12:14:13	1	1	1	1	93.25	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:14:14	1	1	1	1	93.25	61.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5	2004
15.01.2020 12:14:15	1	1	1	1	93.25	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.8125	2004
15.01.2020 12:14:16	1	1	1	1	93.25	61.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.8125	2004
15.01.2020 12:14:17	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.25	2004
15.01.2020 12:14:18	1	1	1	1	93	61.25	0	29004.739	556.9892473	16128.88321	30000	0	0	30000	41.625	2004
15.01.2020 12:14:19	1	1	1	1	93	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:20	1	1	1	1	93	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.625	2004
15.01.2020 12:14:21	1	1	1	1	93	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.625	2004
15.01.2020 12:14:22	1	1	1	1	93	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.625	2004
15.01.2020 12:14:23	1	1	1	1	93	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:24	1	1	1	1	93	61.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.75	2004
15.01.2020 12:14:25	1	1	1	1	93	61.75	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	41.25	2004
15.01.2020 12:14:26	1	1	1	1	93	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.125	2004
15.01.2020 12:14:27	1	1	1	1	93	61	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.0625	2004
15.01.2020 12:14:28	1	1	1	1	93.5	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.5625	2004
15.01.2020 12:14:29	1	1	1	1	93.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.625	2004
15.01.2020 12:14:30	1	1	1	1	93.5	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.8125	2004
15.01.2020 12:14:31	1	1	1	1	93.5	61.75	0	29668.246	544.0860215	16269.12728	30000	0	0	30000	41.9375	2004
15.01.2020 12:14:32	1	1	1	1	93.5	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.625	2004
15.01.2020 12:14:33	1	1	1	1	93.5	61.5	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.4375	2004
15.01.2020 12:14:34	1	1	1	1	93.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.8125	2004
15.01.2020 12:14:35	1	1	1	1	93.5	61.75	0	29668.246	535.483871	15925.04009	30000	0	0	30000	41.4375	2004
15.01.2020 12:14:36	1	1	1	1	93.5	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.5625	2004
15.01.2020 12:14:37	1	1	1	1	93.5	61.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.75	2004
15.01.2020 12:14:38	1	1	1	1	93.5	61.75	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
15.01.2020 12:14:39	1	1	1	1	93.5	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.9375	2004
15.01.2020 12:14:40	1	1	1	1	93.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.375	2004
15.01.2020 12:14:41	1	1	1	1	93.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
15.01.2020 12:14:42	1	1	1	1	93.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.75	2004
15.01.2020 12:14:43	1	1	1	1	93.5	61.75	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	41.4375	2004
15.01.2020 12:14:45	1	1	1	1	93.5	61.25	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:46	1	1	1	1	93.5	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.625	2004
15.01.2020 12:14:47	1	1	1	1	93.5	61.5	0	29336.493	544.0860215	15972.33169	30000	0	0	30000	41.75	2004
15.01.2020 12:14:48	1	1	1	1	93	61.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.75	2004
15.01.2020 12:14:49	1	1	1	1	93	61.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.625	2004
15.01.2020 12:14:50	1	1	1	1	93	61.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	41.625	2004
15.01.2020 12:14:51	1	1	1	1	93	61.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:52	1	1	1	1	93	61.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.8125	2004
15.01.2020 12:14:53	1	1	1	1	93	61.75	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	41.375	2004
15.01.2020 12:14:54	1	1	1	1	93	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:14:55	1	1	1	1	93	61.25	0	29383.886	541.9354839	16075.884	30000	0	0	30000	41.625	2004
15.01.2020 12:14:56	1	1	1	1	93	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:57	1	1	1	1	93	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:14:58	1	1	1	1	93.25	61.5	0	29431.28	552.688172	15960.91648	30000	0	0	30000	41.375	2004
15.01.2020 12:14:59	1	1	1	1	93.25	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.4375	2004
15.01.2020 12:15:00	1	1	1	1	93.25	61.25	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:01	1	1	1	1	93.25	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.625	2004
15.01.2020 12:15:08	1	1	1	1	93.25	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:08	1	1	1	1	93.25	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:08	1	1	1	1	93.25	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:08	1	1	1	1	93.25	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:08	1	1	1	1	93.25	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:09	1	1	1	1	93.25	61.25	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	41.75	2004
15.01.2020 12:15:10	1	1	1	1	93.25	61.75	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:15:11	1	1	1	1	93.25	61.75	0	29146.919	550.5376344	16234.06626	30000	0	0	30000	41.4375	2004
15.01.2020 12:15:12	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:13	1	1	1	1	93.25	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.8125	2004
15.01.2020 12:15:14	1	1	1	1	93.25	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:15	1	1	1	1	93.25	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42	2004
15.01.2020 12:15:16	1	1	1	1	93.25	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5	2004
15.01.2020 12:15:17	1	1	1	1	93.25	61.5	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	41	2004
15.01.2020 12:15:18	1	1	1	1	93.5	61.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:19	1	1	1	1	93.5	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:20	1	1	1	1	93.5	61.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	41.375	2004
15.01.2020 12:15:21	1	1	1	1	93.5	61.25	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 12:15:22	1	1	1	1	93.5	61.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.8125	2004
15.01.2020 12:15:24	1	1	1	1	93.5	61.75	0	29052.133	548.3870968	16082.40698	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:25	1	1	1	1	93.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
15.01.2020 12:15:26	1	1	1	1	93.5	61.25	0	29052.133	541.9354839	16020.43867	30000	0	0	30000	41	2004
15.01.2020 12:15:27	1	1	1	1	93.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004
15.01.2020 12:15:28	1	1	1	1	93	61	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	41.375	2004
15.01.2020 12:15:29	1	1	1	1	93	61.25	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	41.375	2004
15.01.2020 12:15:30	1	1	1	1	93	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
15.01.2020 12:15:31	1	1	1	1	93	61.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:32	1	1	1	1	93	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:33	1	1	1	1	93	61.5	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:15:34	1	1	1	1	93	61.75	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	41.625	2004
15.01.2020 12:15:35	1	1	1	1	93	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
15.01.2020 12:15:36	1	1	1	1	93	61.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:37	1	1	1	1	93	61.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	41.75	2004
15.01.2020 12:15:38	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:15:39	1	1	1	1	93.25	61	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:40	1	1	1	1	93.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:41	1	1	1	1	93.25	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:15:42	1	1	1	1	93.25	61.5	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	41.8125	2004
15.01.2020 12:15:43	1	1	1	1	93.25	61.75	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:44	1	1	1	1	93.25	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:45	1	1	1	1	93.25	61.5	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.75	2004
15.01.2020 12:15:46	1	1	1	1	93.25	61.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:15:47	1	1	1	1	93.25	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.875	2004
15.01.2020 12:15:48	1	1	1	1	93.5	61.75	0	28815.166	552.688172	15739.95053	30000	0	0	30000	41.3125	2004
15.01.2020 12:15:49	1	1	1	1	93.5	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.25	2004
15.01.2020 12:15:50	1	1	1	1	93.5	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:15:51	1	1	1	1	93.5	61.75	0	28815.166	541.9354839	15863.88715	30000	0	0	30000	41.75	2004
15.01.2020 12:15:52	1	1	1	1	93.5	61.75	0	29004.739	554.8387097	16056.31506	30000	0	0	30000	41.4375	2004
15.01.2020 12:15:53	1	1	1	1	93.5	61.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41.9375	2004
15.01.2020 12:15:54	1	1	1	1	93.5	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004
15.01.2020 12:15:55	1	1	1	1	93.5	61.5	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	41.75	2004
15.01.2020 12:15:56	1	1	1	1	93.5	61.75	0	28909.953	552.688172	15765.22708	30000	0	0	30000	41.6875	2004
15.01.2020 12:15:57	1	1	1	1	93.5	61.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	42.0625	2004
15.01.2020 12:15:58	1	1	1	1	93	62	0	29052.133	552.688172	16119.09874	30000	0	0	30000	41.625	2004
15.01.2020 12:15:59	1	1	1	1	93	61.5	0	28957.346	550.5376344	16093.00682	30000	0	0	30000	41.4375	2004
15.01.2020 12:16:00	1	1	1	1	93	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 12:16:01	1	1	1	1	93	61.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.875	2004
15.01.2020 12:16:02	1	1	1	1	93	61.75	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	41.75	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:09	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.625	2004
15.01.2020 12:16:10	1	1	1	1	93.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
15.01.2020 12:16:11	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:12	1	1	1	1	93.25	61.5	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:13	1	1	1	1	93.25	61.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.375	2004
15.01.2020 12:16:14	1	1	1	1	93.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.9375	2004
15.01.2020 12:16:15	1	1	1	1	93.25	61.75	0	29241.706	550.5376344	16187.59003	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:16	1	1	1	1	93.25	61.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.375	2004
15.01.2020 12:16:17	1	1	1	1	93.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
15.01.2020 12:16:18	1	1	1	1	93.5	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:19	1	1	1	1	93.5	61.5	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	41.75	2004
15.01.2020 12:16:22	1	1	1	1	93.5	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:16:22	1	1	1	1	93.5	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:16:22	1	1	1	1	93.5	61.5	0	29526.066	541.9354839	16052.2382	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:16:23	1	1	1	1	93.5	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.875	2004
15.01.2020 12:16:24	1	1	1	1	93.5	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
15.01.2020 12:16:25	1	1	1	1	93.5	61.25	0	29668.246	539.7849462	16052.2382	30000	0	0	30000	41.125	2004
15.01.2020 12:16:26	1	1	1	1	93.5	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.625	2004
15.01.2020 12:16:27	1	1	1	1	93.5	61.5	0	29620.853	535.483871	15797.84198	30000	0	0	30000	41.875	2004
15.01.2020 12:16:28	1	1	1	1	93	61.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.9375	2004
15.01.2020 12:16:29	1	1	1	1	93	61.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:30	1	1	1	1	93	61.5	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	41.5	2004
15.01.2020 12:16:31	1	1	1	1	93	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004
15.01.2020 12:16:32	1	1	1	1	93	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:33	1	1	1	1	93	61.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	40.9375	2004
15.01.2020 12:16:34	1	1	1	1	93	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:35	1	1	1	1	93	61.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:36	1	1	1	1	93	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.75	2004
15.01.2020 12:16:37	1	1	1	1	93	61.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
15.01.2020 12:16:38	1	1	1	1	93.25	61.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	42.1875	2004
15.01.2020 12:16:39	1	1	1	1	93.25	62	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.875	2004
15.01.2020 12:16:40	1	1	1	1	93.25	61.75	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	42.0625	2004
15.01.2020 12:16:41	1	1	1	1	93.25	62	0	29668.246	533.3333333	16040.00761	30000	0	0	30000	41.5	2004
15.01.2020 12:16:42	1	1	1	1	93.25	61.25	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
15.01.2020 12:16:43	1	1	1	1	93.25	61.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	41.8125	2004
15.01.2020 12:16:44	1	1	1	1	93.25	61.75	0	29620.853	533.3333333	15836.16449	30000	0	0	30000	41.75	2004
15.01.2020 12:16:45	1	1	1	1	93.25	61.75	0	29857.82	539.7849462	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:16:47	1	1	1	1	93.25	62	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	41.75	2004
15.01.2020 12:16:48	1	1	1	1	93	61.75	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:49	1	1	1	1	93	61.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:50	1	1	1	1	93	61.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.5	2004
15.01.2020 12:16:51	1	1	1	1	93	61.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.75	2004
15.01.2020 12:16:52	1	1	1	1	93	61.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.875	2004
15.01.2020 12:16:53	1	1	1	1	93	61.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.875	2004
15.01.2020 12:16:54	1	1	1	1	93	61.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.6875	2004
15.01.2020 12:16:55	1	1	1	1	93	61.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.75	2004
15.01.2020 12:16:56	1	1	1	1	93	61.75	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	41.8125	2004
15.01.2020 12:16:57	1	1	1	1	93	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.75	2004
15.01.2020 12:16:58	1	1	1	1	92.75	61.75	0	30000	537.6344086	15974.77781	30000	0	0	30000	41.5625	2004
15.01.2020 12:16:59	1	1	1	1	92.75	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.9375	2004
15.01.2020 12:17:00	1	1	1	1	92.75	61.75	0	29952.607	533.3333333	16128.88321	30000	0	0	30000	41.75	2004
15.01.2020 12:17:01	1	1	1	1	92.75	61.75	0	29857.82	531.1827957	15962.54722	30000	0	0	30000	41.625	2004
15.01.2020 12:17:02	1	1	1	1	92.75	61.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.4375	2004
15.01.2020 12:17:03	1	1	1	1	92.75	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
15.01.2020 12:17:04	1	1	1	1	92.75	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.875	2004
15.01.2020 12:17:11	1	1	1	1	92.5	61.75	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	41.3125	2004
15.01.2020 12:17:12	1	1	1	1	92.5	61.25	0	29478.673	537.6344086	15759.51947	30000	0	0	30000	41.25	2004
15.01.2020 12:17:13	1	1	1	1	92.5	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.9375	2004
15.01.2020 12:17:14	1	1	1	1	92.5	61.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.4375	2004
15.01.2020 12:17:15	1	1	1	1	92.5	61.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.9375	2004
15.01.2020 12:17:16	1	1	1	1	92.5	61.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.5	2004
15.01.2020 12:17:17	1	1	1	1	92.5	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.1875	2004
15.01.2020 12:17:18	1	1	1	1	92.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:19	1	1	1	1	92.5	61.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	42.125	2004
15.01.2020 12:17:20	1	1	1	1	92.5	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.25	2004
15.01.2020 12:17:21	1	1	1	1	92.5	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.875	2004
15.01.2020 12:17:22	1	1	1	1	92.5	61.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.1875	2004
15.01.2020 12:17:23	1	1	1	1	92.5	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:24	1	1	1	1	92.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:25	1	1	1	1	92.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.375	2004
15.01.2020 12:17:27	1	1	1	1	92.5	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
15.01.2020 12:17:28	1	1	1	1	92.75	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.25	2004
15.01.2020 12:17:29	1	1	1	1	92.75	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
15.01.2020 12:17:30	1	1	1	1	92.75	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.5	2004
15.01.2020 12:17:31	1	1	1	1	92.75	61.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.8125	2004
15.01.2020 12:17:32	1	1	1	1	92.75	60.75	0	30000	526.8817204	15741.58128	30000	0	0	30000	41.625	2004
15.01.2020 12:17:33	1	1	1	1	92.75	61.5	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	41.75	2004
15.01.2020 12:17:34	1	1	1	1	92.75	61.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
15.01.2020 12:17:35	1	1	1	1	92.75	61.5	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	41.75	2004
15.01.2020 12:17:36	1	1	1	1	92.75	61.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.9375	2004
15.01.2020 12:17:37	1	1	1	1	92.75	61.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:38	1	1	1	1	93	61.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.4375	2004
15.01.2020 12:17:39	1	1	1	1	93	61.25	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.875	2004
15.01.2020 12:17:40	1	1	1	1	93	61.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:41	1	1	1	1	93	61.75	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:42	1	1	1	1	93	61.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
15.01.2020 12:17:43	1	1	1	1	93	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.5	2004
15.01.2020 12:17:44	1	1	1	1	93	61.5	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	41.75	2004
15.01.2020 12:17:45	1	1	1	1	93	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.375	2004
15.01.2020 12:17:46	1	1	1	1	93	61.25	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	41.4375	2004
15.01.2020 12:17:47	1	1	1	1	93	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.625	2004
15.01.2020 12:17:48	1	1	1	1	92.5	61.5	0	29715.64	535.483871	16065.28416	30000	0	0	30000	41.1875	2004
15.01.2020 12:17:49	1	1	1	1	92.5	61	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.875	2004
15.01.2020 12:17:50	1	1	1	1	92.5	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:17:51	1	1	1	1	92.5	61.5	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41.625	2004
15.01.2020 12:17:52	1	1	1	1	92.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
15.01.2020 12:17:53	1	1	1	1	92.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
15.01.2020 12:17:54	1	1	1	1	92.5	61.75	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	41.6875	2004
15.01.2020 12:17:55	1	1	1	1	92.5	61.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	41.5625	2004
15.01.2020 12:17:56	1	1	1	1	92.5	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.5	2004
15.01.2020 12:17:57	1	1	1	1	92.5	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.8125	2004
15.01.2020 12:17:58	1	1	1	1	92.5	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.0625	2004
15.01.2020 12:17:59	1	1	1	1	92.5	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:00	1	1	1	1	92.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
15.01.2020 12:18:01	1	1	1	1	92.5	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:02	1	1	1	1	92.5	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:04	1	1	1	1	92.5	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:05	1	1	1	1	92.5	61.75	0	29857.82	531.1827957	16077.51474	30000	0	0	30000	41.75	2004
15.01.2020 12:18:06	1	1	1	1	92.5	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:12	1	1	1	1	92.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
15.01.2020 12:18:13	1	1	1	1	92.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
15.01.2020 12:18:14	1	1	1	1	92.25	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
15.01.2020 12:18:15	1	1	1	1	92.25	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:16	1	1	1	1	92.25	61.75	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	41.3125	2004
15.01.2020 12:18:17	1	1	1	1	92.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.75	2004
15.01.2020 12:18:18	1	1	1	1	92.5	61.75	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	41.75	2004
15.01.2020 12:18:19	1	1	1	1	92.5	61.75	0	29952.607	511.827957	15548.338	30000	0	0	30000	41.75	2004
15.01.2020 12:18:20	1	1	1	1	92.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.75	2004
15.01.2020 12:18:21	1	1	1	1	92.5	61.75	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
15.01.2020 12:18:22	1	1	1	1	92.5	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5	2004
15.01.2020 12:18:23	1	1	1	1	92.5	61.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.25	2004
15.01.2020 12:18:24	1	1	1	1	92.5	61.25	0	30000	520.4301075	15548.338	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:25	1	1	1	1	92.5	61.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.25	2004
15.01.2020 12:18:26	1	1	1	1	92.5	61.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.0625	2004
15.01.2020 12:18:27	1	1	1	1	92.5	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
15.01.2020 12:18:28	1	1	1	1	92.5	61.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:18:29	1	1	1	1	92.5	61.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:30	1	1	1	1	92.5	61.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.6875	2004
15.01.2020 12:18:31	1	1	1	1	92.5	61.5	0	29620.853	541.9354839	15836.16449	30000	0	0	30000	41.6875	2004
15.01.2020 12:18:32	1	1	1	1	92.5	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.75	2004
15.01.2020 12:18:33	1	1	1	1	92.5	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.9375	2004
15.01.2020 12:18:34	1	1	1	1	92.5	61.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:18:35	1	1	1	1	92.5	61.75	0	29810.427	535.483871	16052.2382	30000	0	0	30000	42.0625	2004
15.01.2020 12:18:36	1	1	1	1	92.5	62	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:18:37	1	1	1	1	92.5	61.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.125	2004
15.01.2020 12:18:38	1	1	1	1	92.75	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.25	2004
15.01.2020 12:18:39	1	1	1	1	92.75	61.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.3125	2004
15.01.2020 12:18:40	1	1	1	1	92.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:41	1	1	1	1	92.75	61.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.6875	2004
15.01.2020 12:18:43	1	1	1	1	92.75	61.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.375	2004
15.01.2020 12:18:44	1	1	1	1	92.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
15.01.2020 12:18:45	1	1	1	1	92.75	61.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
15.01.2020 12:18:46	1	1	1	1	92.75	61	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.4375	2004
15.01.2020 12:18:47	1	1	1	1	92.75	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.875	2004
15.01.2020 12:18:48	1	1	1	1	92.5	61.75	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	41.875	2004
15.01.2020 12:18:49	1	1	1	1	92.5	61.75	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	41.5	2004
15.01.2020 12:18:50	1	1	1	1	92.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.0625	2004
15.01.2020 12:18:51	1	1	1	1	92.5	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.875	2004
15.01.2020 12:18:52	1	1	1	1	92.5	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.9375	2004
15.01.2020 12:18:53	1	1	1	1	92.5	61.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:54	1	1	1	1	92.5	61.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
15.01.2020 12:18:55	1	1	1	1	92.5	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	42.125	2004
15.01.2020 12:18:56	1	1	1	1	92.5	62	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
15.01.2020 12:18:57	1	1	1	1	92.5	61.5	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.8125	2004
15.01.2020 12:18:58	1	1	1	1	92.25	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.875	2004
15.01.2020 12:18:59	1	1	1	1	92.25	61.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.9375	2004
15.01.2020 12:19:00	1	1	1	1	92.25	61.75	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:01	1	1	1	1	92.25	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.75	2004
15.01.2020 12:19:02	1	1	1	1	92.25	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:03	1	1	1	1	92.25	61.75	0	29383.886	533.3333333	16038.37687	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:04	1	1	1	1	92.25	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.5	2004
15.01.2020 12:19:05	1	1	1	1	92.25	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:06	1	1	1	1	92.25	61.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.625	2004
15.01.2020 12:19:07	1	1	1	1	92.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.125	2004
15.01.2020 12:19:14	1	1	1	1	92	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.625	2004
15.01.2020 12:19:15	1	1	1	1	92	61.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.625	2004
15.01.2020 12:19:16	1	1	1	1	92	61.5	0	30000	516.1290323	15677.16685	30000	0	0	30000	41.4375	2004
15.01.2020 12:19:17	1	1	1	1	92	61.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.4375	2004
15.01.2020 12:19:18	1	1	1	1	92	61.25	0	29905.213	522.5806452	15805.99571	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:19:19	1	1	1	1	92	61.5	0	30000	518.2795699	15572.79917	30000	0	0	30000	41.625	2004
15.01.2020 12:19:20	1	1	1	1	92	61.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.875	2004
15.01.2020 12:19:21	1	1	1	1	92	61.75	0	30000	505.3763441	15096.62164	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:23	1	1	1	1	92	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:24	1	1	1	1	92	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.25	2004
15.01.2020 12:19:25	1	1	1	1	92	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.6875	2004
15.01.2020 12:19:26	1	1	1	1	92	61.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	41.75	2004
15.01.2020 12:19:27	1	1	1	1	92	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:28	1	1	1	1	92.25	61.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.25	2004
15.01.2020 12:19:29	1	1	1	1	92.25	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.625	2004
15.01.2020 12:19:30	1	1	1	1	92.25	61.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:31	1	1	1	1	92.25	61.5	0	30000	522.5806452	15805.99571	30000	0	0	30000	41.75	2004
15.01.2020 12:19:32	1	1	1	1	92.25	61.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:33	1	1	1	1	92.25	61.5	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
15.01.2020 12:19:34	1	1	1	1	92.25	61.25	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.5625	2004
15.01.2020 12:19:35	1	1	1	1	92.25	61.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.25	2004
15.01.2020 12:19:36	1	1	1	1	92.25	61.25	0	29952.607	531.1827957	15949.50126	30000	0	0	30000	42.0625	2004
15.01.2020 12:19:37	1	1	1	1	92.25	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.875	2004
15.01.2020 12:19:38	1	1	1	1	91.75	61.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.75	2004
15.01.2020 12:19:39	1	1	1	1	91.75	61.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.0625	2004
15.01.2020 12:19:40	1	1	1	1	91.75	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:41	1	1	1	1	91.75	61.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.75	2004
15.01.2020 12:19:42	1	1	1	1	91.75	61.75	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	42.0625	2004
15.01.2020 12:19:43	1	1	1	1	91.75	62	0	29336.493	539.7849462	15771.75006	30000	0	0	30000	41.9375	2004
15.01.2020 12:19:44	1	1	1	1	91.75	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
15.01.2020 12:19:45	1	1	1	1	91.75	61.5	0	29620.853	544.0860215	16307.44979	30000	0	0	30000	41.75	2004
15.01.2020 12:19:46	1	1	1	1	91.75	61.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:19:47	1	1	1	1	91.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
15.01.2020 12:19:48	1	1	1	1	92.5	61.5	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	41.875	2004
15.01.2020 12:19:49	1	1	1	1	92.5	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:50	1	1	1	1	92.5	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:51	1	1	1	1	92.5	61.75	0	29289.1	539.7849462	15898.1328	30000	0	0	30000	41.5	2004
15.01.2020 12:19:52	1	1	1	1	92.5	61.5	0	29478.673	546.2365591	16064.46878	30000	0	0	30000	41.875	2004
15.01.2020 12:19:53	1	1	1	1	92.5	61.75	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	42	2004
15.01.2020 12:19:54	1	1	1	1	92.5	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.9375	2004
15.01.2020 12:19:55	1	1	1	1	92.5	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.875	2004
15.01.2020 12:19:56	1	1	1	1	92.5	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:19:57	1	1	1	1	92.5	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42	2004
15.01.2020 12:19:58	1	1	1	1	92.5	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:19:59	1	1	1	1	92.5	62.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.4375	2004
15.01.2020 12:20:00	1	1	1	1	92.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42	2004
15.01.2020 12:20:02	1	1	1	1	92.5	62	0	29336.493	539.7849462	16176.99019	30000	0	0	30000	41.4375	2004
15.01.2020 12:20:03	1	1	1	1	92.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:20:04	1	1	1	1	92.5	61.5	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:05	1	1	1	1	92.5	61.75	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:06	1	1	1	1	92.5	61.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.5	2004
15.01.2020 12:20:07	1	1	1	1	92.5	61.5	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	41.8125	2004
15.01.2020 12:20:08	1	1	1	1	92	61.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.75	2004
15.01.2020 12:20:09	1	1	1	1	92	61.75	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:15	1	1	1	1	92	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:15	1	1	1	1	92	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:15	1	1	1	1	92	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:15	1	1	1	1	92	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:15	1	1	1	1	92	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:16	1	1	1	1	92	61.5	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	42	2004
15.01.2020 12:20:17	1	1	1	1	92	62	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.875	2004
15.01.2020 12:20:18	1	1	1	1	92	61.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:19	1	1	1	1	92	61.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:20	1	1	1	1	92	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.875	2004
15.01.2020 12:20:21	1	1	1	1	92	61.75	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	42	2004
15.01.2020 12:20:22	1	1	1	1	92	62	0	29146.919	552.688172	16056.31506	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:23	1	1	1	1	92	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:24	1	1	1	1	92	62	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	41.625	2004
15.01.2020 12:20:25	1	1	1	1	92	61.5	0	29099.526	552.688172	15692.65893	30000	0	0	30000	42	2004
15.01.2020 12:20:26	1	1	1	1	92	62	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:27	1	1	1	1	92	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.875	2004
15.01.2020 12:20:28	1	1	1	1	92.25	61.75	0	29478.673	546.2365591	16064.46878	30000	0	0	30000	41.875	2004
15.01.2020 12:20:29	1	1	1	1	92.25	61.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:30	1	1	1	1	92.25	62	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:31	1	1	1	1	92.25	62	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:32	1	1	1	1	92.25	62	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.125	2004
15.01.2020 12:20:33	1	1	1	1	92.25	62	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.4375	2004
15.01.2020 12:20:34	1	1	1	1	92.25	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.75	2004
15.01.2020 12:20:35	1	1	1	1	92.25	61.75	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:36	1	1	1	1	92.25	62	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.625	2004
15.01.2020 12:20:37	1	1	1	1	92.25	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42	2004
15.01.2020 12:20:38	1	1	1	1	92.25	62	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:39	1	1	1	1	92.25	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
15.01.2020 12:20:41	1	1	1	1	92.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:42	1	1	1	1	92.25	61.75	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:43	1	1	1	1	92.25	61.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.875	2004
15.01.2020 12:20:44	1	1	1	1	92.25	61.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	41.75	2004
15.01.2020 12:20:45	1	1	1	1	92.25	61.75	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.8125	2004
15.01.2020 12:20:46	1	1	1	1	92.25	61.75	0	29478.673	554.8387097	16265.86579	30000	0	0	30000	41.625	2004
15.01.2020 12:20:47	1	1	1	1	92.25	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:20:48	1	1	1	1	92	61.75	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	42	2004
15.01.2020 12:20:49	1	1	1	1	92	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.125	2004
15.01.2020 12:20:50	1	1	1	1	92	62	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
15.01.2020 12:20:51	1	1	1	1	92	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42	2004
15.01.2020 12:20:52	1	1	1	1	92	62	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.75	2004
15.01.2020 12:20:53	1	1	1	1	92	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:20:54	1	1	1	1	92	61.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42	2004
15.01.2020 12:20:55	1	1	1	1	92	62	0	29146.919	535.483871	15795.39586	30000	0	0	30000	41.9375	2004
15.01.2020 12:20:56	1	1	1	1	92	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
15.01.2020 12:20:57	1	1	1	1	92	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.8125	2004
15.01.2020 12:20:58	1	1	1	1	91.75	61.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:20:59	1	1	1	1	91.75	62	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	42.0625	2004
15.01.2020 12:21:00	1	1	1	1	91.75	62	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	42.1875	2004
15.01.2020 12:21:01	1	1	1	1	91.75	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
15.01.2020 12:21:02	1	1	1	1	91.75	61.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:03	1	1	1	1	91.75	61.75	0	29289.1	539.7849462	16024.51553	30000	0	0	30000	41.6875	2004
15.01.2020 12:21:04	1	1	1	1	91.75	61.5	0	29146.919	544.0860215	15894.87131	30000	0	0	30000	41.75	2004
15.01.2020 12:21:05	1	1	1	1	91.75	61.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42	2004
15.01.2020 12:21:06	1	1	1	1	91.75	62	0	29336.493	544.0860215	16087.29921	30000	0	0	30000	41.75	2004
15.01.2020 12:21:07	1	1	1	1	91.75	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.875	2004
15.01.2020 12:21:08	1	1	1	1	91.75	61.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:09	1	1	1	1	91.75	61.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
15.01.2020 12:21:10	1	1	1	1	91.75	61.25	0	29052.133	550.5376344	15905.47115	30000	0	0	30000	41.875	2004
15.01.2020 12:21:17	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:21:17	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:21:17	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:21:17	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:21:17	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 12:21:17	1	1	1	1	91.75	61.5	0	29431.28	550.5376344	16075.884	30000	0	0	30000	41.5	2004
15.01.2020 12:21:19	1	1	1	1	91.5	62.25	0	29383.886	550.5376344	16050.60745	30000	0	0	30000	41.875	2004
15.01.2020 12:21:20	1	1	1	1	91.5	61.75	0	29241.706	537.6344086	15909.54801	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:21	1	1	1	1	91.5	61.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:21:22	1	1	1	1	91.5	61.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:23	1	1	1	1	91.5	61.75	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	42	2004
15.01.2020 12:21:24	1	1	1	1	91.5	62	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5625	2004
15.01.2020 12:21:25	1	1	1	1	91.5	61.5	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42	2004
15.01.2020 12:21:26	1	1	1	1	91.5	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:27	1	1	1	1	91.5	61.75	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:21:28	1	1	1	1	91.25	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42	2004
15.01.2020 12:21:29	1	1	1	1	91.25	62	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.375	2004
15.01.2020 12:21:30	1	1	1	1	91.25	61.25	0	29336.493	546.2365591	16176.99019	30000	0	0	30000	41.875	2004
15.01.2020 12:21:31	1	1	1	1	91.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:21:32	1	1	1	1	91.25	62	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:21:33	1	1	1	1	91.25	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:21:34	1	1	1	1	91.25	61.5	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:35	1	1	1	1	91.25	61.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.0625	2004
15.01.2020 12:21:36	1	1	1	1	91.25	62	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	41.875	2004
15.01.2020 12:21:37	1	1	1	1	91.25	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.875	2004
15.01.2020 12:21:38	1	1	1	1	91.75	61.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.625	2004
15.01.2020 12:21:39	1	1	1	1	91.75	61.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	42.1875	2004
15.01.2020 12:21:40	1	1	1	1	91.75	62	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.8125	2004
15.01.2020 12:21:41	1	1	1	1	91.75	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:21:42	1	1	1	1	91.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.6875	2004
15.01.2020 12:21:43	1	1	1	1	91.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:44	1	1	1	1	91.75	61.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 12:21:45	1	1	1	1	91.75	61.5	0	28909.953	552.688172	16128.88321	30000	0	0	30000	41.3125	2004
15.01.2020 12:21:46	1	1	1	1	91.75	61.25	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	41.875	2004
15.01.2020 12:21:47	1	1	1	1	91.75	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.375	2004
15.01.2020 12:21:48	1	1	1	1	91.75	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:21:49	1	1	1	1	91.75	62	0	28862.559	552.688172	16004.13122	30000	0	0	30000	41.6875	2004
15.01.2020 12:21:50	1	1	1	1	91.75	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:21:51	1	1	1	1	91.75	61.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	42.0625	2004
15.01.2020 12:21:52	1	1	1	1	91.75	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.125	2004
15.01.2020 12:21:53	1	1	1	1	91.75	62	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	42.125	2004
15.01.2020 12:21:54	1	1	1	1	91.75	62	0	29099.526	552.688172	15942.16291	30000	0	0	30000	41.5625	2004
15.01.2020 12:21:55	1	1	1	1	91.75	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.9375	2004
15.01.2020 12:21:56	1	1	1	1	91.75	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:21:58	1	1	1	1	92	61.75	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	41.8125	2004
15.01.2020 12:21:59	1	1	1	1	92	61.75	0	29052.133	544.0860215	15817.41092	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:00	1	1	1	1	92	61.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
15.01.2020 12:22:01	1	1	1	1	92	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
15.01.2020 12:22:02	1	1	1	1	92	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.5	2004
15.01.2020 12:22:03	1	1	1	1	92	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.875	2004
15.01.2020 12:22:04	1	1	1	1	92	61.75	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:22:05	1	1	1	1	92	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:06	1	1	1	1	92	61.75	0	28862.559	552.688172	15889.97907	30000	0	0	30000	42.125	2004
15.01.2020 12:22:07	1	1	1	1	92	62	0	29052.133	552.688172	16082.40698	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:08	1	1	1	1	92	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:09	1	1	1	1	92	61.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.125	2004
15.01.2020 12:22:10	1	1	1	1	92	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:11	1	1	1	1	92	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:12	1	1	1	1	92	61.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:22:18	1	1	1	1	91.75	61.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:22:19	1	1	1	1	91.75	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:20	1	1	1	1	91.75	61.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:21	1	1	1	1	91.75	61.75	0	28957.346	541.9354839	15994.34675	30000	0	0	30000	42.125	2004
15.01.2020 12:22:22	1	1	1	1	91.75	62	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:23	1	1	1	1	91.75	61.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.4375	2004
15.01.2020 12:22:24	1	1	1	1	91.75	61.25	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:25	1	1	1	1	91.75	62	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:26	1	1	1	1	91.75	62	0	29052.133	541.9354839	15920.96323	30000	0	0	30000	41.6875	2004
15.01.2020 12:22:27	1	1	1	1	91.75	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
15.01.2020 12:22:28	1	1	1	1	92	61.75	0	29241.706	554.8387097	15920.96323	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:29	1	1	1	1	92	61.75	0	29052.133	546.2365591	15754.62724	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:30	1	1	1	1	92	62	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:31	1	1	1	1	92	61.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:32	1	1	1	1	92	62	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.125	2004
15.01.2020 12:22:33	1	1	1	1	92	62	0	29241.706	546.2365591	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:22:34	1	1	1	1	92	61.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:35	1	1	1	1	92	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
15.01.2020 12:22:37	1	1	1	1	92	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:38	1	1	1	1	92	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
15.01.2020 12:22:39	1	1	1	1	92	62	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:40	1	1	1	1	92	62	0	29146.919	548.3870968	15894.87131	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:41	1	1	1	1	92	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42	2004
15.01.2020 12:22:42	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:22:43	1	1	1	1	92	62	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.6875	2004
15.01.2020 12:22:44	1	1	1	1	92	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42	2004
15.01.2020 12:22:45	1	1	1	1	92	62	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	41.75	2004
15.01.2020 12:22:46	1	1	1	1	92	61.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.75	2004
15.01.2020 12:22:47	1	1	1	1	92	61.75	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 12:22:48	1	1	1	1	91.75	62	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	41.4375	2004
15.01.2020 12:22:49	1	1	1	1	91.75	61.25	0	29146.919	554.8387097	15983.74691	30000	0	0	30000	42	2004
15.01.2020 12:22:50	1	1	1	1	91.75	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.75	2004
15.01.2020 12:22:51	1	1	1	1	91.75	61.75	0	28862.559	539.7849462	16128.88321	30000	0	0	30000	41.875	2004
15.01.2020 12:22:52	1	1	1	1	91.75	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:53	1	1	1	1	91.75	61.75	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.9375	2004
15.01.2020 12:22:54	1	1	1	1	91.75	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:22:55	1	1	1	1	91.75	62	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42	2004
15.01.2020 12:22:56	1	1	1	1	91.75	62	0	29052.133	552.688172	15994.34675	30000	0	0	30000	42	2004
15.01.2020 12:22:57	1	1	1	1	91.75	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.125	2004
15.01.2020 12:22:58	1	1	1	1	92.25	61	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	41.8125	2004
15.01.2020 12:22:59	1	1	1	1	92.25	61.75	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:23:00	1	1	1	1	92.25	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:01	1	1	1	1	92.25	61.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:23:02	1	1	1	1	92.25	61.75	0	28578.199	550.5376344	16173.7287	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:03	1	1	1	1	92.25	61.75	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	41.125	2004
15.01.2020 12:23:04	1	1	1	1	92.25	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.75	2004
15.01.2020 12:23:05	1	1	1	1	92.25	61.75	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:06	1	1	1	1	92.25	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:23:07	1	1	1	1	92.25	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.875	2004
15.01.2020 12:23:08	1	1	1	1	92	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.0625	2004
15.01.2020 12:23:09	1	1	1	1	92	62	0	29099.526	554.8387097	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:23:10	1	1	1	1	92	62.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.1875	2004
15.01.2020 12:23:11	1	1	1	1	92	62	0	29146.919	552.688172	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:23:12	1	1	1	1	92	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5625	2004
15.01.2020 12:23:14	1	1	1	1	92	62	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:20	1	1	1	1	92.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42	2004
15.01.2020 12:23:21	1	1	1	1	92.25	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:22	1	1	1	1	92.25	61.75	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	40.8125	2004
15.01.2020 12:23:23	1	1	1	1	92.25	60.75	0	28862.559	552.688172	16040.00761	30000	0	0	30000	41.3125	2004
15.01.2020 12:23:24	1	1	1	1	92.25	61.25	0	29052.133	552.688172	16082.40698	30000	0	0	30000	42.125	2004
15.01.2020 12:23:25	1	1	1	1	92.25	62	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41.875	2004
15.01.2020 12:23:26	1	1	1	1	92.25	61.75	0	28672.986	550.5376344	15863.88715	30000	0	0	30000	41.375	2004
15.01.2020 12:23:27	1	1	1	1	92.25	61.25	0	29099.526	554.8387097	16108.4989	30000	0	0	30000	42.0625	2004
15.01.2020 12:23:28	1	1	1	1	92.5	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 12:23:29	1	1	1	1	92.5	62	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	42.125	2004
15.01.2020 12:23:30	1	1	1	1	92.5	62	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 12:23:31	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:23:32	1	1	1	1	92.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.375	2004
15.01.2020 12:23:33	1	1	1	1	92.5	61.25	0	28957.346	552.688172	15978.0393	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:34	1	1	1	1	92.5	61.75	0	29146.919	552.688172	16108.4989	30000	0	0	30000	42	2004
15.01.2020 12:23:35	1	1	1	1	92.5	62	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	42.3125	2004
15.01.2020 12:23:36	1	1	1	1	92.5	62.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.625	2004
15.01.2020 12:23:37	1	1	1	1	92.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:23:38	1	1	1	1	92.75	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.875	2004
15.01.2020 12:23:39	1	1	1	1	92.75	61.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.625	2004
15.01.2020 12:23:40	1	1	1	1	92.75	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:23:41	1	1	1	1	92.75	62	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.6875	2004
15.01.2020 12:23:42	1	1	1	1	92.75	61.5	0	29052.133	559.1397849	16056.31506	30000	0	0	30000	41.6875	2004
15.01.2020 12:23:43	1	1	1	1	92.75	61.5	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:23:44	1	1	1	1	92.75	61.75	0	28815.166	552.688172	16199.82062	30000	0	0	30000	42.125	2004
15.01.2020 12:23:45	1	1	1	1	92.75	62	0	28815.166	556.9892473	15742.39665	30000	0	0	30000	41.8125	2004
15.01.2020 12:23:46	1	1	1	1	92.75	61.75	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.75	2004
15.01.2020 12:23:47	1	1	1	1	92.75	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:48	1	1	1	1	92.5	61.75	0	28815.166	554.8387097	16075.884	30000	0	0	30000	42.125	2004
15.01.2020 12:23:49	1	1	1	1	92.5	62	0	29099.526	561.2903226	16181.06705	30000	0	0	30000	41.8125	2004
15.01.2020 12:23:50	1	1	1	1	92.5	61.75	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	42.125	2004
15.01.2020 12:23:51	1	1	1	1	92.5	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.875	2004
15.01.2020 12:23:52	1	1	1	1	92.5	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 12:23:53	1	1	1	1	92.5	62	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	42.375	2004
15.01.2020 12:23:54	1	1	1	1	92.5	62.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:23:56	1	1	1	1	92.5	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
15.01.2020 12:23:57	1	1	1	1	92.5	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.8125	2004
15.01.2020 12:23:58	1	1	1	1	92.75	61.75	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	42.125	2004
15.01.2020 12:23:59	1	1	1	1	92.75	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 12:24:00	1	1	1	1	92.75	61.5	0	28625.592	552.688172	15943.79366	30000	0	0	30000	41.875	2004
15.01.2020 12:24:01	1	1	1	1	92.75	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:24:02	1	1	1	1	92.75	62	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:03	1	1	1	1	92.75	61.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.3125	2004
15.01.2020 12:24:04	1	1	1	1	92.75	61.25	0	28483.412	550.5376344	15742.39665	30000	0	0	30000	41.125	2004
15.01.2020 12:24:05	1	1	1	1	92.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.6875	2004
15.01.2020 12:24:06	1	1	1	1	92.75	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.6875	2004
15.01.2020 12:24:07	1	1	1	1	92.75	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:24:08	1	1	1	1	92.75	62	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	41.6875	2004
15.01.2020 12:24:09	1	1	1	1	92.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:24:10	1	1	1	1	92.75	62	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	42.1875	2004
15.01.2020 12:24:11	1	1	1	1	92.75	62	0	29052.133	546.2365591	16056.31506	30000	0	0	30000	41.9375	2004
15.01.2020 12:24:12	1	1	1	1	92.75	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.125	2004
15.01.2020 12:24:13	1	1	1	1	92.75	62	0	29146.919	548.3870968	15942.16291	30000	0	0	30000	41.5625	2004
15.01.2020 12:24:14	1	1	1	1	92.75	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.75	2004
15.01.2020 12:24:15	1	1	1	1	92.75	61.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:22	1	1	1	1	93.25	61.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:24:23	1	1	1	1	93.25	62	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:24:24	1	1	1	1	93.25	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.875	2004
15.01.2020 12:24:25	1	1	1	1	93.25	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 12:24:26	1	1	1	1	93.25	62	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.9375	2004
15.01.2020 12:24:27	1	1	1	1	93.25	61.75	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:24:28	1	1	1	1	93.75	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5625	2004
15.01.2020 12:24:29	1	1	1	1	93.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42	2004
15.01.2020 12:24:30	1	1	1	1	93.75	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.9375	2004
15.01.2020 12:24:31	1	1	1	1	93.75	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:24:32	1	1	1	1	93.75	62	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	41.75	2004
15.01.2020 12:24:33	1	1	1	1	93.75	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
15.01.2020 12:24:35	1	1	1	1	93.75	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.0625	2004
15.01.2020 12:24:36	1	1	1	1	93.75	62	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	41.75	2004
15.01.2020 12:24:37	1	1	1	1	93.75	60.25	0	28815.166	552.688172	16049.79208	30000	0	0	30000	42	2004
15.01.2020 12:24:38	1	1	1	1	93.75	62	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:39	1	1	1	1	93.75	61.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	42.0625	2004
15.01.2020 12:24:40	1	1	1	1	93.75	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:24:41	1	1	1	1	93.75	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.75	2004
15.01.2020 12:24:42	1	1	1	1	93.75	61.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	42.125	2004
15.01.2020 12:24:43	1	1	1	1	93.75	62	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.875	2004
15.01.2020 12:24:44	1	1	1	1	93.75	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5625	2004
15.01.2020 12:24:45	1	1	1	1	93.75	61.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:24:46	1	1	1	1	93.75	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.375	2004
15.01.2020 12:24:47	1	1	1	1	93.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
15.01.2020 12:24:48	1	1	1	1	94.25	61.75	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:49	1	1	1	1	94.25	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:24:50	1	1	1	1	94.25	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
15.01.2020 12:24:51	1	1	1	1	94.25	61.5	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	42	2004
15.01.2020 12:24:52	1	1	1	1	94.25	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.625	2004
15.01.2020 12:24:53	1	1	1	1	94.25	61.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.9375	2004
15.01.2020 12:24:54	1	1	1	1	94.25	61.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:24:55	1	1	1	1	94.25	61.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	42.125	2004
15.01.2020 12:24:56	1	1	1	1	94.25	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.0625	2004
15.01.2020 12:24:57	1	1	1	1	94.25	62	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	42.125	2004
15.01.2020 12:24:58	1	1	1	1	93.75	62	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	42.125	2004
15.01.2020 12:24:59	1	1	1	1	93.75	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.0625	2004
15.01.2020 12:25:00	1	1	1	1	93.75	62	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:25:01	1	1	1	1	93.75	61.75	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.625	2004
15.01.2020 12:25:02	1	1	1	1	93.75	61.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:25:03	1	1	1	1	93.75	62	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42.25	2004
15.01.2020 12:25:04	1	1	1	1	93.75	62.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.9375	2004
15.01.2020 12:25:05	1	1	1	1	93.75	61.75	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	41.5625	2004
15.01.2020 12:25:06	1	1	1	1	93.75	61.5	0	28815.166	565.5913978	16005.76197	30000	0	0	30000	41.9375	2004
15.01.2020 12:25:07	1	1	1	1	93.75	61.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:08	1	1	1	1	93.25	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:25:09	1	1	1	1	93.25	62	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	42.4375	2004
15.01.2020 12:25:10	1	1	1	1	93.25	62.25	0	28625.592	556.9892473	16297.66532	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:12	1	1	1	1	93.25	62	0	28530.806	552.688172	15917.70174	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:25:13	1	1	1	1	93.25	61.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.375	2004
15.01.2020 12:25:14	1	1	1	1	93.25	62	0	28578.199	559.1397849	15803.54959	30000	0	0	30000	41.125	2004
15.01.2020 12:25:15	1	1	1	1	93.25	61	0	28578.199	556.9892473	15733.42755	30000	0	0	30000	41.25	2004
15.01.2020 12:25:16	1	1	1	1	93.25	61.25	0	28578.199	552.688172	15733.42755	30000	0	0	30000	42	2004
15.01.2020 12:25:17	1	1	1	1	93.25	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:23	1	1	1	1	93.25	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
15.01.2020 12:25:24	1	1	1	1	93.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.0625	2004
15.01.2020 12:25:25	1	1	1	1	93.25	62	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:25:26	1	1	1	1	93.25	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:25:27	1	1	1	1	93.25	61.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
15.01.2020 12:25:28	1	1	1	1	93.25	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.875	2004
15.01.2020 12:25:29	1	1	1	1	93.25	61.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.8125	2004
15.01.2020 12:25:30	1	1	1	1	93.25	61.75	0	28530.806	559.1397849	15803.54959	30000	0	0	30000	42	2004
15.01.2020 12:25:31	1	1	1	1	93.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42	2004
15.01.2020 12:25:32	1	1	1	1	93.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
15.01.2020 12:25:33	1	1	1	1	93.25	61.5	0	28578.199	559.1397849	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:34	1	1	1	1	93.25	62	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:25:35	1	1	1	1	93.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.9375	2004
15.01.2020 12:25:36	1	1	1	1	93.25	61.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.75	2004
15.01.2020 12:25:37	1	1	1	1	93.25	61.75	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	41.875	2004
15.01.2020 12:25:38	1	1	1	1	93	61.75	0	28578.199	563.4408602	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:39	1	1	1	1	93	62	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:40	1	1	1	1	93	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42.125	2004
15.01.2020 12:25:41	1	1	1	1	93	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.9375	2004
15.01.2020 12:25:42	1	1	1	1	93	61.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.8125	2004
15.01.2020 12:25:43	1	1	1	1	93	61.75	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	42.0625	2004
15.01.2020 12:25:44	1	1	1	1	93	62	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.0625	2004
15.01.2020 12:25:45	1	1	1	1	93	62	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.8125	2004
15.01.2020 12:25:46	1	1	1	1	93	61.75	0	28341.232	561.2903226	15706.52026	30000	0	0	30000	41.6875	2004
15.01.2020 12:25:47	1	1	1	1	93	61.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	42.25	2004
15.01.2020 12:25:48	1	1	1	1	93.25	62.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42.3125	2004
15.01.2020 12:25:49	1	1	1	1	93.25	62.25	0	28578.199	565.5913978	16190.03615	30000	0	0	30000	42.25	2004
15.01.2020 12:25:50	1	1	1	1	93.25	62.25	0	28436.019	563.4408602	15785.61139	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:52	1	1	1	1	93.25	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.625	2004
15.01.2020 12:25:53	1	1	1	1	93.25	61.5	0	28483.412	561.2903226	15838.61061	30000	0	0	30000	42.5625	2004
15.01.2020 12:25:54	1	1	1	1	93.25	62	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:25:55	1	1	1	1	93.25	62	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	42.125	2004
15.01.2020 12:25:56	1	1	1	1	93.25	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:25:57	1	1	1	1	93.25	61.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:25:58	1	1	1	1	93.5	62	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:25:59	1	1	1	1	93.5	62	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:26:00	1	1	1	1	93.5	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
15.01.2020 12:26:01	1	1	1	1	93.5	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42	2004
15.01.2020 12:26:02	1	1	1	1	93.5	62	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.5625	2004
15.01.2020 12:26:03	1	1	1	1	93.5	61.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:04	1	1	1	1	93.5	62	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.875	2004
15.01.2020 12:26:05	1	1	1	1	93.5	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.25	2004
15.01.2020 12:26:06	1	1	1	1	93.5	62.25	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:07	1	1	1	1	93.5	62	0	28578.199	554.8387097	16005.76197	30000	0	0	30000	41.5	2004
15.01.2020 12:26:08	1	1	1	1	94	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.6875	2004
15.01.2020 12:26:09	1	1	1	1	94	61.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.125	2004
15.01.2020 12:26:10	1	1	1	1	94	62	0	28625.592	554.8387097	15671.45924	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:11	1	1	1	1	94	62	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:12	1	1	1	1	94	62	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:26:13	1	1	1	1	94	62	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:14	1	1	1	1	94	62	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.9375	2004
15.01.2020 12:26:15	1	1	1	1	94	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:16	1	1	1	1	94	62	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:17	1	1	1	1	94	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:26:18	1	1	1	1	94	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.8125	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:25	1	1	1	1	94	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:26	1	1	1	1	94	62	0	28578.199	546.2365591	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 12:26:28	1	1	1	1	94	62.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:29	1	1	1	1	94.75	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.4375	2004
15.01.2020 12:26:30	1	1	1	1	94.75	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:26:31	1	1	1	1	94.75	62	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	42	2004
15.01.2020 12:26:32	1	1	1	1	94.75	62	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.8125	2004
15.01.2020 12:26:33	1	1	1	1	94.75	61.75	0	29241.706	552.688172	16161.49811	30000	0	0	30000	42.25	2004
15.01.2020 12:26:34	1	1	1	1	94.75	62.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.3125	2004
15.01.2020 12:26:35	1	1	1	1	94.75	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.75	2004
15.01.2020 12:26:36	1	1	1	1	94.75	61.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.9375	2004
15.01.2020 12:26:37	1	1	1	1	94.75	61.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.9375	2004
15.01.2020 12:26:38	1	1	1	1	95	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:39	1	1	1	1	95	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
15.01.2020 12:26:40	1	1	1	1	95	61.5	0	28862.559	548.3870968	15889.97907	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:26:41	1	1	1	1	95	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:42	1	1	1	1	95	62	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:26:43	1	1	1	1	95	62.25	0	29099.526	552.688172	15868.77939	30000	0	0	30000	42.0625	2004
15.01.2020 12:26:44	1	1	1	1	95	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:26:45	1	1	1	1	95	61.75	0	29146.919	552.688172	16082.40698	30000	0	0	30000	42	2004
15.01.2020 12:26:46	1	1	1	1	95	62	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:47	1	1	1	1	95	62	0	28957.346	550.5376344	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:48	1	1	1	1	94.75	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.4375	2004
15.01.2020 12:26:49	1	1	1	1	94.75	61.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:50	1	1	1	1	94.75	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:51	1	1	1	1	94.75	62	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:52	1	1	1	1	94.75	62	0	28815.166	552.688172	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:53	1	1	1	1	94.75	62	0	29099.526	552.688172	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:54	1	1	1	1	94.75	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 12:26:55	1	1	1	1	94.75	62	0	29146.919	552.688172	16046.53059	30000	0	0	30000	42.125	2004
15.01.2020 12:26:56	1	1	1	1	94.75	62	0	28815.166	541.9354839	15827.19539	30000	0	0	30000	41.5625	2004
15.01.2020 12:26:57	1	1	1	1	94.75	61.5	0	29146.919	552.688172	16082.40698	30000	0	0	30000	42.1875	2004
15.01.2020 12:26:58	1	1	1	1	94.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:26:59	1	1	1	1	94.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:27:00	1	1	1	1	94.5	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.9375	2004
15.01.2020 12:27:01	1	1	1	1	94.5	61.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.125	2004
15.01.2020 12:27:02	1	1	1	1	94.5	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.0625	2004
15.01.2020 12:27:03	1	1	1	1	94.5	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:04	1	1	1	1	94.5	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:27:05	1	1	1	1	94.5	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:27:06	1	1	1	1	94.5	62	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 12:27:08	1	1	1	1	94.5	61.75	0	29336.493	546.2365591	15746.47351	30000	0	0	30000	41.6875	2004
15.01.2020 12:27:09	1	1	1	1	94.25	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42	2004
15.01.2020 12:27:10	1	1	1	1	94.25	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.25	2004
15.01.2020 12:27:11	1	1	1	1	94.25	62.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
15.01.2020 12:27:12	1	1	1	1	94.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:13	1	1	1	1	94.25	62	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.625	2004
15.01.2020 12:27:14	1	1	1	1	94.25	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:15	1	1	1	1	94.25	62	0	29099.526	548.3870968	15931.56307	30000	0	0	30000	42.0625	2004
15.01.2020 12:27:16	1	1	1	1	94.25	62	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.9375	2004
15.01.2020 12:27:17	1	1	1	1	94.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.8125	2004
15.01.2020 12:27:18	1	1	1	1	94	61.75	0	29241.706	554.8387097	16046.53059	30000	0	0	30000	41.8125	2004
15.01.2020 12:27:19	1	1	1	1	94	61.75	0	29336.493	546.2365591	15835.34912	30000	0	0	30000	42.0625	2004
15.01.2020 12:27:20	1	1	1	1	94	62	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.875	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:27:27	1	1	1	1	94	62	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
15.01.2020 12:27:28	1	1	1	1	94.5	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.625	2004
15.01.2020 12:27:29	1	1	1	1	94.5	61.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:30	1	1	1	1	94.5	62	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	41.875	2004
15.01.2020 12:27:31	1	1	1	1	94.5	61.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.25	2004
15.01.2020 12:27:32	1	1	1	1	94.5	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.125	2004
15.01.2020 12:27:33	1	1	1	1	94.5	62	0	29431.28	544.0860215	16075.884	30000	0	0	30000	42.125	2004
15.01.2020 12:27:34	1	1	1	1	94.5	62	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	42.125	2004
15.01.2020 12:27:35	1	1	1	1	94.5	62	0	29336.493	544.0860215	16265.86579	30000	0	0	30000	41.875	2004
15.01.2020 12:27:36	1	1	1	1	94.5	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42	2004
15.01.2020 12:27:37	1	1	1	1	94.5	62	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.125	2004
15.01.2020 12:27:38	1	1	1	1	94.25	62	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5	2004
15.01.2020 12:27:39	1	1	1	1	94.25	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	42.125	2004
15.01.2020 12:27:40	1	1	1	1	94.25	62	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.9375	2004
15.01.2020 12:27:41	1	1	1	1	94.25	61.75	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	42.0625	2004
15.01.2020 12:27:42	1	1	1	1	94.25	62	0	29146.919	541.9354839	16098.71443	30000	0	0	30000	41.375	2004
15.01.2020 12:27:43	1	1	1	1	94.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:44	1	1	1	1	94.25	62	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.0625	2004
15.01.2020 12:27:46	1	1	1	1	94.25	62	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:49	1	1	1	1	94.25	62.25	0	29478.673	539.7849462	15696.73579	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:49	1	1	1	1	94.25	62.25	0	29478.673	539.7849462	15696.73579	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:49	1	1	1	1	94.25	62.25	0	29478.673	539.7849462	15696.73579	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:50	1	1	1	1	94.25	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:51	1	1	1	1	94.25	62	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:52	1	1	1	1	94.25	62	0	29620.853	533.3333333	16103.60666	30000	0	0	30000	41.8125	2004
15.01.2020 12:27:53	1	1	1	1	94.25	61.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.4375	2004
15.01.2020 12:27:54	1	1	1	1	94.25	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.1875	2004
15.01.2020 12:27:55	1	1	1	1	94.25	62	0	29715.64	550.5376344	16115.83725	30000	0	0	30000	41.8125	2004
15.01.2020 12:27:56	1	1	1	1	94.25	61.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.9375	2004
15.01.2020 12:27:57	1	1	1	1	94.25	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.8125	2004
15.01.2020 12:27:58	1	1	1	1	94.25	61.75	0	29526.066	544.0860215	15873.67162	30000	0	0	30000	41.6875	2004
15.01.2020 12:27:59	1	1	1	1	94.25	61.5	0	29431.28	550.5376344	15924.22472	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:00	1	1	1	1	94.25	62	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.125	2004
15.01.2020 12:28:01	1	1	1	1	94.25	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:02	1	1	1	1	94.25	62	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.875	2004
15.01.2020 12:28:03	1	1	1	1	94.25	61.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	42.25	2004
15.01.2020 12:28:04	1	1	1	1	94.25	62.25	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:05	1	1	1	1	94.25	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:06	1	1	1	1	94.25	62	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.9375	2004
15.01.2020 12:28:07	1	1	1	1	94.25	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42	2004
15.01.2020 12:28:08	1	1	1	1	94.25	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:28:09	1	1	1	1	94.25	62	0	29052.133	539.7849462	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:10	1	1	1	1	94.25	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5625	2004
15.01.2020 12:28:11	1	1	1	1	94.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.125	2004
15.01.2020 12:28:12	1	1	1	1	94.25	62	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:13	1	1	1	1	94.25	62	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:28:14	1	1	1	1	94.25	61.5	0	29668.246	544.0860215	16141.92917	30000	0	0	30000	41.875	2004
15.01.2020 12:28:15	1	1	1	1	94.25	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.3125	2004
15.01.2020 12:28:16	1	1	1	1	94.25	62.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	42	2004
15.01.2020 12:28:17	1	1	1	1	94.25	62	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:18	1	1	1	1	94.25	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
15.01.2020 12:28:19	1	1	1	1	94.25	61.75	0	29336.493	533.3333333	15708.96638	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:20	1	1	1	1	94.25	62	0	29478.673	550.5376344	16101.97592	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:21	1	1	1	1	94.25	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:28	1	1	1	1	94.25	62.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:28:29	1	1	1	1	94.5	62.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:28:30	1	1	1	1	94.5	62	0	29241.706	544.0860215	15920.96323	30000	0	0	30000	41.6875	2004
15.01.2020 12:28:31	1	1	1	1	94.5	61.5	0	29146.919	539.7849462	15795.39586	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:32	1	1	1	1	94.5	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
15.01.2020 12:28:33	1	1	1	1	94.5	61.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	42.0625	2004
15.01.2020 12:28:34	1	1	1	1	94.5	62	0	29052.133	550.5376344	15957.65499	30000	0	0	30000	42.3125	2004
15.01.2020 12:28:35	1	1	1	1	94.5	62.25	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:28:36	1	1	1	1	94.5	62.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	42.125	2004
15.01.2020 12:28:37	1	1	1	1	94.5	62	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:38	1	1	1	1	94.5	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:39	1	1	1	1	94.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:28:40	1	1	1	1	94.5	62.25	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:41	1	1	1	1	94.5	62	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	42.0625	2004
15.01.2020 12:28:42	1	1	1	1	94.5	62	0	28815.166	552.688172	15801.91884	30000	0	0	30000	41.625	2004
15.01.2020 12:28:43	1	1	1	1	94.5	61.5	0	28625.592	550.5376344	15785.61139	30000	0	0	30000	42.25	2004
15.01.2020 12:28:44	1	1	1	1	94.5	62.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.125	2004
15.01.2020 12:28:45	1	1	1	1	94.5	61	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	41.875	2004
15.01.2020 12:28:46	1	1	1	1	94.5	61.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.9375	2004
15.01.2020 12:28:47	1	1	1	1	94.5	61.75	0	28957.346	556.9892473	15916.07099	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:48	1	1	1	1	95	62	0	28909.953	556.9892473	16101.97592	30000	0	0	30000	42.125	2004
15.01.2020 12:28:49	1	1	1	1	95	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.125	2004
15.01.2020 12:28:50	1	1	1	1	95	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
15.01.2020 12:28:51	1	1	1	1	95	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:28:52	1	1	1	1	95	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:28:53	1	1	1	1	95	62.25	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:54	1	1	1	1	95	62	0	29052.133	556.9892473	16243.85073	30000	0	0	30000	42.3125	2004
15.01.2020 12:28:55	1	1	1	1	95	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:28:56	1	1	1	1	95	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:28:57	1	1	1	1	95	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
15.01.2020 12:28:58	1	1	1	1	95.25	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 12:28:59	1	1	1	1	95.25	62.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:00	1	1	1	1	95.25	62	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	42.125	2004
15.01.2020 12:29:01	1	1	1	1	95.25	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:02	1	1	1	1	95.25	62.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42	2004
15.01.2020 12:29:04	1	1	1	1	95.25	62	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	42	2004
15.01.2020 12:29:05	1	1	1	1	95.25	62	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:29:06	1	1	1	1	95.25	62.25	0	29052.133	552.688172	16082.40698	30000	0	0	30000	42.0625	2004
15.01.2020 12:29:07	1	1	1	1	95.25	62	0	29004.739	556.9892473	16181.06705	30000	0	0	30000	42.625	2004
15.01.2020 12:29:08	1	1	1	1	95.25	62.25	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:09	1	1	1	1	95.25	62	0	28862.559	544.0860215	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:10	1	1	1	1	95.25	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:29:11	1	1	1	1	95.25	62.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
15.01.2020 12:29:12	1	1	1	1	95.25	61	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.25	2004
15.01.2020 12:29:13	1	1	1	1	95.25	62.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42.4375	2004
15.01.2020 12:29:14	1	1	1	1	95.25	62.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:15	1	1	1	1	95.25	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:16	1	1	1	1	95.25	62	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.125	2004
15.01.2020 12:29:17	1	1	1	1	95.25	62	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	42.0625	2004
15.01.2020 12:29:18	1	1	1	1	95	62	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41	2004
15.01.2020 12:29:19	1	1	1	1	95	61	0	28957.346	561.2903226	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:29:20	1	1	1	1	95	61.75	0	0	0	0	30000	0	8	30000	42.4375	2004
15.01.2020 12:29:21	1	1	1	1	95	62.25	0	10426.54	0	0	30000	0	0	30000	42.375	2004
15.01.2020 12:29:22	1	1	1	1	95	62.25	0	11279.621	0	0	30000	0	0	30000	42.25	2004
15.01.2020 12:29:23	1	1	1	1	95	62.25	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62.25	0	16492.891	40.86021505	681.6514011	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62.25	0	16492.891	40.86021505	681.6514011	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62.25	0	16492.891	40.86021505	681.6514011	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62.25	0	16492.891	40.86021505	681.6514011	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62.25	0	16492.891	40.86021505	681.6514011	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:30	1	1	1	1	94.75	62	0	17393.365	53.76344086	934.4168728	30000	0	0	30000	42.25	2004
15.01.2020 12:29:31	1	1	1	1	94.75	62.25	0	18151.659	62.3655914	1170.874895	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:32	1	1	1	1	94.75	62.25	0	18909.953	77.41935484	1426.901856	30000	0	0	30000	42.375	2004
15.01.2020 12:29:33	1	1	1	1	94.75	62.25	0	19668.246	88.17204301	1784.850379	30000	0	0	30000	42.25	2004
15.01.2020 12:29:34	1	1	1	1	94.75	62.25	0	20142.18	96.77419355	1991.954991	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:35	1	1	1	1	94.75	62	0	21090.047	111.827957	2403.718099	30000	0	0	30000	42.25	2004
15.01.2020 12:29:36	1	1	1	1	94.75	62.25	0	21895.735	126.8817204	2825.265676	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:29:37	1	1	1	1	94.75	62.25	0	22796.209	144.0860215	3284.320387	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:38	1	1	1	1	93.75	62.25	0	23364.929	159.1397849	3667.545457	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:39	1	1	1	1	93.75	62	0	24218.009	178.4946237	4217.921887	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:40	1	1	1	1	93.75	62.25	0	24170.616	189.2473118	4574.239665	30000	0	0	30000	42.125	2004
15.01.2020 12:29:41	1	1	1	1	93.75	62	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	42.375	2004
15.01.2020 12:29:43	1	1	1	1	93.75	62.25	0	24881.517	217.2043011	5404.288859	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:44	1	1	1	1	93.75	62.25	0	25450.237	234.4086022	6031.310304	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:45	1	1	1	1	93.75	62.25	0	25924.171	251.6129032	6466.719213	30000	0	0	30000	42.625	2004
15.01.2020 12:29:46	1	1	1	1	93.75	62	0	26303.318	266.6666667	7013.834153	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:47	1	1	1	1	93.75	62	0	26398.104	301.0752688	7962.112358	30000	0	0	30000	42.375	2004
15.01.2020 12:29:48	1	1	1	1	93	62.25	0	26398.104	307.5268817	8103.171799	30000	0	0	30000	42.375	2004
15.01.2020 12:29:49	1	1	1	1	93	62.25	0	26682.464	324.7311828	8664.148072	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:50	1	1	1	1	93	62	0	26635.071	339.7849462	9238.170304	30000	0	0	30000	42.375	2004
15.01.2020 12:29:51	1	1	1	1	93	62.25	0	27109.005	350.5376344	9627.918354	30000	0	0	30000	42.25	2004
15.01.2020 12:29:52	1	1	1	1	93	62.25	0	27298.578	367.7419355	10097.57291	30000	0	0	30000	42.25	2004
15.01.2020 12:29:53	1	1	1	1	93	62.25	0	27535.545	384.9462366	10563.1506	30000	0	0	30000	42.3125	2004
15.01.2020 12:29:54	1	1	1	1	93	62.25	0	27345.972	397.8494624	10879.51513	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:55	1	1	1	1	93	62	0	27630.332	412.9032258	11586.44307	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:56	1	1	1	1	93	62	0	27962.085	434.4086022	11946.02234	30000	0	0	30000	42.25	2004
15.01.2020 12:29:57	1	1	1	1	93	62.25	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:58	1	1	1	1	92.75	62	0	28009.479	458.0645161	12709.21099	30000	0	0	30000	42.1875	2004
15.01.2020 12:29:59	1	1	1	1	92.75	62	0	28009.479	481.7204301	13191.09613	30000	0	0	30000	42.375	2004
15.01.2020 12:30:00	1	1	1	1	92.75	62.25	0	28436.019	488.172043	13965.7	30000	0	0	30000	42.4375	2004
15.01.2020 12:30:01	1	1	1	1	92.75	62.25	0	28625.592	503.2258065	14562.55266	30000	0	0	30000	42.25	2004
15.01.2020 12:30:02	1	1	1	1	92.75	62.25	0	28862.559	520.4301075	14896.85538	30000	0	0	30000	41.8125	2004
15.01.2020 12:30:03	1	1	1	1	92.75	61.75	0	29146.919	537.6344086	15669.8285	30000	0	0	30000	42.3125	2004
15.01.2020 12:30:04	1	1	1	1	92.75	62.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:05	1	1	1	1	92.75	62	0	29526.066	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:30:06	1	1	1	1	92.75	62.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	42.125	2004
15.01.2020 12:30:07	1	1	1	1	92.75	62	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.5625	2004
15.01.2020 12:30:08	1	1	1	1	92.75	61.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:09	1	1	1	1	92.75	62	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:30:10	1	1	1	1	92.75	62.25	0	29478.673	550.5376344	15949.50126	30000	0	0	30000	42.125	2004
15.01.2020 12:30:11	1	1	1	1	92.75	62	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.125	2004
15.01.2020 12:30:12	1	1	1	1	92.75	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.25	2004
15.01.2020 12:30:13	1	1	1	1	92.75	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.375	2004
15.01.2020 12:30:14	1	1	1	1	92.75	62.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
15.01.2020 12:30:15	1	1	1	1	92.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:16	1	1	1	1	92.75	62	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:17	1	1	1	1	92.75	62	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:19	1	1	1	1	93.5	62	0	29905.213	537.6344086	16039.19224	30000	0	0	30000	42.3125	2004
15.01.2020 12:30:20	1	1	1	1	93.5	62.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.6875	2004
15.01.2020 12:30:21	1	1	1	1	93.5	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:30:22	1	1	1	1	93.5	62.25	0	29620.853	544.0860215	16243.03536	30000	0	0	30000	42.5625	2004
15.01.2020 12:30:23	1	1	1	1	93.5	62.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:30:24	1	1	1	1	93.5	62.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:25	1	1	1	1	93.5	62	0	29336.493	552.688172	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:31	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:32	1	1	1	1	93.5	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.3125	2004
15.01.2020 12:30:33	1	1	1	1	93.5	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:30:34	1	1	1	1	93.5	62	0	28957.346	556.9892473	16013.91569	30000	0	0	30000	41.5625	2004
15.01.2020 12:30:35	1	1	1	1	93.5	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:30:36	1	1	1	1	93.5	62	0	28483.412	550.5376344	15681.24371	30000	0	0	30000	41.9375	2004
15.01.2020 12:30:37	1	1	1	1	93.5	61.75	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:38	1	1	1	1	93.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
15.01.2020 12:30:39	1	1	1	1	93.5	61.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:30:40	1	1	1	1	93.5	62.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.6875	2004
15.01.2020 12:30:41	1	1	1	1	93.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:30:42	1	1	1	1	93.5	62.25	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:30:43	1	1	1	1	93.5	61.5	0	28862.559	554.8387097	16137.85231	30000	0	0	30000	41.875	2004
15.01.2020 12:30:44	1	1	1	1	93.5	61.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:30:45	1	1	1	1	93.5	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:46	1	1	1	1	93.5	62	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42.0625	2004
15.01.2020 12:30:47	1	1	1	1	93.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42	2004
15.01.2020 12:30:48	1	1	1	1	93	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:49	1	1	1	1	93	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 12:30:50	1	1	1	1	93	62	0	28815.166	552.688172	16173.7287	30000	0	0	30000	41.625	2004
15.01.2020 12:30:51	1	1	1	1	93	61.5	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	41.875	2004
15.01.2020 12:30:52	1	1	1	1	93	61.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:53	1	1	1	1	93	62	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	42	2004
15.01.2020 12:30:54	1	1	1	1	93	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:55	1	1	1	1	93	62	0	28625.592	552.688172	16049.79208	30000	0	0	30000	41.4375	2004
15.01.2020 12:30:57	1	1	1	1	93	61.25	0	29099.526	554.8387097	16181.06705	30000	0	0	30000	42.1875	2004
15.01.2020 12:30:58	1	1	1	1	93	62	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:30:59	1	1	1	1	93	61.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.4375	2004
15.01.2020 12:31:00	1	1	1	1	93	62.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.5	2004
15.01.2020 12:31:01	1	1	1	1	93	62.5	0	28957.346	565.5913978	16128.88321	30000	0	0	30000	41.75	2004
15.01.2020 12:31:02	1	1	1	1	93	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:31:03	1	1	1	1	93	61.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	42.3125	2004
15.01.2020 12:31:04	1	1	1	1	93	62.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.125	2004
15.01.2020 12:31:05	1	1	1	1	93	62	0	28578.199	552.688172	15733.42755	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:31:06	1	1	1	1	93	62	0	28625.592	552.688172	15759.51947	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:07	1	1	1	1	93	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:31:08	1	1	1	1	92.75	62	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.125	2004
15.01.2020 12:31:09	1	1	1	1	92.75	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.0625	2004
15.01.2020 12:31:10	1	1	1	1	92.75	62	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.625	2004
15.01.2020 12:31:11	1	1	1	1	92.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:12	1	1	1	1	92.75	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:13	1	1	1	1	92.75	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:31:14	1	1	1	1	92.75	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:15	1	1	1	1	92.75	62	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:16	1	1	1	1	92.75	62	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:17	1	1	1	1	92.75	62	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.25	2004
15.01.2020 12:31:18	1	1	1	1	92.25	62.25	0	29336.493	550.5376344	15998.42361	30000	0	0	30000	42.25	2004
15.01.2020 12:31:19	1	1	1	1	92.25	62.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	42.25	2004
15.01.2020 12:31:20	1	1	1	1	92.25	62.25	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	41.9375	2004
15.01.2020 12:31:21	1	1	1	1	92.25	61.75	0	29099.526	548.3870968	16171.28258	30000	0	0	30000	42	2004
15.01.2020 12:31:22	1	1	1	1	92.25	62	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.125	2004
15.01.2020 12:31:23	1	1	1	1	92.25	62	0	29241.706	552.688172	16098.71443	30000	0	0	30000	42.125	2004
15.01.2020 12:31:24	1	1	1	1	92.25	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:25	1	1	1	1	92.25	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 12:31:26	1	1	1	1	92.25	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.125	2004
15.01.2020 12:31:33	1	1	1	1	93	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:31:33	1	1	1	1	93	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:31:33	1	1	1	1	93	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:31:33	1	1	1	1	93	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:31:33	1	1	1	1	93	62	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.875	2004
15.01.2020 12:31:33	1	1	1	1	93	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.3125	2004
15.01.2020 12:31:35	1	1	1	1	93	61.25	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	41.9375	2004
15.01.2020 12:31:36	1	1	1	1	93	61.75	0	28957.346	559.1397849	16066.09953	30000	0	0	30000	42.125	2004
15.01.2020 12:31:37	1	1	1	1	93	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
15.01.2020 12:31:38	1	1	1	1	93	61.5	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 12:31:39	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.75	2004
15.01.2020 12:31:40	1	1	1	1	93.25	61.75	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	42.125	2004
15.01.2020 12:31:41	1	1	1	1	93.25	61.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.75	2004
15.01.2020 12:31:42	1	1	1	1	93.25	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:31:43	1	1	1	1	93.25	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:31:44	1	1	1	1	93.25	61.5	0	28578.199	556.9892473	15864.70252	30000	0	0	30000	42	2004
15.01.2020 12:31:45	1	1	1	1	93.25	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.3125	2004
15.01.2020 12:31:46	1	1	1	1	93.25	62.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.625	2004
15.01.2020 12:31:47	1	1	1	1	93.25	61.5	0	28957.346	563.4408602	16075.884	30000	0	0	30000	42	2004
15.01.2020 12:31:48	1	1	1	1	92.75	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.9375	2004
15.01.2020 12:31:49	1	1	1	1	92.75	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:31:50	1	1	1	1	92.75	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.0625	2004
15.01.2020 12:31:51	1	1	1	1	92.75	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:31:52	1	1	1	1	92.75	62	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:31:53	1	1	1	1	92.75	62.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.875	2004
15.01.2020 12:31:54	1	1	1	1	92.75	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
15.01.2020 12:31:55	1	1	1	1	92.75	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:56	1	1	1	1	92.75	62	0	28483.412	552.688172	15742.39665	30000	0	0	30000	42.1875	2004
15.01.2020 12:31:57	1	1	1	1	92.75	62	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	42.375	2004
15.01.2020 12:31:58	1	1	1	1	93	62.25	0	28957.346	554.8387097	16154.97513	30000	0	0	30000	42.25	2004
15.01.2020 12:31:59	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.875	2004
15.01.2020 12:32:00	1	1	1	1	93	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:32:01	1	1	1	1	93	61.5	0	28578.199	559.1397849	15794.58049	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:02	1	1	1	1	93	62	0	28578.199	552.688172	15855.73343	30000	0	0	30000	41.75	2004
15.01.2020 12:32:03	1	1	1	1	93	61.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:04	1	1	1	1	93	62	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	42.25	2004
15.01.2020 12:32:05	1	1	1	1	93	62.25	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	41.6875	2004
15.01.2020 12:32:06	1	1	1	1	93	61.5	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	42.0625	2004
15.01.2020 12:32:07	1	1	1	1	93	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
15.01.2020 12:32:08	1	1	1	1	92.75	61.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.8125	2004
15.01.2020 12:32:09	1	1	1	1	92.75	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42	2004
15.01.2020 12:32:10	1	1	1	1	92.75	62	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42	2004
15.01.2020 12:32:11	1	1	1	1	92.75	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 12:32:13	1	1	1	1	92.75	61.5	0	28815.166	563.4408602	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:32:14	1	1	1	1	92.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 12:32:15	1	1	1	1	92.75	62	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:32:16	1	1	1	1	92.75	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 12:32:17	1	1	1	1	92.75	62.25	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	41.6875	2004
15.01.2020 12:32:18	1	1	1	1	92.75	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:32:19	1	1	1	1	93	62.5	0	29241.706	552.688172	16161.49811	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:20	1	1	1	1	93	62	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:21	1	1	1	1	93	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:32:22	1	1	1	1	93	62	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	42.25	2004
15.01.2020 12:32:23	1	1	1	1	93	62.25	0	29099.526	550.5376344	15879.37923	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:24	1	1	1	1	93	62	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.125	2004
15.01.2020 12:32:25	1	1	1	1	93	62	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	41.5625	2004
15.01.2020 12:32:26	1	1	1	1	93	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.125	2004
15.01.2020 12:32:27	1	1	1	1	93	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.0625	2004
15.01.2020 12:32:28	1	1	1	1	92.5	62	0	29146.919	552.688172	16171.28258	30000	0	0	30000	42.0625	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:34	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:32:35	1	1	1	1	92.5	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:35	1	1	1	1	92.5	62	0	28625.592	554.8387097	15925.85546	30000	0	0	30000	41.9375	2004
15.01.2020 12:32:36	1	1	1	1	92.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 12:32:37	1	1	1	1	92.5	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:32:38	1	1	1	1	92.75	62.25	0	28625.592	552.688172	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:39	1	1	1	1	92.75	62	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:32:40	1	1	1	1	92.75	62	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	42.125	2004
15.01.2020 12:32:41	1	1	1	1	92.75	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.3125	2004
15.01.2020 12:32:42	1	1	1	1	92.75	62.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.25	2004
15.01.2020 12:32:43	1	1	1	1	92.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:32:44	1	1	1	1	92.75	62.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.3125	2004
15.01.2020 12:32:45	1	1	1	1	92.75	62.25	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:32:46	1	1	1	1	92.75	62.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	41.6875	2004
15.01.2020 12:32:47	1	1	1	1	92.75	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:48	1	1	1	1	92.75	62	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:49	1	1	1	1	92.75	62	0	28530.806	554.8387097	15681.24371	30000	0	0	30000	42.125	2004
15.01.2020 12:32:50	1	1	1	1	92.75	62	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	42.125	2004
15.01.2020 12:32:51	1	1	1	1	92.75	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:52	1	1	1	1	92.75	62	0	28483.412	554.8387097	15917.70174	30000	0	0	30000	41.625	2004
15.01.2020 12:32:53	1	1	1	1	92.75	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.125	2004
15.01.2020 12:32:55	1	1	1	1	92.75	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.3125	2004
15.01.2020 12:32:56	1	1	1	1	92.75	62.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:57	1	1	1	1	92.75	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.3125	2004
15.01.2020 12:32:58	1	1	1	1	92.75	62.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:32:59	1	1	1	1	93	62	0	28483.412	559.1397849	15716.30473	30000	0	0	30000	42.125	2004
15.01.2020 12:33:00	1	1	1	1	93	62	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:33:01	1	1	1	1	93	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.125	2004
15.01.2020 12:33:02	1	1	1	1	93	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.625	2004
15.01.2020 12:33:03	1	1	1	1	93	61.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:04	1	1	1	1	93	62	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.3125	2004
15.01.2020 12:33:05	1	1	1	1	93	62.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.25	2004
15.01.2020 12:33:06	1	1	1	1	93	62.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:07	1	1	1	1	93	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:08	1	1	1	1	92.5	62	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:33:09	1	1	1	1	92.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:33:10	1	1	1	1	92.5	61.75	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:11	1	1	1	1	92.5	62	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	42.0625	2004
15.01.2020 12:33:12	1	1	1	1	92.5	62	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	42.125	2004
15.01.2020 12:33:13	1	1	1	1	92.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:33:14	1	1	1	1	92.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:15	1	1	1	1	92.5	62	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:33:16	1	1	1	1	92.5	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:17	1	1	1	1	92.5	62	0	28530.806	550.5376344	16066.9149	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:33:18	1	1	1	1	93.25	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:33:19	1	1	1	1	93.25	62.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	42.25	2004
15.01.2020 12:33:20	1	1	1	1	93.25	62.25	0	28625.592	561.2903226	16297.66532	30000	0	0	30000	41.25	2004
15.01.2020 12:33:21	1	1	1	1	93.25	61.25	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:22	1	1	1	1	93.25	62	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	42.375	2004
15.01.2020 12:33:23	1	1	1	1	93.25	62.25	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	41.9375	2004
15.01.2020 12:33:24	1	1	1	1	93.25	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:25	1	1	1	1	93.25	62	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.5625	2004
15.01.2020 12:33:26	1	1	1	1	93.25	61.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42	2004
15.01.2020 12:33:27	1	1	1	1	93.25	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.6875	2004
15.01.2020 12:33:28	1	1	1	1	93.75	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:29	1	1	1	1	93.75	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.9375	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:36	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:37	1	1	1	1	93.75	62	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:38	1	1	1	1	93.75	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
15.01.2020 12:33:39	1	1	1	1	93.75	62.25	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41.125	2004
15.01.2020 12:33:40	1	1	1	1	93.75	61	0	28578.199	559.1397849	15864.70252	30000	0	0	30000	42.25	2004
15.01.2020 12:33:41	1	1	1	1	93.75	62.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.25	2004
15.01.2020 12:33:42	1	1	1	1	93.75	62.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.0625	2004
15.01.2020 12:33:43	1	1	1	1	93.75	62	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:33:44	1	1	1	1	93.75	62.25	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	42.3125	2004
15.01.2020 12:33:45	1	1	1	1	93.75	62.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:46	1	1	1	1	93.75	62	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.25	2004
15.01.2020 12:33:47	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42	2004
15.01.2020 12:33:48	1	1	1	1	93.5	62	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:49	1	1	1	1	93.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:33:50	1	1	1	1	93.5	61.75	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 12:33:51	1	1	1	1	93.5	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:52	1	1	1	1	93.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.3125	2004
15.01.2020 12:33:53	1	1	1	1	93.5	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:54	1	1	1	1	93.5	62	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:55	1	1	1	1	93.5	62	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	41.875	2004
15.01.2020 12:33:56	1	1	1	1	93.5	61.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:57	1	1	1	1	93.5	62	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	42.1875	2004
15.01.2020 12:33:58	1	1	1	1	93.5	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.875	2004
15.01.2020 12:33:59	1	1	1	1	93.5	61.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:00	1	1	1	1	93.5	62	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:01	1	1	1	1	93.5	62	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:34:02	1	1	1	1	93.5	62.25	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	42.25	2004
15.01.2020 12:34:03	1	1	1	1	93.5	62.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:34:04	1	1	1	1	93.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:05	1	1	1	1	93.5	62	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	42.0625	2004
15.01.2020 12:34:06	1	1	1	1	93.5	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 12:34:07	1	1	1	1	93.5	61.75	0	28815.166	548.3870968	15863.88715	30000	0	0	30000	42.0625	2004
15.01.2020 12:34:08	1	1	1	1	93.5	62	0	28862.559	550.5376344	15703.25877	30000	0	0	30000	41.9375	2004
15.01.2020 12:34:09	1	1	1	1	93.5	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.25	2004
15.01.2020 12:34:11	1	1	1	1	93.5	62.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	42	2004
15.01.2020 12:34:12	1	1	1	1	93.5	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:13	1	1	1	1	93.5	62	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:14	1	1	1	1	93.5	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.125	2004
15.01.2020 12:34:15	1	1	1	1	93.5	62	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	42.5	2004
15.01.2020 12:34:16	1	1	1	1	93.5	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.6875	2004
15.01.2020 12:34:17	1	1	1	1	93.5	62.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.8125	2004
15.01.2020 12:34:18	1	1	1	1	93.5	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.3125	2004
15.01.2020 12:34:19	1	1	1	1	93.5	62.25	0	29146.919	554.8387097	16020.43867	30000	0	0	30000	41.875	2004
15.01.2020 12:34:20	1	1	1	1	93.5	61.75	0	29146.919	552.688172	15920.96323	30000	0	0	30000	42.3125	2004
15.01.2020 12:34:21	1	1	1	1	93.5	62.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	42.25	2004
15.01.2020 12:34:22	1	1	1	1	93.5	62.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:23	1	1	1	1	93.5	62	0	29004.739	546.2365591	15868.77939	30000	0	0	30000	42.0625	2004
15.01.2020 12:34:24	1	1	1	1	93.5	62	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.9375	2004
15.01.2020 12:34:25	1	1	1	1	93.5	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.875	2004
15.01.2020 12:34:26	1	1	1	1	93.5	61.75	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	42.125	2004
15.01.2020 12:34:27	1	1	1	1	93.5	62	0	29715.64	546.2365591	16167.20572	30000	0	0	30000	42	2004
15.01.2020 12:34:28	1	1	1	1	93.5	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.0625	2004
15.01.2020 12:34:29	1	1	1	1	93.5	62	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:30	1	1	1	1	93.5	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:34:31	1	1	1	1	93.5	62	0	29052.133	548.3870968	15754.62724	30000	0	0	30000	42.25	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:34:38	1	1	1	1	94	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:39	1	1	1	1	94	62	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:40	1	1	1	1	94	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.9375	2004
15.01.2020 12:34:41	1	1	1	1	94	61.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:34:42	1	1	1	1	94	62.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:43	1	1	1	1	94	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:44	1	1	1	1	94	62	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	42	2004
15.01.2020 12:34:45	1	1	1	1	94	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:34:46	1	1	1	1	94	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:34:47	1	1	1	1	94	62	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.25	2004
15.01.2020 12:34:48	1	1	1	1	94	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:34:50	1	1	1	1	94	62	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	42.125	2004
15.01.2020 12:34:51	1	1	1	1	94	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:34:52	1	1	1	1	94	62.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.25	2004
15.01.2020 12:34:53	1	1	1	1	94	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.125	2004
15.01.2020 12:34:54	1	1	1	1	94	62	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.75	2004
15.01.2020 12:34:55	1	1	1	1	94	61.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42	2004
15.01.2020 12:34:56	1	1	1	1	94	62	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	42.3125	2004
15.01.2020 12:34:57	1	1	1	1	94	62.5	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	42	2004
15.01.2020 12:34:58	1	1	1	1	94	62	0	29146.919	539.7849462	15909.54801	30000	0	0	30000	41.6875	2004
15.01.2020 12:34:59	1	1	1	1	94	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:00	1	1	1	1	94	62	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:35:01	1	1	1	1	94	62.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:02	1	1	1	1	94	62	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:35:03	1	1	1	1	94	61.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:35:04	1	1	1	1	94	62	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:05	1	1	1	1	94	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:06	1	1	1	1	94	62	0	30000	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:35:07	1	1	1	1	94	61.5	0	29905.213	531.1827957	15949.50126	30000	0	0	30000	42.375	2004
15.01.2020 12:35:08	1	1	1	1	93.75	62.25	0	30047.393	520.4301075	15677.16685	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:09	1	1	1	1	93.75	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	42	2004
15.01.2020 12:35:10	1	1	1	1	93.75	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.6875	2004
15.01.2020 12:35:11	1	1	1	1	93.75	61.5	0	29952.607	531.1827957	16000.05436	30000	0	0	30000	41.5	2004
15.01.2020 12:35:12	1	1	1	1	93.75	61.5	0	30000	531.1827957	15805.99571	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:13	1	1	1	1	93.75	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.6875	2004
15.01.2020 12:35:14	1	1	1	1	93.75	61.5	0	29905.213	516.1290323	15677.16685	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:15	1	1	1	1	93.75	62	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:16	1	1	1	1	93.75	62	0	30000	498.9247312	14902.56299	30000	0	0	30000	42	2004
15.01.2020 12:35:17	1	1	1	1	93.75	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:18	1	1	1	1	93.5	62	0	30047.393	496.7741935	15015.08439	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:19	1	1	1	1	93.5	62	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	41.875	2004
15.01.2020 12:35:20	1	1	1	1	93.5	61.75	0	29905.213	524.7311828	15781.53453	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:21	1	1	1	1	93.5	62	0	30000	533.3333333	15974.77781	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:22	1	1	1	1	93.5	62	0	30000	531.1827957	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:35:23	1	1	1	1	93.5	62.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41	2004
15.01.2020 12:35:24	1	1	1	1	93.5	61	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:25	1	1	1	1	93.5	62	0	29810.427	535.483871	15898.94817	30000	0	0	30000	41.6875	2004
15.01.2020 12:35:26	1	1	1	1	93.5	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.3125	2004
15.01.2020 12:35:27	1	1	1	1	93.5	62.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:28	1	1	1	1	94	62	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.25	2004
15.01.2020 12:35:30	1	1	1	1	94	62.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:35:31	1	1	1	1	94	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	42.375	2004
15.01.2020 12:35:32	1	1	1	1	94	62.25	0	29383.886	539.7849462	15898.1328	30000	0	0	30000	42.125	2004
15.01.2020 12:35:33	1	1	1	1	94	62	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:39	1	1	1	1	94	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:40	1	1	1	1	94	62	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:41	1	1	1	1	94	62	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.5625	2004
15.01.2020 12:35:42	1	1	1	1	94	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:43	1	1	1	1	94	62	0	29052.133	539.7849462	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:44	1	1	1	1	94	62	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:45	1	1	1	1	94	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.875	2004
15.01.2020 12:35:46	1	1	1	1	94	61.75	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:35:47	1	1	1	1	94	62	0	29052.133	554.8387097	15754.62724	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:48	1	1	1	1	93.5	62	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	41.875	2004
15.01.2020 12:35:49	1	1	1	1	93.5	61.75	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	42.25	2004
15.01.2020 12:35:50	1	1	1	1	93.5	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.375	2004
15.01.2020 12:35:51	1	1	1	1	93.5	62.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.75	2004
15.01.2020 12:35:52	1	1	1	1	93.5	61.75	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	42.3125	2004
15.01.2020 12:35:53	1	1	1	1	93.5	62.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.3125	2004
15.01.2020 12:35:54	1	1	1	1	93.5	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:55	1	1	1	1	93.5	62	0	29526.066	550.5376344	16165.57497	30000	0	0	30000	42.375	2004
15.01.2020 12:35:56	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16229.17403	30000	0	0	30000	42.0625	2004
15.01.2020 12:35:57	1	1	1	1	93.5	62	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	42.375	2004
15.01.2020 12:35:58	1	1	1	1	94	62.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.625	2004
15.01.2020 12:35:59	1	1	1	1	94	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:36:00	1	1	1	1	94	62.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
15.01.2020 12:36:01	1	1	1	1	94	61.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	42.125	2004
15.01.2020 12:36:02	1	1	1	1	94	62	0	29573.46	539.7849462	15873.67162	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:03	1	1	1	1	94	62.25	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	42.25	2004
15.01.2020 12:36:04	1	1	1	1	94	62.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	42.25	2004
15.01.2020 12:36:05	1	1	1	1	94	62.25	0	29715.64	546.2365591	16078.33012	30000	0	0	30000	42.0625	2004
15.01.2020 12:36:06	1	1	1	1	94	62	0	29431.28	546.2365591	16128.06784	30000	0	0	30000	41.875	2004
15.01.2020 12:36:07	1	1	1	1	94	61.75	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:09	1	1	1	1	93.25	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42	2004
15.01.2020 12:36:10	1	1	1	1	93.25	62	0	29146.919	550.5376344	15744.0274	30000	0	0	30000	41.4375	2004
15.01.2020 12:36:11	1	1	1	1	93.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41	2004
15.01.2020 12:36:12	1	1	1	1	93.25	61	0	29052.133	552.688172	15994.34675	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:13	1	1	1	1	93.25	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:36:14	1	1	1	1	93.25	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:36:15	1	1	1	1	93.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:16	1	1	1	1	93.25	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.75	2004
15.01.2020 12:36:17	1	1	1	1	93.25	61.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:18	1	1	1	1	94	62.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:19	1	1	1	1	94	62.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:20	1	1	1	1	94	62	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:21	1	1	1	1	94	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:22	1	1	1	1	94	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:36:23	1	1	1	1	94	62.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:24	1	1	1	1	94	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:36:25	1	1	1	1	94	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:36:26	1	1	1	1	94	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.125	2004
15.01.2020 12:36:27	1	1	1	1	94	62	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.9375	2004
15.01.2020 12:36:28	1	1	1	1	93.75	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:36:29	1	1	1	1	93.75	62	0	28909.953	552.688172	15951.94738	30000	0	0	30000	42.25	2004
15.01.2020 12:36:30	1	1	1	1	93.75	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 12:36:31	1	1	1	1	93.75	62	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	42.0625	2004
15.01.2020 12:36:32	1	1	1	1	93.75	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:36:33	1	1	1	1	93.75	62.25	0	28530.806	552.688172	15794.58049	30000	0	0	30000	42.3125	2004
15.01.2020 12:36:34	1	1	1	1	93.75	62.25	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.25	2004
15.01.2020 12:36:42	1	1	1	1	93.75	62.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.875	2004
15.01.2020 12:36:43	1	1	1	1	93.75	61.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	42.125	2004
15.01.2020 12:36:44	1	1	1	1	93.75	62	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:45	1	1	1	1	93.75	62	0	28815.166	550.5376344	16137.85231	30000	0	0	30000	41.5625	2004
15.01.2020 12:36:46	1	1	1	1	93.75	61.5	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	42.375	2004
15.01.2020 12:36:48	1	1	1	1	93.75	62.25	0	28909.953	556.9892473	16101.97592	30000	0	0	30000	42.25	2004
15.01.2020 12:36:49	1	1	1	1	93.75	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.125	2004
15.01.2020 12:36:50	1	1	1	1	93.75	62	0	28862.559	554.8387097	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 12:36:51	1	1	1	1	93.75	62	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:52	1	1	1	1	93.75	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:53	1	1	1	1	93.75	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:54	1	1	1	1	93.75	62	0	29241.706	552.688172	16161.49811	30000	0	0	30000	41.8125	2004
15.01.2020 12:36:55	1	1	1	1	93.75	61.75	0	28862.559	550.5376344	15677.98222	30000	0	0	30000	41.875	2004
15.01.2020 12:36:56	1	1	1	1	93.75	61.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.5	2004
15.01.2020 12:36:57	1	1	1	1	93.75	62	0	28625.592	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:36:58	1	1	1	1	94	62	0	28862.559	552.688172	16004.13122	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:36:59	1	1	1	1	94	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:37:00	1	1	1	1	94	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:01	1	1	1	1	94	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.125	2004
15.01.2020 12:37:02	1	1	1	1	94	62	0	28957.346	556.9892473	15951.94738	30000	0	0	30000	42.25	2004
15.01.2020 12:37:03	1	1	1	1	94	62.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:04	1	1	1	1	94	62	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:05	1	1	1	1	94	61.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:06	1	1	1	1	94	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:07	1	1	1	1	94	62.25	0	28625.592	556.9892473	15671.45924	30000	0	0	30000	42	2004
15.01.2020 12:37:08	1	1	1	1	93.5	62	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.125	2004
15.01.2020 12:37:09	1	1	1	1	93.5	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42	2004
15.01.2020 12:37:10	1	1	1	1	93.5	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:37:11	1	1	1	1	93.5	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 12:37:12	1	1	1	1	93.5	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:37:13	1	1	1	1	93.5	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.875	2004
15.01.2020 12:37:14	1	1	1	1	93.5	61.75	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:15	1	1	1	1	93.5	62	0	29241.706	548.3870968	16061.20729	30000	0	0	30000	42.125	2004
15.01.2020 12:37:16	1	1	1	1	93.5	62	0	29241.706	550.5376344	16276.46563	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:17	1	1	1	1	93.5	62.25	0	29383.886	548.3870968	16113.39113	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:18	1	1	1	1	93.5	62	0	29431.28	541.9354839	15987.0084	30000	0	0	30000	41.875	2004
15.01.2020 12:37:19	1	1	1	1	93.5	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.9375	2004
15.01.2020 12:37:20	1	1	1	1	93.5	61.75	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:21	1	1	1	1	93.5	62.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:22	1	1	1	1	93.5	62.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	42.375	2004
15.01.2020 12:37:24	1	1	1	1	93.5	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:25	1	1	1	1	93.5	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:37:26	1	1	1	1	93.5	62.25	0	29810.427	531.1827957	15898.94817	30000	0	0	30000	41.5	2004
15.01.2020 12:37:27	1	1	1	1	93.5	61.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.9375	2004
15.01.2020 12:37:28	1	1	1	1	93.5	61.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42	2004
15.01.2020 12:37:29	1	1	1	1	93.75	62	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:30	1	1	1	1	93.75	61.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:31	1	1	1	1	93.75	62	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.625	2004
15.01.2020 12:37:32	1	1	1	1	93.75	61.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.25	2004
15.01.2020 12:37:33	1	1	1	1	93.75	62.25	0	29431.28	539.7849462	15823.11853	30000	0	0	30000	42.4375	2004
15.01.2020 12:37:34	1	1	1	1	93.75	62.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:35	1	1	1	1	93.75	62	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.0625	2004
15.01.2020 12:37:36	1	1	1	1	93.75	62	0	29857.82	539.7849462	16154.97513	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:43	1	1	1	1	94	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:37:43	1	1	1	1	94	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.125	2004
15.01.2020 12:37:44	1	1	1	1	94	62	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	42	2004
15.01.2020 12:37:45	1	1	1	1	94	62	0	29336.493	544.0860215	15783.98065	30000	0	0	30000	41.9375	2004
15.01.2020 12:37:46	1	1	1	1	94	61.75	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	42	2004
15.01.2020 12:37:47	1	1	1	1	94	62	0	29431.28	550.5376344	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:48	1	1	1	1	93.75	62.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	41.8125	2004
15.01.2020 12:37:49	1	1	1	1	93.75	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	42.125	2004
15.01.2020 12:37:50	1	1	1	1	93.75	62	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	42.125	2004
15.01.2020 12:37:51	1	1	1	1	93.75	62	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:52	1	1	1	1	93.75	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:37:53	1	1	1	1	93.75	62.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42.0625	2004
15.01.2020 12:37:54	1	1	1	1	93.75	62	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:37:55	1	1	1	1	93.75	62	0	28957.346	554.8387097	15889.97907	30000	0	0	30000	42.25	2004
15.01.2020 12:37:56	1	1	1	1	93.75	62.25	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	42.375	2004
15.01.2020 12:37:57	1	1	1	1	93.75	62.25	0	28862.559	552.688172	15889.97907	30000	0	0	30000	42.3125	2004
15.01.2020 12:37:58	1	1	1	1	94	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.25	2004
15.01.2020 12:37:59	1	1	1	1	94	62.25	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.0625	2004
15.01.2020 12:38:00	1	1	1	1	94	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
15.01.2020 12:38:01	1	1	1	1	94	61.5	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	42.375	2004
15.01.2020 12:38:03	1	1	1	1	94	62.25	0	28862.559	554.8387097	16252.81983	30000	0	0	30000	42.0625	2004
15.01.2020 12:38:04	1	1	1	1	94	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.3125	2004
15.01.2020 12:38:05	1	1	1	1	94	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.125	2004
15.01.2020 12:38:06	1	1	1	1	94	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:07	1	1	1	1	94	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.125	2004
15.01.2020 12:38:08	1	1	1	1	94	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:38:09	1	1	1	1	94	62.25	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	42.75	2004
15.01.2020 12:38:10	1	1	1	1	94	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:11	1	1	1	1	94	62	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 12:38:12	1	1	1	1	94	62.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.375	2004
15.01.2020 12:38:13	1	1	1	1	94	62.25	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:14	1	1	1	1	94	62	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.125	2004
15.01.2020 12:38:15	1	1	1	1	94	62	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:16	1	1	1	1	94	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 12:38:17	1	1	1	1	94	62.25	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	42.25	2004
15.01.2020 12:38:18	1	1	1	1	94	62.25	0	29052.133	559.1397849	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:38:19	1	1	1	1	94	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.25	2004
15.01.2020 12:38:20	1	1	1	1	94	62.25	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	41.75	2004
15.01.2020 12:38:21	1	1	1	1	94	61.75	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.375	2004
15.01.2020 12:38:22	1	1	1	1	94	62.25	0	29052.133	550.5376344	15692.65893	30000	0	0	30000	42.3125	2004
15.01.2020 12:38:23	1	1	1	1	94	62.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.875	2004
15.01.2020 12:38:24	1	1	1	1	94	61.75	0	28957.346	554.8387097	16306.63441	30000	0	0	30000	42.125	2004
15.01.2020 12:38:25	1	1	1	1	94	62	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	42	2004
15.01.2020 12:38:26	1	1	1	1	94	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:38:27	1	1	1	1	94	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42	2004
15.01.2020 12:38:28	1	1	1	1	93.75	62	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	42.3125	2004
15.01.2020 12:38:29	1	1	1	1	93.75	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.5625	2004
15.01.2020 12:38:30	1	1	1	1	93.75	62.5	0	28625.592	552.688172	15882.64072	30000	0	0	30000	42.375	2004
15.01.2020 12:38:31	1	1	1	1	93.75	62.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:38:32	1	1	1	1	93.75	62.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.5625	2004
15.01.2020 12:38:33	1	1	1	1	93.75	62.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:38:34	1	1	1	1	93.75	61.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	42.125	2004
15.01.2020 12:38:35	1	1	1	1	93.75	62	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.3125	2004
15.01.2020 12:38:36	1	1	1	1	93.75	62.25	0	28625.592	563.4408602	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:37	1	1	1	1	93.75	62.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	42.375	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:44	1	1	1	1	94	62	0	28483.412	559.1397849	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:38:45	1	1	1	1	94	62.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	42.375	2004
15.01.2020 12:38:46	1	1	1	1	94	62.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:47	1	1	1	1	94	62	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.25	2004
15.01.2020 12:38:48	1	1	1	1	94	62.25	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	41.875	2004
15.01.2020 12:38:49	1	1	1	1	93.75	61.75	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	42.75	2004
15.01.2020 12:38:50	1	1	1	1	93.75	62.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 12:38:51	1	1	1	1	93.75	62.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:52	1	1	1	1	93.75	62	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:53	1	1	1	1	93.75	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:38:54	1	1	1	1	93.75	62.25	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:55	1	1	1	1	93.75	62	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:38:56	1	1	1	1	93.75	62.25	0	28483.412	556.9892473	15890.79444	30000	0	0	30000	41.375	2004
15.01.2020 12:38:57	1	1	1	1	93.75	61.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:58	1	1	1	1	93.5	62	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:38:59	1	1	1	1	93.5	62	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:39:00	1	1	1	1	93.5	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.375	2004
15.01.2020 12:39:01	1	1	1	1	93.5	62.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:02	1	1	1	1	93.5	62	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:03	1	1	1	1	93.5	62.25	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	42.25	2004
15.01.2020 12:39:04	1	1	1	1	93.5	62.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.875	2004
15.01.2020 12:39:05	1	1	1	1	93.5	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:06	1	1	1	1	93.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.8125	2004
15.01.2020 12:39:07	1	1	1	1	93.5	61.75	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	41.75	2004
15.01.2020 12:39:08	1	1	1	1	93.25	61.75	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.3125	2004
15.01.2020 12:39:09	1	1	1	1	93.25	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.25	2004
15.01.2020 12:39:10	1	1	1	1	93.25	62.25	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:39:11	1	1	1	1	93.25	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.25	2004
15.01.2020 12:39:12	1	1	1	1	93.25	62.25	0	28862.559	552.688172	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:13	1	1	1	1	93.25	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:17	1	1	1	1	93.25	62.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	42.25	2004
15.01.2020 12:39:17	1	1	1	1	93.25	62.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	42.25	2004
15.01.2020 12:39:17	1	1	1	1	93.25	62.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	42.25	2004
15.01.2020 12:39:18	1	1	1	1	93.25	62.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	42.0625	2004
15.01.2020 12:39:19	1	1	1	1	93.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.9375	2004
15.01.2020 12:39:20	1	1	1	1	93.5	61.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.875	2004
15.01.2020 12:39:21	1	1	1	1	93.5	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:22	1	1	1	1	93.5	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:39:23	1	1	1	1	93.5	62.25	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 12:39:24	1	1	1	1	93.5	62.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.0625	2004
15.01.2020 12:39:25	1	1	1	1	93.5	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 12:39:26	1	1	1	1	93.5	62.5	0	29383.886	550.5376344	16113.39113	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:27	1	1	1	1	93.5	62	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.6875	2004
15.01.2020 12:39:28	1	1	1	1	93.5	62.5	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	42.25	2004
15.01.2020 12:39:29	1	1	1	1	93.75	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.25	2004
15.01.2020 12:39:30	1	1	1	1	93.75	62.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.3125	2004
15.01.2020 12:39:31	1	1	1	1	93.75	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:32	1	1	1	1	93.75	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 12:39:33	1	1	1	1	93.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:39:34	1	1	1	1	93.75	62	0	29146.919	552.688172	16108.4989	30000	0	0	30000	42.0625	2004
15.01.2020 12:39:35	1	1	1	1	93.75	62	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:36	1	1	1	1	93.75	62	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:37	1	1	1	1	93.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
15.01.2020 12:39:38	1	1	1	1	93	62.25	0	28957.346	552.688172	15879.37923	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:39	1	1	1	1	93	62	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.3125	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:39:46	1	1	1	1	93	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:39:47	1	1	1	1	93	62.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42.25	2004
15.01.2020 12:39:48	1	1	1	1	93	62.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	41.6875	2004
15.01.2020 12:39:49	1	1	1	1	93	61.5	0	28625.592	554.8387097	16235.69701	30000	0	0	30000	42.125	2004
15.01.2020 12:39:50	1	1	1	1	93	62	0	28388.626	563.4408602	15811.70331	30000	0	0	30000	41.6875	2004
15.01.2020 12:39:51	1	1	1	1	93	61.5	0	28625.592	565.5913978	15978.85467	30000	0	0	30000	42.125	2004
15.01.2020 12:39:52	1	1	1	1	93	62	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:53	1	1	1	1	93	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
15.01.2020 12:39:54	1	1	1	1	93	61.5	0	28625.592	561.2903226	16101.97592	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:39:55	1	1	1	1	93	62	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	42.1875	2004
15.01.2020 12:39:57	1	1	1	1	93	62	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	42.25	2004
15.01.2020 12:39:58	1	1	1	1	93	62.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	42.5	2004
15.01.2020 12:39:59	1	1	1	1	92.75	62.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:00	1	1	1	1	92.75	62.25	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:40:01	1	1	1	1	92.75	62	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	41.75	2004
15.01.2020 12:40:02	1	1	1	1	92.75	61.75	0	28530.806	561.2903226	15925.85546	30000	0	0	30000	41.8125	2004
15.01.2020 12:40:03	1	1	1	1	92.75	61.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:04	1	1	1	1	92.75	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.25	2004
15.01.2020 12:40:05	1	1	1	1	92.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:40:06	1	1	1	1	92.75	62.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:40:07	1	1	1	1	92.75	62.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.6875	2004
15.01.2020 12:40:08	1	1	1	1	93	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.875	2004
15.01.2020 12:40:09	1	1	1	1	93	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.875	2004
15.01.2020 12:40:10	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:11	1	1	1	1	93	62	0	28862.559	556.9892473	16128.88321	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:12	1	1	1	1	93	62.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.4375	2004
15.01.2020 12:40:13	1	1	1	1	93	62.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.1875	2004
15.01.2020 12:40:14	1	1	1	1	93	62	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:15	1	1	1	1	93	62.25	0	28862.559	550.5376344	16128.88321	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:16	1	1	1	1	93	62.25	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:17	1	1	1	1	93	62	0	28862.559	552.688172	16128.88321	30000	0	0	30000	41.9375	2004
15.01.2020 12:40:18	1	1	1	1	93.25	61.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 12:40:19	1	1	1	1	93.25	62.5	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	41.0625	2004
15.01.2020 12:40:20	1	1	1	1	93.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 12:40:21	1	1	1	1	93.25	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 12:40:22	1	1	1	1	93.25	62	0	29336.493	552.688172	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:23	1	1	1	1	93.25	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42	2004
15.01.2020 12:40:24	1	1	1	1	93.25	62	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.125	2004
15.01.2020 12:40:25	1	1	1	1	93.25	62	0	29620.853	541.9354839	15925.04009	30000	0	0	30000	41.75	2004
15.01.2020 12:40:26	1	1	1	1	93.25	61.75	0	29620.853	535.483871	15556.49172	30000	0	0	30000	42.375	2004
15.01.2020 12:40:27	1	1	1	1	93.25	62.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	42.375	2004
15.01.2020 12:40:28	1	1	1	1	92.75	62.25	0	29668.246	533.3333333	15797.84198	30000	0	0	30000	42.375	2004
15.01.2020 12:40:29	1	1	1	1	92.75	62.25	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42.25	2004
15.01.2020 12:40:30	1	1	1	1	92.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 12:40:31	1	1	1	1	92.75	62.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.8125	2004
15.01.2020 12:40:32	1	1	1	1	92.75	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.9375	2004
15.01.2020 12:40:33	1	1	1	1	92.75	61.75	0	30000	520.4301075	15523.87682	30000	0	0	30000	42.375	2004
15.01.2020 12:40:34	1	1	1	1	92.75	62.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.25	2004
15.01.2020 12:40:36	1	1	1	1	92.75	62.25	0	30000	533.3333333	16039.19224	30000	0	0	30000	42.125	2004
15.01.2020 12:40:37	1	1	1	1	92.75	62	0	29905.213	535.483871	15987.82377	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:38	1	1	1	1	92.75	62	0	29905.213	535.483871	15924.22472	30000	0	0	30000	42.4375	2004
15.01.2020 12:40:39	1	1	1	1	93	62.25	0	30000	533.3333333	15910.36338	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:40:40	1	1	1	1	93	62.25	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	41.625	2004
15.01.2020 12:40:41	1	1	1	1	93	61.5	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	42.3125	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:47	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
15.01.2020 12:40:48	1	1	1	1	93.25	61.25	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:49	1	1	1	1	93.25	62	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:40:50	1	1	1	1	93.25	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.125	2004
15.01.2020 12:40:51	1	1	1	1	93.25	62	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.6875	2004
15.01.2020 12:40:52	1	1	1	1	93.25	61.5	0	29715.64	537.6344086	16116.65262	30000	0	0	30000	42.25	2004
15.01.2020 12:40:53	1	1	1	1	93.25	62.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.1875	2004
15.01.2020 12:40:54	1	1	1	1	93.25	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 12:40:55	1	1	1	1	93.25	62.5	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	42.0625	2004
15.01.2020 12:40:56	1	1	1	1	93.25	62	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.9375	2004
15.01.2020 12:40:57	1	1	1	1	93.25	61.75	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:40:58	1	1	1	1	93	62	0	29668.246	539.7849462	16078.33012	30000	0	0	30000	42.1875	2004
15.01.2020 12:40:59	1	1	1	1	93	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:00	1	1	1	1	93	62	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.375	2004
15.01.2020 12:41:01	1	1	1	1	93	62.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:02	1	1	1	1	93	62	0	29620.853	539.7849462	15772.56543	30000	0	0	30000	42.125	2004
15.01.2020 12:41:03	1	1	1	1	93	62	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:04	1	1	1	1	93	62	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:05	1	1	1	1	93	62.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:06	1	1	1	1	93	62.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.6875	2004
15.01.2020 12:41:07	1	1	1	1	93	61.5	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:08	1	1	1	1	92.5	61.75	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	42.625	2004
15.01.2020 12:41:09	1	1	1	1	92.5	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:10	1	1	1	1	92.5	62.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42.25	2004
15.01.2020 12:41:11	1	1	1	1	92.5	62.25	0	29146.919	539.7849462	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 12:41:13	1	1	1	1	92.5	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:14	1	1	1	1	92.5	62.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	42.125	2004
15.01.2020 12:41:15	1	1	1	1	92.5	62	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.25	2004
15.01.2020 12:41:16	1	1	1	1	92.5	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.25	2004
15.01.2020 12:41:17	1	1	1	1	92.5	62.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.0625	2004
15.01.2020 12:41:18	1	1	1	1	92.5	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.25	2004
15.01.2020 12:41:19	1	1	1	1	92.5	61.25	0	29952.607	526.8817204	15845.94896	30000	0	0	30000	42.125	2004
15.01.2020 12:41:20	1	1	1	1	92.5	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:21	1	1	1	1	92.5	62.25	0	30047.393	492.4731183	14838.14856	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:22	1	1	1	1	92.5	62.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	41.3125	2004
15.01.2020 12:41:23	1	1	1	1	92.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:41:24	1	1	1	1	92.5	62.5	0	30000	470.9677419	14064.36007	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:25	1	1	1	1	92.5	62.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.375	2004
15.01.2020 12:41:26	1	1	1	1	92.5	62.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:27	1	1	1	1	92.5	62	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:28	1	1	1	1	93	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.25	2004
15.01.2020 12:41:29	1	1	1	1	93	62.25	0	30000	511.827957	15354.27935	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:30	1	1	1	1	93	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.25	2004
15.01.2020 12:41:31	1	1	1	1	93	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
15.01.2020 12:41:32	1	1	1	1	93	62.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	42.25	2004
15.01.2020 12:41:33	1	1	1	1	93	62.25	0	30000	535.483871	16000.05436	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:34	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:35	1	1	1	1	93	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.3125	2004
15.01.2020 12:41:36	1	1	1	1	93	62.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	42.25	2004
15.01.2020 12:41:37	1	1	1	1	93	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.75	2004
15.01.2020 12:41:38	1	1	1	1	93	61.75	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	41.3125	2004
15.01.2020 12:41:39	1	1	1	1	93	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.25	2004
15.01.2020 12:41:40	1	1	1	1	93	62.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.75	2004
15.01.2020 12:41:41	1	1	1	1	93	61.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	42.0625	2004
15.01.2020 12:41:42	1	1	1	1	93	62	0	29952.607	529.0322581	16128.88321	30000	0	0	30000	41.75	2004
15.01.2020 12:41:49	1	1	1	1	92.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:49	1	1	1	1	92.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:49	1	1	1	1	92.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:49	1	1	1	1	92.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:49	1	1	1	1	92.75	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:49	1	1	1	1	92.75	61.75	0	30000	496.7741935	14967.79279	30000	0	0	30000	41.8125	2004
15.01.2020 12:41:51	1	1	1	1	92.75	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.375	2004
15.01.2020 12:41:52	1	1	1	1	92.75	62.25	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	42.1875	2004
15.01.2020 12:41:53	1	1	1	1	92.75	62	0	29905.213	494.6236559	14773.73413	30000	0	0	30000	42.4375	2004
15.01.2020 12:41:54	1	1	1	1	92.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
15.01.2020 12:41:55	1	1	1	1	92.75	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.0625	2004
15.01.2020 12:41:56	1	1	1	1	92.75	62	0	30000	460.2150538	13935.53122	30000	0	0	30000	42	2004
15.01.2020 12:41:57	1	1	1	1	92.75	62	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.9375	2004
15.01.2020 12:41:58	1	1	1	1	92.75	61.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
15.01.2020 12:41:59	1	1	1	1	92.75	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.3125	2004
15.01.2020 12:42:00	1	1	1	1	92.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:01	1	1	1	1	92.75	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.625	2004
15.01.2020 12:42:02	1	1	1	1	92.75	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.25	2004
15.01.2020 12:42:03	1	1	1	1	92.75	62.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:04	1	1	1	1	92.75	62.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42	2004
15.01.2020 12:42:05	1	1	1	1	92.75	62	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	42.375	2004
15.01.2020 12:42:06	1	1	1	1	92.75	62.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:07	1	1	1	1	92.75	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:42:08	1	1	1	1	93.5	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
15.01.2020 12:42:09	1	1	1	1	93.5	62.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.4375	2004
15.01.2020 12:42:10	1	1	1	1	93.5	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
15.01.2020 12:42:11	1	1	1	1	93.5	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.125	2004
15.01.2020 12:42:12	1	1	1	1	93.5	62	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42.25	2004
15.01.2020 12:42:13	1	1	1	1	93.5	62.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	42.375	2004
15.01.2020 12:42:14	1	1	1	1	93.5	62.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	42.25	2004
15.01.2020 12:42:15	1	1	1	1	93.5	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.125	2004
15.01.2020 12:42:16	1	1	1	1	93.5	62	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	42.25	2004
15.01.2020 12:42:17	1	1	1	1	93.5	62.25	0	29715.64	541.9354839	16347.40304	30000	0	0	30000	42.5625	2004
15.01.2020 12:42:18	1	1	1	1	93.5	62.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.4375	2004
15.01.2020 12:42:19	1	1	1	1	93.5	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.3125	2004
15.01.2020 12:42:20	1	1	1	1	93.5	62.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.375	2004
15.01.2020 12:42:21	1	1	1	1	93.5	62.25	0	30000	464.516129	13913.51616	30000	0	0	30000	41.875	2004
15.01.2020 12:42:22	1	1	1	1	93.5	61.75	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:23	1	1	1	1	93.5	62	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:24	1	1	1	1	93.5	62	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.5	2004
15.01.2020 12:42:25	1	1	1	1	93.5	61.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	42.3125	2004
15.01.2020 12:42:26	1	1	1	1	93.5	62.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:27	1	1	1	1	93.5	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:28	1	1	1	1	93.5	62	0	29715.64	535.483871	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:42:30	1	1	1	1	93.5	62	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	42.5	2004
15.01.2020 12:42:31	1	1	1	1	93.5	62.5	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	42.25	2004
15.01.2020 12:42:32	1	1	1	1	93.5	62.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 12:42:33	1	1	1	1	93.5	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.75	2004
15.01.2020 12:42:34	1	1	1	1	93.5	61.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:42:35	1	1	1	1	93.5	61.5	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	41.9375	2004
15.01.2020 12:42:36	1	1	1	1	93.5	61.75	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	42.125	2004
15.01.2020 12:42:37	1	1	1	1	93.5	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:38	1	1	1	1	93.5	62	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.9375	2004
15.01.2020 12:42:39	1	1	1	1	93.25	61.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	42.375	2004
15.01.2020 12:42:40	1	1	1	1	93.25	62.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	42.125	2004
15.01.2020 12:42:41	1	1	1	1	93.25	62	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 12:42:42	1	1	1	1	93.25	62	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:43	1	1	1	1	93.25	62	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	42.25	2004
15.01.2020 12:42:44	1	1	1	1	93.25	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 12:42:51	1	1	1	1	93.25	62	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:42:52	1	1	1	1	93.25	62	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	42.5	2004
15.01.2020 12:42:53	1	1	1	1	93.25	62.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	42.125	2004
15.01.2020 12:42:54	1	1	1	1	93.25	62	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:55	1	1	1	1	93.25	62	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	42.375	2004
15.01.2020 12:42:56	1	1	1	1	93.25	62.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42	2004
15.01.2020 12:42:57	1	1	1	1	93.25	62	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:42:58	1	1	1	1	93.25	62	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	42.375	2004
15.01.2020 12:42:59	1	1	1	1	93.25	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:00	1	1	1	1	93.25	62	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	42.5	2004
15.01.2020 12:43:01	1	1	1	1	93.25	62.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	42.25	2004
15.01.2020 12:43:02	1	1	1	1	93.25	62.25	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	41.875	2004
15.01.2020 12:43:03	1	1	1	1	93.25	61.75	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	42.25	2004
15.01.2020 12:43:04	1	1	1	1	93.25	62.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:43:05	1	1	1	1	93.25	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 12:43:06	1	1	1	1	93.25	62.25	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	42.5	2004
15.01.2020 12:43:07	1	1	1	1	93.25	62.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	42.0625	2004
15.01.2020 12:43:08	1	1	1	1	92.75	62	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.9375	2004
15.01.2020 12:43:09	1	1	1	1	92.75	61.75	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	42.0625	2004
15.01.2020 12:43:11	1	1	1	1	92.75	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.125	2004
15.01.2020 12:43:12	1	1	1	1	92.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
15.01.2020 12:43:13	1	1	1	1	92.75	62.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	42.3125	2004
15.01.2020 12:43:14	1	1	1	1	92.75	62.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:15	1	1	1	1	92.75	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:16	1	1	1	1	92.75	62	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.5625	2004
15.01.2020 12:43:17	1	1	1	1	92.75	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.0625	2004
15.01.2020 12:43:18	1	1	1	1	92.75	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.375	2004
15.01.2020 12:43:19	1	1	1	1	92.75	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 12:43:20	1	1	1	1	92.75	62.5	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	42.25	2004
15.01.2020 12:43:21	1	1	1	1	92.75	62.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 12:43:22	1	1	1	1	92.75	62.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.125	2004
15.01.2020 12:43:23	1	1	1	1	92.75	62.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:24	1	1	1	1	92.75	62	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	42.3125	2004
15.01.2020 12:43:25	1	1	1	1	92.75	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.4375	2004
15.01.2020 12:43:26	1	1	1	1	92.75	62.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.0625	2004
15.01.2020 12:43:27	1	1	1	1	92.75	62	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:43:28	1	1	1	1	92.75	62.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.875	2004
15.01.2020 12:43:29	1	1	1	1	92.75	61.75	0	29620.853	541.9354839	15899.76354	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:30	1	1	1	1	92.75	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.5	2004
15.01.2020 12:43:31	1	1	1	1	92.75	62.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.8125	2004
15.01.2020 12:43:32	1	1	1	1	92.75	61.75	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
15.01.2020 12:43:33	1	1	1	1	92.75	61.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	41.9375	2004
15.01.2020 12:43:34	1	1	1	1	92.75	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.5	2004
15.01.2020 12:43:35	1	1	1	1	92.75	62.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:43:36	1	1	1	1	92.75	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.3125	2004
15.01.2020 12:43:37	1	1	1	1	92.75	62.25	0	29620.853	541.9354839	15810.07257	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:38	1	1	1	1	92.75	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 12:43:39	1	1	1	1	92.75	62.5	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	41.9375	2004
15.01.2020 12:43:40	1	1	1	1	92.75	61.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	42.0625	2004
15.01.2020 12:43:41	1	1	1	1	92.75	62	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:43:42	1	1	1	1	92.75	62.25	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	42.375	2004
15.01.2020 12:43:43	1	1	1	1	92.75	62.25	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41.8125	2004
15.01.2020 12:43:44	1	1	1	1	92.75	61.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
15.01.2020 12:43:45	1	1	1	1	92.75	62	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:52	1	1	1	1	92.5	62.25	0	29905.213	544.0860215	16116.65262	30000	0	0	30000	42.125	2004
15.01.2020 12:43:53	1	1	1	1	92.5	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.3125	2004
15.01.2020 12:43:54	1	1	1	1	92.5	62.25	0	29857.82	535.483871	16052.2382	30000	0	0	30000	42.375	2004
15.01.2020 12:43:55	1	1	1	1	92.5	62.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.875	2004
15.01.2020 12:43:56	1	1	1	1	92.5	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42	2004
15.01.2020 12:43:57	1	1	1	1	92.5	62	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	42.5625	2004
15.01.2020 12:43:58	1	1	1	1	92.5	62.5	0	29715.64	539.7849462	15797.84198	30000	0	0	30000	42.5625	2004
15.01.2020 12:43:59	1	1	1	1	92.75	62.5	0	29526.066	537.6344086	15925.04009	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:00	1	1	1	1	92.75	62.25	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	42.25	2004
15.01.2020 12:44:01	1	1	1	1	92.75	62.25	0	29478.673	533.3333333	15848.39508	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:02	1	1	1	1	92.75	62.5	0	29573.46	533.3333333	15925.04009	30000	0	0	30000	42.5625	2004
15.01.2020 12:44:03	1	1	1	1	92.75	62.5	0	29905.213	520.4301075	15805.99571	30000	0	0	30000	42.125	2004
15.01.2020 12:44:04	1	1	1	1	92.75	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
15.01.2020 12:44:05	1	1	1	1	92.75	62.25	0	30000	518.2795699	15572.79917	30000	0	0	30000	41.875	2004
15.01.2020 12:44:06	1	1	1	1	92.75	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.0625	2004
15.01.2020 12:44:07	1	1	1	1	92.75	62	0	30000	483.8709677	14451.662	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:08	1	1	1	1	92.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
15.01.2020 12:44:09	1	1	1	1	92.25	62.25	0	30000	507.5268817	15354.27935	30000	0	0	30000	42.375	2004
15.01.2020 12:44:10	1	1	1	1	92.25	62.25	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:11	1	1	1	1	92.25	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.75	2004
15.01.2020 12:44:12	1	1	1	1	92.25	61.75	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:13	1	1	1	1	92.25	62	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.0625	2004
15.01.2020 12:44:14	1	1	1	1	92.25	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.375	2004
15.01.2020 12:44:15	1	1	1	1	92.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
15.01.2020 12:44:16	1	1	1	1	92.25	62.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.3125	2004
15.01.2020 12:44:17	1	1	1	1	92.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
15.01.2020 12:44:18	1	1	1	1	91.75	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.25	2004
15.01.2020 12:44:19	1	1	1	1	91.75	62.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:44:20	1	1	1	1	91.75	62.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.875	2004
15.01.2020 12:44:21	1	1	1	1	91.75	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.5	2004
15.01.2020 12:44:22	1	1	1	1	91.75	61.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.25	2004
15.01.2020 12:44:23	1	1	1	1	91.75	62.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	42.3125	2004
15.01.2020 12:44:24	1	1	1	1	91.75	62.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	42.3125	2004
15.01.2020 12:44:25	1	1	1	1	91.75	62.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:27	1	1	1	1	91.75	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.125	2004
15.01.2020 12:44:28	1	1	1	1	91.75	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.875	2004
15.01.2020 12:44:29	1	1	1	1	92.25	61.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.375	2004
15.01.2020 12:44:30	1	1	1	1	92.25	62.25	0	29952.607	535.483871	15756.25798	30000	0	0	30000	42.125	2004
15.01.2020 12:44:31	1	1	1	1	92.25	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.875	2004
15.01.2020 12:44:32	1	1	1	1	92.25	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:33	1	1	1	1	92.25	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 12:44:34	1	1	1	1	92.25	62.25	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:35	1	1	1	1	92.25	62	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.5625	2004
15.01.2020 12:44:36	1	1	1	1	92.25	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:37	1	1	1	1	92.25	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.25	2004
15.01.2020 12:44:38	1	1	1	1	92.25	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:39	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.875	2004
15.01.2020 12:44:40	1	1	1	1	92.25	61.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.3125	2004
15.01.2020 12:44:41	1	1	1	1	92.25	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 12:44:42	1	1	1	1	92.25	62.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.6875	2004
15.01.2020 12:44:43	1	1	1	1	92.25	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42	2004
15.01.2020 12:44:44	1	1	1	1	92.25	62	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	42.125	2004
15.01.2020 12:44:45	1	1	1	1	92.25	62	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:46	1	1	1	1	92.25	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.8125	2004
15.01.2020 12:44:47	1	1	1	1	92.25	61.75	0	29526.066	550.5376344	16191.66689	30000	0	0	30000	42	2004
15.01.2020 12:44:54	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:54	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:54	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:54	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:54	1	1	1	1	92	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:54	1	1	1	1	92	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:44:55	1	1	1	1	92	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:44:56	1	1	1	1	92	62.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 12:44:57	1	1	1	1	92	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.6875	2004
15.01.2020 12:44:58	1	1	1	1	91.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:44:59	1	1	1	1	91.75	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.8125	2004
15.01.2020 12:45:00	1	1	1	1	91.75	61.75	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.375	2004
15.01.2020 12:45:01	1	1	1	1	91.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.75	2004
15.01.2020 12:45:02	1	1	1	1	91.75	61.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.125	2004
15.01.2020 12:45:03	1	1	1	1	91.75	62	0	28862.559	552.688172	16075.884	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:45:04	1	1	1	1	91.75	61.75	0	29146.919	550.5376344	15894.87131	30000	0	0	30000	41.9375	2004
15.01.2020 12:45:05	1	1	1	1	91.75	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:45:06	1	1	1	1	91.75	62.25	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	42.5	2004
15.01.2020 12:45:08	1	1	1	1	91.75	62.5	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	42.375	2004
15.01.2020 12:45:09	1	1	1	1	92	62.25	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	42.0625	2004
15.01.2020 12:45:10	1	1	1	1	92	62	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.1875	2004
15.01.2020 12:45:11	1	1	1	1	92	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:12	1	1	1	1	92	62.25	0	29431.28	541.9354839	16075.884	30000	0	0	30000	41.5	2004
15.01.2020 12:45:13	1	1	1	1	92	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:14	1	1	1	1	92	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 12:45:15	1	1	1	1	92	62.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:16	1	1	1	1	92	62.25	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	42.125	2004
15.01.2020 12:45:17	1	1	1	1	92	62	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	42.0625	2004
15.01.2020 12:45:18	1	1	1	1	92	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.8125	2004
15.01.2020 12:45:19	1	1	1	1	91.5	62.75	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	42.5625	2004
15.01.2020 12:45:20	1	1	1	1	91.5	62.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	42	2004
15.01.2020 12:45:21	1	1	1	1	91.5	62	0	30000	516.1290323	15112.92909	30000	0	0	30000	41.9375	2004
15.01.2020 12:45:22	1	1	1	1	91.5	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.1875	2004
15.01.2020 12:45:23	1	1	1	1	91.5	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
15.01.2020 12:45:24	1	1	1	1	91.5	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 12:45:25	1	1	1	1	91.5	62.5	0	30000	526.8817204	16000.05436	30000	0	0	30000	42.1875	2004
15.01.2020 12:45:26	1	1	1	1	91.5	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.875	2004
15.01.2020 12:45:27	1	1	1	1	91.5	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.375	2004
15.01.2020 12:45:28	1	1	1	1	91.25	62.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	42.125	2004
15.01.2020 12:45:29	1	1	1	1	91.25	62	0	29763.033	533.3333333	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 12:45:30	1	1	1	1	91.25	62.5	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:31	1	1	1	1	91.25	62.25	0	29763.033	541.9354839	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:45:32	1	1	1	1	91.25	62.5	0	29763.033	535.483871	15975.59318	30000	0	0	30000	42.25	2004
15.01.2020 12:45:33	1	1	1	1	91.25	62.25	0	29715.64	541.9354839	15925.04009	30000	0	0	30000	42.375	2004
15.01.2020 12:45:34	1	1	1	1	91.25	62.25	0	29810.427	541.9354839	16103.60666	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:35	1	1	1	1	91.25	62.25	0	29526.066	539.7849462	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 12:45:36	1	1	1	1	91.25	62.5	0	29715.64	541.9354839	15797.84198	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:37	1	1	1	1	91.25	62.25	0	29620.853	537.6344086	15708.96638	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:38	1	1	1	1	91.5	62.25	0	29431.28	537.6344086	15671.45924	30000	0	0	30000	42.375	2004
15.01.2020 12:45:39	1	1	1	1	91.5	62.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.25	2004
15.01.2020 12:45:40	1	1	1	1	91.5	62.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:41	1	1	1	1	91.5	62.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:42	1	1	1	1	91.5	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:44	1	1	1	1	91.5	62.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
15.01.2020 12:45:45	1	1	1	1	91.5	61.75	0	29620.853	533.3333333	16103.60666	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:46	1	1	1	1	91.5	62.25	0	29905.213	541.9354839	16270.75802	30000	0	0	30000	42.5	2004
15.01.2020 12:45:47	1	1	1	1	91.5	62.5	0	30000	535.483871	16064.46878	30000	0	0	30000	41.875	2004
15.01.2020 12:45:48	1	1	1	1	91.5	61.75	0	29526.066	535.483871	15899.76354	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:45:49	1	1	1	1	91.5	62	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:55	1	1	1	1	91.5	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:45:56	1	1	1	1	91.5	62.75	0	29573.46	548.3870968	16217.75881	30000	0	0	30000	42.4375	2004
15.01.2020 12:45:57	1	1	1	1	91.5	62.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.375	2004
15.01.2020 12:45:58	1	1	1	1	91.25	62.25	0	29383.886	546.2365591	15683.68983	30000	0	0	30000	42.25	2004
15.01.2020 12:45:59	1	1	1	1	91.25	62.25	0	29526.066	541.9354839	16128.06784	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:00	1	1	1	1	91.25	62.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:01	1	1	1	1	91.25	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 12:46:02	1	1	1	1	91.25	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.5625	2004
15.01.2020 12:46:03	1	1	1	1	91.25	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.5	2004
15.01.2020 12:46:04	1	1	1	1	91.25	62.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:05	1	1	1	1	91.25	62.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.75	2004
15.01.2020 12:46:06	1	1	1	1	91.25	61.75	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41.1875	2004
15.01.2020 12:46:07	1	1	1	1	91.25	61	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	42.5	2004
15.01.2020 12:46:08	1	1	1	1	90.75	62.5	0	29336.493	535.483871	15595.6296	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:09	1	1	1	1	90.75	62.25	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:10	1	1	1	1	90.75	62.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:11	1	1	1	1	90.75	62	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:12	1	1	1	1	90.75	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 12:46:13	1	1	1	1	90.75	62.25	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	42.0625	2004
15.01.2020 12:46:14	1	1	1	1	90.75	62	0	30047.393	537.6344086	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:46:15	1	1	1	1	90.75	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.0625	2004
15.01.2020 12:46:16	1	1	1	1	90.75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:17	1	1	1	1	90.75	62.25	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:18	1	1	1	1	90.75	62	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:46:19	1	1	1	1	90.75	62.25	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:21	1	1	1	1	90.75	62.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.5	2004
15.01.2020 12:46:22	1	1	1	1	90.75	62.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.5625	2004
15.01.2020 12:46:23	1	1	1	1	90.75	61.5	0	29526.066	544.0860215	15873.67162	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:24	1	1	1	1	90.75	62.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:25	1	1	1	1	90.75	62.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42.25	2004
15.01.2020 12:46:26	1	1	1	1	90.75	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:27	1	1	1	1	90.75	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:28	1	1	1	1	90.75	62	0	29241.706	541.9354839	15898.1328	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:29	1	1	1	1	91.25	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:30	1	1	1	1	91.25	62	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:31	1	1	1	1	91.25	62.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:32	1	1	1	1	91.25	62.25	0	29146.919	541.9354839	15972.33169	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:46:33	1	1	1	1	91.25	62.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.5	2004
15.01.2020 12:46:34	1	1	1	1	91.25	62.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:35	1	1	1	1	91.25	61.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.0625	2004
15.01.2020 12:46:36	1	1	1	1	91.25	62	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	42.5625	2004
15.01.2020 12:46:37	1	1	1	1	91.25	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:38	1	1	1	1	91	62	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 12:46:39	1	1	1	1	91	62.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.25	2004
15.01.2020 12:46:40	1	1	1	1	91	62.25	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	42.25	2004
15.01.2020 12:46:41	1	1	1	1	91	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:42	1	1	1	1	91	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 12:46:43	1	1	1	1	91	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:44	1	1	1	1	91	62.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	42.25	2004
15.01.2020 12:46:45	1	1	1	1	91	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.5	2004
15.01.2020 12:46:46	1	1	1	1	91	62.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.3125	2004
15.01.2020 12:46:47	1	1	1	1	91	62.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 12:46:48	1	1	1	1	90.75	62.25	0	29004.739	546.2365591	15817.41092	30000	0	0	30000	42.0625	2004
15.01.2020 12:46:49	1	1	1	1	90.75	62	0	28909.953	550.5376344	15641.29046	30000	0	0	30000	41.875	2004
15.01.2020 12:46:50	1	1	1	1	90.75	61.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 12:46:57	1	1	1	1	90.75	62.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:57	1	1	1	1	90.75	62.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:57	1	1	1	1	90.75	62.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:57	1	1	1	1	90.75	62.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 12:46:57	1	1	1	1	90.75	62.25	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	42.0625	2004
15.01.2020 12:46:59	1	1	1	1	90.5	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.375	2004
15.01.2020 12:47:00	1	1	1	1	90.5	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.375	2004
15.01.2020 12:47:01	1	1	1	1	90.5	62.25	0	29004.739	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:02	1	1	1	1	90.5	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:03	1	1	1	1	90.5	62.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.375	2004
15.01.2020 12:47:04	1	1	1	1	90.5	62.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:05	1	1	1	1	90.5	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:06	1	1	1	1	90.5	62	0	28957.346	546.2365591	15931.56307	30000	0	0	30000	42.25	2004
15.01.2020 12:47:07	1	1	1	1	90.5	62.25	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	41.8125	2004
15.01.2020 12:47:08	1	1	1	1	90.5	61.75	0	29099.526	550.5376344	16234.06626	30000	0	0	30000	42.0625	2004
15.01.2020 12:47:09	1	1	1	1	90.75	62	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.0625	2004
15.01.2020 12:47:10	1	1	1	1	90.75	62	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	41.5	2004
15.01.2020 12:47:11	1	1	1	1	90.75	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.9375	2004
15.01.2020 12:47:12	1	1	1	1	90.75	62.75	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	42.875	2004
15.01.2020 12:47:13	1	1	1	1	90.75	62.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:14	1	1	1	1	90.75	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.125	2004
15.01.2020 12:47:15	1	1	1	1	90.75	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:16	1	1	1	1	90.75	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:47:17	1	1	1	1	90.75	62.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.0625	2004
15.01.2020 12:47:18	1	1	1	1	90.5	62	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	42.375	2004
15.01.2020 12:47:19	1	1	1	1	90.5	62.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:20	1	1	1	1	90.5	62	0	30000	531.1827957	16000.05436	30000	0	0	30000	42	2004
15.01.2020 12:47:21	1	1	1	1	90.5	62	0	30000	511.827957	15354.27935	30000	0	0	30000	42	2004
15.01.2020 12:47:22	1	1	1	1	90.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
15.01.2020 12:47:23	1	1	1	1	90.5	61.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:24	1	1	1	1	90.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:25	1	1	1	1	90.5	62.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:26	1	1	1	1	90.5	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:27	1	1	1	1	90.5	62	0	30047.393	518.2795699	15548.338	30000	0	0	30000	42.5	2004
15.01.2020 12:47:28	1	1	1	1	90.25	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.9375	2004
15.01.2020 12:47:29	1	1	1	1	90.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:30	1	1	1	1	90.25	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:31	1	1	1	1	90.25	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:47:32	1	1	1	1	90.25	62.25	0	29478.673	535.483871	15810.07257	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:33	1	1	1	1	90.25	62.25	0	29810.427	541.9354839	16026.96165	30000	0	0	30000	42	2004
15.01.2020 12:47:34	1	1	1	1	90.25	62	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.375	2004
15.01.2020 12:47:35	1	1	1	1	90.25	62.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.9375	2004
15.01.2020 12:47:36	1	1	1	1	90.25	61.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	42.125	2004
15.01.2020 12:47:38	1	1	1	1	90.25	62	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:39	1	1	1	1	90.75	62.25	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	42.125	2004
15.01.2020 12:47:40	1	1	1	1	90.75	62	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:41	1	1	1	1	90.75	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:42	1	1	1	1	90.75	62	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 12:47:43	1	1	1	1	90.75	62.25	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:44	1	1	1	1	90.75	62.25	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	41.9375	2004
15.01.2020 12:47:45	1	1	1	1	90.75	61.75	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	42.3125	2004
15.01.2020 12:47:46	1	1	1	1	90.75	62.25	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	42.375	2004
15.01.2020 12:47:47	1	1	1	1	90.75	62.25	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	42.25	2004
15.01.2020 12:47:48	1	1	1	1	90.75	62.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.1875	2004
15.01.2020 12:47:49	1	1	1	1	91	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.25	2004
15.01.2020 12:47:50	1	1	1	1	91	62.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.625	2004
15.01.2020 12:47:51	1	1	1	1	91	62.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.375	2004
15.01.2020 12:47:52	1	1	1	1	91	62.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:47:59	1	1	1	1	90.75	62.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.3125	2004
15.01.2020 12:48:00	1	1	1	1	90.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:48:01	1	1	1	1	90.75	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 12:48:02	1	1	1	1	90.75	62	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
15.01.2020 12:48:03	1	1	1	1	90.75	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.375	2004
15.01.2020 12:48:04	1	1	1	1	90.75	62.25	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	42.5	2004
15.01.2020 12:48:05	1	1	1	1	90.75	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.6875	2004
15.01.2020 12:48:06	1	1	1	1	90.75	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:07	1	1	1	1	90.75	62.25	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:08	1	1	1	1	90.75	62.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.5	2004
15.01.2020 12:48:09	1	1	1	1	90.75	62.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.25	2004
15.01.2020 12:48:10	1	1	1	1	90.75	62.25	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:11	1	1	1	1	90.75	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42	2004
15.01.2020 12:48:12	1	1	1	1	90.75	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.3125	2004
15.01.2020 12:48:13	1	1	1	1	90.75	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 12:48:14	1	1	1	1	90.75	62.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.5	2004
15.01.2020 12:48:16	1	1	1	1	90.75	62.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:17	1	1	1	1	90.75	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.0625	2004
15.01.2020 12:48:18	1	1	1	1	90.75	62	0	29431.28	544.0860215	15734.24293	30000	0	0	30000	42.5	2004
15.01.2020 12:48:19	1	1	1	1	90.5	62.5	0	29573.46	546.2365591	16000.86973	30000	0	0	30000	42.5	2004
15.01.2020 12:48:20	1	1	1	1	90.5	62.5	0	29668.246	544.0860215	16115.83725	30000	0	0	30000	41.4375	2004
15.01.2020 12:48:21	1	1	1	1	90.5	61.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
15.01.2020 12:48:22	1	1	1	1	90.5	61.5	0	29478.673	550.5376344	16013.10032	30000	0	0	30000	42	2004
15.01.2020 12:48:23	1	1	1	1	90.5	62	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.375	2004
15.01.2020 12:48:24	1	1	1	1	90.5	62.25	0	29478.673	550.5376344	15987.0084	30000	0	0	30000	41.8125	2004
15.01.2020 12:48:25	1	1	1	1	90.5	61.75	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:26	1	1	1	1	90.5	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:27	1	1	1	1	90.5	62.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:28	1	1	1	1	90.5	62.25	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	42.5	2004
15.01.2020 12:48:29	1	1	1	1	90.75	62.5	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 12:48:30	1	1	1	1	90.75	62.25	0	29336.493	554.8387097	16213.68195	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:31	1	1	1	1	90.75	62.5	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	42.3125	2004
15.01.2020 12:48:32	1	1	1	1	90.75	62.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	42.375	2004
15.01.2020 12:48:33	1	1	1	1	90.75	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004
15.01.2020 12:48:34	1	1	1	1	90.75	60.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42.5625	2004
15.01.2020 12:48:35	1	1	1	1	90.75	62.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:36	1	1	1	1	90.75	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	42.375	2004
15.01.2020 12:48:37	1	1	1	1	90.75	62.25	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	42.4375	2004
15.01.2020 12:48:38	1	1	1	1	90.75	62.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	42.375	2004
15.01.2020 12:48:39	1	1	1	1	90.75	62.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	42.25	2004
15.01.2020 12:48:40	1	1	1	1	90.75	62.25	0	29668.246	529.0322581	15975.59318	30000	0	0	30000	42.5	2004
15.01.2020 12:48:41	1	1	1	1	90.75	62.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:42	1	1	1	1	90.75	62	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.25	2004
15.01.2020 12:48:43	1	1	1	1	90.75	62.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42	2004
15.01.2020 12:48:44	1	1	1	1	90.75	62	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:48:45	1	1	1	1	90.75	62.25	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:48:46	1	1	1	1	90.75	62.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
15.01.2020 12:48:47	1	1	1	1	90.75	61.5	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	41.8125	2004
15.01.2020 12:48:48	1	1	1	1	91.25	61.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	42.25	2004
15.01.2020 12:48:49	1	1	1	1	91.25	62.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.25	2004
15.01.2020 12:48:50	1	1	1	1	91.25	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
15.01.2020 12:48:51	1	1	1	1	91.25	61.5	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:52	1	1	1	1	91.25	62	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	42.1875	2004
15.01.2020 12:48:54	1	1	1	1	91.25	62	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.5	2004
15.01.2020 12:49:00	1	1	1	1	91	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:49:00	1	1	1	1	91	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:49:00	1	1	1	1	91	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:49:00	1	1	1	1	91	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:49:00	1	1	1	1	91	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.25	2004
15.01.2020 12:49:01	1	1	1	1	91	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004
15.01.2020 12:49:02	1	1	1	1	91	60.75	0	29952.607	537.6344086	16168.02109	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:03	1	1	1	1	91	62.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5625	2004
15.01.2020 12:49:04	1	1	1	1	91	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:05	1	1	1	1	91	62.25	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	42.375	2004
15.01.2020 12:49:06	1	1	1	1	91	62.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:07	1	1	1	1	91	62.25	0	30000	537.6344086	16039.19224	30000	0	0	30000	42.6875	2004
15.01.2020 12:49:08	1	1	1	1	91	62.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.625	2004
15.01.2020 12:49:09	1	1	1	1	90.75	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5625	2004
15.01.2020 12:49:10	1	1	1	1	90.75	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:11	1	1	1	1	90.75	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:12	1	1	1	1	90.75	62	0	30000	522.5806452	15805.99571	30000	0	0	30000	42	2004
15.01.2020 12:49:13	1	1	1	1	90.75	62	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:14	1	1	1	1	90.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.75	2004
15.01.2020 12:49:15	1	1	1	1	90.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.875	2004
15.01.2020 12:49:16	1	1	1	1	90.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:17	1	1	1	1	90.75	62.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	41.3125	2004
15.01.2020 12:49:18	1	1	1	1	90.75	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.9375	2004
15.01.2020 12:49:19	1	1	1	1	90.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
15.01.2020 12:49:20	1	1	1	1	90.75	62.25	0	30000	507.5268817	15354.27935	30000	0	0	30000	42.4375	2004
15.01.2020 12:49:21	1	1	1	1	90.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:22	1	1	1	1	90.75	62	0	30000	520.4301075	15548.338	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:23	1	1	1	1	90.75	62.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.5625	2004
15.01.2020 12:49:24	1	1	1	1	90.75	62.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.0625	2004
15.01.2020 12:49:25	1	1	1	1	90.75	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.375	2004
15.01.2020 12:49:26	1	1	1	1	90.75	62.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.75	2004
15.01.2020 12:49:27	1	1	1	1	90.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:28	1	1	1	1	91	62	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:49:29	1	1	1	1	91	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.4375	2004
15.01.2020 12:49:30	1	1	1	1	91	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 12:49:31	1	1	1	1	91	62.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:33	1	1	1	1	91	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.4375	2004
15.01.2020 12:49:34	1	1	1	1	91	62.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 12:49:35	1	1	1	1	91	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:36	1	1	1	1	91	62.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	42	2004
15.01.2020 12:49:37	1	1	1	1	91	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.625	2004
15.01.2020 12:49:38	1	1	1	1	91	62.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.625	2004
15.01.2020 12:49:39	1	1	1	1	91	61.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 12:49:40	1	1	1	1	91	62.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	42.625	2004
15.01.2020 12:49:41	1	1	1	1	91	62.5	0	29478.673	544.0860215	16128.06784	30000	0	0	30000	42.125	2004
15.01.2020 12:49:42	1	1	1	1	91	62	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:43	1	1	1	1	91	62	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.5	2004
15.01.2020 12:49:44	1	1	1	1	91	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.5625	2004
15.01.2020 12:49:45	1	1	1	1	91	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:49:46	1	1	1	1	91	62.25	0	29431.28	544.0860215	16075.884	30000	0	0	30000	42.125	2004
15.01.2020 12:49:47	1	1	1	1	91	62	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	42.5	2004
15.01.2020 12:49:48	1	1	1	1	90.75	61.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:49:49	1	1	1	1	90.75	62	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42	2004
15.01.2020 12:49:50	1	1	1	1	90.75	62	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	42.5	2004
15.01.2020 12:49:51	1	1	1	1	90.75	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 12:49:52	1	1	1	1	90.75	62.5	0	29478.673	544.0860215	16255.26595	30000	0	0	30000	42.5	2004
15.01.2020 12:49:53	1	1	1	1	90.75	62.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.5	2004
15.01.2020 12:49:54	1	1	1	1	90.75	62.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
15.01.2020 12:49:55	1	1	1	1	90.75	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:02	1	1	1	1	91.25	62.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.5	2004
15.01.2020 12:50:03	1	1	1	1	91.25	62.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:04	1	1	1	1	91.25	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:50:05	1	1	1	1	91.25	62.25	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	42.625	2004
15.01.2020 12:50:06	1	1	1	1	91.25	62.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:07	1	1	1	1	91.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 12:50:08	1	1	1	1	90.75	62	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	42.25	2004
15.01.2020 12:50:10	1	1	1	1	90.75	62.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.3125	2004
15.01.2020 12:50:11	1	1	1	1	90.75	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.5	2004
15.01.2020 12:50:12	1	1	1	1	90.75	62.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.5	2004
15.01.2020 12:50:13	1	1	1	1	90.75	62.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:50:14	1	1	1	1	90.75	62.25	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	41.875	2004
15.01.2020 12:50:15	1	1	1	1	90.75	61.75	0	29383.886	550.5376344	15987.0084	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:16	1	1	1	1	90.75	62	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.875	2004
15.01.2020 12:50:17	1	1	1	1	90.75	61.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42	2004
15.01.2020 12:50:18	1	1	1	1	90.75	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.75	2004
15.01.2020 12:50:19	1	1	1	1	90	61.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.5	2004
15.01.2020 12:50:20	1	1	1	1	90	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:21	1	1	1	1	90	62	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.0625	2004
15.01.2020 12:50:22	1	1	1	1	90	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:23	1	1	1	1	90	62	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:50:24	1	1	1	1	90	62.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	42.4375	2004
15.01.2020 12:50:25	1	1	1	1	90	62.5	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:26	1	1	1	1	90	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.9375	2004
15.01.2020 12:50:27	1	1	1	1	90	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.875	2004
15.01.2020 12:50:28	1	1	1	1	90.75	61.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.5	2004
15.01.2020 12:50:29	1	1	1	1	90.75	62.5	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	42.375	2004
15.01.2020 12:50:30	1	1	1	1	90.75	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:31	1	1	1	1	90.75	62.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:32	1	1	1	1	90.75	62	0	29526.066	535.483871	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 12:50:33	1	1	1	1	90.75	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.375	2004
15.01.2020 12:50:34	1	1	1	1	90.75	62.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:35	1	1	1	1	90.75	62	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	42.375	2004
15.01.2020 12:50:36	1	1	1	1	90.75	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 12:50:37	1	1	1	1	90.75	62.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.375	2004
15.01.2020 12:50:38	1	1	1	1	91	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.0625	2004
15.01.2020 12:50:39	1	1	1	1	91	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.4375	2004
15.01.2020 12:50:40	1	1	1	1	91	62.25	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:44	1	1	1	1	91	62.25	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	42	2004
15.01.2020 12:50:44	1	1	1	1	91	62.25	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	42	2004
15.01.2020 12:50:44	1	1	1	1	91	62.25	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	42	2004
15.01.2020 12:50:44	1	1	1	1	91	62	0	30047.393	526.8817204	15677.16685	30000	0	0	30000	42.5	2004
15.01.2020 12:50:45	1	1	1	1	91	62.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:47	1	1	1	1	91	62	0	30047.393	533.3333333	15934.82456	30000	0	0	30000	41.75	2004
15.01.2020 12:50:48	1	1	1	1	91	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
15.01.2020 12:50:49	1	1	1	1	91.25	62	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:50	1	1	1	1	91.25	62.5	0	29478.673	539.7849462	15848.39508	30000	0	0	30000	42.3125	2004
15.01.2020 12:50:51	1	1	1	1	91.25	62.25	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:52	1	1	1	1	91.25	62.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
15.01.2020 12:50:53	1	1	1	1	91.25	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
15.01.2020 12:50:54	1	1	1	1	91.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.5625	2004
15.01.2020 12:50:55	1	1	1	1	91.25	62.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.75	2004
15.01.2020 12:50:56	1	1	1	1	91.25	62.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.6875	2004
15.01.2020 12:50:57	1	1	1	1	91.25	62.5	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:03	1	1	1	1	91.25	62.5	0	29620.853	546.2365591	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:51:04	1	1	1	1	91.25	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.0625	2004
15.01.2020 12:51:05	1	1	1	1	91.25	62	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 12:51:06	1	1	1	1	91.25	62.5	0	29857.82	535.483871	15898.94817	30000	0	0	30000	42.5	2004
15.01.2020 12:51:07	1	1	1	1	91.25	62.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:08	1	1	1	1	91.75	62.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:09	1	1	1	1	91.75	62.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	42.375	2004
15.01.2020 12:51:10	1	1	1	1	91.75	62.25	0	29241.706	535.483871	15721.19697	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:11	1	1	1	1	91.75	62.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:12	1	1	1	1	91.75	62.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.125	2004
15.01.2020 12:51:13	1	1	1	1	91.75	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:14	1	1	1	1	91.75	62.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:15	1	1	1	1	91.75	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.1875	2004
15.01.2020 12:51:16	1	1	1	1	91.75	62	0	29052.133	546.2365591	15692.65893	30000	0	0	30000	42.0625	2004
15.01.2020 12:51:17	1	1	1	1	91.75	62	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	42.0625	2004
15.01.2020 12:51:18	1	1	1	1	91.75	62	0	29431.28	544.0860215	16344.95692	30000	0	0	30000	42.125	2004
15.01.2020 12:51:19	1	1	1	1	91.75	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5	2004
15.01.2020 12:51:20	1	1	1	1	91.75	62.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 12:51:21	1	1	1	1	91.75	62.25	0	29620.853	546.2365591	16026.96165	30000	0	0	30000	42.375	2004
15.01.2020 12:51:22	1	1	1	1	91.75	62.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:24	1	1	1	1	91.75	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:25	1	1	1	1	91.75	62.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	42.5	2004
15.01.2020 12:51:26	1	1	1	1	91.75	62.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.5	2004
15.01.2020 12:51:27	1	1	1	1	91.75	62.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:28	1	1	1	1	91.75	62.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	42.3125	2004
15.01.2020 12:51:29	1	1	1	1	92.25	62.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.375	2004
15.01.2020 12:51:30	1	1	1	1	92.25	62.25	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:31	1	1	1	1	92.25	62.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.5625	2004
15.01.2020 12:51:32	1	1	1	1	92.25	62.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:33	1	1	1	1	92.25	62.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.125	2004
15.01.2020 12:51:34	1	1	1	1	92.25	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.375	2004
15.01.2020 12:51:35	1	1	1	1	92.25	62.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:36	1	1	1	1	92.25	62.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:37	1	1	1	1	92.25	62.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.5	2004
15.01.2020 12:51:38	1	1	1	1	92.25	62.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.5625	2004
15.01.2020 12:51:39	1	1	1	1	92	62.5	0	29478.673	537.6344086	15759.51947	30000	0	0	30000	42.375	2004
15.01.2020 12:51:40	1	1	1	1	92	62.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	42.3125	2004
15.01.2020 12:51:41	1	1	1	1	92	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:51:42	1	1	1	1	92	62	0	29952.607	535.483871	16103.60666	30000	0	0	30000	42.4375	2004
15.01.2020 12:51:43	1	1	1	1	92	62.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.5	2004
15.01.2020 12:51:44	1	1	1	1	92	62.5	0	30000	541.9354839	15756.25798	30000	0	0	30000	42.1875	2004
15.01.2020 12:51:45	1	1	1	1	92	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.9375	2004
15.01.2020 12:51:46	1	1	1	1	92	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 12:51:47	1	1	1	1	92	62	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 12:51:48	1	1	1	1	92	61.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:51:49	1	1	1	1	92	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.375	2004
15.01.2020 12:51:50	1	1	1	1	92	62.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	42.5625	2004
15.01.2020 12:51:51	1	1	1	1	92	62.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.5	2004
15.01.2020 12:51:52	1	1	1	1	92	62.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.5	2004
15.01.2020 12:51:53	1	1	1	1	92	62.5	0	30000	531.1827957	16000.05436	30000	0	0	30000	42	2004
15.01.2020 12:51:54	1	1	1	1	92	62	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	42.5625	2004
15.01.2020 12:51:55	1	1	1	1	92	62.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.125	2004
15.01.2020 12:51:56	1	1	1	1	92	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 12:51:57	1	1	1	1	92	62	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:51:58	1	1	1	1	91.75	62.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.5625	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:05	1	1	1	1	91.75	62	0	30000	533.3333333	15756.25798	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:06	1	1	1	1	91.75	62.25	0	29810.427	526.8817204	15706.52026	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:07	1	1	1	1	91.75	62.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.5	2004
15.01.2020 12:52:08	1	1	1	1	91.75	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:09	1	1	1	1	91.75	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:10	1	1	1	1	91.75	62.25	0	29905.213	535.483871	15885.08684	30000	0	0	30000	42	2004
15.01.2020 12:52:11	1	1	1	1	91.75	62	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:52:12	1	1	1	1	91.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:52:13	1	1	1	1	91.75	62	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.5	2004
15.01.2020 12:52:14	1	1	1	1	91.75	62.5	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:15	1	1	1	1	91.75	62.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:52:16	1	1	1	1	91.75	62	0	30000	531.1827957	15627.42913	30000	0	0	30000	42.5	2004
15.01.2020 12:52:17	1	1	1	1	91.75	62.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:18	1	1	1	1	91.75	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.8125	2004
15.01.2020 12:52:19	1	1	1	1	92.25	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:20	1	1	1	1	92.25	62.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:21	1	1	1	1	92.25	62.25	0	30000	516.1290323	15548.338	30000	0	0	30000	42.375	2004
15.01.2020 12:52:22	1	1	1	1	92.25	62.25	0	30000	511.827957	15354.27935	30000	0	0	30000	42	2004
15.01.2020 12:52:23	1	1	1	1	92.25	62	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	42.125	2004
15.01.2020 12:52:24	1	1	1	1	92.25	62	0	30000	507.5268817	15483.92357	30000	0	0	30000	42.5	2004
15.01.2020 12:52:25	1	1	1	1	92.25	62.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:52:26	1	1	1	1	92.25	62.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:27	1	1	1	1	92.25	62.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:28	1	1	1	1	92.75	62.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.375	2004
15.01.2020 12:52:29	1	1	1	1	92.75	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
15.01.2020 12:52:30	1	1	1	1	92.75	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:31	1	1	1	1	92.75	62	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:32	1	1	1	1	92.75	62.25	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	42.25	2004
15.01.2020 12:52:33	1	1	1	1	92.75	62.25	0	29431.28	544.0860215	15759.51947	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:34	1	1	1	1	92.75	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.3125	2004
15.01.2020 12:52:35	1	1	1	1	92.75	62.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:36	1	1	1	1	92.75	62	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	42.625	2004
15.01.2020 12:52:37	1	1	1	1	92.75	62.5	0	29336.493	548.3870968	15998.42361	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:38	1	1	1	1	92.5	62	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:39	1	1	1	1	92.5	62.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:40	1	1	1	1	92.5	62	0	29336.493	550.5376344	16035.11538	30000	0	0	30000	42.125	2004
15.01.2020 12:52:42	1	1	1	1	92.5	62	0	28957.346	546.2365591	15968.25483	30000	0	0	30000	42.625	2004
15.01.2020 12:52:43	1	1	1	1	92.5	62.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.6875	2004
15.01.2020 12:52:44	1	1	1	1	92.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:45	1	1	1	1	92.5	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.9375	2004
15.01.2020 12:52:46	1	1	1	1	92.5	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.375	2004
15.01.2020 12:52:47	1	1	1	1	92.5	62.25	0	29526.066	535.483871	15925.04009	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:48	1	1	1	1	92.5	62.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 12:52:49	1	1	1	1	92.25	62.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:50	1	1	1	1	92.25	62.25	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:51	1	1	1	1	92.25	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 12:52:52	1	1	1	1	92.25	62.5	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.1875	2004
15.01.2020 12:52:53	1	1	1	1	92.25	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 12:52:54	1	1	1	1	92.25	62.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.125	2004
15.01.2020 12:52:55	1	1	1	1	92.25	62	0	29336.493	541.9354839	15607.04482	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:56	1	1	1	1	92.25	62.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	42.4375	2004
15.01.2020 12:52:57	1	1	1	1	92.25	62.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	42.25	2004
15.01.2020 12:52:58	1	1	1	1	92.25	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 12:52:59	1	1	1	1	92.5	62.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.75	2004
15.01.2020 12:53:00	1	1	1	1	92.5	62.75	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	43	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:07	1	1	1	1	92.5	62	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	42.0625	2004
15.01.2020 12:53:08	1	1	1	1	92.75	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:09	1	1	1	1	92.75	62.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:53:10	1	1	1	1	92.75	62.25	0	29241.706	554.8387097	16161.49811	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:11	1	1	1	1	92.75	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.0625	2004
15.01.2020 12:53:12	1	1	1	1	92.75	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:53:13	1	1	1	1	92.75	62.25	0	28909.953	550.5376344	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:14	1	1	1	1	92.75	62.25	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	42.375	2004
15.01.2020 12:53:15	1	1	1	1	92.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:16	1	1	1	1	92.75	62	0	28957.346	552.688172	15889.97907	30000	0	0	30000	42.25	2004
15.01.2020 12:53:17	1	1	1	1	92.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:18	1	1	1	1	92.5	62	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.25	2004
15.01.2020 12:53:19	1	1	1	1	92.5	62.25	0	29099.526	552.688172	15868.77939	30000	0	0	30000	42.5	2004
15.01.2020 12:53:21	1	1	1	1	92.5	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 12:53:22	1	1	1	1	92.5	61.75	0	28957.346	550.5376344	16181.06705	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:23	1	1	1	1	92.5	62.25	0	29052.133	552.688172	15817.41092	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:24	1	1	1	1	92.5	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:25	1	1	1	1	92.5	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 12:53:26	1	1	1	1	92.5	61.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	42.625	2004
15.01.2020 12:53:27	1	1	1	1	92.5	62.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:28	1	1	1	1	92.5	62	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42	2004
15.01.2020 12:53:29	1	1	1	1	92.75	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:53:30	1	1	1	1	92.75	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 12:53:31	1	1	1	1	92.75	62.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.9375	2004
15.01.2020 12:53:32	1	1	1	1	92.75	61.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.5	2004
15.01.2020 12:53:33	1	1	1	1	92.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:34	1	1	1	1	92.75	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:53:35	1	1	1	1	92.75	62	0	28625.592	552.688172	15820.67241	30000	0	0	30000	42.375	2004
15.01.2020 12:53:36	1	1	1	1	92.75	62.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:37	1	1	1	1	92.75	62	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.5	2004
15.01.2020 12:53:38	1	1	1	1	92.75	62.5	0	28815.166	554.8387097	16173.7287	30000	0	0	30000	42.25	2004
15.01.2020 12:53:39	1	1	1	1	92.5	62.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:53:40	1	1	1	1	92.5	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:53:41	1	1	1	1	92.5	62.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:42	1	1	1	1	92.5	62.5	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	41.75	2004
15.01.2020 12:53:43	1	1	1	1	92.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:44	1	1	1	1	92.5	62.25	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	42.5	2004
15.01.2020 12:53:45	1	1	1	1	92.5	62.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:46	1	1	1	1	92.5	62.25	0	28625.592	552.688172	15846.76433	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:47	1	1	1	1	92.5	62	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:48	1	1	1	1	92.75	62.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:49	1	1	1	1	92.75	62.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:50	1	1	1	1	92.75	62.5	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:51	1	1	1	1	92.75	62.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.4375	2004
15.01.2020 12:53:52	1	1	1	1	92.75	62.25	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 12:53:53	1	1	1	1	92.75	62.5	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:53:54	1	1	1	1	92.75	61.75	0	28672.986	554.8387097	15820.67241	30000	0	0	30000	42.375	2004
15.01.2020 12:53:55	1	1	1	1	92.75	62.25	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:56	1	1	1	1	92.75	62.5	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	42.5625	2004
15.01.2020 12:53:57	1	1	1	1	92.75	62.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:53:59	1	1	1	1	93	62	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	42.3125	2004
15.01.2020 12:54:00	1	1	1	1	93	62.25	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	41.875	2004
15.01.2020 12:54:01	1	1	1	1	93	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:02	1	1	1	1	93	62.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	42.3125	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:08	1	1	1	1	93	62.5	0	28957.346	539.7849462	15994.34675	30000	0	0	30000	42.375	2004
15.01.2020 12:54:09	1	1	1	1	93.5	62.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 12:54:10	1	1	1	1	93.5	62.25	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 12:54:11	1	1	1	1	93.5	62.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	42.1875	2004
15.01.2020 12:54:12	1	1	1	1	93.5	62	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	42.3125	2004
15.01.2020 12:54:13	1	1	1	1	93.5	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.8125	2004
15.01.2020 12:54:14	1	1	1	1	93.5	62.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.75	2004
15.01.2020 12:54:15	1	1	1	1	93.5	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.6875	2004
15.01.2020 12:54:16	1	1	1	1	93.5	62.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.25	2004
15.01.2020 12:54:17	1	1	1	1	93.5	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.25	2004
15.01.2020 12:54:18	1	1	1	1	94.25	62.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 12:54:19	1	1	1	1	94.25	62.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.875	2004
15.01.2020 12:54:20	1	1	1	1	94.25	61.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.1875	2004
15.01.2020 12:54:21	1	1	1	1	94.25	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.5625	2004
15.01.2020 12:54:22	1	1	1	1	94.25	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:23	1	1	1	1	94.25	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
15.01.2020 12:54:24	1	1	1	1	94.25	62.25	0	29052.133	537.6344086	15894.87131	30000	0	0	30000	42.375	2004
15.01.2020 12:54:25	1	1	1	1	94.25	62.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	42.5625	2004
15.01.2020 12:54:26	1	1	1	1	94.25	62.5	0	29099.526	546.2365591	15630.69062	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:27	1	1	1	1	94.25	62.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:28	1	1	1	1	94	62.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.9375	2004
15.01.2020 12:54:29	1	1	1	1	94	61.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	42.5625	2004
15.01.2020 12:54:30	1	1	1	1	94	62.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.125	2004
15.01.2020 12:54:31	1	1	1	1	94	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.625	2004
15.01.2020 12:54:32	1	1	1	1	94	62.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.3125	2004
15.01.2020 12:54:33	1	1	1	1	94	61.25	0	29099.526	546.2365591	16108.4989	30000	0	0	30000	42.5625	2004
15.01.2020 12:54:34	1	1	1	1	94	62.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.1875	2004
15.01.2020 12:54:35	1	1	1	1	94	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.5625	2004
15.01.2020 12:54:37	1	1	1	1	94	62.5	0	29146.919	548.3870968	16234.06626	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:38	1	1	1	1	94	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:54:39	1	1	1	1	94	62.25	0	29194.313	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 12:54:40	1	1	1	1	94	62.5	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	42.6875	2004
15.01.2020 12:54:41	1	1	1	1	94	62.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:42	1	1	1	1	94	62.25	0	28909.953	550.5376344	15951.94738	30000	0	0	30000	42.375	2004
15.01.2020 12:54:43	1	1	1	1	94	62.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:44	1	1	1	1	94	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 12:54:45	1	1	1	1	94	62	0	29099.526	552.688172	16108.4989	30000	0	0	30000	42.5	2004
15.01.2020 12:54:46	1	1	1	1	94	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:47	1	1	1	1	94	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42	2004
15.01.2020 12:54:48	1	1	1	1	94	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 12:54:49	1	1	1	1	93.75	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 12:54:50	1	1	1	1	93.75	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.25	2004
15.01.2020 12:54:51	1	1	1	1	93.75	62.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.875	2004
15.01.2020 12:54:52	1	1	1	1	93.75	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42	2004
15.01.2020 12:54:53	1	1	1	1	93.75	62	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	42.1875	2004
15.01.2020 12:54:54	1	1	1	1	93.75	62	0	29336.493	552.688172	16150.89827	30000	0	0	30000	42.0625	2004
15.01.2020 12:54:55	1	1	1	1	93.75	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.75	2004
15.01.2020 12:54:56	1	1	1	1	93.75	62.75	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	42.375	2004
15.01.2020 12:54:57	1	1	1	1	93.75	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.6875	2004
15.01.2020 12:54:58	1	1	1	1	93.75	62.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.125	2004
15.01.2020 12:54:59	1	1	1	1	93.75	62	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	42.5625	2004
15.01.2020 12:55:00	1	1	1	1	93.75	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.0625	2004
15.01.2020 12:55:01	1	1	1	1	93.75	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 12:55:02	1	1	1	1	93.75	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 12:55:03	1	1	1	1	93.75	62	0	29526.066	539.7849462	15784.79602	30000	0	0	30000	42.3125	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:55:10	1	1	1	1	93.5	62.25	0	29478.673	544.0860215	15671.45924	30000	0	0	30000	42.375	2004
15.01.2020 12:55:11	1	1	1	1	93.5	62.25	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:55:12	1	1	1	1	93.5	62.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.5	2004
15.01.2020 12:55:13	1	1	1	1	93.5	62.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	42.1875	2004
15.01.2020 12:55:14	1	1	1	1	93.5	62	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.3125	2004
15.01.2020 12:55:16	1	1	1	1	93.5	62.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.0625	2004
15.01.2020 12:55:17	1	1	1	1	93.5	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.25	2004
15.01.2020 12:55:18	1	1	1	1	93.5	62.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	42.375	2004
15.01.2020 12:55:19	1	1	1	1	93	62.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.125	2004
15.01.2020 12:55:20	1	1	1	1	93	62	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	42.625	2004
15.01.2020 12:55:21	1	1	1	1	93	62.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42	2004
15.01.2020 12:55:22	1	1	1	1	93	62	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:55:23	1	1	1	1	93	62.25	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	42.5	2004
15.01.2020 12:55:24	1	1	1	1	93	62.5	0	29431.28	544.0860215	16165.57497	30000	0	0	30000	42.4375	2004
15.01.2020 12:55:25	1	1	1	1	93	62.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	42	2004
15.01.2020 12:55:26	1	1	1	1	93	62	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	42.375	2004
15.01.2020 12:55:27	1	1	1	1	93	62.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	42.125	2004
15.01.2020 12:55:28	1	1	1	1	93	62	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	42.4375	2004
15.01.2020 12:55:29	1	1	1	1	93.5	62.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 12:55:30	1	1	1	1	93.5	62.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	42.5	2004
15.01.2020 12:55:31	1	1	1	1	93.5	62.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	42.5	2004
15.01.2020 12:55:32	1	1	1	1	93.5	62.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 12:55:33	1	1	1	1	93.5	61.75	0	29099.526	552.688172	15994.34675	30000	0	0	30000	42.5625	2004
15.01.2020 12:55:34	1	1	1	1	93.5	62.5	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.75	2004
15.01.2020 12:55:35	1	1	1	1	93.5	61.75	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	42.75	2004
15.01.2020 12:55:36	1	1	1	1	93.5	62.5	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.5	2004
15.01.2020 12:55:37	1	1	1	1	93.5	62.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.125	2004
15.01.2020 12:55:38	1	1	1	1	93.75	62	0	28862.559	552.688172	15978.0393	30000	0	0	30000	42.625	2004
15.01.2020 12:55:39	1	1	1	1	93.75	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:55:40	1	1	1	1	93.75	62.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.25	2004
15.01.2020 12:55:41	1	1	1	1	93.75	62.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.375	2004
15.01.2020 12:55:42	1	1	1	1	93.75	62.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.375	2004
15.01.2020 12:55:43	1	1	1	1	93.75	62.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.9375	2004
15.01.2020 12:55:44	1	1	1	1	93.75	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 12:55:45	1	1	1	1	93.75	62.25	0	28909.953	552.688172	15889.97907	30000	0	0	30000	42	2004
15.01.2020 12:55:46	1	1	1	1	93.75	62	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:55:47	1	1	1	1	93.75	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 12:55:48	1	1	1	1	93.75	61.75	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.0625	2004
15.01.2020 12:55:49	1	1	1	1	93.75	62	0	28909.953	556.9892473	15889.97907	30000	0	0	30000	42.25	2004
15.01.2020 12:55:50	1	1	1	1	93.75	62.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42.3125	2004
15.01.2020 12:55:51	1	1	1	1	93.75	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 12:55:52	1	1	1	1	93.75	62	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	42.125	2004
15.01.2020 12:55:54	1	1	1	1	93.75	62	0	28957.346	554.8387097	15978.0393	30000	0	0	30000	42.1875	2004
15.01.2020 12:55:55	1	1	1	1	93.75	62	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 12:55:56	1	1	1	1	93.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:55:57	1	1	1	1	93.75	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:55:58	1	1	1	1	93.75	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 12:55:59	1	1	1	1	93.5	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
15.01.2020 12:56:00	1	1	1	1	93.5	62	0	28815.166	552.688172	16173.7287	30000	0	0	30000	42.375	2004
15.01.2020 12:56:01	1	1	1	1	93.5	62.25	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:02	1	1	1	1	93.5	62	0	28625.592	552.688172	15987.82377	30000	0	0	30000	42.5	2004
15.01.2020 12:56:03	1	1	1	1	93.5	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:04	1	1	1	1	93.5	62.25	0	28625.592	550.5376344	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 12:56:05	1	1	1	1	93.5	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:12	1	1	1	1	93.5	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.8125	2004
15.01.2020 12:56:13	1	1	1	1	93.5	62.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.25	2004
15.01.2020 12:56:14	1	1	1	1	93.5	62.25	0	28957.346	561.2903226	16128.88321	30000	0	0	30000	42	2004
15.01.2020 12:56:15	1	1	1	1	93.5	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:56:16	1	1	1	1	93.5	62.25	0	28815.166	561.2903226	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:17	1	1	1	1	93.5	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.0625	2004
15.01.2020 12:56:18	1	1	1	1	93.75	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.25	2004
15.01.2020 12:56:19	1	1	1	1	93.75	62.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.4375	2004
15.01.2020 12:56:20	1	1	1	1	93.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 12:56:21	1	1	1	1	93.75	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.5625	2004
15.01.2020 12:56:22	1	1	1	1	93.75	62.5	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	42.375	2004
15.01.2020 12:56:23	1	1	1	1	93.75	62.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.75	2004
15.01.2020 12:56:24	1	1	1	1	93.75	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:25	1	1	1	1	93.75	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:26	1	1	1	1	93.75	62	0	28862.559	552.688172	16075.884	30000	0	0	30000	42.5	2004
15.01.2020 12:56:27	1	1	1	1	93.75	62.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:28	1	1	1	1	93.75	62	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	42.25	2004
15.01.2020 12:56:29	1	1	1	1	93.75	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:56:30	1	1	1	1	93.75	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5625	2004
15.01.2020 12:56:31	1	1	1	1	93.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:56:32	1	1	1	1	93.75	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.4375	2004
15.01.2020 12:56:34	1	1	1	1	93.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.375	2004
15.01.2020 12:56:35	1	1	1	1	93.75	62.25	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 12:56:36	1	1	1	1	93.75	62.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.4375	2004
15.01.2020 12:56:37	1	1	1	1	93.75	62.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.5	2004
15.01.2020 12:56:38	1	1	1	1	93.75	62.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	42.25	2004
15.01.2020 12:56:39	1	1	1	1	94	62.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 12:56:40	1	1	1	1	94	62.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:41	1	1	1	1	94	62	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:42	1	1	1	1	94	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:43	1	1	1	1	94	62	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	42.375	2004
15.01.2020 12:56:44	1	1	1	1	94	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.0625	2004
15.01.2020 12:56:45	1	1	1	1	94	62	0	28957.346	554.8387097	16252.81983	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:46	1	1	1	1	94	62	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	42.6875	2004
15.01.2020 12:56:47	1	1	1	1	94	62.5	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.5	2004
15.01.2020 12:56:48	1	1	1	1	94	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 12:56:49	1	1	1	1	94	62.25	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:56:50	1	1	1	1	94	62.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:56:51	1	1	1	1	94	62.5	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	42.5	2004
15.01.2020 12:56:52	1	1	1	1	94	62.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.3125	2004
15.01.2020 12:56:53	1	1	1	1	94	62.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:56:54	1	1	1	1	94	62	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	42.875	2004
15.01.2020 12:56:55	1	1	1	1	94	62.75	0	28625.592	556.9892473	16031.85389	30000	0	0	30000	42.875	2004
15.01.2020 12:56:56	1	1	1	1	94	62.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.5	2004
15.01.2020 12:56:57	1	1	1	1	94	62.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42.5625	2004
15.01.2020 12:56:58	1	1	1	1	94.25	62.5	0	28815.166	556.9892473	16297.66532	30000	0	0	30000	42.5625	2004
15.01.2020 12:56:59	1	1	1	1	94.25	62.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.5	2004
15.01.2020 12:57:00	1	1	1	1	94.25	62.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	42.0625	2004
15.01.2020 12:57:01	1	1	1	1	94.25	62	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:02	1	1	1	1	94.25	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:57:03	1	1	1	1	94.25	62.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:04	1	1	1	1	94.25	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:05	1	1	1	1	94.25	62.5	0	28909.953	552.688172	16128.88321	30000	0	0	30000	42.5	2004
15.01.2020 12:57:06	1	1	1	1	94.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:57:13	1	1	1	1	93.75	62.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:13	1	1	1	1	93.75	62.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:13	1	1	1	1	93.75	62.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:13	1	1	1	1	93.75	62.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:13	1	1	1	1	93.75	62.25	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:14	1	1	1	1	93.75	62.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:15	1	1	1	1	93.75	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:16	1	1	1	1	93.75	62.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:17	1	1	1	1	93.75	62.25	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	42.6875	2004
15.01.2020 12:57:18	1	1	1	1	93.75	62.5	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	42.5	2004
15.01.2020 12:57:19	1	1	1	1	93.5	62.5	0	29857.82	539.7849462	16026.96165	30000	0	0	30000	42.5	2004
15.01.2020 12:57:20	1	1	1	1	93.5	62.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 12:57:21	1	1	1	1	93.5	62.25	0	29478.673	550.5376344	16038.37687	30000	0	0	30000	42.125	2004
15.01.2020 12:57:22	1	1	1	1	93.5	62	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.375	2004
15.01.2020 12:57:23	1	1	1	1	93.5	62.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:24	1	1	1	1	93.5	62.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.25	2004
15.01.2020 12:57:25	1	1	1	1	93.5	62.25	0	29526.066	537.6344086	15848.39508	30000	0	0	30000	42.1875	2004
15.01.2020 12:57:26	1	1	1	1	93.5	62	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.25	2004
15.01.2020 12:57:27	1	1	1	1	93.5	62.25	0	29763.033	541.9354839	16090.5607	30000	0	0	30000	42.375	2004
15.01.2020 12:57:28	1	1	1	1	93.5	62.25	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	42.6875	2004
15.01.2020 12:57:29	1	1	1	1	93.25	62.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.5	2004
15.01.2020 12:57:30	1	1	1	1	93.25	62.5	0	29336.493	541.9354839	15860.62566	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:31	1	1	1	1	93.25	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
15.01.2020 12:57:32	1	1	1	1	93.25	61.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.75	2004
15.01.2020 12:57:33	1	1	1	1	93.25	62.75	0	29383.886	541.9354839	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 12:57:34	1	1	1	1	93.25	62.25	0	29478.673	537.6344086	15873.67162	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:57:35	1	1	1	1	93.25	62.5	0	29526.066	537.6344086	16026.96165	30000	0	0	30000	42.375	2004
15.01.2020 12:57:36	1	1	1	1	93.25	62.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.375	2004
15.01.2020 12:57:37	1	1	1	1	93.25	62.25	0	29668.246	541.9354839	16359.63363	30000	0	0	30000	42.5	2004
15.01.2020 12:57:38	1	1	1	1	93.5	62.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	42.625	2004
15.01.2020 12:57:39	1	1	1	1	93.5	62.5	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	42.5	2004
15.01.2020 12:57:40	1	1	1	1	93.5	62.5	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:41	1	1	1	1	93.5	62.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:57:42	1	1	1	1	93.5	62.25	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:43	1	1	1	1	93.5	62.5	0	29336.493	544.0860215	16050.60745	30000	0	0	30000	42.0625	2004
15.01.2020 12:57:44	1	1	1	1	93.5	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:45	1	1	1	1	93.5	62.25	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	42.25	2004
15.01.2020 12:57:46	1	1	1	1	93.5	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 12:57:47	1	1	1	1	93.5	62.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
15.01.2020 12:57:48	1	1	1	1	93.5	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.9375	2004
15.01.2020 12:57:49	1	1	1	1	93.5	61.75	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	42.625	2004
15.01.2020 12:57:50	1	1	1	1	93.5	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:52	1	1	1	1	93.5	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 12:57:53	1	1	1	1	93.5	62	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	42.375	2004
15.01.2020 12:57:54	1	1	1	1	93.5	62.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42	2004
15.01.2020 12:57:55	1	1	1	1	93.5	62	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42	2004
15.01.2020 12:57:56	1	1	1	1	93.5	62	0	29431.28	550.5376344	15987.0084	30000	0	0	30000	42.3125	2004
15.01.2020 12:57:57	1	1	1	1	93.5	62.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 12:57:58	1	1	1	1	93.5	62.25	0	29241.706	544.0860215	16035.11538	30000	0	0	30000	42.125	2004
15.01.2020 12:57:59	1	1	1	1	93	62	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.9375	2004
15.01.2020 12:58:00	1	1	1	1	93	61.75	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	42.5	2004
15.01.2020 12:58:01	1	1	1	1	93	62.5	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	42.4375	2004
15.01.2020 12:58:02	1	1	1	1	93	62.25	0	29336.493	544.0860215	15846.76433	30000	0	0	30000	41.9375	2004
15.01.2020 12:58:03	1	1	1	1	93	61.75	0	29478.673	544.0860215	16191.66689	30000	0	0	30000	42.1875	2004
15.01.2020 12:58:04	1	1	1	1	93	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.375	2004
15.01.2020 12:58:05	1	1	1	1	93	62.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:06	1	1	1	1	93	62.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:07	1	1	1	1	93	62.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:08	1	1	1	1	93	62.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.5	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:15	1	1	1	1	93	62.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:58:16	1	1	1	1	93	62.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.5	2004
15.01.2020 12:58:17	1	1	1	1	93	62.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.625	2004
15.01.2020 12:58:18	1	1	1	1	93	62.5	0	29336.493	537.6344086	15924.22472	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:58:19	1	1	1	1	93	61.75	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	42.1875	2004
15.01.2020 12:58:20	1	1	1	1	93	62	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	42.6875	2004
15.01.2020 12:58:21	1	1	1	1	93	62.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.0625	2004
15.01.2020 12:58:22	1	1	1	1	93	62	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.25	2004
15.01.2020 12:58:23	1	1	1	1	93	62.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:58:24	1	1	1	1	93	62.25	0	29431.28	550.5376344	16113.39113	30000	0	0	30000	41.75	2004
15.01.2020 12:58:25	1	1	1	1	93	61.75	0	29336.493	544.0860215	15909.54801	30000	0	0	30000	42.375	2004
15.01.2020 12:58:26	1	1	1	1	93	62.25	0	29146.919	548.3870968	16161.49811	30000	0	0	30000	42.125	2004
15.01.2020 12:58:27	1	1	1	1	93	62	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	42.3125	2004
15.01.2020 12:58:28	1	1	1	1	93	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.25	2004
15.01.2020 12:58:30	1	1	1	1	93	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.3125	2004
15.01.2020 12:58:31	1	1	1	1	93	62.25	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	42.1875	2004
15.01.2020 12:58:32	1	1	1	1	93	62	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 12:58:33	1	1	1	1	93	62.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:34	1	1	1	1	93	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:35	1	1	1	1	93	62.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.9375	2004
15.01.2020 12:58:36	1	1	1	1	93	61.75	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	42.5	2004
15.01.2020 12:58:37	1	1	1	1	93	62.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42	2004
15.01.2020 12:58:38	1	1	1	1	93	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:58:39	1	1	1	1	92.75	62.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 12:58:40	1	1	1	1	92.75	62.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	42.375	2004
15.01.2020 12:58:41	1	1	1	1	92.75	62.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
15.01.2020 12:58:42	1	1	1	1	92.75	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	42.4375	2004
15.01.2020 12:58:43	1	1	1	1	92.75	62.25	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	42.4375	2004
15.01.2020 12:58:44	1	1	1	1	92.75	62.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42.25	2004
15.01.2020 12:58:45	1	1	1	1	92.75	62.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:46	1	1	1	1	92.75	62.5	0	29478.673	537.6344086	15633.13674	30000	0	0	30000	42.375	2004
15.01.2020 12:58:47	1	1	1	1	92.75	62.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:48	1	1	1	1	92.75	62.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	42.3125	2004
15.01.2020 12:58:49	1	1	1	1	92.75	62.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	42.9375	2004
15.01.2020 12:58:50	1	1	1	1	92.75	62.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.1875	2004
15.01.2020 12:58:51	1	1	1	1	92.75	62.75	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	42.375	2004
15.01.2020 12:58:52	1	1	1	1	92.75	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 12:58:53	1	1	1	1	92.75	62.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:54	1	1	1	1	92.75	62.5	0	29383.886	544.0860215	15949.50126	30000	0	0	30000	41.8125	2004
15.01.2020 12:58:55	1	1	1	1	92.75	61.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	42.625	2004
15.01.2020 12:58:56	1	1	1	1	92.75	62.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	42.5625	2004
15.01.2020 12:58:57	1	1	1	1	92.75	62.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.8125	2004
15.01.2020 12:58:58	1	1	1	1	92.75	61.75	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	42.625	2004
15.01.2020 12:58:59	1	1	1	1	92.75	62.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 12:59:00	1	1	1	1	92.75	62.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.3125	2004
15.01.2020 12:59:01	1	1	1	1	92.75	62.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.5	2004
15.01.2020 12:59:02	1	1	1	1	92.75	62.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:59:03	1	1	1	1	92.75	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 12:59:04	1	1	1	1	92.75	62.5	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 12:59:05	1	1	1	1	92.75	62.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.5	2004
15.01.2020 12:59:06	1	1	1	1	92.75	62.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	42.4375	2004
15.01.2020 12:59:08	1	1	1	1	92.75	62.25	0	29573.46	535.483871	15899.76354	30000	0	0	30000	42.375	2004
15.01.2020 12:59:09	1	1	1	1	93	62.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.625	2004
15.01.2020 12:59:10	1	1	1	1	93	61.5	0	29620.853	535.483871	16013.91569	30000	0	0	30000	42.125	2004
15.01.2020 12:59:16	1	1	1	1	93	62.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.5	2004
15.01.2020 12:59:16	1	1	1	1	93	62.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.5	2004
15.01.2020 12:59:16	1	1	1	1	93	62.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.5	2004
15.01.2020 12:59:16	1	1	1	1	93	62.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.5	2004
15.01.2020 12:59:16	1	1	1	1	93	62.25	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.5	2004
15.01.2020 12:59:17	1	1	1	1	93	62.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 12:59:18	1	1	1	1	93	62.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.5	2004
15.01.2020 12:59:19	1	1	1	1	93.5	62.5	0	29526.066	537.6344086	15747.28889	30000	0	0	30000	42.5	2004
15.01.2020 12:59:20	1	1	1	1	93.5	62.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.4375	2004
15.01.2020 12:59:21	1	1	1	1	93.5	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.375	2004
15.01.2020 12:59:22	1	1	1	1	93.5	62.25	0	29431.28	535.483871	15823.11853	30000	0	0	30000	42.4375	2004
15.01.2020 12:59:23	1	1	1	1	93.5	62.25	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	42.25	2004
15.01.2020 12:59:24	1	1	1	1	93.5	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.4375	2004
15.01.2020 12:59:25	1	1	1	1	93.5	62.25	0	29526.066	552.688172	16101.97592	30000	0	0	30000	41.875	2004
15.01.2020 12:59:26	1	1	1	1	93.5	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.375	2004
15.01.2020 12:59:27	1	1	1	1	93.5	62.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.6875	2004
15.01.2020 12:59:28	1	1	1	1	93.5	62.5	0	29146.919	548.3870968	16171.28258	30000	0	0	30000	42.5	2004
15.01.2020 12:59:29	1	1	1	1	93.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 12:59:30	1	1	1	1	93.25	62.5	0	29146.919	552.688172	16171.28258	30000	0	0	30000	42.1875	2004
15.01.2020 12:59:31	1	1	1	1	93.25	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 12:59:32	1	1	1	1	93.25	62	0	28862.559	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:59:33	1	1	1	1	93.25	62.5	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	42.375	2004
15.01.2020 12:59:34	1	1	1	1	93.25	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 12:59:35	1	1	1	1	93.25	62	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	42.375	2004
15.01.2020 12:59:36	1	1	1	1	93.25	62.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.5	2004
15.01.2020 12:59:37	1	1	1	1	93.25	62.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 12:59:38	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 12:59:39	1	1	1	1	93.25	62.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.625	2004
15.01.2020 12:59:40	1	1	1	1	93.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5625	2004
15.01.2020 12:59:41	1	1	1	1	93.25	62.5	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 12:59:42	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.6875	2004
15.01.2020 12:59:43	1	1	1	1	93.25	62.5	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	42.5625	2004
15.01.2020 12:59:44	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15759.51947	30000	0	0	30000	42.3125	2004
15.01.2020 12:59:46	1	1	1	1	93.25	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
15.01.2020 12:59:47	1	1	1	1	93.25	61.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 12:59:48	1	1	1	1	93.25	62	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 12:59:49	1	1	1	1	93.5	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 12:59:50	1	1	1	1	93.5	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 12:59:51	1	1	1	1	93.5	62.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 12:59:52	1	1	1	1	93.5	62	0	28862.559	561.2903226	16111.76039	30000	0	0	30000	42.0625	2004
15.01.2020 12:59:53	1	1	1	1	93.5	62	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42.0625	2004
15.01.2020 12:59:54	1	1	1	1	93.5	62	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	42	2004
15.01.2020 12:59:55	1	1	1	1	93.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 12:59:56	1	1	1	1	93.5	61.75	0	28625.592	556.9892473	16235.69701	30000	0	0	30000	42.125	2004
15.01.2020 12:59:57	1	1	1	1	93.5	62	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 12:59:58	1	1	1	1	93.5	62.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 12:59:59	1	1	1	1	93.25	62.5	0	28578.199	559.1397849	16252.00446	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:00	1	1	1	1	93.25	62.25	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	42	2004
15.01.2020 13:00:01	1	1	1	1	93.25	62	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42	2004
15.01.2020 13:00:02	1	1	1	1	93.25	62	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 13:00:03	1	1	1	1	93.25	62.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.6875	2004
15.01.2020 13:00:04	1	1	1	1	93.25	62.5	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	42.6875	2004
15.01.2020 13:00:05	1	1	1	1	93.25	62.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 13:00:06	1	1	1	1	93.25	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.75	2004
15.01.2020 13:00:07	1	1	1	1	93.25	62	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42.5	2004
15.01.2020 13:00:08	1	1	1	1	94	62.5	0	28672.986	561.2903226	15855.73343	30000	0	0	30000	42.25	2004
15.01.2020 13:00:09	1	1	1	1	94	62.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 13:00:10	1	1	1	1	94	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.625	2004
15.01.2020 13:00:11	1	1	1	1	94	62.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:18	1	1	1	1	94	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:19	1	1	1	1	94	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 13:00:20	1	1	1	1	94	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.0625	2004
15.01.2020 13:00:21	1	1	1	1	94	61	0	29004.739	552.688172	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:23	1	1	1	1	94	62.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	42.375	2004
15.01.2020 13:00:24	1	1	1	1	94	62.25	0	29383.886	544.0860215	16087.29921	30000	0	0	30000	42.125	2004
15.01.2020 13:00:25	1	1	1	1	94	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:26	1	1	1	1	94	62.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:27	1	1	1	1	94	62.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
15.01.2020 13:00:28	1	1	1	1	94	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:29	1	1	1	1	93.75	62.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	42.125	2004
15.01.2020 13:00:30	1	1	1	1	93.75	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.125	2004
15.01.2020 13:00:31	1	1	1	1	93.75	62	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:00:32	1	1	1	1	93.75	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:33	1	1	1	1	93.75	62.25	0	29526.066	533.3333333	15810.07257	30000	0	0	30000	42.125	2004
15.01.2020 13:00:34	1	1	1	1	93.75	62	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.3125	2004
15.01.2020 13:00:35	1	1	1	1	93.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:36	1	1	1	1	93.75	62.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:37	1	1	1	1	93.75	62.25	0	29620.853	529.0322581	16103.60666	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:38	1	1	1	1	93.75	62.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 13:00:39	1	1	1	1	94.25	62.5	0	29857.82	539.7849462	16335.17245	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:40	1	1	1	1	94.25	62.25	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:41	1	1	1	1	94.25	62.25	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	42.125	2004
15.01.2020 13:00:42	1	1	1	1	94.25	62	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 13:00:43	1	1	1	1	94.25	62.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.375	2004
15.01.2020 13:00:44	1	1	1	1	94.25	62.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 13:00:45	1	1	1	1	94.25	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 13:00:46	1	1	1	1	94.25	62.5	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 13:00:47	1	1	1	1	94.25	62.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.6875	2004
15.01.2020 13:00:48	1	1	1	1	94.25	62.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:00:49	1	1	1	1	94.25	62.5	0	29241.706	541.9354839	16061.20729	30000	0	0	30000	42.5625	2004
15.01.2020 13:00:50	1	1	1	1	94.25	62.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	42.5	2004
15.01.2020 13:00:51	1	1	1	1	94.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.6875	2004
15.01.2020 13:00:52	1	1	1	1	94.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 13:00:53	1	1	1	1	94.25	62.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.25	2004
15.01.2020 13:00:54	1	1	1	1	94.25	62.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42.375	2004
15.01.2020 13:00:55	1	1	1	1	94.25	62.25	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 13:00:56	1	1	1	1	94.25	62.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	42.625	2004
15.01.2020 13:00:57	1	1	1	1	94.25	62.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	42.5	2004
15.01.2020 13:00:58	1	1	1	1	93.5	62.5	0	29052.133	552.688172	16119.09874	30000	0	0	30000	42.0625	2004
15.01.2020 13:00:59	1	1	1	1	93.5	62	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	42.0625	2004
15.01.2020 13:01:00	1	1	1	1	93.5	62	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.125	2004
15.01.2020 13:01:02	1	1	1	1	93.5	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
15.01.2020 13:01:03	1	1	1	1	93.5	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:04	1	1	1	1	93.5	62.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.75	2004
15.01.2020 13:01:05	1	1	1	1	93.5	61.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 13:01:06	1	1	1	1	93.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:07	1	1	1	1	93.5	62.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.875	2004
15.01.2020 13:01:08	1	1	1	1	93.5	61.75	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:09	1	1	1	1	93.5	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 13:01:10	1	1	1	1	93.5	62.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42.375	2004
15.01.2020 13:01:11	1	1	1	1	93.5	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:12	1	1	1	1	93.5	62.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 13:01:13	1	1	1	1	93.5	62	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.5	2004
15.01.2020 13:01:20	1	1	1	1	93.25	62.5	0	30000	535.483871	15974.77781	30000	0	0	30000	41.875	2004
15.01.2020 13:01:21	1	1	1	1	93.25	61.75	0	30000	537.6344086	16077.51474	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:22	1	1	1	1	93.25	62.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42.125	2004
15.01.2020 13:01:23	1	1	1	1	93.25	62	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	42.8125	2004
15.01.2020 13:01:24	1	1	1	1	93.25	62.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.375	2004
15.01.2020 13:01:25	1	1	1	1	93.25	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:26	1	1	1	1	93.25	62.25	0	29431.28	535.483871	15885.90221	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:27	1	1	1	1	93.25	62.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:28	1	1	1	1	93.25	62.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.0625	2004
15.01.2020 13:01:29	1	1	1	1	93.25	62	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	42.25	2004
15.01.2020 13:01:30	1	1	1	1	93.25	62.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:31	1	1	1	1	93.25	62.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:32	1	1	1	1	93.25	62.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	42.5625	2004
15.01.2020 13:01:33	1	1	1	1	93.25	62.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	42.125	2004
15.01.2020 13:01:34	1	1	1	1	93.25	62	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42.25	2004
15.01.2020 13:01:35	1	1	1	1	93.25	62.25	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 13:01:36	1	1	1	1	93.25	62	0	29526.066	539.7849462	15722.01234	30000	0	0	30000	42.5625	2004
15.01.2020 13:01:37	1	1	1	1	93.25	62.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:38	1	1	1	1	93.5	62.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:39	1	1	1	1	93.5	62.25	0	29620.853	550.5376344	16115.83725	30000	0	0	30000	42.0625	2004
15.01.2020 13:01:40	1	1	1	1	93.5	62	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:41	1	1	1	1	93.5	62.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	42.0625	2004
15.01.2020 13:01:43	1	1	1	1	93.5	62	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	42.125	2004
15.01.2020 13:01:44	1	1	1	1	93.5	62	0	29478.673	544.0860215	16165.57497	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:45	1	1	1	1	93.5	62.25	0	29478.673	546.2365591	16139.48305	30000	0	0	30000	42.4375	2004
15.01.2020 13:01:46	1	1	1	1	93.5	62.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:47	1	1	1	1	93.5	62.25	0	29336.493	541.9354839	16087.29921	30000	0	0	30000	42.625	2004
15.01.2020 13:01:48	1	1	1	1	93.5	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.25	2004
15.01.2020 13:01:49	1	1	1	1	93	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 13:01:50	1	1	1	1	93	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.5	2004
15.01.2020 13:01:51	1	1	1	1	93	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.25	2004
15.01.2020 13:01:52	1	1	1	1	93	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5	2004
15.01.2020 13:01:53	1	1	1	1	93	62.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	42.5	2004
15.01.2020 13:01:54	1	1	1	1	93	62.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 13:01:55	1	1	1	1	93	62.25	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	42.5625	2004
15.01.2020 13:01:56	1	1	1	1	93	62.5	0	29336.493	539.7849462	16265.86579	30000	0	0	30000	42.3125	2004
15.01.2020 13:01:57	1	1	1	1	93	62.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.5	2004
15.01.2020 13:01:58	1	1	1	1	93	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.625	2004
15.01.2020 13:01:59	1	1	1	1	93.25	62.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:02:00	1	1	1	1	93.25	62.5	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:01	1	1	1	1	93.25	62.5	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:02	1	1	1	1	93.25	62.5	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:03	1	1	1	1	93.25	62.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	42.375	2004
15.01.2020 13:02:04	1	1	1	1	93.25	62.25	0	29052.133	544.0860215	15806.81108	30000	0	0	30000	42.75	2004
15.01.2020 13:02:05	1	1	1	1	93.25	62.75	0	29146.919	544.0860215	16213.68195	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:06	1	1	1	1	93.25	62.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:07	1	1	1	1	93.25	62.75	0	29431.28	550.5376344	16355.55676	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:08	1	1	1	1	93.25	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 13:02:11	1	1	1	1	93.25	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:11	1	1	1	1	93.25	62.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:11	1	1	1	1	93.25	62.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.5	2004
15.01.2020 13:02:12	1	1	1	1	93.25	62.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.125	2004
15.01.2020 13:02:13	1	1	1	1	93.25	62	0	29241.706	552.688172	16098.71443	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:14	1	1	1	1	93.25	62.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	42.1875	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:21	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:02:22	1	1	1	1	93.25	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:23	1	1	1	1	93.25	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:24	1	1	1	1	93.25	62.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	42	2004
15.01.2020 13:02:25	1	1	1	1	93.25	62	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:26	1	1	1	1	93.25	62.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:27	1	1	1	1	93.25	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.6875	2004
15.01.2020 13:02:28	1	1	1	1	93.25	62.5	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 13:02:29	1	1	1	1	93	62	0	28957.346	552.688172	16056.31506	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:30	1	1	1	1	93	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.75	2004
15.01.2020 13:02:31	1	1	1	1	93	62.75	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:32	1	1	1	1	93	62.25	0	29099.526	552.688172	16020.43867	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:33	1	1	1	1	93	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.5	2004
15.01.2020 13:02:34	1	1	1	1	93	62.5	0	28862.559	552.688172	15739.95053	30000	0	0	30000	41.6875	2004
15.01.2020 13:02:35	1	1	1	1	93	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.6875	2004
15.01.2020 13:02:36	1	1	1	1	93	62.5	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	42.5	2004
15.01.2020 13:02:37	1	1	1	1	93	62.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.625	2004
15.01.2020 13:02:38	1	1	1	1	93	62.5	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:39	1	1	1	1	93.25	62.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 13:02:40	1	1	1	1	93.25	62.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 13:02:41	1	1	1	1	93.25	62.25	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:02:42	1	1	1	1	93.25	62.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.9375	2004
15.01.2020 13:02:43	1	1	1	1	93.25	62.75	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:02:44	1	1	1	1	93.25	62.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.875	2004
15.01.2020 13:02:45	1	1	1	1	93.25	62.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.1875	2004
15.01.2020 13:02:46	1	1	1	1	93.25	62.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:47	1	1	1	1	93.25	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.875	2004
15.01.2020 13:02:48	1	1	1	1	93	61.75	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.9375	2004
15.01.2020 13:02:49	1	1	1	1	93	61.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.6875	2004
15.01.2020 13:02:50	1	1	1	1	93	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.625	2004
15.01.2020 13:02:51	1	1	1	1	93	62.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.375	2004
15.01.2020 13:02:52	1	1	1	1	93	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:53	1	1	1	1	93	62.25	0	28815.166	550.5376344	15677.98222	30000	0	0	30000	42.3125	2004
15.01.2020 13:02:54	1	1	1	1	93	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:02:55	1	1	1	1	93	62.5	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.6875	2004
15.01.2020 13:02:56	1	1	1	1	93	62.5	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	40.8125	2004
15.01.2020 13:02:57	1	1	1	1	93	60.75	0	28815.166	546.2365591	16075.884	30000	0	0	30000	42.5625	2004
15.01.2020 13:02:58	1	1	1	1	92.75	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 13:03:00	1	1	1	1	92.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.125	2004
15.01.2020 13:03:01	1	1	1	1	92.75	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 13:03:02	1	1	1	1	92.75	62.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.125	2004
15.01.2020 13:03:03	1	1	1	1	92.75	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
15.01.2020 13:03:04	1	1	1	1	92.75	62	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 13:03:05	1	1	1	1	92.75	62	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:03:06	1	1	1	1	92.75	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.8125	2004
15.01.2020 13:03:07	1	1	1	1	92.75	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 13:03:08	1	1	1	1	92.75	62.5	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	42.5	2004
15.01.2020 13:03:09	1	1	1	1	93	62.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42.5	2004
15.01.2020 13:03:10	1	1	1	1	93	62.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.9375	2004
15.01.2020 13:03:11	1	1	1	1	93	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
15.01.2020 13:03:12	1	1	1	1	93	61.75	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	42.1875	2004
15.01.2020 13:03:13	1	1	1	1	93	62	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:14	1	1	1	1	93	62.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.625	2004
15.01.2020 13:03:15	1	1	1	1	93	62.5	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	42.25	2004
15.01.2020 13:03:16	1	1	1	1	93	62.25	0	28625.592	546.2365591	15925.85546	30000	0	0	30000	42.625	2004
15.01.2020 13:03:23	1	1	1	1	92.75	62.75	0	11421.801	0	0	30000	0	0	30000	43	2004
15.01.2020 13:03:23	1	1	1	1	92.75	62.75	0	11421.801	0	0	30000	0	0	30000	43	2004
15.01.2020 13:03:23	1	1	1	1	92.75	62.75	0	11421.801	0	0	30000	0	0	30000	43	2004
15.01.2020 13:03:23	1	1	1	1	92.75	62.75	0	11421.801	0	0	30000	0	0	30000	43	2004
15.01.2020 13:03:23	1	1	1	1	92.75	62.75	0	11421.801	0	0	30000	0	0	30000	43	2004
15.01.2020 13:03:23	1	1	1	1	92.75	63	0	12085.308	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:03:24	1	1	1	1	92.75	62.5	0	12843.602	6.451612903	82.35262142	30000	0	0	30000	42.8125	2004
15.01.2020 13:03:25	1	1	1	1	92.75	63	0	13744.076	12.90322581	176.9358302	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:26	1	1	1	1	92.75	62.5	0	14454.976	19.35483871	279.6727638	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:27	1	1	1	1	92.75	62.5	0	15213.27	25.80645161	359.5792678	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:03:28	1	1	1	1	93	62.5	0	16066.351	32.25806452	517.7615307	30000	0	0	30000	42.4375	2004
15.01.2020 13:03:29	1	1	1	1	93	62.25	0	16777.251	38.70967742	647.4057565	30000	0	0	30000	42.625	2004
15.01.2020 13:03:30	1	1	1	1	93	62.5	0	17535.545	49.46236559	905.0634632	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:31	1	1	1	1	93	62.5	0	18293.839	60.21505376	1059.168864	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:32	1	1	1	1	93	62.5	0	19194.313	70.96774194	1361.672057	30000	0	0	30000	42.625	2004
15.01.2020 13:03:33	1	1	1	1	93	62.5	0	19857.82	83.87096774	1664.990623	30000	0	0	30000	42.625	2004
15.01.2020 13:03:34	1	1	1	1	93	62.5	0	20616.114	96.77419355	1950.370994	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:35	1	1	1	1	93	62.5	0	21374.408	111.827957	2344.195907	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:36	1	1	1	1	93	62.5	0	22132.701	126.8817204	2808.142853	30000	0	0	30000	42.4375	2004
15.01.2020 13:03:37	1	1	1	1	93	62.25	0	22938.389	141.9354839	3298.181719	30000	0	0	30000	42.75	2004
15.01.2020 13:03:39	1	1	1	1	91.75	62.75	0	23459.716	161.2903226	3740.928981	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:40	1	1	1	1	91.75	62.5	0	24170.616	174.1935484	4106.215856	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:41	1	1	1	1	91.75	62.5	0	24502.37	189.2473118	4645.992444	30000	0	0	30000	42.625	2004
15.01.2020 13:03:42	1	1	1	1	91.75	62.5	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:43	1	1	1	1	91.75	62.5	0	25165.877	221.5053763	5573.886337	30000	0	0	30000	42.625	2004
15.01.2020 13:03:44	1	1	1	1	91.75	62.5	0	25592.417	234.4086022	5987.280189	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:45	1	1	1	1	91.75	62.5	0	25639.81	247.311828	6451.227136	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:46	1	1	1	1	91.75	62.5	0	25687.204	260.2150538	6806.729541	30000	0	0	30000	42.5	2004
15.01.2020 13:03:47	1	1	1	1	91.75	62.5	0	26066.351	279.5698925	7286.983937	30000	0	0	30000	41.6875	2004
15.01.2020 13:03:48	1	1	1	1	91.75	61.5	0	26208.531	294.6236559	7777.838176	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:49	1	1	1	1	91.25	62.5	0	26540.284	313.9784946	8218.954692	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:50	1	1	1	1	91.25	62.5	0	26777.251	322.5806452	8695.132226	30000	0	0	30000	42.5625	2004
15.01.2020 13:03:51	1	1	1	1	91.25	62.5	0	26540.284	339.7849462	9018.019732	30000	0	0	30000	42.6875	2004
15.01.2020 13:03:52	1	1	1	1	91.25	62.5	0	26872.038	352.688172	9534.96589	30000	0	0	30000	42.75	2004
15.01.2020 13:03:53	1	1	1	1	91.25	62.75	0	27109.005	372.0430108	10009.51268	30000	0	0	30000	41.6875	2004
15.01.2020 13:03:54	1	1	1	1	91.25	61.5	0	27109.005	384.9462366	10435.13712	30000	0	0	30000	42.625	2004
15.01.2020 13:03:55	1	1	1	1	91.25	62.5	0	27345.972	397.8494624	10938.22194	30000	0	0	30000	42.75	2004
15.01.2020 13:03:56	1	1	1	1	91.25	62.75	0	27582.938	415.0537634	11389.12293	30000	0	0	30000	42.625	2004
15.01.2020 13:03:57	1	1	1	1	91.25	62.5	0	27867.299	432.2580645	12045.49778	30000	0	0	30000	42	2004
15.01.2020 13:03:58	1	1	1	1	91.25	62	0	27962.085	445.1612903	12468.67611	30000	0	0	30000	42.625	2004
15.01.2020 13:03:59	1	1	1	1	91	62.5	0	28009.479	460.2150538	12977.46854	30000	0	0	30000	42.375	2004
15.01.2020 13:04:00	1	1	1	1	91	62.25	0	28009.479	481.7204301	13191.09613	30000	0	0	30000	42.625	2004
15.01.2020 13:04:01	1	1	1	1	91	62.5	0	28436.019	488.172043	13881.71663	30000	0	0	30000	42.625	2004
15.01.2020 13:04:02	1	1	1	1	91	62.5	0	28815.166	509.6774194	14624.52097	30000	0	0	30000	42.75	2004
15.01.2020 13:04:03	1	1	1	1	91	62	0	29383.886	535.483871	15708.96638	30000	0	0	30000	41.8125	2004
15.01.2020 13:04:04	1	1	1	1	91	61.75	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	42.0625	2004
15.01.2020 13:04:05	1	1	1	1	91	62	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.25	2004
15.01.2020 13:04:06	1	1	1	1	91	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.375	2004
15.01.2020 13:04:07	1	1	1	1	91	62.25	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:04:08	1	1	1	1	91	62.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:09	1	1	1	1	91	62	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.625	2004
15.01.2020 13:04:10	1	1	1	1	91	62.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 13:04:11	1	1	1	1	91	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:04:12	1	1	1	1	91	62.5	0	28862.559	554.8387097	15677.98222	30000	0	0	30000	42.625	2004
15.01.2020 13:04:13	1	1	1	1	91	62.5	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	42.375	2004
15.01.2020 13:04:14	1	1	1	1	91	62.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.625	2004
15.01.2020 13:04:15	1	1	1	1	91	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
15.01.2020 13:04:17	1	1	1	1	91	62.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 13:04:18	1	1	1	1	91	62.25	0	29099.526	541.9354839	15858.17955	30000	0	0	30000	42.5	2004
15.01.2020 13:04:24	1	1	1	1	91	62.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:24	1	1	1	1	91	62.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:24	1	1	1	1	91	62.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:24	1	1	1	1	91	62.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:24	1	1	1	1	91	62.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:25	1	1	1	1	91	62.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.6875	2004
15.01.2020 13:04:26	1	1	1	1	91	62.5	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	42.375	2004
15.01.2020 13:04:27	1	1	1	1	91	62.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.625	2004
15.01.2020 13:04:28	1	1	1	1	91	62.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.375	2004
15.01.2020 13:04:29	1	1	1	1	91	62.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	42	2004
15.01.2020 13:04:30	1	1	1	1	91	62	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:31	1	1	1	1	91	62	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:32	1	1	1	1	91	62.5	0	29052.133	539.7849462	15931.56307	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:33	1	1	1	1	91	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.125	2004
15.01.2020 13:04:34	1	1	1	1	91	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:35	1	1	1	1	91	62.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.375	2004
15.01.2020 13:04:36	1	1	1	1	91	62.25	0	29146.919	556.9892473	16108.4989	30000	0	0	30000	42.375	2004
15.01.2020 13:04:37	1	1	1	1	91	62.25	0	29052.133	541.9354839	15894.87131	30000	0	0	30000	41.9375	2004
15.01.2020 13:04:38	1	1	1	1	91	61.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.875	2004
15.01.2020 13:04:39	1	1	1	1	91.25	61.75	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	42.3125	2004
15.01.2020 13:04:40	1	1	1	1	91.25	62.25	0	29383.886	550.5376344	16139.48305	30000	0	0	30000	42.8125	2004
15.01.2020 13:04:41	1	1	1	1	91.25	62.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	42.8125	2004
15.01.2020 13:04:42	1	1	1	1	91.25	62.75	0	29336.493	546.2365591	15920.96323	30000	0	0	30000	42.5625	2004
15.01.2020 13:04:43	1	1	1	1	91.25	62.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.3125	2004
15.01.2020 13:04:44	1	1	1	1	91.25	62.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:45	1	1	1	1	91.25	62	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.625	2004
15.01.2020 13:04:46	1	1	1	1	91.25	62.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.5	2004
15.01.2020 13:04:47	1	1	1	1	91.25	62.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	42.625	2004
15.01.2020 13:04:48	1	1	1	1	91.75	62.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:49	1	1	1	1	91.75	62	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.5	2004
15.01.2020 13:04:50	1	1	1	1	91.75	62.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.1875	2004
15.01.2020 13:04:51	1	1	1	1	91.75	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:04:52	1	1	1	1	91.75	62.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	42.6875	2004
15.01.2020 13:04:53	1	1	1	1	91.75	62.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41.75	2004
15.01.2020 13:04:55	1	1	1	1	91.75	61.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
15.01.2020 13:04:56	1	1	1	1	91.75	62.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:04:57	1	1	1	1	91.75	62.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.9375	2004
15.01.2020 13:04:58	1	1	1	1	91.75	61.75	0	29052.133	554.8387097	15942.16291	30000	0	0	30000	42.375	2004
15.01.2020 13:04:59	1	1	1	1	91.5	62.25	0	29052.133	546.2365591	15754.62724	30000	0	0	30000	42.1875	2004
15.01.2020 13:05:00	1	1	1	1	91.5	62	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:01	1	1	1	1	91.5	62.25	0	29241.706	550.5376344	16150.89827	30000	0	0	30000	42.375	2004
15.01.2020 13:05:02	1	1	1	1	91.5	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 13:05:03	1	1	1	1	91.5	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.6875	2004
15.01.2020 13:05:04	1	1	1	1	91.5	62.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:05	1	1	1	1	91.5	62.25	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	42.625	2004
15.01.2020 13:05:06	1	1	1	1	91.5	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.5625	2004
15.01.2020 13:05:07	1	1	1	1	91.5	62.5	0	29241.706	537.6344086	15909.54801	30000	0	0	30000	42.5625	2004
15.01.2020 13:05:08	1	1	1	1	91.5	62.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 13:05:09	1	1	1	1	92	62.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:10	1	1	1	1	92	62.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	42.625	2004
15.01.2020 13:05:11	1	1	1	1	92	62.5	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	42.375	2004
15.01.2020 13:05:12	1	1	1	1	92	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.125	2004
15.01.2020 13:05:13	1	1	1	1	92	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.5	2004
15.01.2020 13:05:14	1	1	1	1	92	62.5	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
15.01.2020 13:05:15	1	1	1	1	92	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.25	2004
15.01.2020 13:05:16	1	1	1	1	92	62.25	0	30000	492.4731183	14902.56299	30000	0	0	30000	42.25	2004
15.01.2020 13:05:17	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
15.01.2020 13:05:18	1	1	1	1	92	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:19	1	1	1	1	91.5	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.25	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:26	1	1	1	1	91.5	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.1875	2004
15.01.2020 13:05:27	1	1	1	1	91.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.5	2004
15.01.2020 13:05:28	1	1	1	1	91.75	62.5	0	29857.82	535.483871	16052.2382	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:29	1	1	1	1	91.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 13:05:30	1	1	1	1	91.75	62.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:31	1	1	1	1	91.75	62.25	0	30000	522.5806452	15563.0147	30000	0	0	30000	42.125	2004
15.01.2020 13:05:32	1	1	1	1	91.75	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:34	1	1	1	1	91.75	62.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.3125	2004
15.01.2020 13:05:35	1	1	1	1	91.75	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.1875	2004
15.01.2020 13:05:36	1	1	1	1	91.75	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.3125	2004
15.01.2020 13:05:37	1	1	1	1	91.75	62.25	0	30094.787	501.0752688	14902.56299	30000	0	0	30000	41.5	2004
15.01.2020 13:05:38	1	1	1	1	91.75	61.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.625	2004
15.01.2020 13:05:39	1	1	1	1	91.75	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.5	2004
15.01.2020 13:05:40	1	1	1	1	91.75	62.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:05:41	1	1	1	1	91.75	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
15.01.2020 13:05:42	1	1	1	1	91.75	62.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.6875	2004
15.01.2020 13:05:43	1	1	1	1	91.75	61.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.125	2004
15.01.2020 13:05:44	1	1	1	1	91.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
15.01.2020 13:05:45	1	1	1	1	91.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
15.01.2020 13:05:46	1	1	1	1	91.75	62.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.125	2004
15.01.2020 13:05:47	1	1	1	1	91.75	62	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	41.8125	2004
15.01.2020 13:05:48	1	1	1	1	91.75	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:49	1	1	1	1	91.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
15.01.2020 13:05:50	1	1	1	1	91.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
15.01.2020 13:05:51	1	1	1	1	91.75	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:52	1	1	1	1	91.75	62.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42	2004
15.01.2020 13:05:53	1	1	1	1	91.75	62	0	30000	488.172043	14902.56299	30000	0	0	30000	42	2004
15.01.2020 13:05:54	1	1	1	1	91.75	62	0	30000	494.6236559	14815.31813	30000	0	0	30000	42.5	2004
15.01.2020 13:05:55	1	1	1	1	91.75	62.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
15.01.2020 13:05:56	1	1	1	1	91.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
15.01.2020 13:05:57	1	1	1	1	91.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
15.01.2020 13:05:58	1	1	1	1	91.75	62.75	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
15.01.2020 13:05:59	1	1	1	1	92	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.6875	2004
15.01.2020 13:06:00	1	1	1	1	92	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:01	1	1	1	1	92	62.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.0625	2004
15.01.2020 13:06:02	1	1	1	1	92	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.25	2004
15.01.2020 13:06:03	1	1	1	1	92	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.9375	2004
15.01.2020 13:06:04	1	1	1	1	92	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.375	2004
15.01.2020 13:06:05	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:06	1	1	1	1	92	62.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.375	2004
15.01.2020 13:06:07	1	1	1	1	92	62.25	0	30000	466.6666667	13698.25782	30000	0	0	30000	42.3125	2004
15.01.2020 13:06:08	1	1	1	1	91.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:09	1	1	1	1	91.75	62.25	0	30000	518.2795699	14984.10024	30000	0	0	30000	42.5625	2004
15.01.2020 13:06:10	1	1	1	1	91.75	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:11	1	1	1	1	91.75	62.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:13	1	1	1	1	91.75	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5	2004
15.01.2020 13:06:14	1	1	1	1	91.75	62.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.25	2004
15.01.2020 13:06:15	1	1	1	1	91.75	62.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	41.6875	2004
15.01.2020 13:06:16	1	1	1	1	91.75	61.5	0	30000	496.7741935	14622.07485	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:17	1	1	1	1	91.75	62.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.9375	2004
15.01.2020 13:06:18	1	1	1	1	91.75	61.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5625	2004
15.01.2020 13:06:19	1	1	1	1	92	62.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5	2004
15.01.2020 13:06:20	1	1	1	1	92	62.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.5	2004
15.01.2020 13:06:21	1	1	1	1	92	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	42.5	2004
15.01.2020 13:06:28	1	1	1	1	92	62.5	0	29952.607	535.483871	16077.51474	30000	0	0	30000	42	2004
15.01.2020 13:06:29	1	1	1	1	92	62	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.125	2004
15.01.2020 13:06:30	1	1	1	1	92	62	0	30000	533.3333333	16128.88321	30000	0	0	30000	42.5	2004
15.01.2020 13:06:31	1	1	1	1	92	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5	2004
15.01.2020 13:06:32	1	1	1	1	92	62.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	41.375	2004
15.01.2020 13:06:33	1	1	1	1	92	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
15.01.2020 13:06:34	1	1	1	1	92	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
15.01.2020 13:06:35	1	1	1	1	92	62	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:36	1	1	1	1	92	62.25	0	30047.393	481.7204301	14516.07643	30000	0	0	30000	42.0625	2004
15.01.2020 13:06:37	1	1	1	1	92	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
15.01.2020 13:06:38	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
15.01.2020 13:06:39	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
15.01.2020 13:06:40	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
15.01.2020 13:06:41	1	1	1	1	92	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
15.01.2020 13:06:42	1	1	1	1	92	62	0	30000	464.516129	13935.53122	30000	0	0	30000	41.8125	2004
15.01.2020 13:06:43	1	1	1	1	92	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5625	2004
15.01.2020 13:06:44	1	1	1	1	92	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
15.01.2020 13:06:45	1	1	1	1	92	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:46	1	1	1	1	92	62.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.5625	2004
15.01.2020 13:06:47	1	1	1	1	92	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
15.01.2020 13:06:48	1	1	1	1	91.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
15.01.2020 13:06:49	1	1	1	1	91.5	62.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.875	2004
15.01.2020 13:06:51	1	1	1	1	91.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
15.01.2020 13:06:52	1	1	1	1	91.5	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:53	1	1	1	1	91.5	62.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:54	1	1	1	1	91.5	62.25	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
15.01.2020 13:06:55	1	1	1	1	91.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
15.01.2020 13:06:56	1	1	1	1	91.5	62.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.375	2004
15.01.2020 13:06:57	1	1	1	1	91.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
15.01.2020 13:06:58	1	1	1	1	91.5	62.25	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	42.125	2004
15.01.2020 13:06:59	1	1	1	1	91.5	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
15.01.2020 13:07:00	1	1	1	1	91.5	62.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	42.5	2004
15.01.2020 13:07:01	1	1	1	1	91.5	62.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:02	1	1	1	1	91.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
15.01.2020 13:07:03	1	1	1	1	91.5	62	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.25	2004
15.01.2020 13:07:04	1	1	1	1	91.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:05	1	1	1	1	91.5	62.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.375	2004
15.01.2020 13:07:06	1	1	1	1	91.5	62.25	0	30000	443.0107527	13204.95746	30000	0	0	30000	42.125	2004
15.01.2020 13:07:07	1	1	1	1	91.5	62	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.25	2004
15.01.2020 13:07:08	1	1	1	1	91.5	62.25	0	30047.393	460.2150538	13612.64371	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:07:09	1	1	1	1	91.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:10	1	1	1	1	91.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
15.01.2020 13:07:11	1	1	1	1	91.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:12	1	1	1	1	91.5	62.25	0	30000	488.172043	14580.49085	30000	0	0	30000	42.25	2004
15.01.2020 13:07:13	1	1	1	1	91.5	62.25	0	30000	516.1290323	15112.92909	30000	0	0	30000	42.5	2004
15.01.2020 13:07:14	1	1	1	1	91.5	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:15	1	1	1	1	91.5	62.25	0	30047.393	492.4731183	14773.73413	30000	0	0	30000	42.6875	2004
15.01.2020 13:07:16	1	1	1	1	91.5	62.5	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	42.0625	2004
15.01.2020 13:07:17	1	1	1	1	91.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
15.01.2020 13:07:18	1	1	1	1	91.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
15.01.2020 13:07:19	1	1	1	1	91.5	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
15.01.2020 13:07:20	1	1	1	1	91.5	62	0	30000	425.8064516	12580.38214	30000	0	0	30000	42.1875	2004
15.01.2020 13:07:21	1	1	1	1	91.5	62	0	30000	440.8602151	13183.75778	30000	0	0	30000	42.5	2004
15.01.2020 13:07:22	1	1	1	1	91.5	62.5	0	30000	455.9139785	13591.44402	30000	0	0	30000	42.3125	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:29	1	1	1	1	91.75	61.5	0	30000	464.516129	13999.94564	30000	0	0	30000	42.25	2004
15.01.2020 13:07:30	1	1	1	1	91.75	62.25	0	29952.607	464.516129	14451.662	30000	0	0	30000	42.5625	2004
15.01.2020 13:07:31	1	1	1	1	91.75	62.5	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	42.3125	2004
15.01.2020 13:07:32	1	1	1	1	91.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.375	2004
15.01.2020 13:07:33	1	1	1	1	91.75	62.25	0	30047.393	492.4731183	14773.73413	30000	0	0	30000	42.5	2004
15.01.2020 13:07:34	1	1	1	1	91.75	62.5	0	29952.607	516.1290323	15548.338	30000	0	0	30000	42.1875	2004
15.01.2020 13:07:35	1	1	1	1	91.75	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5	2004
15.01.2020 13:07:36	1	1	1	1	91.75	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.5	2004
15.01.2020 13:07:37	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	42.5625	2004
15.01.2020 13:07:38	1	1	1	1	91.75	62.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.5	2004
15.01.2020 13:07:39	1	1	1	1	91.75	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 13:07:40	1	1	1	1	91.75	62.25	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	42	2004
15.01.2020 13:07:41	1	1	1	1	91.75	62	0	29810.427	535.483871	15911.99413	30000	0	0	30000	42.5	2004
15.01.2020 13:07:42	1	1	1	1	91.75	62.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.375	2004
15.01.2020 13:07:43	1	1	1	1	91.75	62.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	42.625	2004
15.01.2020 13:07:44	1	1	1	1	91.75	62.5	0	29905.213	529.0322581	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:45	1	1	1	1	91.75	62.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.5	2004
15.01.2020 13:07:46	1	1	1	1	91.75	62.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	42.625	2004
15.01.2020 13:07:47	1	1	1	1	91.75	62.5	0	29715.64	531.1827957	16181.06705	30000	0	0	30000	42.0625	2004
15.01.2020 13:07:48	1	1	1	1	91.75	62	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.625	2004
15.01.2020 13:07:49	1	1	1	1	91.75	62.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.1875	2004
15.01.2020 13:07:50	1	1	1	1	91.75	62	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	42.625	2004
15.01.2020 13:07:51	1	1	1	1	91.75	62.5	0	29620.853	535.483871	15886.71758	30000	0	0	30000	42.5	2004
15.01.2020 13:07:52	1	1	1	1	91.75	62.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:07:53	1	1	1	1	91.75	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.875	2004
15.01.2020 13:07:54	1	1	1	1	91.75	61.75	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	42	2004
15.01.2020 13:07:55	1	1	1	1	91.75	62	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	42.75	2004
15.01.2020 13:07:56	1	1	1	1	91.75	62.75	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	42.4375	2004
15.01.2020 13:07:57	1	1	1	1	91.75	62.25	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	42.125	2004
15.01.2020 13:07:58	1	1	1	1	91.5	62.25	0	29526.066	544.0860215	16217.75881	30000	0	0	30000	42	2004
15.01.2020 13:07:59	1	1	1	1	91.5	62	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	42.375	2004
15.01.2020 13:08:00	1	1	1	1	91.5	62.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:01	1	1	1	1	91.5	62.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	42.5625	2004
15.01.2020 13:08:02	1	1	1	1	91.5	62.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.875	2004
15.01.2020 13:08:03	1	1	1	1	91.5	61.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.875	2004
15.01.2020 13:08:04	1	1	1	1	91.5	61.75	0	29478.673	537.6344086	16090.5607	30000	0	0	30000	42.5	2004
15.01.2020 13:08:05	1	1	1	1	91.5	62.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.6875	2004
15.01.2020 13:08:06	1	1	1	1	91.5	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.125	2004
15.01.2020 13:08:08	1	1	1	1	91.5	62	0	29526.066	535.483871	15963.3626	30000	0	0	30000	42.5	2004
15.01.2020 13:08:09	1	1	1	1	91.75	62.5	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
15.01.2020 13:08:10	1	1	1	1	91.75	62	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.625	2004
15.01.2020 13:08:11	1	1	1	1	91.75	62.5	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	42.25	2004
15.01.2020 13:08:12	1	1	1	1	91.75	62.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	42.5	2004
15.01.2020 13:08:13	1	1	1	1	91.75	62.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:14	1	1	1	1	91.75	62.25	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	42.25	2004
15.01.2020 13:08:15	1	1	1	1	91.75	62.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.5625	2004
15.01.2020 13:08:16	1	1	1	1	91.75	62.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	42.1875	2004
15.01.2020 13:08:17	1	1	1	1	91.75	62	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	42.1875	2004
15.01.2020 13:08:18	1	1	1	1	91.75	62	0	29620.853	535.483871	16052.2382	30000	0	0	30000	42.1875	2004
15.01.2020 13:08:19	1	1	1	1	91.5	62	0	29763.033	544.0860215	16167.20572	30000	0	0	30000	42.6875	2004
15.01.2020 13:08:20	1	1	1	1	91.5	62.5	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:21	1	1	1	1	91.5	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.625	2004
15.01.2020 13:08:22	1	1	1	1	91.5	62.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:23	1	1	1	1	91.5	62.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:24	1	1	1	1	91.5	62.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
15.01.2020 13:08:31	1	1	1	1	91.75	62.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	42.0625	2004
15.01.2020 13:08:32	1	1	1	1	91.75	62	0	29857.82	537.6344086	15834.53374	30000	0	0	30000	42.75	2004
15.01.2020 13:08:33	1	1	1	1	91.75	62.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
15.01.2020 13:08:34	1	1	1	1	91.75	62	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.625	2004
15.01.2020 13:08:35	1	1	1	1	91.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
15.01.2020 13:08:36	1	1	1	1	91.75	62.25	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:08:37	1	1	1	1	91.75	62	0	30000	520.4301075	15548.338	30000	0	0	30000	42.5	2004
15.01.2020 13:08:38	1	1	1	1	91.25	62.5	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	42.5	2004
15.01.2020 13:08:39	1	1	1	1	91.25	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.125	2004
15.01.2020 13:08:40	1	1	1	1	91.25	62	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:41	1	1	1	1	91.25	62.25	0	30000	531.1827957	15845.94896	30000	0	0	30000	42.5625	2004
15.01.2020 13:08:42	1	1	1	1	91.25	62.5	0	29905.213	535.483871	15730.98144	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:43	1	1	1	1	91.25	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.0625	2004
15.01.2020 13:08:44	1	1	1	1	91.25	62	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	42.6875	2004
15.01.2020 13:08:46	1	1	1	1	91.25	62.5	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	42.4375	2004
15.01.2020 13:08:47	1	1	1	1	91.25	62.25	0	29905.213	529.0322581	16013.10032	30000	0	0	30000	42.5	2004
15.01.2020 13:08:48	1	1	1	1	91.25	62.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.6875	2004
15.01.2020 13:08:49	1	1	1	1	91.5	62.5	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	42.5	2004
15.01.2020 13:08:50	1	1	1	1	91.5	62.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	42.3125	2004
15.01.2020 13:08:51	1	1	1	1	91.5	62.25	0	29526.066	541.9354839	16179.43631	30000	0	0	30000	42.125	2004
15.01.2020 13:08:52	1	1	1	1	91.5	62	0	29431.28	546.2365591	16075.884	30000	0	0	30000	42.625	2004
15.01.2020 13:08:53	1	1	1	1	91.5	62.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.25	2004
15.01.2020 13:08:54	1	1	1	1	91.5	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.75	2004
15.01.2020 13:08:55	1	1	1	1	91.5	61.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.5	2004
15.01.2020 13:08:56	1	1	1	1	91.5	62.5	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	42.3125	2004
15.01.2020 13:08:57	1	1	1	1	91.5	62.25	0	29336.493	544.0860215	15809.2572	30000	0	0	30000	41.125	2004
15.01.2020 13:08:58	1	1	1	1	91.5	61	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	42.3125	2004
15.01.2020 13:08:59	1	1	1	1	90.75	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.3125	2004
15.01.2020 13:09:00	1	1	1	1	90.75	62.25	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:01	1	1	1	1	90.75	62	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.75	2004
15.01.2020 13:09:02	1	1	1	1	90.75	61.75	0	29431.28	541.9354839	16075.884	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:03	1	1	1	1	90.75	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5	2004
15.01.2020 13:09:04	1	1	1	1	90.75	62.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 13:09:05	1	1	1	1	90.75	62.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.4375	2004
15.01.2020 13:09:06	1	1	1	1	90.75	62.25	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:07	1	1	1	1	90.75	62.5	0	30047.393	533.3333333	15934.82456	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:08	1	1	1	1	90.75	62	0	30000	524.7311828	15548.338	30000	0	0	30000	42.5	2004
15.01.2020 13:09:09	1	1	1	1	91.25	62.5	0	30000	509.6774194	15201.80469	30000	0	0	30000	42.375	2004
15.01.2020 13:09:10	1	1	1	1	91.25	62.25	0	29905.213	518.2795699	15548.338	30000	0	0	30000	42.9375	2004
15.01.2020 13:09:11	1	1	1	1	91.25	62.75	0	30000	509.6774194	15483.92357	30000	0	0	30000	42.0625	2004
15.01.2020 13:09:12	1	1	1	1	91.25	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:13	1	1	1	1	91.25	63	0	30000	520.4301075	15805.99571	30000	0	0	30000	41.875	2004
15.01.2020 13:09:14	1	1	1	1	91.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.4375	2004
15.01.2020 13:09:15	1	1	1	1	91.25	62.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.3125	2004
15.01.2020 13:09:16	1	1	1	1	91.25	62.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.25	2004
15.01.2020 13:09:17	1	1	1	1	91.25	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
15.01.2020 13:09:18	1	1	1	1	91	61.5	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	42.375	2004
15.01.2020 13:09:19	1	1	1	1	91	62.25	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	42.5	2004
15.01.2020 13:09:20	1	1	1	1	91	62.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:09:21	1	1	1	1	91	62.25	0	29383.886	539.7849462	15898.1328	30000	0	0	30000	42	2004
15.01.2020 13:09:23	1	1	1	1	91	62	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	42.625	2004
15.01.2020 13:09:24	1	1	1	1	91	62.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	42.0625	2004
15.01.2020 13:09:25	1	1	1	1	91	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.3125	2004
15.01.2020 13:09:26	1	1	1	1	91	62.25	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:32	1	1	1	1	91	62.25	0	29620.853	535.483871	15708.96638	30000	0	0	30000	42.375	2004
15.01.2020 13:09:33	1	1	1	1	91	62.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:34	1	1	1	1	91	62.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:35	1	1	1	1	91	62	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	40.625	2004
15.01.2020 13:09:36	1	1	1	1	91	60.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	42.4375	2004
15.01.2020 13:09:37	1	1	1	1	91	62.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 13:09:38	1	1	1	1	91	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:39	1	1	1	1	91.25	62.5	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	42.125	2004
15.01.2020 13:09:40	1	1	1	1	91.25	62	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.5625	2004
15.01.2020 13:09:41	1	1	1	1	91.25	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.9375	2004
15.01.2020 13:09:42	1	1	1	1	91.25	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
15.01.2020 13:09:43	1	1	1	1	91.25	62.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.875	2004
15.01.2020 13:09:44	1	1	1	1	91.25	61.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
15.01.2020 13:09:45	1	1	1	1	91.25	62.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.3125	2004
15.01.2020 13:09:46	1	1	1	1	91.25	62.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:47	1	1	1	1	91.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 13:09:48	1	1	1	1	91.25	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.625	2004
15.01.2020 13:09:49	1	1	1	1	91.75	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.4375	2004
15.01.2020 13:09:50	1	1	1	1	91.75	62.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.5	2004
15.01.2020 13:09:51	1	1	1	1	91.75	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:52	1	1	1	1	91.75	62.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 13:09:53	1	1	1	1	91.75	62	0	29383.886	548.3870968	16024.51553	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:54	1	1	1	1	91.75	62.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:55	1	1	1	1	91.75	62.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	42.5625	2004
15.01.2020 13:09:56	1	1	1	1	91.75	62.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	42.3125	2004
15.01.2020 13:09:57	1	1	1	1	91.75	62.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.1875	2004
15.01.2020 13:09:58	1	1	1	1	91.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 13:09:59	1	1	1	1	91.25	62.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	42.25	2004
15.01.2020 13:10:01	1	1	1	1	91.25	62.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:02	1	1	1	1	91.25	62.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.0625	2004
15.01.2020 13:10:03	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.375	2004
15.01.2020 13:10:04	1	1	1	1	91.25	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.25	2004
15.01.2020 13:10:05	1	1	1	1	91.25	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:10:06	1	1	1	1	91.25	62	0	29146.919	552.688172	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 13:10:07	1	1	1	1	91.25	62	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.25	2004
15.01.2020 13:10:08	1	1	1	1	91.25	61.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:09	1	1	1	1	91.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:10	1	1	1	1	91.25	62.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 13:10:11	1	1	1	1	91.25	62.5	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	42.5	2004
15.01.2020 13:10:12	1	1	1	1	91.25	62.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	42.25	2004
15.01.2020 13:10:13	1	1	1	1	91.25	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 13:10:14	1	1	1	1	91.25	62	0	29052.133	552.688172	16030.22314	30000	0	0	30000	42.6875	2004
15.01.2020 13:10:15	1	1	1	1	91.25	62.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:16	1	1	1	1	91.25	62.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:17	1	1	1	1	91.25	62.5	0	29099.526	552.688172	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:18	1	1	1	1	91.25	62.25	0	28862.559	552.688172	15889.97907	30000	0	0	30000	42.5	2004
15.01.2020 13:10:19	1	1	1	1	91.25	62.5	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	42.5	2004
15.01.2020 13:10:20	1	1	1	1	91.25	62.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.625	2004
15.01.2020 13:10:21	1	1	1	1	91.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.375	2004
15.01.2020 13:10:22	1	1	1	1	91.25	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.0625	2004
15.01.2020 13:10:23	1	1	1	1	91.25	62	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:10:24	1	1	1	1	91.25	62.5	0	28909.953	546.2365591	16004.13122	30000	0	0	30000	42.25	2004
15.01.2020 13:10:25	1	1	1	1	91.25	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.6875	2004
15.01.2020 13:10:26	1	1	1	1	91.25	61.5	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	42.5	2004
15.01.2020 13:10:27	1	1	1	1	91.25	62.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	42.6875	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:34	1	1	1	1	91.25	62.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:35	1	1	1	1	91.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:10:36	1	1	1	1	91.25	62	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:37	1	1	1	1	91.25	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.3125	2004
15.01.2020 13:10:38	1	1	1	1	91.5	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.0625	2004
15.01.2020 13:10:39	1	1	1	1	91.5	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.125	2004
15.01.2020 13:10:41	1	1	1	1	91.5	62	0	29146.919	554.8387097	15868.77939	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:42	1	1	1	1	91.5	62.25	0	29146.919	552.688172	16020.43867	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:43	1	1	1	1	91.5	62.25	0	28957.346	550.5376344	16030.22314	30000	0	0	30000	42.5	2004
15.01.2020 13:10:44	1	1	1	1	91.5	62.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41.9375	2004
15.01.2020 13:10:45	1	1	1	1	91.5	61.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:46	1	1	1	1	91.5	62.5	0	29004.739	552.688172	16004.13122	30000	0	0	30000	42.75	2004
15.01.2020 13:10:47	1	1	1	1	91.5	62.75	0	28957.346	552.688172	15951.94738	30000	0	0	30000	42.6875	2004
15.01.2020 13:10:48	1	1	1	1	91.5	62.5	0	29099.526	552.688172	16234.06626	30000	0	0	30000	41.875	2004
15.01.2020 13:10:49	1	1	1	1	91.5	61.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:10:50	1	1	1	1	91.5	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 13:10:51	1	1	1	1	91.5	62	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.625	2004
15.01.2020 13:10:52	1	1	1	1	91.5	62.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.625	2004
15.01.2020 13:10:53	1	1	1	1	91.5	62.5	0	28862.559	552.688172	16013.91569	30000	0	0	30000	42.125	2004
15.01.2020 13:10:54	1	1	1	1	91.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.375	2004
15.01.2020 13:10:55	1	1	1	1	91.5	61.25	0	29052.133	546.2365591	16145.19066	30000	0	0	30000	41.9375	2004
15.01.2020 13:10:56	1	1	1	1	91.5	61.75	0	29052.133	552.688172	16119.09874	30000	0	0	30000	42.1875	2004
15.01.2020 13:10:57	1	1	1	1	91.5	62	0	28815.166	544.0860215	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 13:10:58	1	1	1	1	91.5	62.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.5625	2004
15.01.2020 13:10:59	1	1	1	1	91.75	62.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:11:00	1	1	1	1	91.75	62.5	0	28957.346	546.2365591	16332.72633	30000	0	0	30000	42.625	2004
15.01.2020 13:11:01	1	1	1	1	91.75	62.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.9375	2004
15.01.2020 13:11:02	1	1	1	1	91.75	61.75	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	42.5625	2004
15.01.2020 13:11:03	1	1	1	1	91.75	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:11:04	1	1	1	1	91.75	62.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.5625	2004
15.01.2020 13:11:05	1	1	1	1	91.75	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.75	2004
15.01.2020 13:11:06	1	1	1	1	91.75	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:11:07	1	1	1	1	91.75	62.25	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	42.9375	2004
15.01.2020 13:11:08	1	1	1	1	91.75	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.375	2004
15.01.2020 13:11:09	1	1	1	1	92	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.25	2004
15.01.2020 13:11:10	1	1	1	1	92	62.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:11	1	1	1	1	92	62.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:12	1	1	1	1	92	62.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:13	1	1	1	1	92	62.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.5	2004
15.01.2020 13:11:14	1	1	1	1	92	62.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.5625	2004
15.01.2020 13:11:15	1	1	1	1	92	62.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42.625	2004
15.01.2020 13:11:16	1	1	1	1	92	62.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.5625	2004
15.01.2020 13:11:17	1	1	1	1	92	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 13:11:19	1	1	1	1	91.75	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
15.01.2020 13:11:20	1	1	1	1	91.75	61.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:21	1	1	1	1	91.75	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.0625	2004
15.01.2020 13:11:22	1	1	1	1	91.75	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.9375	2004
15.01.2020 13:11:23	1	1	1	1	91.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
15.01.2020 13:11:24	1	1	1	1	91.75	62.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:25	1	1	1	1	91.75	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:26	1	1	1	1	91.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:27	1	1	1	1	91.75	62.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:28	1	1	1	1	91.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:29	1	1	1	1	92	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
15.01.2020 13:11:36	1	1	1	1	92	62.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	42	2004
15.01.2020 13:11:36	1	1	1	1	92	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:37	1	1	1	1	92	62.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
15.01.2020 13:11:38	1	1	1	1	92	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
15.01.2020 13:11:39	1	1	1	1	92.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
15.01.2020 13:11:40	1	1	1	1	92.25	61.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	41.875	2004
15.01.2020 13:11:41	1	1	1	1	92.25	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.0625	2004
15.01.2020 13:11:42	1	1	1	1	92.25	62	0	30000	486.0215054	14580.49085	30000	0	0	30000	42.1875	2004
15.01.2020 13:11:43	1	1	1	1	92.25	62	0	29952.607	492.4731183	14750.9037	30000	0	0	30000	42.0625	2004
15.01.2020 13:11:44	1	1	1	1	92.25	62	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:45	1	1	1	1	92.25	62.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	42.5	2004
15.01.2020 13:11:46	1	1	1	1	92.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.0625	2004
15.01.2020 13:11:47	1	1	1	1	92.25	62	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	42.6875	2004
15.01.2020 13:11:48	1	1	1	1	92.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
15.01.2020 13:11:49	1	1	1	1	92.25	61.75	0	30000	490.3225806	14902.56299	30000	0	0	30000	42.625	2004
15.01.2020 13:11:50	1	1	1	1	92.25	62.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.3125	2004
15.01.2020 13:11:51	1	1	1	1	92.25	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.5	2004
15.01.2020 13:11:52	1	1	1	1	92.25	62.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.375	2004
15.01.2020 13:11:53	1	1	1	1	92.25	62.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.625	2004
15.01.2020 13:11:54	1	1	1	1	92.25	62.5	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	41.9375	2004
15.01.2020 13:11:55	1	1	1	1	92.25	61.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.25	2004
15.01.2020 13:11:56	1	1	1	1	92.25	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.5625	2004
15.01.2020 13:11:57	1	1	1	1	92.25	62.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.0625	2004
15.01.2020 13:11:58	1	1	1	1	92.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.5	2004
15.01.2020 13:12:00	1	1	1	1	92.5	62.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.5	2004
15.01.2020 13:12:01	1	1	1	1	92.5	62.5	0	30000	516.1290323	15548.338	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:02	1	1	1	1	92.5	62.25	0	30000	518.2795699	15266.21912	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:03	1	1	1	1	92.5	62.25	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	42.3125	2004
15.01.2020 13:12:04	1	1	1	1	92.5	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.9375	2004
15.01.2020 13:12:05	1	1	1	1	92.5	61.75	0	29810.427	533.3333333	15720.38159	30000	0	0	30000	42.5	2004
15.01.2020 13:12:06	1	1	1	1	92.5	62.5	0	29715.64	535.483871	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 13:12:07	1	1	1	1	92.5	62.25	0	29905.213	537.6344086	15924.22472	30000	0	0	30000	42.25	2004
15.01.2020 13:12:08	1	1	1	1	92.5	62.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.25	2004
15.01.2020 13:12:09	1	1	1	1	92.5	61.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.25	2004
15.01.2020 13:12:10	1	1	1	1	92.5	62.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	42.3125	2004
15.01.2020 13:12:11	1	1	1	1	92.5	62.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.5625	2004
15.01.2020 13:12:12	1	1	1	1	92.5	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.5	2004
15.01.2020 13:12:13	1	1	1	1	92.5	62.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.75	2004
15.01.2020 13:12:14	1	1	1	1	92.5	61.75	0	29763.033	541.9354839	15975.59318	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:15	1	1	1	1	92.5	62.25	0	29478.673	541.9354839	16255.26595	30000	0	0	30000	42.375	2004
15.01.2020 13:12:16	1	1	1	1	92.5	62.25	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	42.1875	2004
15.01.2020 13:12:17	1	1	1	1	92.5	62	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:12:18	1	1	1	1	92.5	62.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.625	2004
15.01.2020 13:12:19	1	1	1	1	92.75	62.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.25	2004
15.01.2020 13:12:20	1	1	1	1	92.75	62.25	0	29289.1	548.3870968	16124.80635	30000	0	0	30000	42.375	2004
15.01.2020 13:12:21	1	1	1	1	92.75	62.25	0	29431.28	554.8387097	16050.60745	30000	0	0	30000	41.875	2004
15.01.2020 13:12:22	1	1	1	1	92.75	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:23	1	1	1	1	92.75	62.25	0	28957.346	541.9354839	15754.62724	30000	0	0	30000	42.625	2004
15.01.2020 13:12:24	1	1	1	1	92.75	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:25	1	1	1	1	92.75	62.25	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	42.8125	2004
15.01.2020 13:12:26	1	1	1	1	92.75	62.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.9375	2004
15.01.2020 13:12:27	1	1	1	1	92.75	62.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:28	1	1	1	1	92.5	62.25	0	29431.28	544.0860215	15860.62566	30000	0	0	30000	42.0625	2004
15.01.2020 13:12:29	1	1	1	1	92.5	62	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	42.1875	2004
15.01.2020 13:12:30	1	1	1	1	92.5	62	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.9375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:37	1	1	1	1	92.5	62.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:38	1	1	1	1	92.5	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
15.01.2020 13:12:39	1	1	1	1	92.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5	2004
15.01.2020 13:12:40	1	1	1	1	92.75	61.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:41	1	1	1	1	92.75	62.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 13:12:42	1	1	1	1	92.75	62.5	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	42	2004
15.01.2020 13:12:43	1	1	1	1	92.75	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
15.01.2020 13:12:44	1	1	1	1	92.75	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 13:12:45	1	1	1	1	92.75	62.5	0	29146.919	550.5376344	15894.87131	30000	0	0	30000	42.5625	2004
15.01.2020 13:12:46	1	1	1	1	92.75	62.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:12:47	1	1	1	1	92.75	62	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:12:48	1	1	1	1	92.75	62	0	29146.919	552.688172	15806.81108	30000	0	0	30000	42.375	2004
15.01.2020 13:12:49	1	1	1	1	92.75	62.25	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:12:50	1	1	1	1	92.75	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.125	2004
15.01.2020 13:12:51	1	1	1	1	92.75	62	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:52	1	1	1	1	92.75	62.25	0	29478.673	554.8387097	16265.86579	30000	0	0	30000	42.5	2004
15.01.2020 13:12:53	1	1	1	1	92.75	62.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.625	2004
15.01.2020 13:12:54	1	1	1	1	92.75	62.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	42.1875	2004
15.01.2020 13:12:55	1	1	1	1	92.75	62	0	28957.346	552.688172	15978.0393	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:56	1	1	1	1	92.75	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:57	1	1	1	1	92.75	62.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 13:12:58	1	1	1	1	92.75	62.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.25	2004
15.01.2020 13:12:59	1	1	1	1	92.75	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.875	2004
15.01.2020 13:13:00	1	1	1	1	92.75	61.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	42.5	2004
15.01.2020 13:13:01	1	1	1	1	92.75	62.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:13:02	1	1	1	1	92.75	62.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42	2004
15.01.2020 13:13:03	1	1	1	1	92.75	62	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.1875	2004
15.01.2020 13:13:04	1	1	1	1	92.75	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.5	2004
15.01.2020 13:13:05	1	1	1	1	92.75	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.8125	2004
15.01.2020 13:13:06	1	1	1	1	92.75	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:07	1	1	1	1	92.75	62.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:08	1	1	1	1	93	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 13:13:09	1	1	1	1	93	62.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 13:13:10	1	1	1	1	93	62.5	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:11	1	1	1	1	93	62.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:12	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 13:13:13	1	1	1	1	93	62.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.625	2004
15.01.2020 13:13:15	1	1	1	1	93	62.5	0	28957.346	561.2903226	16128.88321	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:16	1	1	1	1	93	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:17	1	1	1	1	93	62.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.9375	2004
15.01.2020 13:13:18	1	1	1	1	93	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:19	1	1	1	1	93	62.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:20	1	1	1	1	93	62.5	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.375	2004
15.01.2020 13:13:21	1	1	1	1	93	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.9375	2004
15.01.2020 13:13:22	1	1	1	1	93	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:13:23	1	1	1	1	93	62	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	42.5	2004
15.01.2020 13:13:24	1	1	1	1	93	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.625	2004
15.01.2020 13:13:25	1	1	1	1	93	62.5	0	28957.346	541.9354839	15817.41092	30000	0	0	30000	42.625	2004
15.01.2020 13:13:26	1	1	1	1	93	62.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	42.5	2004
15.01.2020 13:13:27	1	1	1	1	93	62.5	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	42.1875	2004
15.01.2020 13:13:28	1	1	1	1	93	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:29	1	1	1	1	93.5	62.25	0	29052.133	546.2365591	16082.40698	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:30	1	1	1	1	93.5	62.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:31	1	1	1	1	93.5	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 13:13:32	1	1	1	1	93.5	62.5	0	28957.346	552.688172	15879.37923	30000	0	0	30000	42.625	2004
15.01.2020 13:13:39	1	1	1	1	93.5	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:13:39	1	1	1	1	93.5	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:13:39	1	1	1	1	93.5	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:13:39	1	1	1	1	93.5	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:13:39	1	1	1	1	93.5	62.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	42.75	2004
15.01.2020 13:13:42	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.625	2004
15.01.2020 13:13:42	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.625	2004
15.01.2020 13:13:42	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.625	2004
15.01.2020 13:13:42	1	1	1	1	93	62.5	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	42.6875	2004
15.01.2020 13:13:43	1	1	1	1	93	62.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	42.9375	2004
15.01.2020 13:13:44	1	1	1	1	93	62.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:45	1	1	1	1	93	62.25	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:13:46	1	1	1	1	93	62.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:47	1	1	1	1	93	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 13:13:48	1	1	1	1	93.25	62.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	42.625	2004
15.01.2020 13:13:49	1	1	1	1	93.25	62.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:50	1	1	1	1	93.25	62.25	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	42.5	2004
15.01.2020 13:13:51	1	1	1	1	93.25	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
15.01.2020 13:13:53	1	1	1	1	93.25	61.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	42.5625	2004
15.01.2020 13:13:54	1	1	1	1	93.25	62.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.375	2004
15.01.2020 13:13:55	1	1	1	1	93.25	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.375	2004
15.01.2020 13:13:56	1	1	1	1	93.25	62.25	0	28625.592	554.8387097	16235.69701	30000	0	0	30000	42.1875	2004
15.01.2020 13:13:57	1	1	1	1	93.25	62	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	42.5	2004
15.01.2020 13:13:58	1	1	1	1	93.25	62.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	42.4375	2004
15.01.2020 13:13:59	1	1	1	1	93.25	62.25	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	42.25	2004
15.01.2020 13:14:00	1	1	1	1	93.25	62.25	0	28625.592	554.8387097	15978.85467	30000	0	0	30000	42.1875	2004
15.01.2020 13:14:01	1	1	1	1	93.25	62	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.9375	2004
15.01.2020 13:14:02	1	1	1	1	93.25	61.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.625	2004
15.01.2020 13:14:03	1	1	1	1	93.25	62.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.375	2004
15.01.2020 13:14:04	1	1	1	1	93.25	62.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.875	2004
15.01.2020 13:14:05	1	1	1	1	93.25	61.75	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 13:14:06	1	1	1	1	93.25	62.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.9375	2004
15.01.2020 13:14:07	1	1	1	1	93.25	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
15.01.2020 13:14:08	1	1	1	1	93.25	62.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	42.625	2004
15.01.2020 13:14:09	1	1	1	1	93.25	62.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	42.375	2004
15.01.2020 13:14:10	1	1	1	1	93.25	62.25	0	28862.559	559.1397849	16190.85152	30000	0	0	30000	42.25	2004
15.01.2020 13:14:11	1	1	1	1	93.25	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.25	2004
15.01.2020 13:14:12	1	1	1	1	93.25	62.25	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	42.4375	2004
15.01.2020 13:14:13	1	1	1	1	93.25	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.1875	2004
15.01.2020 13:14:14	1	1	1	1	93.25	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.4375	2004
15.01.2020 13:14:15	1	1	1	1	93.25	62.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.625	2004
15.01.2020 13:14:16	1	1	1	1	93.25	62.5	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	42.0625	2004
15.01.2020 13:14:17	1	1	1	1	93.25	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.375	2004
15.01.2020 13:14:18	1	1	1	1	93.25	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.25	2004
15.01.2020 13:14:19	1	1	1	1	93.25	62.25	0	29052.133	539.7849462	15868.77939	30000	0	0	30000	42.375	2004
15.01.2020 13:14:20	1	1	1	1	93.25	62.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
15.01.2020 13:14:21	1	1	1	1	93.25	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.875	2004
15.01.2020 13:14:22	1	1	1	1	93.25	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.25	2004
15.01.2020 13:14:23	1	1	1	1	93.25	61.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.0625	2004
15.01.2020 13:14:24	1	1	1	1	93.25	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:14:25	1	1	1	1	93.25	62	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	42.375	2004
15.01.2020 13:14:26	1	1	1	1	93.25	62.25	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	42	2004
15.01.2020 13:14:27	1	1	1	1	93.25	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.875	2004
15.01.2020 13:14:28	1	1	1	1	93.25	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 13:14:29	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:14:31	1	1	1	1	93.25	62	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.6875	2004
15.01.2020 13:14:32	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
15.01.2020 13:14:33	1	1	1	1	93.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 13:14:34	1	1	1	1	93.25	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.75	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:14:41	1	1	1	1	93.25	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.625	2004
15.01.2020 13:14:42	1	1	1	1	93.25	62.5	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	42.125	2004
15.01.2020 13:14:43	1	1	1	1	93.25	62	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	42.6875	2004
15.01.2020 13:14:44	1	1	1	1	93.25	62.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.3125	2004
15.01.2020 13:14:45	1	1	1	1	93.25	62.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.5	2004
15.01.2020 13:14:46	1	1	1	1	93.25	62.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	42.25	2004
15.01.2020 13:14:47	1	1	1	1	93.25	62.25	0	28625.592	550.5376344	15987.82377	30000	0	0	30000	42.625	2004
15.01.2020 13:14:48	1	1	1	1	93.25	62.5	0	28625.592	559.1397849	15707.33563	30000	0	0	30000	42.3125	2004
15.01.2020 13:14:49	1	1	1	1	93.25	62.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42.375	2004
15.01.2020 13:14:50	1	1	1	1	93.25	62.25	0	28436.019	559.1397849	15811.70331	30000	0	0	30000	42.375	2004
15.01.2020 13:14:51	1	1	1	1	93.25	62.25	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	41.9375	2004
15.01.2020 13:14:52	1	1	1	1	93.25	61.75	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	42.4375	2004
15.01.2020 13:14:53	1	1	1	1	93.25	62.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	42.375	2004
15.01.2020 13:14:54	1	1	1	1	93.25	62.25	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	42.125	2004
15.01.2020 13:14:55	1	1	1	1	93.25	62	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 13:14:56	1	1	1	1	93.25	62.5	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	42.3125	2004
15.01.2020 13:14:57	1	1	1	1	93.25	62.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.25	2004
15.01.2020 13:14:58	1	1	1	1	93.25	62.25	0	28625.592	552.688172	16111.76039	30000	0	0	30000	42.5625	2004
15.01.2020 13:14:59	1	1	1	1	93	62.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	42.375	2004
15.01.2020 13:15:00	1	1	1	1	93	62.25	0	28530.806	563.4408602	16013.91569	30000	0	0	30000	42.5	2004
15.01.2020 13:15:01	1	1	1	1	93	62.5	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	42.875	2004
15.01.2020 13:15:02	1	1	1	1	93	62.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.5625	2004
15.01.2020 13:15:03	1	1	1	1	93	62.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.5625	2004
15.01.2020 13:15:04	1	1	1	1	93	62.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.5	2004
15.01.2020 13:15:05	1	1	1	1	93	62.5	0	28672.986	552.688172	15925.85546	30000	0	0	30000	42.625	2004
15.01.2020 13:15:06	1	1	1	1	93	62.5	0	28625.592	552.688172	15794.58049	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:07	1	1	1	1	93	62.25	0	28957.346	556.9892473	16315.60351	30000	0	0	30000	42.3125	2004
15.01.2020 13:15:08	1	1	1	1	93.25	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.25	2004
15.01.2020 13:15:10	1	1	1	1	93.25	62.25	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:11	1	1	1	1	93.25	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.625	2004
15.01.2020 13:15:12	1	1	1	1	93.25	62.5	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:13	1	1	1	1	93.25	62.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 13:15:14	1	1	1	1	93.25	62	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:15:15	1	1	1	1	93.25	62.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:16	1	1	1	1	93.25	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:17	1	1	1	1	93.25	62.25	0	29289.1	552.688172	16098.71443	30000	0	0	30000	42.1875	2004
15.01.2020 13:15:18	1	1	1	1	93.25	62	0	29241.706	548.3870968	16098.71443	30000	0	0	30000	42.5	2004
15.01.2020 13:15:19	1	1	1	1	93.25	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:20	1	1	1	1	93.25	62.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	42.5	2004
15.01.2020 13:15:21	1	1	1	1	93.25	62.5	0	28862.559	548.3870968	15978.0393	30000	0	0	30000	42.375	2004
15.01.2020 13:15:22	1	1	1	1	93.25	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.3125	2004
15.01.2020 13:15:23	1	1	1	1	93.25	62.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	42.375	2004
15.01.2020 13:15:24	1	1	1	1	93.25	62.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	42	2004
15.01.2020 13:15:25	1	1	1	1	93.25	62	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	42.5	2004
15.01.2020 13:15:26	1	1	1	1	93.25	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
15.01.2020 13:15:27	1	1	1	1	93.25	61.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	42.625	2004
15.01.2020 13:15:28	1	1	1	1	93.25	62.5	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	42.3125	2004
15.01.2020 13:15:29	1	1	1	1	92.75	62.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	42.375	2004
15.01.2020 13:15:30	1	1	1	1	92.75	62.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	42.375	2004
15.01.2020 13:15:31	1	1	1	1	92.75	62.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.25	2004
15.01.2020 13:15:32	1	1	1	1	92.75	62.25	0	29383.886	544.0860215	16075.884	30000	0	0	30000	42.5	2004
15.01.2020 13:15:33	1	1	1	1	92.75	62.5	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	42.1875	2004
15.01.2020 13:15:34	1	1	1	1	92.75	62	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	41.5	2004
15.01.2020 13:15:35	1	1	1	1	92.75	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.5625	2004
15.01.2020 13:15:42	1	1	1	1	92.75	62.25	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:42	1	1	1	1	92.75	62.25	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:42	1	1	1	1	92.75	62.25	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:42	1	1	1	1	92.75	62.25	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:42	1	1	1	1	92.75	62	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	42.125	2004
15.01.2020 13:15:43	1	1	1	1	92.75	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
15.01.2020 13:15:44	1	1	1	1	92.75	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.375	2004
15.01.2020 13:15:45	1	1	1	1	92.75	62.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.6875	2004
15.01.2020 13:15:46	1	1	1	1	92.75	62.5	0	29052.133	556.9892473	16119.09874	30000	0	0	30000	42.0625	2004
15.01.2020 13:15:47	1	1	1	1	92.75	62	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	42.625	2004
15.01.2020 13:15:48	1	1	1	1	93	62.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:15:50	1	1	1	1	93	62.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.875	2004
15.01.2020 13:15:51	1	1	1	1	93	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:15:52	1	1	1	1	93	62.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.25	2004
15.01.2020 13:15:53	1	1	1	1	93	62.25	0	28815.166	548.3870968	16013.91569	30000	0	0	30000	42.125	2004
15.01.2020 13:15:54	1	1	1	1	93	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5	2004
15.01.2020 13:15:55	1	1	1	1	93	62.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.4375	2004
15.01.2020 13:15:56	1	1	1	1	93	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:15:57	1	1	1	1	93	62.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.375	2004
15.01.2020 13:15:58	1	1	1	1	93	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:15:59	1	1	1	1	93	62.25	0	28625.592	552.688172	15759.51947	30000	0	0	30000	42.375	2004
15.01.2020 13:16:00	1	1	1	1	93	62.25	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 13:16:01	1	1	1	1	93	62	0	28672.986	552.688172	15987.82377	30000	0	0	30000	42.3125	2004
15.01.2020 13:16:02	1	1	1	1	93	62.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.625	2004
15.01.2020 13:16:03	1	1	1	1	93	62.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.375	2004
15.01.2020 13:16:04	1	1	1	1	93	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.25	2004
15.01.2020 13:16:05	1	1	1	1	93	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.5625	2004
15.01.2020 13:16:06	1	1	1	1	93	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.125	2004
15.01.2020 13:16:07	1	1	1	1	93	62	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 13:16:08	1	1	1	1	93	62.5	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	42.375	2004
15.01.2020 13:16:09	1	1	1	1	93	62.25	0	29241.706	544.0860215	16024.51553	30000	0	0	30000	42.1875	2004
15.01.2020 13:16:10	1	1	1	1	93	62	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	42.625	2004
15.01.2020 13:16:11	1	1	1	1	93	62.5	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.4375	2004
15.01.2020 13:16:12	1	1	1	1	93	61.25	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	42.5	2004
15.01.2020 13:16:13	1	1	1	1	93	62.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 13:16:14	1	1	1	1	93	62.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	42.4375	2004
15.01.2020 13:16:15	1	1	1	1	93	62.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.375	2004
15.01.2020 13:16:16	1	1	1	1	93	62.25	0	30000	533.3333333	15949.50126	30000	0	0	30000	42.5	2004
15.01.2020 13:16:17	1	1	1	1	93	62.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.875	2004
15.01.2020 13:16:18	1	1	1	1	93	62.75	0	30047.393	503.2258065	15120.26744	30000	0	0	30000	42	2004
15.01.2020 13:16:19	1	1	1	1	93	62	0	30000	498.9247312	14902.56299	30000	0	0	30000	42.5	2004
15.01.2020 13:16:20	1	1	1	1	93	62.75	0	30000	494.6236559	14926.20879	30000	0	0	30000	42.25	2004
15.01.2020 13:16:21	1	1	1	1	93	62.25	0	30000	505.3763441	15137.39026	30000	0	0	30000	42.125	2004
15.01.2020 13:16:22	1	1	1	1	93	62	0	30000	494.6236559	14926.20879	30000	0	0	30000	42.25	2004
15.01.2020 13:16:23	1	1	1	1	93	62.25	0	29952.607	498.9247312	14902.56299	30000	0	0	30000	42.375	2004
15.01.2020 13:16:24	1	1	1	1	93	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.25	2004
15.01.2020 13:16:25	1	1	1	1	93	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
15.01.2020 13:16:26	1	1	1	1	93	61.75	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	41.1875	2004
15.01.2020 13:16:28	1	1	1	1	93	61	0	30000	496.7741935	14879.73256	30000	0	0	30000	42.5	2004
15.01.2020 13:16:29	1	1	1	1	93.5	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.3125	2004
15.01.2020 13:16:30	1	1	1	1	93.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
15.01.2020 13:16:31	1	1	1	1	93.5	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
15.01.2020 13:16:32	1	1	1	1	93.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.375	2004
15.01.2020 13:16:33	1	1	1	1	93.5	62.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.75	2004
15.01.2020 13:16:34	1	1	1	1	93.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
15.01.2020 13:16:35	1	1	1	1	93.5	62.5	0	29905.213	533.3333333	16103.60666	30000	0	0	30000	42.375	2004
15.01.2020 13:16:36	1	1	1	1	93.5	62.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.8125	2004
15.01.2020 13:16:37	1	1	1	1	93.5	61.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.5625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:16:44	1	1	1	1	93.5	62.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	42.625	2004
15.01.2020 13:16:44	1	1	1	1	93.5	62.5	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	42.125	2004
15.01.2020 13:16:45	1	1	1	1	93.5	62	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	42.5625	2004
15.01.2020 13:16:46	1	1	1	1	93.5	62.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.125	2004
15.01.2020 13:16:47	1	1	1	1	93.5	62	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.375	2004
15.01.2020 13:16:48	1	1	1	1	93.5	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.5	2004
15.01.2020 13:16:49	1	1	1	1	92.75	62.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.4375	2004
15.01.2020 13:16:50	1	1	1	1	92.75	62.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	42.4375	2004
15.01.2020 13:16:51	1	1	1	1	92.75	62.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.125	2004
15.01.2020 13:16:52	1	1	1	1	92.75	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.5625	2004
15.01.2020 13:16:53	1	1	1	1	92.75	62.5	0	29241.706	537.6344086	15960.91648	30000	0	0	30000	42	2004
15.01.2020 13:16:54	1	1	1	1	92.75	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.9375	2004
15.01.2020 13:16:55	1	1	1	1	92.75	61.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	42.375	2004
15.01.2020 13:16:56	1	1	1	1	92.75	62.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	42.375	2004
15.01.2020 13:16:57	1	1	1	1	92.75	62.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	42.875	2004
15.01.2020 13:16:58	1	1	1	1	92.75	62.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
15.01.2020 13:16:59	1	1	1	1	93.25	62.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:00	1	1	1	1	93.25	62.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:01	1	1	1	1	93.25	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
15.01.2020 13:17:02	1	1	1	1	93.25	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
15.01.2020 13:17:03	1	1	1	1	93.25	62.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.1875	2004
15.01.2020 13:17:05	1	1	1	1	93.25	62	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:06	1	1	1	1	93.25	62.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.3125	2004
15.01.2020 13:17:07	1	1	1	1	93.25	62.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42	2004
15.01.2020 13:17:08	1	1	1	1	93.25	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:09	1	1	1	1	93.25	62.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.5	2004
15.01.2020 13:17:10	1	1	1	1	93.25	62.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:17:11	1	1	1	1	93.25	62.5	0	29052.133	554.8387097	15879.37923	30000	0	0	30000	42.0625	2004
15.01.2020 13:17:12	1	1	1	1	93.25	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:13	1	1	1	1	93.25	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.8125	2004
15.01.2020 13:17:14	1	1	1	1	93.25	61.75	0	29383.886	550.5376344	16113.39113	30000	0	0	30000	41.6875	2004
15.01.2020 13:17:15	1	1	1	1	93.25	61.5	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	42.25	2004
15.01.2020 13:17:16	1	1	1	1	93.25	62.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:17	1	1	1	1	93.25	62.25	0	29478.673	550.5376344	16165.57497	30000	0	0	30000	42.625	2004
15.01.2020 13:17:18	1	1	1	1	93.25	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.3125	2004
15.01.2020 13:17:19	1	1	1	1	93	62.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	42.5	2004
15.01.2020 13:17:20	1	1	1	1	93	62.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.375	2004
15.01.2020 13:17:21	1	1	1	1	93	62.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.125	2004
15.01.2020 13:17:22	1	1	1	1	93	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.5	2004
15.01.2020 13:17:23	1	1	1	1	93	62.5	0	29146.919	541.9354839	16061.20729	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:24	1	1	1	1	93	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.5	2004
15.01.2020 13:17:25	1	1	1	1	93	62.5	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	42.0625	2004
15.01.2020 13:17:26	1	1	1	1	93	62	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:17:27	1	1	1	1	93	62.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.625	2004
15.01.2020 13:17:28	1	1	1	1	93	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:29	1	1	1	1	93	62.25	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	42.625	2004
15.01.2020 13:17:30	1	1	1	1	93	62.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:31	1	1	1	1	93	62.5	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	42.25	2004
15.01.2020 13:17:32	1	1	1	1	93	62.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:33	1	1	1	1	93	62.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
15.01.2020 13:17:34	1	1	1	1	93	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:35	1	1	1	1	93	62.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.5	2004
15.01.2020 13:17:36	1	1	1	1	93	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.625	2004
15.01.2020 13:17:37	1	1	1	1	93	62	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:38	1	1	1	1	92.75	62.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:45	1	1	1	1	92.75	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:46	1	1	1	1	92.75	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.625	2004
15.01.2020 13:17:47	1	1	1	1	92.75	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.25	2004
15.01.2020 13:17:48	1	1	1	1	92.75	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.5	2004
15.01.2020 13:17:49	1	1	1	1	92	62.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	42.625	2004
15.01.2020 13:17:50	1	1	1	1	92	62.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.1875	2004
15.01.2020 13:17:51	1	1	1	1	92	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:52	1	1	1	1	92	62.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:53	1	1	1	1	92	62.5	0	28909.953	552.688172	15978.0393	30000	0	0	30000	41.875	2004
15.01.2020 13:17:54	1	1	1	1	92	61.75	0	28909.953	552.688172	16004.13122	30000	0	0	30000	42.5625	2004
15.01.2020 13:17:55	1	1	1	1	92	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.25	2004
15.01.2020 13:17:56	1	1	1	1	92	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.5	2004
15.01.2020 13:17:57	1	1	1	1	92	62.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.4375	2004
15.01.2020 13:17:58	1	1	1	1	92	62.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.75	2004
15.01.2020 13:17:59	1	1	1	1	92	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.5	2004
15.01.2020 13:18:00	1	1	1	1	92	62.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.0625	2004
15.01.2020 13:18:01	1	1	1	1	92	62	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	42.375	2004
15.01.2020 13:18:02	1	1	1	1	92	62.25	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:03	1	1	1	1	92	62.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.1875	2004
15.01.2020 13:18:04	1	1	1	1	92	62	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.375	2004
15.01.2020 13:18:05	1	1	1	1	92	62.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.875	2004
15.01.2020 13:18:06	1	1	1	1	92	61.75	0	29478.673	544.0860215	15885.90221	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:07	1	1	1	1	92	62.25	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	42.625	2004
15.01.2020 13:18:08	1	1	1	1	92	62.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.875	2004
15.01.2020 13:18:09	1	1	1	1	91.75	61.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42.1875	2004
15.01.2020 13:18:10	1	1	1	1	91.75	62	0	29810.427	533.3333333	15949.50126	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:18:11	1	1	1	1	91.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5	2004
15.01.2020 13:18:12	1	1	1	1	91.75	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
15.01.2020 13:18:13	1	1	1	1	91.75	62.5	0	30000	440.8602151	13011.71418	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:14	1	1	1	1	91.75	62.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.125	2004
15.01.2020 13:18:15	1	1	1	1	91.75	62	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.1875	2004
15.01.2020 13:18:16	1	1	1	1	91.75	62.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:17	1	1	1	1	91.75	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
15.01.2020 13:18:18	1	1	1	1	92.25	62.25	0	30000	432.2580645	13096.51292	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:19	1	1	1	1	92.25	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:21	1	1	1	1	92.25	62.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.0625	2004
15.01.2020 13:18:22	1	1	1	1	92.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
15.01.2020 13:18:23	1	1	1	1	92.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
15.01.2020 13:18:24	1	1	1	1	92.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
15.01.2020 13:18:25	1	1	1	1	92.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
15.01.2020 13:18:26	1	1	1	1	92.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.625	2004
15.01.2020 13:18:27	1	1	1	1	92.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.4375	2004
15.01.2020 13:18:28	1	1	1	1	92.25	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.5	2004
15.01.2020 13:18:29	1	1	1	1	92	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:30	1	1	1	1	92	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:31	1	1	1	1	92	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
15.01.2020 13:18:32	1	1	1	1	92	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.875	2004
15.01.2020 13:18:33	1	1	1	1	92	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.5	2004
15.01.2020 13:18:34	1	1	1	1	92	62.5	0	30000	445.1612903	13269.37189	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:35	1	1	1	1	92	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
15.01.2020 13:18:36	1	1	1	1	92	62.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
15.01.2020 13:18:37	1	1	1	1	92	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
15.01.2020 13:18:38	1	1	1	1	92	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:39	1	1	1	1	92.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
15.01.2020 13:18:40	1	1	1	1	92.5	62.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.0625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:47	1	1	1	1	92.5	62.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.75	2004
15.01.2020 13:18:48	1	1	1	1	92.5	61.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
15.01.2020 13:18:49	1	1	1	1	92.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:50	1	1	1	1	92.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
15.01.2020 13:18:51	1	1	1	1	92.5	61.5	0	29905.213	419.3548387	12838.03984	30000	0	0	30000	42.9375	2004
15.01.2020 13:18:52	1	1	1	1	92.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
15.01.2020 13:18:53	1	1	1	1	92.5	62.5	0	30000	425.8064516	12580.38214	30000	0	0	30000	42.5625	2004
15.01.2020 13:18:54	1	1	1	1	92.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:18:55	1	1	1	1	92.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
15.01.2020 13:18:56	1	1	1	1	92.5	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.3125	2004
15.01.2020 13:18:57	1	1	1	1	92.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.75	2004
15.01.2020 13:18:59	1	1	1	1	92.5	61.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.6875	2004
15.01.2020 13:19:00	1	1	1	1	92.5	62.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.25	2004
15.01.2020 13:19:01	1	1	1	1	92.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.375	2004
15.01.2020 13:19:02	1	1	1	1	92.5	62.25	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	42.375	2004
15.01.2020 13:19:03	1	1	1	1	92.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
15.01.2020 13:19:04	1	1	1	1	92.5	62.5	0	30000	464.516129	13805.88699	30000	0	0	30000	42.5625	2004
15.01.2020 13:19:05	1	1	1	1	92.5	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:06	1	1	1	1	92.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
15.01.2020 13:19:07	1	1	1	1	92.5	61.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.25	2004
15.01.2020 13:19:08	1	1	1	1	92.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
15.01.2020 13:19:09	1	1	1	1	92.75	62.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
15.01.2020 13:19:10	1	1	1	1	92.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
15.01.2020 13:19:11	1	1	1	1	92.75	62.5	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
15.01.2020 13:19:12	1	1	1	1	92.75	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.3125	2004
15.01.2020 13:19:13	1	1	1	1	92.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
15.01.2020 13:19:14	1	1	1	1	92.75	62	0	30000	511.827957	15289.86492	30000	0	0	30000	42.5625	2004
15.01.2020 13:19:15	1	1	1	1	92.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
15.01.2020 13:19:16	1	1	1	1	92.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
15.01.2020 13:19:17	1	1	1	1	92.75	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
15.01.2020 13:19:18	1	1	1	1	92.75	62.25	0	30047.393	524.7311828	15831.27225	30000	0	0	30000	42.375	2004
15.01.2020 13:19:19	1	1	1	1	92.5	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.125	2004
15.01.2020 13:19:20	1	1	1	1	92.5	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.9375	2004
15.01.2020 13:19:21	1	1	1	1	92.5	61.75	0	30000	511.827957	15289.86492	30000	0	0	30000	41.875	2004
15.01.2020 13:19:22	1	1	1	1	92.5	61.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:23	1	1	1	1	92.5	62.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:24	1	1	1	1	92.5	62.25	0	30000	501.0752688	15314.32609	30000	0	0	30000	42.5625	2004
15.01.2020 13:19:25	1	1	1	1	92.5	62.5	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	42.0625	2004
15.01.2020 13:19:26	1	1	1	1	92.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:27	1	1	1	1	92.5	62.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.1875	2004
15.01.2020 13:19:28	1	1	1	1	92.5	62	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.1875	2004
15.01.2020 13:19:29	1	1	1	1	92	62	0	30000	483.8709677	14644.90528	30000	0	0	30000	42.375	2004
15.01.2020 13:19:30	1	1	1	1	92	62.25	0	30000	503.2258065	14879.73256	30000	0	0	30000	42.0625	2004
15.01.2020 13:19:31	1	1	1	1	92	62	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	42.25	2004
15.01.2020 13:19:32	1	1	1	1	92	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.1875	2004
15.01.2020 13:19:33	1	1	1	1	92	62	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	42.25	2004
15.01.2020 13:19:34	1	1	1	1	92	62.25	0	30000	531.1827957	15652.70568	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:35	1	1	1	1	92	62.25	0	30047.393	518.2795699	15572.79917	30000	0	0	30000	42.0625	2004
15.01.2020 13:19:36	1	1	1	1	92	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.5	2004
15.01.2020 13:19:38	1	1	1	1	92	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
15.01.2020 13:19:39	1	1	1	1	92.25	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:19:40	1	1	1	1	92.25	61.75	0	29905.213	516.1290323	15548.338	30000	0	0	30000	42.4375	2004
15.01.2020 13:19:41	1	1	1	1	92.25	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.125	2004
15.01.2020 13:19:42	1	1	1	1	92.25	62	0	30000	524.7311828	15498.60028	30000	0	0	30000	42.3125	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:49	1	1	1	1	92.25	62.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.5	2004
15.01.2020 13:19:50	1	1	1	1	92.25	62.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	42.25	2004
15.01.2020 13:19:51	1	1	1	1	92.25	62.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.625	2004
15.01.2020 13:19:52	1	0	1	1	92.25	62.5	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:19:53	1	0	1	1	92.25	62	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:19:54	1	0	1	1	92.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:19:55	1	0	1	1	92.25	62.5	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:19:56	1	0	1	1	92.25	60	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:19:57	1	0	1	1	92.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:19:58	1	0	1	1	92.25	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:19:59	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:00	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:01	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:20:02	1	0	1	1	92.5	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:20:03	1	0	1	1	92.5	60	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:04	1	0	1	1	92.5	62.5	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:20:05	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:06	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	43.0625	2004
15.01.2020 13:20:07	1	0	1	1	92.5	63	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:08	1	0	1	1	92.5	62.75	0	0	0	0	30000	0	0	30000	43.0625	2004
15.01.2020 13:20:09	1	0	1	1	92	63	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:10	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:11	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:13	1	0	1	1	92	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:14	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:15	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:20:16	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:17	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:18	1	0	1	1	92	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:20:19	1	0	1	1	91.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:20:20	1	0	1	1	91.5	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:21	1	0	1	1	91.5	62.75	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:20:22	1	0	1	1	91.5	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:23	1	0	1	1	91.5	62.75	0	0	0	0	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:20:24	1	0	1	1	91.5	60	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:20:25	1	0	1	1	91.5	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:26	1	0	1	1	91.5	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:27	1	0	1	1	91.5	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:28	1	0	1	1	91.5	62.5	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:20:29	1	0	1	1	91	60	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:30	1	0	1	1	91	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:31	1	0	1	1	91	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:20:32	1	0	1	1	91	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:33	1	0	1	1	91	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:20:34	1	0	1	1	91	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:35	1	0	1	1	91	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:36	1	0	1	1	91	62.75	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:20:37	1	0	1	1	91	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:38	1	0	1	1	91	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:39	1	0	1	1	90.5	62.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:20:40	1	0	1	1	90.5	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:41	1	0	1	1	90.5	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:42	1	0	1	1	90.5	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:43	1	0	1	1	90.5	62.5	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:50	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:51	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:52	1	0	1	1	90.25	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:20:53	1	0	1	1	90.25	62.75	0	0	0	0	30000	0	0	30000	42.9375	2004
15.01.2020 13:20:54	1	0	1	1	90.25	62.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:20:55	1	0	1	1	90.25	60	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:20:56	1	0	1	1	90.25	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:20:57	1	0	1	1	90.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:20:58	1	0	1	1	90.25	62.5	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:20:59	1	0	1	1	89.75	59.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:00	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:01	1	0	1	1	89.75	62.5	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:21:02	1	0	1	1	89.75	59.75	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:21:03	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:21:04	1	0	1	1	89.75	60	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:05	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:06	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:07	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:21:08	1	0	1	1	89.75	62.75	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:09	1	0	1	1	89.25	62.75	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:10	1	0	1	1	89.25	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:11	1	0	1	1	89.25	62.5	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:21:12	1	0	1	1	89.25	62.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:21:13	1	0	1	1	89.25	60	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:14	1	0	1	1	89.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:15	1	0	1	1	89.25	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:21:16	1	0	1	1	89.25	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:17	1	0	1	1	89.25	62.75	0	0	0	0	30000	0	0	30000	42.875	2004
15.01.2020 13:21:18	1	0	1	1	89.25	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:19	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:20	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:21	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:22	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:23	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	43.0625	2004
15.01.2020 13:21:24	1	0	1	1	88.75	63	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:25	1	0	1	1	88.75	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:21:26	1	0	1	1	88.75	62.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:21:28	1	0	1	1	88.75	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:21:29	1	0	1	1	88.75	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:21:30	1	0	1	1	88.75	59.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:31	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:32	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:21:33	1	0	1	1	88.75	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:34	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:35	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:36	1	0	1	1	88.75	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:21:37	1	0	1	1	88.75	62.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:21:38	1	0	1	1	88.75	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:21:39	1	0	1	1	88.25	59.75	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:21:40	1	0	1	1	88.25	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:21:41	1	0	1	1	88.25	62.75	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:21:42	1	0	1	1	88.25	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:43	1	0	1	1	88.25	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:21:44	1	0	1	1	88.25	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:45	1	0	1	1	88.25	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:21:52	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:53	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:54	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:55	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:21:56	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:21:57	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:58	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:21:59	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:22:00	1	0	1	1	87.75	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:01	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:22:02	1	0	1	1	87.75	62.75	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:03	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:22:04	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:22:05	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:22:07	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:08	1	0	1	1	87.75	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:09	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:10	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	42.5625	2004
15.01.2020 13:22:11	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:12	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:22:13	1	0	1	1	87.5	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:14	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:22:15	1	0	1	1	87.5	59.75	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:16	1	0	1	1	87.5	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:17	1	0	1	1	87.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:18	1	0	1	1	87.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:19	1	0	1	1	86.75	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:20	1	0	1	1	86.75	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:21	1	0	1	1	86.75	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:22	1	0	1	1	86.75	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:23	1	0	1	1	86.75	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:24	1	0	1	1	86.75	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:25	1	0	1	1	86.75	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:26	1	0	1	1	86.75	62.5	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:22:27	1	0	1	1	86.75	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:28	1	0	1	1	86.75	62.25	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:22:29	1	0	1	1	86.5	59.75	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:30	1	0	1	1	86.5	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:31	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:32	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:33	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:22:34	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:35	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:22:36	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:37	1	0	1	1	86.5	62.5	0	0	0	0	30000	0	0	30000	42.75	2004
15.01.2020 13:22:38	1	0	1	1	86.5	62.75	0	0	0	0	30000	0	0	30000	42.8125	2004
15.01.2020 13:22:39	1	0	1	1	86.25	62.75	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:22:40	1	0	1	1	86.25	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:41	1	0	1	1	86.25	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:43	1	0	1	1	86.25	62.25	0	0	0	0	30000	0	0	30000	39.6875	2004
15.01.2020 13:22:44	1	0	1	1	86.25	59.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:45	1	0	1	1	86.25	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:46	1	0	1	1	86.25	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:47	1	0	1	1	86.25	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:22:54	1	0	1	1	86	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:22:55	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:56	1	0	1	1	86	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:22:57	1	0	1	1	86	62.5	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:22:58	1	0	1	1	86	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:22:59	1	0	1	1	85.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:00	1	0	1	1	85.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:01	1	0	1	1	85.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:23:02	1	0	1	1	85.75	62	0	0	0	0	30000	0	0	30000	39.6875	2004
15.01.2020 13:23:03	1	0	1	1	85.75	59.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:23:04	1	0	1	1	85.75	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:23:05	1	0	1	1	85.75	62.5	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:23:06	1	0	1	1	85.75	62.5	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:07	1	0	1	1	85.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:08	1	0	1	1	85.75	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:09	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:10	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:11	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:12	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:23:13	1	0	1	1	85.5	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:14	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:23:15	1	0	1	1	85.5	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:16	1	0	1	1	85.5	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:23:17	1	0	1	1	85.5	62.5	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:19	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	39.6875	2004
15.01.2020 13:23:20	1	0	1	1	84.75	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:23:21	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:22	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:23:23	1	0	1	1	84.75	62.5	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:24	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:25	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:26	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:27	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:28	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:29	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:30	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:31	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:32	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:23:33	1	0	1	1	84.5	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:23:34	1	0	1	1	84.5	59.5	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:35	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:36	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:37	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:23:38	1	0	1	1	84.5	59.5	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:39	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:23:40	1	0	1	1	84.75	62	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:41	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:42	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:23:43	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:23:44	1	0	1	1	84.75	62	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:45	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:23:46	1	0	1	1	84.75	62	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:23:47	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:23:48	1	0	1	1	84.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:55	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.6875	2004
15.01.2020 13:23:57	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:23:58	1	0	1	1	84.25	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:23:59	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:00	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:01	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:02	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:03	1	0	1	1	84.5	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:04	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:24:05	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:06	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:07	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:08	1	0	1	1	84.5	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:09	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:10	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:11	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:12	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:13	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:24:14	1	0	1	1	84	59.5	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:15	1	0	1	1	84	62.25	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:24:16	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:17	1	0	1	1	84	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:18	1	0	1	1	84	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:19	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.4375	2004
15.01.2020 13:24:20	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:21	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:22	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:23	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:24	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:24:25	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:24:26	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:27	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:28	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:24:29	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:24:30	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:31	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.3125	2004
15.01.2020 13:24:32	1	0	1	1	83.75	62.25	0	0	0	0	30000	0	0	30000	42.625	2004
15.01.2020 13:24:33	1	0	1	1	83.75	62.5	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:34	1	0	1	1	83.75	62	0	0	0	0	30000	0	0	30000	42.5	2004
15.01.2020 13:24:36	1	0	1	1	83.75	62.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:24:37	1	0	1	1	83.75	59.25	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:24:38	1	0	1	1	83.75	59.75	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:24:39	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:24:40	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:41	1	0	1	1	83	62.25	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:24:42	1	0	1	1	83	62.25	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:24:43	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:24:44	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:24:45	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:46	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:24:47	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:48	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:24:49	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:50	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:57	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:58	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:24:59	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:00	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:01	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:25:02	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:03	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:04	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:25:05	1	0	1	1	83	62.25	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:09	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:09	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:09	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:09	1	0	1	1	82.75	61.75	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:10	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:11	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.375	2004
15.01.2020 13:25:12	1	0	1	1	82.75	62.25	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:13	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:15	1	0	1	1	82.75	62.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:25:16	1	0	1	1	82.75	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:25:17	1	0	1	1	82.75	59.25	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:18	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:19	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:20	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:21	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:25:22	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:23	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:24	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:25:25	1	0	1	1	83	59.25	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:26	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:27	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:28	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:29	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:30	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:31	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:32	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:25:33	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:34	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:35	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:36	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:25:37	1	0	1	1	82.75	59	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:25:38	1	0	1	1	82.75	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:39	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:40	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:41	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:25:42	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:25:43	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:44	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	42.125	2004
15.01.2020 13:25:45	1	0	1	1	83	62	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:25:46	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:25:47	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:25:48	1	0	1	1	83	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:49	1	0	1	1	82.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:25:50	1	0	1	1	82.75	61.75	0	0	0	0	30000	0	0	30000	42.25	2004
15.01.2020 13:25:51	1	0	1	1	82.75	62.25	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:25:58	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:58	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:58	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:58	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:58	1	0	1	1	82.75	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:25:59	1	0	1	1	82.5	62	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:26:00	1	0	1	1	82.5	59	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:01	1	0	1	1	82.5	61.75	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:26:02	1	0	1	1	82.5	59	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:26:03	1	0	1	1	82.5	62	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:04	1	0	1	1	82.5	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:26:05	1	0	1	1	82.5	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:06	1	0	1	1	82.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:26:07	1	0	1	1	82.5	62	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:26:08	1	0	1	1	82.5	59	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:26:09	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:10	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:11	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:12	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:26:13	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:14	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:15	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:16	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:26:17	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:26:18	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:19	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:26:20	1	0	1	1	82.25	60.5	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:26:21	1	0	1	1	82.25	59	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:22	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:26:23	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:26:24	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:25	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:26:26	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:28	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42.1875	2004
15.01.2020 13:26:29	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:30	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:31	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:26:32	1	0	1	1	82.25	59	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:26:33	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:26:34	1	0	1	1	82.25	62	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:35	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:36	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:37	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:26:38	1	0	1	1	82.25	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:39	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:26:40	1	0	1	1	82	59	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:41	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:26:42	1	0	1	1	82	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:26:43	1	0	1	1	82	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:26:44	1	0	1	1	82	59	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:26:45	1	0	1	1	82	59	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:26:46	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:47	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:48	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	41.9375	2004
15.01.2020 13:26:49	1	0	1	1	81.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:26:50	1	0	1	1	81.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:51	1	0	1	1	81.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:26:52	1	0	1	1	81.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:26:53	1	0	1	1	81.75	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:00	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:27:01	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:02	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:03	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:27:04	1	0	1	1	81.5	58.75	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:05	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:27:06	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	42	2004
15.01.2020 13:27:07	1	0	1	1	81.5	62	0	0	0	0	30000	0	0	30000	42.0625	2004
15.01.2020 13:27:09	1	0	1	1	81.5	62	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:10	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:27:11	1	0	1	1	82	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:27:12	1	0	1	1	82	59	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:27:13	1	0	1	1	82	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:27:14	1	0	1	1	82	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:15	1	0	1	1	82	61.5	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:27:16	1	0	1	1	82	59.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:27:17	1	0	1	1	82	58.5	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:27:18	1	0	1	1	82	61.75	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:27:19	1	0	1	1	79	61.5	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:27:20	1	0	1	1	79	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:21	1	0	1	1	79	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:27:22	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:27:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:27:24	1	0	1	1	79	58.5	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:27:25	1	0	1	1	79	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:26	1	0	1	1	79	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:27	1	0	1	1	79	61.5	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:27:28	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:27:29	1	0	1	1	78.75	58.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:27:30	1	0	1	1	78.75	58.75	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:27:31	1	0	1	1	78.75	59.5	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:27:32	1	0	1	1	78.75	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:27:33	1	0	1	1	78.75	58.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:34	1	0	1	1	78.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:35	1	0	1	1	78.75	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:27:36	1	0	1	1	78.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:37	1	0	1	1	78.75	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:38	1	0	1	1	78.75	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:27:39	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:40	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:27:41	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:42	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:43	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:44	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:27:45	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.875	2004
15.01.2020 13:27:47	1	0	1	1	81.5	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:27:48	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:27:49	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:27:50	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:27:51	1	0	1	1	81.5	58.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:27:52	1	0	1	1	81.5	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:27:53	1	0	1	1	81.5	58.5	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:27:54	1	0	1	1	81.5	58.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:27:55	1	0	1	1	81.5	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:02	1	0	1	1	78.5	61.5	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:28:03	1	0	1	1	78.5	58.75	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:04	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:05	1	0	1	1	78.5	61.5	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:28:06	1	0	1	1	78.5	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:07	1	0	1	1	78.5	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:08	1	0	1	1	78.5	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:09	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:28:10	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:11	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:12	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.625	2004
15.01.2020 13:28:13	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:14	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:15	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:16	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:17	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:28:18	1	0	1	1	81.25	58.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:19	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:28:20	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:28:21	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.8125	2004
15.01.2020 13:28:22	1	0	1	1	81.25	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
15.01.2020 13:28:24	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:28:25	1	0	1	1	81.25	58.5	0	0	0	0	30000	0	0	30000	41.75	2004
15.01.2020 13:28:26	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:27	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:28	1	0	1	1	81.25	61.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:28:29	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:28:30	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:31	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:32	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:28:33	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:34	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:35	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:28:36	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.5625	2004
15.01.2020 13:28:37	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:28:38	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:28:39	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:40	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:28:41	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:28:42	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:28:43	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:28:44	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:28:45	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:46	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:47	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:48	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:28:49	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:28:50	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:28:51	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:28:52	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.5	2004
15.01.2020 13:28:53	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:28:54	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:28:55	1	0	1	1	81	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:28:56	1	0	1	1	81	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:03	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:04	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:05	1	0	1	1	81	61.5	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:29:06	1	0	1	1	81	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:29:07	1	0	1	1	81	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:29:08	1	0	1	1	81	58.25	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:29:09	1	0	1	1	78.5	60	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:29:10	1	0	1	1	78.5	58.5	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:29:11	1	0	1	1	78.5	58.5	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:12	1	0	1	1	78.5	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:13	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:29:14	1	0	1	1	78.5	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:15	1	0	1	1	78.5	61	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:29:16	1	0	1	1	78.5	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:29:17	1	0	1	1	78.5	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:29:18	1	0	1	1	78.5	58.25	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:19	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:20	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:21	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:29:22	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:23	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:24	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:25	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:26	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:29:27	1	0	1	1	81.25	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:28	1	0	1	1	81.25	61.25	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:29:29	1	0	1	1	81.5	58.5	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:30	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:29:31	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:32	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:29:33	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:34	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:35	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:29:36	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:37	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:29:38	1	0	1	1	81.5	58.25	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:39	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:40	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:42	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:43	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	41.4375	2004
15.01.2020 13:29:44	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:29:45	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:29:46	1	0	1	1	81.75	58.25	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:29:47	1	0	1	1	81.75	59	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:29:48	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:29:49	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:29:50	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:29:51	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	41.375	2004
15.01.2020 13:29:52	1	0	1	1	81.75	61.25	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:29:53	1	0	1	1	81.75	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:29:54	1	0	1	1	81.75	58.25	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:29:55	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:29:56	1	0	1	1	81.75	58.25	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:29:57	1	0	1	1	81.75	58.25	0	0	0	0	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:29:58	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:05	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:06	1	0	1	1	80.5	58.25	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:30:07	1	0	1	1	80.5	61.25	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:30:08	1	0	1	1	80.5	61	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:30:09	1	0	1	1	80.25	58.25	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:30:10	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:30:11	1	0	1	1	80.25	61.25	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:12	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:30:13	1	0	1	1	80.25	61.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:30:14	1	0	1	1	80.25	58	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:15	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:16	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:17	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:30:18	1	0	1	1	80.25	61	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:19	1	0	1	1	82	61	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:30:21	1	0	1	1	82	61.25	0	0	0	0	30000	0	0	30000	41.3125	2004
15.01.2020 13:30:22	1	0	1	1	82	61.25	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:30:23	1	0	1	1	82	61.25	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:24	1	0	1	1	82	61	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:30:25	1	0	1	1	82	58	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:26	1	0	1	1	82	61	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:27	1	0	1	1	82	61	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:28	1	0	1	1	82	61	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:30:29	1	0	1	1	81.25	58.25	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:30	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:30:31	1	0	1	1	81.25	58	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:32	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:30:33	1	0	1	1	81.25	58	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:30:34	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:35	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:30:36	1	0	1	1	81.25	58	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:30:37	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:38	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:30:39	1	0	1	1	81.25	58	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:40	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:30:41	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:30:42	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:43	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:44	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:30:45	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
15.01.2020 13:30:46	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:47	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:48	1	0	1	1	81.25	61	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:30:49	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:30:50	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:30:51	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:30:52	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:30:53	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:30:54	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:30:55	1	0	1	1	81.5	58	0	0	0	0	30000	0	0	30000	41.125	2004
15.01.2020 13:30:56	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:30:58	1	0	1	1	81.5	61.25	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:30:59	1	0	1	1	81.5	61	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:31:00	1	0	1	1	81.75	58.75	0	0	0	0	30000	0	0	30000	41.25	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:07	1	0	1	1	81.75	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:08	1	0	1	1	81.75	58	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:31:09	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:10	1	0	1	1	81	58	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:31:11	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:31:12	1	0	1	1	81	58	0	0	0	0	30000	0	0	30000	40.8125	2004
15.01.2020 13:31:13	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:31:14	1	0	1	1	81	58	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:15	1	0	1	1	81	57.75	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:31:16	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:31:17	1	0	1	1	81	58	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:31:18	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:19	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:31:20	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.8125	2004
15.01.2020 13:31:21	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:22	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:23	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:24	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:25	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:31:26	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:31:27	1	0	1	1	81	58	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:31:28	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:29	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:31:30	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:31	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:32	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:31:33	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:31:35	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	41.1875	2004
15.01.2020 13:31:36	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:31:37	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:31:38	1	0	1	1	81	61	0	0	0	0	30000	0	0	30000	41.0625	2004
15.01.2020 13:31:39	1	0	1	1	81	59.5	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:40	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:31:41	1	0	1	1	81	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:42	1	0	1	1	81	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:31:43	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:44	1	0	1	1	81	57.75	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:31:45	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:46	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:31:47	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:31:48	1	0	1	1	81	60.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:49	1	0	1	1	79.75	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:50	1	0	1	1	79.75	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:31:51	1	0	1	1	79.75	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:31:52	1	0	1	1	79.75	60.75	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:31:53	1	0	1	1	79.75	60.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:31:54	1	0	1	1	79.75	57.75	0	0	0	0	30000	0	0	30000	40.8125	2004
15.01.2020 13:31:55	1	0	1	1	79.75	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:31:56	1	0	1	1	79.75	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:31:57	1	0	1	1	79.75	60.5	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:31:58	1	0	1	1	79.75	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:31:59	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:00	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:32:01	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:08	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:09	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:32:10	1	0	1	1	81.5	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:12	1	0	1	1	81.5	60.5	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:32:13	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40.875	2004
15.01.2020 13:32:14	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:32:15	1	0	1	1	81.5	60	0	0	0	0	30000	0	0	30000	41	2004
15.01.2020 13:32:16	1	0	1	1	81.5	60.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:32:17	1	0	1	1	81.5	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:32:18	1	0	1	1	81.5	57.75	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:19	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:20	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:32:21	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:22	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:32:23	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:32:24	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:32:25	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:32:26	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:32:27	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:32:28	1	0	1	1	81.25	57.75	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:29	1	0	1	1	78.25	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:32:30	1	0	1	1	78.25	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:31	1	0	1	1	78.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:32:32	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:32:33	1	0	1	1	78.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:32:34	1	0	1	1	78.25	57.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:32:35	1	0	1	1	78.25	60.5	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:32:36	1	0	1	1	78.25	57.75	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:37	1	0	1	1	78.25	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:32:38	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:32:39	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:40	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:32:41	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:42	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:43	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:44	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:32:45	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:32:46	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:32:47	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:32:48	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:50	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:32:51	1	0	1	1	81.25	60.75	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:32:52	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:32:53	1	0	1	1	81.25	58.75	0	0	0	0	30000	0	0	30000	40.9375	2004
15.01.2020 13:32:54	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:32:55	1	0	1	1	81.25	57.5	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:32:56	1	0	1	1	81.25	59	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:32:57	1	0	1	1	81.25	60.25	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 13:32:58	1	0	1	1	81.25	57.5	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:32:59	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:33:00	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:33:01	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:02	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 13:33:03	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:10	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.6875	2004
15.01.2020 13:33:11	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:33:12	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:13	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:14	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:15	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:16	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:33:17	1	0	1	1	81	60.25	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:33:18	1	0	1	1	81	60.5	0	0	0	0	30000	0	0	30000	40.5625	2004
15.01.2020 13:33:19	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:20	1	0	1	1	81.25	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:33:21	1	0	1	1	81.25	60.25	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:33:22	1	0	1	1	81.25	57.5	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:23	1	0	1	1	81.25	57.5	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:24	1	0	1	1	81.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:33:25	1	0	1	1	81.25	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:26	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:27	1	0	1	1	81.25	60.25	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:33:29	1	0	1	1	81.25	60.5	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:30	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	40.75	2004
15.01.2020 13:33:31	1	0	1	1	80.75	60.75	0	0	0	0	30000	0	0	30000	40.625	2004
15.01.2020 13:33:32	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:33	1	0	1	1	80.75	59.5	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:34	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:33:35	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:33:36	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:33:37	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:38	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:33:39	1	0	1	1	78.25	57.5	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:40	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:33:41	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:42	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:43	1	0	1	1	78.25	57.5	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:33:44	1	0	1	1	78.25	57.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:33:45	1	0	1	1	78.25	57.25	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:33:46	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:33:47	1	0	1	1	78.25	60.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:33:48	1	0	1	1	78.25	60	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:33:49	1	0	1	1	80.5	60.25	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:33:50	1	0	1	1	80.5	60.5	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:33:51	1	0	1	1	80.5	60.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:33:52	1	0	1	1	80.5	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:33:53	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:33:54	1	0	1	1	80.5	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:33:55	1	0	1	1	80.5	57.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:33:56	1	0	1	1	80.5	60.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:33:57	1	0	1	1	80.5	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:33:58	1	0	1	1	80.5	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:33:59	1	0	1	1	79.25	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:00	1	0	1	1	79.25	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:01	1	0	1	1	79.25	60.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:02	1	0	1	1	79.25	60	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:03	1	0	1	1	79.25	60.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:34:04	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:12	1	0	1	1	80.75	60.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:13	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:14	1	0	1	1	80.75	60.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:15	1	0	1	1	80.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:16	1	0	1	1	80.75	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:34:17	1	0	1	1	80.75	57.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:34:18	1	0	1	1	80.75	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:19	1	0	1	1	79.75	60	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:34:20	1	0	1	1	79.75	60.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:34:21	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:22	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:34:23	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:24	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:34:25	1	0	1	1	79.75	57.5	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:26	1	0	1	1	79.75	60.25	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:34:27	1	0	1	1	79.75	60	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:28	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:34:29	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:34:30	1	0	1	1	80.25	60.25	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:34:31	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:32	1	0	1	1	80.25	60.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:33	1	0	1	1	80.25	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:34	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:34:35	1	0	1	1	80.25	60.25	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:34:36	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:34:37	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:38	1	0	1	1	80.25	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:39	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	40.375	2004
15.01.2020 13:34:40	1	0	1	1	80.5	60.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:41	1	0	1	1	80.5	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:42	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:44	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:34:45	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	40.5	2004
15.01.2020 13:34:46	1	0	1	1	80.5	60.5	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:34:47	1	0	1	1	80.5	58	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:34:48	1	0	1	1	80.5	58.5	0	0	0	0	30000	0	0	30000	40.4375	2004
15.01.2020 13:34:49	1	0	1	1	80.5	60.25	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:34:50	1	0	1	1	79.25	60.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:51	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:34:52	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:34:53	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:54	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:34:55	1	0	1	1	79.25	60	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:56	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:57	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:34:58	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:34:59	1	0	1	1	77.25	60	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:00	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:35:01	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:35:02	1	0	1	1	77.25	60	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:03	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:35:04	1	0	1	1	77.25	60.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:05	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:06	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:13	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:14	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:35:15	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:16	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:35:17	1	0	1	1	77	60.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:35:18	1	0	1	1	77	57.25	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:35:19	1	0	1	1	80	60	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:35:20	1	0	1	1	80	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:21	1	0	1	1	80	57.25	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:23	1	0	1	1	80	60	0	0	0	0	30000	0	0	30000	40.25	2004
15.01.2020 13:35:24	1	0	1	1	80	60.25	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:25	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:35:26	1	0	1	1	80	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:27	1	0	1	1	80	60	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:35:28	1	0	1	1	80	57.25	0	0	0	0	30000	0	0	30000	40.3125	2004
15.01.2020 13:35:29	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:35:30	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:35:31	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:35:32	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:33	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:35:34	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:35	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:36	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:35:37	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:35:38	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:39	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:35:40	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:35:41	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:35:42	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:35:43	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:44	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:45	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	40.1875	2004
15.01.2020 13:35:46	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:35:47	1	0	1	1	80.25	57.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:35:48	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:49	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:35:50	1	0	1	1	80.25	60	0	0	0	0	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:35:51	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:35:52	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:53	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:35:54	1	0	1	1	80.25	57.25	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:35:55	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:35:56	1	0	1	1	80.25	57	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:35:57	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:35:59	1	0	1	1	80.25	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:00	1	0	1	1	80.5	59.75	0	0	0	0	30000	0	0	30000	40.0625	2004
15.01.2020 13:36:01	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:02	1	0	1	1	80.5	57	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:36:03	1	0	1	1	80.5	59.5	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:36:04	1	0	1	1	80.5	58.5	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:36:05	1	0	1	1	80.5	60	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:06	1	0	1	1	80.5	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:07	1	0	1	1	80.5	57	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:08	1	0	1	1	80.5	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:15	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:36:16	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:36:17	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:36:18	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:36:19	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:20	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:36:21	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:36:22	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:23	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:36:24	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:36:25	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	40	2004
15.01.2020 13:36:26	1	0	1	1	77	60	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:27	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:36:28	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:29	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:36:30	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:31	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:32	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:36:33	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:36	1	0	1	1	80	57	0	0	0	0	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:36:36	1	0	1	1	80	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:36:37	1	0	1	1	80	57	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:38	1	0	1	1	80	56.75	0	0	0	0	30000	0	0	30000	39.9375	2004
15.01.2020 13:36:39	1	0	1	1	80	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:40	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:41	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	40.125	2004
15.01.2020 13:36:42	1	0	1	1	79.5	57.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:36:43	1	0	1	1	79.5	57	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:36:44	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:45	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:46	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:36:47	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:36:48	1	0	1	1	79.5	57	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:49	1	0	1	1	76.5	59.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:36:50	1	0	1	1	76.5	57	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:36:51	1	0	1	1	76.5	57.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:36:52	1	0	1	1	76.5	56.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:36:53	1	0	1	1	76.5	57	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:54	1	0	1	1	76.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:36:55	1	0	1	1	76.5	59.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:56	1	0	1	1	76.5	56.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:57	1	0	1	1	76.5	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:36:58	1	0	1	1	76.5	56.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:36:59	1	0	1	1	76.75	56.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:37:00	1	0	1	1	76.75	56.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:37:01	1	0	1	1	76.75	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:37:02	1	0	1	1	76.75	56.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:37:03	1	0	1	1	76.75	57	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:37:04	1	0	1	1	76.75	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:05	1	0	1	1	76.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:06	1	0	1	1	76.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:07	1	0	1	1	76.75	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:08	1	0	1	1	76.75	59.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:37:09	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:16	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.8125	2004
15.01.2020 13:37:17	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:18	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:19	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:37:20	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:21	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:37:22	1	0	1	1	79.5	57	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:37:23	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:24	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:37:25	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:26	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:37:27	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:28	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:37:29	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:30	1	0	1	1	78	59.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:37:31	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:37:32	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:37:33	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:37:34	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:35	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:36	1	0	1	1	78	59.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:37	1	0	1	1	78	59.75	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:37:38	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:39	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:37:40	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:37:41	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:42	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:43	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:44	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:45	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:46	1	0	1	1	78	56.75	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:37:47	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:37:48	1	0	1	1	78	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:37:49	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:37:50	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:51	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:37:52	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:37:54	1	0	1	1	79.5	56.75	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:37:55	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:37:56	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:37:57	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.875	2004
15.01.2020 13:37:58	1	0	1	1	79.5	59.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:37:59	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:38:00	1	0	1	1	78.25	59	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:38:01	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:38:02	1	0	1	1	78.25	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:03	1	0	1	1	78.25	59.5	0	0	0	0	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:38:04	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:05	1	0	1	1	78.25	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:06	1	0	1	1	78.25	59.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:07	1	0	1	1	78.25	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:08	1	0	1	1	78.25	59.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:09	1	0	1	1	76.75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:10	1	0	1	1	76.75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:11	1	0	1	1	76.75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:18	1	0	1	1	76.75	59.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:19	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:20	1	0	1	1	79.5	59.25	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:21	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:22	1	0	1	1	79.5	59.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:23	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:24	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:25	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:26	1	0	1	1	79.5	59.25	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:38:27	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:38:28	1	0	1	1	79.5	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:29	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:38:30	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:32	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.625	2004
15.01.2020 13:38:33	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:34	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:35	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:38:36	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.6875	2004
15.01.2020 13:38:37	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:38	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	39.75	2004
15.01.2020 13:38:39	1	0	1	1	77	59.75	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:38:40	1	0	1	1	79.75	57.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:38:41	1	0	1	1	79.75	56.25	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:38:42	1	0	1	1	79.75	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:38:43	1	0	1	1	79.75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:44	1	0	1	1	79.75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:45	1	0	1	1	79.75	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:46	1	0	1	1	79.75	59.25	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:38:47	1	0	1	1	79.75	59.5	0	0	0	0	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:38:48	1	0	1	1	79.75	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:38:49	1	0	1	1	77.25	56.25	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:38:50	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:38:51	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:38:52	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:38:53	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:38:54	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:55	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:38:56	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:38:57	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:38:58	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:38:59	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:39:00	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:39:01	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:39:02	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:03	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:39:04	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:05	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:39:06	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:39:07	1	0	1	1	77	59.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:39:08	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:09	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:39:10	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:39:12	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:39:13	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:19	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:20	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:21	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:39:22	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:23	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:39:24	1	0	1	1	79	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:25	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:39:26	1	0	1	1	79	59.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:27	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:28	1	0	1	1	79	56.25	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:39:29	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:30	1	0	1	1	77.25	59	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:39:31	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:39:32	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:39:33	1	0	1	1	77.25	56.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:34	1	0	1	1	77.25	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:35	1	0	1	1	77.25	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:39:36	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:39:37	1	0	1	1	77.25	59.25	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:38	1	0	1	1	77.25	59	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:39	1	0	1	1	78.5	56.25	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:40	1	0	1	1	78.5	59	0	0	0	0	30000	0	0	30000	39.3125	2004
15.01.2020 13:39:41	1	0	1	1	78.5	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:39:42	1	0	1	1	78.5	59.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:39:43	1	0	1	1	78.5	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:39:44	1	0	1	1	78.5	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:39:45	1	0	1	1	78.5	56.25	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:47	1	0	1	1	78.5	59	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:48	1	0	1	1	78.5	59	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:39:49	1	0	1	1	78.5	59	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:39:50	1	0	1	1	79.75	59.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:39:51	1	0	1	1	79.75	59.25	0	0	0	0	30000	0	0	30000	39.375	2004
15.01.2020 13:39:52	1	0	1	1	79.75	59.25	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:39:53	1	0	1	1	79.75	58.75	0	0	0	0	30000	0	0	30000	39.5625	2004
15.01.2020 13:39:54	1	0	1	1	79.75	59.5	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:39:55	1	0	1	1	79.75	56.25	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:39:56	1	0	1	1	79.75	57.5	0	0	0	0	30000	0	0	30000	39.5	2004
15.01.2020 13:39:57	1	0	1	1	79.75	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:39:58	1	0	1	1	79.75	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:39:59	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:00	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:40:01	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:40:02	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:03	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:04	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:05	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:40:06	1	0	1	1	77	59.25	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:07	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:08	1	0	1	1	77	56.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:09	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:40:10	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:40:11	1	0	1	1	76.5	59	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:40:12	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:13	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:14	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:21	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:22	1	0	1	1	76.75	56.25	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:40:23	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:40:24	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:25	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:26	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:28	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:40:29	1	0	1	1	76.75	59	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:40:30	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:31	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:32	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:33	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	39.4375	2004
15.01.2020 13:40:34	1	0	1	1	79.5	59.25	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:35	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:40:36	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:37	1	0	1	1	79.5	56.25	0	0	0	0	30000	0	0	30000	39.0625	2004
15.01.2020 13:40:38	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:39	1	0	1	1	79.5	56.25	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:40	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:41	1	0	1	1	79.5	56.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:40:42	1	0	1	1	79.5	56	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:43	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:44	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:45	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:46	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:47	1	0	1	1	79.5	56.25	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:48	1	0	1	1	79.5	56.25	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:49	1	0	1	1	78	59	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:40:50	1	0	1	1	78	56.25	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:51	1	0	1	1	78	59	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:40:52	1	0	1	1	78	58.75	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:40:53	1	0	1	1	78	56.25	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:54	1	0	1	1	78	58.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:40:55	1	0	1	1	78	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:40:56	1	0	1	1	78	59	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:40:57	1	0	1	1	78	56	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:40:58	1	0	1	1	78	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:40:59	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:41:00	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:01	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:41:02	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:41:03	1	0	1	1	79.25	58	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:05	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:41:06	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:41:07	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:08	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:09	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	39.1875	2004
15.01.2020 13:41:10	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:41:11	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	36.125	2004
15.01.2020 13:41:12	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	39.25	2004
15.01.2020 13:41:13	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:14	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	36.125	2004
15.01.2020 13:41:15	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:41:16	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:23	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:41:24	1	0	1	1	79	59	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:25	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:26	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:27	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:28	1	0	1	1	79	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:29	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:41:30	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:41:31	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:41:32	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:33	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:41:34	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:35	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:41:36	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:37	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:38	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:41:39	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:40	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:41	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:43	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:44	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:41:45	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:46	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:47	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:41:48	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:49	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:41:50	1	0	1	1	79.25	57.5	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:51	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	39.125	2004
15.01.2020 13:41:52	1	0	1	1	79.25	59	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:41:53	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:41:54	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:41:55	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:41:56	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:57	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:58	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:41:59	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:00	1	0	1	1	79.25	55.75	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:42:01	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:02	1	0	1	1	79.25	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:03	1	0	1	1	79.25	55.75	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:42:04	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:42:05	1	0	1	1	79.25	57.25	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:42:06	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:42:07	1	0	1	1	79.25	56	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:08	1	0	1	1	79.25	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:09	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:10	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:42:11	1	0	1	1	76.75	58.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:42:12	1	0	1	1	76.75	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:42:13	1	0	1	1	76.75	58.75	0	0	0	0	30000	0	0	30000	38.8125	2004
15.01.2020 13:42:14	1	0	1	1	76.75	58.75	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:15	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	38.9375	2004
15.01.2020 13:42:16	1	0	1	1	76.75	58.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:17	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:24	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:25	1	0	1	1	79.25	58.75	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:42:26	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:27	1	0	1	1	79.25	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:42:28	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:42:29	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	39	2004
15.01.2020 13:42:30	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:42:31	1	0	1	1	79.5	58.75	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:42:32	1	0	1	1	79.5	59	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:42:33	1	0	1	1	79.5	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:34	1	0	1	1	79.5	55.75	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:42:35	1	0	1	1	79.5	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:36	1	0	1	1	79.5	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:42:37	1	0	1	1	79.5	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:42:38	1	0	1	1	79.5	58.5	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:42:39	1	0	1	1	78.75	57.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:42:40	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:41	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:42	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:43	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:44	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:45	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:46	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:42:47	1	0	1	1	78.75	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:42:48	1	0	1	1	78.75	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:42:49	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	38.6875	2004
15.01.2020 13:42:50	1	0	1	1	76.75	58.5	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:42:51	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:42:52	1	0	1	1	76.75	58.5	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:42:53	1	0	1	1	76.75	58.5	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:54	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:42:55	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:42:56	1	0	1	1	76.75	55.75	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:42:57	1	0	1	1	76.75	55.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:42:58	1	0	1	1	76.75	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:43:00	1	0	1	1	77	58.5	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:43:01	1	0	1	1	77	58.5	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:43:02	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:43:03	1	0	1	1	77	58.5	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:43:04	1	0	1	1	77	55.75	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:43:05	1	0	1	1	77	58.5	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:43:06	1	0	1	1	77	58.75	0	0	0	0	30000	0	0	30000	38.625	2004
15.01.2020 13:43:07	1	0	1	1	77	58.5	0	0	0	0	30000	0	0	30000	38.875	2004
15.01.2020 13:43:08	1	0	1	1	77	58.75	0	0	0	0	30000	0	0	30000	38.75	2004
15.01.2020 13:43:09	1	0	1	1	77	58.75	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:43:10	1	0	1	1	78.25	58	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:43:11	1	0	1	1	78.25	55.5	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:43:12	1	0	1	1	78.25	55.75	0	0	0	0	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:43:57	1	0	1	1	78.75	55.5	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:43:58	1	0	1	1	78.75	58.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:43:59	1	0	1	1	76.25	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:00	1	0	1	1	76.25	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:01	1	0	1	1	76.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:02	1	0	1	1	76.25	55.5	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:03	1	0	1	1	76.25	58.25	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:44:04	1	0	1	1	76.25	58.5	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:44:05	1	0	1	1	76.25	58.5	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:44:06	1	0	1	1	76.25	58.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:07	1	0	1	1	76.25	55.5	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:08	1	0	1	1	76.25	58.25	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 13:44:09	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:44:10	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:44:11	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:12	1	0	1	1	79.25	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:44:13	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:15	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:44:16	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:17	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:44:18	1	0	1	1	79.25	58.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:19	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:20	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:21	1	0	1	1	79.25	58.25	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:28	1	0	1	1	79.25	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:29	1	0	1	1	79	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:30	1	0	1	1	79	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 13:44:31	1	0	1	1	79	55.5	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:44:32	1	0	1	1	79	58.25	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:33	1	0	1	1	79	55.5	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:44:34	1	0	1	1	79	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:35	1	0	1	1	79	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:36	1	0	1	1	79	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:44:37	1	0	1	1	79	55.25	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:38	1	0	1	1	79	55.5	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 13:44:39	1	0	1	1	76.75	55.5	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:44:40	1	0	1	1	76.75	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:44:41	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:42	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:43	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:44	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:45	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:44:46	1	0	1	1	76.75	58	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:44:47	1	0	1	1	76.75	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:48	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:49	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:50	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:44:51	1	0	1	1	76.75	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:44:52	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:54	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:44:55	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:44:56	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:44:57	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:44:58	1	0	1	1	76.75	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:44:59	1	0	1	1	76.75	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:00	1	0	1	1	78.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:01	1	0	1	1	78.5	55.25	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:45:02	1	0	1	1	78.5	58.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:45:03	1	0	1	1	78.5	58	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:45:04	1	0	1	1	78.5	58.25	0	0	0	0	30000	0	0	30000	38.5625	2004
15.01.2020 13:45:05	1	0	1	1	78.5	58.5	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:45:06	1	0	1	1	78.5	58.25	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:45:07	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 13:45:08	1	0	1	1	78.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:09	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:10	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:45:11	1	0	1	1	77.5	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:12	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:13	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:14	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:15	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 13:45:16	1	0	1	1	77.5	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:17	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:18	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 13:45:19	1	0	1	1	76.5	58.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:20	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:21	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:22	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:29	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:30	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:45:31	1	0	1	1	76.5	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:32	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:45:33	1	0	1	1	76.5	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:35	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:36	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:37	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:45:38	1	0	1	1	76.5	58	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:45:39	1	0	1	1	76.5	58	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:45:40	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:41	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:45:42	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:45:43	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 13:45:44	1	0	1	1	77	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:45	1	0	1	1	77	56.5	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:46	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:47	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:45:48	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:45:49	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:50	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:45:51	1	0	1	1	77	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:52	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:45:53	1	0	1	1	77	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:45:54	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:45:55	1	0	1	1	77	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:45:56	1	0	1	1	77	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:45:57	1	0	1	1	77	55	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:45:58	1	0	1	1	77	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:45:59	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:00	1	0	1	1	76.5	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:01	1	0	1	1	76.5	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:46:02	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:03	1	0	1	1	76.5	55	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:46:04	1	0	1	1	76.5	58	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:46:05	1	0	1	1	76.5	57.75	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:46:06	1	0	1	1	76.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:46:07	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 13:46:08	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:46:09	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:11	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:46:12	1	0	1	1	76.25	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:46:13	1	0	1	1	76.25	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:46:14	1	0	1	1	76.25	55.25	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:46:15	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:16	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:46:17	1	0	1	1	76.25	57.75	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:46:18	1	0	1	1	76.25	58	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:46:19	1	0	1	1	76.25	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:20	1	0	1	1	77.75	55	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:46:21	1	0	1	1	77.75	58	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:22	1	0	1	1	77.75	55	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 13:46:23	1	0	1	1	77.75	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:24	1	0	1	1	77.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:31	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:32	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:33	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:46:34	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:46:35	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:36	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:46:37	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:46:38	1	0	1	1	76.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:39	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:40	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:41	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:42	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:46:43	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:46:44	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:46:45	1	0	1	1	76.25	58	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:46:46	1	0	1	1	76.25	57.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:46:47	1	0	1	1	76.25	57.75	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:46:49	1	0	1	1	76.25	58	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:46:50	1	0	1	1	77.5	58	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:46:51	1	0	1	1	77.5	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:46:52	1	0	1	1	77.5	57.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:46:53	1	0	1	1	77.5	57.75	0	0	0	0	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:46:54	1	0	1	1	77.5	55	0	0	0	0	30000	0	0	30000	35.625	2004
15.01.2020 13:46:55	1	0	1	1	77.5	55.5	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:46:56	1	0	1	1	77.5	55	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 13:46:57	1	0	1	1	77.5	58	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:46:58	1	0	1	1	77.5	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:46:59	1	0	1	1	77.5	57.75	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:47:00	1	0	1	1	78.75	58	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 13:47:01	1	0	1	1	78.75	58	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:47:02	1	0	1	1	78.75	57.75	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 13:47:03	1	0	1	1	78.75	58	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:47:04	1	0	1	1	78.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:47:05	1	0	1	1	78.75	55	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:06	1	0	1	1	78.75	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:07	1	0	1	1	78.75	54.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:47:08	1	0	1	1	78.75	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:47:09	1	0	1	1	76	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:47:10	1	0	1	1	76	55	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:47:11	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:12	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:13	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:47:14	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:47:15	1	0	1	1	76	55	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:16	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:47:17	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:47:18	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:47:19	1	0	1	1	76.25	55	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:20	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:21	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:22	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:23	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:47:24	1	0	1	1	76.25	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:25	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:32	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:33	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:34	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:35	1	0	1	1	77.25	54.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 13:47:36	1	0	1	1	77.25	57.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 13:47:37	1	0	1	1	77.25	57.75	0	0	0	0	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:47:38	1	0	1	1	77.25	57.5	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:47:39	1	0	1	1	77.25	57.25	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 13:47:40	1	0	1	1	76.25	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:41	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:42	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:43	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:44	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:45	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:46	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:47	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 13:47:48	1	0	1	1	76.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:49	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:50	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:51	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:52	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:53	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:54	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:55	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:56	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 13:47:57	1	0	1	1	76	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:58	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:47:59	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:00	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:01	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:05	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:05	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:05	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:06	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:48:07	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:08	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:48:09	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:10	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:11	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:12	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:13	1	0	1	1	76	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:14	1	0	1	1	76	57.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:48:15	1	0	1	1	76	56.5	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:48:16	1	0	1	1	76	57.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:17	1	0	1	1	76	57.5	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:48:18	1	0	1	1	76	58	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:19	1	0	1	1	77	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:20	1	0	1	1	77	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:21	1	0	1	1	77	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 13:48:22	1	0	1	1	77	54.75	0	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:23	1	0	1	1	77	57.5	0	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:24	1	0	1	1	77	57.5	0	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:25	1	0	1	1	77	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:26	1	0	1	1	77	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:27	1	0	1	1	77	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:34	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:35	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:36	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:37	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 13:48:38	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:48:39	1	0	1	1	75.5	54.5	0	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:40	1	0	1	1	75.5	54.75	0	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:41	1	0	1	1	75.5	57.5	0	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:48:43	1	0	1	1	75.5	54.5	0	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:44	1	0	1	1	75.5	54.75	0	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:48:45	1	0	1	1	75.5	54.75	0	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:48:46	1	0	1	1	75.5	57.5	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:47	1	0	1	1	75.5	54.75	0	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 13:48:48	1	0	1	1	75.5	57.75	0	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 13:48:49	1	0	1	1	75.5	55.25	0	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:48:50	1	0	1	1	78	57.5	0	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:48:51	1	0	1	1	78	57.25	0	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:48:52	1	0	1	1	78	57.25	0	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:48:53	1	0	1	1	78	57.5	0	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:48:54	1	0	1	1	78	55	0	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 13:48:55	1	0	1	1	78	57.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:56	1	0	1	1	78	56	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:48:57	1	0	1	1	78	54.75	0	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:48:58	1	0	1	1	78	54.5	0	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:48:59	1	0	1	1	75.75	57.5	0	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:49:00	1	0	1	1	75.75	54.5	0	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:49:01	1	0	1	1	75.75	54.5	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:49:02	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:49:03	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:49:04	1	0	1	1	75.75	54.75	0	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:05	1	0	1	1	75.75	54.5	0	0	0	0	0	30000	0	0	30000	34.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:49:06	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 13:49:07	1	0	1	1	75.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:08	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:49:09	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:49:10	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:11	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:12	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:49:13	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:14	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:15	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:16	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:17	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:49:18	1	0	1	1	75.5	57.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:19	1	0	1	1	75.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:21	1	0	1	1	75.25	54.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:49:22	1	0	1	1	75.25	57.25	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 13:49:23	1	0	1	1	75.25	57.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:49:24	1	0	1	1	75.25	57.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:25	1	0	1	1	75.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:26	1	0	1	1	75.25	54.5	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:49:27	1	0	1	1	75.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:49:28	1	0	1	1	75.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:49:29	1	0	1	1	75.25	57.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:36	1	0	1	1	77.75	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:49:37	1	0	1	1	77.75	57.25	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:38	1	0	1	1	77.75	54.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:49:39	1	0	1	1	75.5	57.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:40	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:41	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:49:42	1	0	1	1	75.5	57.25	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:43	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:49:44	1	0	1	1	75.5	57.25	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 13:49:45	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:46	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:49:47	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:49:48	1	0	1	1	75.5	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:49:49	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:49:50	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:51	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:52	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:49:53	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:49:54	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:49:55	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:49:56	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:49:58	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:49:59	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:50:00	1	0	1	1	76.25	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:01	1	0	1	1	76.25	54.5	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:02	1	0	1	1	76.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:03	1	0	1	1	76.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:04	1	0	1	1	76.25	54.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:50:05	1	0	1	1	76.25	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:06	1	0	1	1	76.25	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:50:07	1	0	1	1	76.25	57.25	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:50:08	1	0	1	1	76.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 13:50:09	1	0	1	1	76.25	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 13:50:10	1	0	1	1	76	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 13:50:11	1	0	1	1	76	54.5	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 13:50:12	1	0	1	1	76	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:13	1	0	1	1	76	54.5	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:14	1	0	1	1	76	54.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:15	1	0	1	1	76	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:16	1	0	1	1	76	54.5	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:17	1	0	1	1	76	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:18	1	0	1	1	76	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:19	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:50:20	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:50:21	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:22	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:23	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:24	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:25	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:26	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 13:50:27	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:50:28	1	0	1	1	75.75	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:50:29	1	0	1	1	78.25	57.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:50:30	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:37	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:38	1	0	1	1	78.25	57.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:39	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:50:40	1	0	1	1	77.5	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:41	1	0	1	1	77.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:42	1	0	1	1	77.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:43	1	0	1	1	77.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:44	1	0	1	1	77.5	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:45	1	0	1	1	77.5	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:46	1	0	1	1	77.5	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:50:47	1	0	1	1	77.5	57.25	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 13:50:48	1	0	1	1	77.5	55	0	0	0	0	30000	0	0	30000	35.625	2004
15.01.2020 13:50:49	1	0	1	1	77.5	55.5	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:50	1	0	1	1	78.25	57.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:50:51	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:52	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:53	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:54	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:55	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:50:56	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:50:57	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:50:58	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 13:50:59	1	0	1	1	76	55	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:51:00	1	0	1	1	76	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:51:01	1	0	1	1	76	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:02	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 13:51:03	1	0	1	1	76	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:04	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:05	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:06	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:07	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:08	1	0	1	1	76	54.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:09	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 13:51:10	1	0	1	1	77	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:11	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:13	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:51:14	1	0	1	1	77	54.25	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:51:15	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 13:51:16	1	0	1	1	77	54.25	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:51:17	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:18	1	0	1	1	77	57	0	0	0	0	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:51:19	1	0	1	1	77	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:20	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:51:21	1	0	1	1	78.5	57.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:22	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:51:23	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:24	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:51:25	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:51:26	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:51:27	1	0	1	1	78.5	57	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 13:51:28	1	0	1	1	78.5	57.25	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:51:29	1	0	1	1	78.5	57.25	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:51:30	1	0	1	1	78.75	57.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 13:51:31	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:51:32	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	78.75	54.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:51:39	1	0	1	1	76.75	57	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:40	1	0	1	1	76.75	57	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:41	1	0	1	1	76.75	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:42	1	0	1	1	76.75	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:43	1	0	1	1	76.75	54.25	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:51:44	1	0	1	1	76.75	54	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:51:45	1	0	1	1	76.75	57	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:46	1	0	1	1	76.75	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:47	1	0	1	1	76.75	54.25	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:51:48	1	0	1	1	76.75	54	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:49	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 13:51:50	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:51	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:51:52	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:54	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:51:55	1	0	1	1	75.75	57	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:51:56	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 13:51:57	1	0	1	1	75.75	54.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:51:58	1	0	1	1	75.75	56.25	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:51:59	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:00	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:01	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:52:02	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:52:03	1	0	1	1	75.75	57	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:52:04	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:52:05	1	0	1	1	75.75	57	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 13:52:06	1	0	1	1	75.75	57.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:52:07	1	0	1	1	75.75	57	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:52:08	1	0	1	1	75.75	57	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:52:09	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:52:10	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:11	1	0	1	1	78.25	54	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:52:12	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:52:13	1	0	1	1	78.25	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:14	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:52:15	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:52:16	1	0	1	1	78.25	57	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:52:17	1	0	1	1	78.25	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:18	1	0	1	1	78.25	54	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:52:19	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:52:20	1	0	1	1	76	56.25	0	0	0	0	30000	0	0	30000	37.1875	2004
15.01.2020 13:52:21	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:22	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:23	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:24	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:25	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:52:26	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:27	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	37	2004
15.01.2020 13:52:28	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:29	1	0	1	1	76	56.75	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:31	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:32	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:33	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:34	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:41	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:41	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:41	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:41	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:41	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:41	1	0	1	1	76	56.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 13:52:42	1	0	1	1	76	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:52:43	1	0	1	1	76	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:44	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:52:45	1	0	1	1	76	57	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:46	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:52:47	1	0	1	1	76	57.25	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:48	1	0	1	1	76	54	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:52:49	1	0	1	1	76.25	53.75	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:50	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:52:51	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:52	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:53	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:54	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:52:55	1	0	1	1	76.25	56.5	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:52:56	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:57	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:58	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:52:59	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:53:00	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34.125	2004
15.01.2020 13:53:01	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:53:02	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:03	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:53:04	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:53:05	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:53:06	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:07	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:09	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:10	1	0	1	1	77.5	53.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:11	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:12	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	34.0625	2004
15.01.2020 13:53:13	1	0	1	1	77.5	54	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:14	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:53:15	1	0	1	1	77.5	56.5	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:53:16	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:53:17	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:18	1	0	1	1	77.5	54	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:53:19	1	0	1	1	77.5	56.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 13:53:20	1	0	1	1	78.75	54.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:53:21	1	0	1	1	78.75	56.75	0	0	0	0	30000	0	0	30000	36.875	2004
15.01.2020 13:53:22	1	0	1	1	78.75	56.75	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 13:53:23	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	37.0625	2004
15.01.2020 13:53:24	1	0	1	1	78.75	57	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:25	1	0	1	1	78.75	56	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:26	1	0	1	1	78.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:27	1	0	1	1	78.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:28	1	0	1	1	78.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:29	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:30	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:53:31	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:32	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:33	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:34	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:35	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:42	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:43	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:44	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:45	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:47	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:48	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:53:49	1	0	1	1	75.75	54	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 13:53:50	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:53:51	1	0	1	1	75.75	56.5	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:53:52	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:53	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:54	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:53:55	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:53:56	1	0	1	1	75.75	56.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:53:57	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:53:58	1	0	1	1	75.75	56.5	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:53:59	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:54:00	1	0	1	1	76.25	56.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:54:01	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:54:02	1	0	1	1	76.25	57	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:54:03	1	0	1	1	76.25	55.75	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 13:54:04	1	0	1	1	76.25	54	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:05	1	0	1	1	76.25	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:06	1	0	1	1	76.25	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:07	1	0	1	1	76.25	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:08	1	0	1	1	76.25	53.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 13:54:09	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:10	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:54:11	1	0	1	1	75.75	56.5	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:12	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:13	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:14	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:54:15	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:16	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:17	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:18	1	0	1	1	75.75	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:19	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:54:20	1	0	1	1	75.5	56.5	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:21	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:22	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:23	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:25	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:26	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:27	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:28	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:29	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:30	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:31	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:32	1	0	1	1	75	53.75	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:54:33	1	0	1	1	75	56.5	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:54:34	1	0	1	1	75	56.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:35	1	0	1	1	75	53.75	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:54:36	1	0	1	1	75	56.5	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 13:54:37	1	0	1	1	75	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:44	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:54:45	1	0	1	1	78	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:54:46	1	0	1	1	78	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:47	1	0	1	1	78	53.75	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 13:54:48	1	0	1	1	78	55	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:49	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:50	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.8125	2004
15.01.2020 13:54:51	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:52	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:54:53	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:54	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:55	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:54:56	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:54:57	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:54:58	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:54:59	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:00	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:01	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:03	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:04	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:05	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:55:06	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:07	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:08	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:09	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:55:10	1	0	1	1	75.25	56.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:11	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:55:12	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:55:13	1	0	1	1	75.25	56.25	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:14	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:15	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:16	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:55:17	1	0	1	1	75.25	56.25	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:55:18	1	0	1	1	75.25	56.5	0	0	0	0	30000	0	0	30000	36.625	2004
15.01.2020 13:55:19	1	0	1	1	75.25	56.5	0	0	0	0	30000	0	0	30000	36.75	2004
15.01.2020 13:55:20	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 13:55:21	1	0	1	1	78.25	56.75	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:55:22	1	0	1	1	78.25	54.25	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:23	1	0	1	1	78.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:24	1	0	1	1	78.25	53.5	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:55:25	1	0	1	1	78.25	56	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:26	1	0	1	1	78.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:27	1	0	1	1	78.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:28	1	0	1	1	78.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:29	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:30	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:31	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:55:32	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.4375	2004
15.01.2020 13:55:33	1	0	1	1	75.5	53.25	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:34	1	0	1	1	75.5	53.75	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:35	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:55:36	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:55:37	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:38	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:55:45	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:55:46	1	0	1	1	75.25	53.25	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:55:47	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:55:48	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:49	1	0	1	1	75.25	53.5	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:55:50	1	0	1	1	75.5	55.5	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:55:51	1	0	1	1	75.5	56.5	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:55:52	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:55:53	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:55:54	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:55:55	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:55:56	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:55:57	1	0	1	1	75.5	56.25	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 13:55:58	1	0	1	1	75.5	56.5	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:55:59	1	0	1	1	75.5	55.5	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:56:00	1	0	1	1	77.25	53.25	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:56:01	1	0	1	1	77.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:56:02	1	0	1	1	77.25	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:56:03	1	0	1	1	77.25	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:56:04	1	0	1	1	77.25	53.5	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:56:05	1	0	1	1	77.25	56.25	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:56:06	1	0	1	1	77.25	53.5	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:56:07	1	0	1	1	77.25	56.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:56:08	1	0	1	1	77.25	56	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:56:09	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 13:56:10	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:56:11	1	0	1	1	75	56.25	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:56:12	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.75	2004
15.01.2020 13:56:13	1	0	1	1	75	53.75	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:56:14	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:56:15	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:56:16	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:56:17	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.4375	2004
15.01.2020 13:56:18	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:56:19	1	0	1	1	75	56.25	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:56:21	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 13:56:22	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:56:23	1	0	1	1	75	56.25	0	0	0	0	30000	0	0	30000	33.625	2004
15.01.2020 13:56:24	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	33.5	2004
15.01.2020 13:56:25	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	36.125	2004
15.01.2020 13:56:26	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:56:27	1	0	1	1	75	56.25	0	0	0	0	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:57:12	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	36.5	2004
15.01.2020 13:57:13	1	0	1	1	75	56.5	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:14	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 13:57:15	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:16	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:57:17	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:57:18	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:19	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:57:20	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:21	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:22	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:23	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:57:24	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:25	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:26	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:27	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:28	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:29	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:30	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:31	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:32	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:34	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	36.125	2004
15.01.2020 13:57:35	1	0	1	1	74.5	56	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:36	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:37	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:38	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:39	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:40	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:41	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:57:42	1	0	1	1	74.75	56	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:57:49	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:49	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:49	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:49	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:57:49	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:57:50	1	0	1	1	76.5	56	0	0	0	0	30000	0	0	30000	36.3125	2004
15.01.2020 13:57:51	1	0	1	1	76.5	56.25	0	0	0	0	30000	0	0	30000	36.125	2004
15.01.2020 13:57:52	1	0	1	1	76.5	56	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:57:53	1	0	1	1	76.5	56	0	0	0	0	30000	0	0	30000	36.4375	2004
15.01.2020 13:57:54	1	0	1	1	76.5	53.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:57:55	1	0	1	1	76.5	56	0	0	0	0	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:57:56	1	0	1	1	76.5	56	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 13:57:57	1	0	1	1	76.5	55.25	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:57:58	1	0	1	1	76.5	53.25	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:57:59	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.4375	2004
15.01.2020 13:58:00	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:01	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:58:02	1	0	1	1	76	56	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:03	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:58:04	1	0	1	1	76	56	0	0	0	0	30000	0	0	30000	33.4375	2004
15.01.2020 13:58:05	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:06	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:58:07	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:08	1	0	1	1	76	53.25	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:58:09	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:10	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.4375	2004
15.01.2020 13:58:11	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:12	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:58:13	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:15	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:16	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:17	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:58:18	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:19	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:58:20	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 13:58:21	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 13:58:22	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:23	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:58:24	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:58:25	1	0	1	1	75	55.75	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:58:26	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:58:27	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:58:28	1	0	1	1	75	56	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:29	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:58:30	1	0	1	1	77.5	56.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:58:31	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	36.375	2004
15.01.2020 13:58:32	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:33	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:34	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:35	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	33.3125	2004
15.01.2020 13:58:36	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:37	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:38	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:39	1	0	1	1	74.5	53.25	0	0	0	0	30000	0	0	30000	33.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
15.01.2020 13:58:40	1	0	1	1	74.5	53.25	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:41	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:58:42	1	0	1	1	74.5	56	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:43	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:50	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:58:52	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:58:53	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:58:54	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:58:55	1	0	1	1	75	55.75	0	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:56	1	0	1	1	75	53.25	0	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:58:57	1	0	1	1	75	53.25	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:58:58	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:58:59	1	0	1	1	75	53	0	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:59:00	1	0	1	1	74.5	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:01	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:02	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 13:59:03	1	0	1	1	74.5	56	0	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:59:04	1	0	1	1	74.5	55.75	0	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:59:05	1	0	1	1	74.5	55.75	0	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:59:06	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	35.9375	2004
15.01.2020 13:59:07	1	0	1	1	74.5	55.75	0	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:08	1	0	1	1	74.5	55.75	0	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:09	1	0	1	1	74.5	53	0	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 13:59:10	1	0	1	1	77.5	56	0	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:59:11	1	0	1	1	77.5	53.25	0	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 13:59:12	1	0	1	1	77.5	56.25	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:13	1	0	1	1	77.5	54.5	0	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:14	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:15	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:16	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:17	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:18	1	0	1	1	77.5	53	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:19	1	0	1	1	77.5	53	0	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:20	1	0	1	1	77.5	53	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:21	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:22	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:23	1	0	1	1	77.5	55.75	0	0	0	0	0	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 13:59:24	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:25	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:26	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:59:27	1	0	1	1	77.5	53.25	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:28	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:29	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:59:32	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:32	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:33	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 13:59:34	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:35	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:36	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 13:59:37	1	0	1	1	75.25	54	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:38	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:39	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:40	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:41	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 13:59:42	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 13:59:43	1	0	1	1	77.5	55.75	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:59:44	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 13:59:45	1	0	1	1	77.5	55.5	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 13:59:52	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:52	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:52	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:52	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:52	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 13:59:53	1	0	1	1	77.75	53.25	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 13:59:54	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 13:59:55	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 13:59:56	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 13:59:57	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 13:59:58	1	0	1	1	77.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 13:59:59	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:00	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 14:00:01	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:02	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 14:00:03	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:04	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:05	1	0	1	1	74.5	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:06	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:07	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:00:08	1	0	1	1	74.5	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 14:00:10	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:11	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:12	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:13	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:14	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:15	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:16	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:17	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:18	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.125	2004
15.01.2020 14:00:19	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:20	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:21	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:22	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:23	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 14:00:24	1	0	1	1	75.25	55.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:25	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:00:26	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:27	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:00:28	1	0	1	1	75.25	55	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 14:00:29	1	0	1	1	75.25	56	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:30	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:31	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:32	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:33	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:34	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:35	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:36	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:00:37	1	0	1	1	75.25	53	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:38	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:39	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:40	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:41	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:42	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:43	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:44	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:45	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:46	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:00:54	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:00:54	1	0	1	1	75	53	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 14:00:55	1	0	1	1	75	55.5	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:00:56	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:00:57	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:58	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:00:59	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:01:00	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:01:01	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:01:02	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:01:03	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	35.6875	2004
15.01.2020 14:01:04	1	0	1	1	74.75	55.5	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 14:01:05	1	0	1	1	74.75	55.5	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:01:06	1	0	1	1	74.75	54.75	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 14:01:07	1	0	1	1	74.75	56	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:01:08	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:01:09	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:01:10	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:01:11	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:12	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:01:13	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:01:14	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:15	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:16	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:17	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:18	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:19	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	33	2004
15.01.2020 14:01:20	1	0	1	1	74.75	53	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:21	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:22	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:23	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	33.375	2004
15.01.2020 14:01:24	1	0	1	1	74.75	53.25	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:26	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:27	1	0	1	1	74.75	52.5	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:28	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:29	1	0	1	1	74.75	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:30	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:01:31	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:32	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:33	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:34	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:35	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 14:01:36	1	0	1	1	75	55.5	0	0	0	0	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:01:37	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:38	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:39	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:01:40	1	0	1	1	75	55	0	0	0	0	30000	0	0	30000	35.5625	2004
15.01.2020 14:01:41	1	0	1	1	75	55.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:42	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:01:43	1	0	1	1	75	54.75	0	0	0	0	30000	0	0	30000	35.75	2004
15.01.2020 14:01:44	1	0	1	1	75	55.75	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:01:45	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:46	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:47	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:48	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:55	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:01:56	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:01:57	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:01:58	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:01:59	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:02:00	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:02:01	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:02:03	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:02:04	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:02:05	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:02:06	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:02:07	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:02:08	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	33.875	2004
15.01.2020 14:02:09	1	0	1	1	75.25	53.75	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:02:10	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.875	2004
15.01.2020 14:02:11	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:12	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:13	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:14	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:15	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:02:16	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:17	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:18	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:19	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	33.0625	2004
15.01.2020 14:02:20	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:02:21	1	0	1	1	77.5	52.5	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:02:22	1	0	1	1	77.5	54.75	0	0	0	0	30000	0	0	30000	33.1875	2004
15.01.2020 14:02:23	1	0	1	1	77.5	53	0	0	0	0	30000	0	0	30000	33.9375	2004
15.01.2020 14:02:24	1	0	1	1	77.5	53.75	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:25	1	0	1	1	77.5	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:26	1	0	1	1	77.5	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:27	1	0	1	1	77.5	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:28	1	0	1	1	77.5	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:29	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:30	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:02:31	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:32	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:33	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:34	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:02:35	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.8125	2004
15.01.2020 14:02:36	1	0	1	1	75.25	52.75	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:02:37	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.6875	2004
15.01.2020 14:02:38	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:39	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:02:40	1	0	1	1	75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:42	1	0	1	1	75	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:02:43	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.75	2004
15.01.2020 14:02:44	1	0	1	1	75	52.75	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:45	1	0	1	1	75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:46	1	0	1	1	75	55.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:02:47	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:48	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:02:49	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:02:50	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:57	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:57	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:57	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:57	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:02:57	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:02:58	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:02:59	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:03:00	1	0	1	1	77.5	55	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:03:01	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:03:02	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:03:03	1	0	1	1	77.5	54.5	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:03:04	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:03:05	1	0	1	1	77.5	55.25	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:03:06	1	0	1	1	77.5	54.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:07	1	0	1	1	77.5	52.5	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:03:08	1	0	1	1	77.5	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:09	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:03:10	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:11	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:12	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:13	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:14	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:15	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:16	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:03:17	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.625	2004
15.01.2020 14:03:18	1	0	1	1	75.25	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:19	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:20	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:21	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5625	2004
15.01.2020 14:03:23	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:24	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:25	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:26	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:27	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:28	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:29	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:30	1	0	1	1	74.75	52.5	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:31	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:32	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:33	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:34	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:03:35	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:36	1	0	1	1	74.75	52.5	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:03:37	1	0	1	1	74.75	55	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:38	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:39	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	33.5625	2004
15.01.2020 14:03:40	1	0	1	1	75	53.5	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:03:41	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 14:03:42	1	0	1	1	75	55.5	0	0	0	0	30000	0	0	30000	33.25	2004
15.01.2020 14:03:43	1	0	1	1	75	53.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:44	1	0	1	1	75	55.5	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:03:45	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:46	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:03:47	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:03:48	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:03:49	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:50	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:51	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:58	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:03:59	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:04:00	1	0	1	1	74.75	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:01	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:04:02	1	0	1	1	74.75	52.5	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:03	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:04	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:05	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:06	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:07	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:08	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:09	1	0	1	1	74.75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:10	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:11	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:12	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:13	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:14	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:15	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:16	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:17	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:18	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:04:19	1	0	1	1	75	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:20	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 14:04:21	1	0	1	1	75	54.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:22	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.5	2004
15.01.2020 14:04:23	1	0	1	1	75	52.5	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:24	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:25	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:26	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:27	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:04:28	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:29	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:30	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:31	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:32	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:04:33	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:34	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:36	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:37	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:04:38	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:04:39	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:04:40	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:41	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:42	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:43	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:44	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:04:45	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:46	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:47	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:48	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:04:49	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:50	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:04:51	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:04:52	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:04:53	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:05:00	1	0	1	1	75.25	55.25	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:05:01	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:02	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:03	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.375	2004
15.01.2020 14:05:04	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:05	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:06	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:07	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:08	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:09	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:10	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:11	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:12	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:13	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:14	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:16	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:17	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:05:18	1	0	1	1	75	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:19	1	0	1	1	75	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:20	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:21	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:22	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:23	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:24	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:25	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:26	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:27	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:28	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:29	1	0	1	1	75.25	52.25	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:30	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:31	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:32	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:33	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:34	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:05:35	1	0	1	1	75.5	55.25	0	0	0	0	30000	0	0	30000	33.6875	2004
15.01.2020 14:05:36	1	0	1	1	75.5	53.5	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:37	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.9375	2004
15.01.2020 14:05:38	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:39	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.3125	2004
15.01.2020 14:05:40	1	0	1	1	75.5	52.25	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:41	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:42	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.25	2004
15.01.2020 14:05:43	1	0	1	1	75.5	52.25	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:44	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:45	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:46	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:47	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:48	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:49	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:05:50	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:51	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:05:52	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	34	2004
15.01.2020 14:05:54	1	0	1	1	75.25	54	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:05:55	1	0	1	1	75.25	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:02	1	0	1	1	75.5	51.75	0	0	0	0	30000	0	0	30000	32.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:06:02	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:03	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:04	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:05	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:06:06	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:07	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:08	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:09	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:10	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.1875	2004
15.01.2020 14:06:11	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:12	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:13	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:14	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:15	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:06:16	1	0	1	1	75.5	55	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:17	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:18	1	0	1	1	75.5	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:19	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:20	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:21	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:22	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:23	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:24	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:25	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.125	2004
15.01.2020 14:06:26	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:27	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:28	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:29	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:30	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	31.9375	2004
15.01.2020 14:06:31	1	0	1	1	75.75	51.75	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:33	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:34	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:35	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:36	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:37	1	0	1	1	75.75	52	0	0	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:06:38	1	0	1	1	75.75	52.25	0	0	0	0	30000	0	0	30000	31.9375	2004
15.01.2020 14:06:39	1	0	1	1	75.75	51.75	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:40	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32.0625	2004
15.01.2020 14:06:41	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:42	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:43	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	31.875	2004
15.01.2020 14:06:44	1	0	1	1	76	51.75	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:45	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:06:46	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:47	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:48	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:49	1	0	1	1	76	52	0	0	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:50	1	1	1	1	76.25	52	0	10426.54	0	0	30000	0	0	30000	32	2004
15.01.2020 14:06:51	1	1	1	1	76.25	52	0	11232.227	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:06:52	1	1	1	1	76.25	54.75	0	11990.521	0	0	30000	0	0	30000	32.4375	2004
15.01.2020 14:06:53	1	1	1	1	76.25	52.25	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	34.625	2004
15.01.2020 14:06:54	1	1	1	1	76.25	54.5	0	13554.502	8.602150538	116.598266	30000	0	0	30000	34.8125	2004
15.01.2020 14:06:55	1	1	1	1	76.25	54.75	0	14312.796	15.05376344	215.2583372	30000	0	0	30000	34.625	2004
15.01.2020 14:06:56	1	1	1	1	76.25	54.5	0	14976.303	21.50537634	322.0721333	30000	0	0	30000	34.6875	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.75	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.75	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.75	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.75	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.75	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:03	1	1	1	1	78.5	53.5	0	20473.934	109.6774194	2245.535836	30000	0	0	30000	34.375	2004
15.01.2020 14:07:04	1	1	1	1	78.5	54.25	0	21279.621	124.7311828	2654.037453	30000	0	0	30000	34.1875	2004
15.01.2020 14:07:05	1	1	1	1	78.5	54	0	21943.128	144.0860215	3188.921806	30000	0	0	30000	34.6875	2004
15.01.2020 14:07:06	1	1	1	1	78.5	54.5	0	22748.815	152.688172	3480.009784	30000	0	0	30000	33.8125	2004
15.01.2020 14:07:07	1	1	1	1	78.5	53.75	0	23507.109	178.4946237	4094.800641	30000	0	0	30000	34.6875	2004
15.01.2020 14:07:09	1	1	1	1	78.5	54.5	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	32.5	2004
15.01.2020 14:07:10	1	1	1	1	78.75	52.5	0	24360.19	206.4516129	5029.217514	30000	0	0	30000	34.4375	2004
15.01.2020 14:07:11	1	1	1	1	78.75	54.25	0	25165.877	219.3548387	5455.657326	30000	0	0	30000	34.4375	2004
15.01.2020 14:07:12	1	1	1	1	78.75	54.25	0	25450.237	234.4086022	5965.265132	30000	0	0	30000	33.6875	2004
15.01.2020 14:07:13	1	1	1	1	78.75	53.5	0	25734.597	249.4623656	6419.427609	30000	0	0	30000	34.375	2004
15.01.2020 14:07:14	1	1	1	1	78.75	54.25	0	26066.351	260.2150538	6894.78977	30000	0	0	30000	33.8125	2004
15.01.2020 14:07:15	1	1	1	1	78.75	53.75	0	26492.891	281.7204301	7348.952246	30000	0	0	30000	34.1875	2004
15.01.2020 14:07:16	1	1	1	1	78.75	54	0	26398.104	296.7741935	7777.022803	30000	0	0	30000	33.75	2004
15.01.2020 14:07:17	1	1	1	1	78.75	53.75	0	26635.071	309.6774194	8205.09336	30000	0	0	30000	32.9375	2004
15.01.2020 14:07:18	1	1	1	1	78.75	52.75	0	26919.431	326.8817204	8683.717011	30000	0	0	30000	33.4375	2004
15.01.2020 14:07:19	1	1	1	1	78.75	53.25	0	27014.218	339.7849462	9220.232109	30000	0	0	30000	34.25	2004
15.01.2020 14:07:20	1	1	1	1	78.25	54.25	0	27156.398	352.688172	9636.072079	30000	0	0	30000	34.0625	2004
15.01.2020 14:07:21	1	1	1	1	78.25	54	0	27393.365	372.0430108	10208.46357	30000	0	0	30000	34.5	2004
15.01.2020 14:07:22	1	1	1	1	78.25	54.5	0	27582.938	382.7956989	10617.78056	30000	0	0	30000	34.75	2004
15.01.2020 14:07:23	1	1	1	1	78.25	54.75	0	28199.052	400	11400.53815	30000	0	0	30000	34.4375	2004
15.01.2020 14:07:24	1	1	1	1	78.25	54.25	0	28009.479	412.9032258	11703.85671	30000	0	0	30000	32.875	2004
15.01.2020 14:07:25	1	1	1	1	78.25	52.75	0	28483.412	427.9569892	12495.5834	30000	0	0	30000	34.3125	2004
15.01.2020 14:07:26	1	1	1	1	78.25	54.25	0	28436.019	445.1612903	12658.6579	30000	0	0	30000	34.5	2004
15.01.2020 14:07:27	1	1	1	1	78.25	54.5	0	28436.019	460.2150538	13086.72845	30000	0	0	30000	33.25	2004
15.01.2020 14:07:28	1	1	1	1	78.25	53.25	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	33.25	2004
15.01.2020 14:07:29	1	1	1	1	78.25	53.25	0	29052.133	490.3225806	14181.77371	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:07:30	1	1	1	1	78.75	53.75	0	29241.706	505.3763441	14652.24363	30000	0	0	30000	33.5	2004
15.01.2020 14:07:31	1	1	1	1	78.75	53.5	0	29146.919	520.4301075	15218.11214	30000	0	0	30000	33.625	2004
15.01.2020 14:07:32	1	1	1	1	78.75	53.5	0	29431.28	535.483871	15708.96638	30000	0	0	30000	33.5	2004
15.01.2020 14:07:33	1	1	1	1	78.75	53.5	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	33.4375	2004
15.01.2020 14:07:34	1	1	1	1	78.75	53.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	33.3125	2004
15.01.2020 14:07:35	1	1	1	1	78.75	53.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	33.8125	2004
15.01.2020 14:07:36	1	1	1	1	78.75	53.75	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	33.5	2004
15.01.2020 14:07:37	1	1	1	1	78.75	53.5	0	29146.919	546.2365591	15957.65499	30000	0	0	30000	33.4375	2004
15.01.2020 14:07:38	1	1	1	1	78.75	53.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	32.5625	2004
15.01.2020 14:07:39	1	1	1	1	79.5	52.5	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	34	2004
15.01.2020 14:07:40	1	1	1	1	79.5	54	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	34.1875	2004
15.01.2020 14:07:41	1	1	1	1	79.5	54	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	33.9375	2004
15.01.2020 14:07:42	1	1	1	1	79.5	53.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	33.8125	2004
15.01.2020 14:07:43	1	1	1	1	79.5	53.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	33.875	2004
15.01.2020 14:07:44	1	1	1	1	79.5	53.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	34.0625	2004
15.01.2020 14:07:45	1	1	1	1	79.5	54	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	34.1875	2004
15.01.2020 14:07:46	1	1	1	1	79.5	54	0	29052.133	544.0860215	15806.81108	30000	0	0	30000	33.5	2004
15.01.2020 14:07:47	1	1	1	1	79.5	53.5	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	33.9375	2004
15.01.2020 14:07:48	1	1	1	1	79.5	53.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	33.6875	2004
15.01.2020 14:07:50	1	1	1	1	80.5	53.5	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	34.5625	2004
15.01.2020 14:07:51	1	1	1	1	80.5	54.5	0	29478.673	546.2365591	16075.884	30000	0	0	30000	34.25	2004
15.01.2020 14:07:52	1	1	1	1	80.5	54.25	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	34.125	2004
15.01.2020 14:07:53	1	1	1	1	80.5	54	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	34.3125	2004
15.01.2020 14:07:54	1	1	1	1	80.5	54.25	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	33.5625	2004
15.01.2020 14:07:55	1	1	1	1	80.5	53.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	34.25	2004
15.01.2020 14:07:56	1	1	1	1	80.5	54.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.3125	2004
15.01.2020 14:07:57	1	1	1	1	80.5	54.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	34.625	2004
15.01.2020 14:07:58	1	1	1	1	80.5	54.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	34	2004
15.01.2020 14:08:05	1	1	1	1	80.75	54	0	29478.673	535.483871	16000.86973	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:05	1	1	1	1	80.75	54	0	29478.673	535.483871	16000.86973	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:05	1	1	1	1	80.75	54	0	29478.673	535.483871	16000.86973	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:05	1	1	1	1	80.75	54	0	29478.673	535.483871	16000.86973	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:05	1	1	1	1	80.75	54	0	29478.673	535.483871	16000.86973	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:05	1	1	1	1	80.75	53.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	33.625	2004
15.01.2020 14:08:06	1	1	1	1	80.75	53.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	34.4375	2004
15.01.2020 14:08:07	1	1	1	1	80.75	54.25	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:08	1	1	1	1	80.75	53.75	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	33.3125	2004
15.01.2020 14:08:09	1	1	1	1	80.75	53.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	33.625	2004
15.01.2020 14:08:10	1	1	1	1	81	53.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	33.25	2004
15.01.2020 14:08:11	1	1	1	1	81	53.25	0	29620.853	541.9354839	15683.68983	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:12	1	1	1	1	81	53.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	33.5625	2004
15.01.2020 14:08:13	1	1	1	1	81	53.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:08:14	1	1	1	1	81	54	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	32.9375	2004
15.01.2020 14:08:15	1	1	1	1	81	52.75	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	33.9375	2004
15.01.2020 14:08:16	1	1	1	1	81	54.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	34.5625	2004
15.01.2020 14:08:17	1	1	1	1	81	54.5	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	33.5625	2004
15.01.2020 14:08:18	1	1	1	1	81	53.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	34.125	2004
15.01.2020 14:08:19	1	1	1	1	81.75	54	0	29715.64	541.9354839	16359.63363	30000	0	0	30000	33.625	2004
15.01.2020 14:08:20	1	1	1	1	81.75	53.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	33.375	2004
15.01.2020 14:08:21	1	1	1	1	81.75	53.25	0	29431.28	544.0860215	15835.34912	30000	0	0	30000	34.375	2004
15.01.2020 14:08:22	1	1	1	1	81.75	54.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	34.25	2004
15.01.2020 14:08:23	1	1	1	1	81.75	54.25	0	29478.673	546.2365591	16255.26595	30000	0	0	30000	31.875	2004
15.01.2020 14:08:24	1	1	1	1	81.75	51.75	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	34.1875	2004
15.01.2020 14:08:25	1	1	1	1	81.75	54	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	34.125	2004
15.01.2020 14:08:26	1	1	1	1	81.75	54	0	29194.313	539.7849462	15846.76433	30000	0	0	30000	33.6875	2004
15.01.2020 14:08:27	1	1	1	1	81.75	53.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	33.125	2004
15.01.2020 14:08:29	1	1	1	1	81.75	53	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	34.5625	2004
15.01.2020 14:08:30	1	1	1	1	82.25	54.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	34.5	2004
15.01.2020 14:08:31	1	1	1	1	82.25	54.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	33.75	2004
15.01.2020 14:08:32	1	1	1	1	82.25	53.75	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	34	2004
15.01.2020 14:08:33	1	1	1	1	82.25	54	0	29810.427	546.2365591	16167.20572	30000	0	0	30000	34.25	2004
15.01.2020 14:08:34	1	1	1	1	82.25	54.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	33.3125	2004
15.01.2020 14:08:35	1	1	1	1	82.25	53.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	33.8125	2004
15.01.2020 14:08:36	1	1	1	1	82.25	53.75	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	34.1875	2004
15.01.2020 14:08:37	1	1	1	1	82.25	54	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	34.5	2004
15.01.2020 14:08:38	1	1	1	1	82.25	54.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	33.8125	2004
15.01.2020 14:08:39	1	1	1	1	82.25	53.75	0	29857.82	541.9354839	16244.6661	30000	0	0	30000	34.375	2004
15.01.2020 14:08:40	1	1	1	1	83	54.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	34.3125	2004
15.01.2020 14:08:41	1	1	1	1	83	54.25	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	32.0625	2004
15.01.2020 14:08:42	1	1	1	1	83	52	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	34.375	2004
15.01.2020 14:08:43	1	1	1	1	83	54.25	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	34.4375	2004
15.01.2020 14:08:44	1	1	1	1	83	54.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	33.75	2004
15.01.2020 14:08:45	1	1	1	1	83	53.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	34.0625	2004
15.01.2020 14:08:46	1	1	1	1	83	54	0	29431.28	541.9354839	15734.24293	30000	0	0	30000	34.25	2004
15.01.2020 14:08:47	1	1	1	1	83	54.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	32.6875	2004
15.01.2020 14:08:48	1	1	1	1	83	52.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	32.75	2004
15.01.2020 14:08:49	1	1	1	1	83	52.75	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	33.875	2004
15.01.2020 14:08:50	1	1	1	1	84	53.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	34.0625	2004
15.01.2020 14:08:51	1	1	1	1	84	54	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	34.0625	2004
15.01.2020 14:08:52	1	1	1	1	84	54	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	34.375	2004
15.01.2020 14:08:53	1	1	1	1	84	54.25	0	29715.64	546.2365591	15988.63914	30000	0	0	30000	34.125	2004
15.01.2020 14:08:54	1	1	1	1	84	53.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	34.3125	2004
15.01.2020 14:08:55	1	1	1	1	84	54.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	33.625	2004
15.01.2020 14:08:56	1	1	1	1	84	53.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	34	2004
15.01.2020 14:08:57	1	1	1	1	84	54	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:08:58	1	1	1	1	84	54	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	33.375	2004
15.01.2020 14:08:59	1	1	1	1	85	53.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	34.375	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:06	1	1	1	1	85	53.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:07	1	1	1	1	85	53.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	32.8125	2004
15.01.2020 14:09:08	1	1	1	1	85	52.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	33.1875	2004
15.01.2020 14:09:09	1	1	1	1	85	53	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	32.625	2004
15.01.2020 14:09:10	1	1	1	1	84.75	52.5	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	33.5	2004
15.01.2020 14:09:11	1	1	1	1	84.75	53.5	0	29526.066	533.3333333	15873.67162	30000	0	0	30000	33	2004
15.01.2020 14:09:12	1	1	1	1	84.75	53	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:13	1	1	1	1	84.75	53.75	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	32.8125	2004
15.01.2020 14:09:14	1	1	1	1	84.75	52.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	33.75	2004
15.01.2020 14:09:15	1	1	1	1	84.75	53.75	0	29289.1	550.5376344	15783.98065	30000	0	0	30000	33.6875	2004
15.01.2020 14:09:16	1	1	1	1	84.75	53.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	33	2004
15.01.2020 14:09:17	1	1	1	1	84.75	53	0	29146.919	554.8387097	15744.0274	30000	0	0	30000	33.5	2004
15.01.2020 14:09:18	1	1	1	1	84.75	53.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.1875	2004
15.01.2020 14:09:19	1	1	1	1	84.75	54	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	34.75	2004
15.01.2020 14:09:20	1	1	1	1	85.25	54.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	33.6875	2004
15.01.2020 14:09:21	1	1	1	1	85.25	53.5	0	29146.919	546.2365591	15832.08763	30000	0	0	30000	33.125	2004
15.01.2020 14:09:22	1	1	1	1	85.25	53	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	34	2004
15.01.2020 14:09:23	1	1	1	1	85.25	54	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	32.3125	2004
15.01.2020 14:09:24	1	1	1	1	85.25	52.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.4375	2004
15.01.2020 14:09:25	1	1	1	1	85.25	54.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	33.5625	2004
15.01.2020 14:09:26	1	1	1	1	85.25	53.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:27	1	1	1	1	85.25	53.75	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	33.4375	2004
15.01.2020 14:09:28	1	1	1	1	85.25	53.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	33.75	2004
15.01.2020 14:09:29	1	1	1	1	85.25	53.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	33.3125	2004
15.01.2020 14:09:30	1	1	1	1	85.75	53.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	33.4375	2004
15.01.2020 14:09:31	1	1	1	1	85.75	53.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	34.875	2004
15.01.2020 14:09:32	1	1	1	1	85.75	54.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	33.1875	2004
15.01.2020 14:09:33	1	1	1	1	85.75	53	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	34.1875	2004
15.01.2020 14:09:34	1	1	1	1	85.75	54.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	33.1875	2004
15.01.2020 14:09:35	1	1	1	1	85.75	53	0	29620.853	544.0860215	16026.96165	30000	0	0	30000	32.6875	2004
15.01.2020 14:09:36	1	1	1	1	85.75	52.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	32.8125	2004
15.01.2020 14:09:37	1	1	1	1	85.75	52.75	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	33.5	2004
15.01.2020 14:09:38	1	1	1	1	85.75	53.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	33.6875	2004
15.01.2020 14:09:39	1	1	1	1	86.75	53.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	33.25	2004
15.01.2020 14:09:40	1	1	1	1	86.75	53.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	32.9375	2004
15.01.2020 14:09:41	1	1	1	1	86.75	52.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:09:42	1	1	1	1	86.75	52.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	32.875	2004
15.01.2020 14:09:43	1	1	1	1	86.75	52.75	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	33.625	2004
15.01.2020 14:09:44	1	1	1	1	86.75	53.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	33.9375	2004
15.01.2020 14:09:45	1	1	1	1	86.75	53.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	32.8125	2004
15.01.2020 14:09:47	1	1	1	1	86.75	52.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	34.4375	2004
15.01.2020 14:09:48	1	1	1	1	86.75	54.25	0	29431.28	546.2365591	16165.57497	30000	0	0	30000	33.8125	2004
15.01.2020 14:09:49	1	1	1	1	86.75	53.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	34.25	2004
15.01.2020 14:09:50	1	1	1	1	87.25	54.25	0	29431.28	550.5376344	16075.884	30000	0	0	30000	34.375	2004
15.01.2020 14:09:51	1	1	1	1	87.25	54.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	34	2004
15.01.2020 14:09:52	1	1	1	1	87.25	54	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	33.5	2004
15.01.2020 14:09:53	1	1	1	1	87.25	53.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	33.625	2004
15.01.2020 14:09:54	1	1	1	1	87.25	53.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	33.625	2004
15.01.2020 14:09:55	1	1	1	1	87.25	53.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	33.5625	2004
15.01.2020 14:09:56	1	1	1	1	87.25	53.5	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	34.5	2004
15.01.2020 14:09:57	1	1	1	1	87.25	54.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	34.3125	2004
15.01.2020 14:09:58	1	1	1	1	87.25	54.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	32.6875	2004
15.01.2020 14:09:59	1	1	1	1	87.25	52.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	33.625	2004
15.01.2020 14:10:00	1	1	1	1	88.5	53.5	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	34	2004
15.01.2020 14:10:01	1	1	1	1	88.5	54	0	29383.886	546.2365591	16176.99019	30000	0	0	30000	33.9375	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	53	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:08	1	1	1	1	88.5	54	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	33.375	2004
15.01.2020 14:10:09	1	1	1	1	88.5	53.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	33.8125	2004
15.01.2020 14:10:10	1	1	1	1	88.25	53.75	0	29336.493	550.5376344	16176.99019	30000	0	0	30000	33.75	2004
15.01.2020 14:10:11	1	1	1	1	88.25	53.75	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	32.875	2004
15.01.2020 14:10:12	1	1	1	1	88.25	52.75	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	34.375	2004
15.01.2020 14:10:13	1	1	1	1	88.25	53.75	0	28957.346	544.0860215	15806.81108	30000	0	0	30000	34.4375	2004
15.01.2020 14:10:14	1	1	1	1	88.25	54.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	34.0625	2004
15.01.2020 14:10:15	1	1	1	1	88.25	54	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	32.875	2004
15.01.2020 14:10:16	1	1	1	1	88.25	52.75	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	34	2004
15.01.2020 14:10:17	1	1	1	1	88.25	54	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	33.5	2004
15.01.2020 14:10:18	1	1	1	1	88.25	53.5	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	33.3125	2004
15.01.2020 14:10:19	1	1	1	1	89.25	53.25	0	29099.526	552.688172	15994.34675	30000	0	0	30000	32.8125	2004
15.01.2020 14:10:20	1	1	1	1	89.25	52.75	0	29431.28	552.688172	16265.86579	30000	0	0	30000	34.375	2004
15.01.2020 14:10:21	1	1	1	1	89.25	54.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	33.875	2004
15.01.2020 14:10:22	1	1	1	1	89.25	53.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	33.375	2004
15.01.2020 14:10:24	1	1	1	1	89.25	53.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	34.5625	2004
15.01.2020 14:10:25	1	1	1	1	89.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.1875	2004
15.01.2020 14:10:26	1	1	1	1	89.25	54	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	34.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:10:27	1	1	1	1	89.25	54	0	29099.526	559.1397849	15968.25483	30000	0	0	30000	33.0625	2004
15.01.2020 14:10:28	1	1	1	1	89.25	53	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	32.8125	2004
15.01.2020 14:10:29	1	1	1	1	89.25	52.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	32.875	2004
15.01.2020 14:10:30	1	1	1	1	89	52.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	33.5625	2004
15.01.2020 14:10:31	1	1	1	1	89	53.5	0	29099.526	552.688172	16359.63363	30000	0	0	30000	32.75	2004
15.01.2020 14:10:32	1	1	1	1	89	52.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	33.375	2004
15.01.2020 14:10:33	1	1	1	1	89	53.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	32.4375	2004
15.01.2020 14:10:34	1	1	1	1	89	52.25	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	33.125	2004
15.01.2020 14:10:35	1	1	1	1	89	53	0	28862.559	552.688172	15951.94738	30000	0	0	30000	32.5625	2004
15.01.2020 14:10:36	1	1	1	1	89	52.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	33.75	2004
15.01.2020 14:10:37	1	1	1	1	89	53.75	0	29052.133	550.5376344	15968.25483	30000	0	0	30000	33.4375	2004
15.01.2020 14:10:38	1	1	1	1	89	53.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	34.1875	2004
15.01.2020 14:10:39	1	1	1	1	89	54	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	32.5	2004
15.01.2020 14:10:40	1	1	1	1	90	52.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	32.625	2004
15.01.2020 14:10:41	1	1	1	1	90	52.5	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	33.4375	2004
15.01.2020 14:10:42	1	1	1	1	90	53.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	32.75	2004
15.01.2020 14:10:43	1	1	1	1	90	52.75	0	29004.739	556.9892473	16243.85073	30000	0	0	30000	32.6875	2004
15.01.2020 14:10:44	1	1	1	1	90	52.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	32.9375	2004
15.01.2020 14:10:45	1	1	1	1	90	52.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	34.125	2004
15.01.2020 14:10:46	1	1	1	1	90	54	0	28862.559	552.688172	15951.94738	30000	0	0	30000	33.625	2004
15.01.2020 14:10:47	1	1	1	1	90	53.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	34.6875	2004
15.01.2020 14:10:48	1	1	1	1	90	54.5	0	28957.346	552.688172	16128.88321	30000	0	0	30000	33.75	2004
15.01.2020 14:10:49	1	1	1	1	90	53.75	0	28909.953	556.9892473	16075.884	30000	0	0	30000	33.8125	2004
15.01.2020 14:10:50	1	1	1	1	90.5	53.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	34.375	2004
15.01.2020 14:10:51	1	1	1	1	90.5	54	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	32.8125	2004
15.01.2020 14:10:52	1	1	1	1	90.5	52.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	32.6875	2004
15.01.2020 14:10:53	1	1	1	1	90.5	52.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	32.5	2004
15.01.2020 14:10:54	1	1	1	1	90.5	52.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	34.125	2004
15.01.2020 14:10:55	1	1	1	1	90.5	54	0	28815.166	550.5376344	15801.91884	30000	0	0	30000	34.3125	2004
15.01.2020 14:10:56	1	1	1	1	90.5	54.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	33.25	2004
15.01.2020 14:10:59	1	1	1	1	90.5	54.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	33.375	2004
15.01.2020 14:10:59	1	1	1	1	90.5	54.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	33.375	2004
15.01.2020 14:10:59	1	1	1	1	89.75	53.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	34.6875	2004
15.01.2020 14:11:00	1	1	1	1	89.75	54.5	0	28578.199	548.3870968	16049.79208	30000	0	0	30000	33.3125	2004
15.01.2020 14:11:02	1	1	1	1	89.75	53.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	34.375	2004
15.01.2020 14:11:03	1	1	1	1	89.75	54.25	0	28909.953	559.1397849	16315.60351	30000	0	0	30000	32.4375	2004
15.01.2020 14:11:10	1	1	1	1	89.75	53.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	34.5	2004
15.01.2020 14:11:10	1	1	1	1	89.75	53.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	34.5	2004
15.01.2020 14:11:10	1	1	1	1	89.75	53.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	34.5	2004
15.01.2020 14:11:10	1	1	1	1	89.75	53.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	34.5	2004
15.01.2020 14:11:10	1	1	1	1	89.75	53.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	34.5	2004
15.01.2020 14:11:10	1	1	1	1	89.5	54.5	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:11:11	1	1	1	1	89.5	52.75	0	28815.166	561.2903226	15943.79366	30000	0	0	30000	33.8125	2004
15.01.2020 14:11:12	1	1	1	1	89.5	53.75	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	33.5	2004
15.01.2020 14:11:13	1	1	1	1	89.5	53.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	32.6875	2004
15.01.2020 14:11:14	1	1	1	1	89.5	52.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	32.8125	2004
15.01.2020 14:11:15	1	1	1	1	89.5	52.75	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	32.5	2004
15.01.2020 14:11:16	1	1	1	1	89.5	52.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	34.4375	2004
15.01.2020 14:11:17	1	1	1	1	89.5	54.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	32.1875	2004
15.01.2020 14:11:18	1	1	1	1	89.5	52	0	28815.166	559.1397849	16093.82219	30000	0	0	30000	33.1875	2004
15.01.2020 14:11:19	1	1	1	1	89.5	53	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	32.9375	2004
15.01.2020 14:11:20	1	1	1	1	89.75	52.75	0	28483.412	556.9892473	15681.24371	30000	0	0	30000	34.375	2004
15.01.2020 14:11:21	1	1	1	1	89.75	54.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	34.4375	2004
15.01.2020 14:11:22	1	1	1	1	89.75	54.25	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	34.6875	2004
15.01.2020 14:11:23	1	1	1	1	89.75	54.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	33.375	2004
15.01.2020 14:11:24	1	1	1	1	89.75	53.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	33.375	2004
15.01.2020 14:11:25	1	1	1	1	89.75	53.25	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	33.5	2004
15.01.2020 14:11:26	1	1	1	1	89.75	53.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	33.1875	2004
15.01.2020 14:11:27	1	1	1	1	89.75	53	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	34.75	2004
15.01.2020 14:11:28	1	1	1	1	89.75	52	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	33.5	2004
15.01.2020 14:11:29	1	1	1	1	89.75	53.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	33.125	2004
15.01.2020 14:11:30	1	1	1	1	89.75	53	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	34.3125	2004
15.01.2020 14:11:31	1	1	1	1	89.75	54.25	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	32.5	2004
15.01.2020 14:11:32	1	1	1	1	89.75	52.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	33.4375	2004
15.01.2020 14:11:33	1	1	1	1	89.75	53.25	0	28815.166	554.8387097	15785.61139	30000	0	0	30000	33.0625	2004
15.01.2020 14:11:34	1	1	1	1	89.75	53	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	33.375	2004
15.01.2020 14:11:35	1	1	1	1	89.75	53.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	33.6875	2004
15.01.2020 14:11:36	1	1	1	1	89.75	53.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	32.1875	2004
15.01.2020 14:11:37	1	1	1	1	89.75	52	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	33.4375	2004
15.01.2020 14:11:39	1	1	1	1	89.75	53.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	32.5	2004
15.01.2020 14:11:40	1	1	1	1	89.25	52.5	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	33.4375	2004
15.01.2020 14:11:41	1	1	1	1	89.25	53.25	0	28578.199	552.688172	15855.73343	30000	0	0	30000	32.5	2004
15.01.2020 14:11:42	1	1	1	1	89.25	52.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	32.5625	2004
15.01.2020 14:11:43	1	1	1	1	89.25	52.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	32.9375	2004
15.01.2020 14:11:44	1	1	1	1	89.25	52.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	33.125	2004
15.01.2020 14:11:45	1	1	1	1	89.25	53	0	28578.199	554.8387097	15733.42755	30000	0	0	30000	34.1875	2004
15.01.2020 14:11:46	1	1	1	1	89.25	54	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	32.5	2004
15.01.2020 14:11:47	1	1	1	1	89.25	52.5	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	34.6875	2004
15.01.2020 14:11:48	1	1	1	1	89.25	54.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	33.8125	2004
15.01.2020 14:11:49	1	1	1	1	89.25	53.75	0	28625.592	556.9892473	15820.67241	30000	0	0	30000	32.375	2004
15.01.2020 14:11:50	1	1	1	1	89.25	52.25	0	28578.199	556.9892473	16128.88321	30000	0	0	30000	32.75	2004
15.01.2020 14:11:51	1	1	1	1	89.25	52.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	33	2004
15.01.2020 14:11:52	1	1	1	1	89.25	53	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	33.625	2004
15.01.2020 14:11:53	1	1	1	1	89.25	53.5	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	33.6875	2004
15.01.2020 14:11:54	1	1	1	1	89.25	53.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:11:55	1	1	1	1	89.25	53	0	28483.412	559.1397849	15952.76275	30000	0	0	30000	32.75	2004
15.01.2020 14:11:56	1	1	1	1	89.25	52.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	32.9375	2004
15.01.2020 14:11:57	1	1	1	1	89.25	52.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	32.6875	2004
15.01.2020 14:11:58	1	1	1	1	89.25	52.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	33.3125	2004
15.01.2020 14:11:59	1	1	1	1	89.25	53.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	33.5	2004
15.01.2020 14:12:00	1	1	1	1	89.75	53.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	33.0625	2004
15.01.2020 14:12:01	1	1	1	1	89.75	53	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	32.9375	2004
15.01.2020 14:12:02	1	1	1	1	89.75	52.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:03	1	1	1	1	89.75	52.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	34.625	2004
15.01.2020 14:12:04	1	1	1	1	89.75	54.5	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	34.375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	53.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	53.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	53.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	53.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	53.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:11	1	1	1	1	90.75	52.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:12	1	1	1	1	90.75	52.25	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	32.6875	2004
15.01.2020 14:12:13	1	1	1	1	90.75	52.5	0	28625.592	556.9892473	16235.69701	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:14	1	1	1	1	90.75	52.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	33.5	2004
15.01.2020 14:12:15	1	1	1	1	90.75	53.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	32.5	2004
15.01.2020 14:12:16	1	1	1	1	90.75	52.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	33.25	2004
15.01.2020 14:12:17	1	1	1	1	90.75	53.25	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	33.125	2004
15.01.2020 14:12:19	1	1	1	1	90.75	53	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	33.4375	2004
15.01.2020 14:12:20	1	1	1	1	89.5	53.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	32.75	2004
15.01.2020 14:12:21	1	1	1	1	89.5	52.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	33.1875	2004
15.01.2020 14:12:22	1	1	1	1	89.5	53	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	34.25	2004
15.01.2020 14:12:23	1	1	1	1	89.5	54.25	0	28578.199	567.7419355	16040.00761	30000	0	0	30000	33.3125	2004
15.01.2020 14:12:24	1	1	1	1	89.5	53.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	34.25	2004
15.01.2020 14:12:25	1	1	1	1	89.5	54.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	33.875	2004
15.01.2020 14:12:26	1	1	1	1	89.5	53.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	33.3125	2004
15.01.2020 14:12:27	1	1	1	1	89.5	53.25	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	34	2004
15.01.2020 14:12:28	1	1	1	1	89.5	54	0	28388.626	559.1397849	15811.70331	30000	0	0	30000	34.625	2004
15.01.2020 14:12:29	1	1	1	1	89.5	54.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	33.125	2004
15.01.2020 14:12:30	1	1	1	1	90.5	53	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	32.625	2004
15.01.2020 14:12:31	1	1	1	1	90.5	52.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	34.4375	2004
15.01.2020 14:12:32	1	1	1	1	90.5	54.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	33.9375	2004
15.01.2020 14:12:33	1	1	1	1	90.5	53.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	32.875	2004
15.01.2020 14:12:34	1	1	1	1	90.5	52.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	33.25	2004
15.01.2020 14:12:35	1	1	1	1	90.5	53.25	0	28388.626	559.1397849	15811.70331	30000	0	0	30000	33.6875	2004
15.01.2020 14:12:36	1	1	1	1	90.5	53.5	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	33.375	2004
15.01.2020 14:12:37	1	1	1	1	90.5	53.25	0	28578.199	561.2903226	15890.79444	30000	0	0	30000	33.3125	2004
15.01.2020 14:12:38	1	1	1	1	90.5	53.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:12:39	1	1	1	1	90.5	52.25	0	28483.412	556.9892473	15742.39665	30000	0	0	30000	34.4375	2004
15.01.2020 14:12:40	1	1	1	1	90.25	54.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	34	2004
15.01.2020 14:12:41	1	1	1	1	90.25	54	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	33.6875	2004
15.01.2020 14:12:42	1	1	1	1	90.25	53.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	33.5625	2004
15.01.2020 14:12:43	1	1	1	1	90.25	53.5	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	34.4375	2004
15.01.2020 14:12:44	1	1	1	1	90.25	54.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	33.25	2004
15.01.2020 14:12:45	1	1	1	1	90.25	53.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	33.6875	2004
15.01.2020 14:12:46	1	1	1	1	90.25	53	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	32.4375	2004
15.01.2020 14:12:47	1	1	1	1	90.25	52.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	33.25	2004
15.01.2020 14:12:48	1	1	1	1	90.25	53.25	0	28815.166	561.2903226	16093.82219	30000	0	0	30000	34.0625	2004
15.01.2020 14:12:49	1	1	1	1	90.5	54	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	34.875	2004
15.01.2020 14:12:50	1	1	1	1	90.5	54.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	32.6875	2004
15.01.2020 14:12:51	1	1	1	1	90.5	52.5	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	33.6875	2004
15.01.2020 14:12:52	1	1	1	1	90.5	53.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	33.375	2004
15.01.2020 14:12:53	1	1	1	1	90.5	53.25	0	28578.199	565.5913978	15864.70252	30000	0	0	30000	32.125	2004
15.01.2020 14:12:54	1	1	1	1	90.5	52	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	33.25	2004
15.01.2020 14:12:55	1	1	1	1	90.5	53.25	0	28388.626	559.1397849	15785.61139	30000	0	0	30000	33.4375	2004
15.01.2020 14:12:57	1	1	1	1	90.5	53.25	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	34.25	2004
15.01.2020 14:12:58	1	1	1	1	90.5	54.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	33.0625	2004
15.01.2020 14:12:59	1	1	1	1	90.5	53	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	34.5	2004
15.01.2020 14:13:00	1	1	1	1	90.5	54.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	33.375	2004
15.01.2020 14:13:01	1	1	1	1	90.5	53.25	0	28483.412	554.8387097	15890.79444	30000	0	0	30000	33.9375	2004
15.01.2020 14:13:02	1	1	1	1	90.5	53.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	33.25	2004
15.01.2020 14:13:03	1	1	1	1	90.5	53.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	33.5625	2004
15.01.2020 14:13:04	1	1	1	1	90.5	53.5	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	33.8125	2004
15.01.2020 14:13:05	1	1	1	1	90.5	53.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	34.8125	2004
15.01.2020 14:13:06	1	1	1	1	90.5	54.75	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	34.1875	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5	2004
15.01.2020 14:13:13	1	1	1	1	90.25	54.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.125	2004
15.01.2020 14:13:14	1	1	1	1	90.25	54	0	29289.1	552.688172	16213.68195	30000	0	0	30000	33.5	2004
15.01.2020 14:13:15	1	1	1	1	90.25	53.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	34.875	2004
15.01.2020 14:13:16	1	1	1	1	90.25	54.75	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	33.125	2004
15.01.2020 14:13:17	1	1	1	1	90.25	53	0	28957.346	552.688172	15942.16291	30000	0	0	30000	33.125	2004
15.01.2020 14:13:18	1	1	1	1	90.25	53	0	28815.166	552.688172	16013.91569	30000	0	0	30000	34.125	2004
15.01.2020 14:13:19	1	1	1	1	90.25	54	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	32.5	2004
15.01.2020 14:13:20	1	1	1	1	90.25	52.5	0	28578.199	550.5376344	15925.85546	30000	0	0	30000	33.25	2004
15.01.2020 14:13:21	1	1	1	1	90.25	53.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	33.625	2004
15.01.2020 14:13:22	1	1	1	1	90.25	53.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	34.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:13:23	1	1	1	1	90.25	54.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	34.125	2004
15.01.2020 14:13:24	1	1	1	1	90.25	54.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	33.4375	2004
15.01.2020 14:13:25	1	1	1	1	90.25	53.25	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	34.6875	2004
15.01.2020 14:13:26	1	1	1	1	90.25	54.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	34.4375	2004
15.01.2020 14:13:27	1	1	1	1	90.25	54.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	34.5625	2004
15.01.2020 14:13:28	1	1	1	1	90.25	54.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	33.9375	2004
15.01.2020 14:13:29	1	1	1	1	90.75	53.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	33.4375	2004
15.01.2020 14:13:30	1	1	1	1	90.75	53.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	33.4375	2004
15.01.2020 14:13:31	1	1	1	1	90.75	53.25	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	34.125	2004
15.01.2020 14:13:32	1	1	1	1	90.75	54	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	34.875	2004
15.01.2020 14:13:34	1	1	1	1	90.75	54.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	34.6875	2004
15.01.2020 14:13:35	1	1	1	1	90.75	54.5	0	28483.412	550.5376344	16101.97592	30000	0	0	30000	34.9375	2004
15.01.2020 14:13:36	1	1	1	1	90.75	54.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	34.75	2004
15.01.2020 14:13:37	1	1	1	1	90.75	54.75	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	32.5	2004
15.01.2020 14:13:38	1	1	1	1	90.75	52.5	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	32.875	2004
15.01.2020 14:13:39	1	1	1	1	90.75	52.75	0	28672.986	552.688172	16049.79208	30000	0	0	30000	33.375	2004
15.01.2020 14:13:40	1	1	1	1	90.25	53.25	0	28483.412	556.9892473	15917.70174	30000	0	0	30000	34.5625	2004
15.01.2020 14:13:41	1	1	1	1	90.25	54.5	0	28625.592	561.2903226	15943.79366	30000	0	0	30000	34.875	2004
15.01.2020 14:13:42	1	1	1	1	90.25	54.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	33.3125	2004
15.01.2020 14:13:43	1	1	1	1	90.25	53.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	32.625	2004
15.01.2020 14:13:44	1	1	1	1	90.25	52.5	0	28815.166	548.3870968	16049.79208	30000	0	0	30000	34.25	2004
15.01.2020 14:13:45	1	1	1	1	90.25	54.25	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	33.3125	2004
15.01.2020 14:13:46	1	1	1	1	90.25	53.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	32.9375	2004
15.01.2020 14:13:47	1	1	1	1	90.25	52.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	33.5	2004
15.01.2020 14:13:48	1	1	1	1	90.25	53.5	0	28909.953	556.9892473	16075.884	30000	0	0	30000	34.0625	2004
15.01.2020 14:13:49	1	1	1	1	90.25	54	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	33	2004
15.01.2020 14:13:50	1	1	1	1	89.75	53	0	28815.166	552.688172	15987.82377	30000	0	0	30000	33.625	2004
15.01.2020 14:13:51	1	1	1	1	89.75	53.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	34.875	2004
15.01.2020 14:13:52	1	1	1	1	89.75	54.75	0	29004.739	550.5376344	15994.34675	30000	0	0	30000	33.25	2004
15.01.2020 14:13:53	1	1	1	1	89.75	53.25	0	29099.526	539.7849462	15920.96323	30000	0	0	30000	33.875	2004
15.01.2020 14:13:54	1	1	1	1	89.75	53.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	33.25	2004
15.01.2020 14:13:55	1	1	1	1	89.75	53.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.375	2004
15.01.2020 14:13:56	1	1	1	1	89.75	54.25	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	34.6875	2004
15.01.2020 14:13:57	1	1	1	1	89.75	54.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	34.875	2004
15.01.2020 14:13:58	1	1	1	1	89.75	54.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	33.5625	2004
15.01.2020 14:13:59	1	1	1	1	89.75	53.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	34.4375	2004
15.01.2020 14:14:00	1	1	1	1	90.25	54.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	33.75	2004
15.01.2020 14:14:01	1	1	1	1	90.25	53.75	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	34.1875	2004
15.01.2020 14:14:02	1	1	1	1	90.25	55	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	34.6875	2004
15.01.2020 14:14:03	1	1	1	1	90.25	54.5	0	29383.886	552.688172	15987.0084	30000	0	0	30000	34.625	2004
15.01.2020 14:14:04	1	1	1	1	90.25	54.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	33.75	2004
15.01.2020 14:14:05	1	1	1	1	90.25	53.75	0	29194.313	546.2365591	15983.74691	30000	0	0	30000	34.625	2004
15.01.2020 14:14:06	1	1	1	1	90.25	54.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	33.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:14:07	1	1	1	1	90.25	53.25	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	33.75	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	54	0	30000	496.7741935	14902.56299	30000	0	0	30000	33.6875	2004
15.01.2020 14:14:15	1	1	1	1	89.5	53.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	32.875	2004
15.01.2020 14:14:16	1	1	1	1	89.5	52.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	33.1875	2004
15.01.2020 14:14:17	1	1	1	1	89.5	53	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.125	2004
15.01.2020 14:14:18	1	1	1	1	89.5	53	0	30000	503.2258065	15032.20721	30000	0	0	30000	34	2004
15.01.2020 14:14:19	1	1	1	1	89.5	54	0	29952.607	516.1290323	15418.69377	30000	0	0	30000	32.5625	2004
15.01.2020 14:14:20	1	1	1	1	89.25	52.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	32.875	2004
15.01.2020 14:14:21	1	1	1	1	89.25	52.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	32.5625	2004
15.01.2020 14:14:22	1	1	1	1	89.25	52.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	33.375	2004
15.01.2020 14:14:23	1	1	1	1	89.25	53.25	0	30000	483.8709677	14451.662	30000	0	0	30000	34.1875	2004
15.01.2020 14:14:24	1	1	1	1	89.25	54	0	30000	483.8709677	14516.07643	30000	0	0	30000	33.125	2004
15.01.2020 14:14:25	1	1	1	1	89.25	53	0	30000	481.7204301	14451.662	30000	0	0	30000	34.9375	2004
15.01.2020 14:14:26	1	1	1	1	89.25	54.75	0	30000	464.516129	13935.53122	30000	0	0	30000	33.75	2004
15.01.2020 14:14:27	1	1	1	1	89.25	53.75	0	30000	464.516129	13870.30142	30000	0	0	30000	33.1875	2004
15.01.2020 14:14:28	1	1	1	1	89.25	53	0	30000	460.2150538	13741.47256	30000	0	0	30000	33.625	2004
15.01.2020 14:14:29	1	1	1	1	89.25	53.5	0	30000	453.7634409	13720.27288	30000	0	0	30000	33.3125	2004
15.01.2020 14:14:30	1	1	1	1	89.5	53.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	34.0625	2004
15.01.2020 14:14:31	1	1	1	1	89.5	54	0	30000	466.6666667	13935.53122	30000	0	0	30000	33.875	2004
15.01.2020 14:14:32	1	1	1	1	89.5	53.75	0	30000	481.7204301	14451.662	30000	0	0	30000	32.375	2004
15.01.2020 14:14:33	1	1	1	1	89.5	52.25	0	30000	488.172043	14598.42905	30000	0	0	30000	33.75	2004
15.01.2020 14:14:34	1	1	1	1	89.5	53.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	34.1875	2004
15.01.2020 14:14:35	1	1	1	1	89.5	54	0	30000	505.3763441	15161.03607	30000	0	0	30000	32.875	2004
15.01.2020 14:14:36	1	1	1	1	89.5	52.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	34.4375	2004
15.01.2020 14:14:37	1	1	1	1	89.5	54.25	0	30000	518.2795699	15548.338	30000	0	0	30000	32.625	2004
15.01.2020 14:14:38	1	1	1	1	89.5	52.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	34.0625	2004
15.01.2020 14:14:39	1	1	1	1	89.5	54	0	29952.607	526.8817204	15870.41013	30000	0	0	30000	34.125	2004
15.01.2020 14:14:40	1	1	1	1	90	54	0	30000	526.8817204	15805.99571	30000	0	0	30000	34.875	2004
15.01.2020 14:14:41	1	1	1	1	90	54.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	33.0625	2004
15.01.2020 14:14:42	1	1	1	1	90	54	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	32.875	2004
15.01.2020 14:14:43	1	1	1	1	90	52.75	0	30000	533.3333333	15805.99571	30000	0	0	30000	33.375	2004
15.01.2020 14:14:44	1	1	1	1	90	53.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	33.0625	2004
15.01.2020 14:14:45	1	1	1	1	90	53	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	34.875	2004
15.01.2020 14:14:46	1	1	1	1	90	54.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	32.625	2004
15.01.2020 14:14:47	1	1	1	1	90	52.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	34.4375	2004
15.01.2020 14:14:48	1	1	1	1	90	54.25	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	34.375	2004
15.01.2020 14:14:50	1	1	1	1	89	54.25	0	29241.706	539.7849462	15669.8285	30000	0	0	30000	35.125	2004
15.01.2020 14:14:51	1	1	1	1	89	55	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:14:52	1	1	1	1	89	54.75	0	29336.493	550.5376344	15846.76433	30000	0	0	30000	32.75	2004
15.01.2020 14:14:53	1	1	1	1	89	52.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	33.625	2004
15.01.2020 14:14:54	1	1	1	1	89	53.5	0	29383.886	544.0860215	15924.22472	30000	0	0	30000	33.125	2004
15.01.2020 14:14:55	1	1	1	1	89	53	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	33.8125	2004
15.01.2020 14:14:56	1	1	1	1	89	53.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	33.875	2004
15.01.2020 14:14:57	1	1	1	1	89	53.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	33.125	2004
15.01.2020 14:14:58	1	1	1	1	89	53	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	34.0625	2004
15.01.2020 14:14:59	1	1	1	1	89	54	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	34	2004
15.01.2020 14:15:00	1	1	1	1	89.25	54	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	34.875	2004
15.01.2020 14:15:01	1	1	1	1	89.25	54.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	34.8125	2004
15.01.2020 14:15:02	1	1	1	1	89.25	54.75	0	29431.28	541.9354839	15671.45924	30000	0	0	30000	33.625	2004
15.01.2020 14:15:03	1	1	1	1	89.25	53.5	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	34.875	2004
15.01.2020 14:15:04	1	1	1	1	89.25	54.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	33.3125	2004
15.01.2020 14:15:05	1	1	1	1	89.25	53.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	34.625	2004
15.01.2020 14:15:06	1	1	1	1	89.25	54.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	34	2004
15.01.2020 14:15:07	1	1	1	1	89.25	54	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	33.125	2004
15.01.2020 14:15:08	1	1	1	1	89.25	53	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	33.8125	2004
15.01.2020 14:15:09	1	1	1	1	89.25	53.75	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	34.5625	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:16	1	1	1	1	90	54	0	30000	496.7741935	15032.20721	30000	0	0	30000	34.5625	2004
15.01.2020 14:15:17	1	1	1	1	90	54.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	32.875	2004
15.01.2020 14:15:18	1	1	1	1	90	52.75	0	29905.213	483.8709677	14838.14856	30000	0	0	30000	35	2004
15.01.2020 14:15:19	1	1	1	1	90	55	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.4375	2004
15.01.2020 14:15:20	1	1	1	1	89.25	54.25	0	30000	494.6236559	14727.2579	30000	0	0	30000	33.875	2004
15.01.2020 14:15:21	1	1	1	1	89.25	54.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	34.125	2004
15.01.2020 14:15:22	1	1	1	1	89.25	54	0	30000	524.7311828	15677.16685	30000	0	0	30000	33.125	2004
15.01.2020 14:15:23	1	1	1	1	89.25	53	0	29905.213	533.3333333	15987.82377	30000	0	0	30000	34.8125	2004
15.01.2020 14:15:24	1	1	1	1	89.25	54.75	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	34.25	2004
15.01.2020 14:15:25	1	1	1	1	89.25	54.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	34.4375	2004
15.01.2020 14:15:26	1	1	1	1	89.25	54.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	33.9375	2004
15.01.2020 14:15:27	1	1	1	1	89.25	53.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	33.375	2004
15.01.2020 14:15:28	1	1	1	1	89.25	53.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	34.125	2004
15.01.2020 14:15:29	1	1	1	1	89.75	54	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	34.5625	2004
15.01.2020 14:15:31	1	1	1	1	89.75	54.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	35	2004
15.01.2020 14:15:32	1	1	1	1	89.75	55	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	34.8125	2004
15.01.2020 14:15:33	1	1	1	1	89.75	54.75	0	29146.919	544.0860215	16061.20729	30000	0	0	30000	34.5	2004
15.01.2020 14:15:34	1	1	1	1	89.75	54.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	33.8125	2004
15.01.2020 14:15:35	1	1	1	1	89.75	53.75	0	29146.919	544.0860215	16024.51553	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:15:36	1	1	1	1	89.75	54.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	34.4375	2004
15.01.2020 14:15:37	1	1	1	1	89.75	54.25	0	29431.28	546.2365591	16113.39113	30000	0	0	30000	33.1875	2004
15.01.2020 14:15:38	1	1	1	1	89.75	53	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	34.8125	2004
15.01.2020 14:15:39	1	1	1	1	89.75	54.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	33.6875	2004
15.01.2020 14:15:40	1	1	1	1	89.5	53.5	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	34.8125	2004
15.01.2020 14:15:41	1	1	1	1	89.5	54.75	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	35.1875	2004
15.01.2020 14:15:42	1	1	1	1	89.5	55	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	34.6875	2004
15.01.2020 14:15:43	1	1	1	1	89.5	54.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	33	2004
15.01.2020 14:15:44	1	1	1	1	89.5	53	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	35.0625	2004
15.01.2020 14:15:45	1	1	1	1	89.5	55	0	29336.493	552.688172	16213.68195	30000	0	0	30000	34.5625	2004
15.01.2020 14:15:46	1	1	1	1	89.5	54.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	33.8125	2004
15.01.2020 14:15:47	1	1	1	1	89.5	53.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	33.9375	2004
15.01.2020 14:15:48	1	1	1	1	89.5	53.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.25	2004
15.01.2020 14:15:49	1	1	1	1	89.5	54.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	34.625	2004
15.01.2020 14:15:50	1	1	1	1	88.75	54.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	33.375	2004
15.01.2020 14:15:51	1	1	1	1	88.75	53.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.0625	2004
15.01.2020 14:15:52	1	1	1	1	88.75	54	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	33.625	2004
15.01.2020 14:15:53	1	1	1	1	88.75	53.5	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	34.5	2004
15.01.2020 14:15:54	1	1	1	1	88.75	54.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:55	1	1	1	1	88.75	54	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	33.875	2004
15.01.2020 14:15:56	1	1	1	1	88.75	53.75	0	28862.559	552.688172	16013.91569	30000	0	0	30000	34.1875	2004
15.01.2020 14:15:57	1	1	1	1	88.75	54	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	34.875	2004
15.01.2020 14:15:58	1	1	1	1	88.75	54.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	34.5625	2004
15.01.2020 14:15:59	1	1	1	1	88.75	54.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	34.4375	2004
15.01.2020 14:16:00	1	1	1	1	89	55.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.5	2004
15.01.2020 14:16:01	1	1	1	1	89	54.5	0	29052.133	544.0860215	15983.74691	30000	0	0	30000	34.75	2004
15.01.2020 14:16:02	1	1	1	1	89	54.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	34.5625	2004
15.01.2020 14:16:03	1	1	1	1	89	54.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	34.875	2004
15.01.2020 14:16:04	1	1	1	1	89	54.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	34.375	2004
15.01.2020 14:16:05	1	1	1	1	89	54.25	0	29146.919	546.2365591	15644.55195	30000	0	0	30000	34.875	2004
15.01.2020 14:16:06	1	1	1	1	89	54.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	34.875	2004
15.01.2020 14:16:07	1	1	1	1	89	54.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	35	2004
15.01.2020 14:16:08	1	1	1	1	89	55	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	33.5625	2004
15.01.2020 14:16:10	1	1	1	1	89	53.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	34.4375	2004
15.01.2020 14:16:11	1	1	1	1	89	54.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	34.5	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	34.75	2004
15.01.2020 14:16:18	1	1	1	1	89	54.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	34.0625	2004
15.01.2020 14:16:19	1	1	1	1	89	54	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:16:20	1	1	1	1	88.75	53.75	0	29763.033	541.9354839	16167.20572	30000	0	0	30000	34.9375	2004
15.01.2020 14:16:21	1	1	1	1	88.75	54.75	0	29431.28	550.5376344	15960.91648	30000	0	0	30000	34.3125	2004
15.01.2020 14:16:22	1	1	1	1	88.75	54.25	0	29715.64	541.9354839	16154.97513	30000	0	0	30000	33.5625	2004
15.01.2020 14:16:23	1	1	1	1	88.75	53.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	34.625	2004
15.01.2020 14:16:24	1	1	1	1	88.75	54.5	0	29620.853	541.9354839	16040.00761	30000	0	0	30000	35	2004
15.01.2020 14:16:25	1	1	1	1	88.75	55	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	34.25	2004
15.01.2020 14:16:26	1	1	1	1	88.75	54.25	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	34.3125	2004
15.01.2020 14:16:27	1	1	1	1	88.75	54.25	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	34.5625	2004
15.01.2020 14:16:28	1	1	1	1	88.75	54.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	34.4375	2004
15.01.2020 14:16:29	1	1	1	1	88.75	54.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	34.8125	2004
15.01.2020 14:16:30	1	1	1	1	88.25	54.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	34.875	2004
15.01.2020 14:16:31	1	1	1	1	88.25	54.75	0	30000	464.516129	13827.90205	30000	0	0	30000	33.75	2004
15.01.2020 14:16:32	1	1	1	1	88.25	53.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	34.9375	2004
15.01.2020 14:16:33	1	1	1	1	88.25	54.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.5	2004
15.01.2020 14:16:34	1	1	1	1	88.25	54.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.3125	2004
15.01.2020 14:16:35	1	1	1	1	88.25	54.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.3125	2004
15.01.2020 14:16:36	1	1	1	1	88.25	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.125	2004
15.01.2020 14:16:37	1	1	1	1	88.25	55	0	30000	412.9032258	12064.25135	30000	0	0	30000	33.75	2004
15.01.2020 14:16:38	1	1	1	1	88.25	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.625	2004
15.01.2020 14:16:39	1	1	1	1	88.25	54.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.1875	2004
15.01.2020 14:16:40	1	1	1	1	88.25	53.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	35.25	2004
15.01.2020 14:16:41	1	1	1	1	88.25	55.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.375	2004
15.01.2020 14:16:42	1	1	1	1	88.25	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
15.01.2020 14:16:43	1	1	1	1	88.25	53.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34	2004
15.01.2020 14:16:44	1	1	1	1	88.25	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.125	2004
15.01.2020 14:16:45	1	1	1	1	88.25	54	0	30000	434.4086022	12818.4709	30000	0	0	30000	34.875	2004
15.01.2020 14:16:46	1	1	1	1	88.25	54.75	0	30047.393	443.0107527	13289.7562	30000	0	0	30000	34.625	2004
15.01.2020 14:16:48	1	1	1	1	88.25	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	33.875	2004
15.01.2020 14:16:49	1	1	1	1	88.25	53.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	33.875	2004
15.01.2020 14:16:50	1	1	1	1	88.25	53.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	34	2004
15.01.2020 14:16:51	1	1	1	1	88.25	54	0	29952.607	481.7204301	14451.662	30000	0	0	30000	33.8125	2004
15.01.2020 14:16:52	1	1	1	1	88.25	53.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	34.75	2004
15.01.2020 14:16:53	1	1	1	1	88.25	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
15.01.2020 14:16:54	1	1	1	1	88.25	54.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	34.1875	2004
15.01.2020 14:16:55	1	1	1	1	88.25	54	0	30000	466.6666667	14128.7745	30000	0	0	30000	34.375	2004
15.01.2020 14:16:56	1	1	1	1	88.25	54.25	0	30000	481.7204301	14451.662	30000	0	0	30000	33.5	2004
15.01.2020 14:16:57	1	1	1	1	88.25	53.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	34.5	2004
15.01.2020 14:16:58	1	1	1	1	88.25	54.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	33.8125	2004
15.01.2020 14:16:59	1	1	1	1	88.25	53.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	34.1875	2004
15.01.2020 14:17:00	1	1	1	1	87.75	54	0	30000	434.4086022	13160.92735	30000	0	0	30000	34.4375	2004
15.01.2020 14:17:01	1	1	1	1	87.75	54.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	34.6875	2004
15.01.2020 14:17:02	1	1	1	1	87.75	54.5	0	30000	423.655914	12709.21099	30000	0	0	30000	34.625	2004
15.01.2020 14:17:03	1	1	1	1	87.75	54.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:17:04	1	1	1	1	87.75	54.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.75	2004
15.01.2020 14:17:05	1	1	1	1	87.75	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
15.01.2020 14:17:06	1	1	1	1	87.75	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	35	2004
15.01.2020 14:17:07	1	1	1	1	87.75	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.375	2004
15.01.2020 14:17:08	1	1	1	1	87.75	54.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	34.1875	2004
15.01.2020 14:17:09	1	1	1	1	87.75	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.0625	2004
15.01.2020 14:17:10	1	1	1	1	87.75	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.5625	2004
15.01.2020 14:17:11	1	1	1	1	87.75	54.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	34.75	2004
15.01.2020 14:17:12	1	1	1	1	87.75	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.75	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	87.75	55	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:20	1	1	1	1	88.25	55	0	30000	397.8494624	11704.67208	30000	0	0	30000	34.1875	2004
15.01.2020 14:17:21	1	1	1	1	88.25	55.25	0	30000	400	12064.25135	30000	0	0	30000	34	2004
15.01.2020 14:17:22	1	1	1	1	88.25	54	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	35.1875	2004
15.01.2020 14:17:23	1	1	1	1	88.25	55	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.625	2004
15.01.2020 14:17:24	1	1	1	1	88.25	54.5	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	35	2004
15.01.2020 14:17:25	1	1	1	1	88.25	55	0	30000	397.8494624	11935.4225	30000	0	0	30000	33.875	2004
15.01.2020 14:17:26	1	1	1	1	88.25	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.9375	2004
15.01.2020 14:17:28	1	1	1	1	88.25	54.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.0625	2004
15.01.2020 14:17:29	1	1	1	1	88.25	54	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.0625	2004
15.01.2020 14:17:30	1	1	1	1	87.75	54	0	30000	404.3010753	11871.00807	30000	0	0	30000	35.1875	2004
15.01.2020 14:17:31	1	1	1	1	87.75	55	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	34.4375	2004
15.01.2020 14:17:32	1	1	1	1	87.75	54.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	34.5625	2004
15.01.2020 14:17:33	1	1	1	1	87.75	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.3125	2004
15.01.2020 14:17:34	1	1	1	1	87.75	54.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:35	1	1	1	1	87.75	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004
15.01.2020 14:17:36	1	1	1	1	87.75	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.875	2004
15.01.2020 14:17:37	1	1	1	1	87.75	53.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	34.8125	2004
15.01.2020 14:17:38	1	1	1	1	87.75	54.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	34.25	2004
15.01.2020 14:17:39	1	1	1	1	87.75	54.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.0625	2004
15.01.2020 14:17:40	1	1	1	1	87.75	55	0	30000	443.0107527	13289.7562	30000	0	0	30000	34.1875	2004
15.01.2020 14:17:41	1	1	1	1	87.75	54	0	30000	445.1612903	13396.57	30000	0	0	30000	34.75	2004
15.01.2020 14:17:42	1	1	1	1	87.75	54.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	33.5625	2004
15.01.2020 14:17:43	1	1	1	1	87.75	53.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	34.1875	2004
15.01.2020 14:17:44	1	1	1	1	87.75	54	0	30000	445.1612903	13119.34335	30000	0	0	30000	34.625	2004
15.01.2020 14:17:45	1	1	1	1	87.75	54.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	35.125	2004
15.01.2020 14:17:46	1	1	1	1	87.75	55	0	29952.607	445.1612903	13548.22928	30000	0	0	30000	34.6875	2004
15.01.2020 14:17:47	1	1	1	1	87.75	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:17:48	1	1	1	1	87.75	54.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	34	2004
15.01.2020 14:17:49	1	1	1	1	87.75	54	0	30000	445.1612903	13483.81486	30000	0	0	30000	34.125	2004
15.01.2020 14:17:50	1	1	1	1	87.25	54	0	30000	449.4623656	13354.17063	30000	0	0	30000	34.4375	2004
15.01.2020 14:17:51	1	1	1	1	87.25	54.25	0	30000	464.516129	13805.88699	30000	0	0	30000	34.9375	2004
15.01.2020 14:17:52	1	1	1	1	87.25	54.75	0	30000	464.516129	13935.53122	30000	0	0	30000	35.1875	2004
15.01.2020 14:17:53	1	1	1	1	87.25	55	0	30047.393	481.7204301	13935.53122	30000	0	0	30000	34.5	2004
15.01.2020 14:17:54	1	1	1	1	87.25	54.5	0	29905.213	470.9677419	13999.94564	30000	0	0	30000	34.8125	2004
15.01.2020 14:17:55	1	1	1	1	87.25	54.75	0	30000	464.516129	13935.53122	30000	0	0	30000	35.4375	2004
15.01.2020 14:17:56	1	1	1	1	87.25	55.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	35.375	2004
15.01.2020 14:17:57	1	1	1	1	87.25	55.25	0	30000	464.516129	13999.94564	30000	0	0	30000	35.4375	2004
15.01.2020 14:17:58	1	1	1	1	87.25	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5	2004
15.01.2020 14:17:59	1	1	1	1	87.25	54.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	34.8125	2004
15.01.2020 14:18:00	1	1	1	1	87.25	54.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	34.125	2004
15.01.2020 14:18:01	1	1	1	1	87.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.5	2004
15.01.2020 14:18:02	1	1	1	1	87.25	54.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	34.4375	2004
15.01.2020 14:18:03	1	1	1	1	87.25	54.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:04	1	1	1	1	87.25	54.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	34.5	2004
15.01.2020 14:18:05	1	1	1	1	87.25	54.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	34.625	2004
15.01.2020 14:18:07	1	1	1	1	87.25	54.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	35.1875	2004
15.01.2020 14:18:08	1	1	1	1	87.25	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.375	2004
15.01.2020 14:18:09	1	1	1	1	87.25	54.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	35.0625	2004
15.01.2020 14:18:10	1	1	1	1	86.5	55	0	30000	389.2473118	11548.12057	30000	0	0	30000	34.25	2004
15.01.2020 14:18:11	1	1	1	1	86.5	54.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	34.6875	2004
15.01.2020 14:18:12	1	1	1	1	86.5	54.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:13	1	1	1	1	86.5	54.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	34.5625	2004
15.01.2020 14:18:14	1	1	1	1	86.5	54.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:21	1	1	1	1	86.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:22	1	1	1	1	86.5	54.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	35.25	2004
15.01.2020 14:18:23	1	1	1	1	86.5	55.25	0	30000	352.688172	10709.10227	30000	0	0	30000	33	2004
15.01.2020 14:18:24	1	1	1	1	86.5	53	0	29905.213	350.5376344	10580.27342	30000	0	0	30000	34.5	2004
15.01.2020 14:18:25	1	1	1	1	86.5	54.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	34.75	2004
15.01.2020 14:18:26	1	1	1	1	86.5	54.75	0	30000	344.0860215	10661.81067	30000	0	0	30000	35.125	2004
15.01.2020 14:18:27	1	1	1	1	86.5	55	0	30000	352.688172	10515.85899	30000	0	0	30000	35.0625	2004
15.01.2020 14:18:28	1	1	1	1	86.5	55	0	30000	363.4408602	10886.03811	30000	0	0	30000	35.3125	2004
15.01.2020 14:18:29	1	1	1	1	86.5	55.25	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	33.6875	2004
15.01.2020 14:18:30	1	1	1	1	87	53.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.5625	2004
15.01.2020 14:18:31	1	1	1	1	87	54.5	0	30000	359.1397849	11096.40421	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:18:32	1	1	1	1	87	55	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:33	1	1	1	1	87	54.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.4375	2004
15.01.2020 14:18:34	1	1	1	1	87	54.25	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	35.3125	2004
15.01.2020 14:18:35	1	1	1	1	87	55.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.5	2004
15.01.2020 14:18:36	1	1	1	1	87	54.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.5625	2004
15.01.2020 14:18:37	1	1	1	1	87	55.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	35.25	2004
15.01.2020 14:18:38	1	1	1	1	87	55	0	30000	365.5913978	10903.16093	30000	0	0	30000	33.6875	2004
15.01.2020 14:18:39	1	1	1	1	86.75	53.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	34.875	2004
15.01.2020 14:18:40	1	1	1	1	86.75	54.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	32.9375	2004
15.01.2020 14:18:41	1	1	1	1	86.75	52.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	35.4375	2004
15.01.2020 14:18:42	1	1	1	1	86.75	55.25	0	30000	374.1935484	11031.98978	30000	0	0	30000	34.4375	2004
15.01.2020 14:18:43	1	1	1	1	86.75	54.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:45	1	1	1	1	86.75	54.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.125	2004
15.01.2020 14:18:46	1	1	1	1	86.75	54	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	34.9375	2004
15.01.2020 14:18:47	1	1	1	1	86.75	54.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	33.9375	2004
15.01.2020 14:18:48	1	1	1	1	86.75	53.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	34.625	2004
15.01.2020 14:18:49	1	1	1	1	86.75	54.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	34.5625	2004
15.01.2020 14:18:50	1	1	1	1	86.25	54.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	34.625	2004
15.01.2020 14:18:51	1	1	1	1	86.25	54.5	0	30000	369.8924731	10886.03811	30000	0	0	30000	33.875	2004
15.01.2020 14:18:52	1	1	1	1	86.25	53.75	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	34.8125	2004
15.01.2020 14:18:53	1	1	1	1	86.25	54.75	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	34.6875	2004
15.01.2020 14:18:54	1	1	1	1	86.25	54.5	0	29952.607	365.5913978	10740.08643	30000	0	0	30000	34.5625	2004
15.01.2020 14:18:55	1	1	1	1	86.25	54.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.3125	2004
15.01.2020 14:18:56	1	1	1	1	86.25	54.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	35	2004
15.01.2020 14:18:57	1	1	1	1	86.25	55	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.1875	2004
15.01.2020 14:18:58	1	1	1	1	86.25	54	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	34	2004
15.01.2020 14:18:59	1	1	1	1	86.25	54	0	30000	380.6451613	11419.29171	30000	0	0	30000	35.25	2004
15.01.2020 14:19:00	1	1	1	1	85.5	55.25	0	30094.787	391.3978495	11548.12057	30000	0	0	30000	34.25	2004
15.01.2020 14:19:01	1	1	1	1	85.5	54.25	0	30000	384.9462366	11594.5968	30000	0	0	30000	34.0625	2004
15.01.2020 14:19:02	1	1	1	1	85.5	54	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.375	2004
15.01.2020 14:19:03	1	1	1	1	85.5	54.25	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:04	1	1	1	1	85.5	54.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	35.3125	2004
15.01.2020 14:19:05	1	1	1	1	85.5	55.25	0	30000	397.8494624	12128.66578	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:06	1	1	1	1	85.5	54.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.4375	2004
15.01.2020 14:19:07	1	1	1	1	85.5	55.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:08	1	1	1	1	85.5	54.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.6875	2004
15.01.2020 14:19:09	1	1	1	1	85.5	53.5	0	30047.393	438.7096774	13225.34178	30000	0	0	30000	34.6875	2004
15.01.2020 14:19:10	1	1	1	1	85.25	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
15.01.2020 14:19:11	1	1	1	1	85.25	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.25	2004
15.01.2020 14:19:12	1	1	1	1	85.25	55.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	33.625	2004
15.01.2020 14:19:13	1	1	1	1	85.25	53.5	0	30000	464.516129	13935.53122	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:14	1	1	1	1	85.25	54.75	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	35.125	2004
15.01.2020 14:19:15	1	1	1	1	85.25	55	0	30000	481.7204301	14128.7745	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
15.01.2020 14:19:23	1	1	1	1	85.5	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
15.01.2020 14:19:24	1	1	1	1	85.5	54.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	35.3125	2004
15.01.2020 14:19:26	1	1	1	1	85.5	55.25	0	29952.607	464.516129	13913.51616	30000	0	0	30000	34.875	2004
15.01.2020 14:19:27	1	1	1	1	85.5	54.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	35.125	2004
15.01.2020 14:19:28	1	1	1	1	85.5	55	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	34.4375	2004
15.01.2020 14:19:29	1	1	1	1	85.5	54.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	35.125	2004
15.01.2020 14:19:30	1	1	1	1	85	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.75	2004
15.01.2020 14:19:31	1	1	1	1	85	54.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	34.1875	2004
15.01.2020 14:19:32	1	1	1	1	85	54	0	30000	438.7096774	13225.34178	30000	0	0	30000	35.3125	2004
15.01.2020 14:19:33	1	1	1	1	85	55.25	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	35.25	2004
15.01.2020 14:19:34	1	1	1	1	85	55.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:35	1	1	1	1	85	54.75	0	29952.607	458.0645161	13935.53122	30000	0	0	30000	35.0625	2004
15.01.2020 14:19:36	1	1	1	1	85	55	0	30000	464.516129	13870.30142	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:37	1	1	1	1	85	54.75	0	30000	466.6666667	13762.67225	30000	0	0	30000	33.5	2004
15.01.2020 14:19:38	1	1	1	1	85	53.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	35.125	2004
15.01.2020 14:19:39	1	1	1	1	85	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.0625	2004
15.01.2020 14:19:40	1	1	1	1	84.25	55	0	30000	445.1612903	13119.34335	30000	0	0	30000	34.3125	2004
15.01.2020 14:19:41	1	1	1	1	84.25	54.25	0	30000	451.6129032	13548.22928	30000	0	0	30000	34.4375	2004
15.01.2020 14:19:42	1	1	1	1	84.25	54.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	34.875	2004
15.01.2020 14:19:43	1	1	1	1	84.25	54.75	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	34.8125	2004
15.01.2020 14:19:44	1	1	1	1	84.25	54.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	34.875	2004
15.01.2020 14:19:45	1	1	1	1	84.25	54.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.25	2004
15.01.2020 14:19:46	1	1	1	1	84.25	55.25	0	30000	455.9139785	13312.58663	30000	0	0	30000	35.25	2004
15.01.2020 14:19:47	1	1	1	1	84.25	55.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	34.1875	2004
15.01.2020 14:19:48	1	1	1	1	84.25	54	0	30000	440.8602151	12798.08659	30000	0	0	30000	35.0625	2004
15.01.2020 14:19:49	1	1	1	1	84.25	55	0	30000	438.7096774	13160.92735	30000	0	0	30000	34.9375	2004
15.01.2020 14:19:50	1	1	1	1	84.5	54.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.875	2004
15.01.2020 14:19:51	1	1	1	1	84.5	54.75	0	30000	438.7096774	13032.0985	30000	0	0	30000	34.875	2004
15.01.2020 14:19:52	1	1	1	1	84.5	54.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
15.01.2020 14:19:53	1	1	1	1	84.5	54.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	34.6875	2004
15.01.2020 14:19:54	1	1	1	1	84.5	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.375	2004
15.01.2020 14:19:55	1	1	1	1	84.5	55.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	35.5625	2004
15.01.2020 14:19:56	1	1	1	1	84.5	55.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	34.375	2004
15.01.2020 14:19:57	1	1	1	1	84.5	54.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.625	2004
15.01.2020 14:19:58	1	1	1	1	84.5	55.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.25	2004
15.01.2020 14:19:59	1	1	1	1	84	55.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	34.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:20:00	1	1	1	1	84	54	0	30000	453.7634409	13957.54627	30000	0	0	30000	34.875	2004
15.01.2020 14:20:01	1	1	1	1	84	54.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.1875	2004
15.01.2020 14:20:02	1	1	1	1	84	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.8125	2004
15.01.2020 14:20:03	1	1	1	1	84	54.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	35.375	2004
15.01.2020 14:20:05	1	1	1	1	84	55.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	34.875	2004
15.01.2020 14:20:06	1	1	1	1	84	54.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	34.75	2004
15.01.2020 14:20:07	1	1	1	1	84	54.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.0625	2004
15.01.2020 14:20:08	1	1	1	1	84	54	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.8125	2004
15.01.2020 14:20:09	1	1	1	1	84	54.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	35.4375	2004
15.01.2020 14:20:10	1	1	1	1	84	55.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	34.5	2004
15.01.2020 14:20:11	1	1	1	1	84	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.9375	2004
15.01.2020 14:20:12	1	1	1	1	84	54.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	34.125	2004
15.01.2020 14:20:13	1	1	1	1	84	54	0	30000	443.0107527	13225.34178	30000	0	0	30000	35.375	2004
15.01.2020 14:20:14	1	1	1	1	84	55.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.1875	2004
15.01.2020 14:20:15	1	1	1	1	84	55	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.25	2004
15.01.2020 14:20:16	1	1	1	1	84	55.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	34.8125	2004
15.01.2020 14:20:17	1	1	1	1	84	54.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	34.5	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:24	1	1	1	1	83.5	55	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:25	1	1	1	1	83.5	54.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	34.75	2004
15.01.2020 14:20:26	1	1	1	1	83.5	54.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	35.4375	2004
15.01.2020 14:20:27	1	1	1	1	83.5	55.25	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	35.125	2004
15.01.2020 14:20:28	1	1	1	1	83.5	55	0	30000	415.0537634	12515.96771	30000	0	0	30000	34.0625	2004
15.01.2020 14:20:29	1	1	1	1	83.5	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.375	2004
15.01.2020 14:20:30	1	1	1	1	83	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.1875	2004
15.01.2020 14:20:31	1	1	1	1	83	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.625	2004
15.01.2020 14:20:32	1	1	1	1	83	54.5	0	30000	417.2043011	12515.96771	30000	0	0	30000	35.1875	2004
15.01.2020 14:20:33	1	1	1	1	83	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.75	2004
15.01.2020 14:20:34	1	1	1	1	83	55.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	35	2004
15.01.2020 14:20:35	1	1	1	1	83	55	0	30000	412.9032258	12193.08021	30000	0	0	30000	35.5625	2004
15.01.2020 14:20:36	1	1	1	1	83	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004
15.01.2020 14:20:37	1	1	1	1	83	54.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.3125	2004
15.01.2020 14:20:38	1	1	1	1	83	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.3125	2004
15.01.2020 14:20:39	1	1	1	1	82.5	55.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.625	2004
15.01.2020 14:20:40	1	1	1	1	82.5	54.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	34	2004
15.01.2020 14:20:41	1	1	1	1	82.5	54	0	30000	417.2043011	12580.38214	30000	0	0	30000	35.5	2004
15.01.2020 14:20:43	1	1	1	1	82.5	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.125	2004
15.01.2020 14:20:44	1	1	1	1	82.5	54	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:20:45	1	1	1	1	82.5	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.0625	2004
15.01.2020 14:20:46	1	1	1	1	82.5	54	0	30000	412.9032258	12490.69116	30000	0	0	30000	35.3125	2004
15.01.2020 14:20:47	1	1	1	1	82.5	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
15.01.2020 14:20:48	1	1	1	1	82.5	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.5	2004
15.01.2020 14:20:49	1	1	1	1	82.5	55.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	35.4375	2004
15.01.2020 14:20:50	1	1	1	1	82.25	55.25	0	30000	406.4516129	12128.66578	30000	0	0	30000	34.4375	2004
15.01.2020 14:20:51	1	1	1	1	82.25	54.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.3125	2004
15.01.2020 14:20:52	1	1	1	1	82.25	55.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.1875	2004
15.01.2020 14:20:53	1	1	1	1	82.25	55	0	30047.393	417.2043011	12387.13886	30000	0	0	30000	35	2004
15.01.2020 14:20:54	1	1	1	1	82.25	55	0	30000	406.4516129	12193.08021	30000	0	0	30000	35.5625	2004
15.01.2020 14:20:55	1	1	1	1	82.25	55.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.5625	2004
15.01.2020 14:20:56	1	1	1	1	82.25	55.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.8125	2004
15.01.2020 14:20:57	1	1	1	1	82.25	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.4375	2004
15.01.2020 14:20:58	1	1	1	1	82.25	55.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	35.25	2004
15.01.2020 14:20:59	1	1	1	1	82.25	55.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.0625	2004
15.01.2020 14:21:00	1	1	1	1	81.75	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.1875	2004
15.01.2020 14:21:01	1	1	1	1	81.75	53	0	30000	400	12193.08021	30000	0	0	30000	34.875	2004
15.01.2020 14:21:02	1	1	1	1	81.75	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.125	2004
15.01.2020 14:21:03	1	1	1	1	81.75	55	0	30000	417.2043011	12580.38214	30000	0	0	30000	34.875	2004
15.01.2020 14:21:04	1	1	1	1	81.75	54.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
15.01.2020 14:21:05	1	1	1	1	81.75	55.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	35.5	2004
15.01.2020 14:21:06	1	1	1	1	81.75	55.5	0	30047.393	412.9032258	12426.27674	30000	0	0	30000	35.1875	2004
15.01.2020 14:21:07	1	1	1	1	81.75	55	0	30000	412.9032258	12193.08021	30000	0	0	30000	35.4375	2004
15.01.2020 14:21:08	1	1	1	1	81.75	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.375	2004
15.01.2020 14:21:09	1	1	1	1	81.75	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.6875	2004
15.01.2020 14:21:10	1	1	1	1	82	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.75	2004
15.01.2020 14:21:11	1	1	1	1	82	54.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	34.75	2004
15.01.2020 14:21:12	1	1	1	1	82	54.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.875	2004
15.01.2020 14:21:13	1	1	1	1	82	55.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.5	2004
15.01.2020 14:21:14	1	1	1	1	82	55.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.625	2004
15.01.2020 14:21:15	1	1	1	1	82	54.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	34.9375	2004
15.01.2020 14:21:16	1	1	1	1	82	54.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	35.375	2004
15.01.2020 14:21:17	1	1	1	1	82	55.25	0	30000	384.9462366	11483.70614	30000	0	0	30000	34.875	2004
15.01.2020 14:21:19	1	1	1	1	82	54.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.375	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:26	1	1	1	1	81.25	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:27	1	1	1	1	81.25	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.625	2004
15.01.2020 14:21:28	1	1	1	1	81.25	54.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	33.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:21:29	1	1	1	1	81.25	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.3125	2004
15.01.2020 14:21:30	1	1	1	1	81.25	55.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	34.8125	2004
15.01.2020 14:21:31	1	1	1	1	81.25	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.0625	2004
15.01.2020 14:21:32	1	1	1	1	81.25	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.9375	2004
15.01.2020 14:21:33	1	1	1	1	81.25	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.625	2004
15.01.2020 14:21:34	1	1	1	1	81.25	55.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.4375	2004
15.01.2020 14:21:35	1	1	1	1	81.25	54.25	0	30000	427.9569892	13032.0985	30000	0	0	30000	35.3125	2004
15.01.2020 14:21:36	1	1	1	1	81.25	55.25	0	30000	434.4086022	12818.4709	30000	0	0	30000	35.0625	2004
15.01.2020 14:21:37	1	1	1	1	81.25	55	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.625	2004
15.01.2020 14:21:38	1	1	1	1	81.25	54.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.875	2004
15.01.2020 14:21:39	1	1	1	1	81.25	54.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	33.75	2004
15.01.2020 14:21:40	1	1	1	1	81	53.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	34.875	2004
15.01.2020 14:21:41	1	1	1	1	81	54.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.625	2004
15.01.2020 14:21:42	1	1	1	1	81	54.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.5	2004
15.01.2020 14:21:43	1	1	1	1	81	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.6875	2004
15.01.2020 14:21:44	1	1	1	1	81	55.5	0	30000	427.9569892	12798.08659	30000	0	0	30000	35.375	2004
15.01.2020 14:21:45	1	1	1	1	81	55.25	0	29905.213	423.655914	12773.62542	30000	0	0	30000	35.5625	2004
15.01.2020 14:21:46	1	1	1	1	81	55.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	35.6875	2004
15.01.2020 14:21:47	1	1	1	1	81	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.625	2004
15.01.2020 14:21:48	1	1	1	1	81	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.25	2004
15.01.2020 14:21:49	1	1	1	1	81	55.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	34.5625	2004
15.01.2020 14:21:50	1	1	1	1	80.75	54.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	34.5625	2004
15.01.2020 14:21:51	1	1	1	1	80.75	54.5	0	30000	455.9139785	13827.90205	30000	0	0	30000	36	2004
15.01.2020 14:21:52	1	1	1	1	80.75	54.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	34.8125	2004
15.01.2020 14:21:53	1	1	1	1	80.75	54.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	35.0625	2004
15.01.2020 14:21:54	1	1	1	1	80.75	55	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	35.125	2004
15.01.2020 14:21:55	1	1	1	1	80.75	55	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	35.6875	2004
15.01.2020 14:21:57	1	1	1	1	80.75	55.5	0	30000	464.516129	13935.53122	30000	0	0	30000	35.375	2004
15.01.2020 14:21:58	1	1	1	1	80.75	55.25	0	30047.393	468.8172043	14064.36007	30000	0	0	30000	35.625	2004
15.01.2020 14:21:59	1	1	1	1	80.75	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.0625	2004
15.01.2020 14:22:00	1	1	1	1	80.5	55	0	30000	466.6666667	13999.94564	30000	0	0	30000	35.25	2004
15.01.2020 14:22:01	1	1	1	1	80.5	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.3125	2004
15.01.2020 14:22:02	1	1	1	1	80.5	55.25	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	35.5625	2004
15.01.2020 14:22:03	1	1	1	1	80.5	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	34.125	2004
15.01.2020 14:22:04	1	1	1	1	80.5	54	0	30000	492.4731183	14773.73413	30000	0	0	30000	35.0625	2004
15.01.2020 14:22:05	1	1	1	1	80.5	55	0	30000	488.172043	14644.90528	30000	0	0	30000	35.25	2004
15.01.2020 14:22:06	1	1	1	1	80.5	55.25	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	35	2004
15.01.2020 14:22:07	1	1	1	1	80.5	55	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	35.4375	2004
15.01.2020 14:22:08	1	1	1	1	80.5	55.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.5	2004
15.01.2020 14:22:09	1	1	1	1	80.5	55.5	0	30000	516.1290323	15548.338	30000	0	0	30000	34.875	2004
15.01.2020 14:22:10	1	1	1	1	79.75	54.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	35.6875	2004
15.01.2020 14:22:11	1	1	1	1	79.75	55.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.1875	2004
15.01.2020 14:22:12	1	1	1	1	79.75	55	0	30000	520.4301075	15612.75243	30000	0	0	30000	34.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:22:13	1	1	1	1	79.75	54.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	35.5	2004
15.01.2020 14:22:14	1	1	1	1	79.75	55.5	0	29905.213	535.483871	15820.67241	30000	0	0	30000	34.4375	2004
15.01.2020 14:22:15	1	1	1	1	79.75	54.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	35	2004
15.01.2020 14:22:16	1	1	1	1	79.75	55	0	30000	522.5806452	15677.16685	30000	0	0	30000	34.5	2004
15.01.2020 14:22:17	1	1	1	1	79.75	54.5	0	29905.213	522.5806452	15885.08684	30000	0	0	30000	34.9375	2004
15.01.2020 14:22:18	1	1	1	1	79.75	54.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	35.5625	2004
15.01.2020 14:22:19	1	1	1	1	79.75	55.5	0	30000	533.3333333	15805.99571	30000	0	0	30000	35.6875	2004
15.01.2020 14:22:20	1	1	1	1	80	55.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	35.625	2004
15.01.2020 14:22:27	1	1	1	1	80	54.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.25	2004
15.01.2020 14:22:27	1	1	1	1	80	54.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.25	2004
15.01.2020 14:22:27	1	1	1	1	80	54.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.25	2004
15.01.2020 14:22:27	1	1	1	1	80	54.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.25	2004
15.01.2020 14:22:27	1	1	1	1	80	54.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.1875	2004
15.01.2020 14:22:27	1	1	1	1	80	55.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	35.1875	2004
15.01.2020 14:22:30	1	1	1	1	79	55	0	30000	520.4301075	15677.16685	30000	0	0	30000	35.0625	2004
15.01.2020 14:22:30	1	1	1	1	79	55	0	30000	520.4301075	15677.16685	30000	0	0	30000	35.0625	2004
15.01.2020 14:22:30	1	1	1	1	79	55	0	30000	518.2795699	15483.92357	30000	0	0	30000	33.75	2004
15.01.2020 14:22:31	1	1	1	1	79	53.75	0	30000	526.8817204	16000.05436	30000	0	0	30000	35.3125	2004
15.01.2020 14:22:32	1	1	1	1	79	55.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	34.1875	2004
15.01.2020 14:22:33	1	1	1	1	79	54	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.5	2004
15.01.2020 14:22:34	1	1	1	1	79	55.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.125	2004
15.01.2020 14:22:36	1	1	1	1	79	55	0	30000	501.0752688	15032.20721	30000	0	0	30000	35.5	2004
15.01.2020 14:22:37	1	1	1	1	79	55.5	0	30000	516.1290323	15508.38475	30000	0	0	30000	35.0625	2004
15.01.2020 14:22:38	1	1	1	1	79	55	0	30000	516.1290323	15483.92357	30000	0	0	30000	34.9375	2004
15.01.2020 14:22:39	1	1	1	1	79	54.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	35.25	2004
15.01.2020 14:22:40	1	1	1	1	78.5	55.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	35.625	2004
15.01.2020 14:22:41	1	1	1	1	78.5	55.5	0	29620.853	533.3333333	15911.99413	30000	0	0	30000	35.75	2004
15.01.2020 14:22:42	1	1	1	1	78.5	55.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	35.625	2004
15.01.2020 14:22:43	1	1	1	1	78.5	55.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	35.1875	2004
15.01.2020 14:22:44	1	1	1	1	78.5	55	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	35.4375	2004
15.01.2020 14:22:45	1	1	1	1	78.5	55.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.5	2004
15.01.2020 14:22:46	1	1	1	1	78.5	55.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	35.5	2004
15.01.2020 14:22:47	1	1	1	1	78.5	55.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	34.125	2004
15.01.2020 14:22:48	1	1	1	1	78.5	54	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	35.25	2004
15.01.2020 14:22:49	1	1	1	1	78.5	55.25	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	35.8125	2004
15.01.2020 14:22:50	1	1	1	1	78.5	55.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	35.3125	2004
15.01.2020 14:22:51	1	1	1	1	78.5	55.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	34.875	2004
15.01.2020 14:22:52	1	1	1	1	78.5	54.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	35.625	2004
15.01.2020 14:22:53	1	1	1	1	78.5	55.5	0	29573.46	539.7849462	15810.07257	30000	0	0	30000	35.625	2004
15.01.2020 14:22:54	1	1	1	1	78.5	55.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	35.5	2004
15.01.2020 14:22:55	1	1	1	1	78.5	55.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	34.9375	2004
15.01.2020 14:22:56	1	1	1	1	78.5	54.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:22:57	1	1	1	1	78.5	55	0	29905.213	535.483871	16013.10032	30000	0	0	30000	34.875	2004
15.01.2020 14:22:58	1	1	1	1	78.5	54.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	34.9375	2004
15.01.2020 14:22:59	1	1	1	1	78.5	54.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.625	2004
15.01.2020 14:23:00	1	1	1	1	78.25	55.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.25	2004
15.01.2020 14:23:01	1	1	1	1	78.25	55.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	35	2004
15.01.2020 14:23:02	1	1	1	1	78.25	55	0	30000	516.1290323	15483.92357	30000	0	0	30000	33.5	2004
15.01.2020 14:23:03	1	1	1	1	78.25	53.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.5625	2004
15.01.2020 14:23:04	1	1	1	1	78.25	55.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	35	2004
15.01.2020 14:23:05	1	1	1	1	78.25	55	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	35.4375	2004
15.01.2020 14:23:06	1	1	1	1	78.25	55.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	35.1875	2004
15.01.2020 14:23:07	1	1	1	1	78.25	55	0	30000	509.6774194	15225.45049	30000	0	0	30000	36.1875	2004
15.01.2020 14:23:08	1	1	1	1	78.25	56	0	30000	503.2258065	15161.03607	30000	0	0	30000	35.125	2004
15.01.2020 14:23:09	1	1	1	1	77.75	55.25	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	35	2004
15.01.2020 14:23:10	1	1	1	1	77.75	55	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.25	2004
15.01.2020 14:23:11	1	1	1	1	77.75	55.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	35.125	2004
15.01.2020 14:23:12	1	1	1	1	77.75	55	0	30000	507.5268817	15137.39026	30000	0	0	30000	35.375	2004
15.01.2020 14:23:14	1	1	1	1	77.75	55.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	35	2004
15.01.2020 14:23:15	1	1	1	1	77.75	55	0	30000	505.3763441	15096.62164	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:16	1	1	1	1	77.75	55	0	30000	503.2258065	15096.62164	30000	0	0	30000	35.375	2004
15.01.2020 14:23:17	1	1	1	1	77.75	55.25	0	29905.213	492.4731183	15032.20721	30000	0	0	30000	35.75	2004
15.01.2020 14:23:18	1	1	1	1	77.75	55.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.1875	2004
15.01.2020 14:23:19	1	1	1	1	77.75	55	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.3125	2004
15.01.2020 14:23:20	1	1	1	1	77.25	54.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	35.5625	2004
15.01.2020 14:23:21	1	1	1	1	77.25	55.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.25	2004
15.01.2020 14:23:22	1	1	1	1	77.25	55.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.3125	2004
15.01.2020 14:23:29	1	1	1	1	77.25	55	0	30000	509.6774194	15289.86492	30000	0	0	30000	34.75	2004
15.01.2020 14:23:29	1	1	1	1	77.25	55	0	30000	509.6774194	15289.86492	30000	0	0	30000	34.75	2004
15.01.2020 14:23:29	1	1	1	1	77.25	55	0	30000	509.6774194	15289.86492	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:29	1	1	1	1	77.25	54.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:29	1	1	1	1	77.25	54.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:29	1	1	1	1	77.25	54.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:30	1	1	1	1	76	55	0	30000	529.0322581	15870.41013	30000	0	0	30000	34.875	2004
15.01.2020 14:23:31	1	1	1	1	76	54.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	35.75	2004
15.01.2020 14:23:32	1	1	1	1	76	55.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	34.625	2004
15.01.2020 14:23:33	1	1	1	1	76	54.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.625	2004
15.01.2020 14:23:34	1	1	1	1	76	55.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	34.9375	2004
15.01.2020 14:23:35	1	1	1	1	76	54.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	35.25	2004
15.01.2020 14:23:36	1	1	1	1	76	55.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	35.4375	2004
15.01.2020 14:23:37	1	1	1	1	76	55.25	0	29715.64	546.2365591	16078.33012	30000	0	0	30000	35.6875	2004
15.01.2020 14:23:38	1	1	1	1	76	55.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:39	1	1	1	1	76	55	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	35.3125	2004
15.01.2020 14:23:40	1	1	1	1	76.25	55.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:23:41	1	1	1	1	76.25	55.5	0	29478.673	537.6344086	16038.37687	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:42	1	1	1	1	76.25	55	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	35.9375	2004
15.01.2020 14:23:43	1	1	1	1	76.25	55.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	35.125	2004
15.01.2020 14:23:44	1	1	1	1	76.25	55	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	35.375	2004
15.01.2020 14:23:45	1	1	1	1	76.25	55.25	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	35.25	2004
15.01.2020 14:23:46	1	1	1	1	76.25	55.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	36.125	2004
15.01.2020 14:23:47	1	1	1	1	76.25	56	0	29668.246	537.6344086	16078.33012	30000	0	0	30000	35.4375	2004
15.01.2020 14:23:48	1	1	1	1	76.25	55.25	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	35.0625	2004
15.01.2020 14:23:49	1	1	1	1	76.25	55.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	35.75	2004
15.01.2020 14:23:50	1	1	1	1	76.25	55.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	35	2004
15.01.2020 14:23:51	1	1	1	1	76.25	55	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	35.125	2004
15.01.2020 14:23:52	1	1	1	1	76.25	55	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	35.6875	2004
15.01.2020 14:23:53	1	1	1	1	76.25	55.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	35.9375	2004
15.01.2020 14:23:55	1	1	1	1	76.25	55.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	35.625	2004
15.01.2020 14:23:56	1	1	1	1	76.25	55.5	0	29715.64	544.0860215	16219.38956	30000	0	0	30000	35.125	2004
15.01.2020 14:23:57	1	1	1	1	76.25	55	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	35.1875	2004
15.01.2020 14:23:58	1	1	1	1	76.25	55	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	35.875	2004
15.01.2020 14:23:59	1	1	1	1	76.25	55.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	35.6875	2004
15.01.2020 14:24:00	1	1	1	1	75.5	55.5	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	34.8125	2004
15.01.2020 14:24:01	1	1	1	1	75.5	54.75	0	29478.673	537.6344086	15759.51947	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:02	1	1	1	1	75.5	55.5	0	29431.28	539.7849462	15696.73579	30000	0	0	30000	35.375	2004
15.01.2020 14:24:03	1	1	1	1	75.5	55.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	34.125	2004
15.01.2020 14:24:04	1	1	1	1	75.5	54	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	35.4375	2004
15.01.2020 14:24:05	1	1	1	1	75.5	55.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	35.375	2004
15.01.2020 14:24:06	1	1	1	1	75.5	55.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	35.0625	2004
15.01.2020 14:24:07	1	1	1	1	75.5	55	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	35.1875	2004
15.01.2020 14:24:08	1	1	1	1	75.5	55	0	29289.1	548.3870968	15972.33169	30000	0	0	30000	35.375	2004
15.01.2020 14:24:09	1	1	1	1	75.5	55.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	35.8125	2004
15.01.2020 14:24:10	1	1	1	1	75	55.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	35.875	2004
15.01.2020 14:24:11	1	1	1	1	75	55.75	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	35.9375	2004
15.01.2020 14:24:12	1	1	1	1	75	55.75	0	29146.919	552.688172	16020.43867	30000	0	0	30000	35.875	2004
15.01.2020 14:24:13	1	1	1	1	75	55.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	35.375	2004
15.01.2020 14:24:14	1	1	1	1	75	55.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	35.6875	2004
15.01.2020 14:24:15	1	1	1	1	75	55.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 14:24:16	1	1	1	1	75	55.75	0	29336.493	541.9354839	16150.89827	30000	0	0	30000	34.4375	2004
15.01.2020 14:24:17	1	1	1	1	75	54.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	35.9375	2004
15.01.2020 14:24:18	1	1	1	1	75	55.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	35.25	2004
15.01.2020 14:24:19	1	1	1	1	75	55.25	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	35.5	2004
15.01.2020 14:24:20	1	1	1	1	74.75	55.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	35.125	2004
15.01.2020 14:24:21	1	1	1	1	74.75	55	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	35.625	2004
15.01.2020 14:24:22	1	1	1	1	74.75	55.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	35.8125	2004
15.01.2020 14:24:23	1	1	1	1	74.75	55.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	35.6875	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:31	1	1	1	1	74.5	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:32	1	1	1	1	74.5	55.5	0	29810.427	537.6344086	16001.6851	30000	0	0	30000	35.9375	2004
15.01.2020 14:24:33	1	1	1	1	74.5	55.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	35.75	2004
15.01.2020 14:24:34	1	1	1	1	74.5	55.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	35.375	2004
15.01.2020 14:24:35	1	1	1	1	74.5	55.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	35.5	2004
15.01.2020 14:24:36	1	1	1	1	74.5	55.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	35.875	2004
15.01.2020 14:24:37	1	1	1	1	74.5	55.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	35.75	2004
15.01.2020 14:24:38	1	1	1	1	74.5	55.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	35.875	2004
15.01.2020 14:24:39	1	1	1	1	74.5	55.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	34.4375	2004
15.01.2020 14:24:40	1	1	1	1	74.25	54.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	35.5	2004
15.01.2020 14:24:41	1	1	1	1	74.25	55.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	35.875	2004
15.01.2020 14:24:42	1	1	1	1	74.25	55.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	35.625	2004
15.01.2020 14:24:43	1	1	1	1	74.25	55.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	34.4375	2004
15.01.2020 14:24:44	1	1	1	1	74.25	54.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	34.9375	2004
15.01.2020 14:24:45	1	1	1	1	74.25	54.75	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	35.875	2004
15.01.2020 14:24:46	1	1	1	1	74.25	55.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	35.25	2004
15.01.2020 14:24:47	1	1	1	1	74.25	55.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	34.375	2004
15.01.2020 14:24:48	1	1	1	1	74.25	54.25	0	29383.886	539.7849462	15708.96638	30000	0	0	30000	35.3125	2004
15.01.2020 14:24:49	1	1	1	1	74.25	55.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	35.5625	2004
15.01.2020 14:24:50	1	1	1	1	73.5	55.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	35.8125	2004
15.01.2020 14:24:51	1	1	1	1	73.5	55.75	0	29715.64	537.6344086	16013.91569	30000	0	0	30000	35.3125	2004
15.01.2020 14:24:52	1	1	1	1	73.5	55.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	35.125	2004
15.01.2020 14:24:53	1	1	1	1	73.5	55	0	29431.28	539.7849462	15734.24293	30000	0	0	30000	35.8125	2004
15.01.2020 14:24:54	1	1	1	1	73.5	55.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	35.625	2004
15.01.2020 14:24:55	1	1	1	1	73.5	55.5	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	35.6875	2004
15.01.2020 14:24:56	1	1	1	1	73.5	55.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	35.75	2004
15.01.2020 14:24:57	1	1	1	1	73.5	55.75	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	35.375	2004
15.01.2020 14:24:58	1	1	1	1	73.5	55.25	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	35.5	2004
15.01.2020 14:24:59	1	1	1	1	73.5	55.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	34.625	2004
15.01.2020 14:25:00	1	1	1	1	73.5	54.5	0	29146.919	541.9354839	16098.71443	30000	0	0	30000	34.625	2004
15.01.2020 14:25:01	1	1	1	1	73.5	54.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:02	1	1	1	1	73.5	56	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	35.8125	2004
15.01.2020 14:25:03	1	1	1	1	73.5	55.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:04	1	1	1	1	73.5	56	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	36.1875	2004
15.01.2020 14:25:05	1	1	1	1	73.5	56	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	35.9375	2004
15.01.2020 14:25:06	1	1	1	1	73.5	55.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	35.5625	2004
15.01.2020 14:25:07	1	1	1	1	73.5	55.5	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	35.8125	2004
15.01.2020 14:25:08	1	1	1	1	73.5	55.75	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	35.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:25:09	1	1	1	1	73.25	55.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.75	2004
15.01.2020 14:25:10	1	1	1	1	73.25	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	35.5	2004
15.01.2020 14:25:12	1	1	1	1	73.25	55.5	0	29289.1	535.483871	16024.51553	30000	0	0	30000	35.5625	2004
15.01.2020 14:25:13	1	1	1	1	73.25	55.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.375	2004
15.01.2020 14:25:14	1	1	1	1	73.25	55.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	35.8125	2004
15.01.2020 14:25:15	1	1	1	1	73.25	55.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:16	1	1	1	1	73.25	56	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	35.125	2004
15.01.2020 14:25:17	1	1	1	1	73.25	55	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.875	2004
15.01.2020 14:25:18	1	1	1	1	73.25	55.75	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	35.625	2004
15.01.2020 14:25:19	1	1	1	1	73.25	55.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	34.875	2004
15.01.2020 14:25:20	1	1	1	1	73	54.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	35.875	2004
15.01.2020 14:25:21	1	1	1	1	73	55.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	35.9375	2004
15.01.2020 14:25:22	1	1	1	1	73	55.75	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	35	2004
15.01.2020 14:25:23	1	1	1	1	73	55	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	35.8125	2004
15.01.2020 14:25:24	1	1	1	1	73	55.75	0	28862.559	550.5376344	15916.07099	30000	0	0	30000	36	2004
15.01.2020 14:25:25	1	1	1	1	73	56	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	35.5	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	35.4375	2004
15.01.2020 14:25:32	1	1	1	1	72	55.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	34.875	2004
15.01.2020 14:25:33	1	1	1	1	72	54.75	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	34.0625	2004
15.01.2020 14:25:34	1	1	1	1	72	54	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	35.625	2004
15.01.2020 14:25:35	1	1	1	1	72	55.5	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	36.125	2004
15.01.2020 14:25:36	1	1	1	1	72	56	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	35.625	2004
15.01.2020 14:25:37	1	1	1	1	72	55.5	0	28862.559	552.688172	16004.13122	30000	0	0	30000	35.375	2004
15.01.2020 14:25:38	1	1	1	1	72	55.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:39	1	1	1	1	72	56	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.875	2004
15.01.2020 14:25:40	1	1	1	1	72.25	55.75	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	35.6875	2004
15.01.2020 14:25:41	1	1	1	1	72.25	55.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	34.8125	2004
15.01.2020 14:25:42	1	1	1	1	72.25	54.75	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	35.0625	2004
15.01.2020 14:25:43	1	1	1	1	72.25	55	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	34.9375	2004
15.01.2020 14:25:44	1	1	1	1	72.25	54.75	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	36.1875	2004
15.01.2020 14:25:45	1	1	1	1	72.25	56	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	34.4375	2004
15.01.2020 14:25:46	1	1	1	1	72.25	54.25	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	35.5625	2004
15.01.2020 14:25:47	1	1	1	1	72.25	55.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	36.4375	2004
15.01.2020 14:25:48	1	1	1	1	72.25	55.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	34.375	2004
15.01.2020 14:25:49	1	1	1	1	71.5	54.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	35.6875	2004
15.01.2020 14:25:50	1	1	1	1	71.5	55.5	0	29099.526	544.0860215	15832.08763	30000	0	0	30000	35.0625	2004
15.01.2020 14:25:52	1	1	1	1	71.5	55	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	35.875	2004
15.01.2020 14:25:53	1	1	1	1	71.5	55.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:25:54	1	1	1	1	71.5	55.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:55	1	1	1	1	71.5	56	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.375	2004
15.01.2020 14:25:56	1	1	1	1	71.5	55.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	36	2004
15.01.2020 14:25:57	1	1	1	1	71.5	56	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	36.125	2004
15.01.2020 14:25:58	1	1	1	1	71.5	56	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	36.0625	2004
15.01.2020 14:25:59	1	1	1	1	71.5	56	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	35.9375	2004
15.01.2020 14:26:00	1	1	1	1	71.5	55.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:01	1	1	1	1	71.5	56	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	35.5	2004
15.01.2020 14:26:02	1	1	1	1	71.5	55.5	0	29241.706	544.0860215	16213.68195	30000	0	0	30000	35.625	2004
15.01.2020 14:26:03	1	1	1	1	71.5	55.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.625	2004
15.01.2020 14:26:04	1	1	1	1	71.5	55.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	35	2004
15.01.2020 14:26:05	1	1	1	1	71.5	55	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	35.8125	2004
15.01.2020 14:26:06	1	1	1	1	71.5	55.75	0	29336.493	544.0860215	16265.86579	30000	0	0	30000	35.375	2004
15.01.2020 14:26:07	1	1	1	1	71.5	55.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	35.375	2004
15.01.2020 14:26:08	1	1	1	1	71.5	55.25	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	34.9375	2004
15.01.2020 14:26:09	1	1	1	1	71.5	54.75	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	35.5	2004
15.01.2020 14:26:10	1	1	1	1	70.5	55.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:11	1	1	1	1	70.5	56	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	35.375	2004
15.01.2020 14:26:12	1	1	1	1	70.5	55.25	0	29146.919	550.5376344	15681.24371	30000	0	0	30000	34.9375	2004
15.01.2020 14:26:13	1	1	1	1	70.5	54.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.875	2004
15.01.2020 14:26:14	1	1	1	1	70.5	55.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:15	1	1	1	1	70.5	56	0	29099.526	552.688172	16082.40698	30000	0	0	30000	35.75	2004
15.01.2020 14:26:16	1	1	1	1	70.5	55.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:17	1	1	1	1	70.5	56	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	35.9375	2004
15.01.2020 14:26:18	1	1	1	1	70.5	55.75	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	35.125	2004
15.01.2020 14:26:19	1	1	1	1	70.5	55	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	35.375	2004
15.01.2020 14:26:20	1	1	1	1	70.75	55.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	36.25	2004
15.01.2020 14:26:21	1	1	1	1	70.75	56.25	0	29478.673	544.0860215	16075.884	30000	0	0	30000	35.875	2004
15.01.2020 14:26:22	1	1	1	1	70.75	55.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	35.9375	2004
15.01.2020 14:26:23	1	1	1	1	70.75	55.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:24	1	1	1	1	70.75	56	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	35.8125	2004
15.01.2020 14:26:25	1	1	1	1	70.75	55.75	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	35.875	2004
15.01.2020 14:26:26	1	1	1	1	70.75	55.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	36.3125	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	35.5625	2004
15.01.2020 14:26:34	1	1	1	1	70.25	55.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	35.3125	2004
15.01.2020 14:26:35	1	1	1	1	70.25	55.25	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	34.875	2004
15.01.2020 14:26:36	1	1	1	1	70.25	54.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	35.625	2004
15.01.2020 14:26:37	1	1	1	1	70.25	55.5	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:26:38	1	1	1	1	70.25	56	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	36	2004
15.01.2020 14:26:39	1	1	1	1	70.25	56	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	35.625	2004
15.01.2020 14:26:40	1	1	1	1	70.75	55.5	0	29478.673	544.0860215	16128.06784	30000	0	0	30000	35.5	2004
15.01.2020 14:26:41	1	1	1	1	70.75	55.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	36.125	2004
15.01.2020 14:26:42	1	1	1	1	70.75	56	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	35.0625	2004
15.01.2020 14:26:43	1	1	1	1	70.75	55	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	35.75	2004
15.01.2020 14:26:44	1	1	1	1	70.75	55.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	35.875	2004
15.01.2020 14:26:45	1	1	1	1	70.75	55.75	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	35.625	2004
15.01.2020 14:26:46	1	1	1	1	70.75	55.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	35.8125	2004
15.01.2020 14:26:47	1	1	1	1	70.75	55.75	0	29431.28	550.5376344	15898.1328	30000	0	0	30000	35.625	2004
15.01.2020 14:26:48	1	1	1	1	70.75	55.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:49	1	1	1	1	70.75	56	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	35.8125	2004
15.01.2020 14:26:50	1	1	1	1	70.25	55.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	35.9375	2004
15.01.2020 14:26:51	1	1	1	1	70.25	55.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	36.1875	2004
15.01.2020 14:26:52	1	1	1	1	70.25	56	0	28862.559	552.688172	15951.94738	30000	0	0	30000	36.3125	2004
15.01.2020 14:26:53	1	1	1	1	70.25	56.25	0	29099.526	541.9354839	16020.43867	30000	0	0	30000	36.0625	2004
15.01.2020 14:26:54	1	1	1	1	70.25	56	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	36.4375	2004
15.01.2020 14:26:55	1	1	1	1	70.25	56.25	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	36.125	2004
15.01.2020 14:26:56	1	1	1	1	70.25	56	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	35.375	2004
15.01.2020 14:26:57	1	1	1	1	70.25	55.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36.3125	2004
15.01.2020 14:26:58	1	1	1	1	70.25	56.25	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	36.1875	2004
15.01.2020 14:26:59	1	1	1	1	70.25	56	0	29146.919	539.7849462	15972.33169	30000	0	0	30000	36	2004
15.01.2020 14:27:00	1	1	1	1	70	56	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	36	2004
15.01.2020 14:27:01	1	1	1	1	70	56	0	29146.919	535.483871	15898.1328	30000	0	0	30000	35.5625	2004
15.01.2020 14:27:02	1	1	1	1	70	55.5	0	29573.46	546.2365591	16064.46878	30000	0	0	30000	34.625	2004
15.01.2020 14:27:03	1	1	1	1	70	54.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	36.3125	2004
15.01.2020 14:27:04	1	1	1	1	70	56.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	36.3125	2004
15.01.2020 14:27:05	1	1	1	1	70	56.25	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	35.5625	2004
15.01.2020 14:27:06	1	1	1	1	70	55.75	0	29431.28	544.0860215	15823.11853	30000	0	0	30000	35.875	2004
15.01.2020 14:27:07	1	1	1	1	70	55.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	36.0625	2004
15.01.2020 14:27:09	1	1	1	1	70	56	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	35.75	2004
15.01.2020 14:27:10	1	1	1	1	69.5	55.75	0	29668.246	539.7849462	16052.2382	30000	0	0	30000	35.75	2004
15.01.2020 14:27:11	1	1	1	1	69.5	55.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	35.875	2004
15.01.2020 14:27:12	1	1	1	1	69.5	55.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:13	1	1	1	1	69.5	55.75	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	35.6875	2004
15.01.2020 14:27:14	1	1	1	1	69.5	55.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	34.875	2004
15.01.2020 14:27:15	1	1	1	1	69.5	54.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	36.0625	2004
15.01.2020 14:27:16	1	1	1	1	69.5	56	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	35.625	2004
15.01.2020 14:27:17	1	1	1	1	69.5	55.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	35.875	2004
15.01.2020 14:27:18	1	1	1	1	69.5	55.75	0	29526.066	544.0860215	16307.44979	30000	0	0	30000	35.1875	2004
15.01.2020 14:27:19	1	1	1	1	69.5	55	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:20	1	1	1	1	68.75	55.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	35.6875	2004
15.01.2020 14:27:21	1	1	1	1	68.75	55.5	0	29383.886	550.5376344	15987.0084	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:27:22	1	1	1	1	68.75	56	0	29146.919	537.6344086	15732.61218	30000	0	0	30000	36	2004
15.01.2020 14:27:23	1	1	1	1	68.75	56	0	29383.886	546.2365591	16176.99019	30000	0	0	30000	36	2004
15.01.2020 14:27:24	1	1	1	1	68.75	56	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	36.3125	2004
15.01.2020 14:27:25	1	1	1	1	68.75	56.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	36.1875	2004
15.01.2020 14:27:26	1	1	1	1	68.75	56	0	29052.133	537.6344086	15832.08763	30000	0	0	30000	36.125	2004
15.01.2020 14:27:27	1	1	1	1	68.75	56	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	36.3125	2004
15.01.2020 14:27:28	1	1	1	1	68.75	56.25	0	29336.493	539.7849462	16075.884	30000	0	0	30000	36	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:35	1	1	1	1	68.75	55	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.625	2004
15.01.2020 14:27:36	1	1	1	1	68.75	55.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	35.75	2004
15.01.2020 14:27:37	1	1	1	1	68.75	55.75	0	29146.919	544.0860215	16108.4989	30000	0	0	30000	35.5625	2004
15.01.2020 14:27:38	1	1	1	1	68.75	55.5	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:39	1	1	1	1	68.75	55.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	35.5	2004
15.01.2020 14:27:40	1	1	1	1	68.25	55.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:41	1	1	1	1	68.25	55.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:42	1	1	1	1	68.25	55.75	0	29478.673	546.2365591	16229.17403	30000	0	0	30000	35	2004
15.01.2020 14:27:43	1	1	1	1	68.25	55	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	34.625	2004
15.01.2020 14:27:44	1	1	1	1	68.25	54.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	36.1875	2004
15.01.2020 14:27:45	1	1	1	1	68.25	56	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	34.4375	2004
15.01.2020 14:27:46	1	1	1	1	68.25	55.75	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	35.625	2004
15.01.2020 14:27:48	1	1	1	1	68.25	55.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	35.4375	2004
15.01.2020 14:27:49	1	1	1	1	68.25	55.25	0	29052.133	550.5376344	15817.41092	30000	0	0	30000	35.8125	2004
15.01.2020 14:27:50	1	1	1	1	67.75	55.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.75	2004
15.01.2020 14:27:51	1	1	1	1	67.75	55.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	35.625	2004
15.01.2020 14:27:52	1	1	1	1	67.75	55.5	0	29004.739	550.5376344	15994.34675	30000	0	0	30000	36.125	2004
15.01.2020 14:27:53	1	1	1	1	67.75	56	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	35.9375	2004
15.01.2020 14:27:54	1	1	1	1	67.75	55.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	36.25	2004
15.01.2020 14:27:55	1	1	1	1	67.75	56.25	0	29241.706	550.5376344	16061.20729	30000	0	0	30000	36	2004
15.01.2020 14:27:56	1	1	1	1	67.75	56	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	36.125	2004
15.01.2020 14:27:57	1	1	1	1	67.75	56	0	29431.28	544.0860215	16075.884	30000	0	0	30000	35.3125	2004
15.01.2020 14:27:58	1	1	1	1	67.75	55.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	35.0625	2004
15.01.2020 14:27:59	1	1	1	1	67.75	55	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	35.875	2004
15.01.2020 14:28:00	1	1	1	1	67.75	55.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	35.5	2004
15.01.2020 14:28:01	1	1	1	1	67.75	55.5	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	35.4375	2004
15.01.2020 14:28:02	1	1	1	1	67.75	55.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.4375	2004
15.01.2020 14:28:03	1	1	1	1	67.75	55.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	36	2004
15.01.2020 14:28:04	1	1	1	1	67.75	56	0	30000	516.1290323	15508.38475	30000	0	0	30000	35.25	2004
15.01.2020 14:28:05	1	1	1	1	67.75	55.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:28:06	1	1	1	1	67.75	55.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.4375	2004
15.01.2020 14:28:07	1	1	1	1	67.75	55.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	35.6875	2004
15.01.2020 14:28:08	1	1	1	1	67.75	55.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	35.8125	2004
15.01.2020 14:28:09	1	1	1	1	67.75	55.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.25	2004
15.01.2020 14:28:10	1	1	1	1	67.25	56.25	0	30000	518.2795699	15548.338	30000	0	0	30000	36.3125	2004
15.01.2020 14:28:11	1	1	1	1	67.25	56.25	0	30000	503.2258065	14727.2579	30000	0	0	30000	35.5	2004
15.01.2020 14:28:12	1	1	1	1	67.25	55.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.625	2004
15.01.2020 14:28:13	1	1	1	1	67.25	55.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.25	2004
15.01.2020 14:28:14	1	1	1	1	67.25	55.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	36.25	2004
15.01.2020 14:28:15	1	1	1	1	67.25	56.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	35.375	2004
15.01.2020 14:28:16	1	1	1	1	67.25	55.25	0	30047.393	533.3333333	15934.82456	30000	0	0	30000	34.875	2004
15.01.2020 14:28:17	1	1	1	1	67.25	54.75	0	30000	518.2795699	15548.338	30000	0	0	30000	35.6875	2004
15.01.2020 14:28:18	1	1	1	1	67.25	55.5	0	30000	518.2795699	15548.338	30000	0	0	30000	35.4375	2004
15.01.2020 14:28:19	1	1	1	1	67.25	55.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	35.625	2004
15.01.2020 14:28:20	1	1	1	1	66.75	55.5	0	30000	520.4301075	15459.4624	30000	0	0	30000	35.25	2004
15.01.2020 14:28:21	1	1	1	1	66.75	55.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.625	2004
15.01.2020 14:28:22	1	1	1	1	66.75	55.5	0	29810.427	535.483871	15924.22472	30000	0	0	30000	36.25	2004
15.01.2020 14:28:23	1	1	1	1	66.75	56.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	36	2004
15.01.2020 14:28:24	1	1	1	1	66.75	56	0	30000	522.5806452	15677.16685	30000	0	0	30000	34.0625	2004
15.01.2020 14:28:25	1	1	1	1	66.75	56.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.3125	2004
15.01.2020 14:28:26	1	1	1	1	66.75	55.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	36.125	2004
15.01.2020 14:28:28	1	1	1	1	66.75	56	0	29857.82	535.483871	15987.82377	30000	0	0	30000	35	2004
15.01.2020 14:28:29	1	1	1	1	66.75	55	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	35	2004
15.01.2020 14:28:30	1	1	1	1	67	55	0	29620.853	535.483871	15975.59318	30000	0	0	30000	36.0625	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	54.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	35.125	2004
15.01.2020 14:28:37	1	1	1	1	67	55	0	30000	533.3333333	15974.77781	30000	0	0	30000	36.1875	2004
15.01.2020 14:28:38	1	1	1	1	67	56	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.3125	2004
15.01.2020 14:28:39	1	1	1	1	67	55.25	0	30047.393	529.0322581	15960.10111	30000	0	0	30000	36.1875	2004
15.01.2020 14:28:40	1	1	1	1	66.25	56	0	30000	526.8817204	15741.58128	30000	0	0	30000	36.125	2004
15.01.2020 14:28:41	1	1	1	1	66.25	56	0	30000	533.3333333	15934.82456	30000	0	0	30000	34.875	2004
15.01.2020 14:28:42	1	1	1	1	66.25	54.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	36.3125	2004
15.01.2020 14:28:43	1	1	1	1	66.25	56.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	35.9375	2004
15.01.2020 14:28:44	1	1	1	1	66.25	55.75	0	29905.213	529.0322581	16039.19224	30000	0	0	30000	35.875	2004
15.01.2020 14:28:45	1	1	1	1	66.25	55.75	0	29763.033	537.6344086	16026.96165	30000	0	0	30000	36.25	2004
15.01.2020 14:28:46	1	1	1	1	66.25	56.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	35.1875	2004
15.01.2020 14:28:47	1	1	1	1	66.25	55	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	35.875	2004
15.01.2020 14:28:48	1	1	1	1	66.25	55.75	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	36	2004
15.01.2020 14:28:49	1	1	1	1	66.25	56	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:28:50	1	1	1	1	66.75	56.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	35.6875	2004
15.01.2020 14:28:51	1	1	1	1	66.75	55.5	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	35.5	2004
15.01.2020 14:28:52	1	1	1	1	66.75	55.5	0	29573.46	546.2365591	15873.67162	30000	0	0	30000	35.75	2004
15.01.2020 14:28:53	1	1	1	1	66.75	55.75	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	36.3125	2004
15.01.2020 14:28:54	1	1	1	1	66.75	56.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	36.0625	2004
15.01.2020 14:28:55	1	1	1	1	66.75	56	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	36.25	2004
15.01.2020 14:28:56	1	1	1	1	66.75	56.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	35.4375	2004
15.01.2020 14:28:57	1	1	1	1	66.75	55.25	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	35.625	2004
15.01.2020 14:28:58	1	1	1	1	66.75	55.5	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	35.875	2004
15.01.2020 14:28:59	1	1	1	1	66.75	55.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	36.1875	2004
15.01.2020 14:29:00	1	1	1	1	66.5	56	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	35.4375	2004
15.01.2020 14:29:01	1	1	1	1	66.5	55.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	36.1875	2004
15.01.2020 14:29:02	1	1	1	1	66.5	56	0	29383.886	546.2365591	16075.884	30000	0	0	30000	35.75	2004
15.01.2020 14:29:03	1	1	1	1	66.5	55.75	0	29431.28	546.2365591	16050.60745	30000	0	0	30000	36.25	2004
15.01.2020 14:29:04	1	1	1	1	66.5	56.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	36.1875	2004
15.01.2020 14:29:06	1	1	1	1	66.5	55.25	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	35.5	2004
15.01.2020 14:29:07	1	1	1	1	66.5	55.5	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	35.75	2004
15.01.2020 14:29:08	1	1	1	1	66.5	55.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	36.25	2004
15.01.2020 14:29:09	1	1	1	1	66.5	56.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	35.5	2004
15.01.2020 14:29:10	1	1	1	1	66.5	55.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:11	1	1	1	1	66.5	55.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	36.125	2004
15.01.2020 14:29:12	1	1	1	1	66.5	56	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	36	2004
15.01.2020 14:29:13	1	1	1	1	66.5	56	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	35.875	2004
15.01.2020 14:29:14	1	1	1	1	66.5	55.75	0	29052.133	544.0860215	15931.56307	30000	0	0	30000	35.6875	2004
15.01.2020 14:29:15	1	1	1	1	66.5	55.5	0	29241.706	544.0860215	16061.20729	30000	0	0	30000	36.5	2004
15.01.2020 14:29:16	1	1	1	1	66.5	56.5	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	36.5	2004
15.01.2020 14:29:17	1	1	1	1	66.5	56.5	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	36.125	2004
15.01.2020 14:29:18	1	1	1	1	66.5	56	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	36.5	2004
15.01.2020 14:29:19	1	1	1	1	66.5	56.5	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	36.5	2004
15.01.2020 14:29:20	1	1	1	1	66.25	56.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	36.125	2004
15.01.2020 14:29:21	1	1	1	1	66.25	56	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	36.0625	2004
15.01.2020 14:29:22	1	1	1	1	66.25	56	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	35.6875	2004
15.01.2020 14:29:23	1	1	1	1	66.25	55.5	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	35.9375	2004
15.01.2020 14:29:24	1	1	1	1	66.25	55.75	0	29146.919	541.9354839	15960.91648	30000	0	0	30000	36.5625	2004
15.01.2020 14:29:25	1	1	1	1	66.25	56.5	0	29146.919	537.6344086	15920.96323	30000	0	0	30000	36	2004
15.01.2020 14:29:26	1	1	1	1	66.25	56	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	36.4375	2004
15.01.2020 14:29:27	1	1	1	1	66.25	56.25	0	29241.706	541.9354839	16150.89827	30000	0	0	30000	36.4375	2004
15.01.2020 14:29:28	1	1	1	1	66.25	56.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	36.1875	2004
15.01.2020 14:29:29	1	1	1	1	66.25	56	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	36.5	2004
15.01.2020 14:29:30	1	1	1	1	65.5	56.5	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:31	1	1	1	1	65.5	55.75	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	36.25	2004
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:38	1	1	1	1	65.5	56.25	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	35.8125	2004
15.01.2020 14:29:38	1	1	1	1	65.5	55.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	35.875	2004
15.01.2020 14:29:39	1	1	1	1	65.5	55.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	36.1875	2004
15.01.2020 14:29:40	1	1	1	1	64.75	56	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	36.25	2004
15.01.2020 14:29:41	1	1	1	1	64.75	56.25	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	35.75	2004
15.01.2020 14:29:42	1	1	1	1	64.75	55.75	0	29431.28	550.5376344	16165.57497	30000	0	0	30000	36.875	2004
15.01.2020 14:29:44	1	1	1	1	64.75	55.75	0	29146.919	537.6344086	15972.33169	30000	0	0	30000	36.0625	2004
15.01.2020 14:29:45	1	1	1	1	64.75	56	0	29478.673	544.0860215	16075.884	30000	0	0	30000	36.3125	2004
15.01.2020 14:29:46	1	1	1	1	64.75	56.25	0	29289.1	552.688172	16276.46563	30000	0	0	30000	36.3125	2004
15.01.2020 14:29:47	1	1	1	1	64.75	56.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	36.3125	2004
15.01.2020 14:29:48	1	1	1	1	64.75	56.25	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	36.125	2004
15.01.2020 14:29:49	1	1	1	1	64.75	56	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	35.875	2004
15.01.2020 14:29:50	1	1	1	1	64.75	55.75	0	29241.706	546.2365591	16187.59003	30000	0	0	30000	36.4375	2004
15.01.2020 14:29:51	1	1	1	1	64.75	56.25	0	29526.066	548.3870968	16281.35787	30000	0	0	30000	36.4375	2004
15.01.2020 14:29:52	1	1	1	1	64.75	56.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.9375	2004
15.01.2020 14:29:53	1	1	1	1	64.75	55.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	36.25	2004
15.01.2020 14:29:54	1	1	1	1	64.75	56.25	0	29336.493	546.2365591	15783.98065	30000	0	0	30000	36.25	2004
15.01.2020 14:29:55	1	1	1	1	64.75	56.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	34.3125	2004
15.01.2020 14:29:56	1	1	1	1	64.75	54.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	36	2004
15.01.2020 14:29:57	1	1	1	1	64.75	56	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	35.5625	2004
15.01.2020 14:29:58	1	1	1	1	64.75	55.5	0	29052.133	544.0860215	15894.87131	30000	0	0	30000	35.375	2004
15.01.2020 14:29:59	1	1	1	1	64.75	55.25	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	36	2004
15.01.2020 14:30:00	1	1	1	1	64.75	56	0	29146.919	544.0860215	16087.29921	30000	0	0	30000	36.125	2004
15.01.2020 14:30:01	1	1	1	1	64.75	56	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	36.375	2004
15.01.2020 14:30:02	1	1	1	1	64.75	56.25	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	36.5625	2004
15.01.2020 14:30:03	1	1	1	1	64.75	56.5	0	28957.346	546.2365591	15579.32215	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:04	1	1	1	1	64.75	56.25	0	29383.886	546.2365591	16229.17403	30000	0	0	30000	35.5625	2004
15.01.2020 14:30:05	1	1	1	1	64.75	55.5	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:06	1	1	1	1	64.75	56.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	36.375	2004
15.01.2020 14:30:07	1	1	1	1	64.75	56.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	36.0625	2004
15.01.2020 14:30:08	1	1	1	1	64.75	56	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	36	2004
15.01.2020 14:30:09	1	1	1	1	64.75	56	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:10	1	1	1	1	64.75	56.25	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	36.25	2004
15.01.2020 14:30:11	1	1	1	1	64.75	56.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	36	2004
15.01.2020 14:30:12	1	1	1	1	64.75	56	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	35.75	2004
15.01.2020 14:30:13	1	1	1	1	64.75	55.75	0	29146.919	541.9354839	15983.74691	30000	0	0	30000	36.5	2004
15.01.2020 14:30:14	1	1	1	1	64.75	56.5	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	35.8125	2004
15.01.2020 14:30:15	1	1	1	1	64.75	55.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	35.9375	2004
15.01.2020 14:30:16	1	1	1	1	64.75	55.75	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	36.4375	2004
15.01.2020 14:30:17	1	1	1	1	64.75	56.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:30:18	1	1	1	1	64.75	56	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	36.875	2004
15.01.2020 14:30:19	1	1	1	1	64.75	56.75	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:20	1	1	1	1	64.5	56.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	36.9375	2004
15.01.2020 14:30:21	1	1	1	1	64.5	56.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	36.25	2004
15.01.2020 14:30:23	1	1	1	1	64.5	56	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.625	2004
15.01.2020 14:30:24	1	1	1	1	64.5	55.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:25	1	1	1	1	64.5	56.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	35.625	2004
15.01.2020 14:30:26	1	1	1	1	64.5	55.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	36.1875	2004
15.01.2020 14:30:27	1	1	1	1	64.5	56	0	29052.133	539.7849462	15920.96323	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:28	1	1	1	1	64.5	56.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.125	2004
15.01.2020 14:30:29	1	1	1	1	64.5	56	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	36.375	2004
15.01.2020 14:30:30	1	1	1	1	64	56.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	36.5	2004
15.01.2020 14:30:31	1	1	1	1	64	56.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36	2004
15.01.2020 14:30:32	1	1	1	1	64	56	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	35.625	2004
15.01.2020 14:30:33	1	1	1	1	64	55.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:40	1	1	1	1	64	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.25	2004
15.01.2020 14:30:40	1	1	1	1	64	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.25	2004
15.01.2020 14:30:40	1	1	1	1	64	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.25	2004
15.01.2020 14:30:40	1	1	1	1	64	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.25	2004
15.01.2020 14:30:40	1	1	1	1	64	55.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	36.25	2004
15.01.2020 14:30:40	1	1	1	1	64	56.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	36.0625	2004
15.01.2020 14:30:41	1	1	1	1	64	56	0	29383.886	552.688172	15960.91648	30000	0	0	30000	36.375	2004
15.01.2020 14:30:42	1	1	1	1	64	56.25	0	29241.706	546.2365591	16187.59003	30000	0	0	30000	36.5	2004
15.01.2020 14:30:43	1	1	1	1	64	56.5	0	29289.1	541.9354839	16024.51553	30000	0	0	30000	36.375	2004
15.01.2020 14:30:44	1	1	1	1	64	56.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	36.125	2004
15.01.2020 14:30:45	1	1	1	1	64	56	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	36.0625	2004
15.01.2020 14:30:46	1	1	1	1	64	56	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:47	1	1	1	1	64	56.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36.25	2004
15.01.2020 14:30:48	1	1	1	1	64	56.25	0	29052.133	550.5376344	15868.77939	30000	0	0	30000	35.25	2004
15.01.2020 14:30:49	1	1	1	1	64	55.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	36.5	2004
15.01.2020 14:30:50	1	1	1	1	63.5	56.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	36.375	2004
15.01.2020 14:30:51	1	1	1	1	63.5	56.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	36.375	2004
15.01.2020 14:30:52	1	1	1	1	63.5	56.25	0	29052.133	550.5376344	16207.97434	30000	0	0	30000	35.875	2004
15.01.2020 14:30:53	1	1	1	1	63.5	55.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	35.9375	2004
15.01.2020 14:30:54	1	1	1	1	63.5	55.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	36.625	2004
15.01.2020 14:30:55	1	1	1	1	63.5	56.5	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	35.125	2004
15.01.2020 14:30:56	1	1	1	1	63.5	55	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	36.75	2004
15.01.2020 14:30:57	1	1	1	1	63.5	56.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	36.3125	2004
15.01.2020 14:30:58	1	1	1	1	63.5	56.25	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	36.5	2004
15.01.2020 14:31:00	1	1	1	1	63.5	56.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	36.125	2004
15.01.2020 14:31:01	1	1	1	1	63	56.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	36.375	2004
15.01.2020 14:31:02	1	1	1	1	63	56.25	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:31:03	1	1	1	1	63	56	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	36.5	2004
15.01.2020 14:31:04	1	1	1	1	63	56.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	36.3125	2004
15.01.2020 14:31:05	1	1	1	1	63	56.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	36.75	2004
15.01.2020 14:31:06	1	1	1	1	63	56.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	36.25	2004
15.01.2020 14:31:07	1	1	1	1	63	56.25	0	29431.28	550.5376344	15960.91648	30000	0	0	30000	36.1875	2004
15.01.2020 14:31:08	1	1	1	1	63	56	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	36	2004
15.01.2020 14:31:09	1	1	1	1	63	56	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	36.5	2004
15.01.2020 14:31:10	1	1	1	1	63	56.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	35.375	2004
15.01.2020 14:31:11	1	1	1	1	63	55.25	0	29763.033	544.0860215	16219.38956	30000	0	0	30000	35.6875	2004
15.01.2020 14:31:12	1	1	1	1	63	55.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	36.0625	2004
15.01.2020 14:31:13	1	1	1	1	63	56	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	36.3125	2004
15.01.2020 14:31:14	1	1	1	1	63	56.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	36.25	2004
15.01.2020 14:31:15	1	1	1	1	63	56.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	36.375	2004
15.01.2020 14:31:16	1	1	1	1	63	56.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	36.25	2004
15.01.2020 14:31:17	1	1	1	1	63	56.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	35.8125	2004
15.01.2020 14:31:18	1	1	1	1	63	55.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	36.3125	2004
15.01.2020 14:31:19	1	1	1	1	63	56.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	36.0625	2004
15.01.2020 14:31:20	1	1	1	1	62.75	56	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	35.5625	2004
15.01.2020 14:31:21	1	1	1	1	62.75	55.5	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	35.8125	2004
15.01.2020 14:31:22	1	1	1	1	62.75	55.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	35.875	2004
15.01.2020 14:31:23	1	1	1	1	62.75	55.75	0	29289.1	541.9354839	15835.34912	30000	0	0	30000	35.9375	2004
15.01.2020 14:31:24	1	1	1	1	62.75	55.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	36.5	2004
15.01.2020 14:31:25	1	1	1	1	62.75	56.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	36.375	2004
15.01.2020 14:31:26	1	1	1	1	62.75	56.25	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	36.4375	2004
15.01.2020 14:31:27	1	1	1	1	62.75	56.25	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	35.625	2004
15.01.2020 14:31:28	1	1	1	1	62.75	55.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	35.8125	2004
15.01.2020 14:31:29	1	1	1	1	62.75	55.75	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	36	2004
15.01.2020 14:31:30	1	1	1	1	62.5	56	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	36.6875	2004
15.01.2020 14:31:31	1	1	1	1	62.5	56.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	36.6875	2004
15.01.2020 14:31:32	1	1	1	1	62.5	56.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	36.6875	2004
15.01.2020 14:31:33	1	1	1	1	62.5	56.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	36.4375	2004
15.01.2020 14:31:34	1	1	1	1	62.5	56.25	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	36.0625	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:42	1	1	1	1	62.25	55.75	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	36.25	2004
15.01.2020 14:31:43	1	1	1	1	62.25	56.25	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	36.4375	2004
15.01.2020 14:31:44	1	1	1	1	62.25	56.25	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	36.125	2004
15.01.2020 14:31:45	1	1	1	1	62.25	56	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	35.875	2004
15.01.2020 14:31:46	1	1	1	1	62.25	55.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:31:47	1	1	1	1	62.25	56.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	35.625	2004
15.01.2020 14:31:48	1	1	1	1	62.25	55.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	36.5625	2004
15.01.2020 14:31:49	1	1	1	1	62.25	56.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	35.875	2004
15.01.2020 14:31:50	1	1	1	1	62.5	55.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	35.3125	2004
15.01.2020 14:31:51	1	1	1	1	62.5	55.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	36.625	2004
15.01.2020 14:31:52	1	1	1	1	62.5	56.5	0	29573.46	544.0860215	16000.86973	30000	0	0	30000	36	2004
15.01.2020 14:31:53	1	1	1	1	62.5	56	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	36.5	2004
15.01.2020 14:31:54	1	1	1	1	62.5	56.5	0	29668.246	541.9354839	16359.63363	30000	0	0	30000	36.3125	2004
15.01.2020 14:31:55	1	1	1	1	62.5	56.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	36.3125	2004
15.01.2020 14:31:56	1	1	1	1	62.5	56.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	36.5	2004
15.01.2020 14:31:57	1	1	1	1	62.5	56.5	0	29383.886	541.9354839	15708.96638	30000	0	0	30000	36.4375	2004
15.01.2020 14:31:58	1	1	1	1	62.5	56.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	36.75	2004
15.01.2020 14:31:59	1	1	1	1	62.5	56.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	36.5	2004
15.01.2020 14:32:00	1	1	1	1	61.5	56.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	36.5	2004
15.01.2020 14:32:01	1	1	1	1	61.5	56.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	36.3125	2004
15.01.2020 14:32:02	1	1	1	1	61.5	56.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	35.375	2004
15.01.2020 14:32:03	1	1	1	1	61.5	55.25	0	29383.886	544.0860215	16139.48305	30000	0	0	30000	36.625	2004
15.01.2020 14:32:04	1	1	1	1	61.5	56.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	35.4375	2004
15.01.2020 14:32:05	1	1	1	1	61.5	55.25	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:06	1	1	1	1	61.5	56.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	36.1875	2004
15.01.2020 14:32:07	1	1	1	1	61.5	56	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	36.125	2004
15.01.2020 14:32:08	1	1	1	1	61.5	56	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	35.9375	2004
15.01.2020 14:32:09	1	1	1	1	61.5	55.75	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	36.3125	2004
15.01.2020 14:32:10	1	1	1	1	61.25	56.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	36.125	2004
15.01.2020 14:32:11	1	1	1	1	61.25	56	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	36.3125	2004
15.01.2020 14:32:12	1	1	1	1	61.25	56.25	0	29526.066	546.2365591	15975.59318	30000	0	0	30000	36.5	2004
15.01.2020 14:32:13	1	1	1	1	61.25	56.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:14	1	1	1	1	61.25	56.5	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	36.25	2004
15.01.2020 14:32:15	1	1	1	1	61.25	56.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	36.5	2004
15.01.2020 14:32:17	1	1	1	1	61.25	56.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	36.625	2004
15.01.2020 14:32:18	1	1	1	1	61.25	56.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:19	1	1	1	1	61.25	56.75	0	29573.46	544.0860215	16026.96165	30000	0	0	30000	35.375	2004
15.01.2020 14:32:20	1	1	1	1	61.25	55.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	36.1875	2004
15.01.2020 14:32:21	1	1	1	1	61.25	56	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	36.1875	2004
15.01.2020 14:32:22	1	1	1	1	61.25	56	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	35.8125	2004
15.01.2020 14:32:23	1	1	1	1	61.25	55.75	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	36.3125	2004
15.01.2020 14:32:24	1	1	1	1	61.25	56.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	35.875	2004
15.01.2020 14:32:25	1	1	1	1	61.25	55.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	35.75	2004
15.01.2020 14:32:26	1	1	1	1	61.25	55.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	35.625	2004
15.01.2020 14:32:27	1	1	1	1	61.25	55.5	0	29336.493	544.0860215	15872.85625	30000	0	0	30000	36.5625	2004
15.01.2020 14:32:28	1	1	1	1	61.25	56.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	36	2004
15.01.2020 14:32:29	1	1	1	1	61.25	56	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	36.25	2004
15.01.2020 14:32:30	1	1	1	1	60.75	56.25	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:32:31	1	1	1	1	60.75	56.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	35.8125	2004
15.01.2020 14:32:32	1	1	1	1	60.75	55.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	36.75	2004
15.01.2020 14:32:33	1	1	1	1	60.75	56.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	36.4375	2004
15.01.2020 14:32:34	1	1	1	1	60.75	56.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.8125	2004
15.01.2020 14:32:35	1	1	1	1	60.75	56.75	0	29526.066	541.9354839	15722.01234	30000	0	0	30000	36.3125	2004
15.01.2020 14:32:36	1	1	1	1	60.75	56.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	56.75	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	35.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	56.75	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	35.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	56.75	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	35.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	56.75	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	35.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	56.75	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	35.6875	2004
15.01.2020 14:32:43	1	1	1	1	61.25	55.5	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	36.75	2004
15.01.2020 14:32:44	1	1	1	1	61.25	56.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	36.5	2004
15.01.2020 14:32:45	1	1	1	1	61.25	56.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	36.875	2004
15.01.2020 14:32:46	1	1	1	1	61.25	56.75	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	36.875	2004
15.01.2020 14:32:47	1	1	1	1	61.25	56.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	36.0625	2004
15.01.2020 14:32:48	1	1	1	1	61.25	56	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	36.5	2004
15.01.2020 14:32:49	1	1	1	1	61.25	56.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	36.4375	2004
15.01.2020 14:32:50	1	1	1	1	60.5	56.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	36.25	2004
15.01.2020 14:32:51	1	1	1	1	60.5	56.25	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	35.9375	2004
15.01.2020 14:32:52	1	1	1	1	60.5	55.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	36.1875	2004
15.01.2020 14:32:53	1	1	1	1	60.5	56	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:55	1	1	1	1	60.5	56.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:56	1	1	1	1	60.5	56.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	36.25	2004
15.01.2020 14:32:57	1	1	1	1	60.5	56.75	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	36.6875	2004
15.01.2020 14:32:58	1	1	1	1	60.5	56.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.875	2004
15.01.2020 14:32:59	1	1	1	1	60.5	56.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	36.0625	2004
15.01.2020 14:33:00	1	1	1	1	60.25	56	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	36.5625	2004
15.01.2020 14:33:01	1	1	1	1	60.25	56.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.875	2004
15.01.2020 14:33:02	1	1	1	1	60.25	56.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	36.5	2004
15.01.2020 14:33:03	1	1	1	1	60.25	56.5	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:04	1	1	1	1	60.25	56.25	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:05	1	1	1	1	60.25	56.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	35.5625	2004
15.01.2020 14:33:06	1	1	1	1	60.25	55.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:07	1	1	1	1	60.25	56.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:08	1	1	1	1	60.25	56.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	36.5625	2004
15.01.2020 14:33:09	1	1	1	1	60.25	56.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	35.375	2004
15.01.2020 14:33:10	1	1	1	1	59.5	55.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	36.1875	2004
15.01.2020 14:33:11	1	1	1	1	59.5	56	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	36.6875	2004
15.01.2020 14:33:12	1	1	1	1	59.5	56.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:13	1	1	1	1	59.5	56.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:14	1	1	1	1	59.5	56.25	0	29810.427	541.9354839	16116.65262	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:33:15	1	1	1	1	59.5	56.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:16	1	1	1	1	59.5	56.25	0	29715.64	539.7849462	15950.31664	30000	0	0	30000	35.3125	2004
15.01.2020 14:33:17	1	1	1	1	59.5	55.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.5625	2004
15.01.2020 14:33:18	1	1	1	1	59.5	56.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	36.125	2004
15.01.2020 14:33:19	1	1	1	1	59.5	56	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	35.625	2004
15.01.2020 14:33:20	1	1	1	1	60	55.5	0	29668.246	537.6344086	15797.84198	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:21	1	1	1	1	60	56.25	0	29620.853	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:22	1	1	1	1	60	56.25	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	35.875	2004
15.01.2020 14:33:23	1	1	1	1	60	55.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	35.375	2004
15.01.2020 14:33:24	1	1	1	1	60	55.25	0	29431.28	533.3333333	15937.27068	30000	0	0	30000	36.375	2004
15.01.2020 14:33:25	1	1	1	1	60	56.25	0	29715.64	546.2365591	16078.33012	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:26	1	1	1	1	60	56.25	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	36.3125	2004
15.01.2020 14:33:27	1	1	1	1	60	56.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	36.4375	2004
15.01.2020 14:33:28	1	1	1	1	60	56.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.5	2004
15.01.2020 14:33:29	1	1	1	1	60	56.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	36.0625	2004
15.01.2020 14:33:30	1	1	1	1	59.5	56	0	29620.853	541.9354839	15772.56543	30000	0	0	30000	36.75	2004
15.01.2020 14:33:31	1	1	1	1	59.5	56.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	37.0625	2004
15.01.2020 14:33:33	1	1	1	1	59.5	57	0	29668.246	541.9354839	16141.92917	30000	0	0	30000	36.75	2004
15.01.2020 14:33:34	1	1	1	1	59.5	56.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	36.5	2004
15.01.2020 14:33:35	1	1	1	1	59.5	56.5	0	29715.64	550.5376344	16115.83725	30000	0	0	30000	36.75	2004
15.01.2020 14:33:36	1	1	1	1	59.5	56.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	36.875	2004
15.01.2020 14:33:37	1	1	1	1	59.5	56.75	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	35.9375	2004
15.01.2020 14:33:38	1	1	1	1	59.5	55.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	36.5	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:45	1	1	1	1	59.5	56.75	0	29241.706	541.9354839	15607.04482	30000	0	0	30000	36.875	2004
15.01.2020 14:33:46	1	1	1	1	59.5	56.75	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	36.75	2004
15.01.2020 14:33:47	1	1	1	1	59.5	56.75	0	29526.066	535.483871	16052.2382	30000	0	0	30000	36.625	2004
15.01.2020 14:33:48	1	1	1	1	59.5	56.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	36.875	2004
15.01.2020 14:33:49	1	1	1	1	59.5	56.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	35.9375	2004
15.01.2020 14:33:50	1	1	1	1	59.5	55.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	36.8125	2004
15.01.2020 14:33:51	1	1	1	1	59.5	56.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	36.375	2004
15.01.2020 14:33:52	1	1	1	1	59.5	56.25	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	36.8125	2004
15.01.2020 14:33:53	1	1	1	1	59.5	56.75	0	29810.427	533.3333333	16116.65262	30000	0	0	30000	36.8125	2004
15.01.2020 14:33:54	1	1	1	1	59.5	56.75	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	36.75	2004
15.01.2020 14:33:58	1	1	1	1	59.5	56	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.75	2004
15.01.2020 14:33:58	1	1	1	1	59.5	56	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.75	2004
15.01.2020 14:33:58	1	1	1	1	59.5	56	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.75	2004
15.01.2020 14:33:58	1	1	1	1	59.5	56.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:33:59	1	1	1	1	59.5	56.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.625	2004
15.01.2020 14:34:00	1	1	1	1	58.75	56.5	0	29526.066	535.483871	15937.27068	30000	0	0	30000	36.625	2004
15.01.2020 14:34:01	1	1	1	1	58.75	56.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.375	2004
15.01.2020 14:34:02	1	1	1	1	58.75	56.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	36.5625	2004
15.01.2020 14:34:03	1	1	1	1	58.75	56.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	36.5	2004
15.01.2020 14:34:04	1	1	1	1	58.75	56.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:05	1	1	1	1	58.75	56.25	0	29620.853	535.483871	15797.84198	30000	0	0	30000	36.1875	2004
15.01.2020 14:34:06	1	1	1	1	58.75	56	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	36.5	2004
15.01.2020 14:34:07	1	1	1	1	58.75	56.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	36.5625	2004
15.01.2020 14:34:08	1	1	1	1	58.75	56.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	37.0625	2004
15.01.2020 14:34:09	1	1	1	1	58.75	57	0	29810.427	541.9354839	15975.59318	30000	0	0	30000	36.5625	2004
15.01.2020 14:34:11	1	1	1	1	59.25	56.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	37.25	2004
15.01.2020 14:34:12	1	1	1	1	59.25	57.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	36.375	2004
15.01.2020 14:34:13	1	1	1	1	59.25	56.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	36.5	2004
15.01.2020 14:34:14	1	1	1	1	59.25	56	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:15	1	1	1	1	59.25	56.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.8125	2004
15.01.2020 14:34:16	1	1	1	1	59.25	56.75	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	36.75	2004
15.01.2020 14:34:17	1	1	1	1	59.25	56.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	36.6875	2004
15.01.2020 14:34:18	1	1	1	1	59.25	56.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	36.125	2004
15.01.2020 14:34:19	1	1	1	1	59.25	56	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	36.8125	2004
15.01.2020 14:34:20	1	1	1	1	58.75	56.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	36.6875	2004
15.01.2020 14:34:21	1	1	1	1	58.75	56.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	36.6875	2004
15.01.2020 14:34:22	1	1	1	1	58.75	56.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	35.5625	2004
15.01.2020 14:34:23	1	1	1	1	58.75	55.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	36.1875	2004
15.01.2020 14:34:24	1	1	1	1	58.75	56	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:25	1	1	1	1	58.75	56.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	35.8125	2004
15.01.2020 14:34:26	1	1	1	1	58.75	55.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:27	1	1	1	1	58.75	56.75	0	29431.28	544.0860215	15924.22472	30000	0	0	30000	36.625	2004
15.01.2020 14:34:28	1	1	1	1	58.75	56.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	36.75	2004
15.01.2020 14:34:29	1	1	1	1	58.75	56.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:30	1	1	1	1	58	56.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	36.6875	2004
15.01.2020 14:34:31	1	1	1	1	58	56.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	36.5	2004
15.01.2020 14:34:32	1	1	1	1	58	56.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	36.5625	2004
15.01.2020 14:34:33	1	1	1	1	58	56.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	37	2004
15.01.2020 14:34:34	1	1	1	1	58	57	0	29715.64	535.483871	16282.98861	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:35	1	1	1	1	58	56.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	36.375	2004
15.01.2020 14:34:36	1	1	1	1	58	56.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	36.625	2004
15.01.2020 14:34:37	1	1	1	1	58	56.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	36.8125	2004
15.01.2020 14:34:38	1	1	1	1	58	56.75	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	36.5	2004
15.01.2020 14:34:39	1	1	1	1	58	56.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.8125	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:46	1	1	1	1	58	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	36.4375	2004
15.01.2020 14:34:47	1	1	1	1	58	56.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	35.375	2004
15.01.2020 14:34:48	1	1	1	1	58	55.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:50	1	1	1	1	58	56.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	36.375	2004
15.01.2020 14:34:51	1	1	1	1	58	56.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.875	2004
15.01.2020 14:34:52	1	1	1	1	58	56.5	0	29905.213	541.9354839	16013.10032	30000	0	0	30000	35.5625	2004
15.01.2020 14:34:53	1	1	1	1	58	55.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	35.6875	2004
15.01.2020 14:34:54	1	1	1	1	58	55.5	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	35.9375	2004
15.01.2020 14:34:55	1	1	1	1	58	55.75	0	29905.213	533.3333333	15756.25798	30000	0	0	30000	36.5	2004
15.01.2020 14:34:56	1	1	1	1	58	56.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	36.0625	2004
15.01.2020 14:34:57	1	1	1	1	58	56	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	37	2004
15.01.2020 14:34:58	1	1	1	1	58	57	0	29857.82	535.483871	15962.54722	30000	0	0	30000	36.9375	2004
15.01.2020 14:34:59	1	1	1	1	58	56.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.9375	2004
15.01.2020 14:35:00	1	1	1	1	57.75	56.75	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	36.5625	2004
15.01.2020 14:35:01	1	1	1	1	57.75	56.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	35.9375	2004
15.01.2020 14:35:02	1	1	1	1	57.75	55.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.3125	2004
15.01.2020 14:35:03	1	1	1	1	57.75	56.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	36.5	2004
15.01.2020 14:35:04	1	1	1	1	57.75	56.5	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	37	2004
15.01.2020 14:35:05	1	1	1	1	57.75	57	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:06	1	1	1	1	57.75	56.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.625	2004
15.01.2020 14:35:07	1	1	1	1	57.75	56.5	0	29952.607	535.483871	15974.77781	30000	0	0	30000	36.9375	2004
15.01.2020 14:35:08	1	1	1	1	57.75	56.75	0	29857.82	533.3333333	15859.81029	30000	0	0	30000	36.875	2004
15.01.2020 14:35:09	1	1	1	1	57.75	56.75	0	29715.64	529.0322581	15834.53374	30000	0	0	30000	36.5	2004
15.01.2020 14:35:10	1	1	1	1	57.25	56.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.4375	2004
15.01.2020 14:35:11	1	1	1	1	57.25	56.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	37	2004
15.01.2020 14:35:12	1	1	1	1	57.25	57	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.5	2004
15.01.2020 14:35:13	1	1	1	1	57.25	56.5	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	36.25	2004
15.01.2020 14:35:14	1	1	1	1	57.25	56.25	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	36.75	2004
15.01.2020 14:35:15	1	1	1	1	57.25	56.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:16	1	1	1	1	57.25	56	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	36.9375	2004
15.01.2020 14:35:17	1	1	1	1	57.25	56.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:18	1	1	1	1	57.25	56.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	36.8125	2004
15.01.2020 14:35:19	1	1	1	1	57.25	56.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:20	1	1	1	1	57	56.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.625	2004
15.01.2020 14:35:21	1	1	1	1	57	56.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.3125	2004
15.01.2020 14:35:22	1	1	1	1	57	56.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	36.3125	2004
15.01.2020 14:35:23	1	1	1	1	57	56.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	36.1875	2004
15.01.2020 14:35:24	1	1	1	1	57	56	0	29810.427	535.483871	16116.65262	30000	0	0	30000	36.875	2004
15.01.2020 14:35:25	1	1	1	1	57	56.75	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	36.75	2004
15.01.2020 14:35:27	1	1	1	1	57	56.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:35:28	1	1	1	1	57	56.5	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	36.4375	2004
15.01.2020 14:35:29	1	1	1	1	57	56.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	37.125	2004
15.01.2020 14:35:30	1	1	1	1	57	56.25	0	29952.607	535.483871	16039.19224	30000	0	0	30000	36.875	2004
15.01.2020 14:35:31	1	1	1	1	57	56.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	37.0625	2004
15.01.2020 14:35:32	1	1	1	1	57	57	0	29905.213	535.483871	15987.82377	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:33	1	1	1	1	57	56.5	0	29905.213	535.483871	16077.51474	30000	0	0	30000	36.375	2004
15.01.2020 14:35:34	1	1	1	1	57	56.25	0	29857.82	533.3333333	15770.11932	30000	0	0	30000	37	2004
15.01.2020 14:35:35	1	1	1	1	57	57	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:36	1	1	1	1	57	56.5	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	37	2004
15.01.2020 14:35:37	1	1	1	1	57	57	0	30000	533.3333333	15870.41013	30000	0	0	30000	37.125	2004
15.01.2020 14:35:38	1	1	1	1	57	57	0	29905.213	535.483871	16013.10032	30000	0	0	30000	35.625	2004
15.01.2020 14:35:39	1	1	1	1	57	55.5	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	37	2004
15.01.2020 14:35:40	1	1	1	1	57	57	0	30000	522.5806452	15612.75243	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:41	1	1	1	1	57	56	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	36.375	2004
15.01.2020 14:35:48	1	1	1	1	57	57	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:48	1	1	1	1	57	57	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:48	1	1	1	1	57	57	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:48	1	1	1	1	57	57	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.0625	2004
15.01.2020 14:35:48	1	1	1	1	57	56	0	30000	524.7311828	15523.87682	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:48	1	1	1	1	57	56	0	30000	524.7311828	15523.87682	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:48	1	1	1	1	57	56	0	30000	524.7311828	15523.87682	30000	0	0	30000	36.6875	2004
15.01.2020 14:35:49	1	1	1	1	57	56.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	36.75	2004
15.01.2020 14:35:50	1	1	1	1	56.5	56.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	36.5	2004
15.01.2020 14:35:51	1	1	1	1	56.5	56.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	35.625	2004
15.01.2020 14:35:52	1	1	1	1	56.5	55.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	36.5	2004
15.01.2020 14:35:53	1	1	1	1	56.5	56.5	0	29952.607	535.483871	16064.46878	30000	0	0	30000	35.6875	2004
15.01.2020 14:35:54	1	1	1	1	56.5	55.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	37.0625	2004
15.01.2020 14:35:55	1	1	1	1	56.5	57	0	30000	539.7849462	15974.77781	30000	0	0	30000	36.5625	2004
15.01.2020 14:35:56	1	1	1	1	56.5	56.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.125	2004
15.01.2020 14:35:57	1	1	1	1	56.5	56	0	30000	526.8817204	15934.82456	30000	0	0	30000	36.8125	2004
15.01.2020 14:35:58	1	1	1	1	56.5	56.75	0	29905.213	533.3333333	15934.82456	30000	0	0	30000	36.9375	2004
15.01.2020 14:35:59	1	1	1	1	56.5	56.75	0	30000	522.5806452	15548.338	30000	0	0	30000	37	2004
15.01.2020 14:36:00	1	1	1	1	56.25	57	0	30000	529.0322581	15805.99571	30000	0	0	30000	36.875	2004
15.01.2020 14:36:01	1	1	1	1	56.25	56.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	36.6875	2004
15.01.2020 14:36:02	1	1	1	1	56.25	56.5	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.375	2004
15.01.2020 14:36:03	1	1	1	1	56.25	55.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	36.25	2004
15.01.2020 14:36:04	1	1	1	1	56.25	56.25	0	30000	526.8817204	15563.0147	30000	0	0	30000	36	2004
15.01.2020 14:36:06	1	1	1	1	56.25	56	0	30000	526.8817204	15677.16685	30000	0	0	30000	37.1875	2004
15.01.2020 14:36:07	1	1	1	1	56.25	57	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	37.4375	2004
15.01.2020 14:36:08	1	1	1	1	56.25	57.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.8125	2004
15.01.2020 14:36:09	1	1	1	1	56.25	56	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.6875	2004
15.01.2020 14:36:10	1	1	1	1	56	56.5	0	30047.393	511.827957	15289.86492	30000	0	0	30000	35.8125	2004
15.01.2020 14:36:11	1	1	1	1	56	55.75	0	30000	516.1290323	15548.338	30000	0	0	30000	36.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:36:12	1	1	1	1	56	56.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.5625	2004
15.01.2020 14:36:13	1	1	1	1	56	55.5	0	30000	511.827957	15289.86492	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:14	1	1	1	1	56	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.6875	2004
15.01.2020 14:36:15	1	1	1	1	56	55.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	35.6875	2004
15.01.2020 14:36:16	1	1	1	1	56	55.5	0	30000	511.827957	15354.27935	30000	0	0	30000	36.9375	2004
15.01.2020 14:36:17	1	1	1	1	56	56.75	0	30000	518.2795699	15677.16685	30000	0	0	30000	36.875	2004
15.01.2020 14:36:18	1	1	1	1	56	56.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.5	2004
15.01.2020 14:36:19	1	1	1	1	56	56.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	36.625	2004
15.01.2020 14:36:20	1	1	1	1	55.75	56.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	36.9375	2004
15.01.2020 14:36:21	1	1	1	1	55.75	56.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	37.25	2004
15.01.2020 14:36:22	1	1	1	1	55.75	57.25	0	30000	511.827957	15266.21912	30000	0	0	30000	36.9375	2004
15.01.2020 14:36:23	1	1	1	1	55.75	56.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	36.5625	2004
15.01.2020 14:36:24	1	1	1	1	55.75	56.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	36.625	2004
15.01.2020 14:36:25	1	1	1	1	55.75	56.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	34.9375	2004
15.01.2020 14:36:26	1	1	1	1	55.75	54.75	0	30000	507.5268817	15032.20721	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:27	1	1	1	1	55.75	57	0	30000	503.2258065	15032.20721	30000	0	0	30000	36.6875	2004
15.01.2020 14:36:28	1	1	1	1	55.75	56.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	36.875	2004
15.01.2020 14:36:29	1	1	1	1	55.75	56.75	0	30000	509.6774194	15597.26035	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:30	1	1	1	1	55.5	57	0	30000	520.4301075	15677.16685	30000	0	0	30000	35.9375	2004
15.01.2020 14:36:31	1	1	1	1	55.5	55.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	36.9375	2004
15.01.2020 14:36:32	1	1	1	1	55.5	56.75	0	30000	518.2795699	15548.338	30000	0	0	30000	36.6875	2004
15.01.2020 14:36:33	1	1	1	1	55.5	56.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	36.5625	2004
15.01.2020 14:36:34	1	1	1	1	55.5	56.5	0	30000	520.4301075	15548.338	30000	0	0	30000	34.8125	2004
15.01.2020 14:36:35	1	1	1	1	55.5	54.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	36.5	2004
15.01.2020 14:36:36	1	1	1	1	55.5	56.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.75	2004
15.01.2020 14:36:37	1	1	1	1	55.5	55.75	0	30000	522.5806452	15435.00122	30000	0	0	30000	37.1875	2004
15.01.2020 14:36:38	1	1	1	1	55.5	57	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.1875	2004
15.01.2020 14:36:39	1	1	1	1	55.5	56	0	30000	518.2795699	15612.75243	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:40	1	1	1	1	55.25	57	0	30000	511.827957	15289.86492	30000	0	0	30000	36.9375	2004
15.01.2020 14:36:41	1	1	1	1	55.25	56.75	0	30000	511.827957	15289.86492	30000	0	0	30000	36.5625	2004
15.01.2020 14:36:42	1	1	1	1	55.25	56.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.8125	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.0625	2004
15.01.2020 14:36:50	1	1	1	1	55.25	57	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.5625	2004
15.01.2020 14:36:51	1	1	1	1	55.25	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
15.01.2020 14:36:52	1	1	1	1	55.25	56.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.9375	2004
15.01.2020 14:36:53	1	1	1	1	55.25	55.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	36.0625	2004
15.01.2020 14:36:54	1	1	1	1	55.25	56	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	36.625	2004
15.01.2020 14:36:55	1	1	1	1	55.25	56.5	0	30000	509.6774194	15112.92909	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:36:56	1	1	1	1	55.25	56.25	0	30000	518.2795699	15548.338	30000	0	0	30000	36.8125	2004
15.01.2020 14:36:57	1	1	1	1	55.25	56.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	37.1875	2004
15.01.2020 14:36:58	1	1	1	1	55.25	57	0	30000	505.3763441	15161.03607	30000	0	0	30000	36.625	2004
15.01.2020 14:36:59	1	1	1	1	55.25	56.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	36.75	2004
15.01.2020 14:37:00	1	1	1	1	54.5	56.75	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	36.125	2004
15.01.2020 14:37:01	1	1	1	1	54.5	56	0	30000	518.2795699	15548.338	30000	0	0	30000	35.6875	2004
15.01.2020 14:37:02	1	1	1	1	54.5	55.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.5	2004
15.01.2020 14:37:03	1	1	1	1	54.5	56.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.0625	2004
15.01.2020 14:37:04	1	1	1	1	54.5	56	0	30000	505.3763441	15225.45049	30000	0	0	30000	36.375	2004
15.01.2020 14:37:05	1	1	1	1	54.5	56.25	0	30000	520.4301075	15548.338	30000	0	0	30000	36.4375	2004
15.01.2020 14:37:06	1	1	1	1	54.5	56.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.4375	2004
15.01.2020 14:37:07	1	1	1	1	54.5	56.25	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	37	2004
15.01.2020 14:37:08	1	1	1	1	54.5	57	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	36.375	2004
15.01.2020 14:37:09	1	1	1	1	54.5	56.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.125	2004
15.01.2020 14:37:10	1	1	1	1	54.5	57	0	30000	509.6774194	15483.92357	30000	0	0	30000	36.5625	2004
15.01.2020 14:37:11	1	1	1	1	54.5	56.5	0	30000	518.2795699	15548.338	30000	0	0	30000	36.5	2004
15.01.2020 14:37:12	1	1	1	1	54.5	56.5	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	35.875	2004
15.01.2020 14:37:13	1	1	1	1	54.5	55.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.8125	2004
15.01.2020 14:37:14	1	1	1	1	54.5	56.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.5625	2004
15.01.2020 14:37:15	1	1	1	1	54.5	56.5	0	30000	498.9247312	15161.03607	30000	0	0	30000	35.6875	2004
15.01.2020 14:37:16	1	1	1	1	54.5	55.5	0	30000	511.827957	15354.27935	30000	0	0	30000	35.75	2004
15.01.2020 14:37:17	1	1	1	1	54.5	55.75	0	30000	516.1290323	15548.338	30000	0	0	30000	36.75	2004
15.01.2020 14:37:18	1	1	1	1	54.5	56.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:19	1	1	1	1	54.5	56.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:20	1	1	1	1	54.25	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.75	2004
15.01.2020 14:37:22	1	1	1	1	54.25	56.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	37.3125	2004
15.01.2020 14:37:23	1	1	1	1	54.25	57.25	0	29952.607	505.3763441	14984.10024	30000	0	0	30000	36.25	2004
15.01.2020 14:37:24	1	1	1	1	54.25	56.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	37.3125	2004
15.01.2020 14:37:25	1	1	1	1	54.25	57.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	36.375	2004
15.01.2020 14:37:26	1	1	1	1	54.25	56.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	35.125	2004
15.01.2020 14:37:27	1	1	1	1	54.25	55	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.3125	2004
15.01.2020 14:37:28	1	1	1	1	54.25	57.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.6875	2004
15.01.2020 14:37:29	1	1	1	1	54.25	55.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.3125	2004
15.01.2020 14:37:30	1	1	1	1	54.25	56.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	36.3125	2004
15.01.2020 14:37:31	1	1	1	1	54.25	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.875	2004
15.01.2020 14:37:32	1	1	1	1	54.25	56.75	0	30000	496.7741935	14838.14856	30000	0	0	30000	35.25	2004
15.01.2020 14:37:33	1	1	1	1	54.25	55.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.375	2004
15.01.2020 14:37:34	1	1	1	1	54.25	55.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.3125	2004
15.01.2020 14:37:35	1	1	1	1	54.25	56.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:36	1	1	1	1	54.25	56.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	36.6875	2004
15.01.2020 14:37:37	1	1	1	1	54.25	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.5	2004
15.01.2020 14:37:38	1	1	1	1	54.25	56.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	36.1875	2004
15.01.2020 14:37:39	1	1	1	1	54.25	56	0	30000	503.2258065	15096.62164	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:37:40	1	1	1	1	53.5	56.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	36	2004
15.01.2020 14:37:41	1	1	1	1	53.5	56	0	30000	520.4301075	15548.338	30000	0	0	30000	36.625	2004
15.01.2020 14:37:42	1	1	1	1	53.5	56.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	36.375	2004
15.01.2020 14:37:43	1	1	1	1	53.5	56.25	0	29952.607	507.5268817	14984.10024	30000	0	0	30000	37.3125	2004
15.01.2020 14:37:44	1	1	1	1	53.5	57.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	36.4375	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	36.9375	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.1875	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.1875	2004
15.01.2020 14:37:51	1	1	1	1	53.5	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.1875	2004
15.01.2020 14:37:52	1	1	1	1	53.5	56	0	30000	503.2258065	15032.20721	30000	0	0	30000	36.0625	2004
15.01.2020 14:37:53	1	1	1	1	53.5	56	0	30047.393	488.172043	14644.90528	30000	0	0	30000	36.375	2004
15.01.2020 14:37:54	1	1	1	1	53.5	56.25	0	30000	488.172043	14709.31971	30000	0	0	30000	37	2004
15.01.2020 14:37:55	1	1	1	1	53.5	57	0	30000	505.3763441	15161.03607	30000	0	0	30000	37.125	2004
15.01.2020 14:37:56	1	1	1	1	53.5	57	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.0625	2004
15.01.2020 14:37:57	1	1	1	1	53.5	56	0	30000	490.3225806	14773.73413	30000	0	0	30000	37	2004
15.01.2020 14:37:58	1	1	1	1	53.5	57	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.6875	2004
15.01.2020 14:38:00	1	1	1	1	53.5	56.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	37	2004
15.01.2020 14:38:01	1	1	1	1	53.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:02	1	1	1	1	53.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
15.01.2020 14:38:03	1	1	1	1	53.75	56	0	30000	486.0215054	14580.49085	30000	0	0	30000	37.3125	2004
15.01.2020 14:38:04	1	1	1	1	53.75	57.25	0	30000	488.172043	14709.31971	30000	0	0	30000	36.9375	2004
15.01.2020 14:38:05	1	1	1	1	53.75	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
15.01.2020 14:38:06	1	1	1	1	53.75	56.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
15.01.2020 14:38:07	1	1	1	1	53.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
15.01.2020 14:38:08	1	1	1	1	53.75	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
15.01.2020 14:38:09	1	1	1	1	53.75	56.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	36.625	2004
15.01.2020 14:38:10	1	1	1	1	53.5	56.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	37.125	2004
15.01.2020 14:38:11	1	1	1	1	53.5	57	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.9375	2004
15.01.2020 14:38:12	1	1	1	1	53.5	56.75	0	30000	488.172043	14644.90528	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:13	1	1	1	1	53.5	57	0	30047.393	496.7741935	14773.73413	30000	0	0	30000	36.6875	2004
15.01.2020 14:38:14	1	1	1	1	53.5	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	37.1875	2004
15.01.2020 14:38:15	1	1	1	1	53.5	57	0	30000	488.172043	14644.90528	30000	0	0	30000	36.875	2004
15.01.2020 14:38:16	1	1	1	1	53.5	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.375	2004
15.01.2020 14:38:17	1	1	1	1	53.5	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.125	2004
15.01.2020 14:38:18	1	1	1	1	53.5	56	0	30000	505.3763441	15048.51466	30000	0	0	30000	36.5625	2004
15.01.2020 14:38:19	1	1	1	1	53.5	56.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.6875	2004
15.01.2020 14:38:20	1	1	1	1	53.25	56.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.3125	2004
15.01.2020 14:38:21	1	1	1	1	53.25	55.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	36.5	2004
15.01.2020 14:38:22	1	1	1	1	53.25	56.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	36.9375	2004
15.01.2020 14:38:23	1	1	1	1	53.25	56.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:38:24	1	1	1	1	53.25	56	0	30000	490.3225806	14838.14856	30000	0	0	30000	36.625	2004
15.01.2020 14:38:25	1	1	1	1	53.25	56.5	0	30000	511.827957	15289.86492	30000	0	0	30000	36.8125	2004
15.01.2020 14:38:26	1	1	1	1	53.25	56.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	37	2004
15.01.2020 14:38:27	1	1	1	1	53.25	57	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.5625	2004
15.01.2020 14:38:28	1	1	1	1	53.25	56.5	0	29905.213	496.7741935	15225.45049	30000	0	0	30000	36.75	2004
15.01.2020 14:38:29	1	1	1	1	53.25	56.75	0	30000	492.4731183	14493.246	30000	0	0	30000	36.5625	2004
15.01.2020 14:38:30	1	1	1	1	53	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	37.3125	2004
15.01.2020 14:38:31	1	1	1	1	53	57.25	0	30000	490.3225806	14838.14856	30000	0	0	30000	37	2004
15.01.2020 14:38:32	1	1	1	1	53	57	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.5625	2004
15.01.2020 14:38:33	1	1	1	1	53	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.1875	2004
15.01.2020 14:38:34	1	1	1	1	53	56	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.1875	2004
15.01.2020 14:38:35	1	1	1	1	53	57	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.75	2004
15.01.2020 14:38:37	1	1	1	1	53	56.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.625	2004
15.01.2020 14:38:38	1	1	1	1	53	56.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	36.875	2004
15.01.2020 14:38:39	1	1	1	1	53	56.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.875	2004
15.01.2020 14:38:40	1	1	1	1	53	56.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	37.1875	2004
15.01.2020 14:38:41	1	1	1	1	53	57	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	37.25	2004
15.01.2020 14:38:42	1	1	1	1	53	57	0	30000	496.7741935	14838.14856	30000	0	0	30000	37.125	2004
15.01.2020 14:38:43	1	1	1	1	53	57	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.625	2004
15.01.2020 14:38:44	1	1	1	1	53	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	35.875	2004
15.01.2020 14:38:45	1	1	1	1	53	55.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.6875	2004
15.01.2020 14:38:46	1	1	1	1	53	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	37.1875	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:53	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
15.01.2020 14:38:54	1	1	1	1	52.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
15.01.2020 14:38:55	1	1	1	1	52.75	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
15.01.2020 14:38:56	1	1	1	1	52.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.25	2004
15.01.2020 14:38:57	1	1	1	1	52.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
15.01.2020 14:38:58	1	1	1	1	52.75	56.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.4375	2004
15.01.2020 14:38:59	1	1	1	1	52.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.125	2004
15.01.2020 14:39:00	1	1	1	1	52.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	37.1875	2004
15.01.2020 14:39:01	1	1	1	1	52.5	57	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.875	2004
15.01.2020 14:39:02	1	1	1	1	52.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.25	2004
15.01.2020 14:39:03	1	1	1	1	52.5	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37	2004
15.01.2020 14:39:04	1	1	1	1	52.5	57	0	30000	470.9677419	14128.7745	30000	0	0	30000	36.75	2004
15.01.2020 14:39:05	1	1	1	1	52.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
15.01.2020 14:39:06	1	1	1	1	52.5	55.75	0	29905.213	466.6666667	14451.662	30000	0	0	30000	36.75	2004
15.01.2020 14:39:07	1	1	1	1	52.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:39:08	1	1	1	1	52.5	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
15.01.2020 14:39:09	1	1	1	1	52.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.25	2004
15.01.2020 14:39:10	1	1	1	1	52.25	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.8125	2004
15.01.2020 14:39:11	1	1	1	1	52.25	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
15.01.2020 14:39:12	1	1	1	1	52.25	55.75	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	36.125	2004
15.01.2020 14:39:13	1	1	1	1	52.25	56	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.75	2004
15.01.2020 14:39:15	1	1	1	1	52.25	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.5625	2004
15.01.2020 14:39:16	1	1	1	1	52.25	56.5	0	30000	460.2150538	13720.27288	30000	0	0	30000	37.25	2004
15.01.2020 14:39:17	1	1	1	1	52.25	57.25	0	29952.607	453.7634409	13677.05814	30000	0	0	30000	36.5625	2004
15.01.2020 14:39:18	1	1	1	1	52.25	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.6875	2004
15.01.2020 14:39:19	1	1	1	1	52.25	56.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	36.375	2004
15.01.2020 14:39:20	1	1	1	1	52.25	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.3125	2004
15.01.2020 14:39:21	1	1	1	1	52	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	37	2004
15.01.2020 14:39:22	1	1	1	1	52	57	0	30000	464.516129	13720.27288	30000	0	0	30000	36.0625	2004
15.01.2020 14:39:23	1	1	1	1	52	56	0	29952.607	464.516129	13913.51616	30000	0	0	30000	37	2004
15.01.2020 14:39:24	1	1	1	1	52	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.1875	2004
15.01.2020 14:39:25	1	1	1	1	52	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
15.01.2020 14:39:26	1	1	1	1	52	56.25	0	30000	464.516129	13999.94564	30000	0	0	30000	37.25	2004
15.01.2020 14:39:27	1	1	1	1	52	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.375	2004
15.01.2020 14:39:28	1	1	1	1	52	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
15.01.2020 14:39:29	1	1	1	1	52	56.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.125	2004
15.01.2020 14:39:30	1	1	1	1	51.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	37	2004
15.01.2020 14:39:31	1	1	1	1	51.5	57	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	37.1875	2004
15.01.2020 14:39:32	1	1	1	1	51.5	57	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.125	2004
15.01.2020 14:39:33	1	1	1	1	51.5	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
15.01.2020 14:39:34	1	1	1	1	51.5	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.625	2004
15.01.2020 14:39:35	1	1	1	1	51.5	55.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.125	2004
15.01.2020 14:39:36	1	1	1	1	51.5	57	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.0625	2004
15.01.2020 14:39:37	1	1	1	1	51.5	57	0	30000	438.7096774	13289.7562	30000	0	0	30000	36.9375	2004
15.01.2020 14:39:38	1	1	1	1	51.5	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.5	2004
15.01.2020 14:39:39	1	1	1	1	51.5	56.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	37.3125	2004
15.01.2020 14:39:40	1	1	1	1	52	57.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.125	2004
15.01.2020 14:39:41	1	1	1	1	52	57	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.9375	2004
15.01.2020 14:39:42	1	1	1	1	52	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.1875	2004
15.01.2020 14:39:43	1	1	1	1	52	56	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.125	2004
15.01.2020 14:39:44	1	1	1	1	52	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.125	2004
15.01.2020 14:39:45	1	1	1	1	52	57	0	30000	458.0645161	13957.54627	30000	0	0	30000	37.25	2004
15.01.2020 14:39:46	1	1	1	1	52	57.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	35.6875	2004
15.01.2020 14:39:47	1	1	1	1	52	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.9375	2004
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:39:54	1	1	1	1	51.5	56	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:39:55	1	1	1	1	51.5	57.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.8125	2004
15.01.2020 14:39:56	1	1	1	1	51.5	56.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	37.6875	2004
15.01.2020 14:39:57	1	1	1	1	51.5	57.5	0	30000	464.516129	13913.51616	30000	0	0	30000	35.875	2004
15.01.2020 14:39:58	1	1	1	1	51.5	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.8125	2004
15.01.2020 14:39:59	1	1	1	1	51.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.875	2004
15.01.2020 14:40:00	1	1	1	1	51.25	56.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.5625	2004
15.01.2020 14:40:01	1	1	1	1	51.25	56.5	0	30047.393	455.9139785	13677.05814	30000	0	0	30000	36.4375	2004
15.01.2020 14:40:02	1	1	1	1	51.25	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
15.01.2020 14:40:03	1	1	1	1	51.25	56	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.9375	2004
15.01.2020 14:40:04	1	1	1	1	51.25	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:05	1	1	1	1	51.25	57.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	36.375	2004
15.01.2020 14:40:06	1	1	1	1	51.25	56.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	35.8125	2004
15.01.2020 14:40:07	1	1	1	1	51.25	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
15.01.2020 14:40:08	1	1	1	1	51.25	56.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:09	1	1	1	1	51.25	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004
15.01.2020 14:40:10	1	1	1	1	51.25	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	37.1875	2004
15.01.2020 14:40:11	1	1	1	1	51.25	57	0	30000	458.0645161	13784.6873	30000	0	0	30000	36.25	2004
15.01.2020 14:40:12	1	1	1	1	51.25	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
15.01.2020 14:40:13	1	1	1	1	51.25	56	0	30000	464.516129	13805.88699	30000	0	0	30000	36.875	2004
15.01.2020 14:40:14	1	1	1	1	51.25	56.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.3125	2004
15.01.2020 14:40:15	1	1	1	1	51.25	56.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:16	1	1	1	1	51.25	57.25	0	30000	449.4623656	13591.44402	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:17	1	1	1	1	51.25	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37	2004
15.01.2020 14:40:18	1	1	1	1	51.25	57	0	30000	466.6666667	13891.5011	30000	0	0	30000	36.5	2004
15.01.2020 14:40:19	1	1	1	1	51.25	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.0625	2004
15.01.2020 14:40:20	1	1	1	1	51	57	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
15.01.2020 14:40:21	1	1	1	1	51	56.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.5	2004
15.01.2020 14:40:22	1	1	1	1	51	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:23	1	1	1	1	51	57.25	0	29952.607	460.2150538	13784.6873	30000	0	0	30000	37.25	2004
15.01.2020 14:40:24	1	1	1	1	51	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
15.01.2020 14:40:25	1	1	1	1	51	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:26	1	1	1	1	51	57.25	0	30000	455.9139785	13805.88699	30000	0	0	30000	36.375	2004
15.01.2020 14:40:27	1	1	1	1	51	56.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.875	2004
15.01.2020 14:40:28	1	1	1	1	51	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:29	1	1	1	1	51	57.25	0	30000	440.8602151	13246.54146	30000	0	0	30000	37.0625	2004
15.01.2020 14:40:30	1	1	1	1	51	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	36.75	2004
15.01.2020 14:40:32	1	1	1	1	51	56.75	0	30000	464.516129	13677.05814	30000	0	0	30000	36.3125	2004
15.01.2020 14:40:33	1	1	1	1	51	56.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.8125	2004
15.01.2020 14:40:34	1	1	1	1	51	56.75	0	30000	464.516129	13805.88699	30000	0	0	30000	36.625	2004
15.01.2020 14:40:35	1	1	1	1	51	56.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
15.01.2020 14:40:36	1	1	1	1	51	57	0	30000	445.1612903	13160.92735	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:40:37	1	1	1	1	51	57.25	0	30000	453.7634409	13569.42897	30000	0	0	30000	37.25	2004
15.01.2020 14:40:38	1	1	1	1	51	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.625	2004
15.01.2020 14:40:39	1	1	1	1	51	56.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.5625	2004
15.01.2020 14:40:40	1	1	1	1	50.75	56.5	0	30094.787	445.1612903	13160.92735	30000	0	0	30000	36.375	2004
15.01.2020 14:40:41	1	1	1	1	50.75	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
15.01.2020 14:40:42	1	1	1	1	50.75	57	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	35.125	2004
15.01.2020 14:40:43	1	1	1	1	50.75	55	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.875	2004
15.01.2020 14:40:44	1	1	1	1	50.75	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.75	2004
15.01.2020 14:40:45	1	1	1	1	50.75	56.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.25	2004
15.01.2020 14:40:46	1	1	1	1	50.75	56.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	37.0625	2004
15.01.2020 14:40:47	1	1	1	1	50.75	57	0	29952.607	451.6129032	13741.47256	30000	0	0	30000	37	2004
15.01.2020 14:40:48	1	1	1	1	50.75	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.4375	2004
15.01.2020 14:40:49	1	1	1	1	50.75	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
15.01.2020 14:40:56	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:56	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:40:57	1	1	1	1	50.5	57.25	0	30000	445.1612903	13225.34178	30000	0	0	30000	37.125	2004
15.01.2020 14:40:58	1	1	1	1	50.5	57	0	30000	451.6129032	13483.81486	30000	0	0	30000	37.125	2004
15.01.2020 14:40:59	1	1	1	1	50.5	57	0	30000	464.516129	13935.53122	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:00	1	1	1	1	50.25	57.25	0	30000	458.0645161	13935.53122	30000	0	0	30000	37.25	2004
15.01.2020 14:41:01	1	1	1	1	50.25	57.25	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:02	1	1	1	1	50.25	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
15.01.2020 14:41:03	1	1	1	1	50.25	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
15.01.2020 14:41:04	1	1	1	1	50.25	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
15.01.2020 14:41:05	1	1	1	1	50.25	56.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.875	2004
15.01.2020 14:41:06	1	1	1	1	50.25	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.25	2004
15.01.2020 14:41:07	1	1	1	1	50.25	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
15.01.2020 14:41:08	1	1	1	1	50.25	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.75	2004
15.01.2020 14:41:10	1	1	1	1	50.25	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
15.01.2020 14:41:11	1	1	1	1	50.25	56.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.375	2004
15.01.2020 14:41:12	1	1	1	1	50.25	57.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:13	1	1	1	1	50.25	57.25	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:14	1	1	1	1	50.25	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.875	2004
15.01.2020 14:41:15	1	1	1	1	50.25	56	0	30094.787	445.1612903	13396.57	30000	0	0	30000	36.8125	2004
15.01.2020 14:41:16	1	1	1	1	50.25	56.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	35.9375	2004
15.01.2020 14:41:17	1	1	1	1	50.25	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36	2004
15.01.2020 14:41:18	1	1	1	1	50.25	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
15.01.2020 14:41:19	1	1	1	1	50.25	57	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	36.3125	2004
15.01.2020 14:41:20	1	1	1	1	49.75	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:41:21	1	1	1	1	49.75	55.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	37	2004
15.01.2020 14:41:22	1	1	1	1	49.75	57	0	30047.393	443.0107527	13225.34178	30000	0	0	30000	37.1875	2004
15.01.2020 14:41:23	1	1	1	1	49.75	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:24	1	1	1	1	49.75	57.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.625	2004
15.01.2020 14:41:25	1	1	1	1	49.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
15.01.2020 14:41:26	1	1	1	1	49.75	57.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	37.0625	2004
15.01.2020 14:41:27	1	1	1	1	49.75	57	0	30000	455.9139785	13612.64371	30000	0	0	30000	37	2004
15.01.2020 14:41:28	1	1	1	1	49.75	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.375	2004
15.01.2020 14:41:29	1	1	1	1	49.75	57.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	36.8125	2004
15.01.2020 14:41:30	1	1	1	1	49.75	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	35.75	2004
15.01.2020 14:41:31	1	1	1	1	49.75	55.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	36.8125	2004
15.01.2020 14:41:32	1	1	1	1	49.75	56.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	34.875	2004
15.01.2020 14:41:33	1	1	1	1	49.75	54.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
15.01.2020 14:41:34	1	1	1	1	49.75	56.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:41:35	1	1	1	1	49.75	57	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.625	2004
15.01.2020 14:41:36	1	1	1	1	49.75	56.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.25	2004
15.01.2020 14:41:37	1	1	1	1	49.75	57.25	0	30000	443.0107527	13269.37189	30000	0	0	30000	36.5	2004
15.01.2020 14:41:38	1	1	1	1	49.75	56.5	0	29905.213	432.2580645	13160.92735	30000	0	0	30000	36.125	2004
15.01.2020 14:41:39	1	1	1	1	49.75	56	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.8125	2004
15.01.2020 14:41:40	1	1	1	1	49.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
15.01.2020 14:41:41	1	1	1	1	49.5	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.25	2004
15.01.2020 14:41:42	1	1	1	1	49.5	56.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:43	1	1	1	1	49.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:41:44	1	1	1	1	49.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
15.01.2020 14:41:45	1	1	1	1	49.5	56.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.8125	2004
15.01.2020 14:41:47	1	1	1	1	49.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
15.01.2020 14:41:48	1	1	1	1	49.5	56.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	35.75	2004
15.01.2020 14:41:49	1	1	1	1	49.5	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.1875	2004
15.01.2020 14:41:50	1	1	1	1	49.5	56	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.625	2004
15.01.2020 14:41:51	1	1	1	1	49.25	57.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.3125	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:58	1	1	1	1	49.25	57.25	0	30000	464.516129	13870.30142	30000	0	0	30000	37.4375	2004
15.01.2020 14:41:59	1	1	1	1	49.25	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.375	2004
15.01.2020 14:42:00	1	1	1	1	49	57.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	36.375	2004
15.01.2020 14:42:01	1	1	1	1	49	56.25	0	30000	468.8172043	13935.53122	30000	0	0	30000	36.75	2004
15.01.2020 14:42:02	1	1	1	1	49	56.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.4375	2004
15.01.2020 14:42:03	1	1	1	1	49	56.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.4375	2004
15.01.2020 14:42:04	1	1	1	1	49	57.25	0	30000	455.9139785	13935.53122	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:42:05	1	1	1	1	49	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.125	2004
15.01.2020 14:42:06	1	1	1	1	49	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
15.01.2020 14:42:07	1	1	1	1	49	56.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.75	2004
15.01.2020 14:42:08	1	1	1	1	49	56.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	37.0625	2004
15.01.2020 14:42:09	1	1	1	1	49	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.0625	2004
15.01.2020 14:42:10	1	1	1	1	49	56	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.125	2004
15.01.2020 14:42:11	1	1	1	1	49	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
15.01.2020 14:42:12	1	1	1	1	49	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
15.01.2020 14:42:13	1	1	1	1	49	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.375	2004
15.01.2020 14:42:14	1	1	1	1	49	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
15.01.2020 14:42:15	1	1	1	1	49	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.6875	2004
15.01.2020 14:42:16	1	1	1	1	49	56.5	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	37.4375	2004
15.01.2020 14:42:17	1	1	1	1	49	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.375	2004
15.01.2020 14:42:18	1	1	1	1	49	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.375	2004
15.01.2020 14:42:19	1	1	1	1	49	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.0625	2004
15.01.2020 14:42:20	1	1	1	1	48.75	56	0	30000	432.2580645	12838.03984	30000	0	0	30000	37.0625	2004
15.01.2020 14:42:21	1	1	1	1	48.75	57	0	30000	432.2580645	12967.68407	30000	0	0	30000	37.5625	2004
15.01.2020 14:42:22	1	1	1	1	48.75	57.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.875	2004
15.01.2020 14:42:24	1	1	1	1	48.75	56.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	36.9375	2004
15.01.2020 14:42:25	1	1	1	1	48.75	56.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.0625	2004
15.01.2020 14:42:26	1	1	1	1	48.75	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.375	2004
15.01.2020 14:42:27	1	1	1	1	48.75	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
15.01.2020 14:42:28	1	1	1	1	48.75	57.25	0	29952.607	455.9139785	13591.44402	30000	0	0	30000	36.5	2004
15.01.2020 14:42:29	1	1	1	1	48.75	56.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	36.75	2004
15.01.2020 14:42:30	1	1	1	1	48.75	56.75	0	30047.393	451.6129032	13483.81486	30000	0	0	30000	36.0625	2004
15.01.2020 14:42:31	1	1	1	1	48.75	56.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.25	2004
15.01.2020 14:42:32	1	1	1	1	48.75	56.25	0	30000	460.2150538	13677.05814	30000	0	0	30000	37.125	2004
15.01.2020 14:42:33	1	1	1	1	48.75	57	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	37.25	2004
15.01.2020 14:42:34	1	1	1	1	48.75	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.5625	2004
15.01.2020 14:42:35	1	1	1	1	48.75	57.5	0	30000	453.7634409	13957.54627	30000	0	0	30000	37	2004
15.01.2020 14:42:36	1	1	1	1	48.75	57	0	29952.607	453.7634409	13462.61517	30000	0	0	30000	37	2004
15.01.2020 14:42:37	1	1	1	1	48.75	57	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.4375	2004
15.01.2020 14:42:38	1	1	1	1	48.75	55.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37	2004
15.01.2020 14:42:39	1	1	1	1	48.75	57	0	29905.213	423.655914	12818.4709	30000	0	0	30000	37.375	2004
15.01.2020 14:42:40	1	1	1	1	48.5	57.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	36.4375	2004
15.01.2020 14:42:41	1	1	1	1	48.5	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.375	2004
15.01.2020 14:42:42	1	1	1	1	48.5	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.6875	2004
15.01.2020 14:42:43	1	1	1	1	48.5	56.5	0	29905.213	427.9569892	12967.68407	30000	0	0	30000	36.6875	2004
15.01.2020 14:42:44	1	1	1	1	48.5	56.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	35.6875	2004
15.01.2020 14:42:45	1	1	1	1	48.5	55.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.625	2004
15.01.2020 14:42:46	1	1	1	1	48.5	56.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	36.8125	2004
15.01.2020 14:42:47	1	1	1	1	48.5	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
15.01.2020 14:42:48	1	1	1	1	48.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:42:49	1	1	1	1	48.5	56.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	36.625	2004
15.01.2020 14:42:50	1	1	1	1	48.25	56.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.875	2004
15.01.2020 14:42:51	1	1	1	1	48.25	56.75	0	30000	436.5591398	13054.92893	30000	0	0	30000	37.625	2004
15.01.2020 14:42:52	1	1	1	1	48.25	57.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.4375	2004
15.01.2020 14:42:59	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.125	2004
15.01.2020 14:43:00	1	1	1	1	48.25	56	0	30000	427.9569892	13160.92735	30000	0	0	30000	36.5625	2004
15.01.2020 14:43:01	1	1	1	1	48.25	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
15.01.2020 14:43:03	1	1	1	1	48.25	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.625	2004
15.01.2020 14:43:04	1	1	1	1	48.25	56.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.375	2004
15.01.2020 14:43:05	1	1	1	1	48.25	57.25	0	29952.607	423.655914	12709.21099	30000	0	0	30000	37.5	2004
15.01.2020 14:43:06	1	1	1	1	48.25	57.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.125	2004
15.01.2020 14:43:07	1	1	1	1	48.25	57	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	37.9375	2004
15.01.2020 14:43:08	1	1	1	1	48.25	57.75	0	30047.393	440.8602151	13096.51292	30000	0	0	30000	37.9375	2004
15.01.2020 14:43:09	1	1	1	1	48.25	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:10	1	1	1	1	48.25	56.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	37.5	2004
15.01.2020 14:43:11	1	1	1	1	48.25	57.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
15.01.2020 14:43:12	1	1	1	1	48.25	56.5	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
15.01.2020 14:43:13	1	1	1	1	48.25	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.375	2004
15.01.2020 14:43:14	1	1	1	1	48.25	56.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	36.9375	2004
15.01.2020 14:43:15	1	1	1	1	48.25	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5625	2004
15.01.2020 14:43:16	1	1	1	1	48.25	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37	2004
15.01.2020 14:43:17	1	1	1	1	48.25	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:18	1	1	1	1	48.25	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:19	1	1	1	1	48.25	57.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.625	2004
15.01.2020 14:43:20	1	1	1	1	48	57.5	0	30000	417.2043011	12599.95108	30000	0	0	30000	37.5	2004
15.01.2020 14:43:21	1	1	1	1	48	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
15.01.2020 14:43:22	1	1	1	1	48	57	0	30000	423.655914	12709.21099	30000	0	0	30000	37.625	2004
15.01.2020 14:43:23	1	1	1	1	48	57.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	36.5	2004
15.01.2020 14:43:24	1	1	1	1	48	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5	2004
15.01.2020 14:43:25	1	1	1	1	48	57.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	37.1875	2004
15.01.2020 14:43:26	1	1	1	1	48	57	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.25	2004
15.01.2020 14:43:27	1	1	1	1	48	57.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	37.1875	2004
15.01.2020 14:43:28	1	1	1	1	48	57	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	37.1875	2004
15.01.2020 14:43:29	1	1	1	1	48	57	0	30000	434.4086022	12967.68407	30000	0	0	30000	36.6875	2004
15.01.2020 14:43:30	1	1	1	1	47.75	56.5	0	29905.213	425.8064516	12709.21099	30000	0	0	30000	36.3125	2004
15.01.2020 14:43:31	1	1	1	1	47.75	56.25	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	37.1875	2004
15.01.2020 14:43:32	1	1	1	1	47.75	57	0	30000	438.7096774	12838.03984	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:43:33	1	1	1	1	47.75	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:34	1	1	1	1	47.75	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:35	1	1	1	1	47.75	57.25	0	30000	440.8602151	12798.08659	30000	0	0	30000	37.5	2004
15.01.2020 14:43:36	1	1	1	1	47.75	57.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	37.5625	2004
15.01.2020 14:43:37	1	1	1	1	47.75	57.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	37	2004
15.01.2020 14:43:38	1	1	1	1	47.75	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:40	1	1	1	1	47.75	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37	2004
15.01.2020 14:43:41	1	1	1	1	47.5	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.4375	2004
15.01.2020 14:43:42	1	1	1	1	47.5	56.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.0625	2004
15.01.2020 14:43:43	1	1	1	1	47.5	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.4375	2004
15.01.2020 14:43:44	1	1	1	1	47.5	56.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.8125	2004
15.01.2020 14:43:45	1	1	1	1	47.5	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.9375	2004
15.01.2020 14:43:46	1	1	1	1	47.5	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
15.01.2020 14:43:47	1	1	1	1	47.5	57.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.8125	2004
15.01.2020 14:43:48	1	1	1	1	47.5	56.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.9375	2004
15.01.2020 14:43:49	1	1	1	1	47.5	56.75	0	30000	440.8602151	12926.10007	30000	0	0	30000	36.0625	2004
15.01.2020 14:43:50	1	1	1	1	47.75	56	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.4375	2004
15.01.2020 14:43:51	1	1	1	1	47.75	57.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	37.4375	2004
15.01.2020 14:43:52	1	1	1	1	47.75	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.0625	2004
15.01.2020 14:43:53	1	1	1	1	47.75	56	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.9375	2004
15.01.2020 14:43:54	1	1	1	1	47.75	55.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.6875	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:02	1	1	1	1	47.5	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.625	2004
15.01.2020 14:44:03	1	1	1	1	47.5	56.5	0	30000	443.0107527	13269.37189	30000	0	0	30000	36.875	2004
15.01.2020 14:44:04	1	1	1	1	47.5	56.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
15.01.2020 14:44:05	1	1	1	1	47.5	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.6875	2004
15.01.2020 14:44:06	1	1	1	1	47.5	57.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.25	2004
15.01.2020 14:44:07	1	1	1	1	47.5	57.25	0	29905.213	440.8602151	13225.34178	30000	0	0	30000	37.125	2004
15.01.2020 14:44:08	1	1	1	1	47.5	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.625	2004
15.01.2020 14:44:09	1	1	1	1	47.5	57.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	36.625	2004
15.01.2020 14:44:10	1	1	1	1	47.5	56.5	0	30000	445.1612903	13548.22928	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:11	1	1	1	1	47.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.0625	2004
15.01.2020 14:44:12	1	1	1	1	47.5	57	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.625	2004
15.01.2020 14:44:13	1	1	1	1	47.5	57.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	37.0625	2004
15.01.2020 14:44:15	1	1	1	1	47.5	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
15.01.2020 14:44:16	1	1	1	1	47.5	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5625	2004
15.01.2020 14:44:17	1	1	1	1	47.5	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:44:18	1	1	1	1	47.5	57.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	37.25	2004
15.01.2020 14:44:19	1	1	1	1	47.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
15.01.2020 14:44:20	1	1	1	1	47.5	57	0	30000	427.9569892	12709.21099	30000	0	0	30000	37	2004
15.01.2020 14:44:21	1	1	1	1	47.25	57	0	30000	427.9569892	12818.4709	30000	0	0	30000	36.6875	2004
15.01.2020 14:44:22	1	1	1	1	47.25	56.5	0	29905.213	423.655914	12838.03984	30000	0	0	30000	37.75	2004
15.01.2020 14:44:23	1	1	1	1	47.25	57.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.25	2004
15.01.2020 14:44:24	1	1	1	1	47.25	57.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	37.75	2004
15.01.2020 14:44:25	1	1	1	1	47.25	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:26	1	1	1	1	47.25	57.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.5625	2004
15.01.2020 14:44:27	1	1	1	1	47.25	57.5	0	30000	423.655914	12773.62542	30000	0	0	30000	37.5	2004
15.01.2020 14:44:28	1	1	1	1	47.25	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.625	2004
15.01.2020 14:44:29	1	1	1	1	47.25	57.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.75	2004
15.01.2020 14:44:30	1	1	1	1	47.25	56.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	37	2004
15.01.2020 14:44:31	1	1	1	1	47.25	57	0	30000	425.8064516	12709.21099	30000	0	0	30000	36.75	2004
15.01.2020 14:44:32	1	1	1	1	47.25	56.75	0	30000	423.655914	12580.38214	30000	0	0	30000	37.5	2004
15.01.2020 14:44:33	1	1	1	1	47.25	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.8125	2004
15.01.2020 14:44:34	1	1	1	1	47.25	56.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.125	2004
15.01.2020 14:44:35	1	1	1	1	47.25	57	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.625	2004
15.01.2020 14:44:36	1	1	1	1	47.25	57.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.0625	2004
15.01.2020 14:44:37	1	1	1	1	47.25	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.75	2004
15.01.2020 14:44:38	1	1	1	1	47.25	56.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:39	1	1	1	1	47.25	57.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	37.25	2004
15.01.2020 14:44:40	1	1	1	1	46.5	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.75	2004
15.01.2020 14:44:41	1	1	1	1	46.5	57.75	0	30000	423.655914	12709.21099	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:42	1	1	1	1	46.5	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:43	1	1	1	1	46.5	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.3125	2004
15.01.2020 14:44:44	1	1	1	1	46.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.1875	2004
15.01.2020 14:44:45	1	1	1	1	46.5	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:44:46	1	1	1	1	46.5	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.75	2004
15.01.2020 14:44:47	1	1	1	1	46.5	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.5625	2004
15.01.2020 14:44:48	1	1	1	1	46.5	56.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.25	2004
15.01.2020 14:44:49	1	1	1	1	46.5	57.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:50	1	1	1	1	46.75	57.25	0	30000	425.8064516	12858.42416	30000	0	0	30000	37.1875	2004
15.01.2020 14:44:51	1	1	1	1	46.75	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
15.01.2020 14:44:52	1	1	1	1	46.75	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.625	2004
15.01.2020 14:44:54	1	1	1	1	46.75	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
15.01.2020 14:44:55	1	1	1	1	46.75	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.125	2004
15.01.2020 14:44:56	1	1	1	1	46.75	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:03	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:45:04	1	1	1	1	46.5	57.5	0	30000	412.9032258	12090.34327	30000	0	0	30000	36.875	2004
15.01.2020 14:45:05	1	1	1	1	46.5	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37	2004
15.01.2020 14:45:06	1	1	1	1	46.5	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
15.01.2020 14:45:07	1	1	1	1	46.5	57.25	0	29905.213	406.4516129	12387.13886	30000	0	0	30000	36.875	2004
15.01.2020 14:45:08	1	1	1	1	46.5	56.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	36.5	2004
15.01.2020 14:45:09	1	1	1	1	46.5	56.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.0625	2004
15.01.2020 14:45:10	1	1	1	1	46.5	57	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.25	2004
15.01.2020 14:45:11	1	1	1	1	46.5	57.25	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	37.5625	2004
15.01.2020 14:45:12	1	1	1	1	46.5	57.5	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	37	2004
15.01.2020 14:45:13	1	1	1	1	46.5	57	0	30000	417.2043011	12515.96771	30000	0	0	30000	37.5625	2004
15.01.2020 14:45:14	1	1	1	1	46.5	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.4375	2004
15.01.2020 14:45:15	1	1	1	1	46.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
15.01.2020 14:45:16	1	1	1	1	46.5	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:17	1	1	1	1	46.5	56.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.1875	2004
15.01.2020 14:45:18	1	1	1	1	46.5	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.6875	2004
15.01.2020 14:45:19	1	1	1	1	46.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
15.01.2020 14:45:20	1	1	1	1	46.25	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
15.01.2020 14:45:21	1	1	1	1	46.25	57	0	30000	400	12064.25135	30000	0	0	30000	37.625	2004
15.01.2020 14:45:25	1	1	1	1	46.25	56.75	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:25	1	1	1	1	46.25	56.75	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:25	1	1	1	1	46.25	56.75	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:25	1	1	1	1	46.25	56.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	37.75	2004
15.01.2020 14:45:26	1	1	1	1	46.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:27	1	1	1	1	46.25	56.75	0	30000	400	12064.25135	30000	0	0	30000	37	2004
15.01.2020 14:45:28	1	1	1	1	46.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
15.01.2020 14:45:29	1	1	1	1	46.25	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.25	2004
15.01.2020 14:45:30	1	1	1	1	46.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
15.01.2020 14:45:32	1	1	1	1	46.5	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.625	2004
15.01.2020 14:45:33	1	1	1	1	46.5	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.875	2004
15.01.2020 14:45:34	1	1	1	1	46.5	56.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	36.125	2004
15.01.2020 14:45:35	1	1	1	1	46.5	56	0	30000	400	11935.4225	30000	0	0	30000	37.6875	2004
15.01.2020 14:45:36	1	1	1	1	46.5	57.5	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	37.625	2004
15.01.2020 14:45:37	1	1	1	1	46.5	57.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	36.9375	2004
15.01.2020 14:45:38	1	1	1	1	46.5	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
15.01.2020 14:45:39	1	1	1	1	46.5	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.75	2004
15.01.2020 14:45:40	1	1	1	1	46	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.1875	2004
15.01.2020 14:45:41	1	1	1	1	46	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
15.01.2020 14:45:42	1	1	1	1	46	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.1875	2004
15.01.2020 14:45:43	1	1	1	1	46	57	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.3125	2004
15.01.2020 14:45:44	1	1	1	1	46	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.875	2004
15.01.2020 14:45:45	1	1	1	1	46	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:45:46	1	1	1	1	46	57.5	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	36.875	2004
15.01.2020 14:45:47	1	1	1	1	46	56.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	36	2004
15.01.2020 14:45:48	1	1	1	1	46	56	0	30000	417.2043011	12599.95108	30000	0	0	30000	37.75	2004
15.01.2020 14:45:49	1	1	1	1	46	57.75	0	30000	425.8064516	12560.8132	30000	0	0	30000	37.75	2004
15.01.2020 14:45:50	1	1	1	1	46.25	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5625	2004
15.01.2020 14:45:51	1	1	1	1	46.25	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.75	2004
15.01.2020 14:45:52	1	1	1	1	46.25	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5	2004
15.01.2020 14:45:53	1	1	1	1	46.25	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
15.01.2020 14:45:54	1	1	1	1	46.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.25	2004
15.01.2020 14:45:55	1	1	1	1	46.25	57.25	0	30047.393	406.4516129	12128.66578	30000	0	0	30000	37	2004
15.01.2020 14:45:56	1	1	1	1	46.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
15.01.2020 14:45:57	1	1	1	1	46.25	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.8125	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:04	1	1	1	1	45.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:05	1	1	1	1	45.75	57.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.3125	2004
15.01.2020 14:46:06	1	1	1	1	45.75	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
15.01.2020 14:46:07	1	1	1	1	45.75	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.25	2004
15.01.2020 14:46:08	1	1	1	1	45.75	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.375	2004
15.01.2020 14:46:10	1	1	1	1	45.75	57.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
15.01.2020 14:46:11	1	1	1	1	46	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.8125	2004
15.01.2020 14:46:12	1	1	1	1	46	57.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	36.875	2004
15.01.2020 14:46:13	1	1	1	1	46	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.625	2004
15.01.2020 14:46:14	1	1	1	1	46	57.5	0	30000	395.6989247	11659.01122	30000	0	0	30000	37.5625	2004
15.01.2020 14:46:15	1	1	1	1	46	57.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	37	2004
15.01.2020 14:46:16	1	1	1	1	46	57	0	30000	402.1505376	12128.66578	30000	0	0	30000	37.75	2004
15.01.2020 14:46:17	1	1	1	1	46	57.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38	2004
15.01.2020 14:46:18	1	1	1	1	46	56.75	0	30000	404.3010753	11999.83693	30000	0	0	30000	36.875	2004
15.01.2020 14:46:19	1	1	1	1	46	56.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	36.875	2004
15.01.2020 14:46:20	1	1	1	1	45.75	56.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	37.25	2004
15.01.2020 14:46:21	1	1	1	1	45.75	57.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	37.875	2004
15.01.2020 14:46:22	1	1	1	1	45.75	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	36.6875	2004
15.01.2020 14:46:23	1	1	1	1	45.75	56.5	0	30000	395.6989247	11511.4288	30000	0	0	30000	36.8125	2004
15.01.2020 14:46:24	1	1	1	1	45.75	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.5625	2004
15.01.2020 14:46:25	1	1	1	1	45.75	56.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.8125	2004
15.01.2020 14:46:26	1	1	1	1	45.75	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.375	2004
15.01.2020 14:46:27	1	1	1	1	45.75	57.25	0	29952.607	417.2043011	12560.8132	30000	0	0	30000	37.5625	2004
15.01.2020 14:46:28	1	1	1	1	45.75	57.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	36.75	2004
15.01.2020 14:46:29	1	1	1	1	45.75	56.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:46:30	1	1	1	1	45.5	57.5	0	29905.213	397.8494624	11897.09999	30000	0	0	30000	37	2004
15.01.2020 14:46:31	1	1	1	1	45.5	57	0	30000	404.3010753	12128.66578	30000	0	0	30000	36.125	2004
15.01.2020 14:46:32	1	1	1	1	45.5	56	0	30000	402.1505376	12128.66578	30000	0	0	30000	37.5	2004
15.01.2020 14:46:33	1	1	1	1	45.5	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.4375	2004
15.01.2020 14:46:34	1	1	1	1	45.5	57.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	37.125	2004
15.01.2020 14:46:35	1	1	1	1	45.5	57	0	30000	400	11935.4225	30000	0	0	30000	37.125	2004
15.01.2020 14:46:36	1	1	1	1	45.5	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
15.01.2020 14:46:37	1	1	1	1	45.5	57	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
15.01.2020 14:46:38	1	1	1	1	45.5	57.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	37.75	2004
15.01.2020 14:46:39	1	1	1	1	45.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
15.01.2020 14:46:40	1	1	1	1	45.25	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
15.01.2020 14:46:41	1	1	1	1	45.25	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
15.01.2020 14:46:42	1	1	1	1	45.25	57.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	37.5	2004
15.01.2020 14:46:43	1	1	1	1	45.25	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.625	2004
15.01.2020 14:46:44	1	1	1	1	45.25	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
15.01.2020 14:46:45	1	1	1	1	45.25	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	36.9375	2004
15.01.2020 14:46:46	1	1	1	1	45.25	56.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.0625	2004
15.01.2020 14:46:48	1	1	1	1	45.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.3125	2004
15.01.2020 14:46:49	1	1	1	1	45.25	56.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	37	2004
15.01.2020 14:46:50	1	1	1	1	45.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.9375	2004
15.01.2020 14:46:51	1	1	1	1	45.25	56.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	37.6875	2004
15.01.2020 14:46:52	1	1	1	1	45.25	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.6875	2004
15.01.2020 14:46:53	1	1	1	1	45.25	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
15.01.2020 14:46:54	1	1	1	1	45.25	57	0	30000	402.1505376	11999.83693	30000	0	0	30000	38.125	2004
15.01.2020 14:46:55	1	1	1	1	45.25	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.5	2004
15.01.2020 14:46:56	1	1	1	1	45.25	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.875	2004
15.01.2020 14:46:57	1	1	1	1	45.25	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.5625	2004
15.01.2020 14:46:58	1	1	1	1	45.25	57.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	36.1875	2004
15.01.2020 14:46:59	1	1	1	1	45.25	57	0	30000	395.6989247	11852.2545	30000	0	0	30000	36.9375	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:06	1	1	1	1	45.25	57.5	0	30047.393	397.8494624	11676.94942	30000	0	0	30000	37.5	2004
15.01.2020 14:47:07	1	1	1	1	45.25	57.5	0	30000	395.6989247	11575.84323	30000	0	0	30000	36	2004
15.01.2020 14:47:08	1	1	1	1	45.25	56	0	30000	395.6989247	11741.36385	30000	0	0	30000	37.1875	2004
15.01.2020 14:47:09	1	1	1	1	45.25	57	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.25	2004
15.01.2020 14:47:10	1	1	1	1	45	57.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	37	2004
15.01.2020 14:47:11	1	1	1	1	45	57	0	30000	400	11852.2545	30000	0	0	30000	37.4375	2004
15.01.2020 14:47:12	1	1	1	1	45	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.875	2004
15.01.2020 14:47:13	1	1	1	1	45	57.75	0	30000	404.3010753	11916.66893	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:47:14	1	1	1	1	45	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.1875	2004
15.01.2020 14:47:15	1	1	1	1	45	57	0	30000	400	11833.50094	30000	0	0	30000	36.375	2004
15.01.2020 14:47:16	1	1	1	1	45	56.25	0	30000	400	12064.25135	30000	0	0	30000	37.8125	2004
15.01.2020 14:47:17	1	1	1	1	45	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.25	2004
15.01.2020 14:47:18	1	1	1	1	45	57.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.875	2004
15.01.2020 14:47:19	1	1	1	1	45	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.4375	2004
15.01.2020 14:47:20	1	1	1	1	45	56.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	37.375	2004
15.01.2020 14:47:21	1	1	1	1	45	57.25	0	30047.393	404.3010753	12148.23472	30000	0	0	30000	36.9375	2004
15.01.2020 14:47:22	1	1	1	1	45	56.75	0	30000	400	12064.25135	30000	0	0	30000	37.75	2004
15.01.2020 14:47:23	1	1	1	1	45	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:24	1	1	1	1	45	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	36.5	2004
15.01.2020 14:47:25	1	1	1	1	45	56.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:26	1	1	1	1	45	57.25	0	30047.393	404.3010753	11871.00807	30000	0	0	30000	37	2004
15.01.2020 14:47:28	1	1	1	1	45	57	0	30000	397.8494624	12064.25135	30000	0	0	30000	36.5625	2004
15.01.2020 14:47:29	1	1	1	1	45	56.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.8125	2004
15.01.2020 14:47:30	1	1	1	1	45	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	36.5625	2004
15.01.2020 14:47:31	1	1	1	1	44.25	56.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:32	1	1	1	1	44.25	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:47:33	1	1	1	1	44.25	57.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	37.6875	2004
15.01.2020 14:47:34	1	1	1	1	44.25	57.5	0	30000	412.9032258	11999.83693	30000	0	0	30000	37.1875	2004
15.01.2020 14:47:35	1	1	1	1	44.25	57	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:36	1	1	1	1	44.25	57.25	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	37.875	2004
15.01.2020 14:47:37	1	1	1	1	44.25	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	36.6875	2004
15.01.2020 14:47:38	1	1	1	1	44.25	56.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.125	2004
15.01.2020 14:47:39	1	1	1	1	44.25	57	0	30000	400	11916.66893	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:40	1	1	1	1	44.75	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
15.01.2020 14:47:41	1	1	1	1	44.75	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.6875	2004
15.01.2020 14:47:42	1	1	1	1	44.75	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.375	2004
15.01.2020 14:47:43	1	1	1	1	44.75	57.25	0	30000	412.9032258	12148.23472	30000	0	0	30000	37.5	2004
15.01.2020 14:47:44	1	1	1	1	44.75	57.5	0	30000	404.3010753	12148.23472	30000	0	0	30000	37.6875	2004
15.01.2020 14:47:45	1	1	1	1	44.75	57.5	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	37.25	2004
15.01.2020 14:47:46	1	1	1	1	44.75	57.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	37.8125	2004
15.01.2020 14:47:47	1	1	1	1	44.75	57.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	36.3125	2004
15.01.2020 14:47:48	1	1	1	1	44.75	56.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	36.9375	2004
15.01.2020 14:47:49	1	1	1	1	44.75	56.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	37.0625	2004
15.01.2020 14:47:50	1	1	1	1	44.5	57	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.5625	2004
15.01.2020 14:47:51	1	1	1	1	44.5	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:47:52	1	1	1	1	44.5	57.75	0	30000	395.6989247	11889.76164	30000	0	0	30000	37.8125	2004
15.01.2020 14:47:53	1	1	1	1	44.5	57.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.6875	2004
15.01.2020 14:47:54	1	1	1	1	44.5	57.5	0	30000	395.6989247	12064.25135	30000	0	0	30000	37.8125	2004
15.01.2020 14:47:55	1	1	1	1	44.5	57.75	0	30000	400	12064.25135	30000	0	0	30000	37.75	2004
15.01.2020 14:47:56	1	1	1	1	44.5	57.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
15.01.2020 14:47:57	1	1	1	1	44.5	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:47:58	1	1	1	1	44.5	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.375	2004
15.01.2020 14:47:59	1	1	1	1	44.5	57.25	0	29905.213	384.9462366	11594.5968	30000	0	0	30000	37.125	2004
15.01.2020 14:48:00	1	1	1	1	44.5	57	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.6875	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:08	1	1	1	1	44.5	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:09	1	1	1	1	44.5	57.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	37.1875	2004
15.01.2020 14:48:10	1	1	1	1	44.5	57	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	37.875	2004
15.01.2020 14:48:11	1	1	1	1	44.25	57.75	0	30000	391.3978495	11612.53499	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:12	1	1	1	1	44.25	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:13	1	1	1	1	44.25	57.25	0	30047.393	404.3010753	11871.00807	30000	0	0	30000	38.3125	2004
15.01.2020 14:48:14	1	1	1	1	44.25	58.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	37	2004
15.01.2020 14:48:15	1	1	1	1	44.25	57	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	37.8125	2004
15.01.2020 14:48:16	1	1	1	1	44.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38	2004
15.01.2020 14:48:17	1	1	1	1	44.25	56	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:18	1	1	1	1	44.25	57.25	0	30000	391.3978495	11659.01122	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:19	1	1	1	1	44.25	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.0625	2004
15.01.2020 14:48:20	1	1	1	1	44.25	57	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.5	2004
15.01.2020 14:48:21	1	1	1	1	44.25	57.5	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	37.5	2004
15.01.2020 14:48:22	1	1	1	1	44.25	57.5	0	30000	391.3978495	11805.77827	30000	0	0	30000	37.25	2004
15.01.2020 14:48:23	1	1	1	1	44.25	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.9375	2004
15.01.2020 14:48:24	1	1	1	1	44.25	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:48:25	1	1	1	1	44.25	57	0	30000	387.0967742	11612.53499	30000	0	0	30000	37.625	2004
15.01.2020 14:48:26	1	1	1	1	44.25	57.5	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	37.8125	2004
15.01.2020 14:48:27	1	1	1	1	44.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.25	2004
15.01.2020 14:48:28	1	1	1	1	44.25	57.25	0	30000	397.8494624	11954.17607	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:29	1	1	1	1	44.25	57.25	0	30000	395.6989247	11548.12057	30000	0	0	30000	37.625	2004
15.01.2020 14:48:30	1	1	1	1	44.25	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:31	1	1	1	1	44.25	57.75	0	30000	400	11999.83693	30000	0	0	30000	37	2004
15.01.2020 14:48:32	1	1	1	1	44.25	57	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.6875	2004
15.01.2020 14:48:33	1	1	1	1	44.25	57.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	37.4375	2004
15.01.2020 14:48:34	1	1	1	1	44.25	57.25	0	30000	400	11935.4225	30000	0	0	30000	37.4375	2004
15.01.2020 14:48:35	1	1	1	1	44.25	57.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.4375	2004
15.01.2020 14:48:36	1	1	1	1	44.25	57.25	0	29905.213	395.6989247	11833.50094	30000	0	0	30000	37.5	2004
15.01.2020 14:48:37	1	1	1	1	44.25	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:48:38	1	1	1	1	44.25	57.75	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	37.25	2004
15.01.2020 14:48:39	1	1	1	1	44.25	57.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	37.4375	2004
15.01.2020 14:48:40	1	1	1	1	44	57.25	0	30000	402.1505376	11935.4225	30000	0	0	30000	37.4375	2004
15.01.2020 14:48:41	1	1	1	1	44	57.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:48:42	1	1	1	1	44	57.75	0	29905.213	400	11833.50094	30000	0	0	30000	37.75	2004
15.01.2020 14:48:43	1	1	1	1	44	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
15.01.2020 14:48:45	1	1	1	1	44	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.625	2004
15.01.2020 14:48:46	1	1	1	1	44	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38	2004
15.01.2020 14:48:47	1	1	1	1	44	58	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:48	1	1	1	1	44	57.25	0	30000	395.6989247	12083.00492	30000	0	0	30000	37.375	2004
15.01.2020 14:48:49	1	1	1	1	44	57.25	0	30000	395.6989247	11999.83693	30000	0	0	30000	37.9375	2004
15.01.2020 14:48:50	1	1	1	1	44	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.8125	2004
15.01.2020 14:48:51	1	1	1	1	44	57.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.75	2004
15.01.2020 14:48:52	1	1	1	1	44	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.5625	2004
15.01.2020 14:48:53	1	1	1	1	44	57.5	0	29905.213	389.2473118	11511.4288	30000	0	0	30000	37.8125	2004
15.01.2020 14:48:54	1	1	1	1	44	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.3125	2004
15.01.2020 14:48:55	1	1	1	1	44	57.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.375	2004
15.01.2020 14:48:56	1	1	1	1	44	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:48:57	1	1	1	1	44	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:48:58	1	1	1	1	44	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.125	2004
15.01.2020 14:48:59	1	1	1	1	44	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.875	2004
15.01.2020 14:49:00	1	1	1	1	43.5	57.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	36.75	2004
15.01.2020 14:49:01	1	1	1	1	43.5	56.75	0	30000	400	12128.66578	30000	0	0	30000	37.9375	2004
15.01.2020 14:49:02	1	1	1	1	43.5	57.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:09	1	1	1	1	43.5	57	0	30000	397.8494624	11871.00807	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:10	1	1	1	1	43.75	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.125	2004
15.01.2020 14:49:11	1	1	1	1	43.75	57	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.875	2004
15.01.2020 14:49:12	1	1	1	1	43.75	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.6875	2004
15.01.2020 14:49:13	1	1	1	1	43.75	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.875	2004
15.01.2020 14:49:14	1	1	1	1	43.75	56.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:15	1	1	1	1	43.75	57	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.6875	2004
15.01.2020 14:49:16	1	1	1	1	43.75	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.5625	2004
15.01.2020 14:49:17	1	1	1	1	43.75	57.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	36.6875	2004
15.01.2020 14:49:18	1	1	1	1	43.75	56.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.6875	2004
15.01.2020 14:49:19	1	1	1	1	43.75	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.125	2004
15.01.2020 14:49:21	1	1	1	1	43.5	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.75	2004
15.01.2020 14:49:22	1	1	1	1	43.5	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.875	2004
15.01.2020 14:49:23	1	1	1	1	43.5	57.75	0	29952.607	384.9462366	11659.01122	30000	0	0	30000	38	2004
15.01.2020 14:49:24	1	1	1	1	43.5	58	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	37.5625	2004
15.01.2020 14:49:25	1	1	1	1	43.5	57.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	37.125	2004
15.01.2020 14:49:26	1	1	1	1	43.5	57	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:49:27	1	1	1	1	43.5	57.5	0	29905.213	389.2473118	11805.77827	30000	0	0	30000	37.875	2004
15.01.2020 14:49:28	1	1	1	1	43.5	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:29	1	1	1	1	43.5	57.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.75	2004
15.01.2020 14:49:30	1	1	1	1	43.5	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.625	2004
15.01.2020 14:49:31	1	1	1	1	43.75	57.5	0	30000	382.7956989	11676.94942	30000	0	0	30000	38	2004
15.01.2020 14:49:32	1	1	1	1	43.75	58	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.875	2004
15.01.2020 14:49:33	1	1	1	1	43.75	57.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.6875	2004
15.01.2020 14:49:34	1	1	1	1	43.75	57.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:35	1	1	1	1	43.75	57.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:36	1	1	1	1	43.75	57.75	0	29952.607	382.7956989	11741.36385	30000	0	0	30000	37.4375	2004
15.01.2020 14:49:37	1	1	1	1	43.75	57.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:38	1	1	1	1	43.75	57.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.3125	2004
15.01.2020 14:49:39	1	1	1	1	43.75	57.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	37.5625	2004
15.01.2020 14:49:40	1	1	1	1	43.25	57.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	37.3125	2004
15.01.2020 14:49:41	1	1	1	1	43.25	57.25	0	30000	391.3978495	11612.53499	30000	0	0	30000	37.875	2004
15.01.2020 14:49:42	1	1	1	1	43.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.8125	2004
15.01.2020 14:49:43	1	1	1	1	43.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.625	2004
15.01.2020 14:49:44	1	1	1	1	43.25	56.5	0	29905.213	391.3978495	11852.2545	30000	0	0	30000	36.6875	2004
15.01.2020 14:49:45	1	1	1	1	43.25	56.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.75	2004
15.01.2020 14:49:46	1	1	1	1	43.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.25	2004
15.01.2020 14:49:47	1	1	1	1	43.25	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.875	2004
15.01.2020 14:49:48	1	1	1	1	43.25	56.75	0	30000	387.0967742	11741.36385	30000	0	0	30000	38.125	2004
15.01.2020 14:49:49	1	1	1	1	43.25	58	0	30000	380.6451613	11419.29171	30000	0	0	30000	37.4375	2004
15.01.2020 14:49:50	1	1	1	1	43	57.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.0625	2004
15.01.2020 14:49:51	1	1	1	1	43	57	0	30000	380.6451613	11548.12057	30000	0	0	30000	37.375	2004
15.01.2020 14:49:52	1	1	1	1	43	57.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	37.875	2004
15.01.2020 14:49:53	1	1	1	1	43	57.75	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	37.1875	2004
15.01.2020 14:49:54	1	1	1	1	43	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.625	2004
15.01.2020 14:49:55	1	1	1	1	43	57.5	0	30000	384.9462366	11530.18237	30000	0	0	30000	37.625	2004
15.01.2020 14:49:56	1	1	1	1	43	57.5	0	30000	384.9462366	11401.35352	30000	0	0	30000	37.3125	2004
15.01.2020 14:49:57	1	1	1	1	43	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.625	2004
15.01.2020 14:49:58	1	1	1	1	43	57.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.0625	2004
15.01.2020 14:49:59	1	1	1	1	43	58	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.4375	2004
15.01.2020 14:50:00	1	1	1	1	43	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.25	2004
15.01.2020 14:50:02	1	1	1	1	43	57.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.4375	2004
15.01.2020 14:50:03	1	1	1	1	43	57.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.1875	2004
15.01.2020 14:50:04	1	1	1	1	43	57	0	30000	402.1505376	12064.25135	30000	0	0	30000	37.5	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:50:11	1	1	1	1	43.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:12	1	1	1	1	43.25	58	0	30000	395.6989247	11741.36385	30000	0	0	30000	37.1875	2004
15.01.2020 14:50:13	1	0	1	1	43.25	58	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
15.01.2020 14:50:14	1	0	1	1	43.25	57.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:15	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:16	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:17	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:18	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:50:19	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:50:20	1	0	1	1	41.5	58.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:21	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:50:22	1	0	1	1	41.5	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:23	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:50:24	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:25	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:50:26	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:27	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:50:28	1	0	1	1	41.5	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:50:29	1	0	1	1	41.5	58	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:30	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:50:31	1	0	1	1	41.25	58.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:32	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:33	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:50:34	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:35	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	35.625	2004
15.01.2020 14:50:36	1	0	1	1	41.25	55.5	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:50:37	1	0	1	1	41.25	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:39	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:50:40	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:41	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:50:42	1	0	1	1	41.25	58.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:50:43	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:50:44	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 14:50:45	1	0	1	1	41.25	58.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:50:46	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:47	1	0	1	1	41.25	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:50:48	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:50:49	1	0	1	1	41.25	58	0	0	0	0	30000	0	0	30000	38.5	2004
15.01.2020 14:50:50	1	0	1	1	41.25	58.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:51	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:50:52	1	0	1	1	43.5	58.5	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:53	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:50:54	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:50:55	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:56	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:50:57	1	0	1	1	43.5	58	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:50:58	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:50:59	1	0	1	1	43.5	55.25	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:51:00	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:51:01	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:02	1	0	1	1	41	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:03	1	0	1	1	41	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:04	1	0	1	1	41	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:05	1	0	1	1	41	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:12	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:12	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:12	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:12	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:13	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:14	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 14:51:15	1	0	1	1	40.75	56	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:16	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:17	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:51:19	1	0	1	1	40.75	58	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:20	1	0	1	1	40.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:21	1	0	1	1	42.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:22	1	0	1	1	42.25	55.25	0	0	0	0	30000	0	0	30000	36.0625	2004
15.01.2020 14:51:23	1	0	1	1	42.25	56	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:24	1	0	1	1	42.25	58	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 14:51:25	1	0	1	1	42.25	58.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:51:26	1	0	1	1	42.25	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:51:27	1	0	1	1	42.25	58	0	0	0	0	30000	0	0	30000	38.375	2004
15.01.2020 14:51:28	1	0	1	1	42.25	58.25	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:51:29	1	0	1	1	42.25	58.25	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:51:30	1	0	1	1	42.25	58	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:51:31	1	0	1	1	43.25	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:32	1	0	1	1	43.25	58.5	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:51:33	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	38.25	2004
15.01.2020 14:51:34	1	0	1	1	43.25	58.25	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:51:35	1	0	1	1	43.25	58	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:36	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:37	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:38	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:51:39	1	0	1	1	43.25	55.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:51:40	1	0	1	1	40.5	57.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:41	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:42	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:51:43	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:44	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:51:45	1	0	1	1	40.5	57.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:46	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:47	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:51:48	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:51:49	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:50	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:51	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:51:52	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:53	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:51:54	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:55	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:51:56	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:51:58	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:51:59	1	0	1	1	40.5	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:00	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:52:01	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:02	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:03	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:52:04	1	0	1	1	40.25	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:05	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:52:06	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:52:07	1	0	1	1	40.25	55.25	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:14	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:15	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:16	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.4375	2004
15.01.2020 14:52:17	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:18	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:19	1	0	1	1	41.75	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:20	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:21	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:22	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:52:23	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:24	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:25	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:26	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:27	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:28	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:52:29	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:30	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:31	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:32	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:33	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:34	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:52:36	1	0	1	1	40	57.75	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:37	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:38	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	38.1875	2004
15.01.2020 14:52:39	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:40	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:41	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:42	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:43	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:52:44	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:52:45	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:52:46	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 14:52:47	1	0	1	1	40	57.5	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 14:52:48	1	0	1	1	40	56	0	0	0	0	30000	0	0	30000	38.4375	2004
15.01.2020 14:52:49	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:50	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:52:51	1	0	1	1	40	58	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:52	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:53	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:52:54	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:55	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:56	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:57	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:52:58	1	0	1	1	40	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:52:59	1	0	1	1	40	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:00	1	0	1	1	39.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:01	1	0	1	1	39.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:02	1	0	1	1	39.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:03	1	0	1	1	39.75	55.25	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:04	1	0	1	1	39.75	55.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:05	1	0	1	1	39.75	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:06	1	0	1	1	39.75	55	0	0	0	0	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:53:07	1	0	1	1	39.75	58	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:08	1	0	1	1	39.75	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:16	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:17	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:18	1	0	1	1	39.5	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:53:19	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:20	1	0	1	1	39.5	55.25	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:53:21	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:22	1	0	1	1	39.5	55.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:53:23	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:53:24	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:53:25	1	0	1	1	39.5	58.25	0	0	0	0	30000	0	0	30000	38.125	2004
15.01.2020 14:53:26	1	0	1	1	39.5	58	0	0	0	0	30000	0	0	30000	38.3125	2004
15.01.2020 14:53:27	1	0	1	1	39.5	58.25	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:28	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:29	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:30	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:53:31	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:32	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:33	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:53:34	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:35	1	0	1	1	39.5	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:36	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:37	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:38	1	0	1	1	39.5	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:39	1	0	1	1	39.5	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:40	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:53:41	1	0	1	1	39.25	55.25	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:42	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:43	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:44	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:45	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:46	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:53:47	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:48	1	0	1	1	39.25	55	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:53:49	1	0	1	1	39.25	58	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:50	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:53:51	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 14:53:53	1	0	1	1	39	57.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:53:54	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:53:55	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 14:53:56	1	0	1	1	39	57.75	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:53:57	1	0	1	1	39	55.25	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 14:53:58	1	0	1	1	39	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:53:59	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:54:00	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 14:54:01	1	0	1	1	40.5	56.5	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:54:02	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:03	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:54:04	1	0	1	1	40.5	58	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:54:05	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 14:54:06	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:07	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:08	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:54:09	1	0	1	1	40.5	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:10	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:17	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:18	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:19	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:20	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:21	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:22	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:23	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:24	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:25	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:26	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:54:27	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:28	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:29	1	0	1	1	39	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:30	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:32	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:33	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:34	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:54:35	1	0	1	1	38.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:54:36	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	35.1875	2004
15.01.2020 14:54:37	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:38	1	0	1	1	38.75	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:54:39	1	0	1	1	38.75	57.75	0	0	0	0	30000	0	0	30000	35.5	2004
15.01.2020 14:54:40	1	0	1	1	38.75	55.5	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:54:41	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:54:42	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 14:54:43	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	38.0625	2004
15.01.2020 14:54:44	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	35.875	2004
15.01.2020 14:54:45	1	0	1	1	41	55.75	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 14:54:46	1	0	1	1	41	58	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:47	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:48	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:54:49	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:50	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:51	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:52	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:53	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 14:54:54	1	0	1	1	38.5	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:54:55	1	0	1	1	38.5	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:54:56	1	0	1	1	38.5	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:54:57	1	0	1	1	38.5	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:54:58	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:54:59	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:00	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:55:01	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:02	1	0	1	1	38.5	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:03	1	0	1	1	38.5	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:04	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:05	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:55:06	1	0	1	1	38.5	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:07	1	0	1	1	38.5	54.75	0	0	0	0	30000	0	0	30000	37.9375	2004
15.01.2020 14:55:08	1	0	1	1	38.5	57.75	0	0	0	0	30000	0	0	30000	35.0625	2004
15.01.2020 14:55:10	1	0	1	1	38.5	55	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 14:55:11	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 14:55:12	1	0	1	1	41	56.75	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:19	1	0	1	1	41	56	0	0	0	0	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:55:20	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	37.8125	2004
15.01.2020 14:55:21	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:22	1	0	1	1	41	54.75	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 14:55:23	1	0	1	1	41	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:24	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:25	1	0	1	1	41	57.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:26	1	0	1	1	41	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:27	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:28	1	0	1	1	41	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:29	1	0	1	1	41	55	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:30	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:31	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:32	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:33	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:34	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:35	1	0	1	1	38.25	55	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:36	1	0	1	1	38.25	55	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:37	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:38	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:39	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:40	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:41	1	0	1	1	38.25	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:42	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	35	2004
15.01.2020 14:55:43	1	0	1	1	38.25	55	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:44	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:55:46	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:47	1	0	1	1	38.25	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:48	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:49	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:50	1	0	1	1	38.25	57.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:55:51	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	35.25	2004
15.01.2020 14:55:52	1	0	1	1	38.25	55.25	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:55:53	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:55:54	1	0	1	1	38.25	57.5	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 14:55:55	1	0	1	1	38.25	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:55:56	1	0	1	1	38.25	57.5	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:55:57	1	0	1	1	38.25	58	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:55:58	1	0	1	1	38.25	57.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:55:59	1	0	1	1	38.25	57.5	0	0	0	0	30000	0	0	30000	38	2004
15.01.2020 14:56:00	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	36.8125	2004
15.01.2020 14:56:01	1	0	1	1	40.25	56.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:02	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:03	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:56:04	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:05	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:06	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:07	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:08	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:09	1	0	1	1	40.25	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:10	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:56:11	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:12	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:13	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:21	1	0	1	1	38	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:23	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:24	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	36.6875	2004
15.01.2020 14:56:25	1	0	1	1	38	56.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:26	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:56:27	1	0	1	1	38	57.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:28	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:29	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:30	1	0	1	1	38	54.75	0	0	0	0	30000	0	0	30000	34.9375	2004
15.01.2020 14:56:31	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:32	1	0	1	1	37.75	57.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:33	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 14:56:34	1	0	1	1	37.75	57.25	0	0	0	0	30000	0	0	30000	37.75	2004
15.01.2020 14:56:35	1	0	1	1	37.75	57.75	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:56:36	1	0	1	1	37.75	57.25	0	0	0	0	30000	0	0	30000	37.875	2004
15.01.2020 14:56:37	1	0	1	1	37.75	57.75	0	0	0	0	30000	0	0	30000	35.125	2004
15.01.2020 14:56:38	1	0	1	1	37.75	57.25	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:39	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:40	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:56:41	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:42	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:43	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:44	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:45	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:56:46	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:47	1	0	1	1	37.75	57.5	0	0	0	0	30000	0	0	30000	34.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:56:48	1	0	1	1	37.75	54.5	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:56:49	1	0	1	1	37.75	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:56:50	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:56:53	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:53	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:53	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 14:56:54	1	0	1	1	37.5	57.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 14:56:55	1	0	1	1	37.5	57.5	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:56	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:56:57	1	0	1	1	37.5	54.75	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 14:56:58	1	0	1	1	37.5	57.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:56:59	1	0	1	1	37.5	57.25	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:57:00	1	0	1	1	38.25	57.5	0	0	0	0	30000	0	0	30000	36.25	2004
15.01.2020 14:57:02	1	0	1	1	38.25	56.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:57:03	1	0	1	1	38.25	57.25	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:57:04	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:57:05	1	0	1	1	38.25	57.25	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:06	1	0	1	1	38.25	54.5	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:57:07	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:57:08	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	35.375	2004
15.01.2020 14:57:09	1	0	1	1	38.25	55.25	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:57:10	1	0	1	1	38.25	54.75	0	0	0	0	30000	0	0	30000	37.375	2004
15.01.2020 14:57:11	1	0	1	1	38.5	57.25	0	0	0	0	30000	0	0	30000	35.3125	2004
15.01.2020 14:57:12	1	0	1	1	38.5	55.25	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 14:57:13	1	0	1	1	38.5	57.5	0	0	0	0	30000	0	0	30000	36.9375	2004
15.01.2020 14:57:14	1	0	1	1	38.5	56.75	0	0	0	0	30000	0	0	30000	36	2004
15.01.2020 14:57:15	1	0	1	1	38.5	56	0	0	0	0	30000	0	0	30000	37.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:22	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:23	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:57:24	1	0	1	1	40	54.75	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:57:25	1	0	1	1	40	54.75	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:26	1	0	1	1	40	54.5	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:57:27	1	0	1	1	40	54.75	0	0	0	0	30000	0	0	30000	34.8125	2004
15.01.2020 14:57:28	1	0	1	1	40	54.75	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 14:57:29	1	0	1	1	40	57.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:30	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:31	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:57:32	1	0	1	1	37.25	57.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:33	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:34	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:35	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:57:36	1	0	1	1	37.25	57.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:57:37	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:57:38	1	0	1	1	37.25	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:40	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:41	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:42	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:43	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:44	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:57:45	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:46	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.75	2004
15.01.2020 14:57:47	1	0	1	1	37.25	54.75	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:48	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	37.5625	2004
15.01.2020 14:57:49	1	0	1	1	37.25	57.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 14:57:50	1	0	1	1	37.25	57.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:57:51	1	0	1	1	37.25	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:57:52	1	0	1	1	37.25	57.25	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:57:53	1	0	1	1	37.25	57.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:54	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:57:55	1	0	1	1	37.25	57.75	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:57:56	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:57	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:58	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:57:59	1	0	1	1	37.25	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:00	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:58:01	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:02	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:03	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:04	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:05	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:06	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:07	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:08	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.6875	2004
15.01.2020 14:58:09	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:58:10	1	0	1	1	37	57.25	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:11	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:12	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:13	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 14:58:14	1	0	1	1	37	57.5	0	0	0	0	30000	0	0	30000	34.625	2004
15.01.2020 14:58:15	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:58:16	1	0	1	1	37	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:24	1	0	1	1	36.75	55	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:25	1	0	1	1	36.75	57.25	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:58:26	1	0	1	1	36.75	57.25	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:27	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:28	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:29	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	37.4375	2004
15.01.2020 14:58:30	1	0	1	1	36.75	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:31	1	0	1	1	38	57.25	0	0	0	0	30000	0	0	30000	37.5	2004
15.01.2020 14:58:32	1	0	1	1	38	57.5	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:58:33	1	0	1	1	38	57.5	0	0	0	0	30000	0	0	30000	36.1875	2004
15.01.2020 14:58:34	1	0	1	1	38	56	0	0	0	0	30000	0	0	30000	37.625	2004
15.01.2020 14:58:35	1	0	1	1	38	57.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:36	1	0	1	1	38	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:37	1	0	1	1	38	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:38	1	0	1	1	38	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:39	1	0	1	1	38	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:40	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 14:58:41	1	0	1	1	36.5	54.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:42	1	0	1	1	36.5	57.25	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:43	1	0	1	1	36.5	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:44	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:45	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:46	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:47	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:48	1	0	1	1	36.5	54.5	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:58:49	1	0	1	1	36.5	57.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:50	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:51	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:52	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:53	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:54	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 14:58:55	1	0	1	1	36.75	54.25	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:57	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5625	2004
15.01.2020 14:58:58	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	34.5	2004
15.01.2020 14:58:59	1	0	1	1	36.75	54.5	0	0	0	0	30000	0	0	30000	37.25	2004
15.01.2020 14:59:00	1	0	1	1	36.75	57.25	0	0	0	0	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
15.01.2020 14:59:45	1	0	1	1	36.25	57.25	0	0	0	0	30000	0	0	30000	34.875	2004
15.01.2020 14:59:46	1	0	1	1	36.25	54.75	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 14:59:47	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 14:59:48	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	35.8125	2004
15.01.2020 14:59:49	1	0	1	1	36.25	55.75	0	0	0	0	30000	0	0	30000	37.3125	2004
15.01.2020 14:59:50	1	0	1	1	36.25	57.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 14:59:51	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	36.5625	2004
15.01.2020 14:59:52	1	0	1	1	37.5	57.5	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 14:59:53	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 14:59:54	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 14:59:55	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 14:59:56	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 14:59:57	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 14:59:58	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 14:59:59	1	0	1	1	37.5	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:00	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:01	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.4375	2004
15.01.2020 15:00:02	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:03	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.1875	2004
15.01.2020 15:00:04	1	0	1	1	36.25	54	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 15:00:05	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:06	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:07	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 15:00:08	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:09	1	0	1	1	36.25	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 15:00:10	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 15:00:12	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:13	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	37.125	2004
15.01.2020 15:00:14	1	0	1	1	36	57	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 15:00:15	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.375	2004
15.01.2020 15:00:16	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 15:00:17	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.3125	2004
15.01.2020 15:00:18	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.25	2004
15.01.2020 15:00:19	1	0	1	1	36	54.25	0	0	0	0	30000	0	0	30000	34.25	2004