

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen											Set	Umax	30000 V			
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:36:29	1	1	1	1	63.5	62	0	28625.592	520.4301075	15058.29913	30000	0	0	30000	41.875	2004
03.03.2020 17:36:29	1	1	1	1	63.5	62	0	28625.592	520.4301075	15058.29913	30000	0	0	30000	41.875	2004
03.03.2020 17:36:30	1	1	1	1	63.5	61.75	0	28815.166	526.8817204	15182.23575	30000	0	0	30000	42.125	2004
03.03.2020 17:36:31	1	1	1	1	63.5	62	0	28672.986	526.8817204	15182.23575	30000	0	0	30000	42.0625	2004
03.03.2020 17:36:32	1	1	1	1	63.5	62	0	28625.592	520.4301075	15058.29913	30000	0	0	30000	42.25	2004
03.03.2020 17:36:33	1	1	1	1	63.5	62.25	0	28672.986	533.3333333	15267.03449	30000	0	0	30000	41.625	2004
03.03.2020 17:36:34	1	1	1	1	63.5	61.5	0	28625.592	522.5806452	14958.82369	30000	0	0	30000	42.0625	2004
03.03.2020 17:36:35	1	1	1	1	63.5	62	0	28815.166	518.2795699	14872.39421	30000	0	0	30000	42.125	2004
03.03.2020 17:36:36	1	1	1	1	63.5	62	0	28625.592	533.3333333	15306.17237	30000	0	0	30000	41.375	2004
03.03.2020 17:36:37	1	1	1	1	63.5	61.25	0	28815.166	529.0322581	15306.17237	30000	0	0	30000	42.0625	2004
03.03.2020 17:36:38	1	1	1	1	63.5	62	0	28815.166	533.3333333	15120.26744	30000	0	0	30000	42	2004
03.03.2020 17:36:39	1	1	1	1	63.75	62	0	28815.166	518.2795699	14872.39421	30000	0	0	30000	41.125	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:36:54	1	1	1	1	63.75	61.75	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.6875	2004
03.03.2020 17:36:55	1	1	1	1	63.75	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
03.03.2020 17:36:56	1	1	1	1	63.75	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	42.25	2004
03.03.2020 17:36:57	1	1	1	1	63.75	62.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.0625	2004
03.03.2020 17:36:58	1	1	1	1	63.75	62	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	42.25	2004
03.03.2020 17:36:59	1	1	1	1	63.75	62.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:00	1	1	1	1	63.75	62	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.125	2004
03.03.2020 17:37:02	1	1	1	1	63.75	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
03.03.2020 17:37:03	1	1	1	1	63.75	61.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.1875	2004
03.03.2020 17:37:04	1	1	1	1	63.75	61	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.8125	2004
03.03.2020 17:37:05	1	1	1	1	63.75	61.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	42.125	2004
03.03.2020 17:37:06	1	1	1	1	63.75	62	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42	2004
03.03.2020 17:37:07	1	1	1	1	63.75	62	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:08	1	1	1	1	63.75	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.1875	2004
03.03.2020 17:37:09	1	1	1	1	63.75	62	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	42.3125	2004
03.03.2020 17:37:10	1	1	1	1	63.75	62.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:37:11	1	1	1	1	63.75	61.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	42	2004
03.03.2020 17:37:12	1	1	1	1	63.75	62	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	42.125	2004
03.03.2020 17:37:13	1	1	1	1	63.75	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:14	1	1	1	1	63.75	62	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:15	1	1	1	1	63.75	62	0	28388.626	561.2903226	16205.52823	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:16	1	1	1	1	63.75	62	0	28246.445	563.4408602	15706.52026	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:17	1	1	1	1	63.75	61.75	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.8125	2004
03.03.2020 17:37:18	1	1	1	1	63.75	61.75	0	28625.592	563.4408602	16190.03615	30000	0	0	30000	42.1875	2004
03.03.2020 17:37:19	1	1	1	1	63.25	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:20	1	1	1	1	63.25	62	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	42	2004
03.03.2020 17:37:21	1	1	1	1	63.25	62	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	42.1875	2004
03.03.2020 17:37:22	1	1	1	1	63.25	62	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:23	1	1	1	1	63.25	62	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	42.125	2004
03.03.2020 17:37:24	1	1	1	1	63.25	62	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:30	1	1	1	1	63	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:30	1	1	1	1	63	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:30	1	1	1	1	63	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:30	1	1	1	1	63	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:30	1	1	1	1	63	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42	2004
03.03.2020 17:37:31	1	1	1	1	63	62	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	42	2004
03.03.2020 17:37:32	1	1	1	1	63	62	0	28199.052	559.1397849	15941.34754	30000	0	0	30000	42	2004
03.03.2020 17:37:33	1	1	1	1	63	62	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.8125	2004
03.03.2020 17:37:34	1	1	1	1	63	61.75	0	28436.019	561.2903226	15899.76354	30000	0	0	30000	41.5	2004
03.03.2020 17:37:35	1	1	1	1	63	61.5	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.3125	2004
03.03.2020 17:37:36	1	1	1	1	63	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.8125	2004
03.03.2020 17:37:37	1	1	1	1	63	61.75	0	28436.019	563.4408602	15872.85625	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:38	1	1	1	1	63	62	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:39	1	1	1	1	63	62	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.5625	2004
03.03.2020 17:37:40	1	1	1	1	63	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:41	1	1	1	1	63	62	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	42.125	2004
03.03.2020 17:37:42	1	1	1	1	63	62	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:43	1	1	1	1	63	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:45	1	1	1	1	63	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:46	1	1	1	1	63	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:47	1	1	1	1	63	62	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	42.1875	2004
03.03.2020 17:37:48	1	1	1	1	63	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	42.0625	2004
03.03.2020 17:37:49	1	1	1	1	63	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.875	2004
03.03.2020 17:37:50	1	1	1	1	63.25	61.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.8125	2004
03.03.2020 17:37:51	1	1	1	1	63.25	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.5625	2004
03.03.2020 17:37:52	1	1	1	1	63.25	61.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.4375	2004
03.03.2020 17:37:53	1	1	1	1	63.25	61.25	0	28388.626	559.1397849	15995.16212	30000	0	0	30000	41.9375	2004
03.03.2020 17:37:54	1	1	1	1	63.25	61.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:37:55	1	1	1	1	63.25	62	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.25	2004
03.03.2020 17:37:56	1	1	1	1	63.25	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.9375	2004
03.03.2020 17:37:57	1	1	1	1	63.25	60.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.6875	2004
03.03.2020 17:37:58	1	1	1	1	63.25	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.125	2004
03.03.2020 17:37:59	1	1	1	1	63	62	0	28293.839	565.5913978	15766.85783	30000	0	0	30000	42	2004
03.03.2020 17:38:00	1	1	1	1	63	62	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
03.03.2020 17:38:01	1	1	1	1	63	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.1875	2004
03.03.2020 17:38:02	1	1	1	1	63	62	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:03	1	1	1	1	63	61.75	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	42.0625	2004
03.03.2020 17:38:04	1	1	1	1	63	62	0	28199.052	561.2903226	15766.85783	30000	0	0	30000	41.6875	2004
03.03.2020 17:38:05	1	1	1	1	63	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:06	1	1	1	1	63	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
03.03.2020 17:38:07	1	1	1	1	63	61.5	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	41.75	2004
03.03.2020 17:38:08	1	1	1	1	63	61.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	42.125	2004
03.03.2020 17:38:09	1	1	1	1	63.5	62	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:10	1	1	1	1	63.5	61.75	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:11	1	1	1	1	63.5	61.75	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	41.5	2004
03.03.2020 17:38:12	1	1	1	1	63.5	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.875	2004
03.03.2020 17:38:13	1	1	1	1	63.5	61.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.125	2004
03.03.2020 17:38:14	1	1	1	1	63.5	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
03.03.2020 17:38:15	1	1	1	1	63.5	62	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.75	2004
03.03.2020 17:38:16	1	1	1	1	63.5	61.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:17	1	1	1	1	63.5	61.75	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	42	2004
03.03.2020 17:38:18	1	1	1	1	63.5	62	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:19	1	1	1	1	64	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.75	2004
03.03.2020 17:38:20	1	1	1	1	64	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.625	2004
03.03.2020 17:38:21	1	1	1	1	64	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
03.03.2020 17:38:22	1	1	1	1	64	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.875	2004
03.03.2020 17:38:23	1	1	1	1	64	61.75	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	41.75	2004
03.03.2020 17:38:24	1	1	1	1	64	61.75	0	28293.839	565.5913978	16070.17639	30000	0	0	30000	42	2004
03.03.2020 17:38:26	1	1	1	1	64	62	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	41.6875	2004
03.03.2020 17:38:31	1	1	1	1	63.25	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.75	2004
03.03.2020 17:38:31	1	1	1	1	63.25	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.75	2004
03.03.2020 17:38:31	1	1	1	1	63.25	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.75	2004
03.03.2020 17:38:31	1	1	1	1	63.25	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.75	2004
03.03.2020 17:38:31	1	1	1	1	63.25	61.75	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.75	2004
03.03.2020 17:38:32	1	1	1	1	63.25	61.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:33	1	1	1	1	63.25	61.75	0	28388.626	565.5913978	16177.80556	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:34	1	1	1	1	63.25	62	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
03.03.2020 17:38:35	1	1	1	1	63.25	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.375	2004
03.03.2020 17:38:36	1	1	1	1	63.25	61.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.6875	2004
03.03.2020 17:38:37	1	1	1	1	63.25	61.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.875	2004
03.03.2020 17:38:38	1	1	1	1	63.25	61.75	0	28388.626	561.2903226	15811.70331	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:38:39	1	1	1	1	63	61.75	0	28199.052	556.9892473	15706.52026	30000	0	0	30000	41.875	2004
03.03.2020 17:38:40	1	1	1	1	63	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.875	2004
03.03.2020 17:38:41	1	1	1	1	63	61.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	42.0625	2004
03.03.2020 17:38:42	1	1	1	1	63	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42	2004
03.03.2020 17:38:43	1	1	1	1	63	62	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.6875	2004
03.03.2020 17:38:44	1	1	1	1	63	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42	2004
03.03.2020 17:38:45	1	1	1	1	63	62	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	42.1875	2004
03.03.2020 17:38:46	1	1	1	1	63	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42	2004
03.03.2020 17:38:47	1	1	1	1	63	62	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:48	1	1	1	1	63	61.75	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	41.8125	2004
03.03.2020 17:38:49	1	1	1	1	63.5	61.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	42	2004
03.03.2020 17:38:50	1	1	1	1	63.5	62	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	41.25	2004
03.03.2020 17:38:51	1	1	1	1	63.5	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	42.0625	2004
03.03.2020 17:38:52	1	1	1	1	63.5	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:53	1	1	1	1	63.5	61.75	0	28293.839	563.4408602	16090.5607	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:54	1	1	1	1	63.5	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.9375	2004
03.03.2020 17:38:55	1	1	1	1	63.5	61.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
03.03.2020 17:38:56	1	1	1	1	63.5	61.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.875	2004
03.03.2020 17:38:57	1	1	1	1	63.5	61.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.5	2004
03.03.2020 17:38:58	1	1	1	1	63.5	61.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.875	2004
03.03.2020 17:38:59	1	1	1	1	63	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.875	2004
03.03.2020 17:39:00	1	1	1	1	63	61.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.75	2004
03.03.2020 17:39:01	1	1	1	1	63	61.75	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:02	1	1	1	1	63	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	42.125	2004
03.03.2020 17:39:03	1	1	1	1	63	62	0	28293.839	563.4408602	16150.89827	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:04	1	1	1	1	63	61.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42	2004
03.03.2020 17:39:06	1	1	1	1	63	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:07	1	1	1	1	63	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.0625	2004
03.03.2020 17:39:08	1	1	1	1	63	62	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:09	1	1	1	1	63	61.75	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.6875	2004
03.03.2020 17:39:10	1	1	1	1	63.25	61.5	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	42.1875	2004
03.03.2020 17:39:11	1	1	1	1	63.25	62	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	42.1875	2004
03.03.2020 17:39:12	1	1	1	1	63.25	62	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	41.5	2004
03.03.2020 17:39:13	1	1	1	1	63.25	61.75	0	28388.626	563.4408602	16177.80556	30000	0	0	30000	42	2004
03.03.2020 17:39:14	1	1	1	1	63.25	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
03.03.2020 17:39:15	1	1	1	1	63.25	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
03.03.2020 17:39:16	1	1	1	1	63.25	61.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
03.03.2020 17:39:17	1	1	1	1	63.25	61.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41.875	2004
03.03.2020 17:39:18	1	1	1	1	63.25	61.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.75	2004
03.03.2020 17:39:19	1	1	1	1	62.75	61.75	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
03.03.2020 17:39:20	1	1	1	1	62.75	61.25	0	28436.019	565.5913978	15811.70331	30000	0	0	30000	41	2004
03.03.2020 17:39:21	1	1	1	1	62.75	61	0	28483.412	563.4408602	16013.91569	30000	0	0	30000	42	2004
03.03.2020 17:39:22	1	1	1	1	62.75	62	0	28483.412	552.688172	15890.79444	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:39:23	1	1	1	1	62.75	61.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
03.03.2020 17:39:24	1	1	1	1	62.75	61.5	0	28341.232	561.2903226	15846.76433	30000	0	0	30000	42	2004
03.03.2020 17:39:25	1	1	1	1	62.75	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.1875	2004
03.03.2020 17:39:26	1	1	1	1	62.75	62	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
03.03.2020 17:39:27	1	1	1	1	62.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.75	2004
03.03.2020 17:39:33	1	1	1	1	61.75	62	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.625	2004
03.03.2020 17:39:33	1	1	1	1	61.75	62	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.625	2004
03.03.2020 17:39:33	1	1	1	1	61.75	62	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.625	2004
03.03.2020 17:39:33	1	1	1	1	61.75	62	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.625	2004
03.03.2020 17:39:33	1	1	1	1	61.75	62	0	28341.232	567.7419355	16117.468	30000	0	0	30000	41.625	2004
03.03.2020 17:39:33	1	1	1	1	61.75	61.5	0	28815.166	565.5913978	16297.66532	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:34	1	1	1	1	61.75	61.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:35	1	1	1	1	61.75	61.75	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	41.875	2004
03.03.2020 17:39:36	1	1	1	1	61.75	61.75	0	28436.019	565.5913978	15811.70331	30000	0	0	30000	41.4375	2004
03.03.2020 17:39:37	1	1	1	1	61.75	61.25	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.6875	2004
03.03.2020 17:39:38	1	1	1	1	61.75	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
03.03.2020 17:39:39	1	1	1	1	62	61.5	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.1875	2004
03.03.2020 17:39:40	1	1	1	1	62	61	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	41.875	2004
03.03.2020 17:39:41	1	1	1	1	62	61.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.5	2004
03.03.2020 17:39:42	1	1	1	1	62	61.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
03.03.2020 17:39:44	1	1	1	1	62	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
03.03.2020 17:39:45	1	1	1	1	62	62	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	42.0625	2004
03.03.2020 17:39:46	1	1	1	1	62	62	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:47	1	1	1	1	62	61.75	0	28293.839	565.5913978	16123.99098	30000	0	0	30000	41.6875	2004
03.03.2020 17:39:48	1	1	1	1	62	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
03.03.2020 17:39:49	1	1	1	1	62	61.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
03.03.2020 17:39:50	1	1	1	1	62.5	61.5	0	28483.412	563.4408602	16136.22156	30000	0	0	30000	41.6875	2004
03.03.2020 17:39:51	1	1	1	1	62.5	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.0625	2004
03.03.2020 17:39:52	1	1	1	1	62.5	62	0	28530.806	563.4408602	16136.22156	30000	0	0	30000	42.1875	2004
03.03.2020 17:39:53	1	1	1	1	62.5	62	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	42	2004
03.03.2020 17:39:54	1	1	1	1	62.5	62	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41.5625	2004
03.03.2020 17:39:55	1	1	1	1	62.5	61.5	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:56	1	1	1	1	62.5	62	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
03.03.2020 17:39:57	1	1	1	1	62.5	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.9375	2004
03.03.2020 17:39:58	1	1	1	1	62.5	61.75	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.8125	2004
03.03.2020 17:39:59	1	1	1	1	63.25	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
03.03.2020 17:40:00	1	1	1	1	63.25	61.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	41.875	2004
03.03.2020 17:40:01	1	1	1	1	63.25	61.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:02	1	1	1	1	63.25	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:03	1	1	1	1	63.25	61.75	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:04	1	1	1	1	63.25	61.75	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:05	1	1	1	1	63.25	61.75	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:06	1	1	1	1	63.25	61.5	0	28009.479	563.4408602	15600.52184	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:40:07	1	1	1	1	63.25	61.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.875	2004
03.03.2020 17:40:08	1	1	1	1	63.25	61.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.875	2004
03.03.2020 17:40:09	1	1	1	1	61.75	61.75	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	42.125	2004
03.03.2020 17:40:10	1	1	1	1	61.75	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:11	1	1	1	1	61.75	61.75	0	28341.232	559.1397849	15872.85625	30000	0	0	30000	42.125	2004
03.03.2020 17:40:12	1	1	1	1	61.75	62	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	41.625	2004
03.03.2020 17:40:13	1	1	1	1	61.75	61.5	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:14	1	1	1	1	61.75	61.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	41.75	2004
03.03.2020 17:40:15	1	1	1	1	61.75	61.75	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.875	2004
03.03.2020 17:40:16	1	1	1	1	61.75	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42	2004
03.03.2020 17:40:17	1	1	1	1	61.75	62	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:18	1	1	1	1	61.75	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:19	1	1	1	1	61.5	62	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	40.9375	2004
03.03.2020 17:40:20	1	1	1	1	61.5	60.75	0	28388.626	563.4408602	16266.68116	30000	0	0	30000	42.1875	2004
03.03.2020 17:40:21	1	1	1	1	61.5	62	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:23	1	1	1	1	61.5	62	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.6875	2004
03.03.2020 17:40:24	1	1	1	1	61.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42	2004
03.03.2020 17:40:25	1	1	1	1	61.5	62	0	28436.019	567.7419355	15934.00919	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:26	1	1	1	1	61.5	61.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.1875	2004
03.03.2020 17:40:27	1	1	1	1	61.5	62	0	28341.232	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:28	1	1	1	1	61.5	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.625	2004
03.03.2020 17:40:29	1	1	1	1	61.5	61.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41	2004
03.03.2020 17:40:35	1	1	1	1	62	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41	2004
03.03.2020 17:40:35	1	1	1	1	62	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41	2004
03.03.2020 17:40:35	1	1	1	1	62	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41	2004
03.03.2020 17:40:35	1	1	1	1	62	62	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41	2004
03.03.2020 17:40:35	1	1	1	1	62	61	0	28578.199	563.4408602	15978.85467	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:36	1	1	1	1	62	61.75	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:37	1	1	1	1	62	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42	2004
03.03.2020 17:40:38	1	1	1	1	62	62	0	28293.839	567.7419355	16185.14391	30000	0	0	30000	41.875	2004
03.03.2020 17:40:39	1	1	1	1	62	61.75	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.8125	2004
03.03.2020 17:40:40	1	1	1	1	62	61.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.875	2004
03.03.2020 17:40:41	1	1	1	1	62	61.75	0	28436.019	567.7419355	16171.28258	30000	0	0	30000	42	2004
03.03.2020 17:40:42	1	1	1	1	62	62	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.8125	2004
03.03.2020 17:40:43	1	1	1	1	62	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.375	2004
03.03.2020 17:40:44	1	1	1	1	62	61.25	0	28009.479	561.2903226	15721.19697	30000	0	0	30000	41.6875	2004
03.03.2020 17:40:45	1	1	1	1	62	61.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.3125	2004
03.03.2020 17:40:46	1	1	1	1	62	61.25	0	28436.019	567.7419355	16266.68116	30000	0	0	30000	42.125	2004
03.03.2020 17:40:47	1	1	1	1	62	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.4375	2004
03.03.2020 17:40:48	1	1	1	1	62	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.8125	2004
03.03.2020 17:40:49	1	1	1	1	61.75	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.9375	2004
03.03.2020 17:40:50	1	1	1	1	61.75	61.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:40:51	1	1	1	1	61.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:52	1	1	1	1	61.75	62	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
03.03.2020 17:40:53	1	1	1	1	61.75	61.5	0	28341.232	569.8924731	16002.50048	30000	0	0	30000	41.875	2004
03.03.2020 17:40:54	1	1	1	1	61.75	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	42	2004
03.03.2020 17:40:55	1	1	1	1	61.75	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:56	1	1	1	1	61.75	62	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	42.0625	2004
03.03.2020 17:40:57	1	1	1	1	61.75	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5625	2004
03.03.2020 17:40:58	1	1	1	1	61.75	61.5	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	41.75	2004
03.03.2020 17:40:59	1	1	1	1	62.25	61.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
03.03.2020 17:41:00	1	1	1	1	62.25	61.5	0	28388.626	569.8924731	16029.40777	30000	0	0	30000	42	2004
03.03.2020 17:41:02	1	1	1	1	62.25	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
03.03.2020 17:41:03	1	1	1	1	62.25	61.75	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	41.875	2004
03.03.2020 17:41:04	1	1	1	1	62.25	61.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42	2004
03.03.2020 17:41:05	1	1	1	1	62.25	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42	2004
03.03.2020 17:41:06	1	1	1	1	62.25	62	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	42.0625	2004
03.03.2020 17:41:07	1	1	1	1	62.25	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:08	1	1	1	1	62.25	61.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:09	1	1	1	1	62.25	62	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:10	1	1	1	1	62.25	61.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:11	1	1	1	1	62.25	62	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	41.375	2004
03.03.2020 17:41:12	1	1	1	1	62.25	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:13	1	1	1	1	62.25	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
03.03.2020 17:41:14	1	1	1	1	62.25	61.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
03.03.2020 17:41:15	1	1	1	1	62.25	61.75	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
03.03.2020 17:41:16	1	1	1	1	62.25	62	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42	2004
03.03.2020 17:41:17	1	1	1	1	62.25	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
03.03.2020 17:41:18	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:19	1	1	1	1	62.75	61.75	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	41.8125	2004
03.03.2020 17:41:20	1	1	1	1	62.75	61.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.75	2004
03.03.2020 17:41:21	1	1	1	1	62.75	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
03.03.2020 17:41:22	1	1	1	1	62.75	61.75	0	28530.806	563.4408602	16286.2501	30000	0	0	30000	41.8125	2004
03.03.2020 17:41:23	1	1	1	1	62.75	61.75	0	28388.626	565.5913978	15637.2136	30000	0	0	30000	42	2004
03.03.2020 17:41:24	1	1	1	1	62.75	62	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.875	2004
03.03.2020 17:41:25	1	1	1	1	62.75	61.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.75	2004
03.03.2020 17:41:26	1	1	1	1	62.75	61.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.6875	2004
03.03.2020 17:41:27	1	1	1	1	62.75	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5625	2004
03.03.2020 17:41:28	1	1	1	1	62.75	61.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42	2004
03.03.2020 17:41:29	1	1	1	1	62	62	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.625	2004
03.03.2020 17:41:30	1	1	1	1	62	61.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.25	2004
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:36	1	1	1	1	62	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:37	1	1	1	1	62	62	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	42	2004
03.03.2020 17:41:38	1	1	1	1	62	62	0	28530.806	552.688172	16040.00761	30000	0	0	30000	41.4375	2004
03.03.2020 17:41:39	1	1	1	1	62.75	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	42.0625	2004
03.03.2020 17:41:40	1	1	1	1	62.75	62	0	28388.626	561.2903226	15811.70331	30000	0	0	30000	41.25	2004
03.03.2020 17:41:42	1	1	1	1	62.75	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
03.03.2020 17:41:43	1	1	1	1	62.75	61.75	0	28388.626	567.7419355	15995.16212	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:44	1	1	1	1	62.75	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.6875	2004
03.03.2020 17:41:45	1	1	1	1	62.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.75	2004
03.03.2020 17:41:46	1	1	1	1	62.75	61.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.125	2004
03.03.2020 17:41:47	1	1	1	1	62.75	61	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	42.125	2004
03.03.2020 17:41:48	1	1	1	1	62.75	62	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	42.0625	2004
03.03.2020 17:41:49	1	1	1	1	62.75	62	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	41.8125	2004
03.03.2020 17:41:50	1	1	1	1	61.75	61.75	0	28625.592	561.2903226	16049.79208	30000	0	0	30000	42.375	2004
03.03.2020 17:41:51	1	1	1	1	61.75	62.25	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:52	1	1	1	1	61.75	62	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	42.0625	2004
03.03.2020 17:41:53	1	1	1	1	61.75	62	0	28483.412	554.8387097	16075.06863	30000	0	0	30000	41.8125	2004
03.03.2020 17:41:54	1	1	1	1	61.75	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:55	1	1	1	1	61.75	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:56	1	1	1	1	61.75	61.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42.1875	2004
03.03.2020 17:41:57	1	1	1	1	61.75	62	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	41.6875	2004
03.03.2020 17:41:58	1	1	1	1	61.75	61.5	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	41.9375	2004
03.03.2020 17:41:59	1	1	1	1	62.5	61.75	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	42.0625	2004
03.03.2020 17:42:00	1	1	1	1	62.5	62	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	42	2004
03.03.2020 17:42:01	1	1	1	1	62.5	62	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	41.625	2004
03.03.2020 17:42:02	1	1	1	1	62.5	61.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	42	2004
03.03.2020 17:42:03	1	1	1	1	62.5	62	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	42	2004
03.03.2020 17:42:04	1	1	1	1	62.5	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.8125	2004
03.03.2020 17:42:05	1	1	1	1	62.5	61.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5	2004
03.03.2020 17:42:06	1	1	1	1	62.5	61.5	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	42.1875	2004
03.03.2020 17:42:07	1	1	1	1	62.5	62	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:08	1	1	1	1	62.5	61.75	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	41.5625	2004
03.03.2020 17:42:09	1	1	1	1	62.25	61.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	42	2004
03.03.2020 17:42:10	1	1	1	1	62.25	62	0	28436.019	565.5913978	16144.37529	30000	0	0	30000	42	2004
03.03.2020 17:42:11	1	1	1	1	62.25	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.125	2004
03.03.2020 17:42:12	1	1	1	1	62.25	62	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42	2004
03.03.2020 17:42:13	1	1	1	1	62.25	62	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	42	2004
03.03.2020 17:42:14	1	1	1	1	62.25	62	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.5	2004
03.03.2020 17:42:15	1	1	1	1	62.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
03.03.2020 17:42:16	1	1	1	1	62.25	61.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.9375	2004
03.03.2020 17:42:17	1	1	1	1	62.25	60.75	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	42.0625	2004
03.03.2020 17:42:18	1	1	1	1	62.25	62	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:42:20	1	1	1	1	62	61.75	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	41.875	2004
03.03.2020 17:42:21	1	1	1	1	62	61.75	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	41.5	2004
03.03.2020 17:42:22	1	1	1	1	62	61.5	0	23222.749	597.8494624	13805.07162	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:23	1	1	1	1	62	61.75	0	25545.024	608.6021505	15601.33721	30000	0	0	30000	42.125	2004
03.03.2020 17:42:24	1	1	1	1	62	62	0	0	0	0	30000	0	8	30000	41.9375	2004
03.03.2020 17:42:25	1	1	1	1	62	61.75	0	10379.147	0	0	30000	0	0	30000	42.3125	2004
03.03.2020 17:42:26	1	1	1	1	62	62.25	0	11184.834	0	0	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:27	1	1	1	1	62	61.75	0	11943.128	4.301075269	51.36846683	30000	0	0	30000	42.0625	2004
03.03.2020 17:42:28	1	1	1	1	62	62	0	12748.815	4.301075269	81.53724893	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:29	1	1	1	1	62	61.75	0	13554.502	32.25806452	377.5174626	30000	0	0	30000	42.3125	2004
03.03.2020 17:42:30	1	1	1	1	63.5	62.25	0	14265.403	47.31182796	644.1442666	30000	0	0	30000	42.25	2004
03.03.2020 17:42:31	1	1	1	1	63.5	62.25	0	14976.303	51.61290323	737.9121028	30000	0	0	30000	42	2004
03.03.2020 17:42:32	1	1	1	1	63.5	62.5	0	15829.384	75.2688172	1191.259207	30000	0	0	30000	41.5	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	18957.346	159.1397849	3064.985187	30000	0	0	30000	42	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	18957.346	159.1397849	3064.985187	30000	0	0	30000	42	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	18957.346	159.1397849	3064.985187	30000	0	0	30000	42	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	18957.346	159.1397849	3064.985187	30000	0	0	30000	42	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	18957.346	159.1397849	3064.985187	30000	0	0	30000	42	2004
03.03.2020 17:42:38	1	1	1	1	63.5	62	0	19052.133	176.344086	3359.334656	30000	0	0	30000	42.0625	2004
03.03.2020 17:42:39	1	1	1	1	63.75	62	0	19383.886	189.2473118	3709.944826	30000	0	0	30000	42	2004
03.03.2020 17:42:40	1	1	1	1	63.75	62	0	19573.46	206.4516129	4031.201587	30000	0	0	30000	42.125	2004
03.03.2020 17:42:41	1	1	1	1	63.75	62	0	19668.246	206.4516129	4060.554997	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:42	1	1	1	1	63.75	61.75	0	20284.36	221.5053763	4492.702416	30000	0	0	30000	42.125	2004
03.03.2020 17:42:43	1	1	1	1	63.75	62	0	20710.9	234.4086022	4854.727801	30000	0	0	30000	42.125	2004
03.03.2020 17:42:44	1	1	1	1	63.75	62	0	21042.654	249.4623656	5203.707227	30000	0	0	30000	42	2004
03.03.2020 17:42:45	1	1	1	1	63.75	62	0	21469.194	264.516129	5561.65575	30000	0	0	30000	42.1875	2004
03.03.2020 17:42:46	1	1	1	1	63.75	62	0	21374.408	277.4193548	5929.388742	30000	0	0	30000	42.1875	2004
03.03.2020 17:42:47	1	1	1	1	63.75	62	0	21943.128	294.6236559	6464.273095	30000	0	0	30000	42	2004
03.03.2020 17:42:48	1	1	1	1	63.75	62	0	22132.701	311.827957	6901.31275	30000	0	0	30000	42	2004
03.03.2020 17:42:49	1	1	1	1	64.5	62	0	21943.128	324.7311828	7172.831789	30000	0	0	30000	42.125	2004
03.03.2020 17:42:50	1	1	1	1	64.5	62	0	22322.275	339.7849462	7584.594896	30000	0	0	30000	42	2004
03.03.2020 17:42:51	1	1	1	1	64.5	62	0	22369.668	354.8387097	7937.651184	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:52	1	1	1	1	64.5	61.75	0	23175.355	367.7419355	8572.01098	30000	0	0	30000	42	2004
03.03.2020 17:42:53	1	1	1	1	64.5	62	0	23459.716	387.0967742	8911.205936	30000	0	0	30000	42.0625	2004
03.03.2020 17:42:54	1	1	1	1	64.5	62	0	23507.109	397.8494624	9453.428641	30000	0	0	30000	42.125	2004
03.03.2020 17:42:55	1	1	1	1	64.5	62	0	23364.929	412.9032258	9716.793955	30000	0	0	30000	42.125	2004
03.03.2020 17:42:56	1	1	1	1	64.5	62	0	23981.043	412.9032258	9953.251977	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:57	1	1	1	1	64.5	61.75	0	23981.043	412.9032258	9882.314571	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:58	1	1	1	1	64.5	61.75	0	23981.043	412.9032258	9901.88351	30000	0	0	30000	41.9375	2004
03.03.2020 17:42:59	1	1	1	1	65	61.75	0	23981.043	404.3010753	9921.45245	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:01	1	1	1	1	65	61.75	0	23933.649	397.8494624	9643.410431	30000	0	0	30000	42	2004
03.03.2020 17:43:02	1	1	1	1	65	62	0	23981.043	412.9032258	9901.88351	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:03	1	1	1	1	65	61.75	0	23838.863	458.0645161	10816.73144	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:43:04	1	1	1	1	65	62	0	24597.156	425.8064516	10473.45963	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:05	1	1	1	1	65	61.75	0	25402.844	438.7096774	11068.68154	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:06	1	1	1	1	65	61.75	0	25687.204	458.0645161	11821.27035	30000	0	0	30000	41.5625	2004
03.03.2020 17:43:07	1	1	1	1	65	61.5	0	24976.303	481.7204301	12077.29731	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:08	1	1	1	1	65	61.75	0	25071.09	481.7204301	11829.42408	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:09	1	1	1	1	65	62	0	25592.417	488.172043	12571.41304	30000	0	0	30000	42	2004
03.03.2020 17:43:10	1	1	1	1	65	62	0	25734.597	503.2258065	13005.1912	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:11	1	1	1	1	65	61.75	0	25450.237	522.5806452	13220.44954	30000	0	0	30000	42	2004
03.03.2020 17:43:12	1	1	1	1	65	62	0	25592.417	552.688172	14199.7119	30000	0	0	30000	41.875	2004
03.03.2020 17:43:13	1	1	1	1	65	61.75	0	26255.924	563.4408602	14876.47107	30000	0	0	30000	41.8125	2004
03.03.2020 17:43:14	1	1	1	1	65	61.75	0	26492.891	580.6451613	15410.54005	30000	0	0	30000	42.125	2004
03.03.2020 17:43:15	1	1	1	1	65	62	0	26350.711	593.5483871	15668.19776	30000	0	0	30000	41.8125	2004
03.03.2020 17:43:16	1	1	1	1	65	61.75	0	25734.597	612.9032258	15828.01076	30000	0	0	30000	41.375	2004
03.03.2020 17:43:17	1	1	1	1	65	61.25	0	0	0	0	30000	0	8	30000	42.1875	2004
03.03.2020 17:43:18	1	1	1	1	65	62	0	10236.967	0	0	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:19	1	1	1	1	65.5	62	0	11042.654	0	0	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:20	1	1	1	1	65.5	61.75	0	11753.555	2.150537634	25.27654717	30000	0	0	30000	41.875	2004
03.03.2020 17:43:21	1	1	1	1	65.5	61.75	0	12464.455	6.451612903	79.90650395	30000	0	0	30000	42.125	2004
03.03.2020 17:43:22	1	1	1	1	65.5	62	0	13270.142	19.35483871	256.8423341	30000	0	0	30000	41.8125	2004
03.03.2020 17:43:23	1	1	1	1	65.5	61.75	0	14075.829	30.10752688	454.977849	30000	0	0	30000	41.875	2004
03.03.2020 17:43:24	1	1	1	1	65.5	61.75	0	14786.73	40.86021505	605.8217596	30000	0	0	30000	40.6875	2004
03.03.2020 17:43:25	1	1	1	1	65.5	60.5	0	15639.81	62.3655914	975.1854972	30000	0	0	30000	41.875	2004
03.03.2020 17:43:26	1	1	1	1	65.5	61.75	0	16350.711	92.47311828	1511.700595	30000	0	0	30000	42	2004
03.03.2020 17:43:27	1	1	1	1	65.5	62	0	17156.398	109.6774194	1839.480336	30000	0	0	30000	41.8125	2004
03.03.2020 17:43:28	1	1	1	1	65.5	61.75	0	17819.905	124.7311828	2299.35042	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:29	1	1	1	1	65	61.75	0	18483.412	144.0860215	2663.00655	30000	0	0	30000	42	2004
03.03.2020 17:43:30	1	1	1	1	65	62	0	18862.559	156.9892473	3001.386133	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:31	1	1	1	1	65	62	0	19099.526	176.344086	3326.719756	30000	0	0	30000	42	2004
03.03.2020 17:43:32	1	1	1	1	65	62	0	19526.066	191.3978495	3736.852119	30000	0	0	30000	42	2004
03.03.2020 17:43:33	1	1	1	1	65	62	0	19668.246	206.4516129	4050.770527	30000	0	0	30000	41.875	2004
03.03.2020 17:43:39	1	1	1	1	65	61.75	0	20853.081	247.311828	5258.337184	30000	0	0	30000	42.125	2004
03.03.2020 17:43:39	1	1	1	1	65	61.75	0	20853.081	247.311828	5258.337184	30000	0	0	30000	42.125	2004
03.03.2020 17:43:39	1	1	1	1	65	61.75	0	20853.081	247.311828	5258.337184	30000	0	0	30000	42.125	2004
03.03.2020 17:43:39	1	1	1	1	65	61.75	0	20853.081	247.311828	5258.337184	30000	0	0	30000	42.125	2004
03.03.2020 17:43:39	1	1	1	1	65	61.75	0	20853.081	247.311828	5258.337184	30000	0	0	30000	42.125	2004
03.03.2020 17:43:40	1	1	1	1	64.75	62	0	21090.047	264.516129	5577.9632	30000	0	0	30000	42	2004
03.03.2020 17:43:41	1	1	1	1	64.75	62	0	21753.555	279.5698925	6188.677194	30000	0	0	30000	41.875	2004
03.03.2020 17:43:42	1	1	1	1	64.75	61.75	0	22274.882	294.6236559	6548.256462	30000	0	0	30000	41.875	2004
03.03.2020 17:43:43	1	1	1	1	64.75	61.75	0	22511.848	309.6774194	7116.571087	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:44	1	1	1	1	64.75	62	0	22890.995	326.8817204	7482.673335	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:45	1	1	1	1	64.75	62	0	23080.569	341.9354839	7891.990324	30000	0	0	30000	41.125	2004
03.03.2020 17:43:46	1	1	1	1	64.75	61	0	22843.602	354.8387097	8039.572745	30000	0	0	30000	42	2004
03.03.2020 17:43:47	1	1	1	1	64.75	62	0	23080.569	369.8924731	8586.687685	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:43:48	1	1	1	1	64.75	61.5	0	23649.289	384.9462366	9103.633843	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:49	1	1	1	1	64.75	62	0	23459.716	400	9503.981736	30000	0	0	30000	41.75	2004
03.03.2020 17:43:50	1	1	1	1	65.75	62.25	0	24454.976	438.7096774	10550.10464	30000	0	0	30000	42	2004
03.03.2020 17:43:51	1	1	1	1	65.75	62	0	23459.716	445.1612903	10443.29084	30000	0	0	30000	41.75	2004
03.03.2020 17:43:52	1	1	1	1	65.75	61.75	0	24407.583	458.0645161	11179.5722	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:53	1	1	1	1	65.75	61.75	0	24454.976	458.0645161	11223.60232	30000	0	0	30000	42.0625	2004
03.03.2020 17:43:54	1	1	1	1	65.75	62	0	24407.583	449.4623656	10970.02147	30000	0	0	30000	41.6875	2004
03.03.2020 17:43:55	1	1	1	1	65.75	61.5	0	24218.009	481.7204301	11405.43038	30000	0	0	30000	42	2004
03.03.2020 17:43:56	1	1	1	1	65.75	62	0	24454.976	481.7204301	11780.50173	30000	0	0	30000	41.875	2004
03.03.2020 17:43:57	1	1	1	1	65.75	61.75	0	24502.37	483.8709677	11855.51599	30000	0	0	30000	41.6875	2004
03.03.2020 17:43:58	1	1	1	1	65.75	61.5	0	24928.91	518.2795699	12997.85285	30000	0	0	30000	41.9375	2004
03.03.2020 17:43:59	1	1	1	1	66	61.75	0	0	0	0	30000	0	8	30000	42.1875	2004
03.03.2020 17:44:00	1	1	1	1	66	62	0	10284.36	0	0	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:01	1	1	1	1	66	61.75	0	11042.654	2.150537634	23.64580219	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:02	1	1	1	1	66	61.75	0	11848.341	2.150537634	25.27654717	30000	0	0	30000	42	2004
03.03.2020 17:44:03	1	1	1	1	66	62	0	12559.242	4.301075269	80.72187644	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:04	1	1	1	1	66	61.75	0	13317.536	15.05376344	199.7662599	30000	0	0	30000	41.875	2004
03.03.2020 17:44:05	1	1	1	1	66	61.75	0	14170.616	30.10752688	426.4398119	30000	0	0	30000	41.625	2004
03.03.2020 17:44:06	1	1	1	1	66	61.5	0	14928.91	43.01075269	641.6981491	30000	0	0	30000	41.8125	2004
03.03.2020 17:44:07	1	1	1	1	66	61.75	0	15687.204	62.3655914	977.6316147	30000	0	0	30000	42.0625	2004
03.03.2020 17:44:08	1	1	1	1	66	62	0	16445.498	90.32258065	1520.669693	30000	0	0	30000	42.0625	2004
03.03.2020 17:44:09	1	1	1	1	67	62	0	17251.185	109.6774194	1891.664175	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:10	1	1	1	1	67	61.75	0	17488.152	137.6344086	2218.628543	30000	0	0	30000	42	2004
03.03.2020 17:44:11	1	1	1	1	67	62	0	18056.872	139.7849462	2523.577854	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:12	1	1	1	1	67	61.75	0	18483.412	161.2903226	2972.848096	30000	0	0	30000	42	2004
03.03.2020 17:44:13	1	1	1	1	67	62	0	18815.166	174.1935484	3196.260158	30000	0	0	30000	41.875	2004
03.03.2020 17:44:14	1	1	1	1	67	61.75	0	19194.313	189.2473118	3623.515343	30000	0	0	30000	42	2004
03.03.2020 17:44:16	1	1	1	1	67	62	0	19620.853	206.4516129	3745.821216	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:17	1	1	1	1	67	61.75	0	20853.081	215.0537634	4529.394178	30000	0	0	30000	42	2004
03.03.2020 17:44:18	1	1	1	1	67	62	0	20805.687	232.2580645	4787.051885	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:19	1	1	1	1	67	61.75	0	21516.588	247.311828	5332.53608	30000	0	0	30000	41.875	2004
03.03.2020 17:44:20	1	1	1	1	67	61.75	0	21374.408	266.6666667	5653.792841	30000	0	0	30000	41.875	2004
03.03.2020 17:44:21	1	1	1	1	67	61.75	0	21753.555	277.4193548	6034.571794	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:22	1	1	1	1	67	61.75	0	21943.128	294.6236559	6511.5647	30000	0	0	30000	41.8125	2004
03.03.2020 17:44:23	1	1	1	1	67	61.75	0	22132.701	296.7741935	6567.825402	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:24	1	1	1	1	67	61.75	0	22227.488	307.5268817	6805.914168	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:25	1	1	1	1	67	61.75	0	22227.488	326.8817204	7122.278694	30000	0	0	30000	42.1875	2004
03.03.2020 17:44:26	1	1	1	1	67	62	0	22132.701	290.3225806	6425.135216	30000	0	0	30000	41.875	2004
03.03.2020 17:44:27	1	1	1	1	67	61.75	0	22132.701	275.2688172	6092.46324	30000	0	0	30000	42.1875	2004
03.03.2020 17:44:28	1	1	1	1	67	62	0	22132.701	305.3763441	6835.267578	30000	0	0	30000	41.75	2004
03.03.2020 17:44:29	1	1	1	1	67.75	61.75	0	22180.095	292.4731183	6520.533797	30000	0	0	30000	41.875	2004
03.03.2020 17:44:30	1	1	1	1	67.75	61.75	0	22227.488	309.6774194	6835.267578	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:31	1	1	1	1	67.75	61.75	0	22132.701	318.2795699	7044.002935	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:44:32	1	1	1	1	67.75	61.75	0	22227.488	294.6236559	6548.256462	30000	0	0	30000	41.875	2004
03.03.2020 17:44:33	1	1	1	1	67.75	61.75	0	22132.701	307.5268817	6758.622564	30000	0	0	30000	41.875	2004
03.03.2020 17:44:34	1	1	1	1	67.75	61.75	0	22132.701	301.0752688	6615.932378	30000	0	0	30000	41.75	2004
03.03.2020 17:44:35	1	1	1	1	67.75	61.75	0	22227.488	301.0752688	6691.76202	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:41	1	1	1	1	67.5	62	0	23412.322	384.9462366	9181.909602	30000	0	0	30000	41.875	2004
03.03.2020 17:44:41	1	1	1	1	67.5	62	0	23412.322	384.9462366	9181.909602	30000	0	0	30000	41.875	2004
03.03.2020 17:44:41	1	1	1	1	67.5	62	0	23412.322	384.9462366	9181.909602	30000	0	0	30000	41.875	2004
03.03.2020 17:44:41	1	1	1	1	67.5	62	0	23412.322	384.9462366	9181.909602	30000	0	0	30000	41.875	2004
03.03.2020 17:44:41	1	1	1	1	67.5	62	0	23412.322	384.9462366	9181.909602	30000	0	0	30000	41.875	2004
03.03.2020 17:44:41	1	1	1	1	67.5	61.75	0	23696.682	397.8494624	9510.504716	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:42	1	1	1	1	67.5	61.75	0	23791.469	412.9032258	9823.607751	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:43	1	1	1	1	67.5	61.75	0	24170.616	432.2580645	10447.36771	30000	0	0	30000	41.875	2004
03.03.2020 17:44:44	1	1	1	1	67.5	61.75	0	24123.223	445.1612903	10738.45568	30000	0	0	30000	42	2004
03.03.2020 17:44:45	1	1	1	1	67.5	62	0	24123.223	464.516129	11101.29644	30000	0	0	30000	41.75	2004
03.03.2020 17:44:46	1	1	1	1	67.5	61.75	0	24407.583	481.7204301	11757.6713	30000	0	0	30000	41.75	2004
03.03.2020 17:44:47	1	1	1	1	67.5	61.75	0	0	0	0	30000	0	8	30000	42.125	2004
03.03.2020 17:44:48	1	1	1	1	67.5	62	0	10426.54	0	0	30000	0	0	30000	41.8125	2004
03.03.2020 17:44:49	1	1	1	1	68.25	61.75	0	11232.227	0	0	30000	0	0	30000	41.875	2004
03.03.2020 17:44:50	1	1	1	1	68.25	61.75	0	11990.521	2.150537634	25.27654717	30000	0	0	30000	42.0625	2004
03.03.2020 17:44:51	1	1	1	1	68.25	62	0	12843.602	10.75268817	165.5206153	30000	0	0	30000	41.8125	2004
03.03.2020 17:44:52	1	1	1	1	68.25	61.75	0	13554.502	25.80645161	320.4413883	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:54	1	1	1	1	68.25	61.75	0	14312.796	32.25806452	461.500829	30000	0	0	30000	41.875	2004
03.03.2020 17:44:55	1	1	1	1	68.25	61.75	0	15165.877	45.16129032	684.912891	30000	0	0	30000	41.875	2004
03.03.2020 17:44:56	1	1	1	1	68.25	61.75	0	15876.777	75.2688172	1194.520697	30000	0	0	30000	41.875	2004
03.03.2020 17:44:57	1	1	1	1	68.25	61.75	0	16492.891	88.17204301	1382.871742	30000	0	0	30000	41.9375	2004
03.03.2020 17:44:58	1	1	1	1	68.25	61.75	0	17345.972	105.3763441	1907.156253	30000	0	0	30000	41.875	2004
03.03.2020 17:44:59	1	1	1	1	68.25	61.75	0	17962.085	129.0322581	2278.966108	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:01	1	1	1	1	69.25	61.75	0	19241.706	159.1397849	3020.1397	30000	0	0	30000	41.875	2004
03.03.2020 17:45:01	1	1	1	1	69.25	61.75	0	19241.706	159.1397849	3020.1397	30000	0	0	30000	41.875	2004
03.03.2020 17:45:02	1	1	1	1	69.25	61.75	0	19668.246	169.8924731	3356.888539	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:03	1	1	1	1	69.25	61.75	0	20379.147	189.2473118	3847.742777	30000	0	0	30000	42.1875	2004
03.03.2020 17:45:04	1	1	1	1	69.25	62	0	19952.607	206.4516129	4119.261816	30000	0	0	30000	42.0625	2004
03.03.2020 17:45:05	1	1	1	1	69.25	62	0	20284.36	195.6989247	3960.264181	30000	0	0	30000	42.1875	2004
03.03.2020 17:45:06	1	1	1	1	69.25	62	0	20379.147	193.5483871	3987.986845	30000	0	0	30000	42.1875	2004
03.03.2020 17:45:07	1	1	1	1	69.25	61.5	0	20379.147	193.5483871	3943.956731	30000	0	0	30000	42	2004
03.03.2020 17:45:08	1	1	1	1	69.25	62	0	20236.967	195.6989247	3960.264181	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:09	1	1	1	1	69.25	61.75	0	20331.754	191.3978495	3890.957519	30000	0	0	30000	41.875	2004
03.03.2020 17:45:10	1	1	1	1	69.25	61.75	0	20426.54	189.2473118	3856.711875	30000	0	0	30000	41.5625	2004
03.03.2020 17:45:11	1	1	1	1	69.25	61.5	0	20379.147	191.3978495	3899.926616	30000	0	0	30000	41.875	2004
03.03.2020 17:45:12	1	1	1	1	69.25	61.75	0	20284.36	191.3978495	3881.988422	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:13	1	1	1	1	69.25	61.75	0	20284.36	206.4516129	3969.233278	30000	0	0	30000	42	2004
03.03.2020 17:45:14	1	1	1	1	69.25	62	0	20331.754	189.2473118	3856.711875	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:15	1	1	1	1	69.25	61.75	0	20379.147	193.5483871	3899.926616	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:45:16	1	1	1	1	69.25	61.75	0	20047.393	193.5483871	3879.542304	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:17	1	1	1	1	69.25	61.75	0	20284.36	195.6989247	3978.202375	30000	0	0	30000	41.875	2004
03.03.2020 17:45:18	1	1	1	1	69.25	61.75	0	20379.147	191.3978495	3856.711875	30000	0	0	30000	42	2004
03.03.2020 17:45:19	1	1	1	1	69.25	62	0	20379.147	191.3978495	3856.711875	30000	0	0	30000	41.75	2004
03.03.2020 17:45:20	1	1	1	1	69.25	61.75	0	20379.147	191.3978495	3847.742777	30000	0	0	30000	41.6875	2004
03.03.2020 17:45:21	1	1	1	1	69.25	61.5	0	20379.147	189.2473118	3856.711875	30000	0	0	30000	42	2004
03.03.2020 17:45:22	1	1	1	1	69.25	62	0	20189.573	195.6989247	3950.479711	30000	0	0	30000	41.75	2004
03.03.2020 17:45:23	1	1	1	1	69.25	61.75	0	20521.327	193.5483871	3927.649281	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:24	1	1	1	1	69.25	61.75	0	20616.114	195.6989247	4256.244394	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:25	1	1	1	1	69.25	61.75	0	20521.327	195.6989247	4256.244394	30000	0	0	30000	42	2004
03.03.2020 17:45:26	1	1	1	1	69.25	62	0	20568.72	206.4516129	4256.244394	30000	0	0	30000	41.875	2004
03.03.2020 17:45:27	1	1	1	1	69.25	61.75	0	20000	191.3978495	3827.358465	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:28	1	1	1	1	69.25	61.75	0	20284.36	191.3978495	3978.202375	30000	0	0	30000	42	2004
03.03.2020 17:45:29	1	1	1	1	69.5	62	0	20331.754	193.5483871	3926.018536	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:30	1	1	1	1	69.5	61.75	0	20473.934	195.6989247	4226.890985	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:31	1	1	1	1	69.5	61.75	0	20473.934	206.4516129	4006.740413	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:33	1	1	1	1	69.5	61.75	0	20189.573	195.6989247	3950.479711	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:34	1	1	1	1	69.5	61.75	0	20047.393	189.2473118	3879.542304	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:35	1	1	1	1	69.5	61.75	0	20236.967	191.3978495	3873.019324	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:36	1	1	1	1	69.5	61.75	0	20379.147	195.6989247	3899.926616	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:37	1	1	1	1	69.5	61.75	0	20236.967	206.4516129	3820.835485	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:43	1	1	1	1	67.75	62	0	20616.114	195.6989247	4256.244394	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:43	1	1	1	1	67.75	62	0	20616.114	195.6989247	4256.244394	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:43	1	1	1	1	67.75	62	0	20616.114	195.6989247	4256.244394	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:43	1	1	1	1	67.75	62	0	20616.114	195.6989247	4256.244394	30000	0	0	30000	41.9375	2004
03.03.2020 17:45:43	1	1	1	1	67.75	61.75	0	20616.114	191.3978495	3989.61759	30000	0	0	30000	42.0625	2004
03.03.2020 17:45:44	1	1	1	1	67.75	62	0	20710.9	193.5483871	4008.371158	30000	0	0	30000	42.125	2004
03.03.2020 17:45:45	1	1	1	1	67.75	62	0	20568.72	206.4516129	4236.675455	30000	0	0	30000	42	2004
03.03.2020 17:45:46	1	1	1	1	67.75	62	0	20331.754	193.5483871	3934.987634	30000	0	0	30000	42.25	2004
03.03.2020 17:45:47	1	1	1	1	67.75	61.75	0	20473.934	232.2580645	4799.282472	30000	0	0	30000	41.75	2004
03.03.2020 17:45:48	1	1	1	1	67.75	61.75	0	21042.654	236.5591398	4966.433833	30000	0	0	30000	41.75	2004
03.03.2020 17:45:49	1	1	1	1	68.5	61.75	0	20805.687	243.0107527	5022.694534	30000	0	0	30000	41.875	2004
03.03.2020 17:45:50	1	1	1	1	68.5	61.75	0	20900.474	236.5591398	4943.603403	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:51	1	1	1	1	68.5	61.75	0	21090.047	236.5591398	4988.44889	30000	0	0	30000	41.875	2004
03.03.2020 17:45:52	1	1	1	1	68.5	61.75	0	21042.654	240.8602151	5068.355394	30000	0	0	30000	41.75	2004
03.03.2020 17:45:53	1	1	1	1	68.5	61.75	0	21042.654	236.5591398	4932.188188	30000	0	0	30000	41.75	2004
03.03.2020 17:45:54	1	1	1	1	68.5	61.75	0	20995.261	240.8602151	5056.940179	30000	0	0	30000	41.75	2004
03.03.2020 17:45:55	1	1	1	1	68.5	61.75	0	20710.9	240.8602151	4988.44889	30000	0	0	30000	41.75	2004
03.03.2020 17:45:56	1	1	1	1	68.5	61.75	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.8125	2004
03.03.2020 17:45:57	1	1	1	1	68.5	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.875	2004
03.03.2020 17:45:58	1	1	1	1	68.5	61.75	0	20805.687	240.8602151	4910.173131	30000	0	0	30000	41.75	2004
03.03.2020 17:45:59	1	1	1	1	69.75	61.75	0	20616.114	243.0107527	5009.648574	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:46:00	1	1	1	1	69.75	61.75	0	20853.081	240.8602151	4977.849047	30000	0	0	30000	41.9375	2004
03.03.2020 17:46:01	1	1	1	1	69.75	61.75	0	20853.081	236.5591398	4921.588346	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:02	1	1	1	1	69.75	61.75	0	20616.114	240.8602151	5009.648574	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:03	1	1	1	1	69.75	61.75	0	20900.474	240.8602151	5034.109749	30000	0	0	30000	41.625	2004
03.03.2020 17:46:04	1	1	1	1	69.75	61.5	0	20805.687	240.8602151	4999.864105	30000	0	0	30000	41.75	2004
03.03.2020 17:46:05	1	1	1	1	69.75	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.625	2004
03.03.2020 17:46:06	1	1	1	1	69.75	61.5	0	20758.294	240.8602151	4999.864105	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:07	1	1	1	1	69.75	61.75	0	20758.294	240.8602151	4910.173131	30000	0	0	30000	41.9375	2004
03.03.2020 17:46:08	1	1	1	1	69.75	61.75	0	20521.327	243.0107527	4986.818145	30000	0	0	30000	41.9375	2004
03.03.2020 17:46:09	1	1	1	1	70.25	61.75	0	21137.441	240.8602151	5068.355394	30000	0	0	30000	41.75	2004
03.03.2020 17:46:11	1	1	1	1	70.25	61.75	0	20758.294	236.5591398	5011.279319	30000	0	0	30000	41.5625	2004
03.03.2020 17:46:12	1	1	1	1	70.25	61.5	0	20758.294	240.8602151	5011.279319	30000	0	0	30000	41.75	2004
03.03.2020 17:46:13	1	1	1	1	70.25	61.75	0	20853.081	240.8602151	4933.00356	30000	0	0	30000	41.875	2004
03.03.2020 17:46:14	1	1	1	1	70.25	61.75	0	20853.081	236.5591398	5034.109749	30000	0	0	30000	41.75	2004
03.03.2020 17:46:15	1	1	1	1	70.25	61.75	0	21042.654	236.5591398	4977.849047	30000	0	0	30000	41.75	2004
03.03.2020 17:46:16	1	1	1	1	70.25	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:17	1	1	1	1	70.25	61.75	0	20995.261	240.8602151	5056.940179	30000	0	0	30000	40.75	2004
03.03.2020 17:46:18	1	1	1	1	70.25	60.75	0	20947.867	240.8602151	4966.433833	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:19	1	1	1	1	70.25	61.75	0	20995.261	240.8602151	5056.940179	30000	0	0	30000	41.75	2004
03.03.2020 17:46:20	1	1	1	1	71.25	61.75	0	20853.081	240.8602151	5034.109749	30000	0	0	30000	41.625	2004
03.03.2020 17:46:21	1	1	1	1	71.25	61.5	0	20995.261	240.8602151	5056.940179	30000	0	0	30000	42.1875	2004
03.03.2020 17:46:22	1	1	1	1	71.25	62	0	20900.474	240.8602151	5034.109749	30000	0	0	30000	42.125	2004
03.03.2020 17:46:23	1	1	1	1	71.25	62	0	20805.687	240.8602151	4921.588346	30000	0	0	30000	41.875	2004
03.03.2020 17:46:24	1	1	1	1	71.25	61.75	0	20710.9	240.8602151	4988.44889	30000	0	0	30000	42	2004
03.03.2020 17:46:25	1	1	1	1	71.25	61.75	0	20900.474	234.4086022	4943.603403	30000	0	0	30000	41.625	2004
03.03.2020 17:46:26	1	1	1	1	71.25	61.5	0	20995.261	240.8602151	5056.940179	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:27	1	1	1	1	71.25	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.75	2004
03.03.2020 17:46:28	1	1	1	1	71.25	61.75	0	20663.507	240.8602151	5032.479004	30000	0	0	30000	41.9375	2004
03.03.2020 17:46:29	1	1	1	1	72	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:30	1	1	1	1	72	61.5	0	20900.474	236.5591398	4943.603403	30000	0	0	30000	41.875	2004
03.03.2020 17:46:31	1	1	1	1	72	61.75	0	20663.507	240.8602151	4988.44889	30000	0	0	30000	41.75	2004
03.03.2020 17:46:32	1	1	1	1	72	61.75	0	20853.081	240.8602151	5022.694534	30000	0	0	30000	41.5625	2004
03.03.2020 17:46:33	1	1	1	1	72	61.5	0	20521.327	243.0107527	4986.818145	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:34	1	1	1	1	72	61.75	0	20805.687	240.8602151	5011.279319	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:35	1	1	1	1	72	61.5	0	20947.867	240.8602151	4999.864105	30000	0	0	30000	41.75	2004
03.03.2020 17:46:36	1	1	1	1	72	61.75	0	20758.294	240.8602151	4999.864105	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:37	1	1	1	1	72	61.75	0	20758.294	232.2580645	4876.742859	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:38	1	1	1	1	72	61.75	0	20758.294	240.8602151	4999.864105	30000	0	0	30000	41.875	2004
03.03.2020 17:46:44	1	1	1	1	73	61.5	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.75	2004
03.03.2020 17:46:44	1	1	1	1	73	61.5	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.75	2004
03.03.2020 17:46:44	1	1	1	1	73	61.5	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.75	2004
03.03.2020 17:46:44	1	1	1	1	73	61.5	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.75	2004
03.03.2020 17:46:44	1	1	1	1	73	61.5	0	20758.294	240.8602151	5055.309434	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:46:44	1	1	1	1	73	61.75	0	20758.294	240.8602151	4999.864105	30000	0	0	30000	41.625	2004
03.03.2020 17:46:45	1	1	1	1	73	61.5	0	20473.934	240.8602151	4931.372815	30000	0	0	30000	41.5625	2004
03.03.2020 17:46:46	1	1	1	1	73	61.5	0	20853.081	234.4086022	4977.849047	30000	0	0	30000	41.75	2004
03.03.2020 17:46:47	1	1	1	1	73	61.75	0	21279.621	262.3655914	5628.516294	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:48	1	1	1	1	73	61.5	0	21706.161	277.4193548	6008.479874	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:49	1	1	1	1	73.75	61.5	0	21563.981	275.2688172	5981.572582	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:51	1	1	1	1	73.75	61.5	0	21658.768	275.2688172	6008.479874	30000	0	0	30000	41.75	2004
03.03.2020 17:46:52	1	1	1	1	73.75	61.75	0	21563.981	279.5698925	6074.525046	30000	0	0	30000	41.6875	2004
03.03.2020 17:46:53	1	1	1	1	73.75	61.5	0	21706.161	281.7204301	5981.572582	30000	0	0	30000	41.625	2004
03.03.2020 17:46:54	1	1	1	1	73.75	61.5	0	21563.981	273.1182796	6008.479874	30000	0	0	30000	41.875	2004
03.03.2020 17:46:55	1	1	1	1	73.75	61.75	0	21658.768	279.5698925	6028.048814	30000	0	0	30000	41.75	2004
03.03.2020 17:46:56	1	1	1	1	73.75	61.75	0	21516.588	279.5698925	5955.480662	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:57	1	1	1	1	73.75	61.75	0	21800.948	277.4193548	6001.141521	30000	0	0	30000	41.75	2004
03.03.2020 17:46:58	1	1	1	1	73.75	61.75	0	21563.981	279.5698925	6074.525046	30000	0	0	30000	41.8125	2004
03.03.2020 17:46:59	1	1	1	1	73.75	61.75	0	21753.555	281.7204301	6128.33963	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:00	1	1	1	1	73.25	61.75	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:01	1	1	1	1	73.25	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:02	1	1	1	1	73.25	61.75	0	21753.555	275.2688172	5988.095562	30000	0	0	30000	41.5625	2004
03.03.2020 17:47:03	1	1	1	1	73.25	61.5	0	21800.948	275.2688172	6001.141521	30000	0	0	30000	42.125	2004
03.03.2020 17:47:04	1	1	1	1	73.25	61.5	0	21232.227	279.5698925	5935.911722	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:05	1	1	1	1	73.25	61.75	0	21563.981	277.4193548	6054.956106	30000	0	0	30000	41.75	2004
03.03.2020 17:47:06	1	1	1	1	73.25	61.75	0	21800.948	275.2688172	6001.141521	30000	0	0	30000	41.75	2004
03.03.2020 17:47:07	1	1	1	1	73.25	61.75	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:08	1	1	1	1	73.25	61.5	0	21563.981	275.2688172	6028.048814	30000	0	0	30000	41.75	2004
03.03.2020 17:47:09	1	1	1	1	74.5	61.75	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.75	2004
03.03.2020 17:47:10	1	1	1	1	74.5	61.75	0	21800.948	275.2688172	6001.141521	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:11	1	1	1	1	74.5	61.75	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.1875	2004
03.03.2020 17:47:12	1	1	1	1	74.5	61	0	21516.588	279.5698925	5968.526622	30000	0	0	30000	41.75	2004
03.03.2020 17:47:13	1	1	1	1	74.5	61.75	0	21753.555	275.2688172	5988.095562	30000	0	0	30000	41.75	2004
03.03.2020 17:47:14	1	1	1	1	74.5	61.75	0	21374.408	279.5698925	6001.956894	30000	0	0	30000	40.875	2004
03.03.2020 17:47:15	1	1	1	1	74.5	60.75	0	21279.621	279.5698925	5948.957682	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:16	1	1	1	1	74.5	61.5	0	21563.981	275.2688172	5975.049602	30000	0	0	30000	41.625	2004
03.03.2020 17:47:17	1	1	1	1	74.5	61.5	0	21374.408	277.4193548	5975.049602	30000	0	0	30000	41.625	2004
03.03.2020 17:47:18	1	1	1	1	74.5	61.5	0	21706.161	277.4193548	6081.048025	30000	0	0	30000	41.625	2004
03.03.2020 17:47:19	1	1	1	1	75.5	61.5	0	21753.555	275.2688172	6034.571794	30000	0	0	30000	41.5625	2004
03.03.2020 17:47:20	1	1	1	1	75.5	61.5	0	21753.555	277.4193548	5988.095562	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:21	1	1	1	1	75.5	61.5	0	21563.981	275.2688172	6028.048814	30000	0	0	30000	41.4375	2004
03.03.2020 17:47:22	1	1	1	1	75.5	61.25	0	21327.014	277.4193548	5929.388742	30000	0	0	30000	41.75	2004
03.03.2020 17:47:23	1	1	1	1	75.5	61.75	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.625	2004
03.03.2020 17:47:24	1	1	1	1	75.5	61.5	0	21658.768	277.4193548	5935.911722	30000	0	0	30000	41.5625	2004
03.03.2020 17:47:25	1	1	1	1	75.5	61.5	0	21516.588	286.0215054	6047.617753	30000	0	0	30000	41.625	2004
03.03.2020 17:47:26	1	1	1	1	75.5	61.5	0	21516.588	281.7204301	6061.479086	30000	0	0	30000	41.625	2004
03.03.2020 17:47:27	1	1	1	1	75.5	61.5	0	21469.194	277.4193548	6015.002854	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:47:28	1	1	1	1	75.5	61.5	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.625	2004
03.03.2020 17:47:29	1	1	1	1	75	61.5	0	21563.981	279.5698925	5981.572582	30000	0	0	30000	41.1875	2004
03.03.2020 17:47:31	1	1	1	1	75	61	0	21563.981	279.5698925	6028.048814	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:32	1	1	1	1	75	61.5	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:33	1	1	1	1	75	61.5	0	21563.981	277.4193548	5981.572582	30000	0	0	30000	41.8125	2004
03.03.2020 17:47:34	1	1	1	1	75	61.75	0	21658.768	275.2688172	5962.003642	30000	0	0	30000	41.625	2004
03.03.2020 17:47:35	1	1	1	1	75	61.5	0	21516.588	275.2688172	5968.526622	30000	0	0	30000	41.1875	2004
03.03.2020 17:47:36	1	1	1	1	75	61	0	21563.981	279.5698925	6028.048814	30000	0	0	30000	41.75	2004
03.03.2020 17:47:37	1	1	1	1	75	61.75	0	21563.981	279.5698925	6221.292094	30000	0	0	30000	41.625	2004
03.03.2020 17:47:38	1	1	1	1	75	61.5	0	21563.981	279.5698925	6028.048814	30000	0	0	30000	41.75	2004
03.03.2020 17:47:39	1	1	1	1	75	61.75	0	21516.588	277.4193548	5955.480662	30000	0	0	30000	41.5	2004
03.03.2020 17:47:40	1	1	1	1	76	61.5	0	21374.408	277.4193548	5883.727883	30000	0	0	30000	41.625	2004
03.03.2020 17:47:46	1	1	1	1	76	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	40.9375	2004
03.03.2020 17:47:46	1	1	1	1	76	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	40.9375	2004
03.03.2020 17:47:46	1	1	1	1	76	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	40.9375	2004
03.03.2020 17:47:46	1	1	1	1	76	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	40.9375	2004
03.03.2020 17:47:46	1	1	1	1	76	61.75	0	21563.981	277.4193548	6028.048814	30000	0	0	30000	40.9375	2004
03.03.2020 17:47:46	1	1	1	1	76	60.75	0	21516.588	277.4193548	5955.480662	30000	0	0	30000	41.9375	2004
03.03.2020 17:47:47	1	1	1	1	76	61.75	0	0	0	0	30000	0	8	30000	41.625	2004
03.03.2020 17:47:48	1	1	1	1	76	61.5	0	0	0	0	30000	0	8	30000	38.8125	2004
03.03.2020 17:47:49	1	1	1	1	76.75	58.75	0	10616.114	0	0	30000	0	0	30000	41.6875	2004
03.03.2020 17:47:50	1	1	1	1	76.75	61.5	0	11374.408	0	0	30000	0	0	30000	41.5	2004
03.03.2020 17:47:51	1	1	1	1	76.75	61.5	0	12085.308	2.150537634	52.18383932	30000	0	0	30000	41.625	2004
03.03.2020 17:47:52	1	1	1	1	76.75	61.5	0	12890.995	15.05376344	166.3359878	30000	0	0	30000	41.5	2004
03.03.2020 17:47:53	1	1	1	1	76.75	61.5	0	13601.896	23.65591398	321.2567608	30000	0	0	30000	41.625	2004
03.03.2020 17:47:54	1	1	1	1	76.75	61.5	0	14454.976	32.25806452	465.5776914	30000	0	0	30000	41.5625	2004
03.03.2020 17:47:55	1	1	1	1	76.75	61.5	0	15213.27	45.16129032	621.3138369	30000	0	0	30000	41.5625	2004
03.03.2020 17:47:56	1	1	1	1	76.75	61.5	0	15876.777	77.41935484	1277.688691	30000	0	0	30000	41.625	2004
03.03.2020 17:47:57	1	1	1	1	76.75	61.5	0	16777.251	88.17204301	1479.085696	30000	0	0	30000	41.625	2004
03.03.2020 17:47:58	1	1	1	1	76.75	61.5	0	17109.005	96.77419355	1655.206153	30000	0	0	30000	41.75	2004
03.03.2020 17:47:59	1	1	1	1	76.75	61.75	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5	2004
03.03.2020 17:48:00	1	1	1	1	76.75	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:01	1	1	1	1	76.75	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:02	1	1	1	1	76.75	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.625	2004
03.03.2020 17:48:03	1	1	1	1	76.75	61.5	0	17109.005	105.3763441	1802.788574	30000	0	0	30000	41.6875	2004
03.03.2020 17:48:04	1	1	1	1	76.75	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:05	1	1	1	1	76.75	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.625	2004
03.03.2020 17:48:06	1	1	1	1	76.75	61.5	0	17109.005	96.77419355	1691.897915	30000	0	0	30000	41.75	2004
03.03.2020 17:48:07	1	1	1	1	76.75	61.75	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.625	2004
03.03.2020 17:48:08	1	1	1	1	76.75	61.5	0	17109.005	98.92473118	1766.096812	30000	0	0	30000	41.5	2004
03.03.2020 17:48:09	1	1	1	1	76.5	61.5	0	17109.005	94.62365591	1618.514391	30000	0	0	30000	41.5	2004
03.03.2020 17:48:10	1	1	1	1	76.5	61.5	0	17109.005	96.77419355	1655.206153	30000	0	0	30000	41.625	2004
03.03.2020 17:48:12	1	1	1	1	76.5	61.5	0	17014.218	103.2258065	1766.096812	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:48:13	1	1	1	1	76.5	61.5	0	17109.005	94.62365591	1618.514391	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:14	1	1	1	1	76.5	61.5	0	17109.005	96.77419355	1770.989047	30000	0	0	30000	41.6875	2004
03.03.2020 17:48:15	1	1	1	1	76.5	61.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5	2004
03.03.2020 17:48:16	1	1	1	1	76.5	61.5	0	17109.005	96.77419355	1655.206153	30000	0	0	30000	40.5625	2004
03.03.2020 17:48:17	1	1	1	1	76.5	60.5	0	17109.005	103.2258065	1766.096812	30000	0	0	30000	41.5	2004
03.03.2020 17:48:18	1	1	1	1	76.5	61.5	0	17156.398	103.2258065	1660.098388	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:19	1	1	1	1	76.5	61.5	0	17725.118	113.9784946	2019.677656	30000	0	0	30000	41.6875	2004
03.03.2020 17:48:20	1	1	1	1	76.5	61.5	0	18341.232	129.0322581	2366.210964	30000	0	0	30000	41.625	2004
03.03.2020 17:48:21	1	1	1	1	76.5	61.5	0	18720.379	141.9354839	2656.48357	30000	0	0	30000	41.625	2004
03.03.2020 17:48:22	1	1	1	1	76.5	61.5	0	19383.886	159.1397849	3042.97013	30000	0	0	30000	41.9375	2004
03.03.2020 17:48:23	1	1	1	1	76.5	61.75	0	19383.886	169.8924731	3476.748295	30000	0	0	30000	41.8125	2004
03.03.2020 17:48:24	1	1	1	1	76.5	61.75	0	20236.967	184.9462366	3733.590629	30000	0	0	30000	41.25	2004
03.03.2020 17:48:25	1	1	1	1	76.5	61.75	0	20616.114	206.4516129	4256.244394	30000	0	0	30000	41.625	2004
03.03.2020 17:48:26	1	1	1	1	76.5	61.5	0	21943.128	240.8602151	5285.244476	30000	0	0	30000	41.6875	2004
03.03.2020 17:48:27	1	1	1	1	76.5	61.5	0	21374.408	236.5591398	5009.648574	30000	0	0	30000	40.6875	2004
03.03.2020 17:48:28	1	1	1	1	76.5	60.5	0	21563.981	245.1612903	5286.059848	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:29	1	1	1	1	76.25	61.25	0	21469.194	264.516129	5724.730248	30000	0	0	30000	41.5	2004
03.03.2020 17:48:30	1	1	1	1	76.25	61.5	0	21943.128	286.0215054	6275.92205	30000	0	0	30000	41.6875	2004
03.03.2020 17:48:31	1	1	1	1	76.25	61.5	0	21943.128	296.7741935	6464.273095	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:32	1	1	1	1	76.25	61.5	0	21943.128	313.9784946	6901.31275	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:33	1	1	1	1	76.25	61.5	0	22369.668	316.1290323	7023.618623	30000	0	0	30000	41.5	2004
03.03.2020 17:48:34	1	1	1	1	76.25	61.5	0	22417.062	313.9784946	6990.188351	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:35	1	1	1	1	76.25	61.25	0	22274.882	311.827957	6945.342864	30000	0	0	30000	41.625	2004
03.03.2020 17:48:36	1	1	1	1	76.25	61.5	0	21943.128	318.2795699	7030.956976	30000	0	0	30000	41.5	2004
03.03.2020 17:48:37	1	1	1	1	76.25	61.5	0	22227.488	313.9784946	6978.773136	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:38	1	1	1	1	76.25	61.5	0	22559.242	309.6774194	6874.405458	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:39	1	1	1	1	76.25	61.25	0	22511.848	309.6774194	6971.434784	30000	0	0	30000	41.5	2004
03.03.2020 17:48:40	1	1	1	1	76.25	61.5	0	21943.128	318.2795699	7030.956976	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:41	1	1	1	1	76.25	61.5	0	22417.062	309.6774194	6942.081374	30000	0	0	30000	41.5	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22559.242	307.5268817	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22559.242	307.5268817	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22559.242	307.5268817	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22559.242	307.5268817	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22559.242	307.5268817	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:47	1	1	1	1	76.25	61.25	0	22748.815	309.6774194	7044.818308	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:48	1	1	1	1	76.25	61.25	0	22511.848	309.6774194	6922.512434	30000	0	0	30000	41.4375	2004
03.03.2020 17:48:49	1	1	1	1	76.5	61.25	0	22511.848	309.6774194	7093.740657	30000	0	0	30000	41.5	2004
03.03.2020 17:48:51	1	1	1	1	76.5	61.5	0	22748.815	309.6774194	7044.818308	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:52	1	1	1	1	76.5	61.5	0	22369.668	313.9784946	7023.618623	30000	0	0	30000	41.5	2004
03.03.2020 17:48:53	1	1	1	1	76.5	61.5	0	22559.242	305.3763441	7044.818308	30000	0	0	30000	41.625	2004
03.03.2020 17:48:54	1	1	1	1	76.5	61.5	0	22369.668	309.6774194	6975.511646	30000	0	0	30000	41.375	2004
03.03.2020 17:48:55	1	1	1	1	76.5	61.25	0	22559.242	311.827957	6922.512434	30000	0	0	30000	41.5625	2004
03.03.2020 17:48:56	1	1	1	1	76.5	61.5	0	22559.242	307.5268817	6946.973609	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:48:57	1	1	1	1	76.5	61.25	0	22417.062	313.9784946	7038.295328	30000	0	0	30000	41.5	2004
03.03.2020 17:48:58	1	1	1	1	76.5	61.5	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	41.625	2004
03.03.2020 17:48:59	1	1	1	1	76.5	61.5	0	22559.242	307.5268817	7019.541761	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:00	1	1	1	1	77.75	61.5	0	22464.455	313.9784946	7067.648738	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:01	1	1	1	1	77.75	61.5	0	22274.882	309.6774194	7008.126546	30000	0	0	30000	41.6875	2004
03.03.2020 17:49:02	1	1	1	1	77.75	61.5	0	22511.848	309.6774194	7067.648738	30000	0	0	30000	41.9375	2004
03.03.2020 17:49:03	1	1	1	1	77.75	61.75	0	22417.062	316.1290323	7086.402305	30000	0	0	30000	41.6875	2004
03.03.2020 17:49:04	1	1	1	1	77.75	61.5	0	21943.128	318.2795699	6936.373767	30000	0	0	30000	41.875	2004
03.03.2020 17:49:05	1	1	1	1	77.75	61.75	0	22132.701	313.9784946	6930.666159	30000	0	0	30000	40.6875	2004
03.03.2020 17:49:06	1	1	1	1	77.75	61.5	0	22417.062	311.827957	6942.081374	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:07	1	1	1	1	77.75	61.5	0	22132.701	318.2795699	7044.002935	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:08	1	1	1	1	77.75	61.25	0	22417.062	313.9784946	7086.402305	30000	0	0	30000	41.0625	2004
03.03.2020 17:49:09	1	1	1	1	78.25	61	0	22322.275	311.827957	6960.019569	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:10	1	1	1	1	78.25	61.25	0	22227.488	316.1290323	6993.449841	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:11	1	1	1	1	78.25	61.25	0	22417.062	313.9784946	7038.295328	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:12	1	1	1	1	78.25	61.25	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	41.0625	2004
03.03.2020 17:49:13	1	1	1	1	78.25	61	0	22369.668	313.9784946	7023.618623	30000	0	0	30000	41.5	2004
03.03.2020 17:49:14	1	1	1	1	78.25	61.5	0	21943.128	322.5806452	7078.24858	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:15	1	1	1	1	78.25	61.5	0	22464.455	311.827957	6942.081374	30000	0	0	30000	41.375	2004
03.03.2020 17:49:16	1	1	1	1	78.25	61.25	0	22322.275	311.827957	6960.019569	30000	0	0	30000	41.625	2004
03.03.2020 17:49:17	1	1	1	1	78.25	61.5	0	22511.848	311.827957	7019.541761	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:18	1	1	1	1	78.25	61.25	0	22322.275	316.1290323	7056.233523	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:19	1	1	1	1	78.25	61.5	0	22132.701	316.1290323	6948.604354	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:20	1	1	1	1	78.25	61.5	0	21943.128	316.1290323	6983.665371	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:21	1	1	1	1	78.25	61.5	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:22	1	1	1	1	78.25	61.25	0	21800.948	316.1290323	6891.52828	30000	0	0	30000	41.3125	2004
03.03.2020 17:49:23	1	1	1	1	78.25	61.25	0	22322.275	313.9784946	7056.233523	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:24	1	1	1	1	78.25	61.5	0	22227.488	313.9784946	6978.773136	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:25	1	1	1	1	78.25	61.25	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:26	1	1	1	1	78.25	61.5	0	22227.488	311.827957	6901.31275	30000	0	0	30000	41.375	2004
03.03.2020 17:49:27	1	1	1	1	78.25	61.25	0	22274.882	313.9784946	7056.233523	30000	0	0	30000	41.5	2004
03.03.2020 17:49:28	1	1	1	1	78.25	61.5	0	22132.701	318.2795699	6996.711331	30000	0	0	30000	40.8125	2004
03.03.2020 17:49:29	1	1	1	1	79.25	60.75	0	22227.488	316.1290323	7185.062376	30000	0	0	30000	41.375	2004
03.03.2020 17:49:30	1	1	1	1	79.25	61.25	0	22227.488	313.9784946	6901.31275	30000	0	0	30000	41.5	2004
03.03.2020 17:49:32	1	1	1	1	79.25	61.5	0	22132.701	318.2795699	6996.711331	30000	0	0	30000	41.5	2004
03.03.2020 17:49:33	1	1	1	1	79.25	61.5	0	21943.128	316.1290323	6936.373767	30000	0	0	30000	41.625	2004
03.03.2020 17:49:34	1	1	1	1	79.25	61.5	0	21943.128	316.1290323	6889.082162	30000	0	0	30000	41.3125	2004
03.03.2020 17:49:35	1	1	1	1	79.25	61.25	0	22322.275	313.9784946	6960.019569	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:36	1	1	1	1	79.25	61.25	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	40.6875	2004
03.03.2020 17:49:37	1	1	1	1	79.25	60.5	0	22369.668	316.1290323	7119.832577	30000	0	0	30000	40.75	2004
03.03.2020 17:49:38	1	1	1	1	79.25	60.75	0	21800.948	320.4301075	6985.296116	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:39	1	1	1	1	79.25	61.5	0	22369.668	311.827957	6975.511646	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:40	1	1	1	1	79.75	61.5	0	22464.455	309.6774194	6971.434784	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:49:41	1	1	1	1	79.75	61.5	0	22132.701	318.2795699	6901.31275	30000	0	0	30000	41.625	2004
03.03.2020 17:49:42	1	1	1	1	79.75	61.5	0	22132.701	316.1290323	6996.711331	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:43	1	1	1	1	79.75	61.25	0	22369.668	311.827957	6975.511646	30000	0	0	30000	40.8125	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.75	0	22132.701	341.9354839	7567.472073	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.75	0	22132.701	341.9354839	7567.472073	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.75	0	22132.701	341.9354839	7567.472073	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.75	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.25	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41	2004
03.03.2020 17:49:49	1	1	1	1	79.75	61.25	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41	2004
03.03.2020 17:49:50	1	1	1	1	79.75	61	0	23080.569	352.688172	8090.125839	30000	0	0	30000	41.5625	2004
03.03.2020 17:49:51	1	1	1	1	79.75	61.5	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:52	1	1	1	1	79.75	61.25	0	23033.175	348.3870968	8007.773218	30000	0	0	30000	41.375	2004
03.03.2020 17:49:53	1	1	1	1	79.75	61.25	0	22748.815	352.688172	8072.187644	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:54	1	1	1	1	79.75	61.25	0	22748.815	354.8387097	8072.187644	30000	0	0	30000	41.5	2004
03.03.2020 17:49:55	1	1	1	1	79.75	61.5	0	22748.815	352.688172	8023.265295	30000	0	0	30000	41.4375	2004
03.03.2020 17:49:56	1	1	1	1	79.75	61.25	0	22417.062	348.3870968	7987.388905	30000	0	0	30000	40.5625	2004
03.03.2020 17:49:57	1	1	1	1	79.75	60.5	0	22417.062	356.9892473	8002.06561	30000	0	0	30000	41.375	2004
03.03.2020 17:49:58	1	1	1	1	79.75	61.25	0	22985.782	352.688172	8024.080668	30000	0	0	30000	41.1875	2004
03.03.2020 17:49:59	1	1	1	1	80.25	61	0	22890.995	350.5376344	7925.420596	30000	0	0	30000	40.875	2004
03.03.2020 17:50:00	1	1	1	1	80.25	60.75	0	22559.242	359.1397849	7987.388905	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:01	1	1	1	1	80.25	61.25	0	22417.062	356.9892473	7953.958633	30000	0	0	30000	41.375	2004
03.03.2020 17:50:02	1	1	1	1	80.25	61.25	0	22511.848	354.8387097	7987.388905	30000	0	0	30000	41.1875	2004
03.03.2020 17:50:03	1	1	1	1	80.25	61	0	22748.815	354.8387097	8072.187644	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:04	1	1	1	1	80.25	61.25	0	22559.242	356.9892473	8036.311255	30000	0	0	30000	41.5	2004
03.03.2020 17:50:05	1	1	1	1	80.25	61.5	0	22748.815	348.3870968	7974.342946	30000	0	0	30000	41.5	2004
03.03.2020 17:50:06	1	1	1	1	80.25	61.5	0	22890.995	350.5376344	8073.003017	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:07	1	1	1	1	80.25	61.25	0	22464.455	356.9892473	8019.188433	30000	0	0	30000	41.375	2004
03.03.2020 17:50:08	1	1	1	1	80.25	61.25	0	22748.815	348.3870968	7974.342946	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:09	1	1	1	1	82	61.25	0	22748.815	352.688172	7974.342946	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:10	1	1	1	1	82	61.25	0	22559.242	352.688172	8004.511728	30000	0	0	30000	41.5	2004
03.03.2020 17:50:11	1	1	1	1	82	61.5	0	22748.815	352.688172	7974.342946	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:12	1	1	1	1	82	61.25	0	22890.995	346.2365591	7925.420596	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:13	1	1	1	1	82	61.25	0	22843.602	352.688172	7990.650395	30000	0	0	30000	41.25	2004
03.03.2020 17:50:15	1	1	1	1	82	61.25	0	22796.209	350.5376344	7990.650395	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:16	1	1	1	1	82	61.25	0	22748.815	350.5376344	8170.032343	30000	0	0	30000	41.1875	2004
03.03.2020 17:50:17	1	1	1	1	82	61	0	22890.995	350.5376344	7892.805697	30000	0	0	30000	41.5	2004
03.03.2020 17:50:18	1	1	1	1	82	61.5	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:19	1	1	1	1	82	61.25	0	22417.062	356.9892473	8002.06561	30000	0	0	30000	41.375	2004
03.03.2020 17:50:20	1	1	1	1	81	61.25	0	22890.995	350.5376344	8024.080668	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:21	1	1	1	1	81	61.25	0	22890.995	352.688172	7990.650395	30000	0	0	30000	41.375	2004
03.03.2020 17:50:22	1	1	1	1	81	61.25	0	23080.569	348.3870968	8040.388117	30000	0	0	30000	41.375	2004
03.03.2020 17:50:23	1	1	1	1	81	61.25	0	22748.815	350.5376344	8072.187644	30000	0	0	30000	41.5625	2004
03.03.2020 17:50:24	1	1	1	1	81	61.5	0	22890.995	348.3870968	8024.080668	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:50:25	1	1	1	1	81	60.75	0	22559.242	352.688172	7857.74468	30000	0	0	30000	41.625	2004
03.03.2020 17:50:26	1	1	1	1	81	61.5	0	22511.848	354.8387097	7987.388905	30000	0	0	30000	41.5	2004
03.03.2020 17:50:27	1	1	1	1	81	61.5	0	22559.242	354.8387097	8004.511728	30000	0	0	30000	41	2004
03.03.2020 17:50:28	1	1	1	1	81	61	0	22322.275	359.1397849	8016.742315	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:29	1	1	1	1	81.75	61.5	0	23033.175	344.0860215	8073.818389	30000	0	0	30000	41.375	2004
03.03.2020 17:50:30	1	1	1	1	81.75	61.25	0	22890.995	350.5376344	8024.080668	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:31	1	1	1	1	81.75	61.25	0	22890.995	350.5376344	8024.080668	30000	0	0	30000	41.375	2004
03.03.2020 17:50:32	1	1	1	1	81.75	61.25	0	22985.782	350.5376344	7925.420596	30000	0	0	30000	41.125	2004
03.03.2020 17:50:33	1	1	1	1	81.75	61	0	22843.602	350.5376344	8073.003017	30000	0	0	30000	41.5	2004
03.03.2020 17:50:34	1	1	1	1	81.75	61.5	0	22890.995	354.8387097	8121.925366	30000	0	0	30000	41.1875	2004
03.03.2020 17:50:35	1	1	1	1	81.75	61	0	22748.815	356.9892473	8121.109994	30000	0	0	30000	41.375	2004
03.03.2020 17:50:36	1	1	1	1	81.75	61.25	0	22796.209	350.5376344	7990.650395	30000	0	0	30000	41.375	2004
03.03.2020 17:50:37	1	1	1	1	81.75	61.25	0	22511.848	346.2365591	7794.145626	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:38	1	1	1	1	81.75	61.25	0	22843.602	350.5376344	8024.080668	30000	0	0	30000	41.25	2004
03.03.2020 17:50:39	1	1	1	1	82.25	61.25	0	22890.995	348.3870968	7974.342946	30000	0	0	30000	40.875	2004
03.03.2020 17:50:40	1	1	1	1	82.25	60.75	0	22748.815	352.688172	7974.342946	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:41	1	1	1	1	82.25	61.25	0	22464.455	350.5376344	7874.052129	30000	0	0	30000	41.1875	2004
03.03.2020 17:50:42	1	1	1	1	82.25	61	0	23175.355	348.3870968	8123.556111	30000	0	0	30000	41.25	2004
03.03.2020 17:50:43	1	1	1	1	82.25	61.25	0	22843.602	350.5376344	8024.080668	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:44	1	1	1	1	82.25	61.25	0	22748.815	350.5376344	7974.342946	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:50	1	1	1	1	82.75	61.25	0	23364.929	380.6451613	8911.205936	30000	0	0	30000	41.25	2004
03.03.2020 17:50:52	1	1	1	1	82.75	61.25	0	23317.536	389.2473118	9057.157612	30000	0	0	30000	41.125	2004
03.03.2020 17:50:53	1	1	1	1	82.75	61	0	23364.929	384.9462366	8993.558557	30000	0	0	30000	41.4375	2004
03.03.2020 17:50:54	1	1	1	1	82.75	61.25	0	23412.322	384.9462366	9030.250319	30000	0	0	30000	41.25	2004
03.03.2020 17:50:55	1	1	1	1	82.75	61.25	0	23364.929	384.9462366	8975.620363	30000	0	0	30000	41.125	2004
03.03.2020 17:50:56	1	1	1	1	82.75	61	0	23317.536	384.9462366	8993.558557	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:57	1	1	1	1	82.75	61.25	0	23080.569	395.6989247	9033.511809	30000	0	0	30000	41.3125	2004
03.03.2020 17:50:58	1	1	1	1	82.75	61.25	0	23033.175	389.2473118	9132.987253	30000	0	0	30000	41.125	2004
03.03.2020 17:50:59	1	1	1	1	82.75	61	0	23270.142	384.9462366	8957.682168	30000	0	0	30000	41.25	2004
03.03.2020 17:51:00	1	1	1	1	82.5	61.25	0	23175.355	387.0967742	8934.036366	30000	0	0	30000	41.25	2004
03.03.2020 17:51:01	1	1	1	1	82.5	61.25	0	23270.142	389.2473118	9057.157612	30000	0	0	30000	41.25	2004
03.03.2020 17:51:02	1	1	1	1	82.5	61.25	0	23270.142	389.2473118	9057.157612	30000	0	0	30000	41.125	2004
03.03.2020 17:51:03	1	1	1	1	82.5	61	0	23317.536	384.9462366	9075.911179	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:04	1	1	1	1	82.5	61.25	0	23744.076	384.9462366	9121.572038	30000	0	0	30000	41.375	2004
03.03.2020 17:51:05	1	1	1	1	82.5	61.25	0	23744.076	380.6451613	8951.159188	30000	0	0	30000	41.375	2004
03.03.2020 17:51:06	1	1	1	1	82.5	61.25	0	23791.469	378.4946237	9022.911967	30000	0	0	30000	41.375	2004
03.03.2020 17:51:07	1	1	1	1	82.5	61.25	0	23507.109	380.6451613	8947.897698	30000	0	0	30000	41.75	2004
03.03.2020 17:51:08	1	1	1	1	82.5	61.25	0	23744.076	384.9462366	9001.712282	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:51:09	1	1	1	1	83.5	61.25	0	23791.469	372.0430108	9004.973772	30000	0	0	30000	41.1875	2004
03.03.2020 17:51:10	1	1	1	1	83.5	61	0	23222.749	384.9462366	8957.682168	30000	0	0	30000	40.75	2004
03.03.2020 17:51:11	1	1	1	1	83.5	60.75	0	23554.502	380.6451613	8965.835893	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:12	1	1	1	1	83.5	61.25	0	23317.536	378.4946237	8993.558557	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:13	1	1	1	1	83.5	61.25	0	23886.256	378.4946237	9040.850162	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:14	1	1	1	1	83.5	61.25	0	23791.469	372.0430108	8850.868372	30000	0	0	30000	41.25	2004
03.03.2020 17:51:15	1	1	1	1	83.5	61.25	0	23649.289	382.7956989	9103.633843	30000	0	0	30000	40.5625	2004
03.03.2020 17:51:16	1	1	1	1	83.5	60.5	0	23412.322	380.6451613	9012.312125	30000	0	0	30000	40.5	2004
03.03.2020 17:51:17	1	1	1	1	83.5	60.5	0	23744.076	378.4946237	8987.035577	30000	0	0	30000	41.125	2004
03.03.2020 17:51:18	1	1	1	1	83.5	61	0	23649.289	378.4946237	8951.159188	30000	0	0	30000	41.4375	2004
03.03.2020 17:51:19	1	1	1	1	83.25	61.25	0	23649.289	378.4946237	9001.712282	30000	0	0	30000	41.375	2004
03.03.2020 17:51:20	1	1	1	1	83.25	61.25	0	23838.863	378.4946237	9022.911967	30000	0	0	30000	41.25	2004
03.03.2020 17:51:21	1	1	1	1	83.25	61.25	0	23554.502	378.4946237	8965.835893	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:22	1	1	1	1	83.25	61.25	0	23554.502	382.7956989	8965.835893	30000	0	0	30000	41.1875	2004
03.03.2020 17:51:23	1	1	1	1	83.25	61	0	23364.929	382.7956989	8893.267741	30000	0	0	30000	41.125	2004
03.03.2020 17:51:24	1	1	1	1	83.25	61	0	23649.289	378.4946237	9001.712282	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:25	1	1	1	1	83.25	61.25	0	23744.076	380.6451613	9103.633843	30000	0	0	30000	41.25	2004
03.03.2020 17:51:26	1	1	1	1	83.25	61.25	0	23696.682	378.4946237	8951.159188	30000	0	0	30000	40.25	2004
03.03.2020 17:51:27	1	1	1	1	83.25	60.25	0	23649.289	380.6451613	9001.712282	30000	0	0	30000	41.375	2004
03.03.2020 17:51:28	1	1	1	1	83.25	61.25	0	23791.469	378.4946237	9022.911967	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:29	1	1	1	1	83.5	61.25	0	23412.322	384.9462366	9030.250319	30000	0	0	30000	41.25	2004
03.03.2020 17:51:30	1	1	1	1	83.5	61.25	0	23507.109	387.0967742	9150.110075	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:31	1	1	1	1	83.5	61.25	0	23696.682	378.4946237	8951.159188	30000	0	0	30000	41.25	2004
03.03.2020 17:51:33	1	1	1	1	83.5	61.25	0	23649.289	378.4946237	8915.282798	30000	0	0	30000	41.25	2004
03.03.2020 17:51:34	1	1	1	1	83.5	61.25	0	23412.322	380.6451613	8911.205936	30000	0	0	30000	41.25	2004
03.03.2020 17:51:35	1	1	1	1	83.5	61.25	0	23459.716	384.9462366	9049.003887	30000	0	0	30000	41.375	2004
03.03.2020 17:51:36	1	1	1	1	83.5	61.25	0	23744.076	384.9462366	9019.650477	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:37	1	1	1	1	83.5	61	0	23601.896	380.6451613	9001.712282	30000	0	0	30000	40.125	2004
03.03.2020 17:51:38	1	1	1	1	83.5	60	0	23649.289	378.4946237	8951.159188	30000	0	0	30000	40.625	2004
03.03.2020 17:51:39	1	1	1	1	83.5	60.5	0	23791.469	378.4946237	9004.973772	30000	0	0	30000	40.625	2004
03.03.2020 17:51:40	1	1	1	1	84	60.5	0	23649.289	380.6451613	9001.712282	30000	0	0	30000	41.1875	2004
03.03.2020 17:51:41	1	1	1	1	84	61	0	23317.536	380.6451613	8875.329546	30000	0	0	30000	41.25	2004
03.03.2020 17:51:42	1	1	1	1	84	61.25	0	23554.502	380.6451613	8965.835893	30000	0	0	30000	41.375	2004
03.03.2020 17:51:43	1	1	1	1	84	61.25	0	23554.502	380.6451613	8965.835893	30000	0	0	30000	41.4375	2004
03.03.2020 17:51:44	1	1	1	1	84	61.25	0	23649.289	382.7956989	9001.712282	30000	0	0	30000	41.6875	2004
03.03.2020 17:51:45	1	1	1	1	84	61.5	0	23744.076	378.4946237	8987.035577	30000	0	0	30000	41.375	2004
03.03.2020 17:51:46	1	1	1	1	84	61.25	0	23933.649	378.4946237	8903.867584	30000	0	0	30000	41.1875	2004
03.03.2020 17:51:52	1	1	1	1	85	61.25	0	24360.19	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:52	1	1	1	1	85	61.25	0	24360.19	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:52	1	1	1	1	85	61.25	0	24360.19	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:52	1	1	1	1	85	61.25	0	24360.19	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:52	1	1	1	1	85	61.25	0	24360.19	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:51:52	1	1	1	1	85	61	0	24218.009	412.9032258	9752.670345	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:51:53	1	1	1	1	85	61	0	23886.256	419.3548387	10036.41997	30000	0	0	30000	41.25	2004
03.03.2020 17:51:54	1	1	1	1	85	61.25	0	23933.649	415.0537634	9933.683038	30000	0	0	30000	41.1875	2004
03.03.2020 17:51:55	1	1	1	1	85	61	0	23933.649	415.0537634	9985.051504	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:56	1	1	1	1	85	61.25	0	23981.043	412.9032258	9882.314571	30000	0	0	30000	41.375	2004
03.03.2020 17:51:57	1	1	1	1	85	61.25	0	23981.043	415.0537634	10036.41997	30000	0	0	30000	40.625	2004
03.03.2020 17:51:58	1	1	1	1	85	60.5	0	24170.616	415.0537634	10051.09668	30000	0	0	30000	41.3125	2004
03.03.2020 17:51:59	1	1	1	1	85	61.25	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.6875	2004
03.03.2020 17:52:00	1	1	1	1	85	60.5	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.9375	2004
03.03.2020 17:52:01	1	1	1	1	85	60.75	0	24123.223	412.9032258	9960.59033	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:02	1	1	1	1	85	61	0	23981.043	419.3548387	9862.745631	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:03	1	1	1	1	85	61	0	23933.649	415.0537634	9933.683038	30000	0	0	30000	41.125	2004
03.03.2020 17:52:04	1	1	1	1	85	61	0	23981.043	417.2043011	9933.683038	30000	0	0	30000	41.125	2004
03.03.2020 17:52:05	1	1	1	1	85	61	0	24502.37	404.3010753	9905.960373	30000	0	0	30000	41.25	2004
03.03.2020 17:52:06	1	1	1	1	85	61.25	0	23981.043	415.0537634	9972.820917	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:07	1	1	1	1	85	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41.25	2004
03.03.2020 17:52:09	1	1	1	1	85	61.25	0	24123.223	412.9032258	9960.59033	30000	0	0	30000	41.3125	2004
03.03.2020 17:52:10	1	1	1	1	84.5	61.25	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.625	2004
03.03.2020 17:52:11	1	1	1	1	84.5	60.5	0	24028.436	412.9032258	9921.45245	30000	0	0	30000	41.25	2004
03.03.2020 17:52:12	1	1	1	1	84.5	61.25	0	24407.583	412.9032258	9815.454027	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:13	1	1	1	1	84.5	61	0	24123.223	412.9032258	10051.09668	30000	0	0	30000	41.0625	2004
03.03.2020 17:52:14	1	1	1	1	84.5	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41.125	2004
03.03.2020 17:52:15	1	1	1	1	84.5	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41	2004
03.03.2020 17:52:16	1	1	1	1	84.5	61	0	24170.616	412.9032258	9980.159269	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:17	1	1	1	1	84.5	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.625	2004
03.03.2020 17:52:18	1	1	1	1	84.5	60.5	0	23886.256	415.0537634	10036.41997	30000	0	0	30000	41.125	2004
03.03.2020 17:52:19	1	1	1	1	84.5	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41	2004
03.03.2020 17:52:20	1	1	1	1	85.75	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:21	1	1	1	1	85.75	61	0	24218.009	419.3548387	10051.09668	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:22	1	1	1	1	85.75	61	0	24597.156	400	10195.41761	30000	0	0	30000	41.125	2004
03.03.2020 17:52:23	1	1	1	1	85.75	61	0	24218.009	404.3010753	9999.728209	30000	0	0	30000	41	2004
03.03.2020 17:52:24	1	1	1	1	85.75	61	0	24360.19	415.0537634	9999.728209	30000	0	0	30000	40.8125	2004
03.03.2020 17:52:25	1	1	1	1	85.75	60.75	0	24454.976	412.9032258	10117.14185	30000	0	0	30000	41.4375	2004
03.03.2020 17:52:26	1	1	1	1	85.75	60.25	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.5625	2004
03.03.2020 17:52:27	1	1	1	1	85.75	60.5	0	24407.583	404.3010753	10078.00397	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:28	1	1	1	1	85.75	61	0	24407.583	412.9032258	10078.00397	30000	0	0	30000	41.3125	2004
03.03.2020 17:52:29	1	1	1	1	86	61.25	0	24170.616	412.9032258	9980.159269	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:30	1	1	1	1	86	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41	2004
03.03.2020 17:52:31	1	1	1	1	86	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:52:32	1	1	1	1	86	61	0	23981.043	415.0537634	9953.251977	30000	0	0	30000	40.5625	2004
03.03.2020 17:52:33	1	1	1	1	86	60.5	0	24123.223	412.9032258	9960.59033	30000	0	0	30000	40.75	2004
03.03.2020 17:52:34	1	1	1	1	86	60.75	0	23886.256	419.3548387	9893.729786	30000	0	0	30000	41.25	2004
03.03.2020 17:52:35	1	1	1	1	86	61.25	0	24075.829	417.2043011	10115.5111	30000	0	0	30000	41.25	2004
03.03.2020 17:52:36	1	1	1	1	86	61.25	0	24407.583	412.9032258	9919.821705	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:52:37	1	1	1	1	86	61	0	24218.009	412.9032258	9999.728209	30000	0	0	30000	40.4375	2004
03.03.2020 17:52:38	1	1	1	1	86	60.25	0	24123.223	412.9032258	10011.9588	30000	0	0	30000	41.125	2004
03.03.2020 17:52:39	1	1	1	1	85.75	61	0	24170.616	415.0537634	10031.52774	30000	0	0	30000	41	2004
03.03.2020 17:52:40	1	1	1	1	85.75	61	0	24597.156	412.9032258	10156.27973	30000	0	0	30000	40.9375	2004
03.03.2020 17:52:41	1	1	1	1	85.75	60.75	0	24170.616	404.3010753	9772.239285	30000	0	0	30000	40.8125	2004
03.03.2020 17:52:42	1	1	1	1	85.75	60.75	0	24218.009	404.3010753	9999.728209	30000	0	0	30000	41.0625	2004
03.03.2020 17:52:43	1	1	1	1	85.75	61	0	24218.009	412.9032258	9790.992852	30000	0	0	30000	41.125	2004
03.03.2020 17:52:44	1	1	1	1	85.75	61	0	24028.436	415.0537634	9972.820917	30000	0	0	30000	41	2004
03.03.2020 17:52:45	1	1	1	1	85.75	61	0	24028.436	415.0537634	9972.820917	30000	0	0	30000	40.375	2004
03.03.2020 17:52:46	1	1	1	1	85.75	60.25	0	24218.009	415.0537634	10051.09668	30000	0	0	30000	41.25	2004
03.03.2020 17:52:47	1	1	1	1	85.75	61.25	0	24218.009	412.9032258	10110.61887	30000	0	0	30000	40.5625	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:54	1	1	1	1	85.75	61	0	24739.336	445.1612903	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:55	1	1	1	1	85.75	61	0	24597.156	453.7634409	11160.81863	30000	0	0	30000	41.25	2004
03.03.2020 17:52:56	1	1	1	1	85.75	61.25	0	24691.943	443.0107527	10938.22194	30000	0	0	30000	41	2004
03.03.2020 17:52:57	1	1	1	1	85.75	61	0	24502.37	451.6129032	11012.42084	30000	0	0	30000	41.125	2004
03.03.2020 17:52:58	1	1	1	1	85.75	61	0	24218.009	445.1612903	10864.83842	30000	0	0	30000	41.1875	2004
03.03.2020 17:52:59	1	1	1	1	85.75	61	0	24691.943	445.1612903	11012.42084	30000	0	0	30000	41.375	2004
03.03.2020 17:53:00	1	1	1	1	87	61.25	0	24691.943	445.1612903	10949.63716	30000	0	0	30000	41.25	2004
03.03.2020 17:53:01	1	1	1	1	87	61.25	0	24218.009	451.6129032	10884.40736	30000	0	0	30000	41.3125	2004
03.03.2020 17:53:02	1	1	1	1	87	61.25	0	24786.73	440.8602151	10926.80673	30000	0	0	30000	41.25	2004
03.03.2020 17:53:03	1	1	1	1	87	61.25	0	24644.55	449.4623656	10949.63716	30000	0	0	30000	41.25	2004
03.03.2020 17:53:04	1	1	1	1	87	61.25	0	24123.223	453.7634409	10945.5603	30000	0	0	30000	40.875	2004
03.03.2020 17:53:05	1	1	1	1	87	60.75	0	24502.37	453.7634409	11075.20452	30000	0	0	30000	41.5625	2004
03.03.2020 17:53:06	1	1	1	1	87	61.5	0	0	0	0	30000	0	8	30000	41.125	2004
03.03.2020 17:53:07	1	1	1	1	87	61	0	10142.18	0	0	30000	0	0	30000	40.8125	2004
03.03.2020 17:53:08	1	1	1	1	87	61	0	11042.654	0	0	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:09	1	1	1	1	86.5	61	0	11753.555	0	0	30000	0	0	30000	40.9375	2004
03.03.2020 17:53:10	1	1	1	1	86.5	60.75	0	12464.455	10.75268817	133.7210883	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:11	1	1	1	1	86.5	61	0	13270.142	17.20430108	228.304297	30000	0	0	30000	41.125	2004
03.03.2020 17:53:12	1	1	1	1	86.5	61	0	14170.616	30.10752688	426.4398119	30000	0	0	30000	41.25	2004
03.03.2020 17:53:13	1	1	1	1	86.5	61.25	0	14834.123	53.76344086	797.4342946	30000	0	0	30000	41.3125	2004
03.03.2020 17:53:14	1	1	1	1	86.5	61.25	0	15497.63	60.21505376	975.1854972	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:15	1	1	1	1	86.5	61	0	16350.711	75.2688172	1160.275052	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:16	1	1	1	1	86.5	61	0	17156.398	94.62365591	1590.791727	30000	0	0	30000	40.625	2004
03.03.2020 17:53:17	1	1	1	1	86.5	60.5	0	17867.299	109.6774194	1959.340092	30000	0	0	30000	41.25	2004
03.03.2020 17:53:18	1	1	1	1	86.5	61.25	0	17914.692	129.0322581	2465.686408	30000	0	0	30000	41.3125	2004
03.03.2020 17:53:19	1	1	1	1	85.75	61.25	0	18388.626	144.0860215	2655.668198	30000	0	0	30000	41.125	2004
03.03.2020 17:53:20	1	1	1	1	85.75	61	0	19004.739	163.4408602	3105.753812	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:53:21	1	1	1	1	85.75	60.75	0	19573.46	176.344086	3409.072378	30000	0	0	30000	41.125	2004
03.03.2020 17:53:22	1	1	1	1	85.75	61	0	19857.82	189.2473118	3800.451173	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:23	1	1	1	1	85.75	61	0	20047.393	206.4516129	4138.830756	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:24	1	1	1	1	85.75	61	0	20616.114	221.5053763	4566.08594	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:25	1	1	1	1	85.75	61	0	20900.474	234.4086022	4920.772973	30000	0	0	30000	41.125	2004
03.03.2020 17:53:26	1	1	1	1	85.75	61	0	21042.654	240.8602151	5079.770609	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:27	1	1	1	1	85.75	61	0	21090.047	262.3655914	5533.117713	30000	0	0	30000	40.4375	2004
03.03.2020 17:53:28	1	1	1	1	85.75	60.25	0	21090.047	258.0645161	5487.456853	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:29	1	1	1	1	86	61	0	21042.654	258.0645161	5442.611366	30000	0	0	30000	41.125	2004
03.03.2020 17:53:30	1	1	1	1	86	61	0	21090.047	260.2150538	5487.456853	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:32	1	1	1	1	86	61	0	21090.047	258.0645161	5442.611366	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:33	1	1	1	1	86	61	0	21090.047	253.7634409	5351.289647	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:34	1	1	1	1	86	61	0	21090.047	273.1182796	5759.791265	30000	0	0	30000	40.4375	2004
03.03.2020 17:53:35	1	1	1	1	86	60.25	0	21090.047	253.7634409	5396.950507	30000	0	0	30000	41.125	2004
03.03.2020 17:53:36	1	1	1	1	86	61	0	21137.441	255.9139785	5396.950507	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:37	1	1	1	1	86	61	0	21090.047	260.2150538	5487.456853	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:38	1	1	1	1	86	61	0	21042.654	255.9139785	5384.71992	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:39	1	1	1	1	86	61	0	21090.047	258.0645161	5442.611366	30000	0	0	30000	40.875	2004
03.03.2020 17:53:40	1	1	1	1	85.25	60.75	0	21090.047	249.4623656	5306.444161	30000	0	0	30000	41.125	2004
03.03.2020 17:53:41	1	1	1	1	85.25	61	0	21090.047	247.311828	5215.122442	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:42	1	1	1	1	85.25	61	0	21374.408	279.5698925	5929.388742	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:43	1	1	1	1	85.25	61	0	21279.621	279.5698925	5903.296823	30000	0	0	30000	41	2004
03.03.2020 17:53:44	1	1	1	1	85.25	61	0	22511.848	296.7741935	6743.130487	30000	0	0	30000	41.3125	2004
03.03.2020 17:53:45	1	1	1	1	85.25	61.25	0	21943.128	305.3763441	6854.021145	30000	0	0	30000	41.125	2004
03.03.2020 17:53:46	1	1	1	1	85.25	61	0	21943.128	320.4301075	7030.956976	30000	0	0	30000	40.625	2004
03.03.2020 17:53:47	1	1	1	1	85.25	60.5	0	22559.242	322.5806452	7387.274753	30000	0	0	30000	41.0625	2004
03.03.2020 17:53:48	1	1	1	1	85.25	61.25	0	22796.209	341.9354839	7794.145626	30000	0	0	30000	41.1875	2004
03.03.2020 17:53:49	1	1	1	1	85	61	0	22890.995	378.4946237	8713.070421	30000	0	0	30000	41.25	2004
03.03.2020 17:53:55	1	1	1	1	85	60.75	0	24407.583	432.2580645	10364.19971	30000	0	0	30000	41	2004
03.03.2020 17:53:55	1	1	1	1	85	60.75	0	24407.583	432.2580645	10364.19971	30000	0	0	30000	41	2004
03.03.2020 17:53:55	1	1	1	1	85	60.75	0	24407.583	432.2580645	10364.19971	30000	0	0	30000	41	2004
03.03.2020 17:53:55	1	1	1	1	85	60.75	0	24407.583	432.2580645	10364.19971	30000	0	0	30000	41	2004
03.03.2020 17:53:55	1	1	1	1	85	61	0	24218.009	445.1612903	10864.83842	30000	0	0	30000	41.125	2004
03.03.2020 17:53:56	1	1	1	1	85	61	0	24028.436	443.0107527	10696.05632	30000	0	0	30000	40.6875	2004
03.03.2020 17:53:57	1	1	1	1	85	60.5	0	24407.583	453.7634409	10988.77504	30000	0	0	30000	40.9375	2004
03.03.2020 17:53:58	1	1	1	1	85	60.75	0	24739.336	458.0645161	11310.0318	30000	0	0	30000	40.9375	2004
03.03.2020 17:53:59	1	1	1	1	85	60.75	0	24786.73	445.1612903	11033.62053	30000	0	0	30000	40.9375	2004
03.03.2020 17:54:00	1	1	1	1	85	60.75	0	24123.223	453.7634409	11049.92798	30000	0	0	30000	41	2004
03.03.2020 17:54:01	1	1	1	1	85	61	0	24170.616	445.1612903	10759.65537	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:02	1	1	1	1	85	61	0	24218.009	445.1612903	10780.85505	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:03	1	1	1	1	85	61	0	24123.223	458.0645161	11049.92798	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:04	1	1	1	1	85	61	0	24218.009	453.7634409	10988.77504	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:54:05	1	1	1	1	85	61	0	24218.009	453.7634409	10780.85505	30000	0	0	30000	40.75	2004
03.03.2020 17:54:06	1	1	1	1	85	60.75	0	24691.943	445.1612903	11012.42084	30000	0	0	30000	40.9375	2004
03.03.2020 17:54:07	1	1	1	1	85	60.75	0	24407.583	460.2150538	11179.5722	30000	0	0	30000	40.9375	2004
03.03.2020 17:54:09	1	1	1	1	85	60.75	0	23744.076	460.2150538	10926.80673	30000	0	0	30000	41.125	2004
03.03.2020 17:54:10	1	1	1	1	85.75	61	0	23838.863	449.4623656	10816.73144	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:11	1	1	1	1	85.75	61	0	24549.763	449.4623656	10928.43747	30000	0	0	30000	40.6875	2004
03.03.2020 17:54:12	1	1	1	1	85.75	60.5	0	24218.009	455.9139785	11040.95888	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:13	1	1	1	1	85.75	61	0	23838.863	449.4623656	10713.99451	30000	0	0	30000	41.25	2004
03.03.2020 17:54:14	1	1	1	1	85.75	61.25	0	23981.043	445.1612903	10674.85663	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:15	1	1	1	1	85.75	61	0	24407.583	455.9139785	11179.5722	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:16	1	1	1	1	85.75	61	0	24218.009	458.0645161	11093.14272	30000	0	0	30000	41.125	2004
03.03.2020 17:54:17	1	1	1	1	85.75	61	0	24123.223	445.1612903	10894.19183	30000	0	0	30000	40.625	2004
03.03.2020 17:54:18	1	1	1	1	85.75	60.5	0	24218.009	453.7634409	10988.77504	30000	0	0	30000	41.125	2004
03.03.2020 17:54:19	1	1	1	1	85.75	61	0	23933.649	453.7634409	10859.94619	30000	0	0	30000	41.125	2004
03.03.2020 17:54:20	1	1	1	1	86	61	0	23933.649	458.0645161	10962.68312	30000	0	0	30000	41.125	2004
03.03.2020 17:54:21	1	1	1	1	86	61	0	24407.583	460.2150538	11179.5722	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:22	1	1	1	1	86	61	0	24218.009	451.6129032	10988.77504	30000	0	0	30000	40.375	2004
03.03.2020 17:54:23	1	1	1	1	86	60.25	0	24407.583	455.9139785	11127.38836	30000	0	0	30000	41	2004
03.03.2020 17:54:24	1	1	1	1	86	61	0	23886.256	455.9139785	11117.60389	30000	0	0	30000	41.5	2004
03.03.2020 17:54:25	1	1	1	1	86	61.5	0	24123.223	455.9139785	10945.5603	30000	0	0	30000	40.875	2004
03.03.2020 17:54:26	1	1	1	1	86	60.75	0	24218.009	458.0645161	11145.32656	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:27	1	1	1	1	86	60.75	0	24644.55	445.1612903	10991.22116	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:28	1	1	1	1	86	61	0	24407.583	460.2150538	11179.5722	30000	0	0	30000	41.125	2004
03.03.2020 17:54:29	1	1	1	1	87.5	61	0	24170.616	453.7634409	11071.12766	30000	0	0	30000	40.4375	2004
03.03.2020 17:54:30	1	1	1	1	87.5	60.25	0	24502.37	445.1612903	10907.23779	30000	0	0	30000	41	2004
03.03.2020 17:54:31	1	1	1	1	87.5	61	0	0	0	0	30000	0	8	30000	41.0625	2004
03.03.2020 17:54:32	1	1	1	1	87.5	61	0	0	0	0	30000	0	8	30000	41.3125	2004
03.03.2020 17:54:33	1	1	1	1	87.5	61.25	0	10616.114	0	0	30000	0	0	30000	41	2004
03.03.2020 17:54:34	1	1	1	1	87.5	61	0	11421.801	0	0	30000	0	0	30000	41.125	2004
03.03.2020 17:54:35	1	1	1	1	87.5	61	0	12180.095	2.150537634	25.27654717	30000	0	0	30000	41.125	2004
03.03.2020 17:54:36	1	1	1	1	87.5	61	0	12843.602	12.90322581	194.0586525	30000	0	0	30000	41.125	2004
03.03.2020 17:54:37	1	1	1	1	87.5	61	0	13696.682	21.50537634	295.1648411	30000	0	0	30000	41	2004
03.03.2020 17:54:38	1	1	1	1	87.5	61	0	14454.976	34.40860215	465.5776914	30000	0	0	30000	40.9375	2004
03.03.2020 17:54:39	1	1	1	1	86.75	60.75	0	15213.27	58.06451613	883.0484059	30000	0	0	30000	41	2004
03.03.2020 17:54:40	1	1	1	1	86.75	61	0	15876.777	70.96774194	1139.89074	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:41	1	1	1	1	86.75	61	0	16729.858	90.32258065	1475.008833	30000	0	0	30000	41.125	2004
03.03.2020 17:54:42	1	1	1	1	86.75	61	0	17535.545	109.6774194	1922.64833	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:43	1	1	1	1	86.75	61	0	17867.299	129.0322581	2261.027913	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:44	1	1	1	1	86.75	61	0	18341.232	144.0860215	2642.622238	30000	0	0	30000	41.125	2004
03.03.2020 17:54:45	1	1	1	1	86.75	61	0	18246.445	159.1397849	2864.403555	30000	0	0	30000	40.3125	2004
03.03.2020 17:54:47	1	1	1	1	86.75	60.25	0	19383.886	169.8924731	3376.457478	30000	0	0	30000	41.0625	2004
03.03.2020 17:54:48	1	1	1	1	86.75	61	0	19668.246	189.2473118	3722.175414	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:49	1	1	1	1	86.75	61	0	20000	195.6989247	4138.830756	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:54:50	1	1	1	1	86.5	60.75	0	19857.82	206.4516129	4099.692876	30000	0	0	30000	41.1875	2004
03.03.2020 17:54:51	1	1	1	1	86.5	61	0	20473.934	219.3548387	4491.071671	30000	0	0	30000	41.3125	2004
03.03.2020 17:54:57	1	1	1	1	86.5	60.75	0	21232.227	249.4623656	5342.32055	30000	0	0	30000	41	2004
03.03.2020 17:54:57	1	1	1	1	86.5	60.75	0	21232.227	249.4623656	5342.32055	30000	0	0	30000	41	2004
03.03.2020 17:54:57	1	1	1	1	86.5	60.75	0	21232.227	249.4623656	5342.32055	30000	0	0	30000	41	2004
03.03.2020 17:54:57	1	1	1	1	86.5	60.75	0	21232.227	249.4623656	5342.32055	30000	0	0	30000	41	2004
03.03.2020 17:54:57	1	1	1	1	86.5	60.75	0	21232.227	249.4623656	5342.32055	30000	0	0	30000	41	2004
03.03.2020 17:54:57	1	1	1	1	86.5	61	0	21232.227	258.0645161	5479.303128	30000	0	0	30000	41.125	2004
03.03.2020 17:54:58	1	1	1	1	86.5	61	0	21232.227	268.8172043	5707.607425	30000	0	0	30000	40.75	2004
03.03.2020 17:54:59	1	1	1	1	86.5	60.75	0	21232.227	258.0645161	5479.303128	30000	0	0	30000	40.9375	2004
03.03.2020 17:55:00	1	1	1	1	85.25	60.75	0	21232.227	253.7634409	5479.303128	30000	0	0	30000	41.0625	2004
03.03.2020 17:55:01	1	1	1	1	85.25	61	0	21232.227	268.8172043	5753.268285	30000	0	0	30000	39.25	2004
03.03.2020 17:55:02	1	1	1	1	85.25	59.25	0	21184.834	253.7634409	5330.089963	30000	0	0	30000	41.25	2004
03.03.2020 17:55:03	1	1	1	1	85.25	61.25	0	21232.227	264.516129	5616.285707	30000	0	0	30000	41.125	2004
03.03.2020 17:55:04	1	1	1	1	85.25	61	0	21232.227	262.3655914	5570.624847	30000	0	0	30000	41.125	2004
03.03.2020 17:55:05	1	1	1	1	85.25	61.25	0	21232.227	266.6666667	5616.285707	30000	0	0	30000	41.125	2004
03.03.2020 17:55:06	1	1	1	1	85.25	61	0	21184.834	270.9677419	5798.929144	30000	0	0	30000	39.9375	2004
03.03.2020 17:55:07	1	1	1	1	85.25	59.75	0	21232.227	258.0645161	5479.303128	30000	0	0	30000	40.4375	2004
03.03.2020 17:55:08	1	1	1	1	85.25	60.25	0	21753.555	292.4731183	6362.351534	30000	0	0	30000	41.0625	2004
03.03.2020 17:55:09	1	1	1	1	85	61	0	21943.128	305.3763441	6748.022722	30000	0	0	30000	41	2004
03.03.2020 17:55:10	1	1	1	1	85	61	0	22369.668	326.8817204	7264.153507	30000	0	0	30000	41.1875	2004
03.03.2020 17:55:11	1	1	1	1	85	61	0	22132.701	337.6344086	7424.781888	30000	0	0	30000	41.0625	2004
03.03.2020 17:55:12	1	1	1	1	85	61	0	22369.668	352.688172	7937.651184	30000	0	0	30000	41.0625	2004
03.03.2020 17:55:13	1	1	1	1	85	61	0	23222.749	369.8924731	8539.396081	30000	0	0	30000	41.125	2004
03.03.2020 17:55:14	1	1	1	1	85	61	0	23317.536	387.0967742	9044.111652	30000	0	0	30000	40.5	2004
03.03.2020 17:55:15	1	1	1	1	85	60.5	0	23364.929	400	9295.246378	30000	0	0	30000	40.75	2004
03.03.2020 17:55:16	1	1	1	1	85	60.75	0	23696.682	415.0537634	9815.454027	30000	0	0	30000	40.9375	2004
03.03.2020 17:55:17	1	1	1	1	85	60.75	0	24218.009	427.9569892	10364.19971	30000	0	0	30000	41.0625	2004
03.03.2020 17:55:18	1	1	1	1	85	61	0	24028.436	453.7634409	10903.16093	30000	0	0	30000	40.6875	2004
03.03.2020 17:55:19	1	1	1	1	85.25	60.5	0	24407.583	449.4623656	10970.02147	30000	0	0	30000	40.9375	2004
03.03.2020 17:55:20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
03.03.2020 17:55:34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03.03.2020 17:55:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0