

Department of Environmental Conservation

DIVISION OF SPILL PREVENTION & RESPONSE

Contaminated Sites Program

410 Willoughby Ave Suite 303 PO Box 11180 Juneau, Alaska 99811-1800 Main: 907-465-5210 Fax: 907-465-5218

File No: 660.38.002

December 2, 2013

Certified Mail Return Receipt Requested Article No. 7012 2210 0002 1531 8771

Gambell IRA Council P.O. Box 99 Gambell, AK 99742

Re: Institutional Controls verification for Gambell Village Tank Farm Pipeline

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified Gambell Village Tank Farm Pipeline as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, this letter is being sent as a reminder of the conditions placed on the property as part of the 2006 No Further Remedial Action granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination is from an old pipeline that was replaced in 1992.

The 2006 determination is subject to the following site-specific conditions and/or controls:

- 1. In accordance with 18 AAC 75.325(i), ADEC approval must be obtained prior to removal and/or disposal of soil or groundwater from this site to an offsite location.
- 2. ADEC shall be notified prior to installation of groundwater wells at this site.

In addition to the two conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available at ADEC's online database record at: http://dec.alaska.gov/Applications/SPAR/CCReports/Site Report.aspx?Hazard ID=1959

If you have any questions regarding this site, please contact me at (907) 465-5229 or evonne.reese@alaska.gov and I will be glad to assist you.

Sincerely,

Evonne Reese

Environmental Program Specialist

Institutional Control Unit