



THE STATE
of **ALASKA**
GOVERNOR SEAN PARNELL

Department of Environmental
Conservation

DIVISION OF SPILL PREVENTION & RESPONSE
Contaminated Sites Program

410 Willoughby Ave Suite 303
PO Box 11180
Juneau, Alaska 99811-1800
Main: 907-465-5210
Fax: 907-465-5218

File No: 2100.38.023

December 4, 2013

Certified Mail Return Receipt Requested
Article No. 7012 2210 0002 1531 8870

Steve Agni
Development Managers, Inc.
11001 O'Malley Centre Dr.
Anchorage, AK 99515

Re: Institutional Controls verification for Development Managers Inc. HOT

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified Development Managers Inc. HOT as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, this letter is being sent as a reminder of the conditions placed on the property as part of the 2007 Record of Decision granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination is from a corroded 2,000-gallon heating oil underground storage tank that was removed in 1991.

The 2007 determination is subject to the following site-specific conditions and/or controls:

1. Any proposal to transport soil off site requires ADEC approval in accordance with 18 AAC 78.274(b)
2. Drinking water wells may not be installed on site.

In addition to the two conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

December 4, 2013

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available at ADEC's online database record at:
http://dec.alaska.gov/Applications/SPAR/CCReports/Site_Report.aspx?Hazard_ID=1188

If you have any questions regarding this site, please contact me at (907) 465-5229 or evonne.reese@alaska.gov and I will be glad to assist you.

Sincerely,



for Evonne Reese
Environmental Program Specialist
Institutional Control Unit