

Department of Environmental Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE Contaminated Sites Program

410 Willoughby Ave., Suite 303 P.O. Box 111800 Juneau, Alaska 99811-1800 Main: 907.465.5390 Fax: 907.465.5218 www.dec.alaska.gov

File: 2601.26.006

Certified Mail, Return Receipt Requested Article No. 7014 0150 0000 1161 6746

August 18, 2015

AT&T Alascom, Inc. Corporate Environmental Office 308 S Akard Street, Floor 17 Dallas, TX 75202

Re: Institutional Controls verification for AT&T Alascom Kodiak Earth Station 1

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified AT&T Alascom Kodiak Earth Station 1 as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, this letter is being sent as a <u>reminder</u> of the conditions placed on the property as part of the 1996 No Further Action letter granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property.

The 1996 determination is subject to the following site-specific conditions and/or controls:

- 1. Contaminated soil exceeding ADEC cleanup levels remains under the building. This soil will require additional assessment and/or cleanup when it becomes accessible.
- 2. Any proposal to transport soil or groundwater off-site requires ADEC approval in accordance with 18 AAC 75.325. A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership.
- 3. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited.

In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available at ADEC's online database record at: http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/23266

If you have any questions regarding this site, please contact me at (907) 465-5229 or evonne.reese@alaska.gov and I will be glad to assist you.

Sincerely,

Evonne Reese

Environmental Program Specialist

Institutional Control Unit