



THE STATE
of ALASKA
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental
Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program
P.O. Box 111800
Juneau, Alaska 99811-1800
Main: 907.465.5250
Fax: 907.465.5245
www.dec.alaska

February 26, 2019

File: 1513.38.074

Sent via electronic mail only

Holy Trinity Episcopal Church
Attn: Alison Talley
415 Fourth Street
Juneau, AK 99801

Re: Institutional Controls (ICs) Verification for: **Holy Trinity Episcopal Church**; 325 Gold Street, Juneau

Dear Alison:

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified Holy Trinity Episcopal Church as a site with institutional controls.

As the landowner representative for this property we understand that you are aware of the ongoing maintenance needs for the oil-water separator catch basin. We appreciate your providing us a copy of the CBJ June 25, 2018 letter confirming maintenance of the oil-water separator. This information will be updated in the contaminated site records and will show that the 2018 inspection requirements have been fulfilled.

We understand that the CBJ Public Works Department performs annual maintenance of the oil-water separator on the church property.

This site information is a matter of public record and is available through ADEC's online database record at: <http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/4455>

The ADEC will issue a reminder letter such as this on a scheduled basis, annually. If you have any questions regarding this site, please contact me at (907) 465-5229 or evonne.reese@alaska.gov and I will be glad to assist you.

Sincerely,

A handwritten signature in blue ink that reads "Evonne Reese".

Evonne Reese
Environmental Program Specialist
Institutional Controls Unit

Encl: 2014 amended Conditional Closure

Note: This letter is being transmitted to you in electronic format only. If you require a paper copy, let us know and we will be happy to provide one to you. In the interest of reducing file space, the Division of SPAR/Contaminated Sites Program has transitioned to electronic transmission of project correspondence.

You may submit any needed documentation electronically. If your submittal is too large to email (i.e. exceeds 20 megabytes), you may submit it to me through the Alaska ZendTo "drop-off" option at <https://drop.state.ak.us/drop/>. The Division of SPAR/Contaminated Sites Program prefers and encourages electronic submittals.

From: [Microsoft Outlook](#)
To: [Holy Trinity](#)
Subject: Relayed: Institutional Controls for Holy Trinity Episcopal Church site
Date: Tuesday, February 26, 2019 2:02:54 PM
Attachments: [Institutional Controls for Holy Trinity Episcopal Church site.msg](#)

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:
Holy Trinity (HolyTrinity1895@gmail.com) <mailto:HolyTrinity1895@gmail.com>
Subject: Institutional Controls for Holy Trinity Episcopal Church site