



THE STATE  
of **ALASKA**  
GOVERNOR MICHAEL J. DUNLEAVY

**Department of Environmental  
Conservation**

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated Sites Program  
P.O. Box 111800  
Juneau, Alaska 99811-1800  
Main: 907.465.5250  
Fax: 907.465.5245  
[www.dec.alaska](http://www.dec.alaska)

June 11, 2019

File: 2332.26.003

*Sent via electronic mail only*

Alaska Railroad Corporation  
Attn: Russell Grandel  
PO Box 107500  
1201 East Whitney Road  
Anchorage, AK 99501-7500

Re: Institutional Controls (ICs) Verification for: **ARRC Seward Rail Yard Tanks 3 & 4 site;**  
GPS Coordinates: 60.120121, -149.428016

Dear Mr. Grandel:

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified ARRC Seward Rail Yard Tanks 3 & 4 as a site with institutional controls.

Alaska Railroad Corporation should be aware that there are ongoing obligations for this site.

In order to prevent people from being exposed to any remaining contamination on the property, this letter is being sent as a reminder of the conditions placed on the property as part of the 2009 Record of Decision granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination is from petroleum impacted soils encountered during the excavation of a 500-gallon gasoline tank (Tank 3) and a 1,000-gallon diesel tank (Tank 4) in 1992.

The 2009 determination is subject to the following site-specific conditions and/or controls:

1. Any future change in land use may impact the exposure assumptions cited in the Record of Decision document. If land use and/or ownership changes, current institutional controls may not be protective and ADEC may require additional remediation and/or institutional controls. Therefore, ARRC will report to ADEC every five years to document land use, or as soon as ARRC becomes aware of any change in land ownership and/or use. The report can be sent to the local ADEC office or electronically at [DEC.ICUnit@alaska.gov](mailto:DEC.ICUnit@alaska.gov).
2. Any proposal to transport soil or groundwater off site requires ADEC approval in accordance with 18 AAC 75.325(i). A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership.

June 11, 2019

3. Movement or use of potentially contaminated soil in a manner that results in a violation of 18 AAC 70 water quality standards is unlawful.
4. The soil contamination located near the railroad tracks at the Tank 3/Tank 4 location is currently inaccessible. When the soil becomes accessible, the soil must be evaluated and contamination addressed in accordance with an ADEC approved work plan.
5. The ADEC recommends that the 2-tier PVC gallery at the Tank 3/Tank 4 excavation be decommissioned.
6. Groundwater wells may not be installed on site without ADEC approval.

**In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership.** Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2) / 18 AAC 78.276 (f), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75 / 18 AAC 78.

This site information is a matter of public record and is available through ADEC's online database record at: <http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/XXX22982>

The ADEC will issue a reminder letter such as this on a scheduled basis, every five years. If you have any questions regarding this site, please contact me at (907) 465-5390 or [mossy.mead@alaska.gov](mailto:mossy.mead@alaska.gov) and I will be glad to assist you.

Sincerely,



Mossy Mead  
Environmental Program Technician – IC Unit

Encl: 2009 Record of Decision

**Note: This letter is being transmitted to you in electronic format only. If you require a paper copy, let us know and we will be happy to provide one to you. In the interest of reducing file space, the Division of SPAR/Contaminated Sites Program has transitioned to electronic transmission of project correspondence.**

*You may submit any needed documentation electronically. If your submittal is too large to email (i.e. exceeds 20 megabytes), you may submit it to me through the Alaska ZendTo "drop-off" option at <https://drop.state.ak.us/drop/>. The Division of SPAR/Contaminated Sites Program prefers and encourages electronic submittals.*

**From:** [Microsoft Outlook](#)  
**To:** [Russell Grandel](#)  
**Subject:** Relayed: Institutional Controls reminder letter for ARRC Seward Rail Yard Tanks 3 & 4 site  
**Date:** Tuesday, June 11, 2019 3:36:09 PM  
**Attachments:** [Institutional Controls reminder letter for ARRC Seward Rail Yard Tanks 3 4 site.msg](#)

---

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:  
Russell Grandel (GrandelR@akrr.com) <mailto:GrandelR@akrr.com>  
Subject: Institutional Controls reminder letter for ARRC Seward Rail Yard Tanks 3 & 4 site