



THE STATE  
of **ALASKA**  
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental  
Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated sites Program  
Kenai Area Office

43335 Kalifornsky Beach Road, Suite 11  
Soldotna, Alaska 99669  
Main: 907.262.5210  
Fax: 907.262.2294

ADEC File Numbers: 2320.38.029  
2320.38.031  
2320.38.032  
2320.38.033

July 2, 2019

*Issued electronically via e-mail*

Kelley Nixon  
Hilcorp Alaska, LLC.  
3800 Centerpoint Drive, Suite 1400  
Anchorage AK 99503

Re: Kenai Gas Fields Pads 14-6, 34-31, 41-7, and 41-18  
2019 Kenai Groundwater Monitoring Program Work Plan  
ADEC Conditional Work Plan Approval

Dear Ms. Nixon:

On June 17, 2019, the Kenai Area Office of the Alaska Department of Environmental Conservation, Contaminated Sites Program (ADEC), received the 2019 Groundwater Monitoring Program Work Plan for four (4) Kenai Gas Field Pad sites, via electronic transmission. This workplan was prepared by Brice Environmental, on behalf of Hilcorp Alaska, LLC.

On June 21, 2019, ADEC transmitted review comments via e-mail to Ms. Kimi Loyd, with Brice Environmental. Ms. Loyd responded to ADEC's review comments via e-mail on June 24, 2019 (ADEC comments and Brice Environmental response attached - MS Word document).

The 2019 Groundwater Monitoring Program Work Plan for the four Kenai Gas Field pad sites, as amended by the supplemental information provided in Brice Environmental's June 24<sup>th</sup> e-mail response (attached), are hereby approved.

If there are questions or concerns about this ADEC work plan approval decision, or any other aspect of these projects, please contact me at (907) 262-3422, or by e-mail at [paul.horwath@alaska.gov](mailto:paul.horwath@alaska.gov)

Sincerely,



Paul Horwath, P.E.  
Project Manager  
ADEC Contaminated Sites Program

Attachment: ADEC June 21<sup>st</sup> Review Comments - Brice Environmental June 24<sup>th</sup> Response

*Electronic Copies:*

Kimi Lloyd, Brice Environmental  
Peter Campbell, ADEC CSP, Soldotna