



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 10 1200 Sixth Avenue Seattle, Washington 98101

April 12, 1994

Reply to Attn of: HW-114

Lt. Colonel Rodney L. Hunt U.S. Air Force 11th CEOS Elmendorf AFB, Alaska 99506-4420

Dear Lt. Colonel Hunt:

This letter is to inform you that EPA Region 10 has completed the review of the Preliminary Assessment (PA) report for the Port Heiden White Alice Communication site located near Port Heiden, Alaska. The PA and supplemental information have been evaluated in accordance with 40 CFR Part 300 Appendix A, which is EPA's Hazard Ranking System (HRS) used to evaluate federal facilities for inclusion on the National Priorities List (NPL).

From our evaluation, EPA has determined that the facility does not score high enough to be proposed for inclusion on the NPL. Therefore, a recommendation of no further remedial action planned (NFRAP) on the EPA's part will be included in our Federal Agency Hazardous Waste Compliance Docket tracking system. If new or additional information becomes available that suggests the facility may score high enough to be proposed for the NPL, EPA must reevaluate your facility accordingly.

EPA'S NFRAP designation does not relieve your facility from complying with appropriate Alaska state regulations. The Superfund Amendments and Reauthorization Act (SARA) of 1986, Section 120(a) (4) requires federal facilities to comply with state cleanup requirements and standards when not listed on the NPL.

This facility will not be removed from the Federal Agency Hazardous Waste Compliance Docket, but as noted earlier, will be listed for no further action by EPA. If you have any questions regarding EPA's evaluation of this site, please contact me, at (206)553-1808.

Sincerely, Mark alen Mark Ader

File:

1

S.H. 17A.364

63

3

Federal Facilities Site Assessment Manager

CC: Marcia Combes, EPA, AOO/A Dawn Teller, HW-070 Monica Rolluda, HW-114 Mary Siroky, ADEC



rempired +12.17; (1)

