

November 8, 2006

Mr. Bill Janes
Alaska Department of Environmental Conservation
410 Willoughby Avenue, Suite 105
Juneau, Alaska 99801-1780

Re: **First Semi-Annual 2006 Groundwater Monitoring Report**
Delta Western/Former Chevron Bulk Terminal #100-1467
1417 Peninsula Street
Wrangell, Alaska
ADEC No. 1994130128401
Cambria Project No. 31J-2235

Dear Mr. Janes:



Cambria Environmental Technology (Cambria) is submitting this *First Semi-Annual 2006 Groundwater Monitoring Report* to the Alaska Department of Environmental Conservation (ADEC) on behalf of Chevron Environmental Management Company (Chevron). Cambria prepared this report summarizing the groundwater monitoring and sampling activities during June 2006 at Delta Western/Former Chevron Bulk Terminal #100-1467 in Wrangell, Alaska.

SITE BACKGROUND

Site Description: This site is an operating Delta Western Terminal located at 1417 Peninsula Street in Wrangell, Alaska (Figure 1). The site was developed as a fuel storage facility by Chevron in the late 1930's and is currently operated by Delta Western. Site facilities have not significantly changed since the original construction. The facilities include eight above-ground storage tanks (ASTs) that contain aviation gasoline, jet fuel, unleaded gasoline, supreme gasoline, diesel, and pre-mix gasoline. There is one underground storage tank (UST), which holds heating fuel for the site's shower house. Other site facilities include a fuel loading rack, pump house, a marine fueling dock servicing the Wrangell Harbor, several covered and uncovered drum storage areas, an office, and warehouse buildings (Figure 2).

FIRST SEMI-ANNUAL 2006 ACTIVITIES

Field Activities: Cambria personnel conducted monitoring and sampling activities on monitoring wells MW-1, MW-2, and MW-4 through MW-9 and collected groundwater samples from monitoring wells MW-2, MW-4, MW-5, MW-6, and groundwater seeps SEEP-1 and SEEP-2 on June 29, 2006. Each well was opened and the well cap removed to allow groundwater levels to stabilize. All monitoring wells sampled were purged at a flow rate of approximately 0.1 to 0.5 Liters per minute (L/min) until groundwater parameters (temperature, pH, specific conductance,

**Cambria
Environmental
Technology, Inc.**

2828 N. Speer Blvd.
Suite 140
Denver, CO 80211
Tel (303) 433-3650
Fax (303) 433-3974

oxidation reduction potential (redox), dissolved oxygen, and turbidity) stabilized to within 10% for three consecutive readings. Groundwater samples, including a duplicate sample, were collected into clean containers supplied by the analytical laboratory directly from the output. The samples were submitted under chain-of-custody to Test America Analytical Testing Corporation, Seattle. The groundwater analytical results are summarized in Tables 1, 2, 3, and 4. A copy of the laboratory analytical report is presented as Attachment A. Cambria's well sampling forms are presented as Attachment B. Cambria's standard procedures for low flow groundwater monitoring and sampling is presented as Attachment C. Historical groundwater analytical results are presented as Attachment D. The ADEC Laboratory checklist and QA Summary is presented as Attachment E.

Groundwater Analytical Methods: Groundwater samples from select wells were analyzed for one or more of the following analyses:



- Gasoline Range Organics (GRO) by Alaska Method 101,
- Benzene, Toluene, Ethyl-benzene, and Xylenes, (BTEX) by Environmental Protection Agency (EPA) Method 8021B,
- Diesel Range Organics (DRO) by Alaska Method 102,
- Residual Range Organics (RRO) by Alaska Method 103,
- Volatile Organic Compounds (VOCs) by EPA Method 8260 and
- Semi-volatile Organic Compounds (SVOCs) by EPA Method 8270.

Hydrogeology: The site is located on Wrangell Island in southeastern Alaska, along the shore of the Zimovia Strait. Historical static groundwater levels have ranged between approximately 3.14 and 5.83 feet (ft) below ground surface (bgs) according to groundwater data from 2001 to present. Static groundwater levels ranged from approximately 0.65 (MW-4) to 7.05 ft bgs (MW-8) on June 29, 2006 with a groundwater flow direction to the southwest with a gradient of approximately 0.065 ft/ft (Figure 2).

Groundwater Sampling Results: No RRO or SVOCs were detected above laboratory detection limits in any analyzed groundwater sample. All detected GRO, DRO, and BTEX concentrations in groundwater were below ADEC Table C groundwater cleanup levels. The maximum calculated total aromatic hydrocarbon (TAH) and total aqueous hydrocarbon (TAqH) concentrations were 27.37 µg/L in MW-6. The analytical result for MW-6 and MW-6-DUP exceeded recommended relative percent differences (RPD) but is suspected to be restricted to the collection of the duplicate and should not affect the overall usability of the samples. Groundwater analytical data is listed in Tables 1, 2, 3, and 4.

2006 PLANNED ACTIVITIES

Cambria will continue semi-annual monitoring and sampling during 2006 and evaluate site groundwater conditions.

CLOSING

We appreciate the opportunity to work with Chevron and the ADEC on this project. Please call John Riggi at (303) 433-3923 if you have any questions.

Sincerely,
Cambria Environmental Technology, Inc.



Nicholas M. Greco
Staff Geologist



John Riggi, P.G.
Senior Project Geologist
Alaska Qualified Person

Figures: 1 – Vicinity Map
 2 – Groundwater Elevation Contour Map

Table: 1 – Groundwater Analytical Results
 2 – Groundwater Analytical Results (PAHs)
 3 – Groundwater Analytical Results (VOCs)
 3 – Groundwater Analytical Results (SVOCs)

Attachments: A – Test America Analytical Report
 B – Well Sampling Forms
 C – Standard Procedures for Low Flow Groundwater Monitoring and Sampling
 D – Historical Groundwater Analytical Results
 E – ADEC Laboratory Checklist and QA Summary

cc: Stacie Hartung-Frerichs, Chevron Environmental Management Company,
 6001 Bollinger Canyon Road, Room K2200, San Ramon, California 94583-2324


Ms. Bev Niemann, Delta Western
2700 West Commodore Way, Seattle, Washington 98199

Cambria Environmental Technology, Inc.

R:\Denver Office\Alaska MT-Diamond Projects\Alaska Diamond Projects\100-1467 Wrangell, AK\Groundwater Monitoring\2006\1st Semi-annual GW Monitoring Report\100-1467 ISA06 MR - Final.doc

Cambria Environmental Technology, Inc. (Cambria) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to Cambria from outside sources and/or in the public domain, and partially on information supplied by Cambria and its subcontractors. Cambria makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by Cambria. This document represents the best professional judgment of Cambria. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.





R:\DENVER OFFICE\AK MT-DIAMOND PROJECTS\AK DIAMOND PROJECTS\100-1467 WRANGELL_AK\FIGURES\100-1467_VVICINITY-MAP.AI

FIGURE 1

Delta Western / Former Chevron Bulk Terminal 100-1467



Vicinity Map

1417 Peninsula Drive
Wrangell, Alaska

C A M B R I A

ZIMOVIA STRAIT

EXPLANATION

- MW-1 ● Monitoring well location
- ⊘ Destroyed well location
- 0.065 Groundwater flow direction and gradient
- XX.XX Groundwater elevation contour, in feet above mean sea level (msl), dashed where inferred
- Well ID Well designation
- ELEV Groundwater elevation (msl)

Residential Housing

Residential Housing

Fuel Pipelines

Wrangell Oil Fuel Dock

WRANGELL HARBOR

Fuel Pipelines

Delta Western Fisherman's Dock



Delta Western Fuel Dock

PENINSULA STREET

Boat Dock

Boat Repair House and Dock

Approximate Shoreline



Scale (ft)

Basemap modified from drawing provided by SECOR

Approximate Shoreline

R:\DENVER OFFICE\AK INT- DIAMOND PROJECTS\AK DIAMOND PROJECTS\100-1467 WRANGELL_AK\FIGURES\100-1467_2006-GW.DWG

Groundwater Elevation Contour Map

June 29, 2006



Delta Western / Former Chevron Bulk Terminal 100-1467

1417 Peninsula Drive
Wrangell, Alaska

FIGURE
2

CAMBRIA

Table 1. Groundwater Analytical Results - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska

Well	Date	TOC	DTW	GWE	GRO	DRO	RRO	Benzene	Toluene	Ethyl- benzene	Total Xylenes	TAH	TAqH
									(µg/L)				
MW-1	9/30/05	38.51	3.61	34.90	<50.0	<394	--	<0.200	<0.500	<0.500	<1.50	0	--
MW-1	6/29/06	38.51	3.87	34.64	--	--	--	--	--	--	--	--	--
MW-2	9/30/05	← UNABLE TO LOCATE →											
MW-2	6/29/06	33.36	1.67	31.69	<50.0	608	708	0.954	<0.500	<0.500	<1.00	0.954	--
MW-3	← WELL DESTROYED 8/10/04 →												
MW-4	9/30/05	28.80	1.33	27.47	<50.0	1,110	--	0.657	<0.500	<0.500	<1.50	0.66	2.02
MW-4	6/29/06	28.80	0.65	28.15	--	742	--	--	--	--	--	--	--
MW-5	9/30/05	26.47	5.31	21.16	<50.0	<391	--	<0.200	<0.500	<0.500	<1.50	ND	0.102
MW-5	6/29/06	26.47	5.32	21.15	--	--	--	<0.200	<0.500	<0.500	<1.00	ND	--
MW-6	9/30/05	37.10	3.66	33.44	241	521	<400	<0.500	82.9	0.660	2.93	86.49	86.49
MW-6-DUP	9/30/05	37.10	3.66	33.44	241	577	<400	<0.500	82.9	0.630	2.81	86.34	86.34
MW-6	6/29/06	37.10	3.69	33.41	98.1	255	<750	<0.200	23.5	0.673	3.20	27.37	27.37
MW-6-DUP	6/29/06	37.10	3.69	33.41	739	284	<750	<0.200	232	1.58	2.89	236.47	236.47
MW-7	9/30/05	35.90	4.20	31.70	--	--	--	--	--	--	--	--	--
MW-7	6/29/06	35.90	3.39	32.51	--	--	--	--	--	--	--	--	--
MW-8	9/30/05	43.16	4.27	38.89	--	--	--	--	--	--	--	--	--
MW-8	6/29/06	43.16	7.05	36.11	--	--	--	--	--	--	--	--	--
MW-9	9/30/05	39.46	2.91	36.55	--	--	--	--	--	--	--	--	--
MW-9	6/29/06	39.46	3.05	36.41	--	--	--	--	--	--	--	--	--
ADEC Cleanup Levels**					1300	1500	1100	5	1000	700	10000		
ADEC Water Quality Standards***												10	15

CAMBRIA

Table 1. Groundwater Analytical Results - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska

Well	Date	TOC	DTW	GWE	GRO	DRO	RRO	← (µg/L) →				TAH	TAqH
								Benzene	Toluene	Ethyl-benzene	Total Xylenes		
SEEP-1	9/30/05	--	--	--	<50.0	<397	--	<0.500	<0.500	<0.500	<1.50	ND	--
SEEP-1	6/29/06	--	--	--	--	--	--	<0.200	<0.500	<0.500	<1.00	ND	ND
SEEP-2	9/30/05	--	--	--	<50.0	<397	--	<0.500	<0.500	<0.500	<1.50	ND	--
SEEP-2	6/29/06	--	--	--	--	--	--	<0.200	<0.500	<0.500	<1.00	ND	ND
ADEC Cleanup Levels**					1300	1500	1100	5	1000	700	10000		
ADEC Water Quality Standards***											10	15	

Notes and Abbreviations:

TOC = Top of Casing

DTW = Depth to Water

GWE = Groundwater Elevation

µg/L = Micrograms per Liter

<x = Not detected above x micrograms per liter

ND = Not Detected

GRO = Gasoline Range Organics by method AK 101

DRO = Diesel Range Organics by method AK 102

RRO = Residual Range Organics by AK 103

TAH = Total Aromatic Hydrocarbons (total concentrations of benzene, toluene, ethyl-benzene, and total xylenes) by EPA Method 8021B

TAqH = Total Aqueous Hydrocarbons (total concentrations of TAH and total PAHs from Table 2) by EPA Method 8270C

-- = Not Measured/Not Analyzed

** = Levels established in ADEC Groundwater Cleanup Levels, Table C (ADEC, 18 AAC 75.345)

*** = Levels established in ADEC 18 AAC 70 Water Quality Standards as amended September 1, 2006.

CAMBRIA

Table 2. Groundwater Analytical Results (PAHs) - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska

Well ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6-DUP	MW-7	MW-8	MW-9	SEEP-1	SEEP-2
Date	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06
	← (µg/L) →											
Acenaphthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Acenaphthylene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (a) anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (a) pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (b) fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (k) fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (ghi) perylene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Chrysene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Dibenz (a,h) anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Fluorene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Indeno (1,2,3-cd) pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1-Methylnaphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Naphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Phenanthrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43

Notes and Abbreviations:

PAHs = Polynuclear Aromatic Hydrocarbons

µg/L = micrograms per liter

<x = Not detected above x micrograms per liter

-- = Not Measured/Not Analyzed

** = Levels established in Groundwater Cleanup Levels Table C (ADEC, 18 AAC 75.345)

PAHs analyzed by EPA Method 8270C

CAMBRIA

Table 3. Groundwater Analytical Results (VOCs) - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska

Well ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6-DUP	MW-7	MW-8	MW-9	SEEP-1	SEEP-2
Date	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06
(µg/L)												
Acetone	--	--	--	--	--	ND	ND	--	--	--	--	--
Benzene	--	--	--	--	--	ND	0.350	--	--	--	--	--
Bromobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Bromochloromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
Bromodichloromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
Bromoform	--	--	--	--	--	ND	ND	--	--	--	--	--
Bromomethane	--	--	--	--	--	ND	ND	--	--	--	--	--
2-Butanone	--	--	--	--	--	ND	ND	--	--	--	--	--
n-Butylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
sec-Butylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
tert-Butylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Carbon disulfide	--	--	--	--	--	ND	ND	--	--	--	--	--
Carbon tetrachloride	--	--	--	--	--	ND	ND	--	--	--	--	--
Chlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Chloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1-Chlorohexane	--	--	--	--	--	ND	ND	--	--	--	--	--
Chloroform	--	--	--	--	--	ND	ND	--	--	--	--	--
Chloromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
2-Chlorotoluene	--	--	--	--	--	ND	ND	--	--	--	--	--
4-Chlorotoluene	--	--	--	--	--	ND	ND	--	--	--	--	--
Dibromochloromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2-Dibromo-3-chloropropane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2-Dibromoethane	--	--	--	--	--	ND	ND	--	--	--	--	--
Dibromomethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2-Dichlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,3-Dichlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,4-Dichlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Dichlorodifluoromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1-Dichloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2-Dichloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1-Dichloroethene	--	--	--	--	--	ND	ND	--	--	--	--	--
cis-1,2-Dichloroethene	--	--	--	--	--	ND	ND	--	--	--	--	--
trans-1,2-Dichloroethene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2-Dichloropropane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,3-Dichloropropane	--	--	--	--	--	ND	ND	--	--	--	--	--
2,2-Dichloropropane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1-Dichloropropene	--	--	--	--	--	ND	ND	--	--	--	--	--
cis-1,3-Dichloropropene	--	--	--	--	--	ND	ND	--	--	--	--	--
trans-1,3-Dichloropropene	--	--	--	--	--	ND	ND	--	--	--	--	--
Ethylbenzene	--	--	--	--	--	ND	1.14	--	--	--	--	--
Hexachlorobutadiene	--	--	--	--	--	ND	ND	--	--	--	--	--
Methyl tert-butyl ether	--	--	--	--	--	ND	ND	--	--	--	--	--
n-Hexane	--	--	--	--	--	ND	ND	--	--	--	--	--
2-Hexanone	--	--	--	--	--	ND	ND	--	--	--	--	--
Isopropylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
p-Isopropyltoluene	--	--	--	--	--	ND	2.38	--	--	--	--	--
4-Methyl-2-pentanone	--	--	--	--	--	ND	ND	--	--	--	--	--
Methylene chloride	--	--	--	--	--	ND	ND	--	--	--	--	--
Naphthalene	--	--	--	--	--	ND	ND	--	--	--	--	--
n-Propylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Styrene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2,3-Trichlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2,4-Trichlorobenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1,1,2-Tetrachloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1,1,2,2-Tetrachloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
Tetrachloroethene	--	--	--	--	--	ND	ND	--	--	--	--	--
Toluene	--	--	--	--	--	28.7	199	--	--	--	--	--
1,1,1-Trichloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,1,2-Trichloroethane	--	--	--	--	--	ND	ND	--	--	--	--	--
Trichloroethene	--	--	--	--	--	ND	ND	--	--	--	--	--
Trichlorofluoromethane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2,3-Trichloropropane	--	--	--	--	--	ND	ND	--	--	--	--	--
1,2,4-Trimethylbenzene	--	--	--	--	--	1.01	ND	--	--	--	--	--
1,3,5-Trimethylbenzene	--	--	--	--	--	ND	ND	--	--	--	--	--
Vinyl chloride	--	--	--	--	--	ND	ND	--	--	--	--	--
o-Xylene	--	--	--	--	--	1.51	1.23	--	--	--	--	--
m,p-Xylene	--	--	--	--	--	ND	ND	--	--	--	--	--
Total Xylenes	--	--	--	--	--	ND	ND	--	--	--	--	--

Notes and Abbreviations:

VOCs = Volatile Organic Compounds

µg/L = Micrograms per Liter

<x = Not detected above x µg/L

MDL = Method Detection Limit

ND = Not detected above MDL

-- = Not Measured/Not Analyzed

** = Levels established in ADEC Groundwater Cleanup Levels, Table C (ADEC, 18 AAC 75.345)

VOCs analyzed by EPA Method 8260B

CAMBRIA

Groundwater Analytical Results (SVOCs) - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska												
Well ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6-DUP	MW-7	MW-8	MW-9	SEEP-1	SEEP-2
Date	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06
(µg/L)												
Acenaphthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Acenaphthylene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Aniline	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (a) anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (a) pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (b) fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (k) fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzo (ghi) perylene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Benzoic Acid	--	--	--	--	--	<19.2	<19.2	--	--	--	<18.9	<18.9
Benzyl alcohol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Bis(2-chloroethoxy)methane	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Bis(2-chloroethyl)ether	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Bis(2-chloroisopropyl)ether	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Bis(2-ethylhexyl)phthalate	--	--	--	--	--	<48.1	<48.1	--	--	--	<47.2	<47.2
4-Bromophenyl phenyl ether	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Butyl benzyl phthalate	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Carbazole	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4-Chloroaniline	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4-Chloro-3-methylphenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Chloronaphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Chlorophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4-Chlorophenyl phenyl ether	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
3 & 4-Methylphenol (m,p-Cresols)	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Methylphenol (o-Cresol)	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Chrysene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Di-n-butyl phthalate	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Dibenz (a,h) anthracene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Dibenzofuran	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1,2-Dichlorobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1,3-Dichlorobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1,4-Dichlorobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
3,3-Dichlorobenzidine	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,4-Dichlorophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Diethyl phthalate	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,4-Dimethylphenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Dimethyl phthalate	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4,6-Dinitro-2-methylphenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,4-Dinitrophenol	--	--	--	--	--	<19.2	<19.2	--	--	--	<18.9	<18.9
2,4-Dinitrotoluene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,6-Dinitrotoluene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
N-Nitrosodiphenylamine	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43

CAMBRIA

Table 4. Groundwater Analytical Results (SVOCs) - Delta Western/Former Chevron Bulk Terminal #100-1467, 1417 Peninsula Street, Wrangell, Alaska

Well ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-6-DUP	MW-7	MW-8	MW-9	SEEP-1	SEEP-2
Date	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06	6/29/06
	(µg/L)											
Fluoranthene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Fluorene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Hexachlorobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Hexachlorobutadiene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Hexachlorocyclopentadiene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Hexachloroethane	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Indeno (1,2,3-cd) pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Isophorone	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1-Methylnaphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Methylnaphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Naphthalene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Nitroaniline	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
3-Nitroaniline	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4-Nitroaniline	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Nitrobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2-Nitrophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
4-Nitrophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
N-Nitrosodi-n-propylamine	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Di-n-octyl phthalate	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Pentachlorophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Phenanthrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Phenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
Pyrene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
1,2,4-Trichlorobenzene	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,4,5-Trichlorophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43
2,4,6-Trichlorophenol	--	--	--	--	--	<9.62	<9.62	--	--	--	<9.43	<9.43

Notes and Abbreviations:

SVOCs = Semivolatile Organic Compounds

µg/L = micrograms per liter

<x = Not detected above x micrograms per liter

-- = Not Measured/Not Analyzed

** = Levels established in Groundwater Cleanup Levels Table C (ADEC, 18 AAC 75.345)

SVOCs analyzed by EPA Method 8270C

ATTACHMENT A

Test America Analytical Report

July 18, 2006

Andy Ellsmore
Cambria Environmental-Denver
2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

RE: Chevron 100-1467

Enclosed are the results of analyses for samples received by the laboratory on 07/05/06 15:51.
The following list is a summary of the Work Orders contained in this report, generated on 07/18/06
15:04.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
BPG0077	Chevron 100-1467	31J-2235-OMI

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver 2828 N. Spear Blvd., Suite 140 Denver, CO/USA 80211	Project Name:	Chevron 100-1467	Report Created:
	Project Number:	31J-2235-OMI	07/18/06 15:04
	Project Manager:	Andy Ellsmore	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-5	BPG0077-01	Water	06/29/06 11:15	07/05/06 15:51
MW-6	BPG0077-02	Water	06/29/06 13:30	07/05/06 15:51
MW-6-DUP	BPG0077-03	Water	06/29/06 13:55	07/05/06 15:51

TestAmerica - Seattle, WA

Cherie Howland
Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Gasoline Range Hydrocarbons (n-Hexane to <n-Decane) by AK101
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)		Water			Sampled: 06/29/06 13:30					
Gasoline Range Hydrocarbons	AK 101	98.1	----	50.0	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 17:40	
<i>Surrogate(s): 4-BFB (FID)</i>			105%		60 - 120 %	"				"
BPG0077-03 (MW-6-DUP)		Water			Sampled: 06/29/06 13:55					
Gasoline Range Hydrocarbons	AK 101	739	----	50.0	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 09:49	
<i>Surrogate(s): 4-BFB (FID)</i>			103%		60 - 120 %	"				"

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Diesel Hydrocarbons (C10-C25) and Heavy Oil (C25-C36) by AK102 and AK103
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)		Water				Sampled: 06/29/06 13:30				
Diesel Range Hydrocarbons	AK102_103	0.255	----	0.100	mg/l	1x	6G06031	07/06/06 09:48	07/12/06 11:27	D-09
Residual Range Organics	"	ND	----	0.750	"	"	"	"	"	
Surrogate(s):	2-FBP		95.6%		50 - 150 %	"			"	
	Octacosane		104%		50 - 150 %	"			"	
BPG0077-03 (MW-6-DUP)		Water				Sampled: 06/29/06 13:55				
Diesel Range Hydrocarbons	AK102_103	0.284	----	0.0943	mg/l	1x	6G06031	07/06/06 09:48	07/12/06 11:56	D-09
Residual Range Organics	"	ND	----	0.708	"	"	"	"	"	
Surrogate(s):	2-FBP		91.5%		50 - 150 %	"			"	
	Octacosane		103%		50 - 150 %	"			"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

BTEX by EPA Method 8021B
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-01 (MW-5)		Water			Sampled: 06/29/06 11:15					
Benzene	EPA 8021B	ND	----	0.200	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 06:19	
Toluene	"	ND	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>			106%		68 - 140 %	"				"
BPG0077-02 (MW-6)		Water			Sampled: 06/29/06 13:30					
Benzene	EPA 8021B	ND	----	0.200	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 06:49	
Toluene	"	23.5	----	0.500	"	"	"	"	"	
Ethylbenzene	"	0.673	----	0.500	"	"	"	"	"	
Xylenes (total)	"	3.20	----	1.00	"	"	"	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>			107%		68 - 140 %	"				"
BPG0077-03 (MW-6-DUP)		Water			Sampled: 06/29/06 13:55					
Ethylbenzene	EPA 8021B	1.58	----	0.500	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 09:49	
Xylenes (total)	"	2.89	----	1.00	"	"	"	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>			107%		68 - 140 %	"				"
BPG0077-03RE1 (MW-6-DUP)		Water			Sampled: 06/29/06 13:55					
Benzene	EPA 8021B	ND	----	1.00	ug/l	5x	6G10035	07/10/06 08:00	07/10/06 15:14	
Toluene	"	232	----	2.50	"	"	"	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>			97.5%		68 - 140 %	1x				"

TestAmerica - Seattle, WA

Cherie Howland
 Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI

Project Manager: Andy Ellsmore

Report Created:

07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)										
		Water					Sampled: 06/29/06 13:30			
Acetone	EPA 8260B	ND	----	20.0	ug/l	1x	6G11065	07/11/06 09:57	07/11/06 13:32	
Benzene	"	ND	----	0.200	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	2.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
1-Chlorohexane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
n-Hexane	"	ND	----	2.00	"	"	"	"	"	

Q-41

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)		Water		Sampled: 06/29/06 13:30						
2-Hexanone	EPA 8260B	ND	----	10.0	ug/l	1x	6G11065	07/11/06 09:57	07/11/06 13:32	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	5.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	5.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	5.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	28.7	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	1.01	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	1.51	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Total Xylenes	"	ND	----	3.00	"	"	"	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>			79.0%		70 - 130 %	"				"
<i>Toluene-d8</i>			96.0%		75 - 125 %	"				"
<i>4-BFB</i>			95.5%		75 - 125 %	"				"

BPG0077-03 (MW-6-DUP)

		Water		Sampled: 06/29/06 13:55						
Acetone	EPA 8260B	ND	----	20.0	ug/l	1x	6G11065	07/11/06 09:57	07/11/06 13:57	
Benzene	"	0.350	----	0.200	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	2.00	"	"	"	"	"	
2-Butanone	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-03 (MW-6-DUP)		Water				Sampled: 06/29/06 13:55				
Carbon tetrachloride	EPA 8260B	ND	----	1.00	ug/l	1x	6G11065	07/11/06 09:57	07/11/06 13:57	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
1-Chlorohexane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	1.14	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
n-Hexane	"	ND	----	2.00	"	"	"	"	"	Q-41
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	1.00	"	"	"	"	"	
p-Isopropyltoluene	"	2.38	----	1.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	5.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	5.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	5.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-03 (MW-6-DUP)		Water					Sampled: 06/29/06 13:55			
Tetrachloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6G11065	07/11/06 09:57	07/11/06 13:57	
Toluene	"	199	----	1.00	"	"	"	"	"	"
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	"
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	"
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	"
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	"
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	"
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	"
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	"
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	"
o-Xylene	"	1.23	----	1.00	"	"	"	"	"	"
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	"
Total Xylenes	"	ND	----	3.00	"	"	"	"	"	"
<i>Surrogate(s):</i>	<i>1,2-DCA-d4</i>			<i>80.5%</i>		<i>70 - 130 %</i>	"			"
	<i>Toluene-d8</i>			<i>92.8%</i>		<i>75 - 125 %</i>	"			"
	<i>4-BFB</i>			<i>93.0%</i>		<i>75 - 125 %</i>	"			"

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI

Project Manager: Andy Ellsmore

Report Created:

07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)		Water		Sampled: 06/29/06 13:30						
Acenaphthene	EPA 8270C	ND	----	9.62	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 22:36	
Acenaphthylene	"	ND	----	9.62	"	"	"	"	"	
Aniline	"	ND	----	9.62	"	"	"	"	"	
Anthracene	"	ND	----	9.62	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	9.62	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	9.62	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	9.62	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	9.62	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	9.62	"	"	"	"	"	
Benzoic Acid	"	ND	----	19.2	"	"	"	"	"	
Benzyl alcohol	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroethoxy)methane	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroethyl)ether	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	"	ND	----	9.62	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	"	ND	----	48.1	"	"	"	"	"	
4-Bromophenyl phenyl ether	"	ND	----	9.62	"	"	"	"	"	
Butyl benzyl phthalate	"	ND	----	9.62	"	"	"	"	"	
Carbazole	"	ND	----	9.62	"	"	"	"	"	
4-Chloroaniline	"	ND	----	9.62	"	"	"	"	"	
4-Chloro-3-methylphenol	"	ND	----	9.62	"	"	"	"	"	
2-Chloronaphthalene	"	ND	----	9.62	"	"	"	"	"	
2-Chlorophenol	"	ND	----	9.62	"	"	"	"	"	
4-Chlorophenyl phenyl ether	"	ND	----	9.62	"	"	"	"	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	----	9.62	"	"	"	"	"	
2-Methylphenol (o-Cresol)	"	ND	----	9.62	"	"	"	"	"	
Chrysene	"	ND	----	9.62	"	"	"	"	"	
Di-n-butyl phthalate	"	ND	----	9.62	"	"	"	"	"	
Dibenz (a,h) anthracene	"	ND	----	9.62	"	"	"	"	"	
Dibenzofuran	"	ND	----	9.62	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
3,3'-Dichlorobenzidine	"	ND	----	9.62	"	"	"	"	"	
2,4-Dichlorophenol	"	ND	----	9.62	"	"	"	"	"	
Diethyl phthalate	"	ND	----	9.62	"	"	"	"	"	
2,4-Dimethylphenol	"	ND	----	9.62	"	"	"	"	"	
Dimethyl phthalate	"	ND	----	9.62	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	"	ND	----	9.62	"	"	"	"	"	
2,4-Dinitrophenol	"	ND	----	19.2	"	"	"	"	"	
2,4-Dinitrotoluene	"	ND	----	9.62	"	"	"	"	"	
2,6-Dinitrotoluene	"	ND	----	9.62	"	"	"	"	"	
N-Nitrosodiphenylamine	"	ND	----	9.62	"	"	"	"	"	
Fluoranthene	"	ND	----	9.62	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-02 (MW-6)		Water		Sampled: 06/29/06 13:30						
Fluorene	EPA 8270C	ND	----	9.62	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 22:36	
Hexachlorobenzene	"	ND	----	9.62	"	"	"	"	"	"
Hexachlorobutadiene	"	ND	----	9.62	"	"	"	"	"	"
Hexachlorocyclopentadiene	"	ND	----	9.62	"	"	"	"	"	"
Hexachloroethane	"	ND	----	9.62	"	"	"	"	"	"
Indeno (1,2,3-cd) pyrene	"	ND	----	9.62	"	"	"	"	"	"
Isophorone	"	ND	----	9.62	"	"	"	"	"	"
1-Methylnaphthalene	"	ND	----	9.62	"	"	"	"	"	"
2-Methylnaphthalene	"	ND	----	9.62	"	"	"	"	"	"
Naphthalene	"	ND	----	9.62	"	"	"	"	"	"
2-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	"
3-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	"
4-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	"
Nitrobenzene	"	ND	----	9.62	"	"	"	"	"	"
2-Nitrophenol	"	ND	----	9.62	"	"	"	"	"	"
4-Nitrophenol	"	ND	----	9.62	"	"	"	"	"	"
N-Nitrosodi-n-propylamine	"	ND	----	9.62	"	"	"	"	"	"
Di-n-octyl phthalate	"	ND	----	9.62	"	"	"	"	"	"
Pentachlorophenol	"	ND	----	9.62	"	"	"	"	"	"
Phenanthrene	"	ND	----	9.62	"	"	"	"	"	"
Phenol	"	ND	----	9.62	"	"	"	"	"	"
Pyrene	"	ND	----	9.62	"	"	"	"	"	"
1,2,4-Trichlorobenzene	"	ND	----	9.62	"	"	"	"	"	"
2,4,5-Trichlorophenol	"	ND	----	9.62	"	"	"	"	"	"
2,4,6-Trichlorophenol	"	ND	----	9.62	"	"	"	"	"	"

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>80.5%</i>	<i>44 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>2-FP</i>	<i>79.2%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>	<i>95.2%</i>	<i>38 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>	<i>79.1%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>	<i>28.9%</i>	<i>24 - 146 %</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>	<i>90.9%</i>	<i>32 - 135 %</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA



Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-03 (MW-6-DUP)										
		Water					Sampled: 06/29/06 13:55			
Acenaphthene	EPA 8270C	ND	----	9.62	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 23:08	
Acenaphthylene	"	ND	----	9.62	"	"	"	"	"	
Aniline	"	ND	----	9.62	"	"	"	"	"	
Anthracene	"	ND	----	9.62	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	9.62	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	9.62	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	9.62	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	9.62	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	9.62	"	"	"	"	"	
Benzoic Acid	"	ND	----	19.2	"	"	"	"	"	
Benzyl alcohol	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroethoxy)methane	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroethyl)ether	"	ND	----	9.62	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	"	ND	----	9.62	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	"	ND	----	48.1	"	"	"	"	"	
4-Bromophenyl phenyl ether	"	ND	----	9.62	"	"	"	"	"	
Butyl benzyl phthalate	"	ND	----	9.62	"	"	"	"	"	
Carbazole	"	ND	----	9.62	"	"	"	"	"	
4-Chloroaniline	"	ND	----	9.62	"	"	"	"	"	
4-Chloro-3-methylphenol	"	ND	----	9.62	"	"	"	"	"	
2-Chloronaphthalene	"	ND	----	9.62	"	"	"	"	"	
2-Chlorophenol	"	ND	----	9.62	"	"	"	"	"	
4-Chlorophenyl phenyl ether	"	ND	----	9.62	"	"	"	"	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	----	9.62	"	"	"	"	"	
2-Methylphenol (o-Cresol)	"	ND	----	9.62	"	"	"	"	"	
Chrysene	"	ND	----	9.62	"	"	"	"	"	
Di-n-butyl phthalate	"	ND	----	9.62	"	"	"	"	"	
Dibenz (a,h) anthracene	"	ND	----	9.62	"	"	"	"	"	
Dibenzofuran	"	ND	----	9.62	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
3,3'-Dichlorobenzidine	"	ND	----	9.62	"	"	"	"	"	
2,4-Dichlorophenol	"	ND	----	9.62	"	"	"	"	"	
Diethyl phthalate	"	ND	----	9.62	"	"	"	"	"	
2,4-Dimethylphenol	"	ND	----	9.62	"	"	"	"	"	
Dimethyl phthalate	"	ND	----	9.62	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	"	ND	----	9.62	"	"	"	"	"	
2,4-Dinitrophenol	"	ND	----	19.2	"	"	"	"	"	
2,4-Dinitrotoluene	"	ND	----	9.62	"	"	"	"	"	
2,6-Dinitrotoluene	"	ND	----	9.62	"	"	"	"	"	
N-Nitrosodiphenylamine	"	ND	----	9.62	"	"	"	"	"	
Fluoranthene	"	ND	----	9.62	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0077-03 (MW-6-DUP)		Water		Sampled: 06/29/06 13:55						
Fluorene	EPA 8270C	ND	----	9.62	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 23:08	
Hexachlorobenzene	"	ND	----	9.62	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	9.62	"	"	"	"	"	
Hexachlorocyclopentadiene	"	ND	----	9.62	"	"	"	"	"	
Hexachloroethane	"	ND	----	9.62	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	9.62	"	"	"	"	"	
Isophorone	"	ND	----	9.62	"	"	"	"	"	
1-Methylnaphthalene	"	ND	----	9.62	"	"	"	"	"	
2-Methylnaphthalene	"	ND	----	9.62	"	"	"	"	"	
Naphthalene	"	ND	----	9.62	"	"	"	"	"	
2-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	
3-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	
4-Nitroaniline	"	ND	----	9.62	"	"	"	"	"	
Nitrobenzene	"	ND	----	9.62	"	"	"	"	"	
2-Nitrophenol	"	ND	----	9.62	"	"	"	"	"	
4-Nitrophenol	"	ND	----	9.62	"	"	"	"	"	
N-Nitrosodi-n-propylamine	"	ND	----	9.62	"	"	"	"	"	
Di-n-octyl phthalate	"	ND	----	9.62	"	"	"	"	"	
Pentachlorophenol	"	ND	----	9.62	"	"	"	"	"	
Phenanthrene	"	ND	----	9.62	"	"	"	"	"	
Phenol	"	ND	----	9.62	"	"	"	"	"	
Pyrene	"	ND	----	9.62	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	9.62	"	"	"	"	"	
2,4,5-Trichlorophenol	"	ND	----	9.62	"	"	"	"	"	
2,4,6-Trichlorophenol	"	ND	----	9.62	"	"	"	"	"	

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>81.3%</i>	<i>44 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>2-FP</i>	<i>78.0%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>	<i>97.5%</i>	<i>38 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>	<i>77.3%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>	<i>29.9%</i>	<i>24 - 146 %</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>	<i>91.2%</i>	<i>32 - 135 %</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Gasoline Range Hydrocarbons (n-Hexane to <n-Decane) by AK101 - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G08015-BLK1)							Extracted: 07/08/06 17:01							
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	--	--	--	--	--	--	07/08/06 20:14	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 92.3%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/08/06 20:14</i>
LCS (6G08015-BS1)							Extracted: 07/08/06 17:01							
Gasoline Range Hydrocarbons	AK 101	1010	---	50.0	ug/l	1x	--	1000	101%	(60-120)	--	--	07/08/06 20:44	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 110%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/08/06 20:44</i>
LCS Dup (6G08015-BSD1)							Extracted: 07/08/06 17:01							
Gasoline Range Hydrocarbons	AK 101	946	---	50.0	ug/l	1x	--	1000	94.6%	(60-120)	6.54% (20)		07/08/06 21:14	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 112%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/08/06 21:14</i>
Duplicate (6G08015-DUP1)							QC Source: BPF0800-01		Extracted: 07/08/06 17:01					
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	ND	--	--	--	NR (20)		07/08/06 23:51	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 100%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/08/06 23:51</i>
Duplicate (6G08015-DUP3)							QC Source: BPF0802-01		Extracted: 07/08/06 17:01					
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	ND	--	--	--	NR (20)		07/09/06 17:10	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 106%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/09/06 17:10</i>
Matrix Spike (6G08015-MS1)							QC Source: BPF0800-01		Extracted: 07/08/06 17:01					
Gasoline Range Hydrocarbons	AK 101	1110	---	50.0	ug/l	1x	ND	1000	111%	(60-120)	--	--	07/09/06 00:21	
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 114%</i>		<i>Limits: 60-120%</i>		<i>"</i>								<i>07/09/06 00:21</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Diesel Hydrocarbons (C10-C25) and Heavy Oil (C25-C36) by AK102 and AK103 - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06031 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06031-BLK1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	ND	---	0.100	mg/l	1x	--	--	--	--	--	--	07/12/06 09:58	
Residual Range Organics	"	ND	---	0.750	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 95.2%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 09:58</i>		
<i>Octacosane</i>		<i>104%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		
LCS (6G06031-BS1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	1.83	---	0.100	mg/l	1x	--	2.00	91.5%	(75-125)	--	--	07/12/06 10:27	
Residual Range Organics	"	1.85	---	0.750	"	"	--	"	92.5%	(60-120)	--	--	"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 103%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 10:27</i>		
<i>Octacosane</i>		<i>115%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		
LCS Dup (6G06031-BSD1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	1.85	---	0.100	mg/l	1x	--	2.00	92.5%	(75-125)	1.09%	(20)	07/12/06 10:57	
Residual Range Organics	"	1.85	---	0.750	"	"	--	"	92.5%	(60-120)	0.00%	"	"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 104%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 10:57</i>		
<i>Octacosane</i>		<i>117%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 **Water Preparation Method: EPA 5030B (P/T)**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

Blank (6G08015-BLK1)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	--	--	--	--	--	--	07/08/06 20:14	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB (PID)		Recovery: 102%		Limits: 68-140%		"						07/08/06 20:14		

LCS (6G08015-BS2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	26.3	---	0.200	ug/l	1x	--	30.0	87.7%	(80-120)	--	--	07/08/06 21:44	
Toluene	"	26.4	---	0.500	"	"	--	"	88.0%	"	--	--	"	
Ethylbenzene	"	26.8	---	0.500	"	"	--	"	89.3%	"	--	--	"	
Xylenes (total)	"	81.2	---	1.00	"	"	--	90.0	90.2%	"	--	--	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 21:44		

LCS Dup (6G08015-BSD2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	29.5	---	0.200	ug/l	1x	--	30.0	98.3%	(80-120)	11.5%	(25)	07/08/06 22:14	
Toluene	"	29.5	---	0.500	"	"	--	"	98.3%	"	11.1%	"	"	
Ethylbenzene	"	30.0	---	0.500	"	"	--	"	100%	"	11.3%	"	"	
Xylenes (total)	"	90.5	---	1.00	"	"	--	90.0	101%	"	10.8%	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 22:14		

Duplicate (6G08015-DUP1)

QC Source: BPF0800-01

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	NR	(25)	07/08/06 23:51	
Toluene	"	ND	---	0.500	"	"	ND	--	--	--	1.14%	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 23:51		

Duplicate (6G08015-DUP2)

QC Source: BPG0077-02

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	1.06%	(25)	07/09/06 07:19	
Toluene	"	24.1	---	0.500	"	"	23.5	--	--	--	2.52%	"	"	
Ethylbenzene	"	0.682	---	0.500	"	"	0.673	--	--	--	1.33%	"	"	
Xylenes (total)	"	3.25	---	1.00	"	"	3.20	--	--	--	1.55%	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 108%		Limits: 68-140%		"						07/09/06 07:19		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes	
Duplicate (6G08015-DUP3)			QC Source: BPF0802-01					Extracted: 07/08/06 17:01							
Toluene	EPA 8021B	ND	---	0.500	ug/l	1x	ND	--	--	--	6.19% (25)		07/09/06 17:10		
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"		
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"		
Surrogate(s): 4-BFB (PID)		Recovery: 107%		Limits: 68-140%		"								07/09/06 17:10	

Matrix Spike (6G08015-MS2)			QC Source: BPF0800-01					Extracted: 07/08/06 17:01							
Benzene	EPA 8021B	28.6	---	0.200	ug/l	1x	ND	30.0	95.3%	(46-130)	--	--	07/09/06 00:50		
Toluene	"	28.4	---	0.500	"	"	0.176	"	94.1%	(60-124)	--	--	"		
Ethylbenzene	"	29.3	---	0.500	"	"	ND	"	97.7%	(56-141)	--	--	"		
Xylenes (total)	"	87.9	---	1.00	"	"	ND	90.0	97.7%	(66-132)	--	--	"		
Surrogate(s): 4-BFB (PID)		Recovery: 108%		Limits: 68-140%		"								07/09/06 00:50	

QC Batch: 6G10035 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes	
Blank (6G10035-BLK1)			QC Source: BPG0146-01					Extracted: 07/10/06 08:00							
Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	--	--	--	--	--	--	07/10/06 11:10		
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"		
Surrogate(s): 4-BFB (PID)		Recovery: 97.2%		Limits: 68-140%		"								07/10/06 11:10	

LCS (6G10035-BS2)			QC Source: BPG0152-02RE1					Extracted: 07/10/06 08:00							
Benzene	EPA 8021B	30.4	---	0.200	ug/l	1x	--	30.0	101%	(80-120)	--	--	07/10/06 12:15		
Toluene	"	28.6	---	0.500	"	"	--	"	95.3%	"	--	--	"		
Surrogate(s): 4-BFB (PID)		Recovery: 96.8%		Limits: 68-140%		"								07/10/06 12:15	

Duplicate (6G10035-DUP1)			QC Source: BPG0146-01					Extracted: 07/10/06 08:00							
Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	NR (25)		07/10/06 14:07		
Toluene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"		
Surrogate(s): 4-BFB (PID)		Recovery: 97.8%		Limits: 68-140%		"								07/10/06 14:07	

Duplicate (6G10035-DUP2)			QC Source: BPG0152-02RE1					Extracted: 07/10/06 08:00							
Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	NR (25)		07/10/06 19:03		
Toluene	"	ND	---	0.500	"	"	ND	--	--	--	12.1%	"	"		
Surrogate(s): 4-BFB (PID)		Recovery: 97.7%		Limits: 68-140%		"								07/10/06 19:03	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G10035 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6G10035-MS2)				QC Source: BPG0146-01				Extracted: 07/10/06 08:00						
Benzene	EPA 8021B	23.6	---	0.200	ug/l	1x	0.116	30.0	78.3%	(46-130)	--	--	07/10/06 16:56	
Toluene	"	21.8	---	0.500	"	"	0.128	"	72.2%	(60-124)	--	--	"	
<i>Surrogate(s): 4-BFB (PID)</i>				<i>Recovery: 73.0%</i>			<i>Limits: 68-140%</i>						<i>07/10/06 16:56</i>	

TestAmerica - Seattle, WA



Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G11065 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G11065-BLK1)													Extracted: 07/10/06 09:15	
Acetone	EPA 8260B	ND	---	20.0	ug/l	1x	--	--	--	--	--	--	07/11/06 12:09	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
2-Butanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1-Chlorohexane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

TestAmerica - Seattle, WA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Cherie Howland
 Cherie Howland, Project Manager



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G11065 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G11065-BLK1)													Extracted: 07/10/06 09:15	
Ethylbenzene	EPA 8260B	ND	---	1.00	ug/l	1x	--	--	--	--	--	--	07/11/06 12:09	
Hexachlorobutadiene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Hexane	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	Q-41
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Total Xylenes	"	ND	---	3.00	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i> 1,2-DCA-d4	<i>Recovery:</i> 76.5%	<i>Limits:</i> 70-130%	"	07/11/06 12:09
Toluene-d8	94.2%	75-125%	"	"
4-BFB	95.8%	75-125%	"	"

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Volatile Organic Compounds by EPA Method 8260B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G11065 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6G11065-BS1)													Extracted: 07/10/06 09:15	
Benzene	EPA 8260B	36.5	---	0.200	ug/l	1x	--	40.0	91.2%	(80-120)	--	--	07/11/06 10:52	
Chlorobenzene	"	38.4	---	1.00	"	"	--	"	96.0%	"	--	--	"	
1,1-Dichloroethene	"	40.5	---	1.00	"	"	--	"	101%	(75-125)	--	--	"	
Methyl tert-butyl ether	"	42.8	---	2.00	"	"	--	"	107%	(75-126)	--	--	"	
Toluene	"	35.7	---	1.00	"	"	--	"	89.2%	(75-125)	--	--	"	
Trichloroethene	"	36.1	---	1.00	"	"	--	"	90.2%	"	--	--	"	
Total Xylenes	"	108	---	3.00	"	"	--	120	90.0%	"	--	--	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 77.5%</i>		<i>Limits: 70-130%</i>		<i>"</i>						<i>07/11/06 10:52</i>		
<i>Toluene-d8</i>		<i>94.5%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		
<i>4-BFB</i>		<i>95.8%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		

LCS Dup (6G11065-BSD1)													Extracted: 07/10/06 09:15	
Benzene	EPA 8260B	34.0	---	0.200	ug/l	1x	--	40.0	85.0%	(80-120)	7.09% (20)		07/11/06 11:17	
Chlorobenzene	"	35.3	---	1.00	"	"	--	"	88.2%	"	8.41%	"	"	
1,1-Dichloroethene	"	36.0	---	1.00	"	"	--	"	90.0%	(75-125)	11.8%	"	"	
Methyl tert-butyl ether	"	38.7	---	2.00	"	"	--	"	96.8%	(75-126)	10.1%	"	"	
Toluene	"	33.0	---	1.00	"	"	--	"	82.5%	(75-125)	7.86%	"	"	
Trichloroethene	"	33.7	---	1.00	"	"	--	"	84.2%	"	6.88%	"	"	
Total Xylenes	"	99.8	---	3.00	"	"	--	120	83.2%	"	7.89%	"	"	
<i>Surrogate(s): 1,2-DCA-d4</i>		<i>Recovery: 76.5%</i>		<i>Limits: 70-130%</i>		<i>"</i>						<i>07/11/06 11:17</i>		
<i>Toluene-d8</i>		<i>92.8%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		
<i>4-BFB</i>		<i>96.5%</i>		<i>75-125%</i>		<i>"</i>						<i>"</i>		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 **Water Preparation Method: EPA 3520C**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06029-BLK1)													Extracted: 07/06/06 09:42	
Acenaphthene	EPA 8270C	ND	---	10.0	ug/l	1x	--	--	--	--	--	--	07/11/06 21:00	
Acenaphthylene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Aniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzoic Acid	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Benzyl alcohol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroethoxy)methane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroethyl)ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroisopropyl)ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-ethylhexyl)phthalate	"	ND	---	50.0	"	"	--	--	--	--	--	--	"	
4-Bromophenyl phenyl ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Butyl benzyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Carbazole	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chloroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chloro-3-methylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chloronaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chlorophenyl phenyl ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Methylphenol (o-Cresol)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Di-n-butyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dibenz (a,h) anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dibenzofuran	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3,3'-Dichlorobenzidine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Diethyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dimethylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dimethyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4,6-Dinitro-2-methylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dinitrophenol	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	

TestAmerica - Seattle, WA



Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06029-BLK1)													Extracted: 07/06/06 09:42	
2,4-Dinitrotoluene	EPA 8270C	ND	---	10.0	ug/l	1x	--	--	--	--	--	--	07/11/06 21:00	
2,6-Dinitrotoluene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
N-Nitrosodiphenylamine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorocyclopentadiene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachloroethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isophorone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1-Methylnaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Methylnaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Nitrobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Nitrophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Nitrophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
N-Nitrosodi-n-propylamine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Di-n-octyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Pentachlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Phenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4,5-Trichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4,6-Trichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>Recovery:</i>	<i>79.8%</i>	<i>Limits:</i>	<i>44-120%</i>	<i>"</i>	<i>07/11/06 21:00</i>
	<i>2-FP</i>		<i>76.4%</i>		<i>16-120%</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>		<i>89.4%</i>		<i>38-120%</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>		<i>77.0%</i>		<i>16-120%</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>		<i>99.4%</i>		<i>24-146%</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>		<i>75.4%</i>		<i>32-135%</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:04

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (6G06029-BS1)

Extracted: 07/06/06 09:42

Acenaphthene	EPA 8270C	103	---	10.0	ug/l	1x	--	100	103%	(57-120)	--	--	07/11/06 21:32	
4-Chloro-3-methylphenol	"	108	---	10.0	"	"	--	"	108%	(51-124)	--	--	"	
2-Chlorophenol	"	92.2	---	10.0	"	"	--	"	92.2%	(40-120)	--	--	"	
1,4-Dichlorobenzene	"	81.4	---	10.0	"	"	--	"	81.4%	(50-120)	--	--	"	
2,4-Dinitrotoluene	"	95.8	---	10.0	"	"	--	"	95.8%	(66-130)	--	--	"	
4-Nitrophenol	"	104	---	10.0	"	"	--	"	104%	(42-148)	--	--	"	
N-Nitrosodi-n-propylamine	"	91.5	---	10.0	"	"	--	"	91.5%	(49-120)	--	--	"	
Pentachlorophenol	"	121	---	10.0	"	"	--	"	121%	(67-151)	--	--	"	
Phenol	"	90.8	---	10.0	"	"	--	"	90.8%	(28-120)	--	--	"	
Pyrene	"	103	---	10.0	"	"	--	"	103%	(54-134)	--	--	"	
1,2,4-Trichlorobenzene	"	88.1	---	10.0	"	"	--	"	88.1%	(52-120)	--	--	"	
<i>Surrogate(s):</i>														
2-FBP		Recovery:	91.2%	Limits:	44-120%	"							07/11/06 21:32	
2-FP			83.2%		16-120%	"							"	
Nitrobenzene-d5			94.8%		38-120%	"							"	
Phenol-d6			89.4%		16-120%	"							"	
p-Terphenyl-d14			93.4%		24-146%	"							"	
2,4,6-TBP			99.0%		32-135%	"							"	

LCS Dup (6G06029-BSD1)

Extracted: 07/06/06 09:42

Acenaphthene	EPA 8270C	105	---	10.0	ug/l	1x	--	100	105%	(57-120)	1.92%	(25)	07/11/06 22:04	
4-Chloro-3-methylphenol	"	111	---	10.0	"	"	--	"	111%	(51-124)	2.74%	"	"	
2-Chlorophenol	"	97.1	---	10.0	"	"	--	"	97.1%	(40-120)	5.18%	(37)	"	
1,4-Dichlorobenzene	"	86.6	---	10.0	"	"	--	"	86.6%	(50-120)	6.19%	(32)	"	
2,4-Dinitrotoluene	"	98.3	---	10.0	"	"	--	"	98.3%	(66-130)	2.58%	(25)	"	
4-Nitrophenol	"	105	---	10.0	"	"	--	"	105%	(42-148)	0.957%	"	"	
N-Nitrosodi-n-propylamine	"	94.9	---	10.0	"	"	--	"	94.9%	(49-120)	3.65%	"	"	
Pentachlorophenol	"	127	---	10.0	"	"	--	"	127%	(67-151)	4.84%	"	"	
Phenol	"	94.5	---	10.0	"	"	--	"	94.5%	(28-120)	3.99%	(48)	"	
Pyrene	"	105	---	10.0	"	"	--	"	105%	(54-134)	1.92%	(25)	"	
1,2,4-Trichlorobenzene	"	93.8	---	10.0	"	"	--	"	93.8%	(52-120)	6.27%	"	"	
<i>Surrogate(s):</i>														
2-FBP		Recovery:	92.4%	Limits:	44-120%	"							07/11/06 22:04	
2-FP			88.1%		16-120%	"							"	
Nitrobenzene-d5			100%		38-120%	"							"	
Phenol-d6			92.2%		16-120%	"							"	
p-Terphenyl-d14			92.8%		24-146%	"							"	
2,4,6-TBP			99.7%		32-135%	"							"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

Project Name: **Chevron 100-1467**
Project Number: 31J-2235-OMI
Project Manager: Andy Ellsmore

Report Created:
07/18/06 15:04

Notes and Definitions

Report Specific Notes:

- D-09 - Results in the diesel organics range are primarily due to overlap from a heavy oil range product.
- Q-41 - This analyte had a high bias in the associated calibration verification standard.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

TestAmerica - Seattle, WA



Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



BPG 0077



11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
 11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #:

CLIENT: Clevron		INVOICE TO:								TURNAROUND REQUEST in Business Days * Organic & Inorganic Analyses <input type="checkbox"/> 10 <input type="checkbox"/> 7 <input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1 STD. Petroleum Hydrocarbon Analyses <input checked="" type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1 STD. <input type="checkbox"/> OTHER Specify: * Turnaround Requests less than standard may incur Rush Charges.					
REPORT TO: Camria Env. ADDRESS: 2828 N. Speer Blvd #140 Denver, CO 80211		P.O. NUMBER: 31J-2235-0M1													
PHONE: 303-432-3650 FAX:		PRESERVATIVE													
PROJECT NAME:		REQUESTED ANALYSES													
PROJECT NUMBER: 100-1467 100-1467															
SAMPLED BY: AE/BC															
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	GR0 AK 101	BTX 8021	PRO AK 102	PAH 8270	RRP AK 103	VOC'S 8260	SVOC 8270				MATRIX (W. S. O)	# OF CONT.	LOCATION / COMMENTS	TA WO ID
MW-5	6/29/06 - 1130														
MW-6 Dup															
MW-5	6/29/06 - 1115		X									W	3		
MW-6	6/29/06 - 1330	X	X			X	X	X				W	9		
MW-6-DUP	6/29/06 - 1355	X	X			X	X	X				W	9		
RELEASED BY: AA	DATE: 6/30/06	RECEIVED BY: Holly	DATE: 7/3/06												
PRINT NAME: Ando Elsmore	FIRM: Cambria	TIME: 8:30	PRINT NAME: Holly Martinson	FIRM: TA&K	TIME: 9:15										
RELEASED BY: Holly	DATE: 6/30/06	RECEIVED BY: Toni	DATE: 7/5/06												
PRINT NAME: Holly Martinson	FIRM: TA&K	TIME: 11:00	PRINT NAME: Toni Blankinship	FIRM: TA-S	TIME: 1557										
ADDITIONAL REMARKS:												TEMP: 5.9	PAGE: 1	OF: 1	

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project. Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

July 18, 2006

Andy Ellsmore
Cambria Environmental-Denver
2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

RE: Chevron 100-1467

Enclosed are the results of analyses for samples received by the laboratory on 07/05/06 15:51.
The following list is a summary of the Work Orders contained in this report, generated on 07/18/06
15:08.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
BPG0078	Chevron 100-1467	31J-2235-OMI

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver 2828 N. Spear Blvd., Suite 140 Denver, CO/USA 80211	Project Name:	Chevron 100-1467	Report Created:
	Project Number:	31J-2235-OMI	07/18/06 15:08
	Project Manager:	Andy Ellsmore	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SEEP-1	BPG0078-01	Water	06/29/06 14:35	07/05/06 15:51
SEEP-2	BPG0078-02	Water	06/29/06 13:55	07/05/06 15:51
MW-4	BPG0078-03	Water	06/29/06 12:22	07/05/06 15:51

TestAmerica - Seattle, WA

Cherie Howland
Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver 2828 N. Spear Blvd., Suite 140 Denver, CO/USA 80211	Project Name:	Chevron 100-1467	Report Created:
	Project Number:	31J-2235-OMI	07/18/06 15:08
	Project Manager:	Andy Ellsmore	

Diesel Hydrocarbons (C10-C25) by AK102
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-03 (MW-4)		Water			Sampled: 06/29/06 12:22					
Diesel Range Hydrocarbons	AK 102	0.742	----	0.0943	mg/l	1x	6G06031	07/06/06 09:48	07/12/06 12:26	D-09
Surrogate(s):	2-FBP		99.2%		50 - 150 %	"				"
	Octacosane		111%		50 - 150 %	"				"

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

BTEX by EPA Method 8021B
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-01 (SEEP-1)		Water				Sampled: 06/29/06 14:35				
Benzene	EPA 8021B	ND	----	0.200	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 10:19	
Toluene	"	ND	----	0.500	"	"	"	"	"	"
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	"
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	"
<i>Surrogate(s): 4-BFB (PID)</i>			106%		68 - 140 %	"				"
BPG0078-02 (SEEP-2)		Water				Sampled: 06/29/06 13:55				
Benzene	EPA 8021B	ND	----	0.200	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 10:49	
Toluene	"	ND	----	0.500	"	"	"	"	"	"
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	"
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	"
<i>Surrogate(s): 4-BFB (PID)</i>			108%		68 - 140 %	"				"

TestAmerica - Seattle, WA

Cherie Howland
 Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-01 (SEEP-1)		Water		Sampled: 06/29/06 14:35						
Acenaphthene	EPA 8270C	ND	----	9.43	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 23:41	
Acenaphthylene	"	ND	----	9.43	"	"	"	"	"	
Aniline	"	ND	----	9.43	"	"	"	"	"	
Anthracene	"	ND	----	9.43	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	9.43	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	9.43	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	9.43	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	9.43	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	9.43	"	"	"	"	"	
Benzoic Acid	"	ND	----	18.9	"	"	"	"	"	
Benzyl alcohol	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroethoxy)methane	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroethyl)ether	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	"	ND	----	9.43	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	"	ND	----	47.2	"	"	"	"	"	
4-Bromophenyl phenyl ether	"	ND	----	9.43	"	"	"	"	"	
Butyl benzyl phthalate	"	ND	----	9.43	"	"	"	"	"	
Carbazole	"	ND	----	9.43	"	"	"	"	"	
4-Chloroaniline	"	ND	----	9.43	"	"	"	"	"	
4-Chloro-3-methylphenol	"	ND	----	9.43	"	"	"	"	"	
2-Chloronaphthalene	"	ND	----	9.43	"	"	"	"	"	
2-Chlorophenol	"	ND	----	9.43	"	"	"	"	"	
4-Chlorophenyl phenyl ether	"	ND	----	9.43	"	"	"	"	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	----	9.43	"	"	"	"	"	
2-Methylphenol (o-Cresol)	"	ND	----	9.43	"	"	"	"	"	
Chrysene	"	ND	----	9.43	"	"	"	"	"	
Di-n-butyl phthalate	"	ND	----	9.43	"	"	"	"	"	
Dibenz (a,h) anthracene	"	ND	----	9.43	"	"	"	"	"	
Dibenzofuran	"	ND	----	9.43	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
3,3'-Dichlorobenzidine	"	ND	----	9.43	"	"	"	"	"	
2,4-Dichlorophenol	"	ND	----	9.43	"	"	"	"	"	
Diethyl phthalate	"	ND	----	9.43	"	"	"	"	"	
2,4-Dimethylphenol	"	ND	----	9.43	"	"	"	"	"	
Dimethyl phthalate	"	ND	----	9.43	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	"	ND	----	9.43	"	"	"	"	"	
2,4-Dinitrophenol	"	ND	----	18.9	"	"	"	"	"	
2,4-Dinitrotoluene	"	ND	----	9.43	"	"	"	"	"	
2,6-Dinitrotoluene	"	ND	----	9.43	"	"	"	"	"	
N-Nitrosodiphenylamine	"	ND	----	9.43	"	"	"	"	"	
Fluoranthene	"	ND	----	9.43	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-01 (SEEP-1)		Water				Sampled: 06/29/06 14:35				
Fluorene	EPA 8270C	ND	----	9.43	ug/l	1x	6G06029	07/06/06 09:42	07/11/06 23:41	
Hexachlorobenzene	"	ND	----	9.43	"	"	"	"	"	"
Hexachlorobutadiene	"	ND	----	9.43	"	"	"	"	"	"
Hexachlorocyclopentadiene	"	ND	----	9.43	"	"	"	"	"	"
Hexachloroethane	"	ND	----	9.43	"	"	"	"	"	"
Indeno (1,2,3-cd) pyrene	"	ND	----	9.43	"	"	"	"	"	"
Isophorone	"	ND	----	9.43	"	"	"	"	"	"
1-Methylnaphthalene	"	ND	----	9.43	"	"	"	"	"	"
2-Methylnaphthalene	"	ND	----	9.43	"	"	"	"	"	"
Naphthalene	"	ND	----	9.43	"	"	"	"	"	"
2-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	"
3-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	"
4-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	"
Nitrobenzene	"	ND	----	9.43	"	"	"	"	"	"
2-Nitrophenol	"	ND	----	9.43	"	"	"	"	"	"
4-Nitrophenol	"	ND	----	9.43	"	"	"	"	"	"
N-Nitrosodi-n-propylamine	"	ND	----	9.43	"	"	"	"	"	"
Di-n-octyl phthalate	"	ND	----	9.43	"	"	"	"	"	"
Pentachlorophenol	"	ND	----	9.43	"	"	"	"	"	"
Phenanthrene	"	ND	----	9.43	"	"	"	"	"	"
Phenol	"	ND	----	9.43	"	"	"	"	"	"
Pyrene	"	ND	----	9.43	"	"	"	"	"	"
1,2,4-Trichlorobenzene	"	ND	----	9.43	"	"	"	"	"	"
2,4,5-Trichlorophenol	"	ND	----	9.43	"	"	"	"	"	"
2,4,6-Trichlorophenol	"	ND	----	9.43	"	"	"	"	"	"

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>77.8%</i>	<i>44 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>2-FP</i>	<i>71.5%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>	<i>89.4%</i>	<i>38 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>	<i>72.0%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>	<i>40.7%</i>	<i>24 - 146 %</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>	<i>90.1%</i>	<i>32 - 135 %</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**
 Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-02 (SEEP-2)		Water		Sampled: 06/29/06 13:55						
Acenaphthene	EPA 8270C	ND	----	9.43	ug/l	1x	6G06029	07/06/06 09:42	07/12/06 00:12	
Acenaphthylene	"	ND	----	9.43	"	"	"	"	"	
Aniline	"	ND	----	9.43	"	"	"	"	"	
Anthracene	"	ND	----	9.43	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	9.43	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	9.43	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	9.43	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	9.43	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	9.43	"	"	"	"	"	
Benzoic Acid	"	ND	----	18.9	"	"	"	"	"	
Benzyl alcohol	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroethoxy)methane	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroethyl)ether	"	ND	----	9.43	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	"	ND	----	9.43	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	"	ND	----	47.2	"	"	"	"	"	
4-Bromophenyl phenyl ether	"	ND	----	9.43	"	"	"	"	"	
Butyl benzyl phthalate	"	ND	----	9.43	"	"	"	"	"	
Carbazole	"	ND	----	9.43	"	"	"	"	"	
4-Chloroaniline	"	ND	----	9.43	"	"	"	"	"	
4-Chloro-3-methylphenol	"	ND	----	9.43	"	"	"	"	"	
2-Chloronaphthalene	"	ND	----	9.43	"	"	"	"	"	
2-Chlorophenol	"	ND	----	9.43	"	"	"	"	"	
4-Chlorophenyl phenyl ether	"	ND	----	9.43	"	"	"	"	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	----	9.43	"	"	"	"	"	
2-Methylphenol (o-Cresol)	"	ND	----	9.43	"	"	"	"	"	
Chrysene	"	ND	----	9.43	"	"	"	"	"	
Di-n-butyl phthalate	"	ND	----	9.43	"	"	"	"	"	
Dibenz (a,h) anthracene	"	ND	----	9.43	"	"	"	"	"	
Dibenzofuran	"	ND	----	9.43	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
3,3'-Dichlorobenzidine	"	ND	----	9.43	"	"	"	"	"	
2,4-Dichlorophenol	"	ND	----	9.43	"	"	"	"	"	
Diethyl phthalate	"	ND	----	9.43	"	"	"	"	"	
2,4-Dimethylphenol	"	ND	----	9.43	"	"	"	"	"	
Dimethyl phthalate	"	ND	----	9.43	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	"	ND	----	9.43	"	"	"	"	"	
2,4-Dinitrophenol	"	ND	----	18.9	"	"	"	"	"	
2,4-Dinitrotoluene	"	ND	----	9.43	"	"	"	"	"	
2,6-Dinitrotoluene	"	ND	----	9.43	"	"	"	"	"	
N-Nitrosodiphenylamine	"	ND	----	9.43	"	"	"	"	"	
Fluoranthene	"	ND	----	9.43	"	"	"	"	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C
 TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0078-02 (SEEP-2)		Water				Sampled: 06/29/06 13:55				
Fluorene	EPA 8270C	ND	----	9.43	ug/l	1x	6G06029	07/06/06 09:42	07/12/06 00:12	
Hexachlorobenzene	"	ND	----	9.43	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	9.43	"	"	"	"	"	
Hexachlorocyclopentadiene	"	ND	----	9.43	"	"	"	"	"	
Hexachloroethane	"	ND	----	9.43	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	9.43	"	"	"	"	"	
Isophorone	"	ND	----	9.43	"	"	"	"	"	
1-Methylnaphthalene	"	ND	----	9.43	"	"	"	"	"	
2-Methylnaphthalene	"	ND	----	9.43	"	"	"	"	"	
Naphthalene	"	ND	----	9.43	"	"	"	"	"	
2-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	
3-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	
4-Nitroaniline	"	ND	----	9.43	"	"	"	"	"	
Nitrobenzene	"	ND	----	9.43	"	"	"	"	"	
2-Nitrophenol	"	ND	----	9.43	"	"	"	"	"	
4-Nitrophenol	"	ND	----	9.43	"	"	"	"	"	
N-Nitrosodi-n-propylamine	"	ND	----	9.43	"	"	"	"	"	
Di-n-octyl phthalate	"	ND	----	9.43	"	"	"	"	"	
Pentachlorophenol	"	ND	----	9.43	"	"	"	"	"	
Phenanthrene	"	ND	----	9.43	"	"	"	"	"	
Phenol	"	ND	----	9.43	"	"	"	"	"	
Pyrene	"	ND	----	9.43	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	9.43	"	"	"	"	"	
2,4,5-Trichlorophenol	"	ND	----	9.43	"	"	"	"	"	
2,4,6-Trichlorophenol	"	ND	----	9.43	"	"	"	"	"	

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>76.3%</i>	<i>44 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>2-FP</i>	<i>75.6%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>	<i>89.6%</i>	<i>38 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>	<i>76.2%</i>	<i>16 - 120 %</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>	<i>43.2%</i>	<i>24 - 146 %</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>	<i>90.8%</i>	<i>32 - 135 %</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

Diesel Hydrocarbons (C10-C25) by AK102 - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06031 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06031-BLK1)													Extracted: 07/06/06 09:48	
Diesel Range Hydrocarbons	AK 102	ND	---	0.100	mg/l	1x	--	--	--	--	--	--	07/12/06 09:58	
Surrogate(s): 2-FBP		Recovery: 95.2%		Limits: 50-150%	"								07/12/06 09:58	
Octacosane		104%		50-150%	"								"	
LCS (6G06031-BS1)													Extracted: 07/06/06 09:48	
Diesel Range Hydrocarbons	AK 102	1.83	---	0.100	mg/l	1x	--	2.00	91.5%	(75-125)	--	--	07/12/06 10:27	
Surrogate(s): 2-FBP		Recovery: 103%		Limits: 50-150%	"								07/12/06 10:27	
Octacosane		115%		50-150%	"								"	
LCS Dup (6G06031-BSD1)													Extracted: 07/06/06 09:48	
Diesel Range Hydrocarbons	AK 102	1.85	---	0.100	mg/l	1x	--	2.00	92.5%	(75-125)	1.09%	(20)	07/12/06 10:57	
Surrogate(s): 2-FBP		Recovery: 104%		Limits: 50-150%	"								07/12/06 10:57	
Octacosane		117%		50-150%	"								"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	Report Created:
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	07/18/06 15:08
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 **Water Preparation Method: EPA 5030B (P/T)**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

Blank (6G08015-BLK1)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	--	--	--	--	--	--	07/08/06 20:14	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 102%</i>		<i>Limits: 68-140%</i>		<i>"</i>						<i>07/08/06 20:14</i>		

LCS (6G08015-BS2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	26.3	---	0.200	ug/l	1x	--	30.0	87.7%	(80-120)	--	--	07/08/06 21:44	
Toluene	"	26.4	---	0.500	"	"	--	"	88.0%	"	--	--	"	
Ethylbenzene	"	26.8	---	0.500	"	"	--	"	89.3%	"	--	--	"	
Xylenes (total)	"	81.2	---	1.00	"	"	--	90.0	90.2%	"	--	--	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 103%</i>		<i>Limits: 68-140%</i>		<i>"</i>						<i>07/08/06 21:44</i>		

LCS Dup (6G08015-BSD2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	29.5	---	0.200	ug/l	1x	--	30.0	98.3%	(80-120)	11.5%	(25)	07/08/06 22:14	
Toluene	"	29.5	---	0.500	"	"	--	"	98.3%	"	11.1%	"	"	
Ethylbenzene	"	30.0	---	0.500	"	"	--	"	100%	"	11.3%	"	"	
Xylenes (total)	"	90.5	---	1.00	"	"	--	90.0	101%	"	10.8%	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 103%</i>		<i>Limits: 68-140%</i>		<i>"</i>						<i>07/08/06 22:14</i>		

Duplicate (6G08015-DUP1)

QC Source: BPF0800-01

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	NR	(25)	07/08/06 23:51	
Toluene	"	ND	---	0.500	"	"	ND	--	--	--	1.14%	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 103%</i>		<i>Limits: 68-140%</i>		<i>"</i>						<i>07/08/06 23:51</i>		

Duplicate (6G08015-DUP2)

QC Source: BPG0077-02

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	1.06%	(25)	07/09/06 07:19	
Toluene	"	24.1	---	0.500	"	"	23.5	--	--	--	2.52%	"	"	
Ethylbenzene	"	0.682	---	0.500	"	"	0.673	--	--	--	1.33%	"	"	
Xylenes (total)	"	3.25	---	1.00	"	"	3.20	--	--	--	1.55%	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 108%</i>		<i>Limits: 68-140%</i>		<i>"</i>						<i>07/09/06 07:19</i>		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 **Water Preparation Method: EPA 5030B (P/T)**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Duplicate (6G08015-DUP3)			QC Source: BPF0802-01				Extracted: 07/08/06 17:01							
Toluene	EPA 8021B	ND	---	0.500	ug/l	1x	ND	--	--	--	6.19% (25)		07/09/06 17:10	
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 107%</i>		<i>Limits: 68-140%</i>								<i>07/09/06 17:10</i>		
Matrix Spike (6G08015-MS2)			QC Source: BPF0800-01				Extracted: 07/08/06 17:01							
Benzene	EPA 8021B	28.6	---	0.200	ug/l	1x	ND	30.0	95.3%	(46-130)	--	--	07/09/06 00:50	
Toluene	"	28.4	---	0.500	"	"	0.176	"	94.1%	(60-124)	--	--	"	
Ethylbenzene	"	29.3	---	0.500	"	"	ND	"	97.7%	(56-141)	--	--	"	
Xylenes (total)	"	87.9	---	1.00	"	"	ND	90.0	97.7%	(66-132)	--	--	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 108%</i>		<i>Limits: 68-140%</i>								<i>07/09/06 00:50</i>		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 **Water Preparation Method: EPA 3520C**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06029-BLK1)													Extracted: 07/06/06 09:42	
Acenaphthene	EPA 8270C	ND	---	10.0	ug/l	1x	--	--	--	--	--	--	07/11/06 21:00	
Acenaphthylene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Aniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Benzoic Acid	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	
Benzyl alcohol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroethoxy)methane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroethyl)ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-chloroisopropyl)ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Bis(2-ethylhexyl)phthalate	"	ND	---	50.0	"	"	--	--	--	--	--	--	"	
4-Bromophenyl phenyl ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Butyl benzyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Carbazole	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chloroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chloro-3-methylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chloronaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Chlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Chlorophenyl phenyl ether	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3 & 4-Methylphenol (m,p-Cresols)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Methylphenol (o-Cresol)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Di-n-butyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dibenz (a,h) anthracene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dibenzofuran	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3,3'-Dichlorobenzidine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Diethyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dimethylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Dimethyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4,6-Dinitro-2-methylphenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4-Dinitrophenol	"	ND	---	20.0	"	"	--	--	--	--	--	--	"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 **Water Preparation Method: EPA 3520C**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06029-BLK1)													Extracted: 07/06/06 09:42	
2,4-Dinitrotoluene	EPA 8270C	ND	---	10.0	ug/l	1x	--	--	--	--	--	--	07/11/06 21:00	
2,6-Dinitrotoluene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
N-Nitrosodiphenylamine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorobutadiene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachlorocyclopentadiene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Hexachloroethane	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isophorone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1-Methylnaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Methylnaphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
3-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Nitroaniline	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Nitrobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2-Nitrophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
4-Nitrophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
N-Nitrosodi-n-propylamine	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Di-n-octyl phthalate	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Pentachlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Phenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4,5-Trichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
2,4,6-Trichlorophenol	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	

<i>Surrogate(s):</i>	<i>2-FBP</i>	<i>Recovery:</i>	<i>79.8%</i>	<i>Limits:</i>	<i>44-120%</i>	<i>"</i>	<i>07/11/06 21:00</i>
	<i>2-FP</i>		<i>76.4%</i>		<i>16-120%</i>	<i>"</i>	<i>"</i>
	<i>Nitrobenzene-d5</i>		<i>89.4%</i>		<i>38-120%</i>	<i>"</i>	<i>"</i>
	<i>Phenol-d6</i>		<i>77.0%</i>		<i>16-120%</i>	<i>"</i>	<i>"</i>
	<i>p-Terphenyl-d14</i>		<i>99.4%</i>		<i>24-146%</i>	<i>"</i>	<i>"</i>
	<i>2,4,6-TBP</i>		<i>75.4%</i>		<i>32-135%</i>	<i>"</i>	<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
 Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI
 Project Manager: Andy Ellsmore

Report Created:
 07/18/06 15:08

Semivolatile Organic Compounds by EPA Method 8270C - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06029 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

LCS (6G06029-BS1)

Extracted: 07/06/06 09:42

Acenaphthene	EPA 8270C	103	---	10.0	ug/l	1x	--	100	103%	(57-120)	--	--	07/11/06 21:32	
4-Chloro-3-methylphenol	"	108	---	10.0	"	"	--	"	108%	(51-124)	--	--	"	
2-Chlorophenol	"	92.2	---	10.0	"	"	--	"	92.2%	(40-120)	--	--	"	
1,4-Dichlorobenzene	"	81.4	---	10.0	"	"	--	"	81.4%	(50-120)	--	--	"	
2,4-Dinitrotoluene	"	95.8	---	10.0	"	"	--	"	95.8%	(66-130)	--	--	"	
4-Nitrophenol	"	104	---	10.0	"	"	--	"	104%	(42-148)	--	--	"	
N-Nitrosodi-n-propylamine	"	91.5	---	10.0	"	"	--	"	91.5%	(49-120)	--	--	"	
Pentachlorophenol	"	121	---	10.0	"	"	--	"	121%	(67-151)	--	--	"	
Phenol	"	90.8	---	10.0	"	"	--	"	90.8%	(28-120)	--	--	"	
Pyrene	"	103	---	10.0	"	"	--	"	103%	(54-134)	--	--	"	
1,2,4-Trichlorobenzene	"	88.1	---	10.0	"	"	--	"	88.1%	(52-120)	--	--	"	

Surrogate(s):	2-FBP	Recovery:	91.2%	Limits:	44-120%	"							07/11/06 21:32	
	2-FP		83.2%		16-120%	"							"	
	Nitrobenzene-d5		94.8%		38-120%	"							"	
	Phenol-d6		89.4%		16-120%	"							"	
	p-Terphenyl-d14		93.4%		24-146%	"							"	
	2,4,6-TBP		99.0%		32-135%	"							"	

LCS Dup (6G06029-BSD1)

Extracted: 07/06/06 09:42

Acenaphthene	EPA 8270C	105	---	10.0	ug/l	1x	--	100	105%	(57-120)	1.92%	(25)	07/11/06 22:04	
4-Chloro-3-methylphenol	"	111	---	10.0	"	"	--	"	111%	(51-124)	2.74%	"	"	
2-Chlorophenol	"	97.1	---	10.0	"	"	--	"	97.1%	(40-120)	5.18%	(37)	"	
1,4-Dichlorobenzene	"	86.6	---	10.0	"	"	--	"	86.6%	(50-120)	6.19%	(32)	"	
2,4-Dinitrotoluene	"	98.3	---	10.0	"	"	--	"	98.3%	(66-130)	2.58%	(25)	"	
4-Nitrophenol	"	105	---	10.0	"	"	--	"	105%	(42-148)	0.957%	"	"	
N-Nitrosodi-n-propylamine	"	94.9	---	10.0	"	"	--	"	94.9%	(49-120)	3.65%	"	"	
Pentachlorophenol	"	127	---	10.0	"	"	--	"	127%	(67-151)	4.84%	"	"	
Phenol	"	94.5	---	10.0	"	"	--	"	94.5%	(28-120)	3.99%	(48)	"	
Pyrene	"	105	---	10.0	"	"	--	"	105%	(54-134)	1.92%	(25)	"	
1,2,4-Trichlorobenzene	"	93.8	---	10.0	"	"	--	"	93.8%	(52-120)	6.27%	"	"	

Surrogate(s):	2-FBP	Recovery:	92.4%	Limits:	44-120%	"							07/11/06 22:04	
	2-FP		88.1%		16-120%	"							"	
	Nitrobenzene-d5		100%		38-120%	"							"	
	Phenol-d6		92.2%		16-120%	"							"	
	p-Terphenyl-d14		92.8%		24-146%	"							"	
	2,4,6-TBP		99.7%		32-135%	"							"	

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI

Project Manager: Andy Ellsmore

Report Created:

07/18/06 15:08

Notes and Definitions

Report Specific Notes:

D-09 - Results in the diesel organics range are primarily due to overlap from a heavy oil range product.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

TestAmerica - Seattle, WA



Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



BPG0078



11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
 11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #:

CLIENT: Chescon		INVOICE TO:		TURNAROUND REQUEST in Business Days * Organic & Inorganic Analyses <input type="checkbox"/> 10 <input type="checkbox"/> 7 <input type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1 STD Petroleum Hydrocarbon Analyses <input checked="" type="checkbox"/> 5 <input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 <input type="checkbox"/> <1 STD <input type="checkbox"/> OTHER Specify: * Turnaround Requests less than standard may incur Rush Charges			
REPORT TO: Combrin Env. ADDRESS: 2828 N. Peet Blvd. #140 Denver, CO 80211		P.O. NUMBER: 31J-2235-0m1					
PHONE: 303-433-3650 FAX:		PROJECT NAME:		PRESERVATIVE			
PROJECT NUMBER: 100-1467		SAMPLED BY: AE/BC		REQUESTED ANALYSES			
CLIENT SAMPLE IDENTIFICATION		SAMPLING DATE/TIME		GREY 8021 PAH 8270 DRO AK102		MATRIX (W, S, O) # OF CONT. LOCATION COMMENTS TA WO ID	
1	SEEP-1	6/29/06 . 1435	X	X		W	5
2	SEEP-2	6/29/06 . 1355	X	X		W	5
3	MW-4	6/29/06 . 1222			X	W	1
4							
5							
6							
7							
8							
9							
10	TRIP BLANK						
RELEASED BY: AE		DATE: 6/30/06		RECEIVED BY: Holly Martinson		DATE: 7/3/06	
PRINT NAME: Andy Ellinger		FIRM: Combrin		PRINT NAME: Holly Martinson		FIRM: TA-ALU	
RELEASED BY: Holly Martinson		DATE: 7/3/06		RECEIVED BY: Tammy Blankenship		DATE: 7/5/06	
PRINT NAME: Holly Martinson		FIRM: TA-ALU		PRINT NAME: Blankenship		FIRM: TA-S	
ADDITIONAL REMARKS:		TIME: 830		TIME: 1200		TEMP: 5.4%	

COX REV 05 2006

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project. Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

July 18, 2006

Andy Ellsmore
Cambria Environmental-Denver
2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

RE: Chevron 100-1467

Enclosed are the results of analyses for samples received by the laboratory on 07/05/06 15:51.
The following list is a summary of the Work Orders contained in this report, generated on 07/18/06
15:11.

If you have any questions concerning this report, please feel free to contact me.

<u>Work Order</u>	<u>Project</u>	<u>ProjectNumber</u>
BPG0079	Chevron 100-1467	31J-2235-OMI

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver 2828 N. Spear Blvd., Suite 140 Denver, CO/USA 80211	Project Name: Chevron 100-1467 Project Number: 31J-2235-OMI Project Manager: Andy Ellsmore	Report Created: 07/18/06 15:11
---	---	-----------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-2	BPG0079-01	Water	06/29/06 14:30	07/05/06 15:51

TestAmerica - Seattle, WA


Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

Gasoline Range Hydrocarbons (n-Hexane to <n-Decane) by AK101
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0079-01 (MW-2)		Water			Sampled: 06/29/06 14:30					
Gasoline Range Hydrocarbons	AK 101	ND	----	50.0	ug/l	1x	6G10034	07/10/06 10:00	07/10/06 19:18	
<i>Surrogate(s): 4-BFB (FID)</i>			<i>94.8%</i>		<i>60 - 120 %</i>	<i>"</i>				<i>"</i>

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

Diesel Hydrocarbons (C10-C25) and Heavy Oil (C25-C36) by AK102 and AK103
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0079-01 (MW-2)		Water			Sampled: 06/29/06 14:30					
Diesel Range Hydrocarbons	AK102_103	0.608	----	0.0943	mg/l	1x	6G06031	07/06/06 09:48	07/12/06 12:56	D-09
Residual Range Organics	"	ND	----	0.708	"	"	"	"	"	
<i>Surrogate(s): 2-FBP</i>				96.6%	50 - 150 %	"				"
<i>Octacosane</i>				106%	50 - 150 %	"				"

TestAmerica - Seattle, WA

Cherie Howland
Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

BTEX by EPA Method 8021B
TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
BPG0079-01 (MW-2)		Water			Sampled: 06/29/06 14:30					
Benzene	EPA 8021B	0.954	----	0.200	ug/l	1x	6G08015	07/08/06 17:01	07/09/06 11:19	
Toluene	"	ND	----	0.500	"	"	"	"	"	"
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	"
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	"
<i>Surrogate(s): 4-BFB (PID)</i>			108%		68 - 140 %	"				"

TestAmerica - Seattle, WA

Cherie Howland
Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

Gasoline Range Hydrocarbons (n-Hexane to <n-Decane) by AK101 - Laboratory Quality Control Results
TestAmerica - Seattle, WA

QC Batch: 6G10034 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes		
Blank (6G10034-BLK1)													Extracted: 07/10/06 10:00			
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	--	--	--	--	--	--	07/10/06 10:27			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 94.0%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 10:27</i>				
LCS (6G10034-BS1)													Extracted: 07/10/06 10:00			
Gasoline Range Hydrocarbons	AK 101	959	---	50.0	ug/l	1x	--	1000	95.9%	(60-120)	--	--	07/10/06 10:57			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 107%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 10:57</i>				
LCS Dup (6G10034-BSD1)													Extracted: 07/10/06 10:00			
Gasoline Range Hydrocarbons	AK 101	1010	---	50.0	ug/l	1x	--	1000	101%	(60-120)	5.18% (20)		07/10/06 14:17			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 110%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 14:17</i>				
Duplicate (6G10034-DUP1)													QC Source: BPG0031-01		Extracted: 07/10/06 10:00	
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	ND	--	--	--	NR (20)		07/10/06 13:38			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 101%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 13:38</i>				
Duplicate (6G10034-DUP2)													QC Source: BPG0079-01		Extracted: 07/10/06 10:00	
Gasoline Range Hydrocarbons	AK 101	ND	---	50.0	ug/l	1x	ND	--	--	--	NR (20)		07/10/06 18:48			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 101%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 18:48</i>				
Matrix Spike (6G10034-MS1)													QC Source: BPG0031-01		Extracted: 07/10/06 10:00	
Gasoline Range Hydrocarbons	AK 101	1050	---	50.0	ug/l	1x	ND	1000	105%	(60-120)	--	--	07/10/06 16:49			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 110%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 16:49</i>				
Matrix Spike Dup (6G10034-MSD1)													QC Source: BPG0031-01		Extracted: 07/10/06 10:00	
Gasoline Range Hydrocarbons	AK 101	1020	---	50.0	ug/l	1x	ND	1000	102%	(60-120)	2.90% (20)		07/10/06 17:19			
<i>Surrogate(s): 4-BFB (FID)</i>		<i>Recovery: 109%</i>		<i>Limits: 60-120%</i>		<i>"</i>						<i>07/10/06 17:19</i>				

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

Diesel Hydrocarbons (C10-C25) and Heavy Oil (C25-C36) by AK102 and AK103 - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G06031 Water Preparation Method: EPA 3520C

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6G06031-BLK1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	ND	---	0.100	mg/l	1x	--	--	--	--	--	--	07/12/06 09:58	
Residual Range Organics	"	ND	---	0.750	"	"	--	--	--	--	--	--	"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 95.2%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 09:58</i>		
<i>Octacosane</i>		<i>104%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		
LCS (6G06031-BS1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	1.83	---	0.100	mg/l	1x	--	2.00	91.5%	(75-125)	--	--	07/12/06 10:27	
Residual Range Organics	"	1.85	---	0.750	"	"	--	"	92.5%	(60-120)	--	--	"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 103%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 10:27</i>		
<i>Octacosane</i>		<i>115%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		
LCS Dup (6G06031-BSD1)										Extracted: 07/06/06 09:48				
Diesel Range Hydrocarbons	AK102_103	1.85	---	0.100	mg/l	1x	--	2.00	92.5%	(75-125)	1.09% (20)		07/12/06 10:57	
Residual Range Organics	"	1.85	---	0.750	"	"	--	"	92.5%	(60-120)	0.00% "		"	
<i>Surrogate(s): 2-FBP</i>		<i>Recovery: 104%</i>		<i>Limits: 50-150%</i>		<i>"</i>						<i>07/12/06 10:57</i>		
<i>Octacosane</i>		<i>117%</i>		<i>50-150%</i>		<i>"</i>						<i>"</i>		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	Report Created:
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	07/18/06 15:11
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 **Water Preparation Method: EPA 5030B (P/T)**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
---------	--------	--------	------	-----	-------	-----	---------------	-----------	-------	----------	-------	----------	----------	-------

Blank (6G08015-BLK1)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	--	--	--	--	--	--	07/08/06 20:14	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB (PID)		Recovery: 102%		Limits: 68-140%		"						07/08/06 20:14		

LCS (6G08015-BS2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	26.3	---	0.200	ug/l	1x	--	30.0	87.7%	(80-120)	--	--	07/08/06 21:44	
Toluene	"	26.4	---	0.500	"	"	--	"	88.0%	"	--	--	"	
Ethylbenzene	"	26.8	---	0.500	"	"	--	"	89.3%	"	--	--	"	
Xylenes (total)	"	81.2	---	1.00	"	"	--	90.0	90.2%	"	--	--	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 21:44		

LCS Dup (6G08015-BSD2)

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	29.5	---	0.200	ug/l	1x	--	30.0	98.3%	(80-120)	11.5%	(25)	07/08/06 22:14	
Toluene	"	29.5	---	0.500	"	"	--	"	98.3%	"	11.1%	"	"	
Ethylbenzene	"	30.0	---	0.500	"	"	--	"	100%	"	11.3%	"	"	
Xylenes (total)	"	90.5	---	1.00	"	"	--	90.0	101%	"	10.8%	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 22:14		

Duplicate (6G08015-DUP1)

QC Source: BPF0800-01

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	NR	(25)	07/08/06 23:51	
Toluene	"	ND	---	0.500	"	"	ND	--	--	--	1.14%	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 103%		Limits: 68-140%		"						07/08/06 23:51		

Duplicate (6G08015-DUP2)

QC Source: BPG0077-02

Extracted: 07/08/06 17:01

Benzene	EPA 8021B	ND	---	0.200	ug/l	1x	ND	--	--	--	1.06%	(25)	07/09/06 07:19	
Toluene	"	24.1	---	0.500	"	"	23.5	--	--	--	2.52%	"	"	
Ethylbenzene	"	0.682	---	0.500	"	"	0.673	--	--	--	1.33%	"	"	
Xylenes (total)	"	3.25	---	1.00	"	"	3.20	--	--	--	1.55%	"	"	
Surrogate(s): 4-BFB (PID)		Recovery: 108%		Limits: 68-140%		"						07/09/06 07:19		

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver	Project Name: Chevron 100-1467	
2828 N. Spear Blvd., Suite 140	Project Number: 31J-2235-OMI	Report Created:
Denver, CO/USA 80211	Project Manager: Andy Ellsmore	07/18/06 15:11

BTEX by EPA Method 8021B - Laboratory Quality Control Results
 TestAmerica - Seattle, WA

QC Batch: 6G08015 Water Preparation Method: EPA 5030B (P/T)

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Duplicate (6G08015-DUP3)			QC Source: BPF0802-01				Extracted: 07/08/06 17:01							
Toluene	EPA 8021B	ND	---	0.500	ug/l	1x	ND	--	--	--	6.19%	(25)	07/09/06 17:10	
Ethylbenzene	"	ND	---	0.500	"	"	ND	--	--	--	NR	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	ND	--	--	--	NR	"	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 107%</i>		<i>Limits: 68-140%</i>		<i>"</i>		<i>07/09/06 17:10</i>						
Matrix Spike (6G08015-MS2)			QC Source: BPF0800-01				Extracted: 07/08/06 17:01							
Benzene	EPA 8021B	28.6	---	0.200	ug/l	1x	ND	30.0	95.3%	(46-130)	--	--	07/09/06 00:50	
Toluene	"	28.4	---	0.500	"	"	0.176	"	94.1%	(60-124)	--	--	"	
Ethylbenzene	"	29.3	---	0.500	"	"	ND	"	97.7%	(56-141)	--	--	"	
Xylenes (total)	"	87.9	---	1.00	"	"	ND	90.0	97.7%	(66-132)	--	--	"	
<i>Surrogate(s): 4-BFB (PID)</i>		<i>Recovery: 108%</i>		<i>Limits: 68-140%</i>		<i>"</i>		<i>07/09/06 00:50</i>						

TestAmerica - Seattle, WA

Cherie Howland

Cherie Howland, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental-Denver

2828 N. Spear Blvd., Suite 140
Denver, CO/USA 80211

Project Name: **Chevron 100-1467**

Project Number: 31J-2235-OMI

Project Manager: Andy Ellsmore

Report Created:

07/18/06 15:11

Notes and Definitions

Report Specific Notes:

D-09 - Results in the diesel organics range are primarily due to overlap from a heavy oil range product.

Laboratory Reporting Conventions:

- DET - Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
- ND - Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
- NR/NA - Not Reported / Not Available
- dry - Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
- wet - Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
- RPD - RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
- MRL - METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
- MDL* - METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
- Dil - Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
- Reporting Limits - Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
- Electronic Signature - Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.



Cherie Howland, Project Manager



BPG 0079

TestAmerica

ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
 11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
 9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210
 2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #:

CLIENT: <u>Cherbon</u>		INVOICE TO:		TURNAROUND REQUEST in Business Days * Organic & Inorganic Analyses 10 7 5 4 3 2 1 <1 STD Petroleum Hydrocarbon Analyses 5 4 3 2 1 <1 STD OTHER Specify: * Turnaround Requests less than standard may incur Rush Charges.						
REPORT TO: <u>Cambridge Environmental</u>		P.O. NUMBER: <u>312-2235-0M1</u>								
ADDRESS: <u>2828 North Speer BLVD</u> <u>Denver CO 80211</u>		PRESERVATIVE		MATRIX (W. S. O) # OF CONT. LOCATION / COMMENTS TA WO ID						
PHONE: <u>303-433-7680</u> FAX:		REQUESTED ANALYSES								
PROJECT NAME:		H H H H		W 5						
PROJECT NUMBER: <u>100-1467</u>		GRO AK101 BTEX 8021 DRO AK102 PFO AK103								
SAMPLED BY: <u>AE/BC</u>				* Turnaround Requests less than standard may incur Rush Charges.						
CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME									
<u>MW-2</u>	<u>6/29/06 1430</u>	X	X					X	X	
10 <u>Trip Blank</u>										
RELEASED BY: <u>Bruce Campbell</u>	DATE: <u>6/30/06</u>	RECEIVED BY: <u>Holly Merdison</u>	DATE: <u>7/3/06</u>							
PRINT NAME: <u>Bruce Campbell</u>	FIRM: <u>Cambridge</u>	TIME: <u>8:30</u>	PRINT NAME: <u>Holly Merdison</u>	FIRM: <u>TA-AU</u>	TIME: <u>9:15</u>					
RELEASED BY: <u>Holly Merdison</u>	DATE: <u>7/5/06</u>	RECEIVED BY: <u>Tom Blankinship</u>	DATE: <u>7/5/06</u>							
PRINT NAME: <u>Holly Merdison</u>	FIRM: <u>TA-AU</u>	TIME: <u>11:00</u>	PRINT NAME: <u>Tom Blankinship</u>	FIRM: <u>TA-S</u>	TIME: <u>1557</u>					
ADDITIONAL REMARKS:				TEMP: <u>5.4</u>		PAGE OF				

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project. Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

ATTACHMENT B

Well Sampling Forms

WELL SAMPLING FORM

Project Name: Chevron #100-1467	Cambria Mgr: John Riggi	Well ID: MW-5
Project Number: 61117057	Date: 6/29/06	Well Yield:
Site Address: 1417 Peninsula Street Wrangell, Alaska	Sampling Method: Low Flow	Well Diameter: 2"
		Technician(s): AE/BC
Initial Depth to Water: 5.32	Total Well Depth: 11.70	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Purging Device: Pump	Did Well Dewater?:	Total Gallons Purged:
Start Purge Time:	Stop Purge Time:	Total Time:

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume <i>Depth Water</i>	Temp. (°C)	pH	Cond. (uS)	Comments <i>Turbidity, ORP, DO</i>
1054	6.08	10.62	8.88	0.544	67.28 -138.3 25.4
1056	6.40	10.23	8.64	0.505	47.46 -125.4 16.3
1100	6.80	10.29	9.39	0.476	39.40 -144.3 16.6
1102	7.06	10.35	9.45	0.470	22.17 -148.1 14.4
1105	7.40	10.33	9.49	0.468	16.93 -149.2 13.5
1107	7.57	10.32	9.51	0.463	10.67 -151.5 13.0
1110	7.67	10.35	9.54	0.459	9.89 -154.2 12.5
1112	7.74	10.29	9.55	0.457	9.10 -155.3 13.5

Fe = **7.79** mg/L ORP = mV DO = mg/L

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-5	6/29/06	11:15 7:29	VOAG 3	HCL	PTX	

WELL SAMPLING FORM

Project Name: Chevron #100-1467	Cambria Mgr: John Riggi	Well ID: MW-4
Project Number: 61H-2057	Date: 6/29/06	Well Yield:
Site Address: 1417 Peninsula Street Wrangell, Alaska	Sampling Method:	Well Diameter: 2"
		Technician(s): BC/AE
Initial Depth to Water: 0.65	Total Well Depth: 6.15	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Purging Device:	Did Well Dewater?:	Total Gallons Purged:
Start Purge Time:	Stop Purge Time:	Total Time:

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. (°C)	pH	Cond. (uS)	Comments
					Turbidity, DO, ORP
12:00	1.05	12.07	8.91	0.358	11.09 165 - 150.8
12:03	1.26	11.83	9.31	0.356	8.34 11.1 - 183.0
12:06	1.31	11.33	9.51	0.360	7.76 7.9 - 197.7
12:10	1.38	11.12	9.62	0.363	7.49 7.2 - 209.1
12:12	1.40	11.03	9.72	0.365	4.59 6.8 - 210.7
12:15	1.45	10.83	9.80	0.368	5.86 6.1 - 218.6
12:17	1.48	10.54	9.88	0.373	5.34 5.4 - 231.6
12:19	1.50	10.49	9.92	0.374	4.84 6.1 - 236.4

Fe = mg/L ORP = mV DO = mg/L

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
1.51 Final Apts MW-4	6/29/06	12:22	1 Liter Nuber Preserv	HCL	DRD	

WELL SAMPLING FORM

Project Name: Chevron #100-1467	Cambria Mgr: John Riggi	Well ID: MW-6
Project Number: 61H-2057	Date: 6/29/06	Well Yield:
Site Address: 1417 Peninsula Street Wrangell, Alaska	Sampling Method:	Well Diameter: 2"
		Technician(s): BC/AE
Initial Depth to Water: 3.89	Total Well Depth:	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Purging Device:	Did Well Dewater?:	Total Gallons Purged:
Start Purge Time:	Stop Purge Time:	Total Time:

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. (°C)	pH	Cond. (uS)	Comments
1307	4.14	10.14	7.02	0.406	Turbidity, DO, ORP 9.20 6.7 -75.8
1312	4.45	9.76	6.95	0.353	9.16 5.0 -79.8
1315	4.51	9.68	6.95	0.320	9.70 4.8 -83.5
1325 1325	4.72	9.79	6.94	0.34 0.34	10.34 4.9 -88.2

Fe = mg/L ORP = mV DO = mg/L

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-6	6/29/06	1320				
MW-6-Dup	6/29/06	1355				

WELL SAMPLING FORM

Project Name: Chevron #100-1467	Cambria Mgr: John Riggi	Well ID: MW-2
Project Number: 61H-2057	Date: 6/29/06	Well Yield:
Site Address: 1417 Peninsula Street Wrangell, Alaska	Sampling Method:	Well Diameter: 2"
		Technician(s): MC/AE
Initial Depth to Water: 1.67	Total Well Depth: 5.01	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Purging Device:	Did Well Dewater?:	Total Gallons Purged:
Start Purge Time:	Stop Purge Time:	Total Time:

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. (°C)	pH	Cond. (uS)	Comments
		13.41	5.14	0.352	Turbidity DO ORP
1419	1.69	13.41	5.14	0.352	6.53 57.6 144.6
1422	1.70	12.85	5.30	0.362	5.47 11.2 135.3
1425	1.70	12.82	5.32	0.364	5.71 9.1 131.9
1427	1.71	12.81	5.46	0.366	5.33 6.8 124.6
1428	1.71	12.71	5.41	0.367	1.54 5.8 125.3
1429	1.71	12.68	5.43	0.367	1.62 5.3 124.8
1430	1.71	12.66	5.43	0.367	1.59 4.9 123.6

Fe = mg/L ORP = mV DO = mg/L

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-2	6/29/06	1430	3 VORKS 2 liter	HCL HCL		

ATTACHMENT C

Standard Procedures for Low Flow Groundwater Monitoring and Sampling

CAMBRIA

STANDARD FIELD PROCEDURES FOR LOW FLOW GROUNDWATER MONITORING AND SAMPLING

This document presents standard field methods for groundwater monitoring, purging and sampling, and well development. These procedures are designed to comply with Federal, State and local regulatory guidelines. Cambria's specific field procedures are summarized below.

Groundwater Monitoring

Prior to performing monitoring activities, the historical monitoring and analytical data of each monitoring well shall be reviewed to determine if any of the wells are likely to contain separate phase hydrocarbons (SPH) and to determine the order in which the wells will be monitored (i.e. cleanest to dirtiest). Groundwater monitoring should not be performed when the potential exists for surface water to enter the well (i.e. flooding during a rainstorm).

Prior to monitoring, each well shall be opened and the well cap removed to allow water levels to stabilize and equilibrate. The condition of the well box and well cap shall be observed and recommended repairs noted. Any surface water that may have entered and flooded the well box should be evacuated prior to removing the well cap. In wells with no history of SPH, the static water level and total well depth shall be measured to the nearest 0.01 foot with an electronic water level meter. Wells with the highest contaminant concentrations shall be monitored last. In wells with a history of SPH, the SPH level/thickness and static water level shall be measured to the nearest 0.01 foot using an electronic interface probe. The water level meter and/or interface probe shall be thoroughly cleaned and decontaminated at the beginning of the monitoring event and between each well. All monitoring and sample equipment (e.g., pumps, in-line water quality measurement device, tubing, etc.) shall be decontaminated using soapy water consisting of Liquinox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water.

Groundwater Purging and Sampling

Prior to groundwater purging and sampling, the historical analytical data of each monitoring well shall be reviewed to determine the order in which the wells should be purged and sampled (i.e. cleanest to dirtiest). No purging or groundwater sampling shall be performed on wells with a sheen or measurable thickness of SPH or floating SPH globules. Prior to purging, all monitoring equipment shall be decontaminated and calibrated to manufacturer's recommendations. Wells shall be purged by using an aboveground pump (e.g. peristaltic or Wattera™) or down-hole pump (e.g. Grundfos™ or DC Purger pump) provided the pump has flow control. The pump intake shall be slowly lowered down the well and set in the middle of the screened interval as to not disturb the water column. An in-line water quality measurement device (e.g., flow-through cell) shall be used to establish the stabilization time for the necessary parameters (e.g., pH, temperature, specific conductance, oxidation reduction potential (redox), dissolved oxygen, and turbidity).

Groundwater wells shall be purged at a rate of approximately 0.1 to 0.5 Liters per minute (L/min), unless site conditions warrant otherwise, until groundwater parameters have stabilized to within 10% for three consecutive readings. Temperature, pH, specific conductance, oxidation reduction potential (redox), dissolved oxygen, and turbidity shall be measured and recorded at the start and completion of purging. The total volume of groundwater removed shall be recorded along with any other notable physical characteristic such as color and odor.

Groundwater samples shall be collected into clean containers supplied by the analytical laboratory directly from the output after stabilization of groundwater parameters has been established. New latex gloves and disposable tubing shall be used for sampling each well. If a

CAMBRIA

down-hole pump is used for groundwater purging and collection, it shall be decontaminated before purging and sampling each well by using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water. If a submersible pump with non-dedicated discharge tubing is used for groundwater purging, both the inside and outside of pump and discharge tubing shall be decontaminated as described above.

Sample Handling

Except for samples that will be tested in the field, or that require special handling or preservation, samples shall be stored in coolers chilled to 4° C for shipment to the analytical laboratory. Samples shall be labeled, placed in protective foam sleeves or bubble wrap as needed, stored on crushed ice at or below 4° C, and submitted under chain-of-custody (COC) to the laboratory. The laboratory shall be notified of the sample shipment schedule and arrival time. Samples shall be shipped to the laboratory within a time frame to allow for extraction and analysis to be performed within the standard sample holding times.

Sample labels shall be filled out using indelible ink and must contain the site name; field identification number; the date, time, and location of sample collection; notation of the type of sample; identification of preservatives used; remarks; and the signature of the sampler. Field identification must be sufficient to allow easy cross-reference with the field datasheet.

All samples submitted to the laboratory shall be accompanied by a COC record to ensure adequate documentation. One copy of the COC shall be kept in the QA/QC file and another copy shall be retained in the project file. Information on the COC shall consist of the project name and number; project location; sample numbers; sampler/recorder's signature; date and time of collection of each sample; sample type; analyses requested; name of person receiving the sample; and date of receipt of sample.

Laboratory-supplied trip blanks shall accompany the samples and be analyzed to check for cross-contamination, if requested by the project manager.

Well Development

Wells shall be developed using a combination of groundwater surging and extraction. A surge block shall be used to swab the well and agitate the groundwater in order to dislodge any fine sediment from the sand pack. After approximately ten minutes of swabbing the well, groundwater shall be extracted from the well using a bailer, pump and/or reverse air-lifting through a pipe to remove the sediments from the well. Alternating surging and extraction shall continue until the sediment volume in the groundwater (i.e. turbidity) is negligible, which typically requires extraction of approximately ten well-casing volumes of groundwater. Preliminary well development usually is performed during well installation prior to placing the sanitary surface seal to ensure sand pack stabilization. Well development that is performed after surface seal installation, should occur 72 hours after seal installation to ensure that the cement has had adequate time to set.

Waste Handling and Disposal

Groundwater extracted during development and sampling shall be stored onsite in sealed U.S. DOT H17 55-gallon drums. Each drum shall be labeled with the contents, date of generation, generator identification and consultant contact. If hydrocarbon concentrations in the purged groundwater are below ADEC cleanup levels or the site is in a remote area (pending ADEC approval) groundwater will be discharged to the ground surface, at least 100 feet from the nearest surface water body.

ATTACHMENT D

Historical Groundwater Analytical Results

Table 2
Groundwater Analytical Data
(Polynuclear Aromatic Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Analyte	Table C Standards	MW-1	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-2	MW-3	MW-4
		10/3/2003	10/31/2001	3/27/2002	6/25/2002	9/23/2002	12/14/2002	10/3/2003	10/3/2003	8/10/2004	10/31/2001
<i>Polynuclear Aromatic Hydrocarbons in ppb</i>											
1-Methylnaphthalene	--	--	--	--	--	--	--	--	--	1.59	--
2-Methylnaphthalene	--	--	--	--	--	--	--	--	--	0.140	--
Acenaphthene	2,200	0.528	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Acenaphthylene	--	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Anthracene	11,000	0.604	<0.100	<0.100	<0.100	<0.100	<0.100	0.604	<0.100	<0.100	<0.100
Benzo (a) anthracene	1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Benzo (a) pyrene	0.2	0.566	<0.100	<0.100	<0.100	<0.100	<0.100	0.566	<0.100	0.260	<0.100
Benzo (b) fluoranthene	1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Benzo (ghi) perylene	--	<0.100	<0.100	0.152	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Benzo (k) fluoranthene	10	<0.100	<0.100	<0.100	<0.100	0.491	<0.100	<0.100	<0.100	<0.100	<0.100
Chrysene	100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Dibenzo (a,h) anthracene	0.1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Fluoranthene	1,460	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.150
Fluorene	1,460	<0.100	0.151	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.864	0.337
Indeno (1,2,3-cd) pyrene	1	<0.100	<0.100	<0.100	<0.100	0.453	<0.100	<0.100	<0.100	<0.100	<0.100
Napthalene	1,460	0.208	2.11	1.20	1.30	1.17	0.660	0.472	0.340	1.41	0.730
Phenanthrene	--	<0.100	0.132	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.251	<0.100
Pyrene	1,100	<0.100	0.113	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
TOTAL PAH:	--	1.91	2.51	1.35	1.30	2.11	0.660	1.640	0.340	4.84	1.22

Notes:
 PAH = polynuclear aromatic hydrocarbons
 -- = not analyzed
 < = not detected at or above laboratory detection
 limit shown
 ppb = parts per billion

Table 2
Groundwater Analytical Data
(Polynuclear Aromatic Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Analyte	Table C Standards	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-5	MW-5	MW-5	MW-5
		3/27/2002	6/25/2002	9/23/2002	12/14/2002	10/3/2003	8/12/2004	10/31/2001	3/27/2002	9/23/2002	10/3/2003
<i>Polynuclear Aromatic Hydrocarbons in ppb</i>											
1-Methylnaphthalene	--	--	--	--	--	--	0.362	--	--	--	--
2-Methylnaphthalene	--	--	--	--	--	--	0.209	--	--	--	--
Acenaphthene	2,200	0.133	0.120	<0.100	<0.100	0.736	0.606	0.202	<0.100	<0.100	0.528
Acenaphthylene	--	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
Anthracene	11,000	<0.100	<0.100	<0.100	<0.100	0.623	<0.100	0.956	0.171	0.151	0.642
Benzo (a) anthracene	1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.08	0.457	<0.100	<0.100
Benzo (a) pyrene	0.2	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.754	<0.100	0.358	0.566
Benzo (b) fluoranthene	1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.01	0.686	<0.100	<0.100
Benzo (ghi) perylene	--	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.423	0.133	<0.100	<0.100
Benzo (k) fluoranthene	10	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.331	0.229	0.491	<0.100
Chrysene	100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.901	0.343	<0.100	<0.100
Dibenzo (a,h) anthracene	0.1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.202	<0.100	0.528	<0.100
Fluoranthene	1,460	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.91	0.648	0.151	<0.100
Fluorene	1,460	0.114	<0.100	<0.100	<0.100	<0.100	0.242	0.294	0.114	0.113	<0.100
Indeno (1,2,3-cd) pyrene	1	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.441	<0.100	0.453	<0.100
Napthalene	1,460	1.18	0.580	0.698	0.604	0.623	1.62	0.312	<0.100	<0.100	0.170
Phenanthrene	--	<0.100	<0.100	<0.100	<0.100	<0.100	0.136	1.67	0.533	0.208	0.151
Pyrene	1,100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.54	0.648	<0.100	<0.100
TOTAL PAH:	--	1.43	0.700	0.698	0.604	1.98	3.18	12.0	3.96	2.45	2.06

Notes:
 PAH = polynuclear aromatic hydrocarbons
 -- = not analyzed
 < = not detected at or above laboratory detection
 limit shown
 ppb = parts per billion

Table 2
Groundwater Analytical Data
(Polynuclear Aromatic Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Analyte	Table C Standards	MW-5 8/12/2004	MW-6 11/1/2001	MW-6 9/23/2002	MW-6 10/3/2003	MW-6 8/12/2004	SEEP-1 11/1/2001	SEEP-1 3/27/2002	SEEP-1 6/25/2002	SEEP-1 9/23/2002	SEEP-1 12/14/2002
<i>Polynuclear Aromatic Hydrocarbons in ppb</i>											
1-Methylnaphthalene	--	<0.100	--	--	--	0.792	--	--	--	--	--
2-Methylnaphthalene	--	<0.100	--	--	--	1.26	--	--	--	--	--
Acenaphthene	2,200	<0.100	<0.100	<0.100	<0.100	<0.100	0.114	0.200	<0.100	<0.100	<0.100
Acenaphthylene	--	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.226	<0.100
Anthracene	11,000	<0.100	<0.100	<0.100	<0.100	0.283	1.38	<0.100	<0.100	0.415	<0.100
Benzo (a) anthracene	1	<0.100	<0.100	<0.100	<0.100	<0.100	8.12	<0.100	1.20	4.17	<0.100
Benzo (a) pyrene	0.2	<0.100	<0.100	<0.100	<0.100	<0.100	4.26	<0.100	0.540	2.36	<0.100
Benzo (b) fluoranthene	1	<0.100	<0.100	<0.100	<0.100	<0.100	11.0	<0.100	0.900	3.34	<0.100
Benzo (ghi) perylene	--	<0.100	<0.100	<0.100	<0.100	<0.100	1.49	<0.100	0.200	0.717	<0.100
Benzo (k) fluoranthene	10	<0.100	<0.100	<0.100	<0.100	<0.100	3.08	<0.100	0.500	3.45	<0.100
Chrysene	100	<0.100	<0.100	<0.100	<0.100	<0.100	8.33	<0.100	1.02	4.40	<0.100
Dibenzo (a,h) anthracene	0.1	<0.100	<0.100	<0.100	<0.100	<0.100	0.530	<0.100	<0.100	<0.100	<0.100
Fluoranthene	1,460	0.102	<0.100	<0.100	<0.100	<0.100	14.4	<0.100	2.64	7.81	<0.100
Fluorene	1,460	<0.100	<0.100	3.77	<0.100	<0.100	0.322	0.160	<0.100	0.245	<0.100
Indeno (1,2,3-cd) pyrene	1	<0.100	<0.100	<0.100	<0.100	<0.100	2.29	<0.100	0.200	1.13	<0.100
Napthalene	1,460	<0.100	<0.100	215	4.36	1.42	<0.100	0.440	<0.100	<0.100	<0.100
Phenanthrene	--	0.149	0.100	<0.100	<0.100	0.472	1.84	0.200	<0.100	1.08	<0.100
Pyrene	1,100	<0.100	<0.100	<0.100	<0.100	<0.100	14.8	<0.100	2.30	5.89	<0.100
TOTAL PAH:	--	2.51	0.100	219	4.36	4.23	72.0	1.00	9.50	35.2	ND

Notes:

PAH = polynuclear aromatic hydrocarbons

-- = not analyzed

< = not detected at or above laboratory detection

limit shown

ppb = parts per billion

Table 2
Groundwater Analytical Data
(Polynuclear Aromatic Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Analyte	Table C Standards	SEEP-1	SEEP-2	SEEP-2	SEEP-2
		10/2/2003	10/31/2001	3/27/2002	9/23/2002
<i>Polynuclear Aromatic Hydrocarbons in ppb</i>					
1-Methylnaphthalene	--	--	--	--	--
2-Methylnaphthalene	--	--	--	--	--
Acenaphthene	2,200	0.716	<0.100	<0.100	<0.100
Acenaphthylene	--	1.01	<0.100	<0.100	<0.100
Anthracene	11,000	3.26	<0.100	<0.100	<0.100
Benzo (a) anthracene	1	15.1	<0.100	<0.100	<0.100
Benzo (a) pyrene	0.2	6.40	<0.100	<0.100	0.340
Benzo (b) fluoranthene	1	11.6	<0.100	<0.100	<0.100
Benzo (ghi) perylene	--	2.10	<0.100	<0.100	<0.100
Benzo (k) fluoranthene	10	6.30	<0.100	<0.100	0.491
Chrysene	100	14.6	<0.100	<0.100	<0.100
Dibenzo (a,h) anthracene	0.1	1.19	<0.100	<0.100	<0.100
Fluoranthene	1,460	37.4	0.151	<0.100	<0.100
Fluorene	1,460	0.247	<0.100	<0.100	<0.100
Indeno (1,2,3-cd) pyrene	1	2.54	<0.100	<0.100	<0.100
Naphthalene	1,460	0.222	0.396	<0.100	<0.100
Phenanthrene	--	1.11	0.189	<0.100	<0.100
Pyrene	1,100	23.1	0.208	<0.100	<0.100
TOTAL PAH:	--	127	0.944	ND	0.831

Notes:
 PAH = polynuclear aromatic hydrocarbons
 -- = not analyzed
 < = not detected at or above laboratory detection
 limit shown
 ppb = parts per billion

Table 1
Groundwater Analytical Data
(Petroleum Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Sample Description	Date Monitored	Well Elevation (feet-MSL)	Depth to Water (feet TOC)	Groundwater Elevation (feet-MSL)	SPH Thickness (feet)	Date Sampled	GRO (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	DRO (ppb)	RRO (ppb)	Total TAH (ppb)	Total TAqH (ppb)
	<i>Groundwater Monitoring Wells</i>														
MW-1	10/31/01	38.51	5.47	33.04	0.00	10/31/01	<50.0	0.767	<0.500	<0.500	<1.00	612	<750	0.767	--
	03/27/02	38.51	3.24	35.27	0.00	03/27/02	<50.0	<0.200	13.8	<0.500	<1.00	1,010	<750	13.8	--
	06/24/02	38.51	5.92	32.59	0.00	06/25/02	<50.0	1.64	3.96	<0.500	<1.00	874	<750	5.60	--
	09/23/02	38.51	3.32	35.19	0.00	09/23/02	<50.0	<0.200	1.50	<0.500	<1.00	308	<750	1.50	--
	12/13/02	38.51	3.22	35.29	0.00	12/13/02	<50.0	<0.200	0.944	<0.500	<1.00	382	<750	0.944	--
	03/28/03	38.51	3.74	34.77	0.00	03/29/03	<50.0	<0.200	<0.500	<0.500	<1.00	149	<750	ND	--
	10/02/03	38.51	4.01	34.50	0.00	10/03/03	<50.0	<0.200	<0.500	<0.500	<1.00	376	<750	ND	1.906
	08/10/04	38.51	4.56	33.95	0.00	08/12/04	<50.0	0.210	<0.500	<0.500	<1.00	<100	<750	0.210	--
	02/21/05	38.51	4.80	33.71	0.00	02/21/05	<50.0	<0.200	1.95	<0.500	<1.00	<100	<750	1.95	2.64
MW-2	10/31/01	33.36	1.66	31.70	0.00	10/31/01	80.2	16.0	0.683	<0.500	7.57	2,240	<750	24.3	26.8
	03/27/02	33.36	0.60	32.76	0.00	03/27/02	61.8	8.93	0.652	0.634	5.37	2,030	819	15.6	17.0
	06/24/02	33.36	3.90	29.46	0.00	06/25/02	67.8	21.9	<0.500	<0.500	<1.00	2,700	2,370	21.9	23.2
	09/23/02	33.36	1.01	32.35	0.00	09/23/02	<50.0	7.15	<0.500	<0.500	1.47	426	<750	8.62	10.7
	12/13/02	33.36	1.91	31.45	0.00	12/14/02	<50.0	5.51	<0.500	<0.500	1.07	715	<750	6.58	7.24
	03/28/03	33.36	1.26	32.10	0.00	03/29/03	<50.0	6.07	<0.500	<0.500	1.30	582	<750	7.37	7.94
	10/02/03	33.36	3.37	29.99	0.00	10/03/03	<50.0	1.27	<0.500	<0.500	<1.00	738	<750	1.27	2.91
	08/10/04	33.36	3.73	29.63	0.00	08/12/04	<50.0	2.10	<0.500	<0.500	<1.00	188	<750	2.10	--
	02/21/05														
WELL INACCESSIBLE															
MW-3	10/31/01	34.65	0.00	34.65	0.00	10/31/01	243	12.3	21.3	4.21	25.6	2,150	<750	63.4	--
	03/27/02	34.65	0.02	34.63	0.00	4/26/02 ^C	363	8.65	50.2	7.38	22.0	3,920	1,190	88.2	--
	06/24/02	34.65	0.60	34.05	0.00	06/25/02	363	7.99	57.2	10.3	20	1,840	859	95.5	--
	09/23/02	34.65	0.00	34.65	0.00	09/23/02	181	2.11	6.88	4.11	4.75	1,440	<750	17.9	--
	12/13/02	34.65	0.50	34.15	0.00	12/14/02	314	4.90	15.6	6.16	12.1	3,080	938	38.8	--
	03/28/03	34.65	0.05	34.60	0.00	03/29/03	286	4.76	3.60	8.18	10.4	1,630	<750	27.0	--
	10/02/03	34.65	0.12	34.53	0.00	10/03/03	342	4.43	2.03	6.86	7.34	580	<750	20.7	--
	08/10/04	34.65	0.83	33.82	0.00	08/10/04	305	5.06	4.63	0.703	3.08	2,470	<750	13.5	18.3
WELL REMOVED ON 8/10/04															

Table 1
Groundwater Analytical Data
(Petroleum Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Sample Description	Date Monitored	Well Elevation (feet-MSL)	Depth to Water (feet TOC)	Groundwater Elevation (feet-MSL)	SPH Thickness (feet)	Date Sampled	GRO (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	DRO (ppb)	RRO (ppb)	Total TAH (ppb)	Total TAqH (ppb)
	MW-4	10/31/01	28.80	0.21	28.59	0.00	10/31/01	<50.0	1.43	2.18	0.510	2.30	7,230	922	6.42
	03/27/02	28.80	0.50	28.30	0.00	03/27/02	90.3	2.94	28.1	<0.500	<1.00	1,950	<750	31.0	32.4
	06/24/02	28.80	0.64	28.16	0.00	06/25/02	104	3.12	36.4	<0.500	<1.00	1,830	776	39.5	40.2
	09/23/02	28.80	0.00	28.80	0.00	09/23/02	77.3	1.80	27.1	<0.500	<1.00	735	<750	28.9	29.6
	12/13/02	28.80	1.38	27.42	0.00	12/14/02	<50.0	1.39	1.31	<0.500	<1.00	1,990	<750	2.70	3.30
	03/28/03	28.80	0.40	28.40	0.00	03/29/03	<50.0	2.23	<0.500	<0.500	<1.00	2,010	<750	2.23	3.55
	10/02/03	28.80	0.57	28.23	0.00	10/03/03	<50.0	1.47	<0.500	<0.500	<1.00	1,790	<750	1.47	3.45
	08/10/04	28.80	1.02	27.78	0.00	08/12/04	<50.0	2.09	<0.500	<0.500	<1.00	724	<750	2.09	5.27
	02/21/05							WELL INACCESSIBLE							
MW-5	10/31/01	21.47	0.00	21.47	0.00	10/31/01	<50.0	<0.200	0.662	<0.500	<1.00	771	<750	0.662	12.7
	03/27/02	21.47	0.30	21.17	0.00	4/26/02 ^c	106	<0.200	45.8	<0.500	<1.00	1,050	<750	45.8	49.8
	06/24/02	21.47	0.33	21.14	0.00	06/25/02	137	<0.200	54.3	<0.500	<1.00	744	<750	54.3	--
	09/23/02	31.47 ^b	9.38	22.09	0.00	09/23/02	69.5	<0.200	22.4	<0.500	<1.00	325	<750	22.4	24.9
	12/13/02	31.47	9.77	21.70	0.00	12/13/02	<50.0	<0.200	15.4	<0.500	<1.00	311	<750	15.4	--
	03/28/03	26.47	5.67	20.80	0.00	03/29/03	<50.0	<0.200	2.54	<0.500	<1.00	216	<750	219	219
	10/02/03	26.47	5.69	20.78	0.00	10/03/03	439	<0.200	281	<0.500	<1.00	488	<750	281	283
	08/10/04	26.47	5.83	20.64	0.00	08/12/04	<50.0	<0.200	0.808	<0.500	<1.00	<100	<750	0.808	1.06
	02/21/05	26.47	4.78	21.69	0.00	02/21/05	<50.0	<0.200	0.887	<0.500	<1.00	<100	<750	0.887	2.11
MW-6	10/31/01	37.10	4.96	32.14	0.00	11/01/01	<50.0	0.391	<0.500	<0.500	<1.00	1,250	<840	0.391	0.491
	03/27/02	37.10	3.88	33.22	0.00	4/26/02 ^c	541	0.397	12.2	<0.500	<1.00	13,200	<15,000	12.6	--
	06/24/02	37.10	4.74	32.36	0.00	06/25/02	555	1.01	26.2	<2.50	<5.00	66,000	<7,500	27.2	--
	09/23/02	37.10	3.95	33.15	0.00	09/23/02	1,210	<2.00	256	<5.00	<10.0	21,500	<7,500	256	475
	12/13/02	37.10	4.73	32.37	0.00	12/13/02	1,420	1.74	309	<2.50	<5.00	31,000	803	311	--
	03/28/03	37.10	3.61	33.49	0.00	03/29/03	455	3.61	236	3.06	17.6	7,720	<750	260	--
	10/02/03	37.10	3.61	33.49	0.00	10/03/03	1,820	4.93	991	5.96	29.1	935	<750	1031	1035
	08/10/04	37.10	4.88	32.22	0.00	08/12/04	347	0.718	128	1.42	4.90	2,420	792	135	139
	02/21/05	37.10	3.68	33.42	0.00	02/21/05	740	1.12	433	2.25	9.24	265	<750	446	448

Table 1
Groundwater Analytical Data
(Petroleum Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Sample Description	Date Monitored	Well Elevation (feet-MSL)	Depth to Water (feet TOC)	Groundwater Elevation (feet-MSL)	SPH Thickness (feet)	Date Sampled	GRO (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	DRO (ppb)	RRO (ppb)	Total TAH (ppb)	Total TAqH (ppb)
	MW-7	10/31/01	35.90	2.53	33.37	0.00	11/01/01	<50.0	0.271	<0.500	<0.500	<1.00	609	<750	0.271
	03/27/02	35.90	3.02	32.88	0.00	03/27/02	155	<0.400	68.3	<1.00	<2.00	7,610	<3,750	68.3	--
	06/24/02	35.90	3.63	32.27	0.00	06/25/02	234	<0.200	95.9	<0.500	<1.00	10,300	<750	95.9	--
	09/23/02	35.90	3.12	32.78	0.00	09/23/02	525	0.274	184	<0.500	<1.00	<100	<750	187	--
	12/13/02	35.90	3.85	32.05	0.00	12/14/02	374	<0.200	170	<0.500	<1.00	1,960	<750	170	--
	03/28/03	35.90	2.74	33.16	0.00	03/29/03	223	<0.200	146	<0.500	<1.00	799	<750	146	--
	10/02/03	35.90	2.78	33.12	0.00	10/03/03	97.5	<0.200	59.3	<0.500	<1.00	827	<750	59.3	--
	08/10/04	35.90	4.60	31.30	0.00	08/12/04	<50.0	<0.200	1.75	<0.500	<1.00	<100	<750	1.75	--
	02/21/05	35.90	2.42	33.48	0.00	02/21/05	<50.0	<0.200	0.808	<0.500	<1.00	<100	<750	0.808	--
MW-8	10/31/01	43.16	6.24	36.92	Sheen	11/01/01	981	2.39	2.97	21.6	43.7	83,900	<30,000	70.7	--
	03/27/02	43.16	4.50	38.66	0.00	03/27/02	<50.0	<0.200	<0.500	<0.500	<1.00	10,200	<7,500	ND	--
	06/24/02	43.16	7.78	35.38	0.00	06/26/02	395	2.81	11.7	21.7	29.3	11,900	<750	65.5	--
	09/23/02	43.16	4.96	38.20	0.00	09/23/02	101	<0.200	19.3	<0.500	<1.00	4,480	<750	19.3	--
	12/13/02	43.16	6.00	37.16	0.00	12/14/02	87.7	<0.200	12.2	<0.500	<1.00	7,330	<750	12.2	--
	03/28/03	43.16	6.44	36.72	0.00	03/29/03	<50.0	<0.200	1.18	<0.500	<1.00	6,390	<750	1.18	--
	10/02/03	43.16	7.14	36.02	0.00	10/03/03	131	0.414	11.4	1.04	1.8	5,050	<750	14.7	--
	08/10/04	43.16	8.30	34.86	0.00	08/12/04	<50.0	<0.200	<0.500	<0.500	<1.00	1,400	<750	ND	--
	02/21/05	43.16	3.14	40.02	0.00	02/21/05	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	--
MW-9	10/31/01	39.46	2.35	37.11	0.00	11/01/01	<50.0	0.389	0.717	<0.500	<1.00	404	<750	1.11	--
	03/27/02	39.46	3.00	36.46	0.00	03/27/02	<50.0	<0.200	1.36	<0.500	<1.00	802	<750	1.36	--
	06/24/02	39.46	3.76	35.70	0.00	06/25/02	<50.0	<0.200	2.07	<0.500	<1.00	270	<750	2.07	--
	09/23/02	39.46	2.79	36.67	0.00	09/23/02	<50.0	0.277	7.50	<0.500	<1.00	367	<750	7.78	--
	12/13/02	39.46	3.97	35.49	0.00	12/13/02	<50.0	<0.200	<0.500	<0.500	<1.00	187	<750	ND	--
	03/28/03	39.46	3.04	36.42	0.00	03/29/03	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	--
	10/02/03	39.46	3.09	36.37	0.00	10/03/03	<50.0	<0.200	3.61	<0.500	<1.00	540	<750	3.61	--
	08/10/04	39.46	3.74	35.72	0.00	08/12/04	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	--
	02/21/05	39.46	2.27	37.19	0.00	02/21/05	<50.0	<0.200	<0.500	<0.500	<1.00	143	<750	ND	--
<i>Tank Farm Pit Grab Samples</i>															
TF-2	--	--	--	--	--	10/01/03	1,110	1.64	1.09	6.67	12.1	4,380	<750	21.5	--
TF-4	--	--	--	--	--	10/01/03	1,240	5.81	1.28	97.3	102	53,900	2,550	206	--

Table 1
Groundwater Analytical Data
(Petroleum Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Sample Description	Date Monitored	Well Elevation (feet-MSL)	Depth to Water (feet TOC)	Groundwater Elevation (feet-MSL)	SPH Thickness (feet)	Date Sampled	GRO (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	DRO (ppb)	RRO (ppb)	Total TAH (ppb)	Total TAqH (ppb)
<i>Seep Samples</i>															
Seep-1	--	--	--	--	--	11/01/01	<50.0	<0.200	<0.500	<0.500	<1.00	824	<750	ND	72.0
	--	--	--	--	--	03/27/02	<50.0	<0.200	<0.500	<0.500	<1.00	293	<750	ND	1.00
	--	--	--	--	--	06/25/02	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	9.50
	--	--	--	--	--	09/23/02	<50.0	<0.200	<0.500	<0.500	<1.00	178	<750	ND	35.2
	--	--	--	--	--	12/14/02	<50.0	<0.200	<0.500	<0.500	<1.00	152	<750	ND	ND
	--	--	--	--	--	03/29/03	<50.0	<0.200	1.09	<0.500	2.14	<100	<750	3.23	3.63
	--	--	--	--	--	10/03/03	<50.0	<0.200	<0.500	<0.500	<1.00	152	<750	ND	127
	--	--	--	--	--	08/10/04					DRY				
	--	--	--	--	--	02/21/05					DRY				
Seep-2	--	--	--	--	--	11/01/01	69.8	1.09	2.75	1.05	13.2	755	<1,430	18.1	19.0
	--	--	--	--	--	03/27/02	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	ND
	--	--	--	--	--	06/26/02	<50.0	0.275	0.572	<0.500	<1.00	642	1,160	0.847	1.68
	--	--	--	--	--	09/23/02	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	--
	--	--	--	--	--	12/14/02	<50.0	<0.200	<0.500	<0.500	<1.00	144	<750	ND	--
	--	--	--	--	--	03/29/03	<50.0	<0.200	<0.500	<0.500	<1.00	<100	<750	ND	ND
	--	--	--	--	--	10/03/03					DRY				
	--	--	--	--	--	08/10/04					DRY				
	--	--	--	--	--	02/21/05					DRY				
Table C Cleanup Levels	--	--	--	--	--	--	1,300	5	1,000	700	10,000	1,500	1,100	--	--
Surface Water Standards	--	--	--	--	0.00	--	--	--	--	--	--	--	--	10	15

Notes:

GRO = gasoline range organics
 DRO = diesel range organics
 RRO = residual range organics
 MSL = mean sea level
 TOC = top of casing
 TAH = total aromatic hydrocarbons (totalled concentrations of benzene, toluene, ethyl-benzene, and total xylenes)
 TAqH = total aqueous hydrocarbons (totalled concentrations of TAH and total PAHs from Table 2)
 -- = not analyzed
 ND = not detected - all compounds
 ppb = parts per billion
 < = not detected at or above laboratory detection limit shown

Table 1
Groundwater Analytical Data
(Petroleum Hydrocarbons)

Delta Western/Former Chevron Bulk Terminal #1001467
 1417 Peninsula Street
 Wrangell, Alaska

Sample Description	Date Monitored	Well Elevation (feet-MSL)	Depth to Water (feet TOC)	Groundwater Elevation (feet-MSL)	SPH Thickness (feet)	Date Sampled	GRO (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	DRO (ppb)	RRO (ppb)	Total TAH (ppb)	Total TAqH (ppb)
a = not detected at or above laboratory detection limit shown b = 10.0 feet of casing added to well due to residential construction activities. c = Re-sampled on 4/26/02 for GRO/BTEX Compounds due to container breakage by laboratory. d = 5.0 feet removed following residential construction activities															

ATTACHMENT E

ADEC Laboratory Checklist and QA Summary

Laboratory Data Review Checklist

1. Laboratory

- a. Did an ADEC CS approved laboratory receive and perform all of the submitted sample analyses?

Yes No Comments: **Test America Laboratories, WA**

- b. If the samples were transferred to another “network” laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses ADEC CS approved?

Yes No Comments: **N/A**

2. Chain of Custody (COC)

- a. COC information completed, signed, and dated (including released/received by)?

Yes No Comments:

- b. Correct analyses requested?

Yes No Comments:

3. Laboratory Sample receipt documentation

- a. Sample/cooler temperature documented and within range at receipt ($4^{\circ} \pm 2^{\circ}$ C)?

Yes No Comments: **With a range of 5.4 °C to 5.9°C**

- b. Sample preservation acceptable – acidified waters, Methanol preserved VOC soil (GRO, BTEX, Volatile Chlorinated Solvents, etc.)?

Yes No Comments: **HCL**

- c. Sample condition documented – broken, leaking (Methanol), zero headspace (VOC vials)?

Yes No Comments: **Samples received in good condition.**

- d. If there were any discrepancies, were they documented? – For example, incorrect sample containers/preservation, sample temperature outside of acceptance range, insufficient or missing samples, etc.?

Yes No Comments: **N/A**

- e. Data quality or usability affected? Explain

Data quality or usability is not affected.

4. Case Narrative

- a. Present and understandable?

Yes No Comments: **No case narrative was provided.**

- b. Discrepancies, errors or QC failures identified by the lab?
 Yes No Comments: N/A
- c. Were all corrective actions documented?
 Yes No Comments: N/A
- d. What is the effect on data quality/usability according to the case narrative?
A case narrative was not provided.

5. Samples Results

- a. Correct analyses performed/reported as requested on COC?
 Yes No Comments:
- b. All applicable holding times met?
 Yes No Comments:
- c. All soils reported on a dry weight basis?
 Yes No Comments: N/A (Groundwater Samples)
- d. Are the reported PQLs less than the Cleanup Level or the minimum required detection level for the project?
 Yes No Comments:
- e. Data quality or usability affected? Explain
Data quality or usability not affected.

6. QC Samples

- a. Method Blank
- i. One method blank reported per matrix, analysis and 20 samples?
 Yes No Comments:
- ii. All method blank results less than PQL?
 Yes No Comments:
- iii. If above PQL, what samples are affected?
Not Applicable
- iv. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?
 Yes No Comments: **No affected samples.**
- v. Data quality or usability affected? Explain
Data quality or usability not affected.

b. Laboratory Control Sample/Duplicate (LCS/LCSD)

i. Organics - One LCS/LCSD reported per matrix, analysis and 20 samples?

Yes No Comments:

ii. Metals/Inorganics - One LCS and one sample duplicate reported per matrix, analysis and 20 samples?

Yes No Comments: N/A

iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits? Or project specified DQOs? (AK Petroleum methods 75-125 %R; all other analyses see the laboratory QC pages)

Yes No Comments:

iv. Precision - All relative percent differences (RPD) reported and less than method or laboratory limits? Or project specified DQOs? (AK Petroleum methods 20 %; all other analyses see the laboratory QC pages)

Yes No Comments:

v. If %R or RPD outside of acceptable limits, what samples are affected?
%R or RPD were not outside of acceptable limits.

vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No Comments: **No affected samples.**

vii. Data quality or usability affected? Explain
Data quality or usability not affected.

c. Surrogates – Organics only

i. Are surrogate recoveries reported for organic analyses – field, QC and laboratory samples?

Yes No Comments:

ii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits? Or project specified DQOs? (AK Petroleum methods 50-150 %R; all other analyses see the laboratory report pages)

Yes No Comments:

iii. Do the sample results with failed surrogate recoveries have data flags? If so, are the data flags clearly defined?

Yes No Comments: **Results did not fail surrogate recoveries.**

iv. Data quality or usability affected? Explain
Data quality or usability is not affected.

d. Trip Blank – Volatile analyses only (GRO, BTEX, Volatile Chlorinated Solvents, etc.): water and soil

i. One trip blank reported per matrix, analysis and cooler?

Yes No Comments: **Two out of four coolers did not have a trip blank associated with them.**

ii. All results less than PQL?

Yes No Comments:

iii. If above PQL, what samples are affected?

Results not above PQL.

iv. Data quality or usability affected? Explain

Data quality or usability not affected.

e. Field Duplicate

i. One field duplicate submitted per matrix, analysis and 10 project samples?

Yes No Comments: **One duplicate sample was provided.**

ii. Submitted blind to lab?

Yes No Comments: **Duplicate sample was labeled as MW-6-Dup.**

iii. Precision - All relative percent differences (RPD) less than specified DQOs? (Recommended: 30% water, 50% soil)

Yes No

Comments:

MW-6-DUP

$$RPD = \frac{(X_1 - X_2)}{\frac{(X_1 + X_2)}{2}} * 100\%$$

| Concentration (µg/L) / Duplicate Concentration (µg/L) |

GRO = |98.1/739| = 153.1%

DRO = |0.255/0.284| = 10.8%

RRO = |ND/ND| = 0.0%

Benzene = |ND/ND| = 0.0%

Toluene = |23.5/232| = 163.2%

Ethylbenzene = |0.673/1.58| = 80.5%

Total Xylenes = |3.20/2.89| = 10.2%

iv. Data quality or usability affected? Explain

Although the RPD is more than the specified DQOs, after reviewing the historical data, it is suspected that the error was restricted to the specific sample and should not affect the overall usability.

f. Decontamination or Equipment Blank (if applicable)

Yes No **Not Applicable**

i. All results less than PQL?

Yes No Comments: N/A

ii. If above PQL, what samples are affected?

N/A

iii. Data quality or usability affected? Explain

Disposable tubing used and did not require decontamination procedures. Data quality or usability not affected.

7. Other Data Flags/Qualifiers (ACOE, AFCEE, Lab specific, etc.)

a. Defined and appropriate

Yes No

Comments:

No Data Flags/Qualifiers reported.

Completed by: **Nicholas M. Greco**

Title: **Staff Geologist**

Date: **October 26, 2006**

QUALITY ASSURANCE SUMMARY
CHEVRON 100-1467, 1st SEMI-ANNUAL 2006
GROUNDWATER MONITORING EVENT

Precision

Field Duplicates: Four groundwater monitoring wells and two seeps were sampled. One field duplicate (MW-6-DUP) was collected from well MW-6.

Laboratory Sample Duplicates and/or Spike Duplicates: Laboratory sample duplicates and matrix spike duplicates were analyzed and reported with all groundwater samples collected during groundwater sampling activities.

Accuracy

Laboratory QC Samples Percent Recoveries–Spikes: All laboratory QC sample percent recoveries were within accepted values.

Surrogate Percent Recoveries: All surrogate sample percent recoveries were within accepted values.

Representativeness

Site Condition Characterization: Groundwater samples were collected from all existing ADEC requested monitoring wells associated with the site.

Consistency with Conceptual Site Model (CSM) and Data Quality Objectives: Groundwater sampling was conducted in accordance with Cambria's ADEC approved historical sampling plan.

Comparability

Field Screening vs. Laboratory Data Correlation: There were no noted irregularities or observations on submitted field sheets.

Laboratory Standardization: Test America Laboratories, Washington conducted all sample analysis.

Completeness

Percent Completeness: The 85% minimum completeness goal per the ADEC UST Procedures Manual was met:

$\% \text{Completeness} = (\text{Number of Valid samples} / \text{Number of total}) * 100\%$

- $\% \text{Completeness} = (6/6) * 100\% = 100\% \text{ Complete}$

Sensitivity

Limits of Detection: The laboratory limits of detection were less than the regulatory cleanup levels established in Groundwater Cleanup Levels, Table C (ADEC, 18 AAC 75.345).

Blank Results: The trip blank limits of detection were less than the PQL.