
Fritz, Donald G (DEC)

From: Parker.Jennifer@epamail.epa.gov
Sent: Friday, March 25, 2011 2:48 PM
To: Fritz, Donald G (DEC)
Subject: any info on injection well closures at AK Road Builders, 44482 Frontier Ave, Soldotna?

According to our records one or two septic systems receive fluid through 4 shop floor drains.

I'm under the impression that they might have been included in a larger cleanup action that ADEC was overseeing, but the file is rather unclear on details. Do you have any info on this?

Jennifer Parker, LG, LHG

U. S. Environmental Protection Agency Region 10 Ground Water Unit 1200 Sixth Avenue, Suite 900
900 905 907 Seattle, Washington 98101

Pathway	Exposure Categories	
	Initial Ranking	Updated Ranking
	4/11/2008 3:58:25 PM	

Exposure Tracking Model - Evaluation Summary

Navigation

Site Information:

Site: Alaska RoadBuilders
 Source: Alaska RoadBuilders
 Evaluation Date: 4/11/2008 3:53:38 PM
 Initial/Updated: Initial

Results Summary:

Human Health Exposure Category: Low Potential Exposure
 Controlling Pathway(s): Surface Soil, Subsurface Soil
 Score: 2

Ecological Site Exposure Category: Pathway Incomplete

Direct Contact with Surface Soil:	Low Potential Exposure
Direct Contact with Subsurface Soil:	Low Potential Exposure
Outdoor Air Inhalation:	Pathway Incomplete
Groundwater Ingestion:	Pathway Incomplete
Surface Water Ingestion:	Pathway Incomplete
Wild or Farmed Foods Ingestion:	Pathway Incomplete
Indoor Air Inhalation (Vapor Intrusion):	Pathway Incomplete
Other Human Health:	Pathway Incomplete
Ecological:	Pathway Incomplete

with you and Blake Hardina, and maybe obtain site photos or aerial photographs taken after July 1997. Blake said he would accomodate my schedule. John concurred with the approach and authorized me to proceed.

During the next couple weeks I will review and become familiar with my materials and schedule a site visit to correlate the

Fritz, Donald G (DEC)

From: Ron Rozak [ronrozak@alaska.net]
Sent: Saturday, June 16, 2007 6:05 PM
To: Fritz, Donald G (DEC)
Cc: JClonan@hotmail.com; AKRDBLDR@alaska.net; Ron Rozak
Subject: Update for Alaska Roadbuilders ADEC ID# 91230114302

Don,

On June 11, 2007, John Clonan from Alaska Roadbuilders (ARB) asked me to help them close out the subject spill report. Last August, Blake Hardina of ARB called me in response to a letter received from you, and asked for a copy of the report I prepared for site assessment work Rozak Engineering performed in July 1997 at the subject portion of ARB's site referred to as the 'boneyard'. That assessment addressed specific tasks identified in a work plan I prepared, dated June 29, 1997, and Bob Krogseng later approved. It appears the July 1997 assessment identified several surface stains and recommended some form of onsite action.

Last year I searched my files and found a letter dated September 15, 1997 transmitting a draft copy of our assessment report to Blake historical activities with the current condition. Due to my other commitments it may be several months before I could finish the report. Do you have any concerns or suggestions?

Ron Rozak, PE
Rozak Engineering
Phone 907-252-5640

Dear Mr. Fritz:

I received your letter of July 7th on July 12th.

ALASKA ROADBUILDERS INC
44482 FRONTIER AVENUE
SOLDOTNA, ALASKA 99669
907-262-9140 PHONE
907-262-1213 FAX

2333,38,000
Alaska Road Builders

RECEIVED

AUG - 5 2006
AUG - 9 2006

ADEC
Kenai ADEC Office
Kenai Area Office

August 8, 2006

Mr. Don Fritz
Alaska Department of Environmental Conservation
43335 K-Beach Road. Suite 11

Our office has conducted a thorough search of available archives and do not find the records you seek. We had a DOT project (Spur Hwy, Phase II) during that same time frame which included some contaminated soils handling for the State, and I theorize that records may have been intermingled and have been dumped, as we do not retain project records aged beyond seven years.

I contacted Ron Rozak and requested that he search his file records as well. We both remember aspects of the work but not all the details. Unfortunately, Ron's files are incomplete. There are no records since June 29th of 1997 to forward.

Ron Rozak has indicated that he is available to meet and discuss this. Would you be available to meet so that we might jointly determine the best course of action going forward?

Sincerely,



Blake G. Hardina
Vice-President, ARB, Inc.