



Arcadis U.S., Inc.
111 SW Columbia Street
Suite 670
Portland
Oregon 97201
Tel 503.220.8201
www.arcadis-us.com

Ms. Rebekah Reams
State of Alaska Department of Environmental Conservation (ADEC)
Spill Prevention and Response, Contaminated Sites Program
610 University Avenue
Fairbanks, Alaska 99709

ENVIRONMENT

Subject:
2021 First Semi-Annual Groundwater Monitoring Report

Dear Ms. Reams,

On behalf of Chevron Environmental Management Company (Chevron), Arcadis US, Inc. (Arcadis) has prepared the attached *2021 First Semi-Annual Groundwater Monitoring Report* for the first semi-annual groundwater sampling event for the following facility:

Chevron Branded

<u>Station No.</u>	<u>ADEC File No.</u>	<u>Hazard ID:</u>	<u>Location</u>
98557	2100.26.006	23831	415 Muldoon Road Anchorage, Alaska

Date:
June 4, 2021

Contact:
Max Elias

Phone:
503-773-8582

Email:
maxwell.elias@arcadis.com

Our ref:
30063668

If you have any questions, please do not hesitate to contact me.

Sincerely,

Arcadis U.S., Inc.

Max Elias
Project Manager

Copies:
Susan Erickson (electronic copy)
Mark Engelke (electronic copy)

Chevron Environmental Management Company

2021 FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT


Chevron Service Station No. 98557
415 Muldoon Road
Anchorage, Alaska
ADEC File No. 2100.26.006

June 04 2021


2021 FIRST SEMI-ANNUAL GROUNDWATER MONITORING REPORT



Catie Jones
Environmental Scientist



Max Elias
Project Manager



Nicole Monroe, P.E.
Environmental Engineer, EV-149409

Chevron Service Station No. 98557

415 Muldoon Road
Anchorage, Alaska

ADEC File No: 2100.26.006
HAZARD ID No: 23831

Prepared for:

Chevron Environmental Management
Company

Prepared by:
Arcadis U.S., Inc.
111 SW Columbia Street
Suite 670
Portland
Oregon 97201
Tel 503.220.8201
www.Arcadis.com

Our Ref.:
30063668

Date:
June 4, 2021

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENT

1	Introduction	4
2	Groundwater Monitoring	4
2.1	Groundwater Gauging Methods	4
2.2	Groundwater Elevation and Flow Direction	4
2.3	Groundwater Sampling Methods	5
2.4	Groundwater Analytical Results	6
3	Laboratory Data Quality Assurance Summary	6
3.1	Precision	6
3.2	Accuracy	6
3.3	Representativeness	6
3.4	Comparability	6
3.5	Completeness	6
3.6	Sensitivity	6
4	Conclusions and Recommendations	7
5	References	8

TABLES

- Table 1 Current Groundwater Gauging and Analytical Results
Table 2 Historical Groundwater Gauging and Analytical Results

FIGURES

- Figure 1 Site Location Map
Figure 2 Site Plan
Figure 3 Groundwater Elevation Contour Map – April 8, 2021.
Figure 4 Groundwater Analytical Concentration Map - April 8, 2021.

APPENDICES

- Appendix A Site Background and History
Appendix B Field Data Sheets
Appendix C Laboratory Analytical Report
Appendix D ADEC Data Review Checklist
Appendix E Additional Historic Groundwater Gauging and Analytical Results

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
FIRST HALF 2021
June 4, 2021

Facility No: Chevron Service Station
98557 Address: 415 Muldoon Road, Anchorage, Alaska

Arcadis Contact Person / Phone No.: Max Elias / 503-773-8582

Arcadis Project No.: 30063668

Primary Agency/Regulatory ID No.: State of Alaska Department of Environmental Conservation
/ Rebekah Reams / Case No. 2100.26.006

WORK CONDUCTED THIS PERIOD [First Half 2021]:

- Conducted semi-annual groundwater monitoring activities on April 8, 2021.
- Prepared the 2021 *First Semi-Annual Groundwater Monitoring Report*.

WORK PROPOSED NEXT PERIOD [Second Half 2021]:

- Conduct semi-annual groundwater monitoring activities in the Second half of 2021.
- Prepare the 2021 *Second Semi-Annual Groundwater Monitoring Report*.

Current Phase of Project:	Monitoring	
Frequency of Monitoring / Sampling:	Semi-Annual	
Is Light Non-Aqueous Phase Liquid (LNAPL) Present On-site:	No	
Cumulative LNAPL Recovered to Date:	0.0	(gallons)
Approximate Depth to Groundwater:	18.02 to 19.03	(feet below top of casing)
Approximate Groundwater Elevation:	233.80 to 233.87	(feet relative to NAVD88)
Groundwater Flow Direction	Southwest	
Groundwater Gradient	0.002	(feet per foot)

Current Remediation Techniques:	None
Permits for Discharge:	None
Summary of Unusual Activity:	Monitoring well RW-1 was not located due to ice
Agency Directive Requirements:	None

1 INTRODUCTION

On behalf of Chevron Environmental Management Company (CEMC), Arcadis US, Inc. (Arcadis), has prepared this report to document the first semi-annual groundwater sampling event of 2020 for Chevron Service Station 98557, located at 415 Muldoon Road in Anchorage, Alaska (the site). The site location map and site plan are shown on Figure 1 and Figure 2.

This work was conducted under the direction of a Qualified Environmental Professional" (QEP) and "Qualified Sampler" (18 Alaska Administrative Code [AAC] 75.333). A site background and a historical site summary are attached as Appendix A.

2 GROUNDWATER MONITORING

2.1 Groundwater Gauging Methods

The 2021 first semi-annual groundwater gauging event was conducted on April 8, 2021. Site monitoring wells were gauged with an oil/water interface probe to determine depth-to-water and to ascertain if LNAPL was present.

In order to prevent the possibility of cross-contamination, wells were gauged in the order of lowest to highest historical petroleum hydrocarbon concentrations in groundwater. In addition, non-disposable groundwater gauging equipment was decontaminated prior to and after each use with a detergent solution and rinsed in potable water.

2.2 Groundwater Elevation and Flow Direction

During the 2021 first semi-annual event, monitoring wells MW-1, MW-3, MW-13, MW-14, and RW-1 were scheduled to be gauged for groundwater elevations and the presence of LNAPL. Monitoring well RW-1 was unable to be located due to ice and could not be gauged. The groundwater monitoring event field notes are presented in Appendix B.

The inferred groundwater flow direction for the first semi-annual 2021 monitoring events is to the Southwest and is not consistent with the historical predominate flow direction. There are two historical predominate flow directions east-northeast and northwest. The change in flow direction is likely related to the inability to

access and gauge RW-1. Current and historical groundwater gauging and analytical results are included in Table 1 and Table 2 respectively. A groundwater contour map is presented as Figure 3.

2.3 Groundwater Sampling Methods

The first semi-annual groundwater monitoring event was conducted on April 8, 2021. Groundwater samples were collected from monitoring wells MW-1, MW-13, and MW-14 using a low flow sampling method. Monitoring well RW-1 was unable to be located due to ice and could not be sampled.

Sampling procedures were conducted in accordance with ADEC *Field Sampling Guidance* (ADEC, 2019). Monitoring well caps were removed to allow groundwater levels to stabilize and equilibrate before using an electronic interface probe (EIP) meter capable of 0.01-foot accuracy to measure the depth to groundwater and total well depth. A bladder pump with compressor & control unit with clean/disposable Teflon lined tubing and bladders was used to purge groundwater from the wells and collect samples to minimize the risk of volatile contaminant absorption by the sampling equipment. Water table drawdown was continuously monitored during purging with a water level meter and the flow rate of the pump was adjusted to limit drawdown to 0.1 meter. The intake of the pump was set as close as possible to the soil groundwater interface. Water quality parameters were monitored during purging with a multi-parameter water quality meter equipped with a flow through cell and Turbidity meter. Parameters were recorded every 3 to 5 minutes until a minimum of three (minimum of four if using temperature as an indicator) of the parameters listed below stabilized. The flow rate was reduced to 100-150 ml/minute and samples were collected from the discharge line into laboratory sample bottles. Water quality parameters were considered stable when three successive readings were within the following ADEC limits:

- $\pm 3\%$ for temperature (minimum of $\pm 0.2\text{ C}^\circ$),
- ± 0.1 for pH,
- $\pm 3\%$ for conductivity,
- $\pm 10\text{ mv}$ for redox potential,
- $\pm 10\%$ for dissolved oxygen, and
- $\pm 10\%$ for turbidity.

Sample bottles were labeled, stored in a cooler packed with ice, and submitted to Pace Analytical National Centre for Testing & Innovation (Pace Analytical), Mount Juliet, Tennessee, under proper chain-of-custody procedures. Field notes documenting the first-annual event is presented in Appendix B.

Groundwater samples collected from monitoring wells MW-1, MW-13, and MW-14 were submitted to the analytical laboratory for the following analyses:

- Total petroleum hydrocarbons as diesel range organics (TPH-d) by Alaska method AK102
- Lead by USEPA Method 6010D

A groundwater duplicate sample was collected from monitoring well MW-13. The duplicate sample was analyzed for TPH-d, and Lead. The duplicate sample was submitted blind with the sample set to Pace Analytical.

2.4 Groundwater Analytical Results

Routine analytical results for TPH-d, and Lead obtained from the first semi-annual 2021 groundwater monitoring event are summarized in Table 1 and are shown on Figure 4. Historic groundwater monitoring data are summarized in Table 2. Additional historical groundwater data is available in Appendix E.

3 LABORATORY DATA QUALITY ASSURANCE SUMMARY

As required by ADEC (Technical Memorandum, dated October 2019), Arcadis completed a laboratory data review checklist for each of the laboratory report generated for the 2020 first semi-annual event. The laboratory report is included as Appendix C and data review checklist is included as Appendix D. The following quality assurance (QA) summary describes six parameters, related to the quality and usability of the data presented in this report.

3.1 Precision

The relative percent difference (RPD) for laboratory control sample / laboratory control sample duplicate (LCS/LCSD), matrix spike (MS) / matrix spike duplicate (MSD) and field duplicate (FD) were within the control limits.

The precision of the data, as measured by laboratory quality control (QC) indicators, suggest that the Data Quality Objectives (DQOs) were met.

3.2 Accuracy

The percent recoveries for LCS/LCSD, MS/MSD and surrogates were within the control limits.

The accuracy of the data, as measured by laboratory quality control (QC) indicators, suggest that the DQOs were met.

3.3 Representativeness

The data appear to be representative of site conditions and are generally consistent with historical groundwater monitoring results and expected impacts to groundwater.

3.4 Comparability

The laboratory results are presented in the same units as previous report to allow comparison. The target compounds were not detected in an equipment and trip blank with below exceptions:

The compound lead (4.7 / 6 J ug/l) was detected below the reporting limit in method blank and EQB-1 for method 6010D. Based on blank contamination sample locations MW-1, MW-13 and BD-1 would be qualified as non-detect, however based on historic detections at the site the values were not qualified as non-detect as the detected values do fall within the range that would be expected at the sampling locations.

3.5 Completeness

The results appear to be valid and usable, and thus, the laboratory results have 100% completeness.

3.6 Sensitivity

The lead concentration exceeded the ADEC groundwater cleanup levels in sample location MW-13.

4 CONCLUSIONS AND RECOMMENDATIONS

The groundwater data collected during the first semi-annual 2021 event indicates that the groundwater flow direction, southwest is not consistent with recent observed groundwater flow directions. The change in flow direction is likely a result of the inability to gauge RW-1, which was covered in ice. During the first semi-annual 2021 groundwater monitoring event, groundwater samples were collected for analysis from monitoring wells MW-1, MW-13, and MW-14. Analytical results from the monitoring wells are generally consistent with historical data.

Groundwater monitoring will continue in accordance with the current semi-annual schedule. The second semi-annual sampling event of 2021 will be conducted in the fall of 2021.

5 REFERENCES

ADEC. *Field Sampling Guidance*. Division of Spill Prevention and Response Contaminated Sites Program. 2019.

ADEC Technical Memorandum, October 2019. *Minimum Quality Assurance Requirements for Sample Handling, Reports and Laboratory Data*. ADEC, Division of Spill Prevention and Response Contaminated Sites Program.

TABLES




Table 1. Current Groundwater Gauging and Analytical Results

Chevron Service Station 9-8557

415 Muldoon Road,
Anchorage, Alaska

Well ID	Sample Date	Screen Interval (ft bTOC)	TOC (ft)	Datum	DTW (ft bTOC)	LNAPL thickness (ft)	GW Elev (ft)	TPH-d ($\mu\text{g}/\text{L}$)	Lead ($\mu\text{g}/\text{L}$)	Comments
ADEC Groundwater Cleanup Levels										
MW-1	4/8/2021	16-26	252.38	NAVD88	18.55	0.00	233.83	<800	8.90	
MW-3	4/8/2021	14-24	252.69	NAVD88	18.82	0.00	233.87	--	--	
MW-13	4/8/2021	--	252.86	NAVD88	19.03	0.00	233.83	567 J [526 J]	23.5 [17.8]	
MW-14	4/8/2021	--	251.82	NAVD88	18.02	0.00	233.80	<800	<6.00	
RW-1	4/8/2021	15-29.5	252.55	NAVD88	--	--	--	--	--	Not located due to ice
QA (EQB)	4/8/2021	--	--	--	--	--	--	<800	6.40	

Notes:

ID = Identification

MW = Groundwater monitoring well

TOC = Top of casing

DTW = Depth to groundwater

ft bTOC = Feet below top of casing

ft = Feet relative to NAVD88

GW Elev = Groundwater elevation

 $\mu\text{g}/\text{L}$ = Micrograms per liter**Bold** = Value exceeds Method Detection Limit (MDL)**Bold and Shaded** = Value exceeds ADEC Groundwater Cleanup Level

<6.00 = Not detected at or above the Reported Detection Limit (RDL)

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

NAVD 88 = North American Vertical Datum of 1988

LNAPL = Light Non-Aqueous Phase Liquid

ADEC = Alaska Department of Environmental Conservation

TPH-d = Total petroleum hydrocarbons, diesel range by LUFT GC/MS according to USEPA Method AK 102

Samples analytes by USEPA Method 8260D:

Benzene, Toluene, Ethylbenzene and Total Xylenes (collectively BT)

MTBE = Methyl tert-butyl ether

Naphthalene analyzed by EPA Method 8270E-SIM

Lead analyzed by EPA Method 6010D

-- = Not analyzed/ Not measured/ Not Available

[] = Duplicate Result

QA (EQB) = Quality Assurance (Equipment Blank)

LUFT = Leaking Underground Fuel Tank

GC/MS = Gas chromatography/Mass Spectrometry

Table 2. Historical Groundwater Gauging and Analytical Results
Second Quarter 2003 to Current
 Chevron Service Station 9-8557
 415 Muldoon Road,
 Anchorage, Alaska

Well ID	Sample Date	Screen Interval (ft bTOC)	TOC (ft amsl)	DTW (ft bTOC)	LNAPL thickness (ft)	GW Elev (ft amsl)	TPH-d ($\mu\text{g/L}$)	TPH-g ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	Lead ($\mu\text{g/L}$)	HVOCs ($\mu\text{g/L}$)	SVOC's ($\mu\text{g/L}$)	Naphthalene ($\mu\text{g/L}$)	Comments
ADEC Groundwater Cleanup Levels																		
MW-1	5/23/2003	16-26	98.73	19.00	0.00	79.73	550	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-1	10/8/2003	16-26	98.73	19.38	0.00	79.35	280	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-1	6/4/2004	16-26	98.73	19.61	0.00	79.12	1,900	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-1	9/28/2004	16-26	98.73	19.50	0.00	79.23	740 [670]	--	--	--	--	--	--	<0.5-<2 [<0.5-<2]	--	--	--	
MW-1	5/13/2005	16-26	98.73	18.54	0.00	80.19	830	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-1	9/26/2005	16-26	98.73	18.67	0.00	80.06	<24	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-1	5/17/2006	16-26	98.73	19.54	0.00	79.19	140	--	--	--	--	--	--	<0.8-<2	--	--	--	
MW-1	9/25/2006	16-26	98.73	18.76	0.00	79.97	8,500	--	--	--	--	--	--	<0.8-<2	--	--	--	
MW-1	5/15/2007	16-26	98.73	18.91	0.00	79.82	500	--	--	--	--	--	--	<0.8-<2.0	<1-<21	--	--	
MW-1	9/24/2007	16-26	98.73	18.40	0.00	80.33	3,500	--	--	--	--	--	--	<0.8-<2.0	<1-<19	--	--	
MW-1	5/14/2008	16-26	98.73	18.37	0.00	80.36	350	--	--	--	--	--	--	<0.8-<2.0	<1-<19	--	--	
MW-1	9/16/2008	16-26	98.73	18.02	0.00	80.71	1,600	--	--	--	--	--	--	<0.1-<0.3	<1-<0.20	--	--	
MW-1	6/18/2009	16-26	98.73	18.53	0.00	80.20	270	--	--	--	--	--	--	- ND	ND	--	--	
MW-1	9/7/2009	16-26	98.73	18.76	0.00	79.97	2,500	--	--	--	--	--	--	- ND	0.012	--	--	
MW-1	4/21/2010	16-26	98.73	19.46	0.00	79.27	1,500	--	--	--	--	--	--	- ND	0.21	--	--	
MW-1	7/22/2010	16-26	98.73	19.08	0.00	79.65	1,400	--	--	--	--	--	--	- ND	ND	--	--	
MW-1	4/19/2011	16-26	98.73	19.35	0.00	79.38	1,600	--	--	--	--	--	--	- ND	0.040 J	--	--	
MW-1	8/22/2011	16-26	252.78	19.09	0.00	233.69	170 J	--	--	--	--	--	--	< 4.7 UJ	- ND	ND	--	
MW-1	5/2/2012	16-26	252.78	18.22	0.00	234.56	200 J	--	--	--	--	--	--	< 2.2	- ND	ND	--	
MW-1	7/30/2012	16-26	252.78	17.55	0.00	235.23	100 J	--	--	--	--	--	--	7.1 J	- ND	ND	--	
MW-1	5/14/2013	16-26	252.78	17.90	0.00	234.88	1,600	--	--	--	--	--	--	< 1.9	--	--	--	
MW-1	9/17/2013	16-26	252.78	17.57	0.00	235.21	-	--	--	--	--	--	--	-	--	--	Sample Collected via hydrosleeve	
MW-1	9/18/2013	16-26	-	-	0.00	-	380 J	--	--	--	--	--	--	9.6 J	--	--	--	
MW-1	5/2/2014	16-26	252.78	19.95	0.00	232.83	130 J	--	--	--	--	--	--	1	--	--	--	
MW-1	11/8/2014	16-26	252.78	18.48	0.00	234.10	260 J	--	--	--	--	--	--	7.7 J	--	--	--	
MW-1	5/6/2015	16-26	252.78	19.12	0.00	233.66	370 J	--	--	--	--	--	--	4.7	--	--	--	
MW-1	10/21/2015	16-26	252.78	18.68	0.00	234.10	350	--	--	--	--	--	--	26	--	--	--	
MW-1	6/3/2016	16-26	252.78	18.69	0.00	234.09	3,700	--	--	--	--	--	--	29.3 J	--	--	--	
MW-1	10/14/2016	16-26	252.78	18.57	0.00	234.21	2,400	--	--	--	--	--	--	13.7	--	--	--	
MW-1	5/23/2017	16-26	252.78	18.29	0.00	234.49	3,500	--	--	--	--	--	--	98.3	--	--	--	
MW-1	9/1/2017	16-26	252.78	18.85	0.00	233.93	800 J / 520 J	--	--	--	--	--	--	10.3 J / 15.1 J	--	--	--	
MW-1	5/21/2018	16-26	252.78	19.10	0.00	233.68	1,900 J / 1,500 J	--	--	--	--	--	--	48.4	--	--	--	
MW-1	9/25/2018	16-26	252.58*	19.02	0.00	233.76	1,000	--	--	--	--	--	--	24.1	--	--	--	
MW-1	4/10/2019	16-26	252.38	18.30	0.00	234.08	<260 B	--	--	--	--	--	--	<7.1	--	--	Depth to water taken from Recent Survey Notes dated 6/6/2019, TOC Data from Survey report by McLane Consulting dated 6/14/19 (Rev 2)	
MW-1	9/10/2019	16-26	252.38	18.51	0.00	233.87	320	--	--	--	--	--	--	8.3 J	--	--	--	
MW-1	4/3/2020	16-26	252.38	18.66	0.00	233.72	1,110	--	<1.00	<1.00	<1.00	<1.00	<3.00	<1.00	9.35	--	<5.00 J	--
MW-1	9/30/2020	16-26	252.38	18.10	0.00	234.28	392 J [359 J]	--	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<3.00 [<3.00]	<1.00 [<1.00]	<9.09 B [<6.00 B]	--	<0.500 [<0.500]	--
MW-1	4/8/2021	16-26	252.38	18.55	0.00	233.83	<800	--	--	--	--	--	--	8.90	--	--	--	
MW-3	5/23/2003	14-24	98.52	19.19	0.00	79.33	<24	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-3	10/8/2003	14-24	98.52	19.55	0.00	78.97	43 [45]	--	--	--	--	--	--	<0.5-<2 [<0.5-<2]	--	--	--	
MW-3	6/4/2004	14-24	98.52	19.78	0.00	78.74	62	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-3	9/28/2004	14-24	98.52	19.88	0.00	78.64	<20	--	--	--	--	--	--	<0.5-<2	--	--	--	
MW-3	5/13/2005	14-24	98.52	18.86	0.00	79.66	84 [67]	--	--	--	--	--	--	<0.5-<2 [<0.5-<2]	--	--	TPH-d: Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.	
MW-3	9/26/2005	14-24	98.52	18.52	0.00	80.00	<24 [<24]	--	--	--	--	--	--	<0.5-<2 [<0.5-<2]	--	--	--	
MW-3	5/17/2006	14-24	98.52	19.63	0.00	78.89	<25	--	--	--	--	--	--	<0.8-<2	--	--	--	
MW-3	9/25/20																	

Table 2. Historical Groundwater Gauging and Analytical Results
Second Quarter 2003 to Current
 Chevron Service Station 9-8557
 415 Muldoon Road,
 Anchorage, Alaska

Well ID	Sample Date	Screen Interval (ft bTOC)	TOC (ft amsl)	DTW (ft bTOC)	LNAPL thickness (ft)	GW Elev (ft amsl)	TPH-d ($\mu\text{g/L}$)	TPH-g ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	Lead ($\mu\text{g/L}$)	HVOCs ($\mu\text{g/L}$)	SVOC's ($\mu\text{g/L}$)	Naphthalene ($\mu\text{g/L}$)	Comments
ADEC Groundwater Cleanup Levels																		
MW-4R	5/13/2005	15-24.5	--	17.69	0.00	--	<10	<0.5	<0.5	<1.0	<2	--	<0.5-<2	--	--	--		
MW-4R	9/26/2005	15-24.5	--	17.50	0.00	--	30	<0.5	<0.5	<1.0	<2	--	<0.5-<2	--	--			
MW-4R	5/17/2006	15-24.5	--	18.61	0.00	--	<10	<0.5	<0.5	<1.0	<2	--	<0.5-<2	--	--			
MW-4R	9/25/2006	15-24.5	--	17.85	0.00	--	340	<0.5	<0.7	<1.6	<2	--	<0.8-<2	--	--			
MW-4R	5/15/2007	15-24.5	--	17.85	0.00	--	--	--	--	--	--	--	--	--	--			
MW-4R	9/24/2007	15-24.5	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate			
MW-4R	5/14/2008	15-24.5	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate			
MW-4R	9/16/2008	15-24.5	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate			
MW-11	10/8/2003	14-24	97.76	79.23	--	--	--	--	--	--	--	--	--	--	--	--		
MW-11	6/4/2004	14-24	97.76	79.00	--	--	--	--	--	--	--	--	--	--	--	--		
MW-11	9/28/2004	14-24	97.76	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible due to flooding		
MW-11	5/13/2005	14-24	97.76	80.11	--	--	--	--	--	--	--	--	--	--	--	--		
MW-11	9/26/2005	14-24	97.76	DRY	--	--	--	--	--	--	--	--	--	--	--	--		
MW-11	5/17/2006	14-24	97.76	DRY	--	--	--	--	--	--	--	--	--	--	--	Abandoned July 2006		
MW-12	5/23/2003	15-24.5	98.52	18.71	0.00	79.81	--	<10	<0.5	<0.5	<1	<0.5	--	<0.5-<2	--	--		
MW-12	10/8/2003	15-24.5	98.52	19.06	0.00	79.46	--	<10	<0.5	<0.5	<1	<2	--	<0.5-<2	--	--		
MW-12	6/4/2004	15-24.5	98.52	19.28	0.00	79.24	--	<10 [<10]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	<2 [<2]	--	<0.5-<2 [<0.5-<2]	--	--		
MW-12	9/28/2004	15-24.5	98.52	19.23	0.00	79.29	--	<10	<0.5	<0.5	<1	<2	--	<0.5-<2	--	--		
MW-12	5/13/2005	15-24.5	98.52	18.27	0.00	80.25	--	<10	<0.5	<0.5	<1	<2	--	<0.5-<2	--	--		
MW-12	9/26/2005	15-24.5	98.52	DRY	--	--	--	--	--	--	--	--	--	--	--	--		
MW-12	5/17/2006	15-24.5	98.52	19.23	0.00	79.29	--	<10	<0.5	<0.7	<1.6	<2	--	<0.8-<2	--	--		
MW-13	7/30/2012	--	252.83	17.86	0.00	234.97	6,600 J / 17,000 J	1,700 / 1,500	9.8 / 10	12.0 / 12.0	3.6 / 3.7	190 / 190	4.0 / 4.0	490 / 443	--	0.126 J / 0.176 J	--	
MW-13	5/14/2013	--	252.83	18.15	0.00	234.68	1,000 J / 730	380 / 370	1.2 / 1.2	0.87 J / 0.88 J	9.8 / 10	28 / 30	ND / ND	740 / 570	--	--	--	
MW-13	5/14/2013	--	252.83	18.15	0.00	234.68	3,500 J / 1,600 J	270 / 310	1.2 / 1.2	0.93 J / 0.97 J	8.7 / 8.5	26 / 26	--	1400 / 970	--	--	--	
MW-13	9/17/2013	--	252.83	17.82	0.00	235.01	--	--	--	--	--	--	--	--	--	--		
MW-13	9/18/2013	--	252.83	--	0.00	--	710 / 770	170 / 180	0.98 J / 0.97 J	0.59 J / 0.63 J	5.7 / 5.7	15 / 15	--	210 J / 1,200 J	--	--		
MW-13	5/2/2014	--	252.83	18.20	0.00	234.63	620 / 540	160 / 140	0.90 J / 0.77 J	0.41 J / <0.36	4.9 / 4.1	3.4 / 2.8 J	--	25 / 18	--	--		
MW-13	11/8/2014	--	252.83	18.70	0.00	234.13	550 J / 500 J	89 J / 87 J	0.54 J / 0.46 J	<0.19 J / <0.18 J	1.8 / 1.8	1.1 J / 1.2 J	--	33 / 20	--	--		
MW-13	5/6/2015	--	252.83	19.38	0.00	233.45	390 J / 350 J	--	--	--	--	--	--	673 / 875	--	--		
MW-13	10/21/2015	--	252.83	18.93	0.00	233.90	1,100 J / 4,100 J	--	--	--	--	--	--	74.8 / 53.9	--	--		
MW-13	6/3/2016	--	252.83	18.94	0.00	233.89	5,300 J / 5,200 J	--	--	--	--	--	--	223 / 219	--	--		
MW-13	10/14/2016	--	252.83	18.83	0.00	234.00	710 / 650	--	--	--	--	--	--	74.7 / 69.6	--	--		
MW-13	5/23/2017	--	252.83	18.53	0.00	234.30	360 J / 1900 J	--	--	--	--	--	--	298 J / 226 J	--	--		
MW-13	9/1/2017	--	252.83	19.11	0.00	233.72	590 J	--	--	--	--	--	--	137	--	--		
MW-13	5/21/2018	--	252.83	19.23	0.00	233.60	5,100 J	--	--	--	--	--	--	1,240 / 910	--	--		
MW-13	9/25/2018	--	252.83	19.27	0.00	233.56	9,100 J / 7,400	--	--	--	--	--	--	193 / 265	--	--		
MW-13	4/10/2019	--	252.86	18.76	0.00	234.10	5,100	--	--	--	--	--	--	90.7	--	Depth to water taken from Recent Survey Notes dated 6/6/2019, TOC Data from Survey report by McLane Consulting dated 6/14/19 (Rev 2)		
MW-13	9/10/2019	--	252.86	19.00	0.00	233.86	2,800 [2,800]	--	--	--	--	--	--	48 [50]	--	--		
MW-13	4/3/2020	--	252.86	19.13	0.00	233.73	1,240	--	2.14	0.495 J	4.55	3.39	<1.00	83.4	--	<5.00		
MW-13	10/1/2020	--	252.86	18.61	0.00	234.25	536 J [627 J]	--	1.40 [1.26]	<1.00 [<1.00]	2.23 [2.10]	0.195 J [<3.00]	<1.00 [<1.00]	25.3 [28.6]	--	<0.500 [<0.500]		
MW-13	4/8/2021	--	252.86	19.03	0.00	233.83	567 J [526 J]	--	--	--	--	--	--	23.5 [17.8]	--	--		
MW-14	8/22/2011	--	251.41	17.99	0.00	233.42	<49	43 J	<0.5	<0.5	<0.5	<1.5	- ND	<0.0026 UJ	--	ND		
MW-14	5/22/2012	--	251.41	17.11	0.00	234.30	<49 JJ	<10	<0.5	<0.5	<0.5	<1.5	- ND	<0.0022	--	0.0003		
MW-14	7/30/2012	--	251.41	16.51	0.00	234.90	<48	<10	<0.5	<0.5	<0.5	<1.5	- ND	<0.0051	--	ND		
MW-14	5/14/2013	--	251.41	16.81	0.00	234.60	<63 J	<50	<0.24	<0.23	<0.24	<0.72	--	0.020	--	--		

Table 2. Historical Groundwater Gauging and Analytical Results
Second Quarter 2003 to Current
 Chevron Service Station 9-8557
 415 Muldoon Road,
 Anchorage, Alaska

Well ID	Sample Date	Screen Interval (ft bTOC)	TOC (ft amsl)	DTW (ft bTOC)	LNAPL thickness (ft)	GW Elev (ft amsl)	TPH-d ($\mu\text{g/L}$)	TPH-g ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	Lead ($\mu\text{g/L}$)	HVOCS ($\mu\text{g/L}$)	SVOC's ($\mu\text{g/L}$)	Naphthalene ($\mu\text{g/L}$)	Comments
ADEC Groundwater Cleanup Levels																		
RW-1	5/2/2012	15-29.5	252.85	18.23	0.00	234.62	51 J / 56 J	<10 / <10	<0.5 / <0.5	<0.5 / <0.5	<0.5 / <0.5	<1.5 / <1.5	--	<2.2 / <2.2	ND / ND	ND / ND	--	
RW-1	7/30/2012	15-29.5	252.85	17.63	0.00	235.22	<51	<10	<0.5	<0.5	<0.5	<1.5	--	<5.1	ND	ND	--	
RW-1	5/14/2013	15-29.5	252.85	17.95	0.00	234.90	--	--	--	--	--	--	--	--	--	--	--	
RW-1	9/17/2013	15-29.5	252.85	17.58	0.00	235.27	--	--	--	--	--	--	--	--	--	--	--	
RW-1	5/2/2014	15-29.5	252.85	18.00	0.00	234.85	--	--	--	--	--	--	--	--	--	--	--	
RW-1	11/8/2014	15-29.5	252.85	18.47	0.00	234.38	--	--	--	--	--	--	--	--	--	--	--	
RW-1	5/6/2015	15-29.5	252.85	20.13	0.00	232.72	--	--	--	--	--	--	--	--	--	--	--	
RW-1	10/21/2015	15-29.5	252.85	18.87	0.00	233.98	--	--	--	--	--	--	--	--	--	--	--	
RW-1	6/3/2016	15-29.5	252.85	18.71	0.00	234.14	--	--	--	--	--	--	--	--	--	--	--	
RW-1	10/14/2016	15-29.5	252.85	18.61	0.00	234.24	--	--	--	--	--	--	--	--	--	--	--	
RW-1	5/23/2017	15-29.5	252.85	18.28	0.00	234.57	--	--	--	--	--	--	--	--	--	--	--	
RW-1	9/1/2017	15-29.5	252.85	18.87	0.00	233.98	--	--	--	--	--	--	--	--	--	--	--	
RW-1	5/21/2018	15-29.5	252.85	18.48	0.00	234.37	--	--	--	--	--	--	--	--	--	--	--	
RW-1	9/25/2018	15-29.5	252.85	19.03	0.00	233.82	--	--	--	--	--	--	--	--	--	--	--	
RW-1	4/10/2019	15-29.5	252.55	18.51	0.00	234.04	--	--	--	--	--	--	--	--	--	--	--	
RW-1	9/10/2019	15-29.5	252.55	18.41	0.00	234.14	--	--	--	--	--	--	--	--	--	--	--	
RW-1	4/3/2020	15-29.5	252.55	--	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate well	
RW-1	9/30/2020	15-29.5	252.55	18.34	0.00	234.21	--	--	--	--	--	--	--	--	--	--	Not located due to ice	
RW-1	4/8/2021	15-29.5	252.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
QA	10/8/2003	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	6/4/2004	--	--	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	9/28/2004	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	5/13/2005	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	9/26/2005	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	5/15/2007	--	--	--	--	--	<10	<0.5	<0.7	<0.8	<1.6	<2	--	<0.8 <2.0	--	--	--	
QA	9/24/2007	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	5/14/2008	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	5/14/2008	--	--	--	--	--	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	--	--	--	--	
QA	9/16/2008	--	--	--	--	--	<10	--	--	--	--	--	--	--	--	--	--	
QA (EQB)	4/3/2020	--	--	--	--	--	174 J	--	<1.00	<1.00	<1.00	<3.00	<1.00	<6.00	--	--	<5.00	
QA (EQB)	9/30/2020	--	--	--	--	--	<800	--	<1.00	<1.00	<1.00	<3.00	<1.00	4.45 J	--	--	<0.500	
QA (EQB)	4/8/2021	--	--	--	--	--	<800	--	--	--	--	--	6.40	--	--	--	--	
Trip Blank	4/3/2020	--	--	--	--	--	--	--	<1.00	<1.00	<1.00	<3.00	<1.00	--	--	--	<5.00	
Trip Blank	9/30/2020	--	--	--	--	--	--	--	<1.00	<1.00	<1.00	<3.00	<1.00	--	--	--	--	

Notes:

ID = Identification

MW, RW = Groundwater monitoring well

TOC = Top of casing

DTW = Depth to groundwater

ft bTOC = Feet below top of casing

ft = Feet relative to NAVD88

GW Elev = Groundwater elevation

$\mu\text{g/L}$ = Micrograms per liter

-- = Not analyzed/ Not available

QA (EOB) = Quality Assurance (Equipment Blank)

[] = Duplicate Result

<5.00 = Not detected at or above the Reported Detection Limit (RDL)

Bold = Value exceeds Method Detection Limit (MDL)

Bold and Shaded = Value exceeds ADEC Groundwater Cleanup Level

Bold and Italicized : Constituent considered non-detect, however Laboratory

RDL is greater than the ADEC Groundwater Cleanup Level

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

The laboratory for this site was changed from Eurofins Calscience to Pace Analytical prior to the first quarter 2020 groundwater monitoring event. Prior to this date, Eurofins Calscience was using the carbon ranges as follows: TPH-d as C13-C22. Pace Analytical reports the following carbon ranges: TPH-d as C12-C22.

TPH-g= Total petroleum hydrocarbons, gasoline range by LUFT GC/MS according to AK 102-SV 4/8/02

TPH-d = Total petroleum hydrocarbons, diesel range by LUFT GC/MS according to USEPA Method AK 102

Samples analyzed by United States Environmental Protection Agency (USEPA) Method 8260C

Benzene, Toluene, Ethylbenzene and Total xylenes (collectively BTEX)

MTBE = Methyl tert-butyl ether

Naphthalene analyzed by EPA Method 8270E-SIM

Lead analyzed by EPA Method 6010D

HVOCS = Halogenated Volatiles

SVOCs = Semi Volatile Organic Compound

ADEC = Alaska Department of Environmental Conservation

NAVD88 = North American Vertical Datum of 1988


LUFT = Leaking Underground Fuel Tank

LNAPL = Light non-aqueous phase liquid



ND = Not detected

FIGURES





MAP SOURCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., ANCHORAGE A-8, ALASKA, 2016



CHEVRON SERVICE STATION 9-8557
415 MULDOON ROAD
ANCHORAGE, ALASKA

SITE LOCATION MAP

4th AVENUE


BUILDING

MULDOON ROAD

BUILDING

ALLEY

5th AVENUE





0 40' 80'

APPROXIMATE SCALE 1 in. = 40 ft.

CHEVRON SERVICE STATION 9-8557
415 MULDOON ROAD
ANCHORAGE, ALASKA


SITE PLAN





APPENDIX A

Site Background and History



**Chevron Environmental
Management Company**

Appendix A:
Site History and Background

Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska
ADEC File No: 2100.26.006
HAZARD ID No: 23831

December 31, 2019

Appendix A: 98557 Site Description and Background

1 98557 SITE BACKGROUND AND HISTORY

1.1 Site Description and Vicinity

The Chevron-Branded Service Station 98557 (the site) is located at 415 Muldoon Road in Anchorage, Alaska. The Site is an active service station with four underground storage tanks (USTs) and six dispenser islands with product piping, and a station building. The surrounding land use is commercial and residential; the site is bordered by business to the north, south, and west and by residences to the east.

1.2 Site History

The Site was formerly operated as a small bulk fuel storage facility until 1965, when it was converted to a service station. In 1991, four USTs were excavated and replaced at the southern edge of the property. During the excavation, approximately 2,100 cubic yards (cy) of impacted soil was removed and thermally treated. In 2006, the existing USTs and station building were removed and replaced with the current facilities. Approximately 3,390 cy of impacted soil was removed and thermally treated or transported off site for disposal.

2 SITE CHARACTERIZATION

There are currently five groundwater monitoring wells located onsite (MW-1, MW-3, MW-13, MW-14, and RW-1).

3 CURRENT SITE MONITORING ACTIVITIES

Three monitoring wells (MW-1, MW-13, and MW-14) are monitored and sampled semiannually. Monitoring wells MW-3 and RW-1 are monitored for depth-to-water only during these sampling events.

In recent historic sampling, concentrations of diesel-range organics (DRO) have exceeded ADEC Groundwater Cleanup Levels in wells MW-1 and MW-13. Concentrations of lead have exceeded ADEC Cleanup Levels in MW-1, MW-13, and MW-14.

4 GEOLOGY AND HYDROGEOLOGY

4.1 Site Hydrogeology

The Site is in south central Alaska, between the Knik Arm of Cook Inlet to the north and the Turnagain Arm to the south. Static groundwater depths have historically ranged between 9.26 and 21.46 feet below top of casing (ft btoc). Historic groundwater flow is to the northwest.

5 REFERENCES

Alaska Department of Environmental Conservation. 2019. Site Report: Chevron #8557. Available online at: <https://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/23831>. Retrieved December 27, 2019.

GHD Inc. 2018. Second Semiannual 2018 Groundwater Monitoring Report: Chevron-Branded Service Station 98557, 415 Muldoon Rd, Anchorage, AK. November 12

APPENDIX B

Field Data Sheets



Daily Log

Project Name : 98557 **Weather(°F) :** Snow
Project Number : 30063668 **Prepared By:** Evan Wujcik
Purpose : Gw sampling
PPE : Level D
Equipment: Water Quality Meter (i.e. YSI), Water Level Meter (WLM), Bladder Pump, Photoionization Detector (PID)

Date	Time	Description of Activities
04/08/2021	09:00	Arrive on site Open permit to work Locate Wells
04/08/2021	10:30	RW-1 Not located due to ice
04/08/2021	11:00	Sample MW-1 Decon equipment MS/MSD Samples collected at this location See chain of custody for analytes
04/08/2021	12:00	Sample MW-13 Decon equipment Blind duplicate Samples collected at this location See chain of custody for analytes
04/08/2021	13:00	Sample MW-14 Decon equipment See chain of custody for analytes
04/08/2021	14:00	Load vehicle Close permit to work Mobilize offsite

Signature:

Waste Management:										
Drums On Site										
Date	Are there any waste drums on site?	Number of Drums upon Arrival	Size of Drums	Type of Drums	Condition of Drums	Waste Drummed Today?	Number of drums Created	Size of drums	Condition of Drums	General Waste Comments
04/08/2021	no					no				

Daily Log

Other Photos



Approximate RW-1 location, could not locate due to ice

Equipment and Calibration Information:

Supplier: Pine

Model:

Rental Number:

Calibrated:

Bump Checked:

Calibration Passed:

Water Quality Meter SN:

Date	Time	Calibrated Fluid and Value	Lot #	Expiration Date	Initial Reading	Final Reading
04/08/2021						

Equipment and Calibration Information:

Supplier: Pine

Model:

Rental Number:

Calibrated:

Bump Checked:

Calibration Passed:

PIDSN:

Date	Time	Calibrated Fluid and Value	Lot #	Expiration Date	Initial Reading	Final Reading
04/08/2021	--					

Groundwater Gauging Log

Client:	Chevron						
Site ID:	98557						
Site Location:	Anchorage, Alaska						
Measuring Point:	Top of Casing						
Date(s):	04/08/2021						
Sampler(s):	Evan Wujcik						
Gauging Equipment:	Water Level Meter						
Well ID	Date	Gauging Time	Static Water Level (ft bmp)	Depth to Product (ft bmp)	Total Depth (ft bmp)	PID Reading (ppm)	Comments
MW-1	04/08/2021	10:03	18.55	ND	23.90	0	--
MW-3	04/08/2021	09:55	18.82	ND	23.70	0	--
MW-13	04/08/2021	10:00	19.03	ND	27.30	0	--
MW-14	04/08/2021	09:58	18.02	ND	27.10	0	--

ft-bmp = feet below measuring point

ND = Not Detected

PID = Photoionization Detector Reading

ppm = parts per million

-- = Not Recorded

Project Number	30063668	Well ID	MW-1	Date	4/8/2021					
Site Location	Anchorage, Alaska	Site ID	98557	Weather (°F)	Clear	Sampled by	Evan Wujcik			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	4	Well Casing Material	PVC			
Static Water Level (ft-bmp)	18.55	Total Depth (ft-bmp)	23.9	Water Column (ft)	5.35	Gallons in Well	3.48			
Water Quality Meter Make/Model	Horiba U-52	Purge Method	Low-Flow	Sample Method		Grab				
Sample Time	11:00	Well Volumes Purged	0.18	Sample ID	MW-1-W-20210408	Evacuation Equipment	Bladder			
Purge Start	10:30	Gallons Purged	0.63	Duplicate ID	MS/MSD					
Purge End	10:50	Total Purge Time (h:m)	0:20							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
10:33	200	18.55	7.19	19.6	49.2	6.01	3.39	252	--	--
10:36	200	18.55	7.18	19.5	50.5	5.57	3.32	243	--	--
10:39	200	18.55	7.17	19.4	46.7	5.32	3.21	238	--	--
10:42	200	18.55	7.16	19.2	50.7	5.18	3.18	234	--	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID: MW-1-W-20210408 Sample Time: 11:00 Sample Depth (ft-bmp): 19
 Analytes and Methods: See Chain-of-Custody.

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millSiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

Chevron Groundwater Sampling Form



Project Number	30063668	Well ID	MW-13	Date	4/8/2021					
Site Location	Anchorage, Alaska	Site ID	98557	Weather (°F)	Clear	Sampled by	Evan Wujcik			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material	PVC			
Static Water Level (ft-bmp)	19.03	Total Depth (ft-bmp)	27.3	Water Column (ft)	8.27	Gallons in Well	1.34			
Water Quality Meter Make/Model	Horiba U-52	Purge Method	Low-Flow	Sample Method		Grab				
Sample Time	00:00	Well Volumes Purged	0.59	Sample ID	MW-13-W-20210408	Evacuation Equipment	Bladder			
Purge Start	11:30	Gallons Purged	0.79	Duplicate ID	BD-1-W-20210408					
Purge End	11:50	Total Purge Time (h:m)	0:20							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
11:33	200	19.03	6.96	8.04	619	1.24	2.31	134	--	--
11:36	200	19.03	6.95	7.83	446	0.98	2.29	133	--	--
11:39	200	19.03	6.95	7.35	205	0.47	2.25	130	--	--
11:42	200	19.03	6.94	7.29	167	0.36	2.19	128	--	--
11:45	200	19.02	6.94	7.03	97.2	0.31	2.25	127	--	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = $1 = 0.04$ $1.5 = 0.09$ $2.5 = 0.26$ $3.5 = 0.50$ $6 = 1.47$
gallons per foot $1.25 = 0.06$ $2 = 0.16$ $3 = 0.37$ $4 = 0.65$

Sample Information

Sample ID:	MW-13-W-20210408	Sample Time:	00:00	Sample Depth (ft-bmp):	19.5
Analytes and Methods:	See Chain-of-Custody.				

ft-bmp = feet below measuring point
in. = inches
ft = feet
mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
NTU = Nephelometric Turbidity Unit
mg/L = milligrams per liter
PVC = Polyvinyl Chloride

mV = millivolts
°F = degrees Fahrenheit
°C = degrees Celsius
-- = Not Recorded

Chevron Groundwater Sampling Form



Project Number	30063668	Well ID	MW-14	Date	4/8/2021					
Site Location	Anchorage, Alaska	Site ID	98557	Weather (°F)	Clear	Sampled by	Evan Wujcik			
Measuring Point Description	Top of Casing	Screen Depth Interval (ft-bmp)	-- to --	Casing Diameter (in.)	2	Well Casing Material	PVC			
Static Water Level (ft-bmp)	18.02	Total Depth (ft-bmp)	27.1	Water Column (ft)	9.08	Gallons in Well	1.48			
Water Quality Meter Make/Model	Horiba U-52	Purge Method	Low-Flow	Sample Method		Grab				
Sample Time	13:00	Well Volumes Purged	0.43	Sample ID	MW-14-W-20210408	Evacuation Equipment	Bladder			
Purge Start	12:30	Gallons Purged	0.63	Duplicate ID	--					
Purge End	12:50	Total Purge Time (h:m)	0:20							
Time	Rate (ml/min)	Depth to Water (ft)	pH (standard units)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temperature (°C)	Redox (mV)	Appearance	
									Color	Odor
12:33	200	18.02	7.96	0.345	0.0	10.15	3.36	93	--	--
12:36	200	18.02	7.95	0.333	0.0	9.94	3.38	98	--	--
12:39	200	18.02	7.90	0.315	0.0	10.01	3.47	101	--	--
12:42	200	18.02	7.88	0.305	0.0	10.05	3.48	105	--	--

Comments: None

Well Casing Volume Conversion

Well diameter (in.) = 1 = 0.04 1.5 = 0.09 2.5 = 0.26 3.5 = 0.50 6 = 1.47
 gallons per foot 1.25 = 0.06 2 = 0.16 3 = 0.37 4 = 0.65

Sample Information

Sample ID:	MW-14-W-20210408	Sample Time:	13:00	Sample Depth (ft-bmp):	18.5
Analytes and Methods:	See Chain-of-Custody.				

ft-bmp = feet below measuring point
 in. = inches
 ft = feet
 mL/min = milliliters per minute

mS/cm = millisiemens per centimeter
 NTU = Nephelometric Turbidity Unit
 mg/L = milligrams per liter
 PVC = Polyvinyl Chloride

mV = millivolts
 °F = degrees Fahrenheit
 °C = degrees Celsius
 -- = Not Recorded

APPENDIX C

Laboratory Analytical Report





ANALYTICAL REPORT

April 21, 2021

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Arcadis - Chevron - AK

Sample Delivery Group: L1337040
Samples Received: 04/10/2021
Project Number: 30063668.19.21
Description: 98557
Site: 5210 OLD SEWARD HWY ANCHORAGE
Report To: Sydney Clark
880 H St.
Anchorage, AK 99501

Entire Report Reviewed By:

Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
MW-1-W-20210408 L1337040-01	5	⁶ Qc
MW-13-W-20210408 L1337040-02	6	⁷ Gl
MW-14-W-20210408 L1337040-03	7	⁸ Al
BD-1-W-20210408 L1337040-04	8	
EQB-1-W-20210408 L1337040-05	9	
Qc: Quality Control Summary	10	
Metals (ICP) by Method 6010D	10	
Semi-Volatile Organic Compounds (GC) by Method AK102	11	
Gl: Glossary of Terms	12	
Al: Accreditations & Locations	13	
Sc: Sample Chain of Custody	14	⁹ Sc

SAMPLE SUMMARY

				Collected by E. Wujcik	Collected date/time 04/08/21 11:00	Received date/time 04/10/21 10:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1653137	1	04/17/21 16:09	04/18/21 18:03	EL	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1651579	1	04/16/21 07:19	04/16/21 22:36	TJD	Mt. Juliet, TN
				Collected by E. Wujcik	Collected date/time 04/08/21 12:00	Received date/time 04/10/21 10:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1653137	1	04/17/21 16:09	04/18/21 19:08	EL	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1651579	1	04/16/21 07:19	04/16/21 23:36	TJD	Mt. Juliet, TN
				Collected by E. Wujcik	Collected date/time 04/08/21 13:00	Received date/time 04/10/21 10:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1653137	1	04/17/21 16:09	04/18/21 19:11	EL	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1651579	1	04/16/21 07:19	04/16/21 23:57	TJD	Mt. Juliet, TN
				Collected by E. Wujcik	Collected date/time 04/08/21 00:00	Received date/time 04/10/21 10:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1653137	1	04/17/21 16:09	04/18/21 19:14	EL	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1651579	1	04/16/21 07:19	04/17/21 00:17	TJD	Mt. Juliet, TN
				Collected by E. Wujcik	Collected date/time 04/08/21 15:00	Received date/time 04/10/21 10:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1653137	1	04/17/21 16:09	04/18/21 19:17	EL	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1651579	1	04/16/21 07:19	04/17/21 00:37	TJD	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

CASE NARRATIVE

Unless qualified or noted within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager

Metals (ICP) by Method 6010D

The same analyte is found in the associated blank.

Batch	Analyte	Lab Sample ID
WG1653137	Lead	L1337040-01, 02, 04, 05

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

MW-1-W-20210408

Collected date/time: 04/08/21 11:00

SAMPLE RESULTS - 01

L1337040

Metals (ICP) by Method 6010D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Lead	8.90	B	2.99	6.00	1	04/18/2021 18:03	WG1653137

¹Cp

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	U		229	800	1	04/16/2021 22:36	WG1651579
(S) o-Terphenyl	59.8			50.0-150		04/16/2021 22:36	WG1651579

²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Metals (ICP) by Method 6010D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Lead	23.5	B	2.99	6.00	1	04/18/2021 19:08	WG1653137

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	567	J	229	800	1	04/16/2021 23:36	WG1651579
(S) o-Terphenyl	78.8			50.0-150		04/16/2021 23:36	WG1651579

MW-14-W-20210408

Collected date/time: 04/08/21 13:00

SAMPLE RESULTS - 03

L1337040

Metals (ICP) by Method 6010D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Lead	U		2.99	6.00	1	04/18/2021 19:11	WG1653137

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	U		229	800	1	04/16/2021 23:57	WG1651579
(S) o-Terphenyl	50.5			50.0-150		04/16/2021 23:57	WG1651579

BD-1-W-20210408

Collected date/time: 04/08/21 00:00

SAMPLE RESULTS - 04

L1337040

Metals (ICP) by Method 6010D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Lead	17.8	B	2.99	6.00	1	04/18/2021 19:14	WG1653137

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	526	J	229	800	1	04/17/2021 00:17	WG1651579
(S) o-Terphenyl	67.3			50.0-150		04/17/2021 00:17	WG1651579

Metals (ICP) by Method 6010D

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
Lead	6.40	B	2.99	6.00	1	04/18/2021 19:17	WG1653137

¹Cp

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result ug/l	<u>Qualifier</u>	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	U		229	800	1	04/17/2021 00:37	WG1651579
(S) o-Terphenyl	78.8			50.0-150		04/17/2021 00:37	WG1651579

²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1337040-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3643356-1 04/18/21 17:57

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Lead	4.70	J	2.99	6.00

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3643356-2 04/18/21 17:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Lead	1000	949	94.9	80.0-120	

L1337040-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1337040-01 04/18/21 18:03 • (MS) R3643356-4 04/18/21 18:09 • (MSD) R3643356-5 04/18/21 18:12

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Lead	1000	8.90	999	1030	99.0	102	1	75.0-125			3.25	20

WG1651579

Semi-Volatile Organic Compounds (GC) by Method AK102

QUALITY CONTROL SUMMARY

[L1337040-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3643315-1 04/16/21 19:13

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
AK102 DRO C10-C25	U		229	800
(S) o-Terphenyl	65.5			60.0-120

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3643315-2 04/16/21 19:34 • (LCSD) R3643315-3 04/16/21 19:54

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	3000	2490	2820	83.0	94.0	75.0-125			12.4	20
(S) o-Terphenyl				98.8	100	60.0-120				

L1337040-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1337040-01 04/16/21 22:36 • (MS) R3643315-6 04/16/21 22:56 • (MSD) R3643315-7 04/16/21 23:16

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	3340	U	2710	2730	81.1	91.0	1.11	75.0-125			0.735	20
(S) o-Terphenyl					89.4	101		50.0-150				

L1338736-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1338736-02 04/17/21 01:18 • (MS) R3643315-8 04/17/21 01:38 • (MSD) R3643315-9 04/17/21 01:58

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	3340	U	2770	2270	82.9	75.7	1.11	75.0-125			19.8	20
(S) o-Terphenyl					95.7	87.5		50.0-150				

ACCOUNT:

Arcadis - Chevron - AK

PROJECT:

30063668.19.21

SDG:

L1337040

DATE/TIME:

04/21/21 15:55

PAGE:

11 of 14

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.	1 Cp
RDL	Reported Detection Limit.	2 Tc
Rec.	Recovery.	3 Ss
RPD	Relative Percent Difference.	4 Cn
SDG	Sample Delivery Group.	5 Sr
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	6 Qc
U	Not detected at the Reporting Limit (or MDL where applicable).	7 GI
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	8 AI
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	9 Sc
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____	Remarks:	pH _____ Temp _____ Flow _____ Other _____	Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> <input type="checkbox"/> Y <input type="checkbox"/> N		
Samples returned via: <input checked="" type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Courier _____		Tracking # 9463 1917 7143			
Relinquished by : (Signature) 	Date: 4/9/21	Time: 0800	Received by: (Signature)	Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 2 HCl MeOH TBR	
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received: 21 6/8/2021	If preservation required by Login: Date/Time
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature) 	Date: 4/10/21 Time: 1000	Hold: _____ Condition: NCF / OK

APPENDIX D

ADEC Data Review Checklist



Laboratory Data Review Checklist

Completed By:

Bhagyashree A Fulzele

Title:

Project Chemist

Date:

April 27, 2021

Consultant Firm:

ARCADIS U.S., Inc

Laboratory Name:

Pace Analytical

Laboratory Report Number:

L1337040

Laboratory Report Date:

04/21/2021

CS Site Name:

First Semi Annual 2021 Groundwater Monitoring Report

ADEC File Number:

2100.26.001

Hazard Identification Number:

23595

Note: Any N/A or No box checked must have an explanation in the comments box.

1. Laboratory

- a. Did an ADEC CS approved laboratory receive and perform all of the submitted sample analyses?

Yes No N/A Comments:

Yes.

- b. If the samples were transferred to another “network” laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses ADEC CS approved?

Yes No N/A Comments:

No.

2. Chain of Custody (CoC)

- a. CoC information completed, signed, and dated (including released/received by)?

Yes No N/A Comments:

Yes.

- b. Correct analyses requested?

Yes No N/A Comments:

Yes.

3. Laboratory Sample Receipt Documentation

- a. Sample/cooler temperature documented and within range at receipt (0° to 6° C)?

Yes No N/A Comments:

Yes.

- b. Sample preservation acceptable – acidified waters, Methanol preserved VOC soil (GRO, BTEX, Volatile Chlorinated Solvents, etc.)?

Yes No N/A Comments:

Yes.

- c. Sample condition documented – broken, leaking (Methanol), zero headspace (VOC vials)?

Yes No N/A Comments:

No.

- d. If there were any discrepancies, were they documented? For example, incorrect sample containers/preservation, sample temperature outside of acceptable range, insufficient or missing samples, etc.?

Yes No N/A Comments:

No.

e. Data quality or usability affected?

Comments:

Data quality/usability was not affected.

4. Case Narrative

a. Present and understandable?

Yes No N/A Comments:

Yes.

b. Discrepancies, errors, or QC failures identified by the lab?

Yes No N/A Comments:

Yes.

c. Were all corrective actions documented?

Yes No N/A Comments:

Yes.

d. What is the effect on data quality/usability according to the case narrative?

Comments:

Data quality/usability was not affected.

5. Samples Results

a. Correct analyses performed/reported as requested on COC?

Yes No N/A Comments:

Yes.

b. All applicable holding times met?

Yes No N/A Comments:

Yes.

c. All soils reported on a dry weight basis?

Yes No N/A Comments:

Not applicable.

d. Are the reported LOQs less than the Cleanup Level or the minimum required detection level for the project?

Yes No N/A Comments:

Yes.

- e. Data quality or usability affected?

Data quality/usability was not affected.

6. QC Samples

a. Method Blank

- i. One method blank reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

Yes.

- ii. All method blank results less than limit of quantitation (LOQ) or project specified objectives?

Yes No N/A Comments:

No.

- iii. If above LOQ or project specified objectives, what samples are affected?

Comments:

Method 6020: Analyte lead (4.7 J ug/L) was detected below the reporting limit in method blank batch WG1653137. A blank action level was established at five times of the reported blank concentration. Compound result in samples MW-1-W-20210408, MW-13-W-20210408 and BD-1-W-20210408 were not qualified as non-detect (UB) at the sample detection limit. When compared to historical data, the detections are not artifacts of the analytical process but are believed to be representative detections at the site.

- iv. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

Yes.

- v. Data quality or usability affected?

Comments:

The method blank contamination considered as minor and would result in the non-detect of associated data. The reported data should still consider as usable.

b. Laboratory Control Sample/Duplicate (LCS/LCSD)

- i. Organics – One LCS/LCSD reported per matrix, analysis and 20 samples? (LCS/LCSD required per AK methods, LCS required per SW846)

Yes No N/A Comments:

Yes.

- ii. Metals/Inorganics – one LCS and one sample duplicate reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

Yes.

- iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

Yes.

- iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from LCS/LCSD, and or sample/sample duplicate. (AK Petroleum methods 20%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

Yes.

- v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

None of the samples were affected.

- vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

Not applicable.

- vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

Data quality or usability was not affected.

- c. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Note: Leave blank if not required for project

- i. Organics – One MS/MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

The MS/MSD analysis was performed on sample MW-1-W-20210408 for Method AK101.

- ii. Metals/Inorganics – one MS and one MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

The MS/MSD analysis was performed on sample MW-1-W-20210408 for Method AK101.

- iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

Yes.

- iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from MS/MSD, and or sample/sample duplicate. (AK Petroleum methods 20%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

Yes.

- v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

None of the samples were affected.

- vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

Not applicable.

- vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

Data quality or usability was not affected.

- d. Surrogates – Organics Only or Isotope Dilution Analytes (IDA) – Isotope Dilution Methods Only

- i. Are surrogate/IDA recoveries reported for organic analyses – field, QC and laboratory samples?

Yes No N/A Comments:

Yes.

- ii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods 50-150 %R; all other analyses see the laboratory report pages)

Yes No N/A Comments:

Yes.

- iii. Do the sample results with failed surrogate/IDA recoveries have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

Not applicable.

- iv. Data quality or usability affected?

Comments:

Data quality or usability was not affected.

e. Trip Blanks

- i. One trip blank reported per matrix, analysis and for each cooler containing volatile samples?
(If not, enter explanation below.)

Yes No N/A Comments:

Trip blank sample was not collected from this SDG.

- ii. Is the cooler used to transport the trip blank and VOA samples clearly indicated on the COC?
(If not, a comment explaining why must be entered below)

Yes No N/A Comments:

Not applicable.

- iii. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

Not applicable.

- iv. If above LOQ or project specified objectives, what samples are affected?

Comments:

None of the samples were affected.

- v. Data quality or usability affected?

Comments:

Data quality or usability was not affected.

f. Field Duplicate

- i. One field duplicate submitted per matrix, analysis and 10 project samples?

Yes No N/A Comments:

Yes.

- ii. Submitted blind to lab?

Yes No N/A Comments:

Field duplicate BD-1-W-20210408 was collected from sample MW-13-W-20210408.

- iii. Precision – All relative percent differences (RPD) less than specified project objectives?

(Recommended: 30% water, 50% soil)

$$\text{RPD (\%)} = \text{Absolute value of: } \frac{(R_1 - R_2)}{((R_1 + R_2)/2)} \times 100$$

Where R_1 = Sample Concentration
 R_2 = Field Duplicate Concentration

Yes No N/A Comments:

Yes.

iv. Data quality or usability affected? (Use the comment box to explain why or why not.)

Comments:

Data quality/usability was not affected.

g. Decontamination or Equipment Blank (If not applicable, a comment stating why must be entered below)?

Yes No N/A Comments:

Equipment blank sample was collected as EQB-1-W-20210408.

i. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

Method 6020: Analyte lead (6 J ug/L) was detected below the reporting limit in EQB-1-W-20210408. A blank action level was established at five times of the reported blank concentration. Compound result in samples MW-1-W-20210408, MW-13-W-20210408 and BD-1-W-20210408 were qualified as non-detect (UB) at the sample detection limit.

ii. If above LOQ or project specified objectives, what samples are affected?

Comments:

Analyte lead result in samples MW-1-W-20210408, MW-13-W-20210408 and BD-1-W-20210408 were qualified as non-detect (UB) at the sample detection limit.

iii. Data quality or usability affected?

Comments:

Equipment blank contamination is considered minor and would result in the non-detect of the associated data. The reported data should still consider as usable.

7. Other Data Flags/Qualifiers (ACOE, AFCEE, Lab Specific, etc.)


a. Defined and appropriate?

Yes No N/A Comments:

Yes.

APPENDIX E

Additional Historical Groundwater Gauging and Analytical Data



Appendix E.1. Current Groundwater Analytical Results - PAHs

Chevron Service Station 9-8557
415 Muldoon Road,
Anchorage, Alaska

Well ID	Sample Date	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)Fluoranthene	Benzo(g,h,i)perylene	Benzo(k)Fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Comments
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
ADEC Groundwater Cleanup Levels		6.2	6.1	2,200	2,200	11,000	1.2	0.2	1.2	1,100	12	120	0.12	1,500	1,500	1.2	730	11,000	1,100	
MW-1	4/3/2020	<0.500	<0.500	<0.0500	<0.0500	<0.0500	0.0309 J	<0.0500	0.0251 J	<0.250	<0.0500	0.0286 J	<0.0500	<0.500	0.0457 J	0.0351 J				
MW-1	9/30/2020	0.0226 J [<0.500]	<0.500 [<0.500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	0.0185 J [<0.0500]	<0.250 [<0.250]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.000500 [<0.000500]	<0.0500 [<0.0500]	<0.0500 [<0.0500 B]
MW-13	4/3/2020	1.12	0.0544 J	0.0609	<0.0500	0.0358 J	0.0576	0.0182 J	0.0185 J	0.0664	<0.250	0.0382 J	<0.0500	0.0601	0.0825	<0.0500	0.379 J	0.165	0.177	
MW-13	10/1/2020	0.472 J [0.524]	<0.500 [<0.500]	0.0276 J [0.0296 J]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	0.0289 J [0.0362 J]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.250 [<0.250]	0.0265 J [0.0278 J]	<0.0500 [<0.0500]	0.0355 J [0.0458 J]	0.0310 J [0.0354 J]	<0.0500 [<0.0500]	<0.500 [<0.500]	0.0593 [0.0736]	0.0756 [0.0863]	
MW-14	4/3/2020	<0.500 [<0.500]	<0.500 [<0.500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.250 [<0.250]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.500 [<0.500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]	<0.0500 [<0.0500]
MW-14	9/30/2020	<0.500	<0.500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.000500	<0.0500 B	<0.0500 B	
QA (EQB)	4/3/2020	<0.500	<0.500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.250	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.500	<0.0500	<0.0500	<0.0500
QA (EQB)	9/30/2020	<0.500	0.0298 J	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.0222 J	<0.0500	<0.250	<0.0500	<0.0500	<0.0500	0.068	<0.0500	<0.0500	<0.000500	0.0363 J	0.0000668
Trip Blank	9/30/2020	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Notes:

ADEC GCL = Alaska Department of Environmental Conservation groundwater cleanup level

(µg/L) = micrograms per liter

LNAPL = Light Non-aqueous Phase Liquids

<0.500 = Not detected at or above the reported detection limit (RDL)

Bold = Detections above the MDL

Bold and Italicized : Constituent considered non-detect, however Laboratory RDL is greater than the ADEC Groundwater Cleanup Level

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

B = Compound considered non-detect at the listed value due to associated blank contamination.

Constituents analyzed by United States Environmental Protection Agency Method EPA 8270E-SIM

[] = Duplicate Result

Appendix E.2a. Historical Groundwater Analytical Results - Additional VOCs

First Quarter 2020 to Current

Chevron Service Station 9-8557
415 Muldoon Road,
Anchorage, Alaska

Well ID	Sample Date	Acetone ($\mu\text{g/L}$)	1,2,4-Trimethylbenzene ($\mu\text{g/L}$)	1,2-Dichlorobenzene (o-Dichlorobenzene) ($\mu\text{g/L}$)	1,4-Dichlorobenzene ($\mu\text{g/L}$)	cis-1,2-Dichloroethene ($\mu\text{g/L}$)	Isopropylbenzene ($\mu\text{g/L}$)	1,1,2,2-Tetrachloroethane ($\mu\text{g/L}$)	1,1,2-Trichloroethane ($\mu\text{g/L}$)	Chloroform ($\mu\text{g/L}$)	Vinyl chloride (Chloroethene) ($\mu\text{g/L}$)	4-Methyl-2-pentanone ($\mu\text{g/L}$)	1,1,1-Trichloroethane ($\mu\text{g/L}$)	Comments
ADEC Groundwater Cleanup Levels		14,000	56	300	4.8	36	—	0.76	0.41	2.2	0.19	6,300	8,000	
MW-1	4/3/2020	14.1 J	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.00	<1.00	<10.0	<1.00	
MW-1	9/30/2020	<50.0 [<<50.0]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<1.00 [<1.00]	0.603 J [0.606 J]	<1.00 [<1.00]	
MW-13	4/3/2020	<50.0	7.77	0.482 J	0.340 J	0.326 J	1.15	<1.00	<1.00	<5.00	<1.00	<10.0	<1.00	
MW-13	10/1/2020	<50.0 [<<50.0]	1.03 [0.971 J]	0.275 J [0.267 J]	<1.00 [<1.00]	0.164 J [0.164 J]	0.806 J [0.705 J]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<1.00 [<1.00]	<10.0 [<10.0]	<1.00 [<1.00]	
MW-14	4/3/2020	<50.0 [<<50.0]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 B [<5.00 B]	<1.00 [<1.00]	<10.0 [<10.0]	<1.00 [<1.00]	
MW-14	9/30/2020	<50.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	0.772 J	<1.00	<0.0100	<1.00	
QA (EQB)	4/3/2020	<50.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	0.428 J	<1.00	<10.0	<1.00	
QA (EQB)	9/30/2020	<50.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.00	<1.00	<0.0100	<1.00	
TRIP BLANK	4/3/2020	<50.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.00	<1.00	<10.0	<1.00	
TRIP BLANK	9/30/2020	<50.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<5.00	<1.00	<0.0100	<1.00	

Notes:

ID = Identification

MW = Groundwater monitoring well

$\mu\text{g/L}$ = Milligrams per liter

<1.00 = Not detected at or above the Reported Detection Limit

Bold = Detected above laboratory method detection limit (MDL)

Bold and *Italicized* : Constituent considered non-detect, however Laboratory RDL is greater than the ADEC Groundwater Cleanup Level

J = The compound was positively identified; however, the associated numerical value is an estimated concentration only.

[] = Blind Duplicate Sample Result

ADEC = Alaska Department of Environmental Conservation

Constituents analyzed by United States Environmental Protection Agency Method 8260D

Appendix E.2b. Historical Groundwater Analytical Results - Additional VOCs

First Quarter 2020 to Current

Chevron Service Station 9-8557

415 Muldoon Road,

Anchorage, Alaska

Well ID	Sample Date	1,1,2-Trichlorotrifluoroethane (Freon 113) µg/L	1,1-Dichloroethane µg/L	1,1 Dichloroethene µg/L	1,2,3-Trichlorobenzene µg/L	1,2,4-Trichlorobenzene µg/L	1,2-Dibromoethane µg/L	1,2-Dichloroethane µg/L	1,2-Dichloropropane µg/L	1,3-Dichlorobenzene µg/L	2-Butanone (Methyl ethyl ketone) µg/L	Bromochloromethane µg/L	Bromodichloromethane µg/L	Comments
		10,000	28	280	7.0	4.0	0.075	1.7	8	4.7	--	--	--	1.3
MW-1	4/3/2020	<1.00	<1.00	<1.00	<1.00 J	<1.00	<0.00500	<1.00	<1.00	<1.00	<10.0	<5.00	<1.00	
MW-1	9/30/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<0.005 [<0.005]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<10.00 [<10.00]	<1.00 [<1.00]	<1.00 [<1.00]	
MW-13	4/3/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.00500	<1.00	<1.00	<1.00	<10.0	<5.00	<1.00	
MW-13	10/1/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<0.0500 [<0.00500]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<10.0 [<10.0]	<1.00 [<1.00]	<1.00 [<1.00]	
MW-14	4/3/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<0.00500 [<0.00500]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<10.0 [<10.0]	<5.00 [<5.00]	<1.00 [<1.00]	
MW-14	9/30/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.005	<1.00	<1.00	<1.00	<10.00	<1.00	<1.00	
QA (EQB)	4/3/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.00500	<1.00	<1.00	<1.00	<10.0	<5.00	<1.00	
QA (EQB)	9/30/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.005	<1.00	<1.00	<1.00	<10.00	<1.00	<1.00	
TRIP BLANK	4/3/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.00500	<1.00	<1.00	<1.00	<10.0	<5.00	<1.00	
TRIP BLANK	9/30/2020	<1.00	<1.00	<1.00	<1.00	<1.00	<0.005	<1.00	<1.00	<1.00	<10.00	<1.00	<1.00	

Notes:

ID = Identification

MW = Groundwater monitoring well

µg/L = Milligrams per liter

<1.00 = Not detected at or above the Reported Detection Limit

Bold = Detected above laboratory method detection limit (MDL)

[] = Blind Duplicate Sample Result

ADEC = Alaska Department of Environmental Conservation

Constituents analyzed by United States Environmental Protection Agency Method 8260D

Appendix E.2c. Historical Groundwater Analytical Results - Additional VOCs

First Quarter 2020 to Current

Chevron Service Station 9-8557
415 Muldoon Road,
Anchorage, Alaska

Well ID	Sample Date	Bromoform µg/L	Bromomethane (Methyl bromide) µg/L	Carbon disulfide µg/L	Carbon Tetrachloride µg/L	Chlorobenzene µg/L	Chloroethane µg/L	Chloromethane (Methyl chloride) µg/L	cis-1,3-Dichloropropene µg/L	Dibromochloromethane µg/L	Dichlorodifluoromethane (Freon 12) µg/L	Methylene chloride (Dichloromethane) µg/L	Styrene µg/L	Comments
ADEC Groundwater Cleanup Levels		33	7.5	810	4.6	78	--	190	4.7	8.7	200	100	1,200	
MW-1	4/3/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
MW-1	9/30/2020	<1.00 [<1.00]	<5.00 [<5.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<2.50 [<2.50]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<5.00 [<5.00]	<1.00 [<1.00]	
MW-13	4/3/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
MW-13	10/1/2020	<1.00 [<1.00]	<5.00 [<5.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<2.50 [<2.50]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<5.00 [<5.00]	<1.00 [<1.00]	
MW-14	4/3/2020	<1.00 [<1.00]	<5.00 [<5.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<2.50 [<2.50]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	<5.00 [<5.00]	<1.00 [<1.00]	
MW-14	9/30/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
QA (EQB)	4/3/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
QA (EQB)	9/30/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
TRIP BLANK	4/3/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	
TRIP BLANK	9/30/2020	<1.00	<5.00	<1.00	<1.00	<1.00	<5.00	<2.50	<1.00	<1.00	<5.00	<5.00	<1.00	

Notes:

ID = Identification

MW = Groundwater monitoring well

µg/L = Milligrams per liter

<1.00 = Not detected at or above the Reported Detection Limit

Bold = Detected above laboratory method detection limit (MDL)

[] = Blind Duplicate Sample Result

ADEC = Alaska Department of Environmental Conservation

Constituents analyzed by United States Environmental Protection Agency Method 8260D

Appendix E.2d. Historical Groundwater Analytical Results - Additional VOCs

First Quarter 2020 to Current

Chevron Service Station 9-8557
415 Muldoon Road,
Anchorage, Alaska

Well ID	Sample Date	Tetrachloroethene µg/L	trans-1,2-Dichloroethene µg/L	trans-1,3-Dichloropropene µg/L	Trichloroethene (Trichloroethylene) µg/L	Trichlorofluoromethane (Freon 11) µg/L	Comments
ADEC Groundwater Cleanup Levels		41	360	4.7	2.8	5,200	
MW-1	4/3/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
MW-1	9/30/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	
MW-13	4/3/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
MW-13	10/1/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	
MW-14	4/3/2020	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<1.00 [<1.00]	<5.00 [<5.00]	
MW-14	9/30/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
QA (EQB)	4/3/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
QA (EQB)	9/30/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
TRIP BLANK	4/3/2020	<1.00	<1.00	<1.00	<1.00	<5.00	
TRIP BLANK	9/30/2020	<1.00	<1.00	<1.00	<1.00	<5.00	

Notes:

ID = Identification

MW = Groundwater monitoring well

µg/L = Milligrams per liter

<1.00 = Not detected at or above the Reported Detection Limit

Bold = Detected above laboratory method detection limit (MDL)

[] = Blind Duplicate Sample Result

ADEC = Alaska Department of Environmental Conservation

Constituents analyzed by United States Environmental Protection Agency Method 8260D

Table 2

Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCS					ADDITIONAL VOCS			Metals
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	Lead mg/L	
ADEC Groundwater Cleanup Levels																
MW-1	02/01/1991**	98.73	9.26	89.47	14	ND	-	0.001	ND	ND	0.003	-	-	-	-	
MW-1	06/01/1991**	98.73	18.86	79.87	15	7.5	0.12	ND	ND	ND	ND	-	0.002	-	-	
MW-1	07/01/1991**	98.73	19.00	79.73	-	-	-	-	-	-	-	-	-	-	-	
MW-1	09/01/1991**	98.73	18.65	80.08	14	26	0.6	0.005	0.001	ND	0.024	-	-	-	-	
MW-1	11/01/1991**	98.73	18.39	80.34	-	-	-	-	-	-	-	-	-	-	-	
MW-1	12/01/1991**	98.73	19.13	79.60	9.6	4.7	0.18	ND	ND	ND	0.005	-	-	-	-	
MW-1	01/01/1992**	98.73	18.52	80.21	-	-	-	-	-	-	-	-	-	-	-	
MW-1	03/01/1992**	98.73	19.65	79.08	2.9	6.8	0.18	0.006	0.01	ND	0.022	-	-	-	-	
MW-1	04/01/1992**	98.73	18.12	80.61	-	-	-	-	-	-	-	-	-	-	-	
MW-1	05/01/1992**	98.73	18.58	80.15	-	-	-	-	-	-	-	-	-	-	-	
MW-1	06/01/1992**	98.73	18.82	79.91	8.6	5	ND	ND	0.005	ND	ND	-	-	-	-	
MW-1	07/01/1992**	98.73	18.32	80.41	-	-	-	-	-	-	-	-	-	-	-	
MW-1	08/01/1992**	98.73	18.21	80.52	-	-	-	-	-	-	-	-	-	-	-	
MW-1	09/01/1992**	98.73	18.19	80.54	-	ND	ND	ND	ND	ND	0.001	-	-	-	-	
MW-1	10/01/1992**	98.73	18.50	80.23	-	-	-	-	-	-	-	-	-	-	-	
MW-1	11/01/1992**	98.73	18.44	80.29	-	-	-	-	-	-	-	-	-	-	-	
MW-1	12/01/1992**	98.73	18.31	80.42	3.4	8.7	ND	ND	ND	ND	0.004	-	-	-	-	
MW-1	05/01/1993**	98.73	18.90	79.83	ND	ND	0.11	ND	ND	ND	0.001	-	-	-	-	
MW-1	08/01/1993**	98.73	18.47	80.26	ND	0.16	0.095	ND	ND	ND	ND	-	-	-	-	
MW-1	11/01/1993**	98.73	18.57	80.16	-	0.4	0.065	ND	ND	ND	0.002	-	0.004	-	-	
MW-1	03/01/1994**	98.73	19.04	79.69	-	0.24	0.07	-	-	-	-	-	ND	-	-	
MW-1	06/01/1994**	98.73	18.78	79.95	-	0.4	0.13	-	-	-	-	-	ND	-	-	
MW-1	08/18/1994	98.73	18.52	80.21	-	0.38	0.11	-	-	-	-	-	0.0007	-	-	
MW-1	12/13/1994	98.73	19.16	79.57	ND	ND	ND	ND	ND	ND	ND	-	ND	-	-	
MW-1	03/24/1995	98.73	19.74	78.99	-	1.1	ND	ND	ND	ND	ND	-	ND	-	-	
MW-1	04/24/1995	98.73	-	-	-	0.099	ND	ND	ND	ND	0.0012	-	-	-	-	
MW-1	06/19/1995	98.73	18.21	80.52	-	1.5	0.11	-	-	-	-	-	ND	-	-	
MW-1	09/06/1995	98.73	18.09	80.64	-	2	0.084	ND	ND	ND	ND	-	0.0026	-	-	
MW-1	11/14/1995	98.73	18.43	80.30	-	4.5	0.1	-	-	-	-	-	ND	-	-	
MW-1	02/14/1996	98.73	19.18	79.55	-	1.5	0.11	-	-	-	-	-	ND	-	-	
MW-1	06/01/1996	98.73	20.68	78.05	-	8.09	-	-	-	-	-	-	<0.0005 / <0.005	-	-	
MW-1	08/23/1996	98.73	20.96	77.77	-	0.59 / 0.96	-	-	-	-	-	-	<0.0005 / <0.001 / <0.0005 / <0.001	-	-	
MW-1	10/21/1996	98.73	20.97	77.76	-	1.79 / 2.61	-	-	-	-	-	-	<0.0005 / <0.005 / <0.0005 / <0.005	-	-	
MW-1	04/27/1997	98.73	21.25	77.48	-	0.73 / 2.88	-	-	-	-	-	-	<0.001 / <0.005 / <0.001 / <0.005	-	-	
MW-1	09/08/1997	98.73	19.45	79.28	-	1.74	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	04/22/1998	98.73	19.25	79.48	-	0.496	-	-	-	-	-	-	<0.001 / <0.01	-	-	
MW-1	09/17/1998	98.73	19.00	79.73	-	0.139	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	04/26/1999	98.73	19.11	79.62	-	0.45	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	10/13/1999	98.73	19.28	79.45	-	<0.1	-	-	-	-	-	-	<0.001 / <0.01	-	-	
MW-1	05/17/2000	98.73	19.16	79.57	-	0.157	-	-	-	-	-	-	<0.0005 / <0.005	-	-	
MW-1	09/22/2000	98.73	18.64	80.09	-	<0.1	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	05/01/2001	98.73	19.48	79.25	-	0.149	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	09/25/2001	98.73	18.99	79.74	-	0.339	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	05/02/2002	98.73	19.40	79.33	-	-	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	09/27/2002	98.73	18.60	80.13	-	0.42	-	-	-	-	-	-	<0.001 / <0.005	-	-	
MW-1	05/23/2003	98.73	19.00	79.73	-	0.55	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	10/08/2003	98.73	19.38	79.35	-	0.28	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	06/04/2004	98.73	19.61	79.12	-	1.9	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	09/28/2004	98.73	19.50	79.23	-	0.74 / 0.67	-	-	-	-	-	-	<0.0005 / <0.002 / <0.0005 / <0.002	-	-	

Table 2

Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCs					ADDITIONAL VOCs			Metals
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	Lead mg/L	
ADEC Groundwater Cleanup Levels																
MW-1	05/13/2005	98.73	18.54	80.19	-	0.83	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	09/26/2005	98.73	18.67	80.06	-	<0.024	-	-	-	-	-	-	<0.0005 / <0.002	-	-	
MW-1	05/17/2006	98.73	19.54	79.19	-	0.14	-	-	-	-	-	-	<0.0008 / <0.002	-	-	
MW-1	09/25/2006	98.73	18.76	79.97	-	8.5	-	-	-	-	-	-	<0.0008 / <0.002	-	-	
MW-1	05/15/2007	98.73	18.91	79.82	-	0.5	-	-	-	-	-	-	<0.0008 / <0.002	<0.001 / <0.021	-	
MW-1	09/24/2007	98.73	18.40	80.33	-	3.5	-	-	-	-	-	-	<0.0008 / <0.002	<0.001 / <0.019	-	
MW-1	05/14/2008	98.73	18.37	80.36	-	0.35	-	-	-	-	-	-	<0.0008 / <0.002	<0.001 / <0.019	-	
MW-1	09/16/2008	98.73	18.02	80.71	-	1.6	-	-	-	-	-	-	<0.0001 / <0.0003	<0.001 / <0.0002	-	
MW-1	06/18/2009	98.73	18.53	80.20	-	0.27	-	-	-	-	-	-	ND	ND	-	
MW-1	09/07/2009	98.73	18.76	79.97	-	2.5	-	-	-	-	-	-	ND	0.012	-	
MW-1	04/21/2010	98.73	19.46	79.27	-	1.5	-	<0.0005	<0.0005	<0.0005	<0.0005	-	ND	0.21	-	
MW-1	07/22/2010	98.73	19.08	79.65	-	1.4	-	-	-	-	-	-	ND	ND	-	
MW-1	04/19/2011	98.73	19.35	79.38	-	1.6	-	-	-	-	-	-	ND	0.040 J	-	
MW-1	08/22/2011	252.78	19.09	233.69	-	0.17 J	-	-	-	-	-	-	ND	ND	<0.0047 UJ	
MW-1	05/22/2012	252.78	18.22	234.56	-	0.20 J	-	-	-	-	-	-	ND	ND	<0.0022	
MW-1	07/30/2012	252.78	17.55	235.23	-	0.10 J	-	-	-	-	-	-	ND	ND	0.0071 J	
MW-1	05/14/2013	252.78	17.90	234.88	-	0.62	-	-	-	-	-	-	-	-	<0.0019	
MW-1 ^{HS}	05/14/2013	252.78	17.90	234.88	-	1.6	-	-	-	-	-	-	-	-	<0.0019	
MW-1	09/17/2013	252.78	17.57	235.21	-	-	-	-	-	-	-	-	-	-	-	
MW-1	09/18/2013	-	-	-	-	0.38 J	-	-	-	-	-	-	-	-	0.0096 J	
MW-1	05/02/2014	252.78	19.95	232.83	-	0.13 J	-	-	-	-	-	-	-	-	0.0010	
MW-1	11/08/2014	252.78	18.48	234.10	-	0.26 J	-	-	-	-	-	-	-	-	0.0077 J	
MW-1	05/06/2015	252.78	19.12	233.66	-	0.37 J	-	-	-	-	-	-	-	-	<0.0047	
MW-1	10/21/2015	252.78	18.68	234.10	-	0.35	-	-	-	-	-	-	-	-	0.0260	
MW-1	06/03/2016	252.78	18.69	234.09	-	3.7	-	-	-	-	-	-	-	-	0.0293 J	
MW-1	10/14/2016	252.78	18.57	234.21	-	2.4	-	-	-	-	-	-	-	-	0.0137 J	
MW-1	05/23/2017	252.78	18.29	234.49	-	3.5	-	-	-	-	-	-	-	-	0.0983	
MW-1	09/01/2017	252.78	18.85	233.93	-	0.80 J / 0.52 J	-	-	-	-	-	-	-	-	0.0103 J / 0.0151 J	
MW-1	05/21/2018	252.78	19.10	233.68	-	1.9 J / 1.5 J	-	-	-	-	-	-	-	-	0.0484	
MW-1	09/25/2018	252.58*	19.02	233.76	-	1.0	-	-	-	-	-	-	-	-	0.0241	
MW-3	02/01/1991**	98.52	19.21	79.31	7.9	ND	-	ND	ND	ND	ND	-	-	-	-	
MW-3	06/01/1991**	98.52	19.10	79.42	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-3	07/01/1991**	98.52	19.19	79.33	-	-	-	-	-	-	-	-	-	-	-	
MW-3	09/01/1991**	98.52	18.82	79.70	ND	ND	0.1	ND	ND	ND	ND	-	-	-	-	
MW-3	11/01/1991**	98.52	18.83	79.69	-	-	-	-	-	-	-	-	-	-	-	
MW-3	12/01/1991**	98.52	19.26	79.26	ND	0.1	ND	ND	ND	ND	ND	-	-	-	-	
MW-3	01/01/1992**	98.52	18.63	79.89	-	-	-	-	-	-	-	-	-	-	-	
MW-3	03/01/1992**	98.52	19.62	78.90	ND	1.8	ND	ND	0.011	ND	ND	-	-	-	-	
MW-3	04/01/1992**	98.52	18.30	80.22	-	-	-	-	-	-	-	-	-	-	-	
MW-3	05/01/1992**	98.52	19.24	79.28	-	-	-	-	-	-	-	-	-	-	-	
MW-3	06/01/1992**	98.52	19.00	79.52	1.2	ND	ND	ND	ND	ND	0.006	-	-	-	-	
MW-3	07/01/1992**	98.52	18.50	80.02	-	-	-	-	-	-	-	-	-	-	-	
MW-3	08/01/1992**	98.52	18.37	80.15	-	-	-	-	-	-	-	-	-	-	-	
MW-3	09/01/1992**	98.52	18.35	80.17	-	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-3	10/01/1992**	98.52	18.66	79.86	-	-	-	-	-	-	-	-	-	-	-	
MW-3	11/01/1992**	98.52	18.59	79.93	-	-	-	-	-	-	-	-	-	-	-	
MW-3	12/01/1992**	98.52	18.46	80.06	6.3	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-3	05/01/1993**	98.52	19.06	79.46	-	ND	ND	ND	ND	ND	ND	-	ND	-	-	

Table 2

**Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska**

Table 2

**Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska**

Location	Date	HYDROCARBONS						PRIMARY VOCs					ADDITIONAL VOCs			Metals
		TOC Units	DTW ft msl	GWE ft msl	TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOCS mg/L	SVOC mg/L	Lead mg/L	
		ADEC Groundwater Cleanup Levels						1.1	1.5	2.2	0.0046	1.1	0.015	0.19	0.14	0.015
MW-3	10/21/2015	253.02	18.79	234.23	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	06/03/2016	253.02	18.81	234.21	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	10/14/2016	253.02	18.69	234.33	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	05/23/2017	253.02	18.35	234.67	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/01/2017	253.02	18.84	234.18	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	05/21/2018	253.02	19.11	233.91	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/25/2018	252.92*	19.12	233.90	-	-	-	-	-	-	-	-	-	-	-	-
MW-3-FB	05/14/2008	-	-	-	-	<0.024	<0.01	<0.0005	<0.0007	<0.0008	<0.0016	<0.002	<0.0008 / <0.002	<0.001 / <0.020	-	-
MW-3-FB	09/16/2008	-	-	-	-	<0.050	0.01	<0.0005	0.003	<0.0005	0.0008	<0.002	<0.0001 / <0.0003	<0.001 / <0.00021	-	-
MW-4R	05/01/1993**	-	-	-	-	-	2.9	0.003	0.02	0.016	0.048	-	ND	-	-	-
MW-4R	08/01/1993**	-	-	-	-	0.44	1.2	0.005	ND	0.006	0.019	-	0.0008	-	-	-
MW-4R	11/01/1993**	-	-	-	-	0.36	0.52	0.001	0.016	0.003	0.008	-	0.003	-	-	-
MW-4R	03/01/1994**	-	-	-	-	0.07	0.3	0.0015	0.015	0.0068	0.015	-	ND	-	-	-
MW-4R	06/01/1994**	-	-	-	-	0.7	2	0.0014	0.014	0.0031	0.019	-	ND	-	-	-
MW-4R	08/18/1994	-	17.71	-	-	0.3	0.53	0.002	ND	0.0024	0.0055	-	ND	-	-	-
MW-4R	03/24/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4R	04/24/1995	-	17.90	-	-	-	0.51	ND	0.0005	0.001	0.0037	-	-	-	-	-
MW-4R	09/06/1995	-	17.37	-	3.3	1.1	1.2	ND	0.0014	0.0024	0.0028	-	0.0023	-	-	-
MW-4R	02/14/1996	-	18.44	-	-	0.57	3.2	0.00063	0.0039	0.0066	0.012	-	ND	-	-	-
MW-4R	06/01/1996	-	20.05	-	-	-	-	SAMPLED SEMI-ANNUALLY						-	-	-
MW-4R	08/23/1996	-	20.19	-	-	1.57	0.586	<0.0025	0.0147	0.0041	0.0254	-	<0.0005 / <0.001	-	-	-
MW-4R	10/21/1996	-	20.22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4R	04/27/1997	-	20.45	-	-	2.57	0.199	<0.0005	<0.0005	<0.0005	0.00228	-	<0.001 / <0.005	-	-	-
MW-4R	09/08/1997	-	18.67	-	-	2.24 / 2.33	0.227 / 0.267	0.000577 / 0.000665	0.00146 / 0.00166	<0.0005 / <0.0005	0.00293 / 0.00324	-	<0.001 / <0.005 / <0.001 / <0.005	-	-	-
MW-4R	04/22/1998	-	18.50	-	-	0.326	0.324	<0.0006	<0.0012	<0.0005	<0.0012	-	<0.001 / <0.01	-	-	-
MW-4R	09/17/1998	-	18.22	-	-	0.23	0.17	<0.0005	<0.0085	<0.0005	<0.001	-	<0.001 / <0.005	-	-	-
MW-4R	04/26/1999	-	18.28	-	-	0.11	<0.05	<0.0005	0.00062	<0.0005	<0.0005	<0.005	<0.0005 / <0.002	-	-	-
MW-4R	10/13/1999	-	18.45	-	-	0.21	0.119 / <0.05	0.0163	<0.0005	<0.0005	<0.0005	<0.005	<0.001 / <0.01	-	-	-
MW-4R	05/17/2000	-	18.30	-	-	0.155	<0.08	0.000718	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.005	-	-	-
MW-4R	09/22/2000	-	17.79	-	-	0.18	0.0622	<0.00093	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-4R	05/01/2001	-	18.60	-	-	0.208	<0.05	0.000392	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-4R	09/25/2001	-	18.11	-	-	-	0.17	0.00433	0.000978	<0.0005	0.00113	0.00172	<0.001 / <0.005	-	-	-
MW-4R	05/02/2002	-	18.45	-	-	-	0.0547	0.000266	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-4R	09/27/2002	-	17.80	-	-	-	<0.08	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.001 / <0.005	-	-	-
MW-4R	05/23/2003	-	18.17	-	-	-	0.22 / 0.2	<0.0005 / <0.0005	<0.0005 / <0.0005	<0.0005 / <0.0005	<0.001 / <0.001	<0.0005 / <0.0005	<0.0005 / <0.002 / <0.0005 / <0.002	-	-	-
MW-4R	10/08/2003	-	18.55	-	-	-	0.12	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-4R	06/04/2004	-	18.76	-	-	-	0.03	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-4R	09/28/2004	-	18.65	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-4R	05/13/2005	-	17.69	-	-	-	0.03	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-4R	09/26/2005	-	17.50	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-4R	05/17/2006	-	18.61	-	-	-	<0.01	<0.0005	<0.0007	<0.0008	<0.0016	<0.002	<0.0008 / <0.002	-	-	-
MW-4R	09/25/2006	-	17.85	-	-	-	0.34	<0.0005	<0.0007	<0.0008	<0.0016	<0.002	<0.0008 / <0.002	-	-	-
MW-4R	05/15/2007	-	-	-	-	-	-	UNABLE TO LOCATE						-	-	-
MW-4R	09/24/2007	-	-	-	-	-	-	UNABLE TO LOCATE						-	-	-
MW-4R	05/14/2008	-	-	-	-	-	-	UNABLE TO LOCATE						-	-	-
MW-4R	09/16/2008	-	-	-	-	-	-	UNABLE TO LOCATE						-	-	-

Table 2

Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCS					ADDITIONAL VOCS			Metals
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	Lead mg/L	
ADEC Groundwater Cleanup Levels																
MW-7	02/01/1991**		-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-7	06/01/1991**	98.98	19.18	79.80	2	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-7	07/01/1991**	98.98	19.25	79.73	-	-	-	-	-	-	-	-	-	-	-	
MW-7	09/01/1991**	98.98	18.80	80.18	ND	1.1	0.1	0.004	ND	ND	0.012	-	-	-	-	
MW-7	11/01/1991**	98.98	18.90	80.08	-	-	-	-	-	-	-	-	-	-	-	
MW-7	12/01/1991**	98.98	19.32	79.66	ND	1.2	ND	ND	ND	ND	ND	-	-	-	-	
MW-7	01/01/1992**	98.98	18.72	80.26	-	-	-	-	-	-	-	-	-	-	-	
MW-7	03/01/1992**	98.98	19.65	79.33	ND	1.1	ND	ND	0.01	0.009	ND	-	-	-	-	
MW-7	04/01/1992**	98.98	18.34	80.64	-	-	-	-	-	-	-	-	-	-	-	
MW-7	05/01/1992**	98.98	18.77	80.21	-	-	-	-	-	-	-	-	-	-	-	
MW-7	06/01/1992**	98.98	19.01	79.97	ND	0.32	ND	0.006	0.004	ND	ND	-	-	-	-	
MW-7	07/01/1992**	98.98	18.53	80.45	-	-	-	-	-	-	-	-	-	-	-	
MW-7	08/01/1992**	98.98	18.41	80.57	-	-	-	-	-	-	-	-	-	-	-	
MW-7	09/01/1992**	98.98	18.41	80.57	-	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-7	10/01/1992**	98.98	18.72	80.26	-	-	-	-	-	-	-	-	-	-	-	
MW-7	11/01/1992**	98.98	18.63	80.35	-	-	-	-	-	-	-	-	-	-	-	
MW-7	12/01/1992**	98.98	18.50	80.48	3.8	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-7	05/01/1993**	98.98	19.11	79.87	-	ND	ND	ND	ND	ND	ND	-	ND	-	-	
MW-7	08/01/1993**	98.98	18.68	80.30	-	ND	ND	ND	ND	ND	ND	-	ND	-	-	
MW-7	11/01/1993**	98.98	18.68	80.30	-	0.09	ND	ND	ND	ND	ND	-	0.0005	-	-	
MW-7	06/01/1994**	98.98	18.94	80.04	-	ND	-	-	-	-	-	-	ND	-	-	
MW-7	08/18/1994	98.98	18.78	80.20	-	ND	-	-	-	-	-	-	ND	-	-	
MW-11	02/01/1991**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/01/1991**	98.14	18.70	79.44	1.2	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-11	09/01/1991**	98.14	18.04	80.10	1.7	0.67	0.6	0.004	ND	ND	0.022	-	-	-	-	
MW-11	12/01/1991**	98.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/01/1992**	98.14	18.31	79.83	2.9	0.92	ND	ND	0.008	ND	0.008	-	-	-	-	
MW-11	09/01/1992**	98.14	17.63	80.51	-	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-11	12/01/1992**	98.14	17.78	80.36	2.1	ND	ND	ND	ND	ND	ND	-	-	-	-	
MW-11	05/01/1993**	98.14	18.39	79.75	-	0.094	ND	ND	ND	ND	ND	-	ND	-	-	
MW-11	08/01/1993**	98.14	17.96	80.18	-	ND	ND	ND	ND	ND	ND	-	ND	-	-	
MW-11	11/01/1993**	98.14	17.95	80.19	-	0.06	ND	ND	ND	ND	ND	-	ND	-	-	
MW-11	03/01/1994**	98.14	18.52	79.62	-	ND	-	-	-	-	-	-	ND	-	-	
MW-11	06/01/1994**	98.14	18.25	79.89	-	ND	-	-	-	-	-	-	ND	-	-	
MW-11	08/18/1994	98.14	18.00	80.14	-	ND	-	-	-	-	-	-	ND	-	-	
MW-11	03/24/1995	98.14	19.38	78.76	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/19/1995	98.14	17.88	80.26	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/06/1995	97.76	17.73	80.03	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/14/1995	97.76	17.59	80.17	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/14/1996	97.76	15.48	82.28	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/01/1996	97.76	19.94	77.82	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/23/1996	97.76	20.08	77.68	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/21/1996	97.76	20.17	77.59	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/27/1997	97.76	20.31	77.45	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/08/1997	97.76	18.62	79.14	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/22/1998	97.76	18.40	79.36	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/17/1998	97.76	18.00	79.76	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/26/1999	97.76	-	-	-	-	-	-	-	-	-	-	-	-	-	

UNABLE TO LOCATE

Table 2

Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCs					ADDITIONAL VOCs			Metals
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	Lead mg/L	
ADEC Groundwater Cleanup Levels																
MW-11	10/13/1999	97.76	18.42	79.34	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/17/2000	97.76	18.28	79.48	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/22/2000	97.76	17.75	80.01	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/01/2001	97.76	18.56	79.20	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/25/2001	97.76	18.09	79.67	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/02/2002	97.76	18.52	79.24	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/27/2002	97.76						INACCESSIBLE - DUE TO FLOODING								
MW-11	05/23/2003	97.76	18.14	79.62	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	10/08/2003	97.76	18.53	79.23	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/04/2004	97.76	18.76	79.00	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/28/2004	97.76						INACCESSIBLE - DUE TO FLOODING								
MW-11	05/13/2005	97.76	17.65	80.11	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/26/2005	97.76						DRY								
MW-11	05/17/2006	97.76						DRY								
MW-12	05/01/1993**	-	-	-	-	3.1	0.62	ND	0.0005	ND	0.002	-	ND	-	-	-
MW-12	08/01/1993**	98.52	-	-	-	0.38	0.42	ND	ND	ND	ND	-	ND	-	-	-
MW-12	11/01/1993**	98.52	-	-	-	0.06	0.18	ND	0.011	0.001	0.001	-	0.0038	-	-	-
MW-12	03/01/1994**	98.52	-	-	-	0.076	0.18	ND	0.0045	0.001	0.0016	-	ND	-	-	-
MW-12	06/01/1994**	98.52	-	-	-	0.45	ND	ND	ND	ND	ND	-	ND	-	-	-
MW-12	08/18/1994	98.52	18.26	80.26	-	ND	0.12	ND	ND	ND	ND	-	0.0007	-	-	-
MW-12	03/31/1995	98.52	19.53	78.99	0.014	7	0.14	0.0012	0.0011	ND	0.0011	-	ND	-	-	-
MW-12	06/19/1995	98.52	18.08	80.44	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	09/06/1995	98.52	17.94	80.58	9.2	8.4	0.23	ND	0.00052	ND	ND	-	0.0017	-	-	-
MW-12	11/14/1995	98.52	18.25	80.27	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	02/14/1996	98.52	19.01	79.51	-	5.6	3.5	ND	0.0045	ND	0.0025	-	ND	-	-	-
MW-12	06/01/1996	98.52	20.58	77.94				SAMPLED SEMI-ANNUALLY								
MW-12	08/23/1996	98.52	20.69	77.83	-	7.72	0.657	<0.0005	0.00109	<0.0005	0.00252	-	<0.00051 / <0.001	-	-	-
MW-12	10/21/1996	98.52	20.76	77.76	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	04/27/1997	98.52	20.99	77.53	-	5.6	0.365	<0.0005	<0.0005	<0.0005	0.00371	-	<0.001 / <0.005	-	-	-
MW-12	09/08/1997	98.52	19.22	79.30	-	1.48	0.0598	<0.0005	<0.0005	<0.0005	<0.001	-	<0.001 / <0.005	-	-	-
MW-12	04/22/1998	98.52	19.00	79.52	-	0.559	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	<0.001 / <0.01	-	-	-
MW-12	09/17/1998	98.52	19.00	79.52	-	0.239	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	<0.001 / <0.005	-	-	-
MW-12	04/26/1999	98.52	18.81	79.71	-	0.14	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.005	<0.0005 / <0.002	-	-	-
MW-12	10/13/1999	98.52	18.98	79.54	-	0.2	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.005	<0.001 / <0.01	-	-	-
MW-12	05/17/2000	98.52	18.86	79.66	-	0.103	<0.08	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.005	-	-	-
MW-12	09/22/2000	98.52	18.34	80.18	-	0.106 / <0.1	<0.05 / <0.05	<0.0002 / <0.0002	<0.0005 / <0.0005	<0.0005 / <0.0005	<0.001 / <0.001	<0.001 / <0.001	<0.001 / <0.005 / <0.001 / <0.005	-	-	-
MW-12	05/01/2001	98.52	19.14	79.38	-	0.113	<0.05	0.000213	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-12	09/25/2001	98.52	18.67	79.85	-	-	<0.05	<0.0002	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-12	05/02/2002	98.52	18.98	79.54	-	-	<0.05	<0.0002	<0.0005	<0.0005	<0.001	<0.001	<0.001 / <0.005	-	-	-
MW-12	09/27/2002	98.52	18.31	80.21	-	-	<0.08	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.001 / <0.005	-	-	-
MW-12	05/23/2003	98.52	18.71	79.81	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005 / <0.002	-	-	-
MW-12	10/08/2003	98.52	19.06	79.46	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.001	<0.002	<0.0005 / <0.002	-	-	-
MW-12	06/04/2004	98.52	19.28	79.24	-	-	<0.01 / <0.01	<0.0005 / <0.0005	<0.0005 / <0.0005	<0.0005 / <0.0005	<0.001 / <0.001	<0.002 / <0.002	<0.0005 / <0.002 / <0.0005 / <0.002	-	-	-
MW-12	09/28/2004	98.52	19.23	79.29	-	-	<0.01	<0.0005	<							

Table 2

**Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska**

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCs					ADDITIONAL VOCs			Metals Lead mg/L
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L		
ADEC Groundwater Cleanup Levels																
MW-13	07/30/2012	252.83	17.86	234.97	-	6.6 J / 17 J	1.7 / 1.5	0.0098 / 0.010	0.012 / 0.012	0.036 / 0.037	0.19 / 0.19	-	0.004 / 0.004	0.126 J / 0.176 J	0.490 / 0.443	
MW-13	05/14/2013	252.83	18.15	234.68	-	1.0 / 0.73	0.38 / 0.37	0.0012 / 0.0012	0.00087 J / 0.00088 J	0.0098 / 0.010	0.028 / 0.030	-	ND / ND	-	0.74 / 0.57	
MW-13 ^{HS}	05/14/2013	252.83	18.15	234.68	-	3.5 J / 1.6 J	0.27 / 0.31	0.0012 / 0.0012	0.00093 J / 0.00097 J	0.0087 / 0.0085	0.026 / 0.026	-	-	-	1.4 / 0.97	
MW-13	09/17/2013	252.83	17.82	235.01	-	-	-	-	-	-	-	-	-	-	-	
MW-13	09/18/2013	252.83	-	-	-	0.71 / 0.77	0.17 / 0.18	0.00098 J / 0.00097 J	0.00059 J / 0.00063 J	0.0057 / 0.0057	0.015 / 0.015	-	-	-	0.21 J / 1.2 J	
MW-13	05/02/2014	252.83	18.20	234.63	-	0.62 / 0.54	0.16 / 0.14	0.00090 J / 0.00077 J	0.00041 J / <0.00036	0.0049 / 0.0041	0.0034 / 0.0028 J	-	-	-	0.025 / 0.018	
MW-13	11/08/2014	252.83	18.70	234.13	-	0.55 J/0.50 J	0.089 J/0.087 J	0.00054 J/0.00046 J	<0.00019 J/<0.00018 J	0.0018/0.0018	0.0011 J/0.0012 J	-	-	-	0.033/0.020	
MW-13	05/06/2015	252.83	19.38	233.45	-	0.39 J / 0.35 J	-	-	-	-	-	-	-	-	0.673 / 0.875	
MW-13	10/21/2015	252.83	18.93	233.90	-	11 / 4.1 J	-	-	-	-	-	-	-	-	0.0748 / 0.0539	
MW-13	06/03/2016	252.83	18.94	233.89	-	0.53 J / 5.2 J	-	-	-	-	-	-	-	-	0.223 / 0.219	
MW-13	10/14/2016	252.83	18.83	234.00	-	0.71 / 0.65	-	-	-	-	-	-	-	-	0.0747 / 0.0696	
MW-13	05/23/2017	252.83	18.53	234.30	-	0.36 J / 1.9 J	-	-	-	-	-	-	-	-	0.0298 J / 0.226 J	
MW-13	09/01/2017	252.83	19.11	233.72	-	0.59 J	-	-	-	-	-	-	-	-	0.137	
MW-13	05/21/2018	252.83	19.23	233.60	-	5.1 J	-	-	-	-	-	-	-	-	1.24 / 0.910	
MW-13	09/25/2018	252.83	19.27	233.56	-	9.1 / 7.4	-	-	-	-	-	-	-	-	0.193 / 0.265	
MW-14	08/22/2011	251.41	17.99	233.42	-	<0.049	0.043 J	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	ND	<0.0026 UJ	
MW-14	05/22/2012	251.41	17.11	234.30	-	<0.049 UJ	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	0.0003	<0.0022	
MW-14	07/30/2012	251.41	16.51	234.90	-	<0.048	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	ND	<0.0051	
MW-14	05/14/2013	251.41	16.81	234.60	-	<0.063 J	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	-	-	0.020	
MW-14 ^{HS}	05/14/2013	251.41	16.81	234.60	-	<0.12 J	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	-	-	0.10	
MW-14	09/17/2013	251.41	16.45	234.96	-	-	-	-	-	-	-	-	-	-	-	
MW-14	09/18/2013	-	-	-	-	<0.23	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	-	-	0.018	
MW-14	05/02/2014	251.41	16.88	234.53	-	<0.068	<0.050	<0.00015	<0.00011	<0.00016	<0.00040	-	-	-	0.00018	
MW-14	11/08/2014	251.41	17.37	234.04	-	0.091 J	<0.050 J	<0.00015	<0.00011	<0.00016	<0.00040	-	-	-	0.0018 J	
MW-14	05/06/2015	251.41	18.01	233.40	-	<0.051 J	-	-	-	-	-	-	-	-	0.0053 J	
MW-14	10/21/2015	251.87	18.04	233.83	-	<0.051 J	-	-	-	-	-	-	-	-	0.0561 J	
MW-14	06/03/2016	251.41	18.07	233.34	-	<0.051	-	-	-	-	-	-	-	-	<0.0051	
MW-14	10/14/2016	251.41	17.98	233.43	-	1.2	-	-	-	-	-	-	-	-	<0.0062	
MW-14	05/23/2017	251.41	17.65	233.76	-	<0.053	-	-	-	-	-	-	-	-	<0.0062	
MW-14	09/01/2017	251.41	18.23	233.18	-	<0.050 J	-	-	-	-	-	-	-	-	0.0125 J	
MW-14	05/21/2018	251.41	19.36	232.05	-	<0.050 J	-	-	-	-	-	-	-	-	0.0300	
MW-14	09/25/2018	251.41	18.41	233.00	-	<0.051	-	-	-	-	-	-	-	-	<0.0071	
RW-1	05/01/1993**	-	-	-	-	ND	3.3	0.003	0.019	0.021	0.15	-	ND	-	-	
RW-1	08/01/1993**	-	-	-	-	2.3	3.2	0.01	0.009	0.018	0.11	-	ND	-	-	
RW-1	11/01/1993**	-	-	-	-	2.7	1.5	0.001	0.012	0.009	0.049	-	ND	-	-	
RW-1	03/01/1994**	-	-	-	-	0.31	3.9	0.0017	0.017	0.015	0.099	-	ND	-	-	
RW-1	06/01/1994**	-	-	-	-	2.5	3.6	0.0017	0.013	0.011	0.073	-	ND	-	-	
RW-1	08/18/1994	-	18.25	-	-	1.4	1.7	0.0047	0.0052	0.0071	0.033	-	ND	-	-	
RW-1	12/13/1994	-	18.86	-	ND	2.1	3.8	0.012	0.013	0.016	0.071	-	ND	-	-	
RW-1	03/24/1995	-	19.59	-	12	2.3	0.99	0.0023	0.0027	0.003	0.0096	-	ND	-	-	
RW-1	04/24/1995	-	-	-	-	-	1.3	0.0018	0.0019	0.0024	0.039	-	-	-	-	
RW-1	06/19/1995	-	18.08	-	5.7	2.9	0.41	0.0007	0.00062	0.00072	0.016	-	ND	-	-	
RW-1	09/06/1995	-	18.01	-	2.2	1.1	0.095	0.0006	0.00098	0.0016	0.012	-				

Table 2

**Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska**

Table 2

Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCS				ADDITIONAL VOCS			Metals
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	Lead mg/L
ADEC Groundwater Cleanup Levels															
SUMP-1	12/01/1991**	-	-	79.64	18	8.2	0.27	0.005	0.001	0.004	0.007	-	-	-	
SUMP-1	01/01/1992**	-	-	80.11	-	-	-	-	-	-	-	-	-	-	
SUMP-1	03/01/1992**	-	-	79.29	10	45	0.39	0.007	0.011	0.009	0.024	-	-	-	
SUMP-1	04/01/1992**	-	-	80.59	-	-	-	-	-	-	-	-	-	-	
SUMP-1	05/01/1992**	-	-	80.16	-	-	-	-	-	-	-	-	-	-	
SUMP-1	06/01/1992**	-	-	79.92	7.4	5.1	ND	0.009	0.007	ND	0.011	-	-	-	
SUMP-1	07/01/1992**	-	-	80.42	-	-	-	-	-	-	-	-	-	-	
SUMP-1	08/01/1992**	-	-	80.53	-	-	-	-	-	-	-	-	-	-	
SUMP-1	09/01/1992**	-	-	80.56	-	ND	ND	ND	ND	ND	0.002	-	-	-	
SUMP-1	11/01/1992**	-	-	80.34	-	-	-	-	-	-	-	-	-	-	
SUMP-1	12/01/1992**	-	-	80.45	6.2	2.3	ND	0.003	0.001	0.002	0.007	-	-	-	
SUMP-1	05/01/1993**	-	-	79.84	-	ND	0.12	0.005	0.001	0.002	0.005	-	ND	-	
SUMP-1	08/01/1993**	-	-	80.24	-	0.38	0.16	0.004	0.001	0.002	0.004	-	ND	-	
SUMP-1	11/01/1993**	-	-	80.20	-	1.3	0.093	0.002	0.002	0.002	0.004	-	ND	-	
Trip Blank	02/14/1996	-	-	-	-	-	ND	ND	ND	ND	ND	-	-	-	
Trip Blank	06/01/1996	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	08/23/1996	-	-	-	-	-	<0.05	<0.0005	0.000513	<0.0005	<0.001	-	-	-	
Trip Blank	10/21/1996	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	04/27/1997	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	09/08/1997	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	04/22/1998	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	09/17/1998	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.001	-	-	-	
Trip Blank	04/26/1999	-	-	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.005	-	-	
Trip Blank	10/13/1999	-	-	-	-	-	<0.05	-	-	-	-	-	-	-	
Trip Blank	05/17/2000	-	-	-	-	-	<0.08	<0.0005	<0.0005	<0.0005	<0.001	<0.002	-	-	
Trip Blank	09/22/2000	-	-	-	-	-	<0.05	<0.0002	<0.0005	<0.0005	<0.001	<0.001	-	-	
Trip Blank	05/01/2001	-	-	-	-	-	<0.05	-	-	-	-	-	-	-	
Trip Blank	09/25/2001	-	-	-	-	-	<0.05	<0.0002	<0.0005	<0.0005	<0.001	<0.001	-	-	
Trip Blank	05/02/2002	-	-	-	-	-	<0.05	<0.0002	<0.0005	<0.0005	<0.001	<0.001	-	-	
Trip Blank	09/27/2002	-	-	-	-	-	<0.08	<0.0005	<0.0005	<0.0005	<0.001	<0.002	-	-	
Trip Blank	05/23/2003	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	-	-	
Trip Blank	10/08/2003	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	06/04/2004	-	-	-	-	-	-	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	09/28/2004	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	05/13/2005	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	09/26/2005	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	05/15/2007	-	-	-	-	-	<0.01	<0.0005	<0.0007	<0.0008	<0.0016	<0.002	<0.0008 / <0.002	-	
Trip Blank	09/24/2007	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	05/14/2008	-	-	-	-	-	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	-	-	
Trip Blank	09/16/2008	-	-	-	-	-	<0.01	-	-	-	-	-	-	-	
Trip Blank	06/10/2009	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	
Trip Blank	09/07/2009	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	
Trip Blank	04/21/2010	-	-	-	-	-	-	<0.0005	<0.0005	<0.0005	<0.0005	-	ND	-	
Trip Blank	07/22/2010	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	
Trip Blank	04/19/2011	-	-	-	-	-	-	-	-	-	-	-	ND	-	
Trip Blank	08/22/2011	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	
Trip Blank	05/22/2012	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	
Trip Blank	07/30/2012	-	-	-	-	-	<0.010	<0.0005	<0.0005	<0.0005	<0.0015	-	ND	-	

Table 2

**Historical Groundwater Analytical Results
Chevron-Branded Service Station 98557
415 Muldoon Road
Anchorage, Alaska**

Location	Date	TOC Units	DTW ft msl	GWE ft msl	HYDROCARBONS			PRIMARY VOCs				ADDITIONAL VOCs			Metals Lead mg/L
					TPH mg/L	DRO mg/L	GRO mg/L	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	MTBE mg/L	HVOC mg/L	SVOC mg/L	
ADEC Groundwater Cleanup Levels															0.015
Trip Blank-1	05/14/2013	-	-	-	-	-	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	ND	-	-
Trip Blank-2	05/14/2013	-	-	-	-	-	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	ND	-	-
Trip Blank	09/18/2013	-	-	-	-	-	<0.050	<0.00024	<0.00023	<0.00024	<0.00072	-	-	-	-
Trip Blank	05/02/2014	-	-	-	-	-	<0.050	<0.00015	<0.00011	<0.00016	<0.00040	-	-	-	-
Trip Blank	11/08/2014	-	-	-	-	-	<0.050	<0.00015	0.00014 J	<0.00016	<0.00040	-	-	-	-

Notes and Abbreviations

VOCs = volatile organic compounds

TOC = top of casing

DTW = depth to water

GWE = groundwater elevation

TPH = total petroleum hydrocarbons

DRO = diesel range organics by Alaska Series Method AK 102 SV

GRO = gasoline range organics by Alaska Series Method AK101

Benzene, Toluene, Ethylbenzene, and Total Xylenes by Environmental Protection Agency (EPA) Method 8021B or 8260B

Total Xylenes = sum of m-, o-, and p-xylenes

MTBE = methyl tertiary-butyl ether

HVOC = halogenated volatile organic compounds by EPA Method 524.2

SVOC = semivolatile organic compounds by EPA Method TCL 8270

Lead by EPA Method SW-846 6010B

ft msl = feet above mean sea level

ft btoc = feet below top of casing

mg/L = milligrams per liter

ADEC = Alaska Department of Environmental Conservation

^ = Levels established in ADEC Table C Groundwater Cleanup Levels (18 AAC 75.345)

Groundwater data from 1991 through 2008 provided by Gettler-Ryan, Inc.

BOLD = Indicates concentration above the ADEC Table C Groundwater Cleanup Level

ND = Not detected above laboratory method detection limits

- = Not measured / not analyzed

x / y = Sample results / blind duplicate results

<x = Constituent not detected above x milligrams per liter

J = Estimated value

* TOC adjusted by 0.2 ft cut for MW-1 and 0.1 ft for MW-3 after 9/25/2018 gauging.

** = Sample date accurate to month and year only