

7-Eleven Store #46745
(Former Speedway Store 5314 -
TNS #76) ADEC File #2265.26.037

2Q - June 2022 GWM Event Report

Prepared For



AUTHORIZATION TO SUBMIT REPORT

Stantec has been authorized by the client, 7-Eleven (representative Paula Sime, PG, Manager – Environmental Services) to submit the enclosed report to the Alaska Department of Environmental Conservation. If you have any questions or need additional information concerning this groundwater monitoring report, please contact me at (907) 227-9883 or via email at bob.gilfilian@stantec.com.

Regards,

STANTEC CONSULTING SERVICES, INC.

A handwritten signature in cursive script that reads "Robert Gilfilian".

Robert (Bob) Gilfilian, P.E.

Project Technical Lead

Principal Senior Civil Engineer

TABLE OF CONTENTS

ACRONYMS AND ABBREVIATIONS	II
1.0 INTRODUCTION	1
2.0 FIELD ACTIVITIES	1
3.0 GROUNDWATER MONITORING RESULTS	2
3.1 GROUNDWATER ELEVATIONS	2
3.2 INTRINSIC WATER QUALITY PARAMETERS	3
3.3 ANALYTICAL WATER QUALITY DATA.....	3
3.4 QUALITY ASSURANCE (QA)/ QUALITY CONTROL (QC) REVIEW	5
4.0 REMEDIATION SYSTEM.....	6
5.0 DISCUSSION OF FINDINGS	6
6.0 CONCLUSIONS AND RECOMMENDATIONS	7
7.0 LIMITATIONS.....	7

LIST OF TABLES

Table 1	Groundwater Elevations	2
Table 2	Historical Groundwater Direction of Flow and Gradient	2
Table 3	Intrinsic Water Quality Parameters.....	3
Table 4a	Groundwater Analytical Results for BTEX, GRO, and DRO	4
Table 4b	Groundwater Analytical Results for Naphthalene, TMB and Sodium	4
Table 5	Laboratory Quality Control Objectives	5

LIST OF FIGURES

Figure 1	Location and Vicinity Map
Figure 2	Site Plan with Analytical Results
Figure 3	Groundwater Elevations Contours

LIST OF APPENDICES

Appendix A	Site Background
Appendix B	Field Methods and Procedures
Appendix C	Field Measurements
Appendix D	Tables of Historical Monitoring Data
Appendix E	Laboratory Analytical Report and ADEC Laboratory Data Review Checklist

ACRONYMS AND ABBREVIATIONS

AAC	Alaska Administrative Code
ADEC	Alaska Department of Environmental Conservation
AK	Alaska Test Method
amsl	above mean sea level
BTEX	benzene, toluene, ethylbenzene, and xylenes
Chemox	chemical oxidation
DO	dissolved oxygen
DRO	diesel range organics
EPA	U.S. Environmental Protection Agency
GCL	groundwater cleanup level
gpm	gallons per minute
GRO	gasoline range organics
Klozur [®] One	Trademarked chemical oxidizer developed by PeroxyChem
mg/L	milligrams per liter
MW	monitoring well
PAH	polycyclic aromatic hydrocarbon
PQL	practical quantitation limit
ORP	oxidation-reduction potential
QA	quality assurance
QC	quality control
RW	remediation well
Speedway	Speedway, LLC
Stantec	Stantec Consulting Services, Inc.
Tesoro	Tesoro Refining and Marketing Company
TMB	Trimethylbenzene
UST	underground storage tank
VOC	Volatile Organic Compounds

1.0 INTRODUCTION

This second quarter 2022 monitoring event report was prepared by Stantec Consulting Services, Inc. (Stantec), on behalf of 7-Eleven for 7-11 Store 46745 (Speedway Store 5314 -former Tesoro 2 Go Mart #76), located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska (**Figure 1**). Background and historical information for this site is summarized in **Appendix A**. The methods used for this monitoring event were conducted in accordance with the Alaska Department of Environmental Conservation (ADEC) approved 2022 Corrective Action Plan (CAP) for this site, Summarized in **Appendix B**.

This monitoring event was conducted on June 22 and 23, 2022, by Luke Simms, Environmental Scientist; and Jeremiah Malenfant, Geologist-in-Training, both with Stantec. The monitoring event included the following field activities: measuring the depth to groundwater; measuring water quality parameters; collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1; and collecting a duplicate sample of MW-3.

2.0 FIELD ACTIVITIES

On June 22, 2022, Stantec completed the following field activities as part of this groundwater monitoring event:

- Measured the depth to groundwater in Monitoring Wells MW-1, MW-2, MW-3, and MW-4. In addition, the pumping water level in the remediation well RW 19-1 was measured. Groundwater depth measurements were used by the SampleServe™ program to calculate the hydraulic gradient and direction of flow of the groundwater table.
- Measured the following intrinsic water quality parameters in all five monitoring/remediation wells: pH, temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP), and specific conductance.
- Collected groundwater samples from all five monitoring/remediation wells and submitted them for laboratory analysis of: U.S. Environmental Protection Agency (EPA) Method 8260C for petroleum fuel associated volatile organic compounds including benzene, toluene, ethylbenzene, and xylenes (BTEX); Alaska Test Method (AK)101 for GRO; AK102 for DRO, and metals (ICP) by Method 6010C for sodium.

Prior to conducting the June 22 groundwater monitoring event, on May 16 and June 16 Stantec completed the monthly injection of chemox treatment into the 3 remediation wells (RW-1, RW-2 and RW-3).

Field methods and procedures are provided in **Appendix B**. Field measurements and notes are provided in **Appendix C**.

3.0 GROUNDWATER MONITORING RESULTS

3.1 GROUNDWATER ELEVATIONS

Table 1 presents groundwater elevations at this site based on the depths to static groundwater levels measured during this monitoring event. The pump was operating, with a discharge measured at approximately 1.5 gpm. Flow from RW 19-1 was discharged on a continuous basis into injection well RW-2 located in the “footprint” of the former underground storage tank (UST) shown on the site plan presented on **Figure 2**. On June 23, the pump was turned off to prevent damage to the submersible pump as it was noted the well was being pumped dry causing the pump to cycle as the water level recovered in RW 19-1. Stantec plans to return to the site during the month of July to check on the groundwater level and restart the pump operation subject to adequate depth of water in RW 19-1.

Table 1 Groundwater Elevations
Measured on June 22, 2022

Monitoring Well Identification	Top of Casing Elevation (feet relative to datum) ¹	Depth to Groundwater (feet btoc)	Groundwater Elevation (feet relative to datum) ¹
MW-1	94.73	21.06	73.67
MW-2	95.04	20.34	74.70
MW-3	94.52	17.99	76.53
MW-4	95.01	18.81	76.20
RW19-1	95.73	22.18 ²	73.55

Key:

- 1 – Based on a vertical control survey of May 12, 2022, using an elevation datum of 100.00 feet established on the benchmark on the concrete base of the existing on-site drinking water well.
 - 2 – Measured on June 23, 5 minutes after turning the pump off.
- feet btoc – feet below top of monitoring well casing

The hydraulic gradient across the site was found to be approximately 0.078 feet per foot directed north-northwest at 343 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump off during the monitoring event on June 22 and 23. The groundwater flow direction is generally consistent with past monitoring events, while the gradient is higher than past events, owing to large drawdown in the recirculation well RW 19-1. A plot of groundwater elevation contours generated by SampleServe software program is included in **Figure 3**. The program uses a combination of kriging and nearest-neighbor analyses to generate the contours.

Table 2 Historical Groundwater Direction of Flow and Gradient

Date	Groundwater Flow Direction (azimuth)	Gradient (ft/ft)
10/26/2018	358°	0.03
2/25/2019	66°	0.03
4/25/2019	290°	0.04
7/25/2019	22°	0.013

10/18/2019	353°	0.013
8/11/2020	47°	0.025
3/23/2021	340°	0.024
5/19/2021	59°	0.027
7/14/2021	59°	0.027
10/14/2021	105°	0.04
3/17/2021	312°	0.019
6/22/2022	343°	0.078

3.2 INTRINSIC WATER QUALITY PARAMETERS

Intrinsic water quality data collected during this monitoring event is presented in **Table 3**. ORP measurements ranged from -1.0 millivolts (mV) to 267.9 mV. The pH values in all the wells were noted to be slightly acidic. Specific conductance readings ranged from 738 micro-Siemens per centimeter ($\mu\text{S}/\text{cm}$) to 1766 $\mu\text{S}/\text{cm}$ which are typical of historical values measured at this site.

Table 3 Intrinsic Water Quality Parameters
Measurements taken on June 22, 2022

Well ID	Volume Purged (gallons)	Sheen/Odor	Temp. (°C)	pH	Dissolved Oxygen (mg/L)	ORP (mV)	Specific Conductance ($\mu\text{S}/\text{cm} \text{ } ^\circ\text{C}$)
MW-1	1.75	N/N	7.0	6.46	1.4	130.5	1449
MW-2	3.5	N/N	7.6	6.28	1.35	267.9	1088
MW-3	3.8	N/Y	6.8	6.82	2.08	-1.0	860
MW-4	4.5	N/Y	7.1	6.67	1.08	10.9	1766
RW19-1	NA	N/N	8.7	6.54	6.49	166.3	738

Key:

°C – degrees Celsius

$\mu\text{S}/\text{cm} \text{ } ^\circ\text{C}$ – microSiemens per centimeter °C

mg/L – milligrams per liter

mV – millivolts

N – no

NA – not applicable

ORP – oxidation-reduction potential

pH – $-\log [\text{H}^+]$

SC – specific conductance at 25°C

Temp. – temperature

Y – yes

NM – Not Measured

3.3 ANALYTICAL WATER QUALITY DATA

Historical monitoring data for this site are tabulated in **Appendix D**. Laboratory analytical results for BTEX, GRO, DRO, sodium, naphthalene, 1,2,4-TMB and 1,3,5-TMB detected in groundwater samples collected during this monitoring event are summarized in **Tables 4a and 4b**. The complete laboratory analytical report and laboratory data review checklist is provided in **Appendix E**.

Table 4a Groundwater Analytical Results for BTEX, GRO, and DRO

Samples collected on June 22, 2022

Sample Identification	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylenes (mg/L)	GRO (mg/L)	DRO (mg/L)
MW-1	0.00975	U (0.00100)	U (0.00100)	U (0.00300)	0.0375 J	U (0.800)
MW-2	0.0203	0.00567	0.00583	0.00454 J	0.327	0.380 J
MW-3	0.0906 J	U (0.200)	0.670	3.406	10.2	2.57
MW-4	0.409	U (0.0500)	0.373	1.490	4.88	0.816
RW 19-1	0.0257	0.00166	0.0190	0.0822	0.223 B	U (0.800)
DUP01 (dup. of MW-3)	0.0923	0.0336 J	0.739	3.776	9.55	3.24
Trip Blank	U (0.00100)	U (0.00100)	U (0.00100)	U (0.00300)	NM	NM
GCLs	0.0046	1.1	0.015	0.19	2.2	1.5

Table 4b Groundwater Analytical Results for Naphthalene, Trimethylbenzene (TMB) and Sodium

Samples collected on June 22, 2022

Sample Identification	Naphthalene ¹ (mg/L)	1,2,4-TMB (mg/L)	1,3,5-TMB (mg/L)	Sodium (mg/L)
MW-1	U (0.000250)	U (0.00100)	U (0.00100)	49.2
MW-2	U (0.000250)	U (0.00100)	U (0.00100)	87.7
MW-3	0.0234	1.50	0.499	73.3
MW-4	0.00941	0.401	0.128	91.0
RW 19-1	0.000452	0.0169	0.00547	36.9
DUP01 (dup. of MW-3)	0.0262	1.90	0.620	74.8
Trip Blank	NM	U (0.00100)	U (0.00100)	NM
GCLs	0.0017	0.056	0.060	NA

Key:

1 – Analyzed by EPA Method 8270D-SIM

AK – Alaska Test Method

B – The same analyte is found in the associated blank.

BTEX – benzene, toluene, ethylbenzene, and xylenes

DRO – Diesel range organics, analyzed by AK102

DUP – Duplicate

GCLs – Groundwater cleanup levels, per ADEC 18 AAC 75.345, Table C, updated September 29, 2018.

GRO – Gasoline range organics, analyzed by AK101

mg/L – milligrams per liter

J – The identification of the analyte is acceptable; the reported value is an estimate. NA – Not applicable. NM – Not measured. TMB – Trimethylbenzene. U – Undetected above laboratory reporting limits shown in parentheses.

Bold indicates the concentration exceeds the GCL or, if not detected, the practical quantitation limit exceeds the GCL.

3.4 QUALITY ASSURANCE (QA)/ QUALITY CONTROL (QC) REVIEW

Pace analytical performed all analysis of groundwater samples for this sampling event. **Table 5** provides a summary of the laboratory QC objectives and outcomes for this monitoring event. Laboratory QC data and the ADEC Laboratory Data Review Checklist are included with the laboratory report in **Appendix E**.

A duplicate sample set was collected to determine the precision of the field collection and laboratory analyses for this sampling event. Sample DUP01 is a duplicate of sample MW-3. The data presented in **Table 5** shows that the precision for the duplicate sample set (analytes that were detected above the practical quantitation limit [PQL] and exceeded GCLs) was within the established QA criteria for BTEX, GRO, and DRO.

Table 5 Laboratory Quality Control Objectives

Quality Control Designation	Tolerance	Results for this Event
Holding Times		
DRO/Water/to analyze	40 days	10 days
DRO/Water/to extract	14 days	9 days
GRO/Water/to analyze	14 days	7-9 days
BTEX/Water/to analyze	14 days	10 days
Field Duplicates – Precision		
Benzene/Water	± 30%	1.9%
Toluene/Water	± 30%	NC
Ethylbenzene/Water	± 30%	9.8%
Xylenes/Water	± 30%	10%
GRO/Water	± 30%	6.6%
DRO/Water	± 30%	23%

Key:

% – percent

± – plus or minus

BTEX – benzene, toluene, ethylbenzene, and xylenes

DRO – diesel range organics

GRO – gasoline range organics

NC – Not computed due to non-detectable levels in original and/or duplicate samples

4.0 REMEDIATION SYSTEM

The remediation system for this site consists of a pump and treat system that involves the recirculation of pumped groundwater from RM 19-1 coupled with periodic injection (typically on a quarterly basis and a monthly basis during the non-freeze time of year) of a chemical oxidization (chemox) product that is injected into three remediation wells. On May 16 and June 16, 2022, Stantec completed groundwater remediation events that included the monthly injection of chemox solution into the three treatment/remediation wells.

Upon arrival to the site on June 22, 2022, the well pump in the on-site recirculation well RW 19-1 was discharging at a measured flow rate of approximately 1.5 gallons per minute (gpm) with pressure fluctuating as the well pumped dry due to low rainfall in the region this year. The well pump was turned off on June 23 to avoid damage to the system. Prior to shutting the pump off, the flow from remediation well RW 19-1 had been discharged into the on-site treatment/remediation (injection) well RW-2 that is located within the footprint of the former underground storage tank (UST) (**Figure 2**). The submersible pump in the recirculation well had been operating on a continuous basis (24 hours each day). Stantec plans to return to the site during the month of July to check on the groundwater level and restart the pump operation subject to adequate depth of water in RW 19-1.

The chemox injection process involved the gravity discharge of a chemox mixture into each of the three remediation wells (RW-1, RW-2 and RW-3). Each remediation well received two batches of the chemox mixture. Each batch consists a mixture of a 55-pound bag of Klozur One® product dissolved in 50 gallons of tap water for a total chemox solution of 100 gallons per well. It was noted that the chemox solution was accepted less readily in well RW-2 than the other wells. Following the injection of the chemox solution, Stantec injected an additional 100-200 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation. Upon completion of the chemox injection process, the flow from the on-site recirculation well (RW 19-1) was reconnected to discharge constant flow into RW-2. The next scheduled monthly injection of chemox into the treatment wells is planned for July 2022.

5.0 DISCUSSION OF FINDINGS

Historical results for the current and previous monitoring events are presented in **Appendix D**. The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB.
- Monitoring well MW-4: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-TMB, and 1,3,5-TMB.

- Remediation Well RW19-1: Benzene, ethylbenzene and 1,2,4-TMB.

The hydraulic gradient across the site was found to be approximately 0.078 feet per foot directed north-northwest at 343 degrees.

6.0 CONCLUSIONS AND RECOMMENDATIONS

No anomalies were found during the 2Q June 2022 monitoring event at this site that would require additional corrective action or changes to the ADEC-approved year 2022 Corrective Action Work Plan for this site.


7.0 LIMITATIONS

Stantec conducted this monitoring event in accordance with the 2022 Corrective Action Work Plan approved by ADEC, and in a manner consistent with the level of skill ordinarily exercised by members of the profession currently practicing under similar conditions. All sampling activities were completed in accordance with the ADEC *Underground Storage Tanks Procedures Manual – Standard Sampling Procedures* (March 22, 2017). The conclusions in this report are Stantec's professional opinion, as of the time of the report, and concerning the scope described in the report. The opinions in the document are based on conditions and information existing at the time the scope of work was conducted and do not take into account any subsequent changes. This report relates solely to the specific project for which Stantec was retained and the stated purpose for which the report was prepared. The report is not to be used or relied on for any variation or extension of the project, or for any other project or purpose, and any unauthorized use or reliance is at the recipient's own risk.


This report is intended solely for use by the client in accordance with Stantec's contract with the client. While the report may be provided to applicable authorities having jurisdiction and others for whom the client is responsible, Stantec does not warrant the services to any third party. The report may not be relied upon by any other party without the express written consent of Stantec, which may be withheld at Stantec's discretion.

FIGURES

- Figure 1 Location and Vicinity Map
Figure 2 Site Plan with Analytical Results
Figure 3 Groundwater Elevation Contours
-






E. PALMER WASILLA HWY



APPROXIMATE LOCATION OF PROPERTY LINE
3600 PALMER-WASILLA HWY

WATER SUPPLY WELL LOCATION



CAMERON ACRES
BLOCK 1
LOT 7

SEWARD MERIDIAN PKWY

SITE DATA COMPARED TO ADEC Groundwater Cleanup Levels (GCLs)		ND NOT DETECTED	124-TMB 0.015 mg/L
--	NOT SAMPLED	135-TMB 0.12 mg/L	
50	SAMPLED & UNDER GCL	BENZENE 0.0046 mg/L	
100	SAMPLED & OVER GCL	DRO 1.5 mg/L	
FP	FREE PRODUCT	ETHYLBENZENE 0.015 mg/L	
DISPLAYED IN mg/L		GRO 2.2 mg/L	
		NAPHTHALENE 0.0017 mg/L	
		SODIUM	
		TOLUENE 1.1 mg/L	
		XYLENES 0.19 mg/L	

MW-1	6/22/22	6/23/22
124-TMB	U(0.00100)	--
135-TMB	U(0.00100)	--
BENZENE	0.00975	--
DRO	U(0.800)	--
ETHYLBENZENE	U(0.00100)	--
GRO	0.0375	--
NAPHTHALENE	U(0.000250)	--
SODIUM	49.2	--
TOLUENE	U(0.00100)	--
XYLENES	U(0.00300)	--

RW19-1	6/22/22	6/23/22
124-TMB	--	0.0169
135-TMB	--	0.00547
BENZENE	--	0.0257
DRO	--	U(0.800)
ETHYLBENZENE	--	0.019
GRO	--	0.223
NAPHTHALENE	--	0.000452
SODIUM	--	36.9
TOLUENE	--	0.00166
XYLENES	--	0.0822

MW-4	6/22/22	6/23/22
124-TMB	0.401	--
135-TMB	0.128	--
BENZENE	0.409	--
DRO	0.816	--
ETHYLBENZENE	0.373	--
GRO	4.88	--
NAPHTHALENE	0.00941	--
SODIUM	91	--
TOLUENE	U(0.0500)	--
XYLENES	1.49	--

MW-2	6/22/22	6/23/22
124-TMB	U(0.00100)	--
135-TMB	U(0.00100)	--
BENZENE	0.0203	--
DRO	0.38	--
ETHYLBENZENE	0.00583	--
GRO	0.327	--
NAPHTHALENE	U(0.000250)	--
SODIUM	87.7	--
TOLUENE	0.00567	--
XYLENES	0.00454	--


MW-3	6/22/22	6/23/22
124-TMB	1.9	--
135-TMB	0.62	--
BENZENE	0.0923	--
DRO	3.24	--
ETHYLBENZENE	0.739	--
GRO	10.2	--
NAPHTHALENE	0.0262	--
SODIUM	74.8	--
TOLUENE	0.0336	--
XYLENES	3.776	--

LEGEND:


- F-UST FORMER UNDERGROUND STORAGE TANK
- ▲ MONITORING WELL LOCATION
- REMEDIATION WELL LOCATION
- DRO DIESEL RANGE ORGANICS
- GRO GASOLINE RANGE ORGANICS
- GW Elev GROUNDWATER ELEVATION IN FEET
- RW REMEDIATION WELL
- TMB TRIMETHYLBENZENE
- U UNDETECTED ABOVE PRACTICAL QUANTITATION LIMITS SHOWN IN PARENTHESES
- W DRINKING WATER WELL

E. PALMER WASILLA HWY

APPROXIMATE LOCATION OF PROPERTY LINE
3600 PALMER-WASILLA HWY




WATER SUPPLY WELL LOCATION



UNDERGROUND STORAGE TANK

CANOPY

FUEL DISPENSER (TYP)



SEPTIC SYSTEM

SEWARD MERIDIAN PKWY

MW-1 73.7

CAR WASH

TESORO
2 GO MART #76

RW2

RW3

UNDERGROUND PIPING
REMEDATION WELL ACCESS POINT

RW19-1

MW-2

MW-3

CAMERON ACRES
BLOCK 1
LOT 7

73.5

76.2

75.2

76

77.5

74.4

74.7

LEGEND:

- F-UST FORMER UNDERGROUND STORAGE TANK
- MONITORING WELL LOCATION
- REMEDIAION WELL LOCATION
- DRO DIESEL RANGE ORGANICS
- GRO GASOLINE RANGE ORGANICS
- GW Elev GROUNDWATER ELEVATION IN FEET
- RW REMEDIATION WELL
- TMB TRIMETHYLBENZENE
- U UNDETECTED ABOVE PRACTICAL QUANTITATION LIMITS SHOWN IN PARENTHESES
- DRINKING WATER WELL



SPEEDWAY STORE 5314
(FORMER TESORO 2 GO MART #76)

GROUNDWATER ELEVATION
CONTOURS

APPENDIX A

Site Background

APPENDIX A – SITE BACKGROUND

Speedway Store 5314 (former Tesoro 2 Go Mart #76) located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska
ADEC File #100.26.159

Speedway Store 5314 (former Tesoro 2 Go Mart #76) is a retail fuel and convenience store facility located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska (Figure 1). The legal description for the property is Lot 7, Block 1, Cameron Acres Subdivision, Matanuska-Susitna Borough.

Two 15,000-gallon underground storage tanks (USTs) were installed at the site in 1995. Based on historical records, this is the first retail fuel convenience store to occupy this location. The site is covered with asphalt paving with concrete in the area over the USTs and fuel dispenser islands. The former UST system and dispensing components were removed from September to October 2014 and replaced with a new UST fueling system. The new UST fueling system consists of two 15,000-gallon fiberglass-reinforced plastic, double-walled USTs installed on January 29, 2015, and seven fuel dispensers (six gasoline and one diesel). Distribution piping consists of 2-inch fiberglass primary and 3-inch fiberglass secondary.

In addition, the former convenience store was demolished and replaced with a new convenience store that was constructed at a different location on the property. The property is over 1 acre in size and is served with an on-site drinking water well and on-site septic tank and drainfield system.

October 2014. During the 2014 Site Assessment of the UST closure, a petroleum fuel release was discovered in the subsurface soils partially surrounding and underlying the USTs. At that time, a very deep test pit was excavated beneath the former USTs to the groundwater table. Field screening with a photoionization detector (PID) indicated that petroleum contamination was present throughout the vadose zone and extended to the underlying groundwater table. Due to site safety concerns with sloughing soils, it was not feasible to excavate all of the contaminated soil below the former USTs.

A Release Investigation (RI) was conducted by MWH Americas, Inc. (MWH) subsequent to the closure of the former USTs. The RI included the installation of a soil vapor extraction (SVE) remediation well and several groundwater monitoring wells. MWH completed a groundwater monitoring event after the monitoring wells were installed. Follow-up water samples were collected from the onsite drinking water well for appropriate laboratory analyses.

The findings of the RI indicated a significant amount of petroleum contamination had impacted the subsurface soils and shallow groundwater table at the site. The soil samples collected indicate higher concentrations of gasoline range organics (GRO) and benzene, toluene, ethylbenzene, and xylenes (BTEX) constituents directly below the location occupied by the former USTs at Remediation Wells RW-2 and RW-3. Benzene was detected above Alaska Department of Environmental Conservation (ADEC) groundwater cleanup level (GCL) in groundwater at monitoring wells installed at the site. GRO contaminants have also impacted the groundwater table. The system has been monitored on a quarterly basis since the completion of the RI.

February 2015. Benzene exceeded the GCL in Monitoring Well MW-2. BTEX, GRO, and diesel range organics (DRO) exceeded GCLs in Monitoring Well MW-3. Benzene, toluene, and GRO exceeded GCLs in Monitoring Well MW-4.

June 2015. MWH installed and placed into operation a SVE system at the site. Early results indicate that the system is effectively removing petroleum-related vapors from the subsurface. Additionally, a surface water sample was collected from an on-site nearby wetland surface water area. Xylenes and DRO were detected in the water sample; however, the concentrations were below the ADEC groundwater and surface water cleanup levels.

September 2015. Benzene and DRO exceeded GCLs in Monitoring Well MW-2. BTEX and DRO exceeded GCLs in Monitoring Well MW-3. Benzene exceeded GCL in Monitoring Well MW-4. The SVE remediation system blower was offline, requiring maintenance.

November 2015. Benzene exceeded GCL in Monitoring Well MW-1. Benzene, GRO, and DRO exceeded the GCL in Monitoring Well MW-2. Benzene, toluene, and GRO all remained above their GCLs, consistent with the past five monitoring events, at Monitoring Well MW-3.

December 2015. Maintenance was performed on the SVE system on December 31, 2015. A replacement SVE system blower was installed. The system was brought back online on the date of the replacement blower installation. A PID was used to monitor the system effluent after the initial 15 minutes of operation and indicated that 424 parts per million by volume were being removed by the system.

January 2016. Benzene exceeded the GCL in Monitoring Well MW-1. Benzene, toluene, ethylbenzene, and DRO exceeded their GCLs in Monitoring Well MW-2; and benzene, toluene, ethylbenzene, xylenes, GRO, and DRO exceeded their GCLs in Monitoring Well MW-3. The laboratory did not provide results for requested GRO analyses for samples from Monitoring Wells MW-2 and MW-4.

May 2016. In Monitoring Wells MW-1, MW-2, and MW-4, only benzene exceeded GCL. MW-3 exceeded GCLs for all analytes tested. There were no detections in the Carmen Lot 7 drinking water sample. An SVE effluent sample was collected to monitor SVE performance.

October 2016. In Monitoring Well MW-1, only benzene exceeded GCL. In Monitoring Well MW-2, all analytes but toluene and DRO exceeded GCLs. Monitoring Well MW-3 exceeded GCLs for all analytes tested. Monitoring Well MW-4 had no exceedances. There were no detections in the Carmen Lot 7 drinking water sample. An SVE effluent sample was collected to monitor SVE performance.

December 2016. In Monitoring Well MW-1, only benzene exceeded GCL. In Monitoring Well MW-2, all analytes but toluene exceeded GCLs. Monitoring Well MW-3 exceeded GCLs for benzene, GRO, and DRO. Monitoring Well MW-4 and the Carmen Lot 7 drinking water sample had no exceedances. Both Monitoring Wells MW-3 and MW-4 had insufficient sample volumes to complete all analytical testing. The SVE system observed for operation and performance.

February 2017. Benzene was the only analyte to exceed the GCL in Monitoring Wells MW-1 and MW-4. Benzene and ethylbenzene exceeded GCLs in Monitoring Well MW-2, and all analytes exceeded their GCLs in Monitoring Well MW-3. The SVE system was frozen due to record cold temperatures experienced during January 2017. A subsequent site visit on February 16, 2017, was made to thaw and restore the SVE system to normal operation.

April 2017. In addition to testing for BTEX, DRO, and GRO, expanded testing for volatile organic compounds (VOCs), and polynuclear aromatic hydrocarbons (PAHs) were conducted on all monitoring wells. Benzene was the only analyte to exceed the GCL in Monitoring Wells MW-1 and MW-4. BTEX (minus toluene) and GRO exceeded their GCLs in Monitoring Well MW-2, consistent with previous monitoring events. The expanded testing found 1,2,4-trimethylbenzene and naphthalene to also exceed GCLs. In Monitoring Well MW-3, BTEX and DRO exceeded their GCLs, also consistent with previous monitoring events. The expanded testing found 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene to also exceed GCLs. Pilot Testing (conducted in May 2017) of air injection into remediation wells to volatilize groundwater and smear zone contaminants indicated a slight increase of volatilization when air is injected into RW-2, and RW-3.

September 2017. Except for the following, all analytes were below GCLs in the wells sampled:

- Monitoring Well MW-1 – benzene exceeded the GCL.
- Monitoring Well MW-2 – benzene, ethylbenzene, xylenes and GRO exceeded their GCLs.
- Monitoring Well MW-3 – BTEX, GRO, and DRO were above their GCLs. The MW-3 duplicate sample provided results within established Quality Assurance/Quality Control (QA/QC) standards.
- Monitoring Well MW-4 – benzene, ethylbenzene, xylenes, and GRO exceeded their GCLs.

The SVE contaminant vapor mass removal was less than observed during pilot test in May 2017 and requires additional optimization.

February 2018. Except for the following, all analytes were below GCLs in the wells sampled:

- Monitoring Well MW-1 – benzene.
- Monitoring Well MW-2 – benzene, ethylbenzene, xylenes, and GRO (GRO was not detected, but the Reporting Limit exceeded the GCL).
- Monitoring Well MW-3 – BTEX and GRO (GRO was not detected, but the Reporting Limit exceeded the GCL). The MW-3 duplicate sample provided results within established QA/QC standards.
- Monitoring Well MW-4 – benzene, ethylbenzene, xylenes, and GRO.

The SVE contaminant vapor mass removal was less than previously observed on site. In addition, the field work included an assessment of the buried piping systems for the air sparging (AS) and SVE systems. The assessment was performed with a downhole camera capable of recording

photographs and video of the interior conditions of the piping system. The findings of the downhole camera assessment of the buried piping system was inconclusive.

June 2018. The results from the June 29, 2018, monitoring event supports the continued pattern that GRO contamination persists on site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated well. In summary, the results of the groundwater analytical sampling showed that analytes detected above the GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, GRO, and naphthalene.
- Monitoring Well MW-3: BTEX, GRO and naphthalene. Except for GRO, the duplicate sample provided results within established QA/QC standards.
- Monitoring Well MW-4: Benzene, ethylbenzene, and naphthalene.

A representative water sample from the on-site drinking water well serving the Tesoro 2 Go Mart was sampled and tested for VOCs. The water sample was found to have no detectable levels of contaminants of concern, except the laboratory reporting limits were over the GCLs for 1,1,2-trichloroethane (TCA) and vinyl chloride.

The SVE contaminant vapor mass removal is very low and based on the recent pattern of decline suggest that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

September 2018. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-4: Benzene, and 1,2,4-trimethylbenzene.

Several analytes for VOCs were reported as undetected but had laboratory reporting limits that equaled or exceeded their corresponding GCLs. The results from this monitoring event supports the continued pattern that GRO contamination persists at the site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated well.

The approximate hydraulic gradient across the site was found to be approximately 0.03 feet per foot directed toward the north-northeast at 14 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

October 2018. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Wells MW-2 and MW-3: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-4: Benzene.

Several VOCs were reported as undetected but had laboratory reporting limits that equaled or exceeded their corresponding GCLs. The results from this October 26, 2018, monitoring event supports the continued pattern that GRO contamination persists at the site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated on-site monitoring well.

The approximate hydraulic gradient across the site was found to be approximately 0.03 feet per foot directed toward the north at 358 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determined to be feasible, a new work plan will be presented to ADEC in 2019 for review and approval prior to making any changes.

February 2019. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, and GRO.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, and DRO.
- Monitoring Well MW-4: Benzene

The existing bio-sparge treatment system is not functional and will be replaced. In the 2nd quarter of 2019, Stantec plans to install a groundwater recirculation system based on pump and treat technology. The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

April 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4, as well as the on-site drinking water well.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring Well MW-2: Benzene, xylenes, GRO, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene.
- Monitoring Well MW-3: Benzene, GRO, and naphthalene.

A representative water sample from the on-site drinking water well serving the Tesoro 2Go Mart was sampled and tested for VOCs. The water sample was found to have no detectable levels of contaminants of concern, except the laboratory reporting limits were over the GCLs for 1,1,2-TCA, 1,2,3-trichloropropane, 1,2-dibromoethane, and vinyl chloride.

The groundwater hydraulic gradient across the site was found to be approximately 0.04 feet per foot directed toward the west-northwest at 290 degrees. The groundwater flow direction and gradient are inconsistent with past monitoring events in that the direction of flow is to the west rather than historically to the north with a slightly higher gradient.

July 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, and GRO.
- Monitoring Well MW-3: BTEX, GRO, and DRO.
- Monitoring Well MW-4: Benzene.

The groundwater hydraulic gradient across the site was found to be approximately 0.013 feet per foot directed toward the north-northeast at 22 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

Stantec plans to drill a new 4" diameter remediation well and repurpose the current bio-sparg system. The new well and bio-sparg system will be converted into a groundwater recirculation system to allow injection of chemical oxidation products. The implementation of this change in the remediation system will occur in the 4th quarter of 2019.

October 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring Well MW-2: Benzene and ethylbenzene.

-
- Monitoring Well MW-3: benzene, ethylbenzene, xylenes, and GRO.
 - Monitoring Well MW-4: Benzene.

The groundwater hydraulic gradient across the site was found to be approximately 0.013 feet per foot directed toward the north at 350 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

Stantec plans to drill a new 4” diameter remediation well (RW 19-1) and repurpose the current bio-sparg system. The new well and bio-sparg system will be converted into a groundwater recirculation system to allow injection of chemical oxidation products. The implementation of this change in the remediation system will occur in the 2nd quarter of 2020.

August 2020. The 3rd quarter groundwater monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC groundwater cleanup levels (GCLs) in the primary samples were:

- Monitoring Well MW-2: Benzene, ethylbenzene, and xylenes.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), and diesel range organics (DRO).
- Monitoring Well MW-4: Benzene.

The hydraulic gradient across the site was found to be approximately 0.025 feet per foot directed toward the north at 47 degrees. The groundwater flow direction and gradient are consistent with past monitoring events. A historical summary of the groundwater flow for the last 10 monitoring events is shown in the “rose diagram” presented on the Site Plan drawing.

In 2019 Stantec installed a groundwater recirculation system based on pump and treat technology. The 4” diameter remediation well (RW 19-1) that was installed in October 2019, is connected to the existing underground piping system (formerly used for the bio-sparg system) consisting of 3 vertical injection wells located under the northeast portion of the existing store building. Chemical oxidation injection of Klozur One[®] product directly into the 3 vertical injection wells was conducted during this monitoring event. A total of 330 pounds of Klozur One[®] and 750 gallons of water pumped from RW19-1 was injected into the in-situ groundwater treatment system.

October 2020. The 4th quarter groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring well MW-1: Benzene

-
- Monitoring well MW-2: Benzene, ethylbenzene, and 1,2,4-trimethylbenzene.
 - Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
 - Monitoring well MW-4: Benzene.

No contaminants were detected in the drinking water sample collected from the water spigot in the store's utility sink.

The hydraulic gradient across the site was found to be approximately 0.032 feet per foot directed toward the north-east at 28 degrees. The groundwater flow direction and gradient are consistent with past monitoring events. A historical summary of the groundwater flow for the last 11 monitoring events is shown in the "rose diagram" presented on the Site Plan drawing.

On September 3, 2020 - prior to the 4th quarter groundwater monitoring event, Stantec completed an injection of chemox products. A chemox solution consisting of two 55-pound bags of Klozur One[®] product mixed with 50 gallons of water was injected into each of the three remediation wells of the former bio-sparg system (RW-1, RW-2, and RW-3). An additional 200 gallons of water from RW19-1 was injected directly into each remediation well (RW-1, RW-2, and RW-3) immediately after the injection of the chemox solution. In summary, a total of 330 pounds of Klozur One[®] and 750 gallons of water pumped from RW19-1 was injected into the in-situ groundwater treatment system.

March 2021. The 1st quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, toluene, gasoline range organics (GRO), and diesel range organics (DRO).
- Monitoring well MW-4: Benzene.

The hydraulic gradient across the site was found to be approximately 0.024 feet per foot directed toward the northwest at 340 degrees. The calculated groundwater gradient and flow direction do not account for the water table drawdown associated with remediation well RW19-1. The groundwater gradient and flow direction are consistent with past monitoring events.

The operation of the groundwater recirculation well (RW 19-1) was checked and noted to be operating within normal range. The submersible pump runs on a continuous basis and observed to discharge approximately a total flow rate of 1.5 gallons per minute into the three on-site injection wells (RW-1, RW-2 and RW-3) that are located within the "footprint" of the former underground storage tank (UST).

May 2021. The 2nd quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, toluene, GRO, DRO, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
- Monitoring well MW-4: Benzene.

The approximate hydraulic gradient and direction of groundwater flow across the site was found to be approximately 0.027 feet per foot directed toward the northeast at 59 degrees. The calculated groundwater gradient and flow direction do not account for the water table drawdown associated with remediation well RW19-1. The groundwater gradient and flow direction are generally consistent with past monitoring events. The gradient and direction of flow was graphically calculated by triangulation method.

The operation of the groundwater recirculation well (RW 19-1) was checked and noted to be operating within normal range. The submersible pump runs on a continuous basis and observed to discharge approximately a total flow rate of 1 to 2 gallons per minute into the three on-site injection wells (RW-1, RW-2 and RW-3) that are located within the “footprint” of the former underground storage tank (UST).

Chemox injection via the three remediation wells took place on May 19, 2021, during the completion of the groundwater monitoring event. Stantec completed an injection of two 55-pound bags of Klozur One[®] product mixed with 50 gallons of water was injected into each of the three remediation wells of the former bio-sparg system (RW-1, RW-2, and RW-3) for a total 330 pounds of Klozur One[®] and 750 gallons of water pumped from RW19-1 was injected into the in-situ groundwater treatment system. The next scheduled injection of chemox into the treatment wells is planned for the third quarter of 2021.

July 2021. The 2nd quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the samples were:

- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB.

-
- Monitoring well MW-4: Benzene.

However, the laboratory reported the test results for naphthalene in all of the wells were non-detect but all of them were above the ADEC GCL for naphthalene. Consequently, are shown in this report as exceedance of the naphthalene GCL.

The hydraulic gradient across the site was found to be approximately 0.027 feet per foot directed toward the northeast at 59 degrees. The calculation by triangulation of groundwater hydraulic flow was based on the static water levels in the four on-site monitoring wells and the pumping water level in “pump and treat” well (RW 19-1). The groundwater gradient and flow direction are generally consistent with past monitoring events.

The operation of the groundwater recirculation “pump and treat” well (RW 19-1) was checked and noted to be operating within normal range. The well’s submersible pump runs on a continuous basis (24 hours each day). Upon arrival to the site on July 28, 2021, the well pump was discharging approximately 1.4 gallons per minute (gpm) into the three on-site treatment/remediation (injection) wells (RW-1, RW-2 and RW-3) that are located within the “footprint” of the former underground storage tank (UST). The pumped groundwater is treated in-situ with a chemical oxidation (chemox) injection process.

On July 28, 2021, Stantec completed groundwater remediation event that included the injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells. Following the injection of the chemox solution, Stantec injected additional 250 to 300 gallons of tap water to “hydraulically push” the chemox mixture into each remediation well.

October 2021: The fourth quarter 2021 monitoring event was conducted on October 14, 2021, and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1. In addition, a representative water sample was collected for analysis for appropriate drinking water parameters from the store’s on-site drinking water well. The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) for the following monitoring wells:

- Monitoring well MW-1: Benzene
- Monitoring well MW-2: Benzene and ethylbenzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB.
- Monitoring well MW-4: Benzene.

No contaminants of concern were detected in the drinking water sample collected from the store.

The hydraulic gradient across the site was found to be approximately 0.04 feet per foot directed toward the west-northwest at 285 degrees. The calculation of groundwater hydraulic flow was performed by the “Surfer®” modeling software in conjunction with the static water levels in the four on-site monitoring wells and the pumping water level in “pump and treat” recirculation well (RW 19-1). Due to the operation of the recirculation well RW-19-1, the groundwater flow direction

was slightly altered to the west and the gradient was slightly higher compared to past monitoring events.

The well pump in RW-19-1 was discharging approximately 1.4 gallons per minute (gpm) into the three on-site treatment/remediation (injection) wells (RW-1, RW-2 and RW-3) that are located within the footprint of the former underground storage tank (UST). The well's submersible pump runs on a continuous basis (24 hours each day). The pumped groundwater is treated in-situ with the periodic dosing/injection of a chemical oxidant (chemox) product.

On October 1, 2021, Stantec completed groundwater remediation event that included the injection of chemox solution into the three treatment/remediation wells. The injection process involved the Speedway Store 5314 (former Tesoro 2 Go Mart #76) Page 2 October 2021 4Q Monitoring Event Report November 2021 manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells. Following the injection of the chemox solution, Stantec injected additional 250 to 300 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

March 2022: This first quarter 2022 monitoring event report was conducted on March 17, 2022 and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB.
- Monitoring well MW-4: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- Remediation Well RW19-1: Benzene.

The hydraulic gradient across the site was found to be approximately 0.019 feet per foot directed northwest at 312 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured during the monitoring event on March 17. The groundwater gradient and flow direction are generally consistent with past monitoring events.

On March 25, 2022, Stantec completed groundwater remediation event that included the injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells for a total of 100 gallons per well and 300 gallons of chemox solution total. Following the injection of the chemox solution,

Stantec injected an additional 100 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

June 2022: This second quarter 2022 monitoring event report was conducted on June 22 and 23, 2022 and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB.
- Monitoring well MW-4: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- Remediation Well RW19-1: Benzene, ethylbenzene and 1,2,4-TMB.

The hydraulic gradient across the site was found to be approximately 0.078 feet per foot directed north-northwest at 343 degrees.

During the 2Q 2022, Stantec completed two groundwater remediation events that included the monthly injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The chemox was injected on May 16 and June 16, 2022. The chemox injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One[®] product and 50 gallons of tap water into each of the three remediation wells (RW-1, RW-2 and RW-3) for a total of 100 gallons per well and 300 gallons of chemox solution total. Following the injection of the chemox solution, Stantec injected an additional one to two hundred gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

APPENDIX B

Field Methods & Procedures

APPENDIX B – FIELD METHODS AND PROCEDURES

7-11 Store 46745 (Speedway Store 5314 - former Tesoro 2 Go Mart 76) located at 3600 Palmer-Wasilla Highway, Fairbanks, Alaska

Lot 7, Block 1, Cameron Acres Subdivision, Matanuska-Susitna Borough

ADEC File #2265.26.037

The following table presents the proposed tasks for the Alaska Department of Environmental Conservation (ADEC)-approved 2022 Corrective Action Plan (CAP). The scope of these tasks is based on the results and findings of the monitoring and remediation completed to date at the site.

2022 Work Plan Schedule for 7-11 Store 46745 (Speedway Store 5314 - Former T2GM 76)

Work Plan Task		1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
Task 1	Monitoring Wells: MW-1, MW-2, MW-3, and MW-4 including Remediation/Recirculation Well RW 19-1	V, G, D, P, S & I	V, G, D, P, S & I	V, G, D, P, S & I	V, G, D, P, S & I
	On-site Domestic Drinking Water Well				D & E
Task 2	O&M Recirculation Groundwater Treatment System	✓	✓	✓	✓
Task 3	Chemical Oxidation Treatment	✓	✓	✓	✓

Key:

AK – Alaska Test Method

D – Diesel range organics by AK102.

EPA – U.S. Environmental Protection Agency

E – Drinking Water parameters by EPA Test Method 524.2.

G – Gasoline range organics by AK101.

I – Indicators, parameters tested include dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.

O&M – Operation and Maintenance

V – Volatile organic compounds by EPA Test Method 8260C.

S – Sodium analyzed by Metals (ICP) Method 6010C.

P - Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds, by EPA Test Method 8270D Selective Ion Monitoring (SIM).

The CAP for the year 2022 will be implemented by Stantec on behalf of Speedway. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site. All sampling activities will be completed in accordance with ADEC’s *Underground Storage Tanks Procedures Manual– Standard Sampling Procedures* (March 22, 2017). The methods that will be used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of each well casing. The elevation of the static water level will be based on an arbitrary datum established on-site during a vertical control survey that will be completed by Stantec on an annual basis. The survey will be performed during the summer after the seasonal frost layer thaws.
- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, Teflon[®] bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water and vapor samples will be collected in laboratory-supplied sample containers. The samples will be delivered to an ADEC-approved laboratory in accordance with standard chain-of-custody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2022 Schedule shown above.

APPENDIX C

Field Measurements

Speedway 5314 TNS
 Site Name: 76

Date: 06/22/2022, 11:19 AM

Name(s): Remi Malenfant

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)	
MW-1	N/A	21.06	24.64	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material	
94.73	2.0		PVC	
Latitude (decimal)		Longitude (decimal)		Weather
61.5845298133		-149.358577633		

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓



Type/Model Meter Used: _____
 Calibrated: (date) _____ (time) _____
 Cell Vol: _____
 Type/Model Pump Used: _____
 Pump Intake? _____ ft
 Above / Below Bottom / TOC

Purge water disposal: Pour on ground

Time	Depth to Water (ft)	Flow Rate (ml/Min)	pH		Conductivity (ms/cm)		Turbidity (NTU)		Dissolved O2 (mg/l)		Temp. (Celsius)		Oxygen Reduction Potential (ORP) mv	
			Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
10:56	21.06	X												

Sample Collected? Yes Time 11:19 Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; ± 3% for Specific Conductivity and Temperature; ± 10 mv for ORP; and ± 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; ± 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway 5314 TNS

Date: 06/22/2022, 12:02 PM

Name(s): Remi Malenfant

Site Name: 76

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)	
MW-2	N/A	20.34	27.13	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material	
95.07	2.0		PVC	
Latitude (decimal)		Longitude (decimal)		Weather
61.5843106137		-149.358489851		

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
BTEX	3 X 40 mL Amber VOAs ✓
PAH	2 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Purge water disposal: Pour on ground

Type/Model Meter Used: _____
 Calibrated: (date) _____ (time) _____
 Cell Vol: _____
 Type/Model Pump Used: _____
 Pump Intake? _____ ft
 Above / Below Bottom / TOC

Time	Depth to Water (ft)	Flow Rate (ml/Min)	pH		Conductivity (ms/cm)		Turbidity (NTU)		Dissolved O2 (mg/l)		Temp. (Celsius)		Oxygen Reduction Potential (ORP) mv	
			Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
11:52	20.34	X												

Sample Collected? Yes Time 12:02 Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; ± 3% for Specific Conductivity and Temperature; ± 10 mv for ORP; and ± 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; ± 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway 5314 TNS

Date: 06/22/2022, 1:56 PM

Name(s): Remi Malenfant

Site Name: 76

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-3	N/A	17.0	25.72
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
94.52	2.0		PVC
Latitude (decimal)		Longitude (decimal)	
61.5842287396		-149.358589014	

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
PAH	2 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
BTEX	3 X 40 mL Amber VOAs ✓

Purge water disposal: Pour on ground QA/QC: Duplicate #1

Type/Model Meter Used: _____
 Calibrated: (date) _____ (time) _____
 Cell Vol: _____
 Type/Model Pump Used: _____
 Pump Intake? None ft
 Above / ✓ Below Bottom / ✓ TOC

Time	Depth to Water (ft)	Flow Rate (ml/Min)	pH		Conductivity (ms/cm)		Turbidity (NTU)		Dissolved O2 (mg/l)		Temp. (Celsius)		Oxygen Reduction Potential (ORP) mv	
			Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
13:41	17.0	 												

Sample Collected? Yes Time 13:56 Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; ± 3% for Specific Conductivity and Temperature; ± 10 mv for ORP; and ± 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; ± 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway 5314 TNS

Date: 06/22/2022, 1:18 PM

Name(s): Remi Malenfant

Site Name: 76

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-4	N/A	18.81	27.59
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
95.01	2.0		PVC
Latitude (decimal)	Longitude (decimal)	Weather	
61.5842637859	-149.358822557		

Analytical Parameters	Bottles to be filled
BTEX	3 X 40 mL Amber VOAs ✓
PAH	2 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Type/Model Meter Used: _____
 Calibrated: (date) _____ (time) _____
 Cell Vol: _____
 Type/Model Pump Used: _____
 Pump Intake? _____ ft
 Above / Below Bottom / TOC

Purge water disposal: Pour on ground

Time	Depth to Water (ft)	Flow Rate (ml/Min)	pH		Conductivity (ms/cm)		Turbidity (NTU)		Dissolved O2 (mg/l)		Temp. (Celsius)		Oxygen Reduction Potential (ORP) mv	
			Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
12:58	18.81	X												

Sample Collected? Yes Time 13:18 Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; ± 3% for Specific Conductivity and Temperature; ± 10 mv for ORP; and ± 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; ± 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway 5314 TNS

Date: 06/23/2022, 11:40 AM

Name(s): Remi Malenfant

Site Name: 76

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
RW19-1	N/A	28.73	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
95.73			
Latitude (decimal)	Longitude (decimal)	Weather	
61.5843002	-149.3588681		

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Purge water disposal: Pour on ground **QA/QC: Duplicate #2**

Type/Model Meter Used: _____
 Calibrated: (date) _____ (time) _____
 Cell Vol: _____
 Type/Model Pump Used: _____
 Pump Intake? _____ ft
 Above / Below Bottom / TOC

Time	Depth to Water (ft)	Flow Rate (ml/Min)	pH		Conductivity (ms/cm)		Turbidity (NTU)		Dissolved O2 (mg/l)		Temp. (Celsius)		Oxygen Reduction Potential (ORP) mv	
			Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
12:36	28.73	X												

Sample Collected? Yes Time 11:40 Total Pumped from Well? 0 Gal

NOTES / COMMENTS:
 - Pressure is fluctuating. Turned off power to pump for 5 minutes. Flow test 1.5 gpm

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; ± 3% for Specific Conductivity and Temperature; ± 10 mv for ORP; and ± 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; ± 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway 5314 TNS

Date: 06/22/2022, 11:19 AM

Name(s): Remi Malenfant

Site Name: 76

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-1	61.5845298133	-149.358577633
Field Data		
Sampler Names: Remi Luke		Sheen/Odor?: None
pH: 6.46		Specific Conductance: 1449
DO: 1.4		Temperature (C): 7
ORP: 130.5		Purge Volume (gal): 1.75
Notes: Lite brown in color		



Speedway 5314 TNS
Date: 06/22/2022, 12:02 PM
Name(s): Remi Malenfant
Site Name: 76

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-2	61.5843106137	-149.358489851
Field Data		
Sampler Names:	Sheen/Odor?: None	
pH: 6.28	Specific Conductance: 1088	
DO: 1.35	Temperature (C): 7.6	
ORP: 267.9	Purge Volume (gal): 3.5	
Notes: Dark brown with spring tails		

Speedway 5314 TNS
Date: 06/22/2022, 1:56 PM
Name(s): Remi Malenfant
Site Name: 76

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-3	61.5842287396	-149.358589014
Field Data		
Sampler Names:	Sheen/Odor?: Odor	
pH: 6.82	Specific Conductance: 860	
DO: 2.08	Temperature (C): 6.8	
ORP: -1	Purge Volume (gal): 3.8	
Notes: Gray silt		

Speedway 5314 TNS

Date: 06/22/2022, 1:18 PM

Name(s): Remi Malenfant

Site Name: 76

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-4	61.5842637859	-149.358822557
Field Data		
Sampler Names:	Sheen/Odor?: N/y	
pH: 6.67	Specific Conductance: 1766	
DO: 1.08	Temperature (C): 7.1	
ORP: 10.9	Purge Volume (gal): 4.5	
Notes: Dark orange, springtails		

Speedway 5314 TNS
Date: 06/23/2022, 11:40 AM
Name(s): Remi Malenfant
Site Name: 76

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
RW19-1	61.5843002	-149.3588681

Field Data	
Sampler Names:	Sheen/Odor?: No
pH: 6.54	Specific Conductance: 738
DO: 6.49	Temperature (C): 8.7
ORP: 166.3	Purge Volume (gal):
Notes:	

APPENDIX D

Tables of Historical Monitoring Data

Analytical Data Results Table

7-11 Store 46745
 (Speedway 5314-TNS 76)
 3600 E. Palmer Wasilla Highway
 Wasilla, Alaska 99654

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.015</u>	<u>0.12</u>	<u>0.0046</u>	<u>1.5</u>	<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
MW-1												
11/06/2014	--	--	—	—	<u>0.027</u>	0.36	U (0.0005)	0.067	—	—	U (0.0005)	U (0.0015)
02/25/2015	--	--	—	—	0.0013	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
06/10/2015	--	--	—	—	U (0.002)	0.5	U (0.003)	U (0.060)	—	—	U (0.002)	U (0.002)
09/02/2015	--	--	—	—	0.0011	U (0.40)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
11/12/2015	--	--	—	—	<u>0.029</u>	U (0.21)	U (0.003)	0.14	—	—	U (0.002)	U (0.002)
01/20/2016	--	--	—	—	<u>0.071</u>	0.22	U (0.003)	0.18	—	—	U (0.002)	U (0.002)
05/09/2016	--	--	—	—	<u>0.026</u>	U (0.45)	U (0.001)	0.1	—	—	U (0.001)	U (0.003)
10/13/2016	--	--	—	—	<u>0.053</u>	0.36	U (0.001)	0.84	—	—	U (0.001)	U (0.003)
12/09/2016	--	--	—	—	<u>0.027</u>	0.67	U (0.002)	0.067	—	—	U (0.002)	U (0.003)
02/08/2017	--	--	—	—	<u>0.01</u>	0.27	U (0.003)	0.057	—	—	U (0.002)	U (0.002)
04/24/2017	--	--	—	—	<u>0.0096</u>	U (0.0003)	U (0.003)	U (0.001)	—	—	U (0.002)	U (0.003)
09/01/2017	--	--	—	—	<u>0.0068</u>	0.25	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
02/15/2018	--	--	—	—	<u>0.012</u>	U (0.13)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)
06/29/2018	--	--	—	—	<u>0.026</u>	0.3	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
09/11/2018	--	--	—	—	<u>0.01</u>	U (0.27)	U (0.001)	U (0.15)	—	—	U (0.001)	U (0.002)
10/26/2018	--	--	—	—	<u>0.015</u>	0.31	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
02/25/2019	--	--	—	—	0.0037	0.19	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
04/25/2019	--	--	—	—	U (0.003)	U (0.27)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
07/25/2019	--	--	—	—	<u>0.0071</u>	0.27	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/18/2019	--	--	—	—	U (0.003)	0.16	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
08/11/2020	--	--	—	—	0.00262	U (0.808)	U (0.001)	U (0.1)	—	35.8	U (0.001)	U (0.003)
10/12/2020	--	--	U (0.001)	U (0.001)	<u>0.00548</u>	0.369	U (0.001)	0.011	U (0.000250)	43.6	U (0.001)	U (0.002)
03/23/2021	--	--	—	—	0.000526	U (0.840)	U (0.001)	0.013	—	33.2	U (0.001)	U (0.001)
05/19/2021	--	--	U (0.00100)	U (0.00100)	<u>0.00481</u>	U (0.840)	U (0.001)	0.0302	U (0.00500)	35	U (0.001)	U (0.002)
07/14/2021	--	--	U (0.00100)	U (0.00100)	0.00177	0.317	U (0.001)	U (0.1)	U (0.00500)	32.2	U (0.001)	U (0.003)
10/14/2021	--	--	U (0.00100)	U (0.00100)	<u>0.0167</u>	0.427	U (0.001)	0.0669	U (0.000250)	59.7	U (0.001)	U (0.002)
03/17/2022	--	75.93	U (0.00100)	U (0.00100)	0.000111	0.263	U (0.00100)	U (0.100)	U (0.000250)	133	U (0.00100)	U (0.00300)
06/22/2022	--	73.67	U (0.00100)	U (0.00100)	<u>0.00975</u>	U (0.800)	U (0.00100)	0.0375	U (0.000250)	49.2	U (0.00100)	U (0.00300)
MW-2												
11/06/2014	--	--	—	—	<u>0.067</u>	0.19	<u>0.016</u>	0.68	—	—	0.026	0.13
02/25/2015	--	--	—	—	<u>0.022</u>	U (0.41)	0.0034	0.13	—	—	0.0045	0.02
06/10/2015	--	--	—	—	U (0.002)	1.1	U (0.003)	<u>6.1</u>	—	—	U (0.002)	<u>1.82</u>
09/02/2015	--	--	—	—	<u>0.089</u>	<u>1.8</u>	<u>0.065</u>	U (10)	—	—	0.056	<u>1.4</u>
11/12/2015	--	--	—	—	<u>0.091</u>	<u>1.8</u>	<u>0.13</u>	<u>22</u>	—	—	0.11	0.179
01/20/2016	--	--	—	—	<u>0.52</u>	<u>1.6</u>	<u>0.83</u>	—	—	—	<u>1.5</u>	<u>5.1</u>
05/09/2016	--	--	—	—	<u>0.41</u>	0.95	<u>0.35</u>	U (10)	—	—	0.37	<u>2.8</u>
10/13/2016	--	--	—	—	<u>0.42</u>	0.98	<u>0.48</u>	<u>9.2</u>	—	—	0.63	<u>2.62</u>
12/09/2016	--	--	—	—	<u>0.57</u>	<u>1.7</u>	<u>0.5</u>	<u>11</u>	—	—	0.17	<u>1.01</u>
02/08/2017	--	--	—	—	<u>0.053</u>	0.2	<u>0.021</u>	0.58	—	—	U (0.002)	0.096

Analytical Data Results Table

7-11 Store 46745
 (Speedway 5314-TNS 76)
 3600 E. Palmer Wasilla Highway
 Wasilla, Alaska 99654

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.015</u>	<u>0.12</u>	<u>0.0046</u>	<u>1.5</u>	<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
04/24/2017	--	--	—	—	<u>0.036</u>	0.94	<u>0.035</u>	<u>2.6</u>	—	—	0.012	<u>0.66</u>
09/01/2017	--	--	—	—	<u>0.083</u>	1.3	<u>0.45</u>	<u>9.7</u>	—	—	0.026	<u>2.33</u>
02/15/2018	--	--	—	—	<u>0.067</u>	0.98	<u>0.14</u>	U (10)	—	—	0.02	<u>0.97</u>
06/29/2018	--	--	—	—	<u>0.17</u>	1.2	<u>0.59</u>	<u>6</u>	—	—	0.25	<u>3.3</u>
09/11/2018	--	--	—	—	<u>0.094</u>	0.74	<u>0.18</u>	<u>4.8</u>	—	—	0.13	<u>1.08</u>
10/26/2018	--	--	—	—	<u>0.17</u>	1	<u>0.48</u>	<u>11</u>	—	—	0.28	<u>3.01</u>
02/25/2019	--	--	—	—	<u>0.092</u>	1.2	<u>0.18</u>	<u>5.4</u>	—	—	0.22	<u>1.41</u>
04/25/2019	--	--	—	—	<u>0.051</u>	0.93	U (0.003)	<u>3.6</u>	—	—	0.13	<u>1.28</u>
07/25/2019	--	--	—	—	<u>0.079</u>	0.89	<u>0.2</u>	<u>5.4</u>	—	—	0.13	<u>1.47</u>
10/18/2019	--	--	—	—	<u>0.025</u>	0.24	<u>0.022</u>	0.74	—	—	0.0065	0.101
08/11/2020	--	--	—	—	<u>0.0599</u>	0.553	<u>0.0759</u>	0.921	—	33.2	0.0107	<u>0.465</u>
10/12/2020	--	--	<u>0.109</u>	0.0329	<u>0.16</u>	0.409	<u>0.0455</u>	0.755	0.000405	55.2	U (0.001)	0.168
03/23/2021	--	--	—	—	<u>0.00542</u>	U (0.840)	U (0.001)	0.0227	—	48.1	U (0.001)	U (0.003)
05/19/2021	--	--	0.00278	0.0012	0.00338	U (0.840)	0.000461	0.0374	U (0.00500)	25.4	U (0.001)	0.00501
07/14/2021	--	--	0.00487	0.00107	0.00399	0.272	0.00193	0.0504	U (0.00500)	32.8	U (0.001)	0.00465
10/14/2021	--	--	<u>0.0706</u>	0.0185	<u>0.0292</u>	0.589	<u>0.0176</u>	0.628	0.000277	50.3	0.0109	0.1308
03/17/2022	--	76.98	0.0113	0.00335	<u>0.0189</u>	0.288	0.00723	0.249	U (0.000250)	180	0.000395	0.02313
06/22/2022	--	74.73	U (0.00100)	U (0.00100)	<u>0.0203</u>	0.38	0.00583	0.327	U (0.000250)	87.7	0.00567	0.00454
MW-3												
11/06/2014	--	--	—	—	<u>5</u>	<u>3.5</u>	<u>37</u>	<u>240</u>	—	—	<u>7.4</u>	<u>39</u>
02/25/2015	--	--	—	—	<u>2.9</u>	<u>8.6</u>	<u>6.7</u>	<u>180</u>	—	—	<u>34</u>	<u>37</u>
06/10/2015	--	--	—	—	<u>5.2</u>	<u>9.5</u>	<u>8.2</u>	<u>210</u>	—	—	<u>38</u>	<u>48</u>
09/02/2015	--	--	—	—	<u>3.7</u>	<u>5.1</u>	<u>4.4</u>	U (200)	—	—	<u>24</u>	<u>28</u>
11/12/2015	--	--	—	—	<u>1.3</u>	<u>3.6</u>	<u>0.21</u>	<u>87</u>	—	—	<u>2.1</u>	<u>1.69</u>
01/20/2016	--	--	—	—	<u>3.8</u>	<u>4.1</u>	<u>4.2</u>	<u>120</u>	—	—	<u>13</u>	<u>25.3</u>
05/09/2016	--	--	—	—	<u>2.1</u>	1.5	<u>2.2</u>	<u>69</u>	—	—	<u>21</u>	<u>33</u>
10/13/2016	--	--	—	—	<u>1.2</u>	<u>2</u>	<u>2.9</u>	<u>46</u>	—	—	<u>4.2</u>	<u>14.6</u>
12/09/2016	--	--	—	—	<u>0.17</u>	<u>3.3</u>	—	<u>100</u>	—	—	—	<u>0.54</u>
02/08/2017	--	--	—	—	<u>39</u>	<u>3.9</u>	<u>53</u>	<u>98</u>	—	—	<u>99</u>	<u>103</u>
04/24/2017	--	--	—	—	<u>2.5</u>	<u>6.7</u>	<u>5.2</u>	U (200)	—	—	<u>14</u>	<u>28.9</u>
09/01/2017	--	--	—	—	<u>0.61</u>	<u>1.9</u>	<u>3.7</u>	<u>75</u>	—	—	<u>9.3</u>	<u>21.4</u>
02/15/2018	--	--	—	—	<u>0.3</u>	1.3	<u>2.9</u>	U (100)	—	—	<u>3.8</u>	<u>15.6</u>
06/29/2018	--	--	—	—	<u>0.28</u>	1.1	<u>1.7</u>	<u>23</u>	—	—	1.1	<u>8.2</u>
09/11/2018	--	--	—	—	<u>0.29</u>	0.91	<u>1</u>	<u>14</u>	—	—	0.53	<u>5.6</u>
10/26/2018	--	--	—	—	<u>0.32</u>	0.93	<u>0.89</u>	<u>15</u>	—	—	0.36	<u>4.3</u>
02/25/2019	--	--	—	—	<u>0.95</u>	<u>4.6</u>	<u>2.3</u>	U (1.3)	—	—	0.69	<u>11.4</u>
04/25/2019	--	--	—	—	<u>0.14</u>	0.64	U (1.5)	<u>11</u>	—	—	0.13	U (1.5)
07/25/2019	--	--	—	—	<u>0.68</u>	<u>1.9</u>	<u>2.4</u>	<u>41</u>	—	—	<u>1.2</u>	<u>11.6</u>
10/18/2019	--	--	—	—	<u>0.21</u>	1.2	<u>1.7</u>	<u>21</u>	—	—	0.66	<u>9.7</u>
08/11/2020	--	--	—	—	<u>0.737</u>	<u>4.89</u>	<u>2.99</u>	<u>32.8</u>	—	52.4	1.05	<u>17</u>

Analytical Data Results Table

7-11 Store 46745
 (Speedway 5314-TNS 76)
 3600 E. Palmer Wasilla Highway
 Wasilla, Alaska 99654

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.015</u>	<u>0.12</u>	<u>0.0046</u>	<u>1.5</u>	<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
10/12/2020	--	--	<u>2.91</u>	<u>0.764</u>	<u>0.32</u>	<u>5.22</u>	<u>2.46</u>	<u>29.4</u>	<u>0.0489</u>	66.1	0.868	<u>14.89</u>
03/23/2021	--	--	—	—	<u>0.45</u>	U (0.840)	<u>3.73</u>	<u>54.3</u>	—	U(3.00)	<u>1.21</u>	<u>21.6</u>
05/19/2021	--	--	<u>2.24</u>	<u>0.631</u>	<u>0.473</u>	<u>5.08</u>	<u>2.04</u>	<u>31.1</u>	U(1.00)	47	0.186	<u>11.1</u>
07/14/2021	--	--	<u>2.16</u>	<u>0.594</u>	<u>0.581</u>	<u>3.87</u>	<u>2.65</u>	<u>30.3</u>	U(1.00)	49.8	0.156	<u>12.87</u>
10/14/2021	--	--	<u>1.31</u>	<u>0.33</u>	<u>0.084</u>	<u>2.11</u>	<u>0.741</u>	<u>15.8</u>	<u>0.0109</u>	41.2	0.13	<u>4.147</u>
03/17/2022	--	76.99	<u>1.49</u>	<u>0.46</u>	<u>0.0642</u>	<u>3.44</u>	<u>0.0764</u>	<u>13.9</u>	<u>0.0238</u>	110	0.0104	<u>4.351</u>
06/22/2022	--	77.52	<u>1.9</u>	<u>0.62</u>	<u>0.0923</u>	<u>3.24</u>	<u>0.739</u>	<u>10.2</u>	<u>0.0262</u>	74.8	0.0336	<u>3.776</u>
MW-4												
11/06/2014	--	--	—	—	<u>0.94</u>	0.45	<u>0.3</u>	<u>13</u>	—	—	<u>1.9</u>	<u>1.5</u>
02/25/2015	--	--	—	—	<u>3.7</u>	1	<u>0.56</u>	<u>29</u>	—	—	<u>6.6</u>	<u>2.7</u>
06/10/2015	--	--	—	—	<u>1.1</u>	0.99	<u>0.54</u>	<u>14</u>	—	—	<u>2.3</u>	<u>2.7</u>
09/02/2015	--	--	—	—	<u>0.026</u>	U (0.40)	0.007	0.3	—	—	U (0.001)	0.03
11/12/2015	--	--	—	—	—	U (0.21)	—	U (0.050)	—	—	—	—
01/20/2016	--	--	—	—	0.0043	0.15	U (0.003)	—	—	—	U (0.002)	U (0.002)
05/09/2016	--	--	—	—	<u>0.0092</u>	U (0.42)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
10/13/2016	--	--	—	—	—	U (0.00020)	0.18	U (0.001)	U (0.1)	—	U (0.001)	U (0.003)
12/09/2016	--	--	—	—	—	0.18	—	U (0.05)	—	—	—	—
02/08/2017	--	--	—	—	<u>0.017</u>	0.18	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)
04/24/2017	--	--	—	—	<u>0.012</u>	U (0.0003)	0.0049	U (0.001)	—	—	U (0.002)	U (0.003)
09/01/2017	--	--	—	—	<u>0.55</u>	0.48	<u>0.38</u>	<u>5.1</u>	—	—	U (0.050)	<u>0.74</u>
02/15/2018	--	--	—	—	<u>0.19</u>	0.29	<u>0.26</u>	<u>3.3</u>	—	—	U (0.10)	<u>0.438</u>
06/29/2018	--	--	—	—	<u>0.09</u>	0.19	<u>0.022</u>	0.52	—	—	U (0.002)	0.027
09/11/2018	--	--	—	—	<u>0.0086</u>	U (0.28)	0.0052	U (0.15)	—	—	U (0.001)	0.0062
10/26/2018	--	--	—	—	<u>0.013</u>	0.15	0.0045	U (0.25)	—	—	U (0.002)	0.0089
02/25/2019	--	--	—	—	<u>0.026</u>	0.2	0.0034	U (0.25)	—	—	U (0.002)	0.0089
04/25/2019	--	--	—	—	—	U (0.003)	U (0.27)	U (0.003)	U (0.25)	—	U (0.002)	U (0.003)
07/25/2019	--	--	—	—	<u>0.051</u>	0.16	U (0.003)	U (0.25)	—	—	U (0.002)	0.0078
10/18/2019	--	--	—	—	<u>0.02</u>	U (0.12)	0.0059	U (0.25)	—	—	0.015	0.0277
08/11/2020	--	--	—	—	<u>0.054</u>	U (0.800)	0.000455	0.084	—	58.4	U (0.001)	0.00933
10/12/2020	--	--	0.0112	0.00174	<u>0.129</u>	U (0.800)	0.00699	0.313	0.000465	36.2	U (0.001)	0.0264
03/23/2021	--	--	—	—	<u>0.079</u>	0.266	<u>0.0178</u>	0.274	—	47.1	U (0.001)	0.0345
05/19/2021	--	--	<u>0.0171</u>	0.00423	<u>0.0307</u>	U (0.840)	0.00328	0.153	U(0.00500)	67.5	U (0.001)	0.0123
07/14/2021	--	--	0.00374	0.000529	<u>0.0176</u>	0.371	0.000375	0.0682	U (0.00500)	76.7	U (0.001)	0.00383
10/14/2021	--	--	0.00561	0.000233	<u>0.00564</u>	0.521	0.00318	0.105	0.000209	63.4	U (0.001)	0.00788
03/17/2022	--	76.92	<u>0.273</u>	0.106	<u>0.214</u>	0.683	<u>0.186</u>	<u>2.8</u>	<u>0.00334</u>	41.6	0.168	<u>0.857</u>
06/22/2022	--	76.2	<u>0.401</u>	<u>0.128</u>	<u>0.409</u>	0.816	<u>0.373</u>	<u>4.88</u>	<u>0.00941</u>	91	U(0.0500)	<u>1.49</u>
RW19-1												
08/11/2020	--	--	—	—	0.00126	U (0.848)	U (0.001)	U (0.100)	—	28.8	U (0.001)	0.000489
10/12/2020	--	--	U (0.001)	U (0.001)	0.000609	U (0.800)	U (0.001)	U (0.100)	U (0.000250)	28.6	U (0.001)	U (0.002)
03/23/2021	--	--	—	—	U (0.001)	U (0.840)	U (0.001)	0.0119	—	25.9	U (0.001)	U (0.003)

Analytical Data Results Table

7-11 Store 46745
 (Speedway 5314-TNS 76)
 3600 E. Palmer Wasilla Highway
 Wasilla, Alaska

Unit	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.015</u>	<u>0.12</u>	<u>0.0046</u>	<u>1.5</u>	<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
05/19/2021	--	--	U(0.00100)	U(0.00100)	U(0.001)	U(0.800)	U(0.001)	0.0158	U(0.00500)	28.8	U(0.001)	U(0.002)
07/14/2021	--	--	U(0.00100)	U(0.00100)	U(0.001)	0.297	U(0.001)	U(0.100)	U(0.00500)	28.8	U(0.001)	U(0.003)
10/14/2021	--	--	U(0.00100)	U(0.00100)	0.000506	0.387	U(0.001)	0.0426	U(0.000250)	32.3	U(0.001)	U(0.002)
03/17/2022	--	--	0.00702	0.00388	<u>0.00488</u>	U(0.888)	0.00311	0.147	0.000108	48.2	U(0.00100)	0.02812
06/23/2022	--	--	<u>0.0169</u>	0.00547	<u>0.0257</u>	U(0.800)	<u>0.019</u>	0.223	0.000452	36.9	0.00166	0.0822


APPENDIX E

Laboratory Analytical Report and ADEC Laboratory Data Review Checklist

Stantec - Anchorage, AK

Sample Delivery Group: L1508760
Samples Received: 06/24/2022
Project Number: 185705773
Description: Speedway 5314
Site: 0005314
Report To: Mr. John Marshall
725 E Fireweed Lane
Suite 200
Anchorage, AK 99503

Entire Report Reviewed By:




Craig Cothron
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
MW-01 L1508760-01	6
MW-02 L1508760-02	8
MW-03 L1508760-03	10
MW-04 L1508760-04	12
RW19-01 L1508760-05	14
DUP1 L1508760-06	16
TRIP BLANK L1508760-07	18
Qc: Quality Control Summary	19
Metals (ICP) by Method 6010D	19
Volatile Organic Compounds (GC) by Method AK101	21
Volatile Organic Compounds (GC/MS) by Method 8260C	23
Semi-Volatile Organic Compounds (GC) by Method AK102	24
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	25
Gl: Glossary of Terms	27
Al: Accreditations & Locations	28
Sc: Sample Chain of Custody	29



SAMPLE SUMMARY

MW-01 L1508760-01 GW

Collected by
LS/R Collected date/time
06/22/22 11:19 Received date/time
06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1891176	1	07/14/22 06:46	07/14/22 17:39	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887202	1	06/29/22 20:48	06/29/22 20:48	MGF	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	1	07/02/22 08:27	07/02/22 08:27	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 18:56	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 16:35	AMM	Mt. Juliet, TN

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-02 L1508760-02 GW

Collected by
LS/R Collected date/time
06/22/22 12:02 Received date/time
06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1891176	1	07/13/22 22:39	07/14/22 17:42	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887202	1	06/29/22 21:10	06/29/22 21:10	MGF	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	1	07/02/22 08:46	07/02/22 08:46	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 19:16	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 20:36	AMM	Mt. Juliet, TN

MW-03 L1508760-03 GW

Collected by
LS/R Collected date/time
06/22/22 13:56 Received date/time
06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1891176	1	07/13/22 22:39	07/14/22 17:45	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887202	25	06/29/22 22:36	06/29/22 22:36	MGF	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	200	07/02/22 11:19	07/02/22 11:19	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 19:36	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 20:57	AMM	Mt. Juliet, TN

MW-04 L1508760-04 GW

Collected by
LS/R Collected date/time
06/22/22 13:18 Received date/time
06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1891176	1	07/13/22 22:39	07/14/22 17:48	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887202	1	06/29/22 21:31	06/29/22 21:31	MGF	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	50	07/02/22 11:38	07/02/22 11:38	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 19:57	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 21:17	AMM	Mt. Juliet, TN

RW19-01 L1508760-05 GW

Collected by
LS/R Collected date/time
06/22/22 11:40 Received date/time
06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1895635	1	07/15/22 12:57	07/15/22 23:41	KMG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887984	1	07/01/22 18:05	07/01/22 18:05	DWR	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	1	07/02/22 09:05	07/02/22 09:05	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 20:17	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 16:56	AMM	Mt. Juliet, TN

SAMPLE SUMMARY

DUP1 L1508760-06 GW

Collected by: LS/R
 Collected date/time: 06/22/22 13:56
 Received date/time: 06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1891176	1	07/13/22 22:39	07/14/22 17:53	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1887202	10	06/29/22 22:14	06/29/22 22:14	MGF	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	50	07/02/22 11:57	07/02/22 11:57	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1888860	1	07/01/22 15:18	07/02/22 20:37	AEG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1886606	1	06/29/22 07:25	06/29/22 17:16	AMM	Mt. Juliet, TN

TRIP BLANK L1508760-07 GW

Collected by: LS/R
 Collected date/time: 06/22/22 00:00
 Received date/time: 06/24/22 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1889036	1	07/02/22 05:36	07/02/22 05:36	DWR	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Craig Cothron
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	49.2		0.504	3.00	1	07/14/2022 17:39	WG1891176

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.0375	J	0.0287	0.100	1	06/29/2022 20:48	WG1887202
(S) a,a,a-Trifluorotoluene(FID)	94.4			50.0-150		06/29/2022 20:48	WG1887202
(S) a,a,a-Trifluorotoluene(PID)	101			79.0-125		06/29/2022 20:48	WG1887202

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.00975		0.0000941	0.00100	1	07/02/2022 08:27	WG1889036
n-Butylbenzene	U		0.000157	0.00100	1	07/02/2022 08:27	WG1889036
sec-Butylbenzene	U		0.000125	0.00100	1	07/02/2022 08:27	WG1889036
tert-Butylbenzene	U		0.000127	0.00100	1	07/02/2022 08:27	WG1889036
Ethylbenzene	U		0.000137	0.00100	1	07/02/2022 08:27	WG1889036
Isopropylbenzene	U		0.000105	0.00100	1	07/02/2022 08:27	WG1889036
Naphthalene	U		0.00100	0.00500	1	07/02/2022 08:27	WG1889036
Toluene	U		0.000278	0.00100	1	07/02/2022 08:27	WG1889036
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	07/02/2022 08:27	WG1889036
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	07/02/2022 08:27	WG1889036
m&p-Xylene	U		0.000430	0.00200	1	07/02/2022 08:27	WG1889036
o-Xylene	U		0.000174	0.00100	1	07/02/2022 08:27	WG1889036
(S) Toluene-d8	103			80.0-120		07/02/2022 08:27	WG1889036
(S) 4-Bromofluorobenzene	91.9			77.0-126		07/02/2022 08:27	WG1889036
(S) 1,2-Dichloroethane-d4	90.1			70.0-130		07/02/2022 08:27	WG1889036

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	U		0.229	0.800	1	07/02/2022 18:56	WG1888860
(S) o-Terphenyl	63.2			50.0-150		07/02/2022 18:56	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 16:35	WG1886606
Acenaphthene	U		0.0000190	0.0000500	1	06/29/2022 16:35	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 16:35	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 16:35	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 16:35	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 16:35	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 16:35	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 16:35	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 16:35	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 16:35	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 16:35	WG1886606
Fluorene	U		0.0000169	0.0000500	1	06/29/2022 16:35	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 16:35	WG1886606
Naphthalene	U		0.0000917	0.000250	1	06/29/2022 16:35	WG1886606
Phenanthrene	U		0.0000180	0.0000500	1	06/29/2022 16:35	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 16:35	WG1886606

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	U		0.0000687	0.000250	1	06/29/2022 16:35	WG1886606
2-Methylnaphthalene	U		0.0000674	0.000250	1	06/29/2022 16:35	WG1886606
<i>(S)</i> Nitrobenzene-d5	109			31.0-160		06/29/2022 16:35	WG1886606
<i>(S)</i> 2-Fluorobiphenyl	110			48.0-148		06/29/2022 16:35	WG1886606
<i>(S)</i> p-Terphenyl-d14	109			37.0-146		06/29/2022 16:35	WG1886606

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	87.7		0.504	3.00	1	07/14/2022 17:42	WG1891176

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.327		0.0287	0.100	1	06/29/2022 21:10	WG1887202
(S) a,a,a-Trifluorotoluene(FID)	91.6			50.0-150		06/29/2022 21:10	WG1887202
(S) a,a,a-Trifluorotoluene(PID)	100			79.0-125		06/29/2022 21:10	WG1887202

Volatile Organic Compounds (GC/MS) by Method 8260C


Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.0203		0.0000941	0.00100	1	07/02/2022 08:46	WG1889036
n-Butylbenzene	0.000580	J	0.000157	0.00100	1	07/02/2022 08:46	WG1889036
sec-Butylbenzene	0.000151	J	0.000125	0.00100	1	07/02/2022 08:46	WG1889036
tert-Butylbenzene	U		0.000127	0.00100	1	07/02/2022 08:46	WG1889036
Ethylbenzene	0.00583		0.000137	0.00100	1	07/02/2022 08:46	WG1889036
Isopropylbenzene	0.000900	J	0.000105	0.00100	1	07/02/2022 08:46	WG1889036
Naphthalene	U		0.00100	0.00500	1	07/02/2022 08:46	WG1889036
Toluene	0.00567		0.000278	0.00100	1	07/02/2022 08:46	WG1889036
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	07/02/2022 08:46	WG1889036
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	07/02/2022 08:46	WG1889036
m&p-Xylene	0.00190	J	0.000430	0.00200	1	07/02/2022 08:46	WG1889036
o-Xylene	0.00264		0.000174	0.00100	1	07/02/2022 08:46	WG1889036
(S) Toluene-d8	103			80.0-120		07/02/2022 08:46	WG1889036
(S) 4-Bromofluorobenzene	89.7			77.0-126		07/02/2022 08:46	WG1889036
(S) 1,2-Dichloroethane-d4	89.7			70.0-130		07/02/2022 08:46	WG1889036

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.380	J	0.229	0.800	1	07/02/2022 19:16	WG1888860
(S) o-Terphenyl	79.9			50.0-150		07/02/2022 19:16	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 20:36	WG1886606
Acenaphthene	U		0.0000190	0.0000500	1	06/29/2022 20:36	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 20:36	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 20:36	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 20:36	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 20:36	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 20:36	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 20:36	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 20:36	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 20:36	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 20:36	WG1886606
Fluorene	0.0000228	J	0.0000169	0.0000500	1	06/29/2022 20:36	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 20:36	WG1886606
Naphthalene	U		0.0000917	0.000250	1	06/29/2022 20:36	WG1886606
Phenanthrene	U		0.0000180	0.0000500	1	06/29/2022 20:36	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 20:36	WG1886606




Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	U		0.0000687	0.000250	1	06/29/2022 20:36	WG1886606
2-Methylnaphthalene	U		0.0000674	0.000250	1	06/29/2022 20:36	WG1886606
<i>(S)</i> Nitrobenzene-d5	76.3			31.0-160		06/29/2022 20:36	WG1886606
<i>(S)</i> 2-Fluorobiphenyl	72.6			48.0-148		06/29/2022 20:36	WG1886606
<i>(S)</i> p-Terphenyl-d14	51.1			37.0-146		06/29/2022 20:36	WG1886606

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	73.3		0.504	3.00	1	07/14/2022 17:45	WG1891176



Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	10.2		0.718	2.50	25	06/29/2022 22:36	WG1887202
(S) a,a,a-Trifluorotoluene(FID)	95.3			50.0-150		06/29/2022 22:36	WG1887202
(S) a,a,a-Trifluorotoluene(PID)	101			79.0-125		06/29/2022 22:36	WG1887202

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.0906	J	0.0188	0.200	200	07/02/2022 11:19	WG1889036
n-Butylbenzene	U		0.0314	0.200	200	07/02/2022 11:19	WG1889036
sec-Butylbenzene	U		0.0250	0.200	200	07/02/2022 11:19	WG1889036
tert-Butylbenzene	U		0.0254	0.200	200	07/02/2022 11:19	WG1889036
Ethylbenzene	0.670		0.0274	0.200	200	07/02/2022 11:19	WG1889036
Isopropylbenzene	0.0735	J	0.0210	0.200	200	07/02/2022 11:19	WG1889036
Naphthalene	U		0.200	1.00	200	07/02/2022 11:19	WG1889036
Toluene	U		0.0556	0.200	200	07/02/2022 11:19	WG1889036
1,2,4-Trimethylbenzene	1.50		0.0644	0.200	200	07/02/2022 11:19	WG1889036
1,3,5-Trimethylbenzene	0.499		0.0208	0.200	200	07/02/2022 11:19	WG1889036
m&p-Xylene	2.85		0.0860	0.400	200	07/02/2022 11:19	WG1889036
o-Xylene	0.556		0.0348	0.200	200	07/02/2022 11:19	WG1889036
(S) Toluene-d8	102			80.0-120		07/02/2022 11:19	WG1889036
(S) 4-Bromofluorobenzene	90.7			77.0-126		07/02/2022 11:19	WG1889036
(S) 1,2-Dichloroethane-d4	89.9			70.0-130		07/02/2022 11:19	WG1889036

Sample Narrative:

L1508760-03 WG1889036: Non-target compounds too high to run at a lower dilution.

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	2.57		0.229	0.800	1	07/02/2022 19:36	WG1888860
(S) o-Terphenyl	84.3			50.0-150		07/02/2022 19:36	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 20:57	WG1886606
Acenaphthene	0.000144		0.0000190	0.0000500	1	06/29/2022 20:57	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 20:57	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 20:57	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 20:57	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 20:57	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 20:57	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 20:57	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 20:57	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 20:57	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 20:57	WG1886606
Fluorene	0.000268		0.0000169	0.0000500	1	06/29/2022 20:57	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 20:57	WG1886606

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Naphthalene	0.0234		0.0000917	0.000250	1	06/29/2022 20:57	WG1886606
Phenanthrene	0.0000905		0.0000180	0.0000500	1	06/29/2022 20:57	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 20:57	WG1886606
1-Methylnaphthalene	0.00619		0.0000687	0.000250	1	06/29/2022 20:57	WG1886606
2-Methylnaphthalene	0.00969		0.0000674	0.000250	1	06/29/2022 20:57	WG1886606
<i>(S)</i> Nitrobenzene-d5	88.4			31.0-160		06/29/2022 20:57	WG1886606
<i>(S)</i> 2-Fluorobiphenyl	67.9			48.0-148		06/29/2022 20:57	WG1886606
<i>(S)</i> p-Terphenyl-d14	30.2	<u>J2</u>		37.0-146		06/29/2022 20:57	WG1886606

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	91.0		0.504	3.00	1	07/14/2022 17:48	WG1891176

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	4.88		0.0287	0.100	1	06/29/2022 21:31	WG1887202
(S) a,a,a-Trifluorotoluene(FID)	96.3			50.0-150		06/29/2022 21:31	WG1887202
(S) a,a,a-Trifluorotoluene(PID)	100			79.0-125		06/29/2022 21:31	WG1887202

Volatile Organic Compounds (GC/MS) by Method 8260C


Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.409		0.00471	0.0500	50	07/02/2022 11:38	WG1889036
n-Butylbenzene	U		0.00785	0.0500	50	07/02/2022 11:38	WG1889036
sec-Butylbenzene	U		0.00625	0.0500	50	07/02/2022 11:38	WG1889036
tert-Butylbenzene	U		0.00635	0.0500	50	07/02/2022 11:38	WG1889036
Ethylbenzene	0.373		0.00685	0.0500	50	07/02/2022 11:38	WG1889036
Isopropylbenzene	0.0286	J	0.00525	0.0500	50	07/02/2022 11:38	WG1889036
Naphthalene	U		0.0500	0.250	50	07/02/2022 11:38	WG1889036
Toluene	U		0.0139	0.0500	50	07/02/2022 11:38	WG1889036
1,2,4-Trimethylbenzene	0.401		0.0161	0.0500	50	07/02/2022 11:38	WG1889036
1,3,5-Trimethylbenzene	0.128		0.00520	0.0500	50	07/02/2022 11:38	WG1889036
m&p-Xylene	1.26		0.0215	0.100	50	07/02/2022 11:38	WG1889036
o-Xylene	0.230		0.00870	0.0500	50	07/02/2022 11:38	WG1889036
(S) Toluene-d8	101			80.0-120		07/02/2022 11:38	WG1889036
(S) 4-Bromofluorobenzene	92.3			77.0-126		07/02/2022 11:38	WG1889036
(S) 1,2-Dichloroethane-d4	89.1			70.0-130		07/02/2022 11:38	WG1889036

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.816		0.229	0.800	1	07/02/2022 19:57	WG1888860
(S) o-Terphenyl	75.8			50.0-150		07/02/2022 19:57	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 21:17	WG1886606
Acenaphthene	0.0000455	J	0.0000190	0.0000500	1	06/29/2022 21:17	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 21:17	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 21:17	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 21:17	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 21:17	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 21:17	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 21:17	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 21:17	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 21:17	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 21:17	WG1886606
Fluorene	0.0000807		0.0000169	0.0000500	1	06/29/2022 21:17	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 21:17	WG1886606
Naphthalene	0.00941		0.0000917	0.000250	1	06/29/2022 21:17	WG1886606
Phenanthrene	0.0000341	J	0.0000180	0.0000500	1	06/29/2022 21:17	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 21:17	WG1886606



Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	0.00212		0.0000687	0.000250	1	06/29/2022 21:17	WG1886606
2-Methylnaphthalene	0.00351		0.0000674	0.000250	1	06/29/2022 21:17	WG1886606
<i>(S)</i> Nitrobenzene-d5	119			31.0-160		06/29/2022 21:17	WG1886606
<i>(S)</i> 2-Fluorobiphenyl	85.8			48.0-148		06/29/2022 21:17	WG1886606
<i>(S)</i> p-Terphenyl-d14	46.0			37.0-146		06/29/2022 21:17	WG1886606

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	36.9		0.504	3.00	1	07/15/2022 23:41	WG1895635

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.223	<u>B</u>	0.0287	0.100	1	07/01/2022 18:05	WG1887984
(S) a,a,a-Trifluorotoluene(FID)	94.2			50.0-150		07/01/2022 18:05	WG1887984
(S) a,a,a-Trifluorotoluene(PID)	102			79.0-125		07/01/2022 18:05	WG1887984

Volatile Organic Compounds (GC/MS) by Method 8260C


Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.0257		0.0000941	0.00100	1	07/02/2022 09:05	WG1889036
n-Butylbenzene	U		0.000157	0.00100	1	07/02/2022 09:05	WG1889036
sec-Butylbenzene	U		0.000125	0.00100	1	07/02/2022 09:05	WG1889036
tert-Butylbenzene	U		0.000127	0.00100	1	07/02/2022 09:05	WG1889036
Ethylbenzene	0.0190		0.000137	0.00100	1	07/02/2022 09:05	WG1889036
Isopropylbenzene	0.00135		0.000105	0.00100	1	07/02/2022 09:05	WG1889036
Naphthalene	0.00105	<u>J</u>	0.00100	0.00500	1	07/02/2022 09:05	WG1889036
Toluene	0.00166		0.000278	0.00100	1	07/02/2022 09:05	WG1889036
1,2,4-Trimethylbenzene	0.0169		0.000322	0.00100	1	07/02/2022 09:05	WG1889036
1,3,5-Trimethylbenzene	0.00547		0.000104	0.00100	1	07/02/2022 09:05	WG1889036
m&p-Xylene	0.0672		0.000430	0.00200	1	07/02/2022 09:05	WG1889036
o-Xylene	0.0150		0.000174	0.00100	1	07/02/2022 09:05	WG1889036
(S) Toluene-d8	101			80.0-120		07/02/2022 09:05	WG1889036
(S) 4-Bromofluorobenzene	94.4			77.0-126		07/02/2022 09:05	WG1889036
(S) 1,2-Dichloroethane-d4	89.2			70.0-130		07/02/2022 09:05	WG1889036

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	U		0.229	0.800	1	07/02/2022 20:17	WG1888860
(S) o-Terphenyl	73.5			50.0-150		07/02/2022 20:17	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 16:56	WG1886606
Acenaphthene	U		0.0000190	0.0000500	1	06/29/2022 16:56	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 16:56	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 16:56	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 16:56	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 16:56	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 16:56	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 16:56	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 16:56	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 16:56	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 16:56	WG1886606
Fluorene	U		0.0000169	0.0000500	1	06/29/2022 16:56	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 16:56	WG1886606
Naphthalene	0.000452		0.0000917	0.000250	1	06/29/2022 16:56	WG1886606
Phenanthrene	U		0.0000180	0.0000500	1	06/29/2022 16:56	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 16:56	WG1886606



Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	0.0000743	U	0.0000687	0.000250	1	06/29/2022 16:56	WG1886606
2-Methylnaphthalene	0.000101	U	0.0000674	0.000250	1	06/29/2022 16:56	WG1886606
(S) Nitrobenzene-d5	113			31.0-160		06/29/2022 16:56	WG1886606
(S) 2-Fluorobiphenyl	123			48.0-148		06/29/2022 16:56	WG1886606
(S) p-Terphenyl-d14	134			37.0-146		06/29/2022 16:56	WG1886606

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Sodium	74.8		0.504	3.00	1	07/14/2022 17:53	WG1891176

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	9.55		0.287	1.00	10	06/29/2022 22:14	WG1887202
(S) a,a,a-Trifluorotoluene(FID)	95.7			50.0-150		06/29/2022 22:14	WG1887202
(S) a,a,a-Trifluorotoluene(PID)	101			79.0-125		06/29/2022 22:14	WG1887202

Volatile Organic Compounds (GC/MS) by Method 8260C


Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.0923		0.00471	0.0500	50	07/02/2022 11:57	WG1889036
n-Butylbenzene	U		0.00785	0.0500	50	07/02/2022 11:57	WG1889036
sec-Butylbenzene	U		0.00625	0.0500	50	07/02/2022 11:57	WG1889036
tert-Butylbenzene	U		0.00635	0.0500	50	07/02/2022 11:57	WG1889036
Ethylbenzene	0.739		0.00685	0.0500	50	07/02/2022 11:57	WG1889036
Isopropylbenzene	0.0799		0.00525	0.0500	50	07/02/2022 11:57	WG1889036
Naphthalene	0.0603	J	0.0500	0.250	50	07/02/2022 11:57	WG1889036
Toluene	0.0336	J	0.0139	0.0500	50	07/02/2022 11:57	WG1889036
1,2,4-Trimethylbenzene	1.90		0.0161	0.0500	50	07/02/2022 11:57	WG1889036
1,3,5-Trimethylbenzene	0.620		0.00520	0.0500	50	07/02/2022 11:57	WG1889036
m&p-Xylene	3.18		0.0215	0.100	50	07/02/2022 11:57	WG1889036
o-Xylene	0.596		0.00870	0.0500	50	07/02/2022 11:57	WG1889036
(S) Toluene-d8	102			80.0-120		07/02/2022 11:57	WG1889036
(S) 4-Bromofluorobenzene	92.9			77.0-126		07/02/2022 11:57	WG1889036
(S) 1,2-Dichloroethane-d4	87.6			70.0-130		07/02/2022 11:57	WG1889036

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	3.24		0.229	0.800	1	07/02/2022 20:37	WG1888860
(S) o-Terphenyl	81.9			50.0-150		07/02/2022 20:37	WG1888860

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	06/29/2022 17:16	WG1886606
Acenaphthene	0.000158		0.0000190	0.0000500	1	06/29/2022 17:16	WG1886606
Acenaphthylene	U		0.0000171	0.0000500	1	06/29/2022 17:16	WG1886606
Benzo(a)anthracene	U		0.0000203	0.0000500	1	06/29/2022 17:16	WG1886606
Benzo(a)pyrene	U		0.0000184	0.0000500	1	06/29/2022 17:16	WG1886606
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	06/29/2022 17:16	WG1886606
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	06/29/2022 17:16	WG1886606
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	06/29/2022 17:16	WG1886606
Chrysene	U		0.0000179	0.0000500	1	06/29/2022 17:16	WG1886606
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	06/29/2022 17:16	WG1886606
Fluoranthene	U		0.0000270	0.000100	1	06/29/2022 17:16	WG1886606
Fluorene	0.000301		0.0000169	0.0000500	1	06/29/2022 17:16	WG1886606
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	06/29/2022 17:16	WG1886606
Naphthalene	0.0262		0.0000917	0.000250	1	06/29/2022 17:16	WG1886606
Phenanthrene	0.000115		0.0000180	0.0000500	1	06/29/2022 17:16	WG1886606
Pyrene	U		0.0000169	0.0000500	1	06/29/2022 17:16	WG1886606



Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	0.00691		0.0000687	0.000250	1	06/29/2022 17:16	WG1886606
2-Methylnaphthalene	0.0109		0.0000674	0.000250	1	06/29/2022 17:16	WG1886606
<i>(S)</i> Nitrobenzene-d5	110			31.0-160		06/29/2022 17:16	WG1886606
<i>(S)</i> 2-Fluorobiphenyl	76.3			48.0-148		06/29/2022 17:16	WG1886606
<i>(S)</i> p-Terphenyl-d14	46.2			37.0-146		06/29/2022 17:16	WG1886606

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	07/02/2022 05:36	WG1889036
n-Butylbenzene	U		0.000157	0.00100	1	07/02/2022 05:36	WG1889036
sec-Butylbenzene	U		0.000125	0.00100	1	07/02/2022 05:36	WG1889036
tert-Butylbenzene	U		0.000127	0.00100	1	07/02/2022 05:36	WG1889036
Ethylbenzene	U		0.000137	0.00100	1	07/02/2022 05:36	WG1889036
Isopropylbenzene	U		0.000105	0.00100	1	07/02/2022 05:36	WG1889036
Naphthalene	U		0.00100	0.00500	1	07/02/2022 05:36	WG1889036
Toluene	U		0.000278	0.00100	1	07/02/2022 05:36	WG1889036
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	07/02/2022 05:36	WG1889036
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	07/02/2022 05:36	WG1889036
m&p-Xylene	U		0.000430	0.00200	1	07/02/2022 05:36	WG1889036
o-Xylene	U		0.000174	0.00100	1	07/02/2022 05:36	WG1889036
(S) Toluene-d8	103			80.0-120		07/02/2022 05:36	WG1889036
(S) 4-Bromofluorobenzene	92.2			77.0-126		07/02/2022 05:36	WG1889036
(S) 1,2-Dichloroethane-d4	89.1			70.0-130		07/02/2022 05:36	WG1889036

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3815091-1 07/14/22 17:02

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Sodium	4.29		0.504	3.00

¹Cp

²Tc

³Ss

Laboratory Control Sample (LCS)

(LCS) R3815091-2 07/14/22 17:04

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Sodium	10.0	11.9	119	80.0-120	

⁴Cn

⁵Sr

L1508853-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1508853-04 07/14/22 17:07 • (MS) R3815091-4 07/14/22 17:12 • (MSD) R3815091-5 07/14/22 17:15

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	274	280	279	64.2	53.7	1	75.0-125	<u>V</u>	<u>V</u>	0.377	20

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3815654-1 07/15/22 23:26

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Sodium	0.792	⬇	0.504	3.00

1 Cp

2 Tc

3 Ss

Laboratory Control Sample (LCS)

(LCS) R3815654-2 07/15/22 23:28

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Sodium	10.0	10.3	103	80.0-120	

4 Cn

5 Sr

L1510814-32 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1510814-32 07/15/22 23:31 • (MS) R3815654-4 07/15/22 23:36 • (MSD) R3815654-5 07/15/22 23:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium	10.0	77.9	84.8	84.7	69.0	68.1	1	75.0-125	⬇	⬇	0.106	20

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3809262-3 06/29/22 13:58

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TPHGAK C6 to C10	U		0.0287	0.100
(S) a,a,a-Trifluorotoluene(FID)	87.6			60.0-120
(S) a,a,a-Trifluorotoluene(PID)	102			79.0-125

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3809262-1 06/29/22 12:27 • (LCSD) R3809262-2 06/29/22 12:48

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPHGAK C6 to C10	5.00	5.52	5.48	110	110	60.0-120			0.727	20
(S) a,a,a-Trifluorotoluene(FID)				104	105	60.0-120				
(S) a,a,a-Trifluorotoluene(PID)				121	121	79.0-125				

L1508844-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1508844-02 06/29/22 16:53 • (MS) R3809262-4 06/29/22 22:57 • (MSD) R3809262-5 06/29/22 23:18

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPHGAK C6 to C10	2.50	U	2.09	2.64	83.6	106	1	70.0-130		J3	23.3	20
(S) a,a,a-Trifluorotoluene(FID)					84.3	85.2		50.0-150				
(S) a,a,a-Trifluorotoluene(PID)					106	109		79.0-125				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3810571-3 07/01/22 16:48

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TPHGAK C6 to C10	0.0357	↓	0.0287	0.100
(S) a,a,a-Trifluorotoluene(FID)	93.1			60.0-120
(S) a,a,a-Trifluorotoluene(PID)	104			79.0-125

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3810571-1 07/01/22 14:01 • (LCSD) R3810571-2 07/01/22 14:22

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPHGAK C6 to C10	5.00	5.01	5.49	100	110	60.0-120			9.14	20
(S) a,a,a-Trifluorotoluene(FID)				101	107	60.0-120				
(S) a,a,a-Trifluorotoluene(PID)				122	121	79.0-125				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3810562-2 07/02/22 04:39

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
n-Butylbenzene	U		0.000157	0.00100
sec-Butylbenzene	U		0.000125	0.00100
tert-Butylbenzene	U		0.000127	0.00100
Ethylbenzene	U		0.000137	0.00100
Isopropylbenzene	U		0.000105	0.00100
Naphthalene	U		0.00100	0.00500
Toluene	U		0.000278	0.00100
1,2,4-Trimethylbenzene	U		0.000322	0.00100
1,3,5-Trimethylbenzene	U		0.000104	0.00100
m&p-Xylenes	U		0.000430	0.00200
o-Xylene	U		0.000174	0.00100
(S) Toluene-d8	104			80.0-120
(S) 4-Bromofluorobenzene	90.0			77.0-126
(S) 1,2-Dichloroethane-d4	89.9			70.0-130

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3810562-1 07/02/22 04:01 • (LCSD) R3810562-3 07/02/22 10:03

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00495	0.00502	99.0	100	70.0-123			1.40	20
n-Butylbenzene	0.00500	0.00430	0.00403	86.0	80.6	73.0-125			6.48	20
sec-Butylbenzene	0.00500	0.00509	0.00494	102	98.8	75.0-125			2.99	20
tert-Butylbenzene	0.00500	0.00550	0.00540	110	108	76.0-124			1.83	20
Ethylbenzene	0.00500	0.00510	0.00499	102	99.8	79.0-123			2.18	20
Isopropylbenzene	0.00500	0.00534	0.00516	107	103	76.0-127			3.43	20
Naphthalene	0.00500	0.00412	0.00371	82.4	74.2	54.0-135			10.5	20
Toluene	0.00500	0.00486	0.00479	97.2	95.8	79.0-120			1.45	20
1,2,4-Trimethylbenzene	0.00500	0.00492	0.00479	98.4	95.8	76.0-121			2.68	20
1,3,5-Trimethylbenzene	0.00500	0.00555	0.00522	111	104	76.0-122			6.13	20
m&p-Xylenes	0.0100	0.0106	0.0103	106	103	80.0-122			2.87	20
o-Xylene	0.00500	0.00500	0.00496	100	99.2	80.0-122			0.803	20
(S) Toluene-d8				103	102	80.0-120				
(S) 4-Bromofluorobenzene				93.7	93.3	77.0-126				
(S) 1,2-Dichloroethane-d4				89.8	90.3	70.0-130				

Method Blank (MB)

(MB) R3810800-1 07/02/22 12:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
AK102 DRO C10-C25	U		0.229	0.800
(S) o-Terphenyl	72.3			60.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3810800-2 07/02/22 12:30 • (LCSD) R3810800-3 07/02/22 12:51

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
AK102 DRO C10-C25	6.00	5.85	5.77	97.5	96.2	75.0-125			1.38	20
(S) o-Terphenyl				102	81.8	60.0-120				

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3811021-2 06/29/22 14:55

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Anthracene	U		0.0000190	0.0000500
Acenaphthene	U		0.0000190	0.0000500
Acenaphthylene	U		0.0000171	0.0000500
Benzo(a)anthracene	U		0.0000203	0.0000500
Benzo(a)pyrene	U		0.0000184	0.0000500
Benzo(b)fluoranthene	U		0.0000168	0.0000500
Benzo(g,h,i)perylene	U		0.0000184	0.0000500
Benzo(k)fluoranthene	U		0.0000202	0.0000500
Chrysene	U		0.0000179	0.0000500
Dibenz(a,h)anthracene	U		0.0000160	0.0000500
Fluoranthene	U		0.0000270	0.000100
Fluorene	U		0.0000169	0.0000500
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500
Naphthalene	U		0.0000917	0.000250
Phenanthrene	U		0.0000180	0.0000500
Pyrene	U		0.0000169	0.0000500
1-Methylnaphthalene	U		0.0000687	0.000250
2-Methylnaphthalene	U		0.0000674	0.000250
<i>(S) Nitrobenzene-d5</i>	112			31.0-160
<i>(S) 2-Fluorobiphenyl</i>	116			48.0-148
<i>(S) p-Terphenyl-d14</i>	128			37.0-146

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS)

(LCS) R3811021-1 06/29/22 14:35

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Anthracene	0.00200	0.00209	105	67.0-150	
Acenaphthene	0.00200	0.00223	111	65.0-138	
Acenaphthylene	0.00200	0.00220	110	66.0-140	
Benzo(a)anthracene	0.00200	0.00213	106	61.0-140	
Benzo(a)pyrene	0.00200	0.00215	108	60.0-143	
Benzo(b)fluoranthene	0.00200	0.00206	103	58.0-141	
Benzo(g,h,i)perylene	0.00200	0.00173	86.5	52.0-153	
Benzo(k)fluoranthene	0.00200	0.00200	100	58.0-148	
Chrysene	0.00200	0.00220	110	64.0-144	
Dibenz(a,h)anthracene	0.00200	0.00174	87.0	52.0-155	
Fluoranthene	0.00200	0.00210	105	69.0-153	
Fluorene	0.00200	0.00224	112	64.0-136	

Laboratory Control Sample (LCS)

(LCS) R3811021-1 06/29/22 14:35

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Indeno(1,2,3-cd)pyrene	0.00200	0.00197	98.5	54.0-153	
Naphthalene	0.00200	0.00216	108	61.0-137	
Phenanthrene	0.00200	0.00209	105	62.0-137	
Pyrene	0.00200	0.00242	121	60.0-142	
1-Methylnaphthalene	0.00200	0.00217	108	66.0-142	
2-Methylnaphthalene	0.00200	0.00224	112	62.0-136	
(S) Nitrobenzene-d5			112	31.0-160	
(S) 2-Fluorobiphenyl			116	48.0-148	
(S) p-Terphenyl-d14			116	37.0-146	

L1509008-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1509008-03 06/29/22 18:36 • (MS) R3811021-3 06/29/22 18:56 • (MSD) R3811021-4 06/29/22 19:16

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Anthracene	0.00200	U	0.00207	0.00206	103	103	1	56.0-156			0.484	20
Acenaphthene	0.00200	U	0.00214	0.00228	107	114	1	44.0-153			6.33	20
Acenaphthylene	0.00200	U	0.00208	0.00217	104	108	1	53.0-150			4.24	20
Benzo(a)anthracene	0.00200	U	0.00205	0.00215	102	108	1	47.0-151			4.76	20
Benzo(a)pyrene	0.00200	U	0.00211	0.00227	105	114	1	45.0-146			7.31	20
Benzo(b)fluoranthene	0.00200	U	0.00209	0.00218	105	109	1	43.0-142			4.22	20
Benzo(g,h,i)perylene	0.00200	U	0.00188	0.00199	94.0	99.5	1	40.0-147			5.68	20
Benzo(k)fluoranthene	0.00200	U	0.00205	0.00216	102	108	1	43.0-148			5.23	21
Chrysene	0.00200	U	0.00222	0.00222	111	111	1	50.0-148			0.000	20
Dibenz(a,h)anthracene	0.00200	U	0.00181	0.00195	90.5	97.5	1	37.0-151			7.45	20
Fluoranthene	0.00200	U	0.00218	0.00208	109	104	1	56.0-157			4.69	20
Fluorene	0.00200	U	0.00214	0.00226	107	113	1	48.0-148			5.45	20
Indeno(1,2,3-cd)pyrene	0.00200	U	0.00206	0.00221	103	111	1	41.0-148			7.03	20
Naphthalene	0.00200	U	0.00216	0.00224	108	112	1	10.0-160			3.64	20
Phenanthrene	0.00200	U	0.00212	0.00209	106	105	1	47.0-147			1.43	20
Pyrene	0.00200	0.0000278	0.00248	0.00252	124	126	1	51.0-148			1.60	20
1-Methylnaphthalene	0.00200	U	0.00218	0.00224	109	112	1	21.0-160			2.71	20
2-Methylnaphthalene	0.00200	U	0.00222	0.00227	111	114	1	31.0-160			2.23	20
(S) Nitrobenzene-d5					106	108		31.0-160				
(S) 2-Fluorobiphenyl					110	116		48.0-148				
(S) p-Terphenyl-d14					117	122		37.0-146				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.
J3	The associated batch QC was outside the established quality control range for precision.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address: **Stantec - Anchorage, AK**
 725 E Fireweed Lane
 Suite 200
 Anchorage, AK 99503

Billing Information:
 Accounts Payable
 725 E Fireweed Lane
 Suite 200
 Anchorage, AK 99503

Report to:
 Mr. John Marshall

Email To: craig.cothron@pacelabs.com

City/State Collected: _____ Please Circle: PT MT CT ET

Project Description: **Speedway 5314**

Client Project # **185705773** Lab Project # **STAAAKSSA-5314**

Phone: **907-266-1108**

Collected by (print): **L. Simms / R.** Site/Facility ID # **0005314** P.O. # _____

Collected by (signature): *[Signature]* **Rush?** (Lab MUST Be Notified)
 ___ Same Day ___ Five Day ___ Next Day ___ 5 Day (Rad Only) ___ Two Day ___ 10 Day (Rad Only) ___ Three Day

Quote # _____ Date Results Needed _____

Immediately Packed on Ice N ___ Y

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Analysis / Container / Preservative					Remarks	Sample # (lab only)
							AK101 40mlAmb HCl	AK102 100ml Amb HCl	NAICP 250mlHDPE-HNO3	PAHSIMLVID 40mlAmb-NoPres-WT	V8260C 40mlAmb-HCl		
MW-01	<input checked="" type="checkbox"/>	GW		06/22	11:19	11	X	X	X	X	X		-01
MW-02	<input checked="" type="checkbox"/>	GW		06/22	1202	11	X	X	X	X	X		-02
MW-03	<input checked="" type="checkbox"/>	GW		06/22	1356	11	X	X	X	X	X		-03
MW-04	<input checked="" type="checkbox"/>	GW		06/22	1318	11	X	X	X	X	X		-04
RW19-01	<input checked="" type="checkbox"/>	GW		06/22 ^{6/25}	1140	11	X	X	X	X	X		-05
DUP1	<input checked="" type="checkbox"/>	GW		06/22	1356	11	X	X	X	X	X		-06
TRIP BLANK	<input checked="" type="checkbox"/>	GW		06/22	—	1					X		-07

Chain of Custody Page ___ of ___

Pace
PEOPLE ADVANCING SCIENCE

MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **U508760**
H121

Acctnum: **STAAAKSSA**
 Template: **T175036**
 Prelogin: **P932482**
 PM: **034 - Craig Cothron**
 PB: *[Signature]*

Shipped Via: **FedEX 2nd Day**

* Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks: _____ pH _____ Temp _____
 Flow _____ Other _____

Samples returned Via: UPS FedEx Courier _____ Tracking # **5829 6699 6974**

Relinquished by: (Signature) *[Signature]* Date: **6/23** Time: **1352** Received by: (Signature) _____ Trip Blank Received: Yes No
 HCL / MeOH TBR

Relinquished by: (Signature) _____ Date: _____ Time: _____ Received by: (Signature) _____ Temp: **27 ± 0 = 2.2** °C Bottles Received: **66** If preservation required by Login: Date/Time

Relinquished by: (Signature) _____ Date: _____ Time: _____ Received for lab by: (Signature) *[Signature]* Date: **6-24-22** Time: **08:45** Hold: _____ Condition: **NCF / OK**

Sample Receipt Checklist

COC Seal Present/Intact:	NP	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
COC Signed/Accurate:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Bottles arrive intact:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Correct bottles used:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Sufficient volume sent:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
If Applicable			
VOA Zero Headspace:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Preservation Correct/Checked:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
RAD Screen <0.5 mR/hr:		<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N

Laboratory Data Review Checklist

Completed By:

Jeremiah Malenfant

Title:

Geologist-In-Training

Date:

08/01/2022

Consultant Firm:

Stantec Consulting Services Inc.

Laboratory Name:

Pace Analytical

Laboratory Report Number:

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

ADEC File Number:

2265.56.037

Hazard Identification Number:

2986

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

Note: Any N/A or No box checked must have an explanation in the comments box.

1. Laboratory

a. Did an ADEC CS approved laboratory receive and perform all of the submitted sample analyses?

Yes No N/A Comments:

b. If the samples were transferred to another “network” laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses ADEC CS approved?

Yes No N/A Comments:

Samples not transferred

2. Chain of Custody (CoC)

a. CoC information completed, signed, and dated (including released/received by)?

Yes No N/A Comments:

b. Correct analyses requested?

Yes No N/A Comments:

3. Laboratory Sample Receipt Documentation

a. Sample/cooler temperature documented and within range at receipt (0° to 6° C)?

Yes No N/A Comments:

2.2 °C

b. Sample preservation acceptable – acidified waters, Methanol preserved VOC soil (GRO, BTEX, Volatile Chlorinated Solvents, etc.)?

Yes No N/A Comments:

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

c. Sample condition documented – broken, leaking (Methanol), zero headspace (VOC vials)?

Yes No N/A Comments:

d. If there were any discrepancies, were they documented? For example, incorrect sample containers/preservation, sample temperature outside of acceptable range, insufficient or missing samples, etc.?

Yes No N/A Comments:

No discrepancies documented.

e. Data quality or usability affected?

Comments:

No.

4. Case Narrative

a. Present and understandable?

Yes No N/A Comments:

b. Discrepancies, errors, or QC failures identified by the lab?

Yes No N/A Comments:

Case narrative documents no errors or discrepancies “unless qualified or notated within report”

c. Were all corrective actions documented?

Yes No N/A Comments:

No corrective actions taken.

d. What is the effect on data quality/usability according to the case narrative?

Comments:

No effect on data quality/usability.

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

5. Samples Results

a. Correct analyses performed/reported as requested on COC?

Yes No N/A Comments:

b. All applicable holding times met?

Yes No N/A Comments:

c. All soils reported on a dry weight basis?

Yes No N/A Comments:

No soil samples submitted to lab.

d. Are the reported LOQs less than the Cleanup Level or the minimum required detection level for the project?

Yes No N/A Comments:

e. Data quality or usability affected?

6. QC Samples

a. Method Blank

i. One method blank reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

ii. All method blank results less than limit of quantitation (LOQ) or project specified objectives?

Yes No N/A Comments:

GRO by AK101 detected at 0.0357 mg/L, below MDL, and sodium detected at 4.29 and 0.792 (0.792 below MDL as well).

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

iii. If above LOQ or project specified objectives, what samples are affected?

Comments:

GRO in RW19-1, sodium in all samples.

iv. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

v. Data quality or usability affected?

Comments:

No, discrepancy tagged in RW19-1 and well below GCL.

b. Laboratory Control Sample/Duplicate (LCS/LCSD)

i. Organics – One LCS/LCSD reported per matrix, analysis and 20 samples? (LCS/LCSD required per AK methods, LCS required per SW846)

Yes No N/A Comments:

ii. Metals/Inorganics – one LCS and one sample duplicate reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from LCS/LCSD, and or sample/sample duplicate. (AK Petroleum methods 20%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

N/A

vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

No affected samples

vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

No.

c. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Note: Leave blank if not required for project

i. Organics – One MS/MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

ii. Metals/Inorganics – one MS and one MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable?

Yes No N/A Comments:

Sodium below acceptable limits due to high concentration.

iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from MS/MSD, and or sample/sample duplicate.

Yes No N/A Comments:

GRO above RPD limits.

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

All

vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

GRO RPD high but within acceptable limits in the field duplicate. No unexpected exceedances in GRO but casts doubt on results. Sodium is only used as a tracker for the chemox, so any impact on the values is trivial.

d. Surrogates – Organics Only or Isotope Dilution Analytes (IDA) – Isotope Dilution Methods Only

i. Are surrogate/IDA recoveries reported for organic analyses – field, QC and laboratory samples?

Yes No N/A Comments:

Not included.

ii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods 50-150 %R for field samples and 60-120 %R for QC samples; all other analyses see the laboratory report pages)

Yes No N/A Comments:

Not included.

iii. Do the sample results with failed surrogate/IDA recoveries have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

Not included.

iv. Data quality or usability affected?

Comments:

No affected samples.

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

e. Trip Blanks

i. One trip blank reported per matrix, analysis and for each cooler containing volatile samples?
(If not, enter explanation below.)

Yes No N/A Comments:

ii. Is the cooler used to transport the trip blank and VOA samples clearly indicated on the COC?
(If not, a comment explaining why must be entered below)

Yes No N/A Comments:

iii. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

iv. If above LOQ or project specified objectives, what samples are affected?

Comments:

No affected samples.

v. Data quality or usability affected?

Comments:

No affected samples.

f. Field Duplicate

i. One field duplicate submitted per matrix, analysis and 10 project samples?

Yes No N/A Comments:

ii. Submitted blind to lab?

Yes No N/A Comments:

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

iii. Precision – All relative percent differences (RPD) less than specified project objectives?
(Recommended: 30% water, 50% soil)

$$RPD (\%) = \text{Absolute value of: } \frac{(R_1 - R_2)}{((R_1 + R_2) / 2)} \times 100$$

Where R_1 = Sample Concentration
 R_2 = Field Duplicate Concentration

Yes No N/A Comments:

iv. Data quality or usability affected? (Use the comment box to explain why or why not.)

Comments:

No.

g. Decontamination or Equipment Blank (If not applicable, a comment stating why must be entered below)?

Yes No N/A Comments:

All disposable equipment.

i. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

All disposable equipment.

ii. If above LOQ or project specified objectives, what samples are affected?

Comments:

None.

iii. Data quality or usability affected?

Comments:

No.

L1508760

Laboratory Report Date:

07/22/2022

CS Site Name:

Speedway 5314 (Former T2GM #76)

7. Other Data Flags/Qualifiers (ACOE, AFCEE, Lab Specific, etc.)

a. Defined and appropriate?

Yes No N/A

Comments: