



September 20, 2022

Letter No: 49485
ADEC File No. 330.38.077

Evonne Reese
Institutional Control Unit
Alaska Department of Environmental Conservation
410 Willoughby Ave Suite 303
PO Box 111800
Juneau, Alaska 99811-1800

RE: Institutional Controls Verification for Alyeska PS 10 Fuel Island, Mile 218 Richardson Hwy.

Dear Ms. Reese,

As required by the June 10, 2008, Record of Decision (ROD) for the above referenced site, Alyeska Pipeline Service Company (Alyeska) is providing status of the associated Institutional Controls (ICs). Verification of each site-specific standard condition or IC specified in the ROD or ADEC's May 17, 2017, IC Verification letter are provided below.

1. Groundwater wells shall not be installed on this property without prior approval from ADEC.
 - Groundwater wells were installed at the PS12 BL2 site (ADEC file ID 330.38.141) with ADEC approval in 2021.
2. Soil Containing Residual Contamination may not be placed in surface water or other environmentally-sensitive areas.
 - Soil has not been disturbed at the PS 10 Fuel Island site.
3. Any proposal to transport soil or groundwater off site requires ADEC approval in accordance with 18 AAC 75.325(i). A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership. **This is a standard condition.**
 - No new soil or groundwater has been transported off-site from the affected area.
4. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited. **This is a standard condition.**
 - Contaminated soil in the vicinity of the former fuel island area has not been disturbed or made accessible since issuance of the 2008 ROD. Pump Station 10 decommissioning demolition activities that occurred in 2019 were focused on the removal of aboveground structures and did not disturb building foundations or other belowground structures. ADEC was notified of the demolition in an email dated February 5th, 2020.
5. You are required to notify the ADEC if there are any changes in land use or ownership.
 - No change in ownership or land use has occurred.
6. In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.
 - No new information has become available regarding contamination at the site.

Please contact me via e-mail or at 907-227-8387 if you have any questions.

Sincerely,

Christophe Venot
Response and Remediation SME
Alyeska Pipeline Service Company

Cc: Laura Jacobs, ADEC, laura.jacobs@alaska.gov
ADEC Contaminated Site Submittals, cs.submittals@alaska.gov
BLM Records, blm_ak_bpm_records@blm.gov
ADNR/SPCS Records, SPCO.Records@alaska.gov