

September 3Q 2022 GWM
Event Report for
7-Eleven for Tesoro Northstore
(TNS) Store #111
November 17, 2022

Prepared For



AUTHORIZATION TO SUBMIT REPORT

Stantec has been authorized by the client, 7-Eleven (representative Paula Sime, PG, Manager – Environmental Services) to submit the enclosed report to the Alaska Department of Environmental Conservation. If you have any questions or need additional information concerning this groundwater monitoring report, please contact me at (907) 227-9883 or via email at bob.gilfilian@stantec.com.

Regards,

STANTEC CONSULTING SERVICES, INC.



Robert (Bob) Gilfilian, P.E.

Project Technical Lead

Principal Senior Civil Engineer

TABLE OF CONTENTS

ACRONYMS AND ABBREVIATIONS	II
1.0 INTRODUCTION	1
2.0 SITE BACKGROUND	1
3.0 FIELD ACTIVITIES	1
4.0 GROUNDWATER MONITORING RESULTS	1
4.1 GROUNDWATER LEVELS	1
4.2 FIELD PARAMETERS.....	2
4.3 WATER SAMPLE ANALYTICAL RESULTS	3
4.4 QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC) REVIEW	4
5.0 REMEDIATION SYSTEM OPERATION AND IN-SITU CHEMOX REMEDIATION.....	5
6.0 CONCLUSIONS AND RECOMMENDATIONS	6
6.1 PROPOSED ACTIVITIES	7
7.0 LIMITATIONS.....	7

LIST OF TABLES

Table 1 Groundwater Elevations	2
Table 2 Field Measured Intrinsic Water Quality Parameters.....	3
Table 3 Groundwater Analytical Results	4
Table 4 Laboratory Quality Control Objectives	5

LIST OF FIGURES

Figure 1	Location and Vicinity Map
Figure 2	Site Map with Analytical Data
Figure 3	Groundwater Elevation Contours

LIST OF APPENDICES

Appendix A	Site Background
Appendix B	Field Methods and Procedures
Appendix C	Field Measurements and Notes
Appendix D	Tables of Historical Monitoring Data
Appendix E	Laboratory Analytical Report and ADEC Laboratory Data Review Checklist

ACRONYMS AND ABBREVIATIONS

AAC	Alaska Administrative Code
ADEC	Alaska Department of Environmental Conservation
AK	Alaska Test Method
amsl	above mean sea level
B	analyte detected in associated blank
BTEX	benzene, toluene, ethylbenzene, and xylenes
chemox	chemical oxidation
DO	dissolved oxygen
DRO	diesel range organics
DUP	duplicate sample
EPA	U.S. Environmental Protection Agency
G	monitor well label
GCL	groundwater cleanup level
gpm	gallons per minute
GRO	gasoline range organics
J	The identification of the analyte is acceptable; the reported value is an estimate.
Klozur® One	Trademarked chemical oxidizer developed by PeroxyChem
LLC	limited-liability company
mg/L	milligrams per liter
MW	monitoring well
NA	Not applicable
NE	Northeast
NM	Not measured
ORP	oxidation-reduction potential
PAH	polycyclic aromatic hydrocarbon
QA/QC	quality assurance/ quality control
RM	remediation well
SE	Southeast
SIM	selective ion monitoring
Speedway	Speedway, LLC
Stantec	Stantec Consulting Services Inc.
SVE	Soil vapor extraction
Tesoro	Tesoro Refining and Marketing Company
TMB	trimethylbenzene
U	analyte not detected above the reported detection limit in parentheses
UST	underground storage tank
VOC	volatile organic compound
WP	Work Plan

1.0 INTRODUCTION

This third quarter 2022 semiannual Groundwater Monitoring Event Report was prepared by Stantec Consulting Services Inc. (Stantec) on behalf of 7-Eleven for Tesoro Northstore (TNS) Store #111, located at 3679 College Road, Fairbanks, Alaska (**Figure 1**). The methods used for this monitoring event were conducted in accordance with the 2022 Alaska Department of Environmental Conservation (ADEC) approved Work Plans for this site.

On September 20 and 21, 2022, the Stantec field team, which included Engineer in Training (EIT) Geoff Moorhead and EIT Leslie Petre, conducted the 4th quarter analytical sampling event of Monitoring Wells G-1, G-5, MW-10, MW-11, MW-12, MW-13, MW-16, MW-17-1, MW-17-2, and Remediation Wells RM-1 and RM-2.

2.0 SITE BACKGROUND

Background information for this site is summarized in **Appendix A**.

3.0 FIELD ACTIVITIES

The following field activities were conducted during the September 20 and 21, 2022, monitoring event:

- Measured static groundwater levels at Monitoring and Remediation Wells G-1, G-5, MW-10, MW-11, MW-12, MW-13, MW-16, MW-17-1, MW-17-2, and RM-1.
 - Remediation well RM-2 was pumping and the water level was not measured prior to sampling.
- Collected field measurements of the following intrinsic water quality parameters from wells G-1, G-5, MW-10, MW-11, MW-12, MW-13, MW-16, MW-17-1, MW-17-2, and RM-1: pH, temperature, oxidation-reduction potential, dissolved oxygen, and conductivity.
- Samples from the above locations were submitted for the following laboratory analysis: GRO by Alaska Test Method (AK)101, DRO by AK102, volatile organic compounds (VOCs) by U.S. Environmental Protection Agency (EPA) Test Method 8260C, polycyclic aromatic hydrocarbons (PAHs) by EPA Test Method 8270D with selective ion monitoring (SIM), and Metals 6010 for sodium.

Field methods and procedures are provided in **Appendix B**, and field measurements and notes are provided in **Appendix C**.

4.0 GROUNDWATER MONITORING RESULTS

4.1 GROUNDWATER LEVELS

Table 1 presents groundwater elevations at this site based on the depths to groundwater measured during the September 2022 monitoring event. During the monitoring event the groundwater flow was determined to be to the north at approximately 345° towards the pump and treat wells (RM-1 and RM-2) with a

gradient of 0.006 feet per foot. The groundwater level was not measured in RM-2, making it difficult to determine the effect of the pump's drawdown on the groundwater system.

Table 1 Groundwater Elevations
Measured on September 20 and 21, 2022

Monitoring Well Identification	Top of Casing Elevation (feet) ¹	Depth to Groundwater (feet)	Groundwater Elevation (feet amsl)
G-1	429.97	12.50	417.47
G-5	431.36	12.49	418.87
MW-10	430.12	12.67	417.45
MW-11	430.50	13.05	417.45
MW-12	427.84	10.30	417.54
MW-13	429.76	12.22	417.54
MW-16	429.29	11.78	417.51
MW-17-1	430.17	13.03	417.14
MW-17-2	430.79	12.68	418.11
RM-1	428.22	10.79	417.43
RM-2	430.79	NM	NC

Key:

1 Based on a vertical control survey completed on July 21, 2021, using an elevation datum of 432.00 feet located on the concrete sidewalk next to the front entrance of the store.

amsl above mean sea level

NM Not measured

4.2 FIELD PARAMETERS

The results of water quality parameter testing of the water samples collected during this monitoring event are presented in **Table 2**. DO levels are higher in MW-12 than in the rest of the wells, which is consistent with the pattern observed in previous events. Low specific conductance in well MW-16 is reflective of its position outside the region of influence of chemical oxidation (chemox) treatment.

Table 2 Field Measured Intrinsic Water Quality Parameters
Measured on September 20 and 21, 2022

Monitoring Well Identification	Volume Purged (gallons)	Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Specific Conductance ($\mu\text{S}/\text{cm }^{\circ}\text{C}$)	ORP (mV)
G-1	11.5	4.3	6.25	2.94	1740	137.9
G-5	3	4.6	6.34	2.33	1130	84.6
MW-10	9	5.4	6.41	5.50	1350	72
MW-11	6	4.2	6.49	5.90	1370	50.1
MW-12	7	5.7	6.42	21.16	1130	159.8
MW-13	6	6.6	6.16	4.39	1050	167.6
MW-16	12	6.4	6.34	2.20	283	152.7
MW-17-1	3	4.5	6.34	1.43	1650	60
MW-17-2	3	5.2	6.18	1.16	2140	112
RM-1	160	7.0	6.41	2.12	1000	30.6
RM-2	NM	NM	NM	NM	NM	NM

Key:

°C degrees Celsius
 $\mu\text{s}/\text{cm}^{\circ}\text{C}$ microSiemens per centimeter degrees Celsius
mg/L milligrams per liter
mV millivolts
DO Dissolved Oxygen

ORP oxidation-reduction potential
pH $\log [\text{H}^+]$
NM Not measured

4.3 WATER SAMPLE ANALYTICAL RESULTS

All wells were sampled in accordance with the 2022 Work Plan. Historical monitoring data for this site are tabulated in **Appendix D**. Laboratory analytical results for compounds detected in groundwater samples collected during these events are summarized in **Table 3**. The laboratory analytical reports are provided in **Appendix E**. Low sodium levels in MW-16 indicate its position outside the zone influenced by chemox treatment. Sodium is a good indicator of the presence of the Klorzur® One product.

In addition, the field staff found MW-16 inundated with storm water runoff from the surrounding driveway. After clearing mud and water off the casing staff noticed the well cap had been flipped over, indicating the well had potentially been compromised. Nonetheless, a water sample was collected for analyses. The well cap and expansion plug were properly reinstalled to maintain well integrity.

Table 3 Groundwater Analytical Results
Samples Collected on September 20 and 21, 2022

ID	BENZENE	TOLUENE	ETHYL-BENZENE	XYLENE (TOTAL)	GRO	DRO	1,2,4-TMB	1,3,5-TMB	NAPHTHALENE ¹	SODIUM
UNITS	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
G-1	0.000813 J (0.00100)	U (0.00100)	U (0.00100)	U (0.00300)	U (0.100)	0.367 J (0.800)	U (0.00100)	U (0.00100)	0.000752	78.5
G-5	0.0476	0.0200	0.266	0.666	2.89	1.05	0.122	0.0446	0.0357	61.5
MW-10	0.00210	0.000407 J (0.00100)	0.00955	0.0250	0.105	1.34	0.0201	0.00596	0.00150	111
MW-11	0.00578	0.000431 J (0.00100)	0.315	0.733	2.53	1.63	0.227	0.0610	0.0441	102
MW-12	0.0240	0.00243	0.0980	0.188	0.528	0.787 J (0.840)	0.0572	0.0238	0.00580	66.5
MW-13	0.00797	0.00120	0.0309	0.0724	0.293	0.569 J (0.800)	0.0153	0.00749	U (0.000250)	64.1
MW-16	U (0.00100)	U (0.00100)	U (0.00100)	U (0.00300)	U (0.100)	2.42	U (0.00100)	U (0.00100)	0.000122 J (0.000250)	13.5
MW-17-1	0.360	0.313	1.41	4.20	15.0	4.20	0.761	0.172	0.138	117
MW-17-2	0.0320	0.00103	0.00624	0.00624	0.184 B	2.49	0.00182	0.000270 J (0.00100)	0.000350	206
DUP 1	0.0327	0.00110	0.00702	0.0198	0.194	3.13	0.00208	0.000324 J (0.00100)	0.000392	206
RM-1	0.000860 J (0.00100)	0.00259	0.266	1.98	6.64	3.32	0.819	0.313	0.0692	62.8
DUP 2	0.000939 J (0.00500)	0.00260 J (0.00500)	0.265	1.86	7.88	3.13	0.826	0.320	0.0699	62.7
RM-2	0.0484	0.0271	0.286	0.756	2.96	0.950	0.147	0.0549	0.0374	60.4
GCLS	0.0046	1.1	0.015	0.19	2.2	1.5	0.056	0.06	0.0017	NA

Key:

1 Results from VOC Method 8270 D

GCLs Groundwater cleanup levels, 18 AAC 75.345, Table C, (9/18/2019)

Bold indicates the concentration exceeds the GCL or the estimated quantitation limit exceeds the GCL

GRO Gasoline range organics analyzed by AK101.

DUP Duplicate sample of the preceding sample.

mg/L milligrams per liter

DRO Diesel range organics analyzed by AK102.

NA Not Applicable.

J The identification of the analyte is acceptable; the reported value is an estimate.

U() Undetected above practical quantitation limits shown in parentheses.

B Analyte found in associated blank.

4.4 QUALITY ASSURANCE (QA)/QUALITY CONTROL (QC) REVIEW

Pace Analytical performed all analysis of groundwater samples for the September 2022 sampling event. Pace Analytical did not meet all laboratory QA/QC criteria during the analysis of groundwater samples for this sampling event.

DUP 1 is a duplicate of sample MW-17-2 and DUP 2 is a duplicate sample of sample RM-1. The duplicate sample sets were collected to determine the precision of the field collection and laboratory analysis for this sampling event. Data presented in **Table 4** shows the laboratory exceeded precision tolerances only

for xylenes in MW-17-1. Laboratory QC data and the ADEC Laboratory Data Review Checklists are included in **Appendix E**.

Table 4 Laboratory Quality Control Objectives

Samples Collected on September 20 and 21, 2022

Quality Control Designation	Tolerance	Results for This Event	
Holding Times			
DRO/Water/to analyze	40 days	15 days ¹	
DRO/Water/to extract	14 days	14 days ¹	
GRO/Water/to analyze	14 days	10 days ¹	
VOCs/Water/to analyze	14 days	13 days ¹	
PAHs/Water/to analyze	40 days	8 days ¹	
PAHs/Water/to extract	7 days	6 days ¹	
Field Duplicate – Precision		MW-17-2	RM-1
Benzene/Water	± 30%	2.2%	8.8%
Toluene/Water	± 30%	6.6%	0.39%
Ethylbenzene/Water	± 30%	12%	0.38%
Xylenes/Water	± 30%	104%	6.3%
GRO/Water	± 30%	5.3%	17%
DRO/Water	± 30%	23%	5.9%
1,2,4-Trimethylbenzene	± 30%	13%	0.85%
1,3,5-Trimethylbenzene	± 30%	18%	2.2%
Naphthalene	± 30%	11%	1.0%

Key:

% Absolute value percentage of variance
 ± Absolute Value

DRO diesel range organics
 GRO gasoline range organics

1 Maximum time. Some samples extracted or analyzed earlier.

PAH Polycyclic aromatic hydrocarbon
 VOC Volatile organic compound
BOLD Exceeds precision tolerance
 NC Not Calculated, undetected in duplicate

5.0 REMEDIATION SYSTEM OPERATION AND IN-SITU CHEMOX REMEDIATION

In July of 2022, Stantec staff assessed the former air sparge lines for continuity and began injecting recirculated groundwater from remediation well RM-2 into the formation via the following former air sparge wells: AS-4, AS-12, and AS-14. In addition, chemox was injected into the 4" diameter injection well located in the southeast corner of the UST footprint. After the October chemox event, flow to the air sparge wells was stopped to winterize the system and avoid freezing. Water from RM-2 is discharged at a rate of approximately 2 gallons per minute.

Groundwater contamination is treated in-situ through monthly injections of the chemical oxidation (chemox) product Klorzur® One. Chemox events were scheduled to begin in the first quarter in 2022 but was delayed due to freezing conditions. Chemox events were completed on July 27, August 16, September 27, and October 11. A typical monthly chemox event on this site involves the injection of a total of 10 – 55 pound bags of Klorzur® One into the formation via the AS wells, former SVE horizontal wells beneath

the fuel island dispensers and the 4" diameter injection well located at the southeast corner of the UST tanks. Typically, a bag of the chemical is mixed to a ratio of 1 pound per gallon of water (about 120 g/L), but staff onsite chose to mix the chemical with a half a bag of Klozur® per mixing drum (approximately 60 g/L) due to fears that undissolved product would clog injection wells. This is still within the manufacturer's suggested range of mixing ratios (50-200 g/L). Each injection of chemox product involved 550 pounds of Klozur® One and approximately 1700 gallons of water sourced from remediation well RM-2. Following the injection of the chemox solution, the additional water was added as a means to "hydraulically push" the chemical mixture into the groundwater aquifer.

6.0 CONCLUSIONS AND RECOMMENDATIONS

Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (updated September 18, 2019) for all wells except G-1 and MW-10. Monitoring wells and the respective analytes in exceedance of ADEC GCLs included:

- Monitoring Well G-5: Benzene, ethylbenzene, total xylenes, GRO, 1,2,4-trimethylbenzene (TMB), and naphthalene.
- Monitoring Well MW-11: Benzene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- Monitoring Well MW-12: Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene.
- Monitoring Well MW-13: Benzene and ethylbenzene.
- Monitoring Well MW-16: DRO.
- Monitoring Well MW 17-1: Benzene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- Monitoring Well MW 17-2: Benzene and DRO.
- Remediation Well RM-1: Ethylbenzene, total xylenes, GRO, DRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- Remediation Well RM-2: Benzene, ethylbenzene, total xylenes, GRO, 1,2,4-TMB, and naphthalene.

During the monitoring event, the groundwater flow was determined to be to the north at approximately 345° towards the pump and treat Remediation Wells (RM-1 and RM-2) with a gradient of 0.006 feet per foot. The groundwater level was not measured in RM-2, making it difficult to determine the effect of the pump's drawdown on the groundwater system.

Between July and October 2022, chemox treatments were conducted which involved the injection of 550 pounds of Klozur® One and 1700 gallons of water from the onsite remediation well into formation to treat in-situ contamination.

6.1 PROPOSED ACTIVITIES

No anomalies were found during the September 2022 groundwater monitoring event that would require additional corrective action or changes to the approved year 2022 Corrective Action Work Plan for this site.

7.0 LIMITATIONS


Stantec conducted this monitoring event in accordance with the 2022 Corrective Action Work Plan approved by ADEC, and in a manner consistent with the level of skill ordinarily exercised by members of the profession currently practicing under similar conditions. All sampling activities were completed in accordance with the ADEC *Underground Storage Tanks Procedures Manual – Standard Sampling Procedures* (March 22, 2017). The conclusions in this report are Stantec's professional opinion, as of the time of the report, and concerning the scope described in the report. The opinions in the document are based on conditions and information existing at the time the scope of work was conducted and do not take into account any subsequent changes. This report relates solely to the specific project for which Stantec was retained and the stated purpose for which the report was prepared. The report is not to be used or relied on for any variation or extension of the project, or for any other project or purpose, and any unauthorized use or reliance is at the recipient's own risk.

This report is intended solely for use by the client in accordance with Stantec's contract with the client. While the report may be provided to applicable authorities having jurisdiction and others for whom the client is responsible, Stantec does not warrant the services to any third party. The report may not be relied upon by any other party without the express written consent of Stantec, which may be withheld at Stantec's discretion.

FIGURES

- Figure 1 Location and Vicinity Map
 - Figure 2 Site Map Plan with Analytical Data
 - Figure 3 Groundwater Elevation Contours
-





APPROXIMATE

0 50'

FARMERS
LOOP ROAD



LOT 1A

LOT 1

LOT 2

LOT 3

NORTH SHANLY SUBDIVISION



COLLEGE ROAD

G-6

UNDERGROUND
STORAGE TANKS

MALL

RM-1 417.4
RM-2 417.4
MW-13 417.5
MW-16 417.5
MW-11 417.5
MW-10 417.4
MW-17-2 417.6
MW-12 417.5
MW-17-1 417.5
G-5 417.6
G-1 417.5

DISPENSER
ISLAND
(TYP OF 2)

TESORO
#111

G-2

G-9

UNIVERSITY AVENUE

REMAINDER OF
BLOCK 1
SHANLY HOMESTEAD

MALL

THOMAS STREET

LEGEND:

— - - PROPERTY LINE



MONITORING WELL LOCATION

APPENDIX A

Site Background

APPENDIX A – SITE BACKGROUND

Tesoro Northstore #111 (3679 College Road, Fairbanks, Alaska) ADEC Facility ID #1112; ADEC File #102.26.026

Tesoro 2 Go Mart #111 is a retail fuel service station located at the corner of University Drive and College Road in Fairbanks, Alaska. The service station is operated in conjunction with a Tesoro convenience store. A fuel dispensing service station is reported to have been operated at this site since 1971.

Gilfilian Engineering & Environmental Testing (GE²T), MWH Americas, Inc. (MWH), and Stantec Consulting Services Inc. (Stantec) have performed numerous site investigations and monitoring events at this site since 1995.

November 1990. Shannon & Wilson Inc. installed three groundwater monitoring wells (MW-1, MW-3, and MW-4) and drilled one soil boring (SB-2) at the site to evaluate potential for soil and groundwater contamination prior to right-of-way acquisition. Monitoring Well MW-1 and Boring SB-2 were drilled near the former underground storage tanks (USTs). Petroleum hydrocarbons were detected above Alaska Department of Environmental Conservation (ADEC) soil cleanup levels (SCLs) in MW-1 and Boring SB-2.

February 1991. A release investigation (RI) was conducted by Shannon & Wilson Inc., during which two monitoring wells (MW-10 and MW-16) and seven soil borings were installed. Petroleum hydrocarbons were detected above SCLs in six of the nine soil borings. Petroleum-related compounds were detected in all monitoring wells sampled. The highest concentrations were detected in MW-1 and MW-10.

September 1992. Two 12,000-gallon USTs, one 8,000-gallon UST, and one 1,000-gallon UST were removed and replaced with three 10,000-gallon STIP-3, single wall USTs. Petroleum hydrocarbons were detected above SCLs in the UST removal excavations. Due to a nearby high flow groundwater extraction process along the Chena River, operated by a non-Tesoro entity, the groundwater table was lowered by many feet in the surrounding area. Prior to the pumping operation, the groundwater table was typically 12 feet below the ground surface (bgs). When the USTs were replaced, the groundwater was found at 22 feet bgs. After the pumping operation along the Chena River was completed, the groundwater table returned to normal levels. The drop and rise of the groundwater resulted in spreading the smear zone of petroleum contamination over a 12-foot vertical range beneath the site.

July 1995. GE²T installed two new monitoring wells (G-1 and G-2). Petroleum hydrocarbons were not detected above SCLs but were above the ADEC groundwater cleanup levels (GCLs) in both monitoring wells.

August through October 1998. The canopy and fuel dispenser system were upgraded to include new fuel dispensers, a tank monitoring system, and a cathodic protection system. Soil samples collected from below the former dispensers and piping exceeded SCLs for hydrocarbons. As a result, piping was laid in these excavations for expansion of the air sparge (AS) and soil vapor

extraction (SVE) system. In addition, six vertical cathodic protection anodes were spaced around the USTs.

May 1991. A Phase III RI was conducted that involved drilling two soil borings off the site and installing two new monitoring wells (G-3 and G-4). Petroleum hydrocarbons were not detected above SCLs (borings) or GCLs (monitoring wells), indicating these wells are located beyond the extent of groundwater contamination at the site.

May 2001. A RI was conducted that involved drilling two soil borings and installing two new monitoring wells (on-site G-5 and off-site G-6). Samples collected from G-6 did not exceed SCLs or GCLs, but both were exceeded in samples from G-5 (on-site well)

May 2003. Four additional AS wells were installed at the site. Benzene was detected above the SCL in AS Wells AS-13 and AS-14, and diesel range organics (DRO) was detected slightly above the SCL in AS-14. No other compounds were detected above the SCLs.

November 2003. A RI was performed at the site. The RI involved drilling one soil boring that was completed as a 2-inch diameter monitoring well (G-9). No analytes of concern were detected at concentrations above the laboratory practical quantitation limits (PQLs) in soil or groundwater samples collected during the RI.

June 2010. A sampling event was conducted for sulfolane in Monitoring Well MW-10. Sample results were non-detect.

June 2012. MWH conducted an UST closure site assessment. The former UST system consisted of three 10,000-gallon capacity gasoline and diesel tanks, associated piping, and three dispenser islands with one overhead canopy. The three USTs were replaced with two, multi-compartment, 15,000-gallon capacity fiberglass USTs. Petroleum-contaminated soil was encountered during the UST removal. The contaminated soil was removed from the site for off-site thermal treatment. Soil contamination was found at 13 feet bgs, a couple of feet below the bottom of the new USTs. Due to the groundwater conditions, the saturated contaminated soil could not be removed and, therefore, was left in-place.

September 2012. A RI was performed at the site. The RI involved advancing four soil borings (three around the new USTs in the northern portion of the site and one along the west edge of the site) and collecting three soil samples from each soil boring. Three groundwater monitoring wells (MW-11, MW-12, and MW-13) and one air lift well (RM-1) were installed in the four soil borings and groundwater samples were collected. Petroleum hydrocarbons were detected above SCLs in the soil borings along the west edge of the site, the northern portion of the property line on the east side of the USTS, and the northern side of the dispenser island. Petroleum hydrocarbons were detected above the GCLs in all three monitoring wells.

June 2013. A first round of chemical oxidation application of Klozur CR® was injected into two on-site wells (Monitoring Well MW-10 and AS Well AS-9). Monitoring Well G-5 was used to measure the chemical oxidation impact to the groundwater table. The prior and post injection results of intrinsic parameters clearly indicated the effectiveness of the chemical oxidant – in particular with respect to the sodium, pH, total organic carbon (TOC), and dissolved oxygen levels.

The laboratory analytical results indicated significant reductions in the petroleum contaminants of concern.

July 2013. A pump test was conducted of Remediation Well RM-1, which was initially designed and constructed to serve as an air-lift well. Due to concerns about maintaining a continuous pumping air-lift well in the sub-Arctic climate found in the Fairbanks area, it was decided to pump the well with a submersible well pump. The field test data collected during the 2-day well pump test indicated that, by recirculating the water pumped from RM-1 into the upgradient horizontal wells that were installed along the bottom edge of the USTs, the contaminated groundwater flowing beneath the USTs would be captured in RM-1. Then the groundwater could be pumped (re-circulated) back into the upgradient horizontal wells. On a quarterly basis, the groundwater would undergo chemical oxidation with the injection of Klorozur CR® into the horizontal wells. Also, it was initially planned to add air in the well pump discharge line via a venturi air injector.

August/September 2013. Two rounds of Klorozur CR® were injected into one on-site well (Monitoring Well MW-12). Water samples were collected from Monitoring Wells MW-12 and MW-13, and Remediation Well RM-1 prior to and approximately 6 and 8 weeks after the first round of Klorozur CR® application. Most analytes of concern showed a significant reduction in concentrations. In addition, the dissolved oxygen level in MW-12 was noted to be very high, which confirmed the claim that Klorozur CR® provides an extended oxygen release for long-term remediation of contaminant plumes in groundwater. Given these positive preliminary pilot test findings, MWH recommended additional rounds of application of Klorozur CR® chemical oxidant to treat the residual contamination found in the area beneath the USTs.

March 2014. Petroleum compounds were found to exceed GCLs in Monitoring Wells G-1, MW-10, MW-11, MW-12, MW-16, and Remediation Well RM-1. The SVE system remained in operation. The AS system operation was temporarily inactive pending system upgrades.

July 2014. Petroleum compounds were found to exceed GCLs in Monitoring Wells G-5, MW-10, MW-11, and MW-16, as well as Remediation Well RM-1. The SVE system remained in operation. The AS system operation was temporarily inactive pending system upgrades. During July, Remediation Well RM-1 was outfitted with a submersible pump and linked to a series of horizontal injection wells which were positioned at the water table interface along the east and southern periphery of the UST system upgrades at the site. An in-line venturi was installed to aerate water within the remediation system prior to injection.

March 2015. Petroleum compounds were found to exceed GCLs in Monitoring Wells MW-10, MW-11, MW-12, and MW-16, as well as Remediation Well RM-1. The SVE system remained in operation. The operation of the groundwater circulation system was suspended due to mineral deposits or biological growth (related to the abundance of aqueous iron in the system) that fouled the submersible pump and lowered the efficiency of the well screen at the remediation well (RM-1).

July 2015. Petroleum compounds were found to exceed GCLs in Monitoring Wells MW-10, MW-11, MW-12, and MW-16, as well as Remediation Well RM-1. The SVE system remained in operations. Well rehabilitation, by acid treatment, was performed in RM-1 and the south horizontal

injection well. Chemical oxidation treatment with the manual injection of Klorozur CR® product was performed at the southeast and northeast horizontal injection wells.

February 2016. Results of the analytical sampling showed the analytes detected above the GCLs included: DRO in Monitoring Wells MW-10 and MW-13, and gasoline range organics (GRO) in Remediation Well RM-1. Chemical oxidation treatment with the manual injection of Klorozur CR® product was performed at the southeast and northeast horizontal injection wells.

October 2016. Results of the analytical sampling showed that DRO was detected above the GCL in Monitoring Well MW-10, and benzene and GRO were detected above the GCLs in Remediation Well RM-1. Remediation Well RM-1 was manually injected with NUWELL™. Chemical oxidation treatment with the manual injection of Klorozur CR® product was performed at the southeast and northeast horizontal injection wells.

March 2017. Results of the analytical sampling showed analytes present above the GCLs in Monitoring Wells G-1, G-5, MW-10, MW-11, and MW-12. Analytes in exceedance included benzene, ethylbenzene, xylenes, GRO, and DRO. The SVE system continues to operate within normal parameters. Remediation Well RM-1 remains inactive, following the discovery of a frozen circulation line the last week of November 2016. The AS system is currently inactive pending evaluation of the system.

July 2017. Results of the analytical sampling showed analytes present above the GCLs in Monitoring Wells G-1, MW-11, MW-12, and MW-16. Monitoring Wells G-5 and MW-10 had ice plugs present. The expanded suite of volatile organic compounds (VOCs) and polynuclear aromatic hydrocarbons (PAHs) for Monitoring Wells MW-11, MW-12, and Remediation Well RM-1 also indicated GCL exceedances. Remediation Wells RM-1 was placed back in operation at 1.4 gallons per minute at 90 pounds per square inch (psi). SVE and AS systems currently inactive.

March 2018. Results of the analytical sampling showed analytes were present above the GCLs in Monitoring Wells G-5, MW-10, MW-11, MW17-1, and MW17-2. Remediation Well RM-1 was shut down during the winter because of the continued power failure of the newly installed heat trace. The SVE and AS systems remain inactive.

September 2018. Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC GCLs in Monitoring Wells G-5, MW-10, MW-11, MW-12, MW17-1, and MW17-2, as well as Remediation Well RM-1. Analytes in exceedance included: BTEX, GRO, DRO, VOCs, and/or PAHs.

Upon arrival at the site, Remediation Well RM-1, for the groundwater recirculation chemox treatment system, was not operating due to freeze damage caused by heat trace failure. The RM-1 well pump was placed back into continuous operation after repairs were made to the water line located in RM-1 manhole.

A chemox solution consisting of 110 pounds of Klorozur One, with approximately 800 gallons of clean water, was injected into the two horizontal groundwater injection wells located along the eastern edge of the UST.

March 2019. Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC GCLs in Monitoring Wells G-1, G-5, MW-10, MW-11, MW-16, MW 17-1, and MW 17-2. Analytes in exceedance included: BTEX, GRO, and DRO. It is noted that GRO above the GCL was detected in Monitoring Well G-1, which was uncharacteristic since this well has not had an exceedance for GRO in past 17 years of monitoring. This well will be resampled during the semi-annual monitoring event to further assess the groundwater condition in this area of the site.

Upon arrival at the site, Remediation Well RM-1, for the groundwater recirculation chemox treatment system, was operating but was shut off due to debris entering the pump intake. It will be cleaned and restarted after daily air temperatures remain above freezing.

July 2019. Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC GCLs in Monitoring Wells G-5, MW-10, MW-11, MW 17-1, and MW 17-2 and Remediation Well RM-1. Analytes in exceedance included: BTEX; GRO; DRO; 1,2,4-trimethylbenzene; 1,3,5-trimethylbenzene; naphthalene; and 1-methylnaphthalene. It was noted that GRO above the GCL was detected in Monitoring Well G-1 during March 2019 monitoring (an anomaly after 17 years of sampling), and this well was resampled during this semi-annual monitoring event and GRO was found to be under the PQL and the GCL.

October 2019. A high dose chemox solution of 165 lbs of Klozur One to 150 gallons of water was injected into three SVE access lines (SVE-1, SVE-2, and SVE-3) while 110 lbs of Klozur® One was injected into the horizontal groundwater injection well on the eastern edge of the UST. The Klozur® treatments were then pushed into the formation with more than 1000 gallons of water from RM-2. Analytical sampling of RM-1 and RM-2 was conducted. Analyte levels exceeding ADEC GCLs in RM-2 were Benzene, Ethylbenzene, and Xylene. Analyte levels exceeding ADEC GCLs in RM-1 were Ethylbenzene, Xylene, and GRO.

July and August 2020. RM-1 was turned off in January 2020 due to the system freezing. RM-1 was brought back online July 1, 2020. On July 15, 2020, a chemox solution of 110 lbs of Klozur® One to 100 gallons of water was injected into the three SVE access lines and into the horizontal groundwater injection well on the eastern edge of the UST, then pushed into the formation with 150 gallons of water from RM-2 at each point. In total the site was treated with 440 lbs of Klozur® One. A leaking fitting on the line feeding the eastern edge of the UST from the freeze up the previous winter was repaired.

Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC GCLs in Monitoring Wells G-5, MW-10, MW-11, MW 17-1, and MW 17-2 and Remediation Well RM-1. Analytes in exceedance included: BTEX; GRO; DRO; 1,2,4-trimethylbenzene; 1,3,5-trimethylbenzene; naphthalene; and 1-methylnaphthalene. It was noted that sodium was detected for all locations sampled

After the August 2020 sampling event, a low profile equipment shed was installed over remediation well RM-2. Subsequently plumbing was installed to facilitate recirculated groundwater flow pumped from RM-2 to discharge on a full time and year round basis into the three former SVE horizontal wells located beneath and adjacent to the fuel dispenser islands. Since September 3, 2020, RM-2 had recirculated more than 316,000 gallons of water into the SVE lines prior to the October 14, 2020 sampling event.

October 2020. Stantec conducted a fourth quarter analytical sampling event of Monitoring Wells MW-10, MW-11, MW-12, MW-13, MW-16, MW 17-1, MW 17-2, G-1, and G-5 as well as Remediation Wells RM-1 and RM-2. The groundwater depth measurements indicate the average hydraulic gradient was approximately 0.007 feet per foot directed toward the northwest at 330 degrees. Analytes in exceedance included: benzene, ethylbenzene, and xylenes (BTEX); gasoline range organics (GRO); diesel range organics (DRO), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene. It is noted that analytes levels for RM-2 measurable increased since the August 2020 monitoring event which is interpreted as an indication that the remediation well is capturing the contaminated groundwater plume. Equally important is the finding that the petroleum contaminant levels have decreased appreciably in MWs 17-1 and 17-2 which may be a positive indication of in-situ treatment with the chemox injection.

On October 15, 2020, a chemical oxidation (chemox) injection with Klozur® One of 550 pounds of Klozur® combined with 350 gallons of water from RM-2 into five treatment points that was then pushed into the formation with flow from RM-1 and RM-2. The Klozur® One injections were into the three soil vapor extraction (SVE) system lines on the western portion of the site and into the two former SVE horizontal lines along the eastern edge of the UST located on the eastern portion of the site. In November 2020, RM-1 shutoff to prevent clogging of the eastern SVE injection lines from the high amount of iron oxide (precipitates and flocculation) noted during the O&M and sampling events in 2020.

March 2021. Stantec conducted a first quarter (semi-annual) analytical sampling event of Monitoring Wells MW-12, MW-13, MW 17-1, MW 17-2, and G-1, as well as Remediation Well RM-1. Results of the March 2021 groundwater analytical sampling showed that analytes detected above ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for all wells tested in the primary groundwater samples were:

- Monitoring well MW 12: Ethylbenzene.
- Monitoring well MW 17-1: Ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene.
- Monitoring well MW 17-2: DRO, and naphthalene (non-detect lab reporting level exceeded ADEC GCL).
- Remediation well RM-2: Benzene, ethylbenzene, xylenes, GRO, DRO, 1,2,4-trimethylbenzene, and naphthalene.

It is noted that analytes levels for RM-2 measurable increased since the August 2020 monitoring event which is interpreted as an indication that the remediation well is capturing the contaminated groundwater plume. Equally important is the finding that the petroleum contaminant levels have decreased appreciably in MWs 17-1 and 17-2 which may be a positive indication of in-situ treatment with the chemox injection.

Hydraulic gradient and direction of groundwater flow was not calculated for this monitoring event since the pumping level in remediation well RM-2 was not measured to determine the radius of influence.

October 2021. Stantec conducted a fourth quarter (semi-annual) analytical sampling event of Monitoring Wells MW G-1, MW G-5, MW-10, MW-11, MW-12, MW-13, MW-16, MW-17-1, MW-17-2, and Remediation Wells RM-1, and RM-2. Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (updated November 18, 2021) for all wells tested. Monitoring wells and the respective analytes in exceedance of ADEC GCLs included:

- G-1: Naphthalene
- G-5: Benzene, ethylbenzene, 1,2,4-trimethylbenzene (TMB), and naphthalene.
- MW-10: DRO.
- MW-11: Ethylbenzene, xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW-12: Ethylbenzene, xylenes, and naphthalene.
- MW-16: DRO.
- MW 17-1: Benzene, toluene, ethylbenzene, xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW 17-2: DRO, and naphthalene.
- RM-1: Ethylbenzene, xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- RM-2: Ethylbenzene, and naphthalene.

The professional modeling software program (Surfer[®]) was used to calculate with polynomial regression the average groundwater hydraulic flow across the site. The groundwater gradient was calculated to be approximately 0.002 feet per foot with flow trending toward the north-northeast at 30 degrees presented on **Figure 2**. However, the “pump and treat” remediation system creates large variation in the groundwater elevations across the site. As shown on the groundwater contour map in **Appendix C**, there is a depression of the groundwater table at “pump and treat” remediation wells RM-1 and RM-2 and slight mounding of the groundwater table at MW G-5, and MW-17-2. In conclusion, it is recommended the average gradient and direction of flow across the site as calculated by regression analyses not be applied to the site but rather note the confirmation of flow towards the “pump and treat” wells (RM-1 and RM-2).

On October 14, 2021, Stantec conducted a chemical oxidation (chemox) injection of Klorzur[®] One product into five treatment/injection points consisting of SVE-1, SVE-2, SVE-3, NE Injection Well, SE Injection Well. The Klorzur[®] One product was mixed with potable water from the retail convenience store. Following the chemox injection, the Klorzur[®] One solution was “hydraulically flushed” into the subsurface formation by injecting additional potable water into several of the wells. In summary, a total of 550 pounds of Klorzur[®] One product mixed with 1,100 gallons of potable water plus was injected into the subsurface via the remediation wells during the chemox injection process. In addition, 165 gallons of potable water was used to flush the chemox into the subsurface formation.

May 2022. Stantec conducted the second quarter 2022 Groundwater Monitoring Event that involved the sampling of Monitoring Wells MW G-1, MW G-5, MW-10, MW-11, MW-12, MW-

16, MW-17-1, MW-17-2, and Remediation Well RM-2. Several of the well sampled had analytes of concern at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345, Table C (updated September 18, 2019) for all wells tested. Monitoring wells and the respective analytes in exceedance of ADEC GCLs included:

- G-1: Naphthalene
- G-5: Benzene, ethylbenzene, total xylenes, 1,2,4-trimethylbenzene (TMB), and naphthalene.
- MW-10: Ethylbenzene, DRO, 1,2,4-TMB, and naphthalene.
- MW-11: Benzene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW-12: Ethylbenzene and 1,2,4-TMB.
- MW 17-1: Benzene, toluene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW 17-2: Ethylbenzene, total xylenes, GRO, DRO, 1,2,4-TMB, and naphthalene.

The groundwater gradient was calculated to be approximately 0.003 feet per foot with flow trending toward the south-southwest at 198 degrees.

An injection of Klozur® One product (chemox) was not completed during the 1st quarter due to the severe winter conditions but is planned for the 2nd quarter in the month of June 2022.

September 2022: On September 20 and 21, 2022, the Stantec team, which included Engineer in Training (EIT) Geoff Moorhead and EIT Leslie Petre, conducted the 4th quarter analytical sampling event of Monitoring Wells G-1, G-5, MW-10, MW-11, MW-12, MW-13, MW-16, MW-17-1, MW-17-2, and Remediation Wells RM-1 and RM-2.

Results of the analytical sampling showed analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (updated September 18, 2019) for all wells except G-1 and MW-10. Monitoring wells and the respective analytes in exceedance of ADEC GCLs included:

- G-5: Benzene, ethylbenzene, total xylenes, GRO, 1,2,4-trimethylbenzene (TMB), and naphthalene.
- MW-11: Benzene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW-12: Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene.
- MW-13: Benzene and ethylbenzene.
- MW-16: DRO.

- MW 17-1: Benzene, ethylbenzene, total xylenes, DRO, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW 17-2: Benzene and DRO.
- RM-1: Ethylbenzene, total xylenes, GRO, DRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- RM-2: Benzene, ethylbenzene, total xylenes, GRO, 1,2,4-TMB, and naphthalene.

During the monitoring event the groundwater flow was determined to be to the north at approximately 345° towards the pump and treat wells (RM-1 and RM-2) with a gradient of 0.006 feet per foot. The groundwater level was not measured in RM-2, making it difficult to determine the effect of the pump's drawdown on the groundwater system.

Monthly between July and October, chemox treatments were conducted which involved the injection of 550 pounds of Klorzur® One and 1700 gallons of water from the onsite remediation well into formation to treat in-situ contamination.

APPENDIX B

Field Methods and Procedures

APPENDIX B – FIELD METHODS AND PROCEDURES

Tesoro 2 Go Mart #111 (3679 College Road, Fairbanks, Alaska)

The following table presents the proposed tasks for the Alaska Department of Environmental Conservation (ADEC)-approved 2022 Corrective Action Work Plan. The scope of these tasks is based on the results and findings of the monitoring and remediation completed to date at 7-Eleven Store #46746 (former Speedway Store 5315 – TNS 111), ADEC Facility ID #1112; ADEC File #100.26.026.

2022 Work Plan Schedule for Speedway Store 5315 (former Tesoro 2Go Mart 111)

- Task 1 –Groundwater Monitoring

Quarterly monitoring of the groundwater wells and annual monitoring of several existing drinking water wells will be conducted. Sampling locations and analyses for the monitoring and drinking water wells are listed on the 2022 Work Plan Schedule below.

Work Plan Tasks for 2022		1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
Task 1	Monitoring Wells: MW-11, MW-12, MW-13, MW-16, MW-10, G-1, G-5, MW 17-1, and MW 17-2	V, G, D, P, I & S		V, G, D, P, I & S	
	Recirculation/Remediation Wells: RM-1 and RM-2	V, G, D, P, I & S			
Task 2	O&M Groundwater Recirculation Wells RM-1 & RM-2	✓	✓	✓	✓
Task 3	Chemical Oxidation Treatment	✓	✓	✓	✓
Task 4	Modifications to Groundwater Pump & Treat Recirculation/Distribution System		✓	✓	

Key:

- AK – Alaska Test Method
- D – Diesel range organics by AK102.
- E – Drinking water parameters by EPA Method 524.1.
- G – Gasoline range organics by AK101.
- I – Intrinsic indicators include: dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.
- O&M – Operation and Maintenance
- P – Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds associated with petroleum fuel, by EPA Test Method 8270D Selective Ion Monitoring (SIM).
- S – Sodium analyzed by Metals (ICP) Method 6010C.

V – Volatile organic compounds by EPA Test Method 8260C.

- Task 2 – O&M Groundwater Recirculation Wells RM-1 & RM-2

Perform quarterly maintenance on the remediation system, which consists of the existing 4-inch diameter well RM-1 and 4-inch diameter well RM-2 groundwater recirculation systems used for treating the vadose zone soil and groundwater beneath the existing USTs and fuel dispenser islands. The in-situ remediation system provides treatment of the contaminated groundwater with the injection of chemical oxidant (see Task 3). The submersible pumps for the two treatment systems will run continuously (24-hours per day). The pumping system will be monitored daily for electrical usage, water pressure and water line temperature with iMonnit® wireless sensors and the equipment checked monthly with maintenance provided on an as needed basis.

- Task 3 – Chemical Oxidation Treatment

Stantec proposes to provide chemical oxidation treatment of the petroleum contaminated soil and groundwater four times a year into the three existing horizontal injection lines located beneath the fuel dispenser islands and the two injection lines located on the east side of the USTs. The injection of chemox will occur in all quarters of the year. A total of five hundred (500) gallons of a prepared solution of the chemical oxidant Klorozur One® (a chemical mixture consisting primarily of sodium persulfate) will be injected into the five existing horizontal injection lines with a dose of 100 gallons per injection well. The chemox mixture for each well will consist of 110 pounds Klorozur One® mixed with approximately 100 gallons of water pumped from RM-2 well.

The horizontal injection well located along the northeast edge of the USTs will receive an additional 200 gallons of water pumped from RM-2 well to provide a “hydraulic push” to distribute the chemox solution into the surrounding formation. The other four injection lines are continuously dosed with recirculated groundwater discharged from remediation/recirculation wells RM-1 & RM-2.

The on-site monitoring wells will be sampled semi-annually as outlined in Task 1 to assess treatment impact on the groundwater table. The remediation/recirculation wells will be sampled on a quarterly basis. In addition, the groundwater monitoring wells will be sampled for sodium to check on the distribution/migration of the chemical oxidant.

Task 4 – Modifications to Groundwater Pump & Treat Recirculation/Distribution System

The purpose of this task is to make modifications to improve the operation and distribution of the existing ground water pump and treat system. Two modifications described below will be made to the underground plumbing system that receives and distributes the discharge of the groundwater from remediation wells RM-1 and RM-2.

1. The first modification will consist of a water line connection to the existing 4 inch diameter well that is used for the chemox injection into the horizontal injection line located along the northeast edge of the underground storage tank shown in the attached layout of the remediation system figure (Figure 3). This plumbing connection should provide additional distribution during the recirculation of groundwater across the northeast portion of the site.
2. The second modification will consist of assessing the condition of the existing air sparge line that is connected to the former AS Well #14 shown on Figure 2. If the air

sparge line is found to be functional then it will be connected to the existing plumbing system that receives the discharge of flow from the remediation well RM-2. The AS well will be decommissioned and replaced with a shallow (15-foot deep) 4-inch diameter screened well for the injection of chemox and recirculation of groundwater discharged from RM-2.

A detailed work plan for the implementation of the above tasks will be prepared by Stantec during the first quarter of 2022. The work plan will be submitted to the ADEC for approval prior to the execution of work on this task.

The Corrective Action Work Plan for the year 2022 will be implemented by Stantec on behalf of 7-Eleven. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site. All sampling activities will be completed in accordance with ADEC's *Underground Storage Tanks Procedures Manual—Standard Sampling Procedures* (March 22, 2017). The methods that will be used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of each well casing. The elevation of the static water level will be based on an arbitrary datum established on-site during a vertical control survey that will be completed by Stantec on an annual basis. The survey will be performed during the summer after the seasonal frost layer thaws.
- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, Teflon® bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water samples will be collected in laboratory-supplied sample containers. The samples will be delivered to an ADEC-approved laboratory in accordance with standard chain-of-custody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2022 Work Plan Schedule shown above.

APPENDIX C

Field Measurements and Notes

Speedway5315/

Date: 09/21/2022

Name(s): _____

Site Name: TNS111

Speedway5315/

Date: 09/21/2022, 12:06 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
G1	N/A	12.5	18.4
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
429.97	4.0		pvc
Latitude (decimal)	Longitude (decimal)		Weather
64.8553843	-147.8117644		partly cloudy 41°F

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
BTEX	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Type/Model Meter Used:

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used: Bailer

Pump Intake? None ft

Above / ✓ Below Bottom / ✓ TOC

Sample Collected? Yes

Time 12:06

Total Pumped from Well? 12 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/20/2022, 3:19 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
G5	N/A	12.49	17.95
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.08	2.0		pvc
Latitude (decimal)	Longitude (decimal)		Weather
64.85541	-147.8125084		partly cloudy 41°F

Analytical Parameters	Bottles to be filled
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol: _____

Type/Model Pump Used: _____

Pump Intake? _____ ft
Above / Below Bottom / TOC

Sample Collected? Yes

Time 15:19

Total Pumped from Well? 2.67 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, whichever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mV for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 3:30 PM

Name(s): Remi Malenfant

Site Name: TNS11

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW17-1	N/A	13.03	19.15
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.55	2.0		pvc
Latitude (decimal)	Longitude (decimal)	Weather	
64.8554993	-147.8120863	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
BTEX	3 X 40 mL Amber VOAs ✓

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used:

Pump Intake? ft

Above / Below Bottom / Top

Sample Collected? Yes

Time 15:30

Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, whichever ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mV for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 4:12 PM

Name(s): Remi Malenfant

Site Name: TNS11

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW17-2	N/A	12.68	19.05
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.17	2.0		
Latitude (decimal)	Longitude (decimal)	Weather	
64.855543	-147.8124095	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
BTEX	3 X 40 mL Amber VOAs ✓

QA/QC: Duplicate #1

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used:

Pump Intake? ft

Above / Below Bottom / TC

Sample Collected? Yes

Time 16:12

Total Pumped from Well? 3.5 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; $\pm 3\%$ for Specific Conductivity and Temperature; ± 10 mV for ORP; and $\pm 10\%$ for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; $\pm 10\%$ mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/20/2022, 2:35 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-10	N/A	12.67	17.43
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.12	4.0		
Latitude (decimal)	Longitude (decimal)	Weather	
64.855542	-147.81249	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
Sodium	1 X 250 mL Poly ✓
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used: Bailer

Pump Intake? None ft

Above / Below Bottom

Above / ▼ Below Bottom / ▼ Top

Sample Collected? Yes

Time 14:35

Total Pumped from Well? 9.33 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/20/2022, 2:39 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-11	N/A	13.05	24.69
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.5	2.0		
Latitude (decimal)	Longitude (decimal)	Weather	
64.8555342	-147.8125303	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
PAH	2 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used: _____

Pump Intake? f

Above / Below Bottom / TOC

Sample Collected? Yes

Time 14:39

Total Pumped from Well? 5.7 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, whichever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mV for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 1:02 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-12	N/A	10.3	24.39
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
427.85	2.0		pvc
Latitude (decimal)	Longitude (decimal)	Weather	
64.8555422	-147.8118766	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Type/Model Meter Used:

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used:

Pump Intake? _____ ft

Above / Below Bottom / TOC

Sample Collected? Yes

Time 13:02

Total Pumped from Well? 6.9 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, whichever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mV for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 2:36 PM

Name(s): Remi Malenfant

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-13	N/A	12.22	24.78
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
429.76			
Latitude (decimal)	Longitude (decimal)	Weather	
64.855628	-147.8121626	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
BTEX	3 X 40 mL Amber VOAs ✓
PAH	2 X 40 mL Amber VOAs ✓

Type/Model Meter Used: YSI 556

Calibrated: (date) 09/20/2022 (time) 15:19

Cell Vol: None

Type/Model Pump Used: Bailer

Pump Intake? None

Above / ✓ Below Bottom

Above / ▼ Below Bottom / ▼ Top

Sample Collected? Yes

Time 14:36

Total Pumped from Well? 6.5 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/20/2022, 4:19 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-16	3.78	11.78	18.0
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
429.29			
Latitude (decimal)	Longitude (decimal)	Weather	
64.855618	-147.811632	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
BTEX	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓
PAH	2 X 40 mL Amber VOAs ✓

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used:

Pump Intake? ft

Above / Below Bottom / T

Above, Below Bottom, Yes

Sample Collected? Yes

Time 16:19

Total Pumped from Well? 27 Gal

NOTES / COMMENTS:

- Well was initially underwater period we pumped it off is clear the surface period only open the calf and started clearing out the mud that was in there that someone had taken the cap off of the well itself and had flipped it upside down. We will fail two times the minimum to clear the well and make notes in the report that there's a chance to well has had other material introduced.

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; $\pm 3\%$ for Specific Conductivity and Temperature; ± 10 mV for ORP; and $\pm 10\%$ for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; $\pm 10\%$ mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 5:37 PM

Name(s): Remi Malenfant

Site Name: TNS111

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
RM-1	N/A	10.79	45.17
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
428.22	4.0		
Latitude (decimal)	Longitude (decimal)	Weather	
64.855557	-147.8123637	partly cloudy 41°F	

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
GRO	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

QA/QC: Duplicate #2

Type/Model Meter Used: _____

Calibrated: (date) _____ (time) _____

Cell Vol:

Type/Model Pump Used: Bailer

Pump Intake? None ft

Above / ✓ Below Bottom

Sample Collected? Yes

Time 17:37

Total Pumped from Well? 351 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: ± 0.1 for pH; $\pm 3\%$ for Specific Conductivity and Temperature; ± 10 mV for ORP; and $\pm 10\%$ for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; $\pm 10\%$ mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/20/2022, 10:31 AM

Name(s): Remi Malenfant

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
RM-2	N/A		
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
430.79	4.0		
Latitude (decimal)	Longitude (decimal)	Weather	
64.8555998	-147.8123245		

Analytical Parameters	Bottles to be filled
DRO	2 X 100 mL Amber Glass ✓
PAH	2 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
Sodium	1 X 250 mL Poly ✓

Type/Model Meter Used: YSI 556

Calibrated: (date) 09/20/2022 (time) 15:19

Calibrated: (date) _____

Type/Model Pump Used: Bailer

Pump Intake? None ft

Above / Below Bottom / TOC

Sample Collected? Yes

Time 10:31

Total Pumped from Well? 0 Gal

NOTES / COMMENTS:

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.

Speedway5315/

Date: 09/21/2022, 12:06 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
G1	64.8553843	-147.8117644

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH: 6.25	Specific Conductance: 1.74
DO: 2.94	Temperature (C): 4.3
ORP: 137.9	Purge Volume (gal): 11.55
Notes: Dark amber	

Speedway5315/

Date: 09/20/2022, 3:19 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
G5	64.85541	-147.8125084

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH: 6.34	Specific Conductance: 1.13
DO: 2.33	Temperature (C): 4.6
ORP: 84.6	Purge Volume (gal): 2.67
Notes: Amber color with visible grit	

Speedway5315/

Date: 09/21/2022, 3:30 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW17-1	64.8554993	-147.8120863

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH: 6.34	Specific Conductance: 1.65
DO: 1.43	Temperature (C): 4.5
ORP: 60	Purge Volume (gal): 3
Notes:	

Speedway5315/

Date: 09/21/2022, 4:12 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW17-2	64.855543	-147.8124095

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH: 6.18	Specific Conductance: 2.14
DO: 1.16	Temperature (C): 5.2
ORP: 112	Purge Volume (gal): 3.16
Notes:	

Speedway5315/

Date: 09/20/2022, 2:35 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-10	64.855542	-147.81249

Field Data

Sampler Names: Geoff	Sheen/Odor?:
pH: 6.41	Specific Conductance: 1.35
DO: 5.5	Temperature (C): 5.4
ORP: 72	Purge Volume (gal): 9.33
Notes:	

Speedway5315/

Date: 09/20/2022, 2:39 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-11	64.8555342	-147.8125303

Field Data

Sampler Names: Leslie	Sheen/Odor?:
pH: 6.49	Specific Conductance: 1.37
DO: 5.9	Temperature (C): 4.2
ORP: 50.1	Purge Volume (gal): 5.7
Notes:	

Speedway5315/

Date: 09/21/2022, 1:02 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-12	64.8555422	-147.8118766
Field Data		
Sampler Names:	Sheen/Odor?:	
pH: 6.42	Specific Conductance: 1.13	
DO: 21.16	Temperature (C): 5.7	
ORP: 159.8	Purge Volume (gal): 6.9	
Notes:		

Speedway5315/

Date: 09/21/2022, 2:36 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-13	64.855628	-147.8121626

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH: 6.16	Specific Conductance: 1.05
DO: 4.39	Temperature (C): 6.6
ORP: 167.6	Purge Volume (gal): 6.15
Notes:	

Speedway5315/

Date: 09/20/2022, 4:19 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
MW-16	64.855618	-147.811632
Field Data		
Sampler Names: Geoff Moorhead		Sheen/Odor?: Y/?
pH: 6.34		Specific Conductance: 0.283
DO: 2.2		Temperature (C): 6.4
ORP: 152.7		Purge Volume (gal): 12.18
Notes: Very dark, green hue with small floating particles. pulled plastic Bailey tips that broke off in well during May 2022 sampling event.		

Speedway5315/

Date: 09/21/2022, 5:37 PM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
RM-1	64.855557	-147.8123637

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?: N/n
pH: 6.41	Specific Conductance: 1
DO: 2.12	Temperature (C): 7
ORP: 30.6	Purge Volume (gal): 160
Notes:	

Speedway5315/

Date: 09/20/2022, 10:31 AM

Name(s): Remi Malenfant

Site Name: TNS111

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)
RM-2	64.8555998	-147.8123245

Field Data

Sampler Names: Geoff Moorhead	Sheen/Odor?:
pH:	Specific Conductance:
DO:	Temperature (C):
ORP:	Purge Volume (gal):
Notes: Pump running	

APPENDIX D

Tables of Historical Monitoring Data

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

Unit	ft	ft	Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19		
G1														
12/20/1995	--	414.48	—	—	1.54	—	0.56	—	—	—	—	1.26	2.53	
05/16/1996	--	415.71	—	—	5.9	—	1.8	—	—	—	—	3.9	8.2	
12/09/1996	--	—	—	—	2.1	—	0.73	—	—	—	—	2.1	3.1	
03/20/1997	--	—	—	—	2.1	—	0.81	—	—	—	—	2.5	4.3	
11/18/1997	--	415.22	—	—	4.91	—	1.89	—	—	—	—	4.21	8	
05/01/1998	--	—	—	—	4.83	5.03	2.18	60	—	—	—	6.67	10.13	
10/14/1998	--	416.35	—	—	5.04	4.37	1.8	43	—	—	—	3.81	7.47	
05/27/1999	--	415.3	—	—	4.34	5.46	1.94	43	—	—	—	5.02	8.89	
11/05/1999	--	415.48	—	—	2.59	3.16	1.01	23	—	—	—	1.74	3.89	
04/17/2000	--	414.06	—	—	3.12	5.9	1.64	46	—	—	—	3.77	7.14	
10/26/2000	--	417.48	—	—	3.04	2.19	1.15	23	—	—	—	0.596	3.39	
05/30/2001	--	413.6	—	—	1.59	2.61	0.727	17	—	—	—	0.158	1.87	
05/01/2002	--	414.52	—	—	1.3	1.84	0.683	8.6	—	—	—	0.0371	1.51	
08/19/2002	--	417.79	—	—	0.89	1.41	0.774	13.5	—	—	—	0.0588	1.465	
11/05/2002	--	417.06	—	—	0.0616	U (0.5)	0.00845	0.787	—	—	—	U (0.002)	0.0666	
03/19/2003	--	416.18	—	—	0.00765	0.509	U (0.002)	U (0.09)	—	—	—	U (0.002)	0.00242	
08/05/2003	--	418.33	—	—	0.11	U (0.32)	0.101	1.3	—	—	—	0.00209	0.062	
03/08/2004	--	414.92	—	—	0.00979	U (0.37)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.001)	
09/15/2004	--	416.65	—	—	0.00206	U (0.385)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
01/10/2005	--	414.58	—	—	0.0327	U (0.388)	0.000623	0.134	—	—	—	U (0.0005)	U (0.0015)	
07/15/2005	--	417.94	—	—	0.0626	U (0.391)	0.0445	0.426	—	—	—	U (0.0005)	0.00354	
02/16/2006	--	414.54	—	—	0.00406	U (0.397)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
07/27/2006	--	417.37	—	—	0.0222	U (0.397)	0.0104	0.163	—	—	—	0.000805	0.00217	
03/02/2007	--	414.59	—	—	0.00159	U (0.424)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
10/17/2007	--	416.88	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
06/05/2008	--	415.81	—	—	0.00614	0.877	U (0.0005)	0.082	—	—	—	U (0.0005)	0.00379	
09/29/2008	--	417.21	—	—	U (0.0005)	U (0.435)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
02/25/2009	--	414.48	—	—	U (0.0005)	U (0.417)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
07/21/2009	--	416.75	—	—	0.00601	U (0.397)	U (0.001)	0.0954	—	—	—	U (0.001)	0.00363	
03/17/2010	--	414.03	—	—	U (0.001)	U (0.431)	U (0.001)	U (0.05)	—	—	—	U (0.001)	U (0.002)	
09/15/2010	--	416.56	—	—	U (0.0005)	U (0.385)	0.00926	0.15	—	—	—	U (0.0005)	0.0619	
03/22/2011	--	413.97	—	—	U (0.0005)	0.657	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
09/01/2011	--	417.44	—	—	0.0029	U (0.410)	U (0.0005)	0.0719	—	—	—	0.000601	U (0.0015)	
03/13/2012	--	414.37	—	—	U (0.0005)	U (0.446)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
07/23/2012	--	417.01	—	—	0.0134	U (0.397)	U (0.0010)	0.263	—	—	—	U (0.0010)	U (0.0030)	
02/21/2013	--	414.26	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
08/13/2013	--	416.5	—	—	0.00621	U (0.413)	U (0.0005)	U (0.05)	—	—	—	0.000688	U (0.0015)	
03/18/2014	--	414.38	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	—	U (0.0005)	U (0.0015)	
07/31/2014	--	419.66	—	—	0.0026	0.67	0.0022	0.056	—	—	—	U (0.001)	U (0.001)	

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

Unit	ft	ft	Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046		1.5	0.015	2.2	0.0017		1.1	0.19	
03/03/2015	--	415.09	—	—	U (0.0005)	U (0.45)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
07/27/2015	--	416.21	—	—	U (0.00054)	0.25	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
02/23/2016	--	415.25	—	—	U (0.001)	U (0.11)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)		
10/06/2016	--	418.73	—	—	U (0.001)	0.24	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)		
03/16/2017	--	414.96	—	—	0.0058	0.6	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)		
03/29/2018	--	414.63	—	—	0.0041	0.76	U (0.003)	U (1)	—	—	U (0.002)	U (0.002)		
09/07/2018	--	418.62	—	—	0.0024	0.28	U (0.001)	U (0.15)	—	—	U (0.001)	U (0.002)		
03/12/2019	--	415.23	—	—	U (0.003)	0.33	U (0.003)	9.4	—	—	U (0.002)	U (0.003)		
07/29/2019	--	416.29	—	—	U (0.003)	0.3	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
08/03/2020	--	419.66	—	—	0.000817	U (0.800)	U (0.001)	0.0109	—	—	U (0.001)	U (0.003)		
10/14/2020	--	418.84	—	—	0.0134	0.362	0.000186	U (0.10)	—	—	0.000615	0.000653		
03/30/2021	--	415.54	—	—	0.00141	0.256	U (0.001)	0.0194 BJ	—	—	U (0.001)	U (0.003)		
07/22/2021	--	--	—	—	U (0.0200)	2.78	0.608	10.2	—	—	0.124	3.43		
10/12/2021	--	417.96	—	—	0.00102	0.704 J	U (0.001)	0.0427	—	—	U (0.001)	0.000267 J		
05/17/2022	--	418.0	0.00106	0.00192	0.00242	0.586	0.00293	0.0829	0.00173	78.1	U(0.00100)	0.00109		
09/21/2022	--	417.47	U(0.00100)	U(0.00100)	0.000813	0.367	U(0.00100)	U(0.100)	0.000752	78.5	U(0.00100)	U(0.00300)		
G2														
12/20/1995	--	414.49	—	—	0.069	—	U	—	—	—	U	U		
05/16/1996	--	415.74	—	—	0.2	—	U	—	—	—	U	U		
08/15/1996	--	416.57	—	—	0.32	—	U	—	—	—	U	U		
12/09/1996	--	415.42	—	—	0.14	—	U	—	—	—	U	U		
03/20/1997	--	414.4	—	—	0.002	—	U	—	—	—	U	U		
08/15/1997	--	415.88	—	—	0.0253	—	U	—	0.077	—	U	U		
11/18/1997	--	415.2	—	—	U	—	U	—	U	—	U	0.00169		
05/01/1998	--	414.35	—	—	0.00523	0.221	U	—	U	—	U	0.00139		
10/14/1998	--	416.55	—	—	0.0318	0.248	U	—	0.076	—	U	0.00135		
05/27/1999	--	415.27	—	—	U	0.345	U	—	U	—	0.00624	0.00326		
11/05/1999	--	415.47	—	—	0.0514	U	U	—	0.13	—	U	U		
04/17/2000	--	414.12	—	—	0.00749	U	U	—	U	—	U	U		
10/26/2000	--	417.44	—	—	0.0051	U	U	—	U	—	0.0032	0.00759		
05/30/2001	--	413.58	—	—	U	U	U	—	U	—	U	U		
12/13/2001	--	413.04	—	—	U	U	U	—	U	—	U	U		
05/01/2002	--	414.52	—	—	U	U	U	—	U	—	U	U		
08/19/2002	--	417.79	—	—	0.000596	U (0.505)	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)		
11/05/2002	--	416.99	—	—	U (0.0005)	U (0.5)	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)		
07/22/2021	--	--	—	—	0.0763	2.14	0.728	8.01	—	—	0.145	2.27		
G3														
04/01/1999	--	--	—	—	U	U	U	U	—	—	0.001	U		
05/27/1999	--	--	—	—	U	0.413	U	U	—	—	U	U		
11/05/1999	--	--	—	—	U	0.883	U	U	—	—	U	U		

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

	<i>Well Screen Interval</i>	<i>Ground Water Elevation,</i>	<i>124-TMB</i>	<i>135-TMB</i>	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19
04/17/2000	--	--	--	--	U	U	U	U	--	--	U	U
10/26/2000	--	--	--	--	U	U	U	U	--	--	U	U
05/30/2001	--	--	--	--	0.00029	U	0.000718	U	--	--	U	0.001855
12/13/2001	--	--	--	--	0.00064	U	U	U	--	--	U	U
08/19/2002	--	--	--	--	U (0.0005)	U (0.505)	U (0.002)	U (0.09)	--	--	U (0.002)	0.00241
G4												
04/01/1999	--	--	--	--	U	U	U	U	--	--	U	U
05/27/1999	--	--	--	--	U	U	U	U	--	--	U	U
11/05/1999	--	--	--	--	U	U	U	U	--	--	U	U
04/17/2000	--	--	--	--	U	U	U	U	--	--	U	U
10/26/2000	--	--	--	--	U	U	U	U	--	--	U	U
05/30/2001	--	--	--	--	U	U	U	U	--	--	U	0.001
12/13/2001	--	--	--	--	U	U	U	U	--	--	U	U
08/19/2002	--	--	--	--	0.000545	U (0.5)	U (0.002)	U (0.09)	--	--	U (0.002)	0.00366
G5												
05/30/2001	--	412.59	--	--	12.4	6.47	2.1	107	--	--	11.5	9.9
12/13/2001	--	413.22	--	--	6.21	3.05	1.71	72.8	--	--	8.71	12.74
05/01/2002	--	414.55	--	--	11.9	6.75	1.95	83.4	--	--	7.7	15.1
08/19/2002	--	417.8	--	--	12.9	7.85	2	86.6	--	--	7.31	8.53
11/05/2002	--	417.05	--	--	5.7	7.17	1.38	41.9	--	--	4.37	6.7
03/19/2003	--	416.19	--	--	2.46	7.55	0.741	30	--	--	1.75	5.25
08/05/2003	--	418.76	--	--	5.07	5.78	0.943	47.5	--	--	2.99	6.41
03/08/2004	--	414.93	--	--	0.00254	3.45	0.00104	0.126	--	--	0.00495	0.0327
09/15/2004	--	416.64	--	--	0.00577	1.84	0.000506	0.061	--	--	0.00126	0.00467
01/10/2005	--	414.8	--	--	U (0.0005)	1.22	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
07/15/2005	--	417.83	--	--	U (0.0005)	1.19	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
02/16/2006	--	414.48	--	--	U (0.0005)	1.08	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
07/27/2006	--	417.09	--	--	U (0.0005)	0.865	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
03/02/2007	--	414.24	--	--	U (0.0005)	1.03	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
10/17/2007	--	416.22	--	--	0.000837	3.44	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
06/05/2008	--	415.73	--	--	U (0.0005)	1.1	0.00452	0.112	--	--	U (0.0005)	0.0316
09/29/2008	--	417.2	--	--	U (0.0005)	1.66	0.00458	0.0794	--	--	U (0.0005)	0.0103
02/25/2009	--	414.45	--	--	0.00068	1.3	0.0579	2.53	--	--	0.00053	0.174
07/21/2009	--	416.73	--	--	0.0018	1.27	U (0.001)	U (0.05)	--	--	U (0.0010)	U (0.003)
03/17/2010	--	413.98	--	--	0.013	0.961	0.19	4.4	--	--	0.0014	0.37
09/15/2010	--	416.59	--	--	0.0849	1.1	0.00279	0.287	--	--	0.000886	0.0149
03/22/2011	--	413.96	--	--	U (0.0005)	1.04	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
09/01/2011	--	417.44	--	--	0.00331	0.898	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
03/13/2012	--	414.37	--	--	0.0307	1.02	0.113	3.63	--	--	0.00346	0.23
07/23/2012	--	416.9	--	--	0.00199	0.571	U (0.0010)	U (0.05)	--	--	U (0.0010)	U (0.0030)

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

		Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19	
08/13/2013	--	416.5	—	—	U (0.0005)	0.884	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
03/18/2014	--	414.36	—	—	0.025	0.778	0.0739	2.44	—	—	0.00612	0.161	
07/31/2014	--	419.24	—	—	0.49	1.4	0.071	2.2	—	—	0.0064	0.21	
03/03/2015	--	414.58	—	—	U (0.0005)	0.43	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.0015	
07/27/2015	--	416.18	—	—	0.92	1.4	0.59	10	—	—	0.57	1.1	
02/23/2016	--	415.19	—	—	U (0.001)	0.21	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
10/06/2016	--	418.75	—	—	U (0.001)	0.95	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
03/16/2017	--	414.93	—	—	0.27	1.3	0.56	7.9	—	—	0.36	1.91	
03/29/2018	--	414.68	—	—	0.38	1.6	0.72	14	—	—	0.3	2.27	
09/07/2018	--	418.68	—	—	0.61	2.4	0.51	7.4	—	—	0.91	1.92	
03/13/2019	--	415.24	—	—	0.11	1.2	0.39	5.8	—	—	0.011	1.05	
07/30/2019	--	416.31	—	—	U (0.15)	1.2	0.18	2.9	—	—	U (0.1)	0.71	
08/04/2020	--	419.57	—	—	0.114	1.07	0.123	0.712	—	—	0.000683	0.124	
10/14/2020	--	418.67	—	—	0.0016	2.16	0.0148	0.251	—	—	0.00513	0.079	
10/12/2021	--	419.21	—	—	0.00607	1.42	0.0661	0.909	—	—	0.000300 J	0.0928	
05/17/2022	--	417.95	0.0681	0.00399	0.0462	1.46	0.315	1.45	0.0397	66.8	0.178	0.258	
09/20/2022	--	417.59	0.122	0.0446	0.0476	1.05	0.266	2.89	0.0357	61.5	0.02	0.666	
G6													
05/30/2001	--	--	—	—	U	U	U	U	—	—	U	U	
12/13/2001	--	--	—	—	U	U	U	U	—	—	U	U	
08/19/2002	--	--	—	—	U (0.0005)	U (0.505)	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)	
G9													
11/07/2003	--	--	—	—	U (0.0005)	U (0.32)	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)	
03/08/2004	--	--	—	—	U (0.0005)	U (0.37)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.001)	
09/15/2004	--	--	—	—	U (0.0005)	U (0.385)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
MW17-1													
03/29/2018	--	--	—	—	2.9	6	1.2	U (100)	—	—	6.6	8.5	
09/07/2018	--	--	—	—	0.18	4.8	3.3	80	—	—	26	18	
03/14/2019	--	415.28	—	—	3	3.3	1.7	47	—	—	7.4	7.4	
07/30/2019	--	416.35	—	—	0.36	3.9	3.4	88	—	—	9.2	14.9	
08/04/2020	--	419.63	—	—	0.126	2.78	3.47	61.1	—	—	22.5	13.8	
10/15/2020	--	418.92	—	—	0.0231 J	4.03	0.305	5.9	—	—	0.254 J	2.1	
03/30/2021	--	415.86	—	—	0.000535 J	2.66	0.0401	2.59	—	—	U (0.001)	0.178	
10/12/2021	--	417.63	—	—	1.61 Q	3.68	1.03 E	30.9	—	—	5.27 Q	3.69	
05/17/2022	--	417.95	1.53	0.315	0.582	7.43	3.03	30.8	0.241	60.3	1.63	9.48	
09/21/2022	--	417.52	0.761	0.172	0.36	4.2	1.41	15	0.138	117	0.313	4.2	
MW17-2													
03/29/2018	--	--	—	—	U (0.30)	12	U (0.30)	22	—	—	2.7	2.11	
09/07/2018	--	--	—	—	0.18	15	0.66	17	—	—	3.2	4.5	

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

	Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19
03/14/2019	--	415.28	—	—	0.047	10	0.094	4.2	—	—	0.94	1.49
07/29/2019	--	416.35	—	—	U (0.15)	8.5	0.5	16	—	—	1.8	3.9
08/04/2020	--	419.67	—	—	0.0505	20.5	0.236	5.03	—	—	0.477	415
10/15/2020	--	418.62	—	—	0.00395 J	8.25	0.0508	0.601	—	—	0.0235	0.218
03/30/2021	--	415.35	—	—	0.000952 J	7.78	0.0132	0.309	—	—	U (0.001)	0.0264
10/12/2021	--	418.57	—	—	0.00157 J	3.22	0.00324 J	0.0560 B,J	—	—	0.0059	0.0107 J
05/17/2022	--	418.02	0.241	0.0679	0.00325	7.44	0.618	4.5	0.0269	70.9	0.00417	1.5
09/21/2022	--	417.49	0.00208	0.000324	0.0327	3.13	0.00702	0.194	0.000392	206	0.0011	0.0198
MW-10												
03/10/1994	--	418.07	—	—	19	—	2.3	—	—	—	24	19
09/09/1994	--	419.89	—	—	15.2	—	0.9	—	—	—	18	14.9
12/12/1994	--	418.1	—	—	16.7	—	2.1	—	—	—	20	15.5
08/15/1997	--	415.92	—	—	8.3	—	1.16	77	—	—	14.4	9.35
05/27/1999	--	415.09	—	—	6.88	12.8	1.35	64	—	—	13.4	7.17
04/17/2000	--	413.89	—	—	1.86	5.84	0.887	35	—	—	7.06	3.47
10/26/2000	--	417.44	—	—	1.88	9.04	0.914	39.7	—	—	7.2	5.53
12/13/2001	--	413.14	—	—	2.7	10.1	1.59	53.8	—	—	9.6	7.73
05/01/2002	--	414.55	—	—	0.0122	1.96	0.0137	1.1	—	—	0.0074	0.117
08/19/2002	--	417.86	—	—	1.92	15.9	0.664	27.5	—	—	3.55	3.512
11/05/2002	--	417.06	—	—	0.0456	6.78	0.0368	1.7	—	—	0.00533	0.1189
03/19/2003	--	416.21	—	—	0.477	12.9	0.319	8.8	—	—	0.313	1.404
08/05/2003	--	418.43	—	—	2.54	17.6	0.876	61.8	—	—	8.79	7.09
03/08/2004	--	414.92	—	—	0.198	10.3	U (0.025)	12.8	—	—	0.912	2.89
09/15/2004	--	416.64	—	—	0.0802	6.01	0.0497	2.06	—	—	0.00234	0.446
07/15/2005	--	417.82	—	—	0.416	14.9	0.513	25.6	—	—	3.37	3.63
07/27/2006	--	417.06	—	—	0.413	16.3	0.714	32.5	—	—	5.3	4.88
03/02/2007	--	414.23	—	—	0.203	8.8	0.545	32.8	—	—	2.33	3.9
10/17/2007	--	416.47	—	—	0.00324	6.43	0.0105	1.15	—	—	0.00102	0.0406
06/05/2008	--	415.69	—	—	0.23	10.2	1.18	38.4	—	—	2.9	8.14
09/29/2008	--	417.2	—	—	0.00139	3.67	0.012	1.18	—	—	0.00403	0.0777
02/25/2009	--	--	—	—	0.0778	30.3	1.18	43.4	—	—	2.7	8.89
07/21/2009	--	416.71	—	—	0.014	11.8	1.26	47.3	—	—	1.77	12.2
03/17/2010	--	413.98	—	—	0.0027	16.2	1.2	92	—	—	1.5	9.5
09/15/2010	--	416.6	—	—	0.00635	21.3	0.776	16.2	—	—	0.0902	4.06
03/22/2011	--	414.01	—	—	0.00425	17.4	0.678	16	—	—	0.0195	3.15
09/01/2011	--	417.49	—	—	0.00673	30.5	0.498	22.5	—	—	0.0908	3
03/13/2012	--	414.42	—	—	U (0.010)	10.3	0.118	4.24	—	—	U (0.010)	0.679
07/23/2012	--	416.97	—	—	0.00226	2.57	0.00161	0.32	—	—	0.0012	U (0.0030)
02/21/2013	--	414.24	—	—	0.000877	4.55	0.00702	2.69	—	—	0.00156	0.166
08/13/2013	--	416.54	—	—	0.00245	10.3	0.0216	1.59	—	—	0.00455	0.0755

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

		Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19	
03/19/2014	--	414.3	—	—	0.000642	7.82	0.0145	1.98	—	—	0.00404	0.119	
07/31/2014	--	419.65	—	—	0.011	10	0.047	5	—	—	0.0024	1.2	
03/03/2015	--	414.98	—	—	0.00067	3.2	0.002	0.23	—	—	U (0.0005)	0.0063	
07/27/2015	--	416.16	—	—	0.0012	4	0.0037	0.65	—	—	0.002	0.011	
02/23/2016	--	415.2	—	—	U (0.001)	2.7	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
10/06/2016	--	418.72	—	—	U (0.001)	2.3	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
03/16/2017	--	414.92	—	—	0.011	6.7	0.16	3.7	—	—	0.0027	0.489	
03/29/2018	--	414.6	—	—	0.022	13	0.35	9.6	—	—	0.01	1.3	
09/07/2018	--	418.69	—	—	0.027	13	0.27	5.2	—	—	0.0052	1.283	
03/13/2019	--	415.23	—	—	0.016	8	0.21	3.5	—	—	U (0.002)	0.726	
07/29/2019	--	416.33	—	—	U (0.15)	13	0.2	5.6	—	—	U (0.1)	0.82	
08/04/2020	--	419.74	—	—	0.0577	1.9	0.597	4.2	—	—	0.142	1.89	
10/15/2020	--	418.63	—	—	0.00506	1.74	0.0649	1.12	—	—	0.0387	0.198	
10/12/2021	--	417.98	—	—	0.000209 J, Q	2.43	0.00142 J	0.280 B, J	—	—	U (0.005)	0.00214 J	
05/17/2022	--	418.01	0.0694	0.0185	0.00147	3.65	0.0318	0.858	0.00286	68.8	0.003	0.0913	
09/20/2022	--	417.45	0.0201	0.00596	0.0021	1.34	0.00955	0.105	0.0015	111	0.000407	0.025	
MW-11													
09/28/2012	--	416.27	—	—	0.235	19.4	0.873	40.3	—	—	0.594	5.52	
02/21/2013	--	414.26	—	—	0.0177	5.72	1.61	41.1	—	—	0.00707	7.2	
08/13/2013	--	416.53	—	—	0.257	7.79	0.6	5.45	—	—	0.0152	1.15	
03/19/2014	--	414.33	—	—	0.0933	14.1	0.915	22.1	—	—	0.0548	3.28	
07/31/2014	--	419.65	—	—	0.088	7	0.51	10	—	—	0.032	2	
03/03/2015	--	414.99	—	—	0.038	3	0.6	17	—	—	0.071	2.9	
07/27/2015	--	416.2	—	—	0.46	13	1.5	34	—	—	0.16	6.6	
02/23/2016	--	415.22	—	—	U (0.001)	1.2	U (0.001)	0.13	—	—	U (0.001)	0.0025	
10/06/2016	--	418.74	—	—	U (0.001)	0.77	0.0068	0.2	—	—	U (0.001)	0.0025	
03/16/2017	--	414.93	—	—	U (0.2)	6.2	0.89	14	—	—	0.48	3.99	
07/07/2017	--	416.97	—	—	0.11	7.4	0.4	7.1	—	—	0.26	1.76	
03/29/2018	--	414.62	—	—	U (0.15)	8	0.92	U (90)	—	—	0.71	6.1	
09/07/2018	--	418.71	—	—	0.068	3.2	0.57	7.8	—	—	0.066	2.29	
03/13/2019	--	415.23	—	—	0.1	9.9	0.85	19	—	—	0.3	5	
07/29/2019	--	416.28	—	—	U (0.15)	9.8	0.67	15	—	—	0.16	4.96	
08/04/2020	--	419.64	—	—	0.057	3.51	0.434	5.63	—	—	0.00403	1.75	
10/15/2020	--	418.6	—	—	0.000929 J	1.06 J	0.0106	0.386 J	—	—	0.00121	0.081	
10/12/2021	--	417.94	—	—	0.00103	1.97	0.492 Q	5.4	—	—	0.000688 J	1.38	
05/17/2022	--	418.05	0.531	0.126	0.00712	3.7	1.29	6.62	0.161	72.1	0.00793	2.19	
09/20/2022	--	417.45	0.227	0.061	0.00578	1.63	0.315	2.53	0.0441	102	0.000431	0.733	
MW-12													
09/28/2012	--	416.3	—	—	0.00438	2.74	3.51	165	—	—	13.9	19.5	
02/21/2013	--	414.3	—	—	0.012	3.66	2.69	71.1	—	—	7.69	12.8	

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

		Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19	
08/13/2013	--	416.54	—	—	0.0334	6.05	1	22.6	—	—	7.3	6.21	
09/24/2013	--	--	—	—	0.00913	7.11	0.344	8.35	—	—	1.65	1.72	
11/19/2013	--	415.65	—	—	0.0117	11.7	0.527	13.5	—	—	1.83	2.19	
03/19/2014	--	414.4	—	—	0.0128	11.4	0.663	27.9	—	—	2.24	5.34	
07/31/2014	--	419.67	—	—	U (0.0005)	0.5	0.0027	0.18	—	—	0.0063	0.015	
03/03/2015	--	416.05	—	—	U (0.0005)	1.2	0.022	6.8	—	—	0.01	0.24	
07/27/2015	--	416.21	—	—	0.00057	0.99	0.026	3.2	—	—	0.011	0.19	
02/23/2016	--	415.28	—	—	U (0.001)	0.32	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
10/06/2016	--	418.79	—	—	U (0.001)	0.39	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
03/16/2017	--	415.0	—	—	U (0.02)	1.5	0.3	3.8	—	—	U (0.02)	0.52	
07/07/2017	--	417.04	—	—	U (0.002)	1.4	0.13	2.8	—	—	U (0.04)	0.38	
03/29/2018	--	414.69	—	—	U (0.003)	0.58	U (0.003)	2	—	—	U (0.002)	U (0.002)	
09/07/2018	--	418.78	—	—	U (0.0004)	0.56	0.019	1.1	—	—	U (0.001)	0.063	
03/13/2019	--	415.3	—	—	U (0.003)	0.78	0.01	1.3	—	—	U (0.002)	0.055	
07/30/2019	--	416.38	—	—	U (0.003)	0.47	U (0.003)	0.26	—	—	U (0.002)	0.0039	
08/03/2020	--	422.58	—	—	0.000353	0.852	0.0538	1.23	—	—	0.0364	0.487	
10/14/2020	--	418.68	—	—	0.0192	0.658 J	0.123	1.08	—	—	0.000817 J	0.425	
03/30/2021	--	415.36	—	—	0.000395 J	1.26	0.0221	2.3	—	—	0.000853 J	0.0676	
10/12/2021	--	418.0	—	—	0.000217 J	0.989	0.0722	1.93	—	—	0.00215	0.5	
05/17/2022	--	418.03	0.116	0.025	0.000342	0.745	0.0184	0.547	0.000545	66.9	0.000613	0.094	
09/21/2022	--	417.55	0.0572	0.0238	0.024	0.787	0.098	0.528	0.0058	66.5	0.00243	0.188	
MW-13													
09/28/2012	--	416.31	—	—	U (0.0005)	0.738	0.0263	8.11	—	—	0.0316	0.609	
02/21/2013	--	414.31	—	—	0.0013	1.9	0.0125	0.649	—	—	U (0.0005)	0.167	
08/13/2013	--	416.55	—	—	U (0.0005)	0.839	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
09/24/2013	--	--	—	—	U (0.0005)	0.736	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
11/19/2013	--	415.48	—	—	U (0.0005)	0.478	U (0.0005)	U (0.05)	—	—	0.000751	0.00168	
03/18/2014	--	414.42	—	—	0.000671	1.13	U (0.0005)	0.0593	—	—	0.000846	0.00208	
07/31/2014	--	419.67	—	—	U (0.0005)	U (0.42)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	
03/03/2015	--	415.04	—	—	0.02	0.62	0.028	0.82	—	—	U (0.0005)	0.13	
07/27/2015	--	416.24	—	—	U (0.0005)	0.58	0.0014	U (0.05)	—	—	U (0.0005)	0.0046	
02/23/2016	--	415.31	—	—	U (0.001)	2.3	0.0096	1	—	—	U (0.001)	0.073	
10/06/2016	--	418.8	—	—	U (0.001)	0.65	U (0.001)	U (0.05)	—	—	U (0.001)	0.0058	
03/16/2017	--	415.02	—	—	U (0.002)	0.44	U (0.0053)	0.15	—	—	U (0.002)	0.013	
07/07/2017	--	417.06	—	—	U (0.002)	0.32	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)	
03/29/2018	--	414.7	—	—	U (0.003)	0.45	U (0.003)	U (1)	—	—	U (0.002)	U (0.002)	
09/07/2018	--	418.76	—	—	U (0.0004)	0.43	U (0.001)	U (0.15)	—	—	U (0.001)	U (0.002)	
03/13/2019	--	415.34	—	—	U (0.003)	0.36	0.0072	U (1.3)	—	—	U (0.002)	0.0094	
07/29/2019	--	416.37	—	—	U (0.003)	1.1	0.0085	0.45	—	—	U (0.002)	0.0214	
08/03/2020	--	419.57	—	—	0.000323	0.554	0.0439	1.01	—	—	0.0351	0.454	

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

		Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19	
10/14/2020	--	418.67	—	—	0.018	1.3	0.155	1.86	—	—	0.0108	0.63	
03/30/2021	--	415.41	—	—	0.00019 J	0.341 J	0.00361	0.139 B	—	—	U (0.001)	0.00705	
10/12/2021	--	418.0	—	—	U (0.001)	0.538 J	0.000274 J	0.0684 B,J	—	—	U (0.001)	0.00769	
09/21/2022	--	417.54	0.0153	0.00749	0.00797	0.569	0.0309	0.293	U(0.000250)	64.1	0.0012	0.0724	
MW-16													
02/26/1992	--	418.29	—	—	0.004	—	U	—	—	—	U	U	
06/04/1992	--	418.41	—	—	0.003	—	U	—	—	—	U	0.007	
11/30/1992	--	416.6	—	—	0.51	—	0.056	—	—	—	0.094	0.15	
02/24/1993	--	418.13	—	—	0.41	—	0.036	—	—	—	0.033	0.084	
08/18/1993	--	420.26	—	—	0.099	—	U	—	—	—	U	0.014	
11/23/1993	--	419.59	—	—	0.039	—	U	—	—	—	U	0.004	
03/10/1994	--	418.28	—	—	0.005	—	U	—	—	—	0.001	U	
06/01/1994	--	418.82	—	—	0.022	—	0.003	—	—	—	U	0.003	
09/08/1994	--	420.22	—	—	U	—	U	—	—	—	U	U	
12/14/1994	--	418.22	—	—	0.012	—	0.001	—	—	—	U	U	
12/20/1995	--	414.53	—	—	0.055	—	U	—	—	—	U	0.003	
05/16/1996	--	415.78	—	—	0.007	—	U	—	—	—	U	U	
08/15/1996	--	416.58	—	—	U	—	U	—	—	—	U	U	
12/09/1996	--	415.43	—	—	0.0071	—	U	—	—	—	U	U	
03/20/1997	--	414.4	—	—	0.0056	—	U	—	—	—	U	U	
11/18/1997	--	415.22	—	—	0.00134	—	U	—	—	—	0.00101	0.00135	
05/01/1998	--	414.38	—	—	0.00567	0.534	0.00193	0.089	—	—	0.00308	0.00739	
10/14/1998	--	416.59	—	—	U	0.281	U	U	—	—	U	0.00222	
05/27/1999	--	415.29	—	—	0.00203	2.64	U	U	—	—	U	U	
11/05/1999	--	415.51	—	—	U	13	U	U	—	—	U	U	
04/17/2000	--	414.15	—	—	0.00305	3.66	U	U	—	—	U	U	
10/26/2000	--	417.47	—	—	0.00186	3.98	U	U	—	—	0.00261	0.003	
05/30/2001	--	413.63	—	—	0.0007	6.65	U	U	—	—	U	U	
12/13/2001	--	413.23	—	—	0.048	5.29	0.0109	0.9	—	—	0.302	0.0554	
08/19/2002	--	417.85	—	—	U (0.0005)	U (0.5)	U (0.002)	U (0.09)	—	—	U (0.002)	0.00896	
11/05/2002	--	417.07	—	—	0.000589	0.595	U (0.002)	U (0.09)	—	—	U (0.002)	0.00234	
03/19/2003	--	416.23	—	—	0.000531	1.1	U (0.002)	U (0.09)	—	—	0.00653	0.00469	
03/08/2004	--	414.95	—	—	U (0.0005)	2.85	U (0.0005)	0.072	—	—	0.0288	U (0.001)	
09/15/2004	--	416.65	—	—	0.0006	1.36	U (0.0005)	0.0521	—	—	0.0143	U (0.0015)	
01/10/2005	--	414.7	—	—	0.000648	1.24	U (0.0005)	0.175	—	—	0.0886	0.00221	
07/15/2005	--	417.99	—	—	0.0007	1.06	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
02/16/2006	--	414.58	—	—	U (0.0005)	2.09	U (0.0005)	0.0641	—	—	0.0225	U (0.0015)	
07/27/2006	--	417.08	—	—	0.000638	1.06	U (0.0005)	U (0.05)	—	—	0.0108	U (0.0015)	
03/02/2007	--	414.25	—	—	U (0.0005)	1.95	U (0.0005)	U (0.05)	—	—	0.00206	U (0.0015)	
10/17/2007	--	416.62	—	—	U (0.0025)	6.53	U (0.0025)	U (0.25)	—	—	0.00318	U (0.0075)	

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

Unit	ft	ft	Well Screen Interval	Ground Water Elevation,	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046		1.5	0.015	2.2	0.0017		1.1	0.19	
06/05/2008	--	415.88	—	—	U (0.0005)	4.4	U (0.0005)	0.0761	—	—	0.0117	U (0.0015)		
09/29/2008	--	417.26	—	—	U (0.0005)	2.69	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
02/25/2009	--	414.49	—	—	U (0.0005)	3.44	U (0.0005)	0.0633	—	—	0.0135	U (0.0015)		
07/21/2009	--	416.76	—	—	U (0.0005)	0.564	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)		
03/17/2010	--	413.98	—	—	U (0.001)	0.586	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.002)		
09/15/2010	--	416.52	—	—	U (0.0005)	2.35	0.000796	U (0.05)	—	—	U (0.0005)	0.00508		
03/22/2011	--	413.98	—	—	U (0.0005)	2.82	U (0.0005)	0.221	—	—	0.0852	U (0.0015)		
09/01/2011	--	417.42	—	—	U (0.0005)	2.38	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
03/13/2012	--	414.39	—	—	U (0.0005)	4.18	U (0.0005)	0.241	—	—	0.0845	U (0.0015)		
07/23/2012	--	417.64	—	—	U (0.0005)	1.04	U (0.0010)	U (0.05)	—	—	U (0.0010)	U (0.0030)		
02/21/2013	--	414.34	—	—	U (0.0005)	1.38	U (0.0005)	0.182	—	—	0.066	U (0.0015)		
08/13/2013	--	416.56	—	—	U (0.0005)	3.61	U (0.0005)	U (0.05)	—	—	0.00143	U (0.0015)		
03/18/2014	--	414.51	—	—	U (0.0005)	3.17	U (0.0005)	0.178	—	—	0.0694	U (0.0015)		
07/31/2014	--	419.7	—	—	U (0.0005)	2.3	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)		
03/03/2015	--	415.2	—	—	0.015	1.3	0.0073	0.74	—	—	0.039	0.13		
07/27/2015	--	416.22	—	—	0.0068	0.81	0.0057	0.42	—	—	0.0016	0.071		
02/23/2016	--	415.26	—	—	U (0.001)	0.4	U (0.001)	U (0.05)	—	—	U (0.001)	0.0058		
10/06/2016	--	418.77	—	—	U (0.001)	0.35	U (0.001)	U (0.05)	—	—	U (0.001)	0.0024		
03/16/2017	--	414.98	—	—	U (0.002)	0.88	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)		
07/07/2017	--	417.02	—	—	U (0.002)	3.7	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)		
09/07/2018	--	418.73	—	—	U (0.0004)	0.34	U (0.001)	U (0.15)	—	—	U (0.001)	U (0.002)		
03/13/2019	--	415.27	—	—	U (0.003)	1.9	U (0.003)	U (1.3)	—	—	U (0.002)	U (0.003)		
07/30/2019	--	415.37	—	—	U (0.003)	0.39	U (0.003)	U (0.25)	—	—	U (0.002)	0.003		
10/14/2020	--	418.63	—	—	0.0144	0.918	0.000399 J	0.0468 J	—	—	0.000556 J	0.0241		
03/30/2021	--	415.38	—	—	U (0.001)	0.97	U (0.001)	0.0233 BJ	—	—	U (0.001)	0.000994 J		
10/12/2021	--	418.0	—	—	U (0.001)	1.57	U (0.001)	U (0.1)	—	—	U (0.001)	0.000223 J		
05/17/2022	--	418.08	0.000654	0.000128	U(0.00100)	0.967	U(0.00100)	0.0297	U(0.000250)	40.4	U(0.00100)	0.000339		
09/20/2022	FP	417.51	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP
RM-1														
10/10/2012	--	416.29	—	—	0.0425	1.4	0.084	7.6	—	—	6.09	1.8		
02/21/2013	--	414.27	—	—	0.000539	0.92	0.942	9.8	—	—	15.4	0.51		
08/13/2013	--	416.55	—	—	0.00072	1.3	3.08	1.8	—	—	0.0922	6.83		
09/24/2013	--	--	—	—	0.0067	1.7	0.131	27.2	—	—	0.23	16.7		
11/19/2013	--	415.53	—	—	0.055	12.6	0.2	175	—	—	0.33	1.32		
03/19/2014	--	414.37	—	—	0.0213	10.8	U (0.001)	2.81	—	—	0.68	2.06		
07/31/2014	--	419.58	—	—	0.0251	1.23	0.096	4.7	—	—	2.83	0.71		
03/03/2015	--	402.63	—	—	0.00261 J	1.2	0.593	3.5	—	—	7.25	1.6		
07/27/2015	--	--	—	—	U (0.15)	0.74	2.14	8.4	—	—	0.137	5.09		
02/23/2016	--	414.75	—	—	0.0087	1.5	0.246	14.7	—	—	0.4	11.3		
10/06/2016	--	417.91	—	—	0.084	17.5	0.23	69.9	—	—	0.69	1.89		

Analytical Data Results Table

Speedway5315/TNS111
 7-Eleven - Paula Sime
 3679 College Rd
 Fairbanks, Alaska 99709

	<i>Well Screen Interval</i>	<i>Ground Water Elevation,</i>	<i>124-TMB</i>	<i>135-TMB</i>	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19
07/07/2017	--	417.04	—	—	0.0268	10.7	0.45	4.26	—	—	0.77	1.55
09/06/2017	--	--	—	—	0.0432	2.31	0.36	6.1	—	—	0.201	2.73
09/07/2018	--	413.04	—	—	0.000358 J	1.1	0.568	12	—	—	12.2	2.9
07/30/2019	--	415.38	—	—	(0.003) U	3.3	1.8	12	—	—	0.000503 J	2.55
10/24/2019	--	--	—	—	0.005	5.2	0.142	11.9	—	—	0.038	10.4
08/04/2020	--	417.0	—	—	U (0.001)	13.2	0.15	39.9	—	—	0.74	1.25
10/15/2020	--	--	—	—	U (0.0005)	9.27	0.27	5.34	—	—	0.93	1.49
10/12/2021	--	417.82	—	—	0.0246	2.22	0.2	4.3	—	—	0.15	2
09/20/2022	--	417.43	0.826	0.32	0.000939	3.32	0.266	7.88	0.0699	62.8	0.0026	1.98
RM-2												
08/29/2019	--	--	—	—	0.00179	0.384 J	0.0157	0.479	—	—	0.00209	0.0666
10/24/2019	--	--	—	—	0.0046	0.45	0.089	2	—	—	0.058	0.342
08/04/2020	--	--	—	—	U (0.001)	U (0.800)	0.000505	0.0135	—	—	U (0.001)	0.000565
10/15/2020	--	--	—	—	0.0226	1.49	0.274	3.98	—	—	0.413	1.24
03/30/2021	--	--	—	—	0.0297	1.21	0.352	4.16	—	—	0.0541	0.74
10/12/2021	--	417.79	—	—	0.000496 J	0.650 J	0.0401	0.645	—	—	U (0.001)	0.0617
05/17/2022	--	418.05	0.00149	0.000547	0.000133	U(0.840)	0.0049	0.133	0.000327	25.8	U(0.00100)	0.00183
09/20/2022	--	--	0.147	0.0549	0.0484	0.95	0.286	2.96	0.0374	60.4	0.0271	0.756

APPENDIX E

*Laboratory Analytical Report and
ADEC Laboratory Data Review
Checklist*



ANALYTICAL REPORT

October 07, 2022

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷GI

⁸AI

⁹SC

Stantec - Anchorage, AK

Sample Delivery Group: L1538968
Samples Received: 09/23/2022
Project Number:
Description: Speedway 5315 TNS 111
Site: 0005315
Report To:
Ms. Leslie Petre
725 E Fireweed Lane
Suite 200
Anchorage, AK 99503

Entire Report Reviewed By:

Craig Cothron
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	 ¹ Cp
Tc: Table of Contents	2	 ² Tc
Ss: Sample Summary	3	 ³ Ss
Cn: Case Narrative	6	 ⁴ Cn
Sr: Sample Results	7	 ⁵ Sr
MW-10 L1538968-01	7	 ⁶ Qc
MW-11 L1538968-02	9	 ⁷ Gl
MW-12 L1538968-03	11	 ⁸ Al
MW-13 L1538968-04	13	 ⁹ Sc
MW-16 L1538968-05	15	
G-1 L1538968-06	17	
G-5 L1538968-07	19	
MW-17-1 L1538968-08	21	
MW-17-2 L1538968-09	23	
RW-1 L1538968-10	25	
RW-2 L1538968-11	27	
DUPLICATE 1 L1538968-12	29	
DUPLICATE 2 L1538968-13	31	
Qc: Quality Control Summary	33	
Metals (ICP) by Method 6010D	33	
Volatile Organic Compounds (GC) by Method AK101	35	
Volatile Organic Compounds (GC/MS) by Method 8260C	37	
Semi-Volatile Organic Compounds (GC) by Method AK102	39	
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	42	
Gl: Glossary of Terms	46	
Al: Accreditations & Locations	47	
Sc: Sample Chain of Custody	48	

SAMPLE SUMMARY

			Collected by LP/GM	Collected date/time 09/20/22 14:35	Received date/time 09/23/22 09:00
--	--	--	-----------------------	---------------------------------------	--------------------------------------

MW-10 L1538968-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 09:51	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 03:46	09/26/22 03:46	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 10:09	09/28/22 10:09	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 11:41	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 13:01	AO	Mt. Juliet, TN

MW-11 L1538968-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 09:54	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	5	09/26/22 09:28	09/26/22 09:28	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 10:28	09/28/22 10:28	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1936461	10	10/03/22 17:48	10/03/22 17:48	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 12:01	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 13:19	AO	Mt. Juliet, TN

MW-12 L1538968-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 09:57	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 04:12	09/26/22 04:12	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 10:50	09/28/22 10:50	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 12:21	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 04:51	JRM	Mt. Juliet, TN

MW-13 L1538968-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 10:05	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 04:39	09/26/22 04:39	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 11:07	09/28/22 11:07	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1934826	1	09/30/22 14:16	10/01/22 20:11	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 05:09	JRM	Mt. Juliet, TN

MW-16 L1538968-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 10:08	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 05:05	09/26/22 05:05	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 11:26	09/28/22 11:26	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1936461	1	10/03/22 16:13	10/03/22 16:13	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 12:42	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 15:38	AO	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SAMPLE SUMMARY

G-1 L1538968-06 GW	Collected by		Collected date/time	Received date/time
	LP/GM	09/21/22 12:06	09/23/22 09:00	

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 10:10	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 05:52	09/26/22 05:52	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 11:45	09/28/22 11:45	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1934826	1	09/30/22 14:16	10/01/22 20:34	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 05:27	JRM	Mt. Juliet, TN

G-5 L1538968-07 GW	Collected by		Collected date/time	Received date/time
	LP/GM	09/20/22 15:19	09/23/22 09:00	

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 10:13	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 06:18	09/26/22 06:18	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	5	09/28/22 14:38	09/28/22 14:38	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 22:17	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 13:36	AO	Mt. Juliet, TN

MW-17-1 L1538968-08 GW	Collected by		Collected date/time	Received date/time
	LP/GM	09/21/22 15:30	09/23/22 09:00	

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935086	1	10/03/22 19:37	10/04/22 10:16	ZSA	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1934624	20	10/01/22 09:54	10/01/22 09:54	AV	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	5	09/28/22 14:56	09/28/22 14:56	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1936461	100	10/03/22 18:08	10/03/22 18:08	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1935687	1	10/05/22 06:11	10/06/22 11:34	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 05:45	JRM	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	5	09/27/22 05:54	09/29/22 01:17	JRM	Mt. Juliet, TN

MW-17-2 L1538968-09 GW	Collected by		Collected date/time	Received date/time
	LP/GM	09/21/22 16:12	09/23/22 09:00	

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935087	1	10/04/22 12:40	10/04/22 18:14	JDG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1934624	1	10/01/22 09:28	10/01/22 09:28	AV	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 12:04	09/28/22 12:04	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1935687	1	10/05/22 06:11	10/06/22 11:54	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 06:02	JRM	Mt. Juliet, TN

RW-1 L1538968-10 GW	Collected by		Collected date/time	Received date/time
	LP/GM	09/20/22 17:37	09/23/22 09:00	

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935087	1	10/04/22 12:40	10/04/22 18:16	JDG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	10	09/26/22 09:55	09/26/22 09:55	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 12:23	09/28/22 12:23	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1936461	25	10/03/22 18:27	10/03/22 18:27	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 13:22	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 13:54	AO	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc


⁷ Gl

⁸ Al

⁹ Sc

SAMPLE SUMMARY

RW-2 L1538968-11 GW			Collected by LP/GM	Collected date/time 09/20/22 10:31	Received date/time 09/23/22 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935087	1	10/04/22 12:40	10/04/22 18:19	JDG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 07:38	09/26/22 07:38	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	5	09/28/22 15:16	09/28/22 15:16	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 13:42	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 14:11	AO	Mt. Juliet, TN
DUPLICATE 1 L1538968-12 GW			Collected by LP/GM	Collected date/time 09/21/22 16:12	Received date/time 09/23/22 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935087	1	10/04/22 12:40	10/04/22 18:22	JDG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 08:35	09/26/22 08:35	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	1	09/28/22 12:42	09/28/22 12:42	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1936461	1	10/03/22 16:32	10/03/22 16:32	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1935687	1	10/05/22 06:11	10/06/22 12:14	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1932402	1	09/27/22 05:54	09/28/22 06:20	JRM	Mt. Juliet, TN
DUPLICATE 2 L1538968-13 GW			Collected by LP/GM	Collected date/time 09/20/22 17:07	Received date/time 09/23/22 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG1935087	1	10/04/22 12:40	10/04/22 18:31	JDG	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG1931907	1	09/26/22 09:02	09/26/22 09:02	BAM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG1933363	5	09/28/22 15:34	09/28/22 15:34	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG1932059	1.05	10/02/22 09:45	10/03/22 14:03	DMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG1931777	1	09/25/22 10:12	09/26/22 14:29	AO	Mt. Juliet, TN



CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Craig Cothron
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	111		0.504	3.00	1	10/04/2022 09:51	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	0.105		0.0287	0.100	1	09/26/2022 03:46	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	86.1			50.0-150		09/26/2022 03:46	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	100			79.0-125		09/26/2022 03:46	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.00210		0.0000941	0.00100	1	09/28/2022 10:09	WG1933363
n-Butylbenzene	0.000637	J	0.000157	0.00100	1	09/28/2022 10:09	WG1933363
sec-Butylbenzene	0.000755	J	0.000125	0.00100	1	09/28/2022 10:09	WG1933363
tert-Butylbenzene	U		0.000127	0.00100	1	09/28/2022 10:09	WG1933363
Ethylbenzene	0.00955		0.000137	0.00100	1	09/28/2022 10:09	WG1933363
Isopropylbenzene	0.00109		0.000105	0.00100	1	09/28/2022 10:09	WG1933363
Naphthalene	0.00341	C3 J	0.00100	0.00500	1	09/28/2022 10:09	WG1933363
Toluene	0.000407	J	0.000278	0.00100	1	09/28/2022 10:09	WG1933363
1,2,4-Trimethylbenzene	0.0201		0.000322	0.00100	1	09/28/2022 10:09	WG1933363
1,3,5-Trimethylbenzene	0.00596		0.000104	0.00100	1	09/28/2022 10:09	WG1933363
Total Xylenes	0.0250		0.000174	0.00300	1	09/28/2022 10:09	WG1933363
(S) Toluene-d8	112			80.0-120		09/28/2022 10:09	WG1933363
(S) 4-Bromofluorobenzene	103			77.0-126		09/28/2022 10:09	WG1933363
(S) 1,2-Dichloroethane-d4	107			70.0-130		09/28/2022 10:09	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	1.34		0.179	0.840	1.05	10/03/2022 11:41	WG1932059
(S) o-Terphenyl	73.0			50.0-150		10/03/2022 11:41	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 13:01	WG1931777
Acenaphthene	0.0000600		0.0000190	0.0000500	1	09/26/2022 13:01	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 13:01	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 13:01	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 13:01	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 13:01	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 13:01	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 13:01	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 13:01	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 13:01	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 13:01	WG1931777
Fluorene	0.000222		0.0000169	0.0000500	1	09/26/2022 13:01	WG1931777
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/26/2022 13:01	WG1931777
Naphthalene	0.00150		0.0000917	0.000250	1	09/26/2022 13:01	WG1931777
Phenanthrene	0.0000542		0.0000180	0.0000500	1	09/26/2022 13:01	WG1931777
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 13:01	WG1931777
1-Methylnaphthalene	0.000819		0.0000687	0.000250	1	09/26/2022 13:01	WG1931777

MW-10

Collected date/time: 09/20/22 14:35

SAMPLE RESULTS - 01

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	0.000433		0.0000674	0.000250	1	09/26/2022 13:01	WG1931777	
(S) Nitrobenzene-d5	122			31.0-160		09/26/2022 13:01	WG1931777	
(S) 2-Fluorobiphenyl	111			48.0-148		09/26/2022 13:01	WG1931777	
(S) p-Terphenyl-d14	108			37.0-146		09/26/2022 13:01	WG1931777	
								2 Tc
								3 Ss
								4 Cn
								5 Sr
								6 Qc
								7 Gl
								8 Al
								9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	102		0.504	3.00	1	10/04/2022 09:54	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	2.53		0.143	0.500	5	09/26/2022 09:28	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	86.2			50.0-150		09/26/2022 09:28	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	100			79.0-125		09/26/2022 09:28	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.00578		0.0000941	0.00100	1	09/28/2022 10:28	WG1933363
n-Butylbenzene	0.00281		0.000157	0.00100	1	09/28/2022 10:28	WG1933363
sec-Butylbenzene	0.00329		0.000125	0.00100	1	09/28/2022 10:28	WG1933363
tert-Butylbenzene	0.000242	J	0.000127	0.00100	1	09/28/2022 10:28	WG1933363
Ethylbenzene	0.315		0.00137	0.0100	10	10/03/2022 17:48	WG1936461
Isopropylbenzene	0.0146		0.000105	0.00100	1	09/28/2022 10:28	WG1933363
Naphthalene	0.0515	C3	0.00100	0.00500	1	09/28/2022 10:28	WG1933363
Toluene	0.000431	J	0.000278	0.00100	1	09/28/2022 10:28	WG1933363
1,2,4-Trimethylbenzene	0.227		0.00322	0.0100	10	10/03/2022 17:48	WG1936461
1,3,5-Trimethylbenzene	0.0610		0.000104	0.00100	1	09/28/2022 10:28	WG1933363
Total Xylenes	0.733		0.00174	0.0300	10	10/03/2022 17:48	WG1936461
(S) Toluene-d8	112			80.0-120		09/28/2022 10:28	WG1933363
(S) Toluene-d8	110			80.0-120		10/03/2022 17:48	WG1936461
(S) 4-Bromofluorobenzene	99.9			77.0-126		09/28/2022 10:28	WG1933363
(S) 4-Bromofluorobenzene	108			77.0-126		10/03/2022 17:48	WG1936461
(S) 1,2-Dichloroethane-d4	107			70.0-130		09/28/2022 10:28	WG1933363
(S) 1,2-Dichloroethane-d4	115			70.0-130		10/03/2022 17:48	WG1936461

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	1.63		0.179	0.840	1.05	10/03/2022 12:01	WG1932059
(S) o-Terphenyl	70.9			50.0-150		10/03/2022 12:01	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 13:19	WG1931777
Acenaphthene	0.0000213		0.0000190	0.0000500	1	09/26/2022 13:19	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 13:19	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 13:19	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 13:19	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 13:19	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 13:19	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 13:19	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 13:19	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 13:19	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 13:19	WG1931777
Fluorene	0.000539		0.0000169	0.0000500	1	09/26/2022 13:19	WG1931777
Indeno[1,2,3-cd]pyrene	U		0.0000158	0.0000500	1	09/26/2022 13:19	WG1931777
Naphthalene	0.0441		0.0000917	0.000250	1	09/26/2022 13:19	WG1931777

MW-11

Collected date/time: 09/20/22 14:39

SAMPLE RESULTS - 02

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
Phenanthrene	0.0000866		0.0000180	0.0000500	1	09/26/2022 13:19	WG1931777	2 Tc
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 13:19	WG1931777	3 Ss
1-Methylnaphthalene	0.0131		0.0000687	0.000250	1	09/26/2022 13:19	WG1931777	4 Cn
2-Methylnaphthalene	0.00980		0.0000674	0.000250	1	09/26/2022 13:19	WG1931777	5 Sr
(S) Nitrobenzene-d5	112			31.0-160		09/26/2022 13:19	WG1931777	6 Qc
(S) 2-Fluorobiphenyl	109			48.0-148		09/26/2022 13:19	WG1931777	7 Gl
(S) p-Terphenyl-d14	107			37.0-146		09/26/2022 13:19	WG1931777	8 Al
								9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	66.5		0.504	3.00	1	10/04/2022 09:57	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	0.528		0.0287	0.100	1	09/26/2022 04:12	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	90.4			50.0-150		09/26/2022 04:12	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	99.9			79.0-125		09/26/2022 04:12	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0240		0.0000941	0.00100	1	09/28/2022 10:50	WG1933363
n-Butylbenzene	0.000981	J	0.000157	0.00100	1	09/28/2022 10:50	WG1933363
sec-Butylbenzene	0.00168		0.000125	0.00100	1	09/28/2022 10:50	WG1933363
tert-Butylbenzene	0.000231	J	0.000127	0.00100	1	09/28/2022 10:50	WG1933363
Ethylbenzene	0.0980		0.000137	0.00100	1	09/28/2022 10:50	WG1933363
Isopropylbenzene	0.00628		0.000105	0.00100	1	09/28/2022 10:50	WG1933363
Naphthalene	0.0124	C3	0.00100	0.00500	1	09/28/2022 10:50	WG1933363
Toluene	0.00243		0.000278	0.00100	1	09/28/2022 10:50	WG1933363
1,2,4-Trimethylbenzene	0.0572		0.000322	0.00100	1	09/28/2022 10:50	WG1933363
1,3,5-Trimethylbenzene	0.0238		0.000104	0.00100	1	09/28/2022 10:50	WG1933363
Total Xylenes	0.188		0.000174	0.00300	1	09/28/2022 10:50	WG1933363
(S) Toluene-d8	107			80.0-120		09/28/2022 10:50	WG1933363
(S) 4-Bromofluorobenzene	100			77.0-126		09/28/2022 10:50	WG1933363
(S) 1,2-Dichloroethane-d4	107			70.0-130		09/28/2022 10:50	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	0.787	J	0.179	0.840	1.05	10/03/2022 12:21	WG1932059
(S) o-Terphenyl	69.5			50.0-150		10/03/2022 12:21	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 04:51	WG1932402
Acenaphthene	0.0000429	J	0.0000190	0.0000500	1	09/28/2022 04:51	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 04:51	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 04:51	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 04:51	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 04:51	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 04:51	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 04:51	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 04:51	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 04:51	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 04:51	WG1932402
Fluorene	0.0000832		0.0000169	0.0000500	1	09/28/2022 04:51	WG1932402
Indeno[1,2,3-cd]pyrene	U		0.0000158	0.0000500	1	09/28/2022 04:51	WG1932402
Naphthalene	0.00580		0.0000917	0.000250	1	09/28/2022 04:51	WG1932402
Phenanthrene	U		0.0000180	0.0000500	1	09/28/2022 04:51	WG1932402
Pyrene	U		0.0000169	0.0000500	1	09/28/2022 04:51	WG1932402
1-Methylnaphthalene	0.00278		0.0000687	0.000250	1	09/28/2022 04:51	WG1932402

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

MW-12

Collected date/time: 09/21/22 13:20

SAMPLE RESULTS - 03

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	0.00148		0.0000674	0.000250	1	09/28/2022 04:51	WG1932402	
(S) Nitrobenzene-d5	109			31.0-160		09/28/2022 04:51	WG1932402	
(S) 2-Fluorobiphenyl	101			48.0-148		09/28/2022 04:51	WG1932402	
(S) p-Terphenyl-d14	94.2			37.0-146		09/28/2022 04:51	WG1932402	
								2 Tc
								3 Ss
								4 Cn
								5 Sr
								6 Qc
								7 Gl
								8 Al
								9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	64.1		0.504	3.00	1	10/04/2022 10:05	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	0.293		0.0287	0.100	1	09/26/2022 04:39	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	88.8			50.0-150		09/26/2022 04:39	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	100			79.0-125		09/26/2022 04:39	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.00797		0.0000941	0.00100	1	09/28/2022 11:07	WG1933363
n-Butylbenzene	0.00137		0.000157	0.00100	1	09/28/2022 11:07	WG1933363
sec-Butylbenzene	0.00138		0.000125	0.00100	1	09/28/2022 11:07	WG1933363
tert-Butylbenzene	0.000193	J	0.000127	0.00100	1	09/28/2022 11:07	WG1933363
Ethylbenzene	0.0309		0.000137	0.00100	1	09/28/2022 11:07	WG1933363
Isopropylbenzene	0.00169		0.000105	0.00100	1	09/28/2022 11:07	WG1933363
Naphthalene	0.00296	C3 J	0.00100	0.00500	1	09/28/2022 11:07	WG1933363
Toluene	0.00120		0.000278	0.00100	1	09/28/2022 11:07	WG1933363
1,2,4-Trimethylbenzene	0.0153		0.000322	0.00100	1	09/28/2022 11:07	WG1933363
1,3,5-Trimethylbenzene	0.00749		0.000104	0.00100	1	09/28/2022 11:07	WG1933363
Total Xylenes	0.0724		0.000174	0.00300	1	09/28/2022 11:07	WG1933363
(S) Toluene-d8	110			80.0-120		09/28/2022 11:07	WG1933363
(S) 4-Bromofluorobenzene	104			77.0-126		09/28/2022 11:07	WG1933363
(S) 1,2-Dichloroethane-d4	108			70.0-130		09/28/2022 11:07	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	0.569	J	0.170	0.800	1	10/01/2022 20:11	WG1934826
(S) o-Terphenyl	104			50.0-150		10/01/2022 20:11	WG1934826

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 05:09	WG1932402
Acenaphthene	U		0.0000190	0.0000500	1	09/28/2022 05:09	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 05:09	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 05:09	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 05:09	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 05:09	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 05:09	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 05:09	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 05:09	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 05:09	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 05:09	WG1932402
Fluorene	0.00000192	J	0.0000169	0.0000500	1	09/28/2022 05:09	WG1932402
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/28/2022 05:09	WG1932402
Naphthalene	U		0.0000917	0.000250	1	09/28/2022 05:09	WG1932402
Phenanthrene	U		0.0000180	0.0000500	1	09/28/2022 05:09	WG1932402
Pyrene	U		0.0000169	0.0000500	1	09/28/2022 05:09	WG1932402
1-Methylnaphthalene	U		0.0000687	0.000250	1	09/28/2022 05:09	WG1932402

MW-13

Collected date/time: 09/21/22 14:36

SAMPLE RESULTS - 04

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/28/2022 05:09	WG1932402	
(S) Nitrobenzene-d5	112			31.0-160		09/28/2022 05:09	WG1932402	
(S) 2-Fluorobiphenyl	101			48.0-148		09/28/2022 05:09	WG1932402	
(S) p-Terphenyl-d14	90.0			37.0-146		09/28/2022 05:09	WG1932402	

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	13.5		0.504	3.00	1	10/04/2022 10:08	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	U		0.0287	0.100	1	09/26/2022 05:05	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	87.8			50.0-150		09/26/2022 05:05	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	101			79.0-125		09/26/2022 05:05	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.0000941	0.00100	1	09/28/2022 11:26	WG1933363
n-Butylbenzene	U		0.000157	0.00100	1	09/28/2022 11:26	WG1933363
sec-Butylbenzene	U		0.000125	0.00100	1	09/28/2022 11:26	WG1933363
tert-Butylbenzene	U		0.000127	0.00100	1	09/28/2022 11:26	WG1933363
Ethylbenzene	U		0.000137	0.00100	1	09/28/2022 11:26	WG1933363
Isopropylbenzene	U		0.000105	0.00100	1	09/28/2022 11:26	WG1933363
Naphthalene	U	C3	0.00100	0.00500	1	09/28/2022 11:26	WG1933363
Toluene	U		0.000278	0.00100	1	09/28/2022 11:26	WG1933363
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	09/28/2022 11:26	WG1933363
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	09/28/2022 11:26	WG1933363
Total Xylenes	U		0.000174	0.00300	1	10/03/2022 16:13	WG1936461
(S) Toluene-d8	111			80.0-120		09/28/2022 11:26	WG1933363
(S) Toluene-d8	110			80.0-120		10/03/2022 16:13	WG1936461
(S) 4-Bromofluorobenzene	102			77.0-126		09/28/2022 11:26	WG1933363
(S) 4-Bromofluorobenzene	108			77.0-126		10/03/2022 16:13	WG1936461
(S) 1,2-Dichloroethane-d4	106			70.0-130		09/28/2022 11:26	WG1933363
(S) 1,2-Dichloroethane-d4	117			70.0-130		10/03/2022 16:13	WG1936461

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	2.42		0.179	0.840	1.05	10/03/2022 12:42	WG1932059
(S) o-Terphenyl	71.3			50.0-150		10/03/2022 12:42	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 15:38	WG1931777
Acenaphthene	U		0.0000190	0.0000500	1	09/26/2022 15:38	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 15:38	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 15:38	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 15:38	WG1931777
Benzo(b)fluoranthene	0.0000265	J	0.0000168	0.0000500	1	09/26/2022 15:38	WG1931777
Benzo(g,h,i)perylene	0.0000539		0.0000184	0.0000500	1	09/26/2022 15:38	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 15:38	WG1931777
Chrysene	0.0000243	J	0.0000179	0.0000500	1	09/26/2022 15:38	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 15:38	WG1931777
Fluoranthene	0.0000469	J	0.0000270	0.000100	1	09/26/2022 15:38	WG1931777
Fluorene	U		0.0000169	0.0000500	1	09/26/2022 15:38	WG1931777
Indeno[1,2,3-cd]pyrene	0.0000179	J	0.0000158	0.0000500	1	09/26/2022 15:38	WG1931777
Naphthalene	0.000122	J	0.0000917	0.000250	1	09/26/2022 15:38	WG1931777

MW-16

Collected date/time: 09/20/22 16:19

SAMPLE RESULTS - 05

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Phenanthrene	0.0000259	J	0.0000180	0.0000500	1	09/26/2022 15:38	WG1931777	¹ Cp
Pyrene	0.0000705		0.0000169	0.0000500	1	09/26/2022 15:38	WG1931777	² Tc
1-Methylnaphthalene	U		0.0000687	0.000250	1	09/26/2022 15:38	WG1931777	³ Ss
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/26/2022 15:38	WG1931777	⁴ Cn
(S) Nitrobenzene-d5	126			31.0-160		09/26/2022 15:38	WG1931777	⁵ Sr
(S) 2-Fluorobiphenyl	114			48.0-148		09/26/2022 15:38	WG1931777	⁶ Qc
(S) p-Terphenyl-d14	104			37.0-146		09/26/2022 15:38	WG1931777	⁷ Gl
								⁸ Al
								⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	78.5		0.504	3.00	1	10/04/2022 10:10	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	U		0.0287	0.100	1	09/26/2022 05:52	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	86.3			50.0-150		09/26/2022 05:52	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	101			79.0-125		09/26/2022 05:52	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.000813	J	0.0000941	0.00100	1	09/28/2022 11:45	WG1933363
n-Butylbenzene	U		0.000157	0.00100	1	09/28/2022 11:45	WG1933363
sec-Butylbenzene	U		0.000125	0.00100	1	09/28/2022 11:45	WG1933363
tert-Butylbenzene	U		0.000127	0.00100	1	09/28/2022 11:45	WG1933363
Ethylbenzene	U		0.000137	0.00100	1	09/28/2022 11:45	WG1933363
Isopropylbenzene	0.000133	J	0.000105	0.00100	1	09/28/2022 11:45	WG1933363
Naphthalene	0.00128	C3 J	0.00100	0.00500	1	09/28/2022 11:45	WG1933363
Toluene	U		0.000278	0.00100	1	09/28/2022 11:45	WG1933363
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	09/28/2022 11:45	WG1933363
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	09/28/2022 11:45	WG1933363
Total Xylenes	U		0.000174	0.00300	1	09/28/2022 11:45	WG1933363
(S) Toluene-d8	112			80.0-120		09/28/2022 11:45	WG1933363
(S) 4-Bromofluorobenzene	103			77.0-126		09/28/2022 11:45	WG1933363
(S) 1,2-Dichloroethane-d4	108			70.0-130		09/28/2022 11:45	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	0.367	J	0.170	0.800	1	10/01/2022 20:34	WG1934826
(S) o-Terphenyl	106			50.0-150		10/01/2022 20:34	WG1934826

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 05:27	WG1932402
Acenaphthene	U		0.0000190	0.0000500	1	09/28/2022 05:27	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 05:27	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 05:27	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 05:27	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 05:27	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 05:27	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 05:27	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 05:27	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 05:27	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 05:27	WG1932402
Fluorene	U		0.0000169	0.0000500	1	09/28/2022 05:27	WG1932402
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/28/2022 05:27	WG1932402
Naphthalene	0.000752		0.0000917	0.000250	1	09/28/2022 05:27	WG1932402
Phenanthrene	U		0.0000180	0.0000500	1	09/28/2022 05:27	WG1932402
Pyrene	U		0.0000169	0.0000500	1	09/28/2022 05:27	WG1932402
1-Methylnaphthalene	U		0.0000687	0.000250	1	09/28/2022 05:27	WG1932402

G-1

Collected date/time: 09/21/22 12:06

SAMPLE RESULTS - 06

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/28/2022 05:27	WG1932402	
(S) Nitrobenzene-d5	118			31.0-160		09/28/2022 05:27	WG1932402	
(S) 2-Fluorobiphenyl	109			48.0-148		09/28/2022 05:27	WG1932402	
(S) p-Terphenyl-d14	95.8			37.0-146		09/28/2022 05:27	WG1932402	

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	61.5		0.504	3.00	1	10/04/2022 10:13	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	2.89		0.0287	0.100	1	09/26/2022 06:18	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	87.4			50.0-150		09/26/2022 06:18	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	97.4			79.0-125		09/26/2022 06:18	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0476		0.000471	0.00500	5	09/28/2022 14:38	WG1933363
n-Butylbenzene	0.00316	J	0.000785	0.00500	5	09/28/2022 14:38	WG1933363
sec-Butylbenzene	0.00454	J	0.000625	0.00500	5	09/28/2022 14:38	WG1933363
tert-Butylbenzene	U		0.000635	0.00500	5	09/28/2022 14:38	WG1933363
Ethylbenzene	0.266		0.000685	0.00500	5	09/28/2022 14:38	WG1933363
Isopropylbenzene	0.0202		0.000525	0.00500	5	09/28/2022 14:38	WG1933363
Naphthalene	0.0258	C3	0.00500	0.0250	5	09/28/2022 14:38	WG1933363
Toluene	0.0200		0.00139	0.00500	5	09/28/2022 14:38	WG1933363
1,2,4-Trimethylbenzene	0.122		0.00161	0.00500	5	09/28/2022 14:38	WG1933363
1,3,5-Trimethylbenzene	0.0446		0.000520	0.00500	5	09/28/2022 14:38	WG1933363
Total Xylenes	0.666		0.000870	0.0150	5	09/28/2022 14:38	WG1933363
(S) Toluene-d8	111			80.0-120		09/28/2022 14:38	WG1933363
(S) 4-Bromofluorobenzene	99.2			77.0-126		09/28/2022 14:38	WG1933363
(S) 1,2-Dichloroethane-d4	106			70.0-130		09/28/2022 14:38	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	1.05		0.179	0.840	1.05	10/03/2022 22:17	WG1932059
(S) o-Terphenyl	70.3			50.0-150		10/03/2022 22:17	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 13:36	WG1931777
Acenaphthene	0.0000128		0.0000190	0.0000500	1	09/26/2022 13:36	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 13:36	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 13:36	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 13:36	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 13:36	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 13:36	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 13:36	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 13:36	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 13:36	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 13:36	WG1931777
Fluorene	0.0000391		0.0000169	0.0000500	1	09/26/2022 13:36	WG1931777
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/26/2022 13:36	WG1931777
Naphthalene	0.0357		0.0000917	0.000250	1	09/26/2022 13:36	WG1931777
Phenanthrene	0.0000123		0.0000180	0.0000500	1	09/26/2022 13:36	WG1931777
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 13:36	WG1931777
1-Methylnaphthalene	0.0112		0.0000687	0.000250	1	09/26/2022 13:36	WG1931777

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

G-5

Collected date/time: 09/20/22 15:19

SAMPLE RESULTS - 07

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	0.00756		0.0000674	0.000250	1	09/26/2022 13:36	WG1931777	
(S) Nitrobenzene-d5	116			31.0-160		09/26/2022 13:36	WG1931777	
(S) 2-Fluorobiphenyl	97.9			48.0-148		09/26/2022 13:36	WG1931777	
(S) p-Terphenyl-d14	96.3			37.0-146		09/26/2022 13:36	WG1931777	
								2 Tc
								3 Ss
								4 Cn
								5 Sr
								6 Qc
								7 Gl
								8 Al
								9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	117		0.504	3.00	1	10/04/2022 10:16	WG1935086

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	15.0		0.574	2.00	20	10/01/2022 09:54	WG1934624
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	97.4			50.0-150		10/01/2022 09:54	WG1934624
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	101			79.0-125		10/01/2022 09:54	WG1934624

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.360		0.000471	0.00500	5	09/28/2022 14:56	WG1933363
n-Butylbenzene	0.00426	J	0.000785	0.00500	5	09/28/2022 14:56	WG1933363
sec-Butylbenzene	0.00492	J	0.000625	0.00500	5	09/28/2022 14:56	WG1933363
tert-Butylbenzene	U		0.000635	0.00500	5	09/28/2022 14:56	WG1933363
Ethylbenzene	1.41		0.0137	0.100	100	10/03/2022 18:08	WG1936461
Isopropylbenzene	0.0577		0.000525	0.00500	5	09/28/2022 14:56	WG1933363
Naphthalene	0.0945	C3	0.00500	0.0250	5	09/28/2022 14:56	WG1933363
Toluene	0.313		0.00139	0.00500	5	09/28/2022 14:56	WG1933363
1,2,4-Trimethylbenzene	0.761		0.00161	0.00500	5	09/28/2022 14:56	WG1933363
1,3,5-Trimethylbenzene	0.172		0.000520	0.00500	5	09/28/2022 14:56	WG1933363
Total Xylenes	4.20		0.0174	0.300	100	10/03/2022 18:08	WG1936461
(S) Toluene-d8	110			80.0-120		09/28/2022 14:56	WG1933363
(S) Toluene-d8	112			80.0-120		10/03/2022 18:08	WG1936461
(S) 4-Bromofluorobenzene	101			77.0-126		09/28/2022 14:56	WG1933363
(S) 4-Bromofluorobenzene	106			77.0-126		10/03/2022 18:08	WG1936461
(S) 1,2-Dichloroethane-d4	105			70.0-130		09/28/2022 14:56	WG1933363
(S) 1,2-Dichloroethane-d4	118			70.0-130		10/03/2022 18:08	WG1936461

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	4.20		0.170	0.800	1	10/06/2022 11:34	WG1935687
(S) o-Terphenyl	72.3			50.0-150		10/06/2022 11:34	WG1935687

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 05:45	WG1932402
Acenaphthene	0.0000232		0.0000190	0.0000500	1	09/28/2022 05:45	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 05:45	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 05:45	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 05:45	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 05:45	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 05:45	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 05:45	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 05:45	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 05:45	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 05:45	WG1932402
Fluorene	0.000721		0.0000169	0.0000500	1	09/28/2022 05:45	WG1932402
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/28/2022 05:45	WG1932402
Naphthalene	0.138		0.000459	0.00125	5	09/29/2022 01:17	WG1932402

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

MW-17-1

Collected date/time: 09/21/22 15:30

SAMPLE RESULTS - 08

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Phenanthrene	0.000420		0.0000180	0.0000500	1	09/28/2022 05:45	WG1932402
Pyrene	0.0000282	J	0.0000169	0.0000500	1	09/28/2022 05:45	WG1932402
1-Methylnaphthalene	0.0134		0.0000687	0.000250	1	09/28/2022 05:45	WG1932402
2-Methylnaphthalene	0.0165		0.0000674	0.000250	1	09/28/2022 05:45	WG1932402
(S) Nitrobenzene-d5	98.4			31.0-160		09/28/2022 05:45	WG1932402
(S) Nitrobenzene-d5	128			31.0-160		09/29/2022 01:17	WG1932402
(S) 2-Fluorobiphenyl	90.5			48.0-148		09/28/2022 05:45	WG1932402
(S) 2-Fluorobiphenyl	115			48.0-148		09/29/2022 01:17	WG1932402
(S) p-Terphenyl-d14	85.8			37.0-146		09/28/2022 05:45	WG1932402
(S) p-Terphenyl-d14	86.8			37.0-146		09/29/2022 01:17	WG1932402

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	206		0.504	3.00	1	10/04/2022 18:14	WG1935087

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	0.184	<u>B</u>	0.0287	0.100	1	10/01/2022 09:28	WG1934624
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	89.3			50.0-150		10/01/2022 09:28	WG1934624
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	100			79.0-125		10/01/2022 09:28	WG1934624

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0320		0.0000941	0.00100	1	09/28/2022 12:04	WG1933363
n-Butylbenzene	U		0.000157	0.00100	1	09/28/2022 12:04	WG1933363
sec-Butylbenzene	U		0.000125	0.00100	1	09/28/2022 12:04	WG1933363
tert-Butylbenzene	U		0.000127	0.00100	1	09/28/2022 12:04	WG1933363
Ethylbenzene	0.00624		0.000137	0.00100	1	09/28/2022 12:04	WG1933363
Isopropylbenzene	0.000218	<u>J</u>	0.000105	0.00100	1	09/28/2022 12:04	WG1933363
Naphthalene	0.00147	<u>C3 J</u>	0.00100	0.00500	1	09/28/2022 12:04	WG1933363
Toluene	0.00103		0.000278	0.00100	1	09/28/2022 12:04	WG1933363
1,2,4-Trimethylbenzene	0.00182		0.000322	0.00100	1	09/28/2022 12:04	WG1933363
1,3,5-Trimethylbenzene	0.000270	<u>J</u>	0.000104	0.00100	1	09/28/2022 12:04	WG1933363
Total Xylenes	0.0175		0.000174	0.00300	1	09/28/2022 12:04	WG1933363
(S) Toluene-d8	114			80.0-120		09/28/2022 12:04	WG1933363
(S) 4-Bromofluorobenzene	104			77.0-126		09/28/2022 12:04	WG1933363
(S) 1,2-Dichloroethane-d4	107			70.0-130		09/28/2022 12:04	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	2.49		0.170	0.800	1	10/06/2022 11:54	WG1935687
(S) o-Terphenyl	63.5			50.0-150		10/06/2022 11:54	WG1935687

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 06:02	WG1932402
Acenaphthene	U		0.0000190	0.0000500	1	09/28/2022 06:02	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 06:02	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 06:02	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 06:02	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 06:02	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 06:02	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 06:02	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 06:02	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 06:02	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 06:02	WG1932402
Fluorene	U		0.0000169	0.0000500	1	09/28/2022 06:02	WG1932402
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/28/2022 06:02	WG1932402
Naphthalene	0.000350		0.0000917	0.000250	1	09/28/2022 06:02	WG1932402
Phenanthrene	U		0.0000180	0.0000500	1	09/28/2022 06:02	WG1932402
Pyrene	U		0.0000169	0.0000500	1	09/28/2022 06:02	WG1932402
1-Methylnaphthalene	0.000138	<u>J</u>	0.0000687	0.000250	1	09/28/2022 06:02	WG1932402

MW-17-2

Collected date/time: 09/21/22 16:12

SAMPLE RESULTS - 09

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	1 Cp
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/28/2022 06:02	WG1932402	
(S) Nitrobenzene-d5	110			31.0-160		09/28/2022 06:02	WG1932402	
(S) 2-Fluorobiphenyl	96.3			48.0-148		09/28/2022 06:02	WG1932402	
(S) p-Terphenyl-d14	83.2			37.0-146		09/28/2022 06:02	WG1932402	

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	62.8		0.504	3.00	1	10/04/2022 18:16	WG1935087

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	6.64		0.287	1.00	10	09/26/2022 09:55	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	97.1			50.0-150		09/26/2022 09:55	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	101			79.0-125		09/26/2022 09:55	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.000860	J	0.0000941	0.00100	1	09/28/2022 12:23	WG1933363
n-Butylbenzene	0.0120		0.000157	0.00100	1	09/28/2022 12:23	WG1933363
sec-Butylbenzene	0.0167		0.000125	0.00100	1	09/28/2022 12:23	WG1933363
tert-Butylbenzene	0.00257		0.000127	0.00100	1	09/28/2022 12:23	WG1933363
Ethylbenzene	0.266		0.00343	0.0250	25	10/03/2022 18:27	WG1936461
Isopropylbenzene	0.0934		0.000105	0.00100	1	09/28/2022 12:23	WG1933363
Naphthalene	0.0664	C3	0.00100	0.00500	1	09/28/2022 12:23	WG1933363
Toluene	0.00259		0.000278	0.00100	1	09/28/2022 12:23	WG1933363
1,2,4-Trimethylbenzene	0.819		0.00805	0.0250	25	10/03/2022 18:27	WG1936461
1,3,5-Trimethylbenzene	0.313		0.00260	0.0250	25	10/03/2022 18:27	WG1936461
Total Xylenes	1.98		0.00435	0.0750	25	10/03/2022 18:27	WG1936461
(S) Toluene-d8	114			80.0-120		09/28/2022 12:23	WG1933363
(S) Toluene-d8	110			80.0-120		10/03/2022 18:27	WG1936461
(S) 4-Bromofluorobenzene	103			77.0-126		09/28/2022 12:23	WG1933363
(S) 4-Bromofluorobenzene	108			77.0-126		10/03/2022 18:27	WG1936461
(S) 1,2-Dichloroethane-d4	106			70.0-130		09/28/2022 12:23	WG1933363
(S) 1,2-Dichloroethane-d4	117			70.0-130		10/03/2022 18:27	WG1936461

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	3.32		0.179	0.840	1.05	10/03/2022 13:22	WG1932059
(S) o-Terphenyl	72.6			50.0-150		10/03/2022 13:22	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 13:54	WG1931777
Acenaphthene	0.0000692		0.0000190	0.0000500	1	09/26/2022 13:54	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 13:54	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 13:54	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 13:54	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 13:54	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 13:54	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 13:54	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 13:54	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 13:54	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 13:54	WG1931777
Fluorene	0.00245		0.0000169	0.0000500	1	09/26/2022 13:54	WG1931777
Indeno[1,2,3-cd]pyrene	U		0.0000158	0.0000500	1	09/26/2022 13:54	WG1931777
Naphthalene	0.0692		0.0000917	0.000250	1	09/26/2022 13:54	WG1931777

RW-1

Collected date/time: 09/20/22 17:37

SAMPLE RESULTS - 10

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Phenanthrene	0.000978		0.0000180	0.0000500	1	09/26/2022 13:54	WG1931777	¹ Cp
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 13:54	WG1931777	² Tc
1-Methylnaphthalene	0.0805		0.0000687	0.000250	1	09/26/2022 13:54	WG1931777	³ Ss
2-Methylnaphthalene	0.0947		0.0000674	0.000250	1	09/26/2022 13:54	WG1931777	⁴ Cn
(S) Nitrobenzene-d5	128			31.0-160		09/26/2022 13:54	WG1931777	⁵ Sr
(S) 2-Fluorobiphenyl	85.8			48.0-148		09/26/2022 13:54	WG1931777	⁶ Qc
(S) p-Terphenyl-d14	105			37.0-146		09/26/2022 13:54	WG1931777	⁷ Gl
								⁸ Al
								⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	60.4		0.504	3.00	1	10/04/2022 18:19	WG1935087

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	2.96		0.0287	0.100	1	09/26/2022 07:38	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	89.1			50.0-150		09/26/2022 07:38	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	97.2			79.0-125		09/26/2022 07:38	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0484		0.000471	0.00500	5	09/28/2022 15:16	WG1933363
n-Butylbenzene	0.00354	J	0.000785	0.00500	5	09/28/2022 15:16	WG1933363
sec-Butylbenzene	0.00492	J	0.000625	0.00500	5	09/28/2022 15:16	WG1933363
tert-Butylbenzene	U		0.000635	0.00500	5	09/28/2022 15:16	WG1933363
Ethylbenzene	0.286		0.000685	0.00500	5	09/28/2022 15:16	WG1933363
Isopropylbenzene	0.0213		0.000525	0.00500	5	09/28/2022 15:16	WG1933363
Naphthalene	0.0315	C3	0.00500	0.0250	5	09/28/2022 15:16	WG1933363
Toluene	0.0271		0.00139	0.00500	5	09/28/2022 15:16	WG1933363
1,2,4-Trimethylbenzene	0.147		0.00161	0.00500	5	09/28/2022 15:16	WG1933363
1,3,5-Trimethylbenzene	0.0549		0.000520	0.00500	5	09/28/2022 15:16	WG1933363
Total Xylenes	0.756		0.000870	0.0150	5	09/28/2022 15:16	WG1933363
(S) Toluene-d8	110			80.0-120		09/28/2022 15:16	WG1933363
(S) 4-Bromofluorobenzene	100			77.0-126		09/28/2022 15:16	WG1933363
(S) 1,2-Dichloroethane-d4	106			70.0-130		09/28/2022 15:16	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	0.950		0.179	0.840	1.05	10/03/2022 13:42	WG1932059
(S) o-Terphenyl	65.6			50.0-150		10/03/2022 13:42	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 14:11	WG1931777
Acenaphthene	0.0000134		0.0000190	0.0000500	1	09/26/2022 14:11	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 14:11	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 14:11	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 14:11	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 14:11	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 14:11	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 14:11	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 14:11	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 14:11	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 14:11	WG1931777
Fluorene	0.0000383		0.0000169	0.0000500	1	09/26/2022 14:11	WG1931777
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/26/2022 14:11	WG1931777
Naphthalene	0.0374		0.0000917	0.000250	1	09/26/2022 14:11	WG1931777
Phenanthrene	0.0000170		0.0000180	0.0000500	1	09/26/2022 14:11	WG1931777
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 14:11	WG1931777
1-Methylnaphthalene	0.0120		0.0000687	0.000250	1	09/26/2022 14:11	WG1931777

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

RW-2

Collected date/time: 09/20/22 10:31

SAMPLE RESULTS - 11

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	
2-Methylnaphthalene	0.00985		0.0000674	0.000250	1	09/26/2022 14:11	WG1931777	¹ Cp
(S) Nitrobenzene-d5	111			31.0-160		09/26/2022 14:11	WG1931777	² Tc
(S) 2-Fluorobiphenyl	95.3			48.0-148		09/26/2022 14:11	WG1931777	³ Ss
(S) p-Terphenyl-d14	95.3			37.0-146		09/26/2022 14:11	WG1931777	⁴ Cn
								⁵ Sr
								⁶ Qc
								⁷ Gl
								⁸ Al
								⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	206		0.504	3.00	1	10/04/2022 18:22	WG1935087

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	0.194		0.0287	0.100	1	09/26/2022 08:35	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	89.5			50.0-150		09/26/2022 08:35	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	100			79.0-125		09/26/2022 08:35	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0327		0.0000941	0.00100	1	09/28/2022 12:42	WG1933363
n-Butylbenzene	U		0.000157	0.00100	1	10/03/2022 16:32	WG1936461
sec-Butylbenzene	U		0.000125	0.00100	1	10/03/2022 16:32	WG1936461
tert-Butylbenzene	U		0.000127	0.00100	1	09/28/2022 12:42	WG1933363
Ethylbenzene	0.00702		0.000137	0.00100	1	10/03/2022 16:32	WG1936461
Isopropylbenzene	0.000691	J	0.000105	0.00100	1	09/28/2022 12:42	WG1933363
Naphthalene	0.00189	C3 J	0.00100	0.00500	1	10/03/2022 16:32	WG1936461
Toluene	0.00110		0.000278	0.00100	1	09/28/2022 12:42	WG1933363
1,2,4-Trimethylbenzene	0.00208		0.000322	0.00100	1	10/03/2022 16:32	WG1936461
1,3,5-Trimethylbenzene	0.000324	J	0.000104	0.00100	1	10/03/2022 16:32	WG1936461
Total Xylenes	0.0198		0.000174	0.00300	1	10/03/2022 16:32	WG1936461
(S) Toluene-d8	109			80.0-120		09/28/2022 12:42	WG1933363
(S) Toluene-d8	111			80.0-120		10/03/2022 16:32	WG1936461
(S) 4-Bromofluorobenzene	105			77.0-126		09/28/2022 12:42	WG1933363
(S) 4-Bromofluorobenzene	111			77.0-126		10/03/2022 16:32	WG1936461
(S) 1,2-Dichloroethane-d4	106			70.0-130		09/28/2022 12:42	WG1933363
(S) 1,2-Dichloroethane-d4	116			70.0-130		10/03/2022 16:32	WG1936461

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	3.13		0.170	0.800	1	10/06/2022 12:14	WG1935687
(S) o-Terphenyl	75.8			50.0-150		10/06/2022 12:14	WG1935687

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/28/2022 06:20	WG1932402
Acenaphthene	U		0.0000190	0.0000500	1	09/28/2022 06:20	WG1932402
Acenaphthylene	U		0.0000171	0.0000500	1	09/28/2022 06:20	WG1932402
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/28/2022 06:20	WG1932402
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/28/2022 06:20	WG1932402
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/28/2022 06:20	WG1932402
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/28/2022 06:20	WG1932402
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/28/2022 06:20	WG1932402
Chrysene	U		0.0000179	0.0000500	1	09/28/2022 06:20	WG1932402
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/28/2022 06:20	WG1932402
Fluoranthene	U		0.0000270	0.000100	1	09/28/2022 06:20	WG1932402
Fluorene	0.0000359	J	0.0000169	0.0000500	1	09/28/2022 06:20	WG1932402
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/28/2022 06:20	WG1932402
Naphthalene	0.000392		0.0000917	0.000250	1	09/28/2022 06:20	WG1932402

DUPLICATE 1

Collected date/time: 09/21/22 16:12

SAMPLE RESULTS - 12

L1538968

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Phenanthrene	U		0.0000180	0.0000500	1	09/28/2022 06:20	WG1932402	¹ Cp
Pyrene	U		0.0000169	0.0000500	1	09/28/2022 06:20	WG1932402	² Tc
1-Methylnaphthalene	0.000155	J	0.0000687	0.000250	1	09/28/2022 06:20	WG1932402	³ Ss
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/28/2022 06:20	WG1932402	⁴ Cn
(S) Nitrobenzene-d5	109			31.0-160		09/28/2022 06:20	WG1932402	⁵ Sr
(S) 2-Fluorobiphenyl	99.5			48.0-148		09/28/2022 06:20	WG1932402	⁶ Qc
(S) p-Terphenyl-d14	87.9			37.0-146		09/28/2022 06:20	WG1932402	⁷ Gl
								⁸ Al
								⁹ Sc

Metals (ICP) by Method 6010D

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Sodium	62.7		0.504	3.00	1	10/04/2022 18:31	WG1935087

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method AK101

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
TPHGAK C6 to C10	7.88		0.0287	0.100	1	09/26/2022 09:02	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	92.5			50.0-150		09/26/2022 09:02	WG1931907
(S) <i>a,a,a</i> -Trifluorotoluene(PID)	98.4			79.0-125		09/26/2022 09:02	WG1931907

Volatile Organic Compounds (GC/MS) by Method 8260C

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.000939	J	0.000471	0.00500	5	09/28/2022 15:34	WG1933363
n-Butylbenzene	0.00898		0.000785	0.00500	5	09/28/2022 15:34	WG1933363
sec-Butylbenzene	0.0151		0.000625	0.00500	5	09/28/2022 15:34	WG1933363
tert-Butylbenzene	0.00237	J	0.000635	0.00500	5	09/28/2022 15:34	WG1933363
Ethylbenzene	0.265		0.000685	0.00500	5	09/28/2022 15:34	WG1933363
Isopropylbenzene	0.0789		0.000525	0.00500	5	09/28/2022 15:34	WG1933363
Naphthalene	0.0436	C3	0.00500	0.0250	5	09/28/2022 15:34	WG1933363
Toluene	0.00260	J	0.00139	0.00500	5	09/28/2022 15:34	WG1933363
1,2,4-Trimethylbenzene	0.826		0.00161	0.00500	5	09/28/2022 15:34	WG1933363
1,3,5-Trimethylbenzene	0.320		0.000520	0.00500	5	09/28/2022 15:34	WG1933363
Total Xylenes	1.86		0.000870	0.0150	5	09/28/2022 15:34	WG1933363
(S) Toluene-d8	111			80.0-120		09/28/2022 15:34	WG1933363
(S) 4-Bromofluorobenzene	99.6			77.0-126		09/28/2022 15:34	WG1933363
(S) 1,2-Dichloroethane-d4	107			70.0-130		09/28/2022 15:34	WG1933363

Semi-Volatile Organic Compounds (GC) by Method AK102

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
AK102 DRO C10-C25	3.13		0.179	0.840	1.05	10/03/2022 14:03	WG1932059
(S) o-Terphenyl	72.7			50.0-150		10/03/2022 14:03	WG1932059

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	<u>Qualifier</u>	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>
Anthracene	U		0.0000190	0.0000500	1	09/26/2022 14:29	WG1931777
Acenaphthene	0.000687		0.0000190	0.0000500	1	09/26/2022 14:29	WG1931777
Acenaphthylene	U		0.0000171	0.0000500	1	09/26/2022 14:29	WG1931777
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/26/2022 14:29	WG1931777
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/26/2022 14:29	WG1931777
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/26/2022 14:29	WG1931777
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/26/2022 14:29	WG1931777
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/26/2022 14:29	WG1931777
Chrysene	U		0.0000179	0.0000500	1	09/26/2022 14:29	WG1931777
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/26/2022 14:29	WG1931777
Fluoranthene	U		0.0000270	0.000100	1	09/26/2022 14:29	WG1931777
Fluorene	0.00242		0.0000169	0.0000500	1	09/26/2022 14:29	WG1931777
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/26/2022 14:29	WG1931777
Naphthalene	0.0699		0.0000917	0.000250	1	09/26/2022 14:29	WG1931777
Phenanthrene	0.000958		0.0000180	0.0000500	1	09/26/2022 14:29	WG1931777
Pyrene	U		0.0000169	0.0000500	1	09/26/2022 14:29	WG1931777
1-Methylnaphthalene	0.0791		0.0000687	0.000250	1	09/26/2022 14:29	WG1931777

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	<u>Batch</u>	
2-Methylnaphthalene	0.0921		0.0000674	0.000250	1	09/26/2022 14:29	WG1931777	¹ Cp
(S) Nitrobenzene-d5	127			31.0-160		09/26/2022 14:29	WG1931777	² Tc
(S) 2-Fluorobiphenyl	85.3			48.0-148		09/26/2022 14:29	WG1931777	³ Ss
(S) p-Terphenyl-d14	106			37.0-146		09/26/2022 14:29	WG1931777	⁴ Cn

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

QUALITY CONTROL SUMMARY

[L1538968-01,02,03,04,05,06,07,08](#)

Method Blank (MB)

(MB) R3844585-1 10/04/22 08:59

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Sodium	U		0.504	3.00

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3844585-2 10/04/22 09:02

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Sodium	10.0	9.55	95.5	80.0-120	

L1538929-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1538929-04 10/04/22 09:05 • (MS) R3844585-3 10/04/22 09:10 • (MSD) R3844585-4 10/04/22 09:13

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Sodium	10.0	62.0	69.6	70.4	75.3	83.5	1	75.0-125			1.17	20

QUALITY CONTROL SUMMARY

[L1538968-09,10,11,12,13](#)

Method Blank (MB)

(MB) R3844949-1 10/04/22 17:56

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Sodium	U		0.504	3.00

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3844949-2 10/04/22 17:59

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Sodium	5.00	4.83	96.5	80.0-120	

L1538970-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1538970-02 10/04/22 18:02 • (MS) R3844949-4 10/04/22 18:08 • (MSD) R3844949-5 10/04/22 18:11

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Sodium	5.00	2.74	7.57	7.55	96.6	96.2	1	75.0-125		0.301	20

QUALITY CONTROL SUMMARY

[L1538968-01,02,03,04,05,06,07,10,11,12,13](#)

Method Blank (MB)

(MB) R3842844-2 09/26/22 03:19

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
TPHGAK C6 to C10	U		0.0287	0.100
(S) <i>a,a,a-Trifluorotoluene(FID)</i>	87.9			60.0-120
(S) <i>a,a,a-Trifluorotoluene(PID)</i>	101			79.0-125

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3842844-1 09/26/22 02:10

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TPHGAK C6 to C10	5.00	3.77	75.4	60.0-120	
(S) <i>a,a,a-Trifluorotoluene(FID)</i>		96.6	60.0-120		
(S) <i>a,a,a-Trifluorotoluene(PID)</i>		113	79.0-125		

WG1934624

Volatile Organic Compounds (GC) by Method AK101

QUALITY CONTROL SUMMARY

L1538968-08,09

Method Blank (MB)

(MB) R3844990-2 10/01/22 09:01

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
TPHGAK C6 to C10	0.0298	J	0.0287	0.100
(S) <i>a,a,a-Trifluorotoluene(FID)</i>	88.5			60.0-120
(S) <i>a,a,a-Trifluorotoluene(PID)</i>	102			79.0-125

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3844990-1 10/01/22 07:53

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TPHGAK C6 to C10	5.00	4.08	81.6	60.0-120	
(S) <i>a,a,a-Trifluorotoluene(FID)</i>		103		60.0-120	
(S) <i>a,a,a-Trifluorotoluene(PID)</i>		115		79.0-125	

WG1933363

Volatile Organic Compounds (GC/MS) by Method 8260C

QUALITY CONTROL SUMMARY

[L1538968-01,02,03,04,05,06,07,08,09,10,11,12,13](#)

Method Blank (MB)

(MB) R3844039-3 09/28/22 09:50

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	¹ Cp
Benzene	U		0.0000941	0.00100	² Tc
n-Butylbenzene	U		0.000157	0.00100	³ Ss
sec-Butylbenzene	U		0.000125	0.00100	⁴ Cn
tert-Butylbenzene	U		0.000127	0.00100	⁵ Sr
Ethylbenzene	U		0.000137	0.00100	⁶ Qc
Isopropylbenzene	U		0.000105	0.00100	⁷ Gl
Naphthalene	U		0.00100	0.00500	⁸ Al
Toluene	U		0.000278	0.00100	⁹ Sc
1,2,4-Trimethylbenzene	U		0.000322	0.00100	
1,3,5-Trimethylbenzene	U		0.000104	0.00100	
Xylenes, Total	U		0.000174	0.00300	
(S) Toluene-d8	112			80.0-120	
(S) 4-Bromofluorobenzene	99.5			77.0-126	
(S) 1,2-Dichloroethane-d4	109			70.0-130	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3844039-1 09/28/22 08:53 • (LCSD) R3844039-2 09/28/22 09:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Benzene	0.00500	0.00593	0.00552	119	110	70.0-123			7.16	20
n-Butylbenzene	0.00500	0.00497	0.00463	99.4	92.6	73.0-125			7.08	20
sec-Butylbenzene	0.00500	0.00573	0.00543	115	109	75.0-125			5.38	20
tert-Butylbenzene	0.00500	0.00575	0.00529	115	106	76.0-124			8.33	20
Ethylbenzene	0.00500	0.00559	0.00514	112	103	79.0-123			8.39	20
Isopropylbenzene	0.00500	0.00544	0.00492	109	98.4	76.0-127			10.0	20
Naphthalene	0.00500	0.00287	0.00293	57.4	58.6	54.0-135			2.07	20
Toluene	0.00500	0.00561	0.00525	112	105	79.0-120			6.63	20
1,2,4-Trimethylbenzene	0.00500	0.00555	0.00506	111	101	76.0-121			9.24	20
1,3,5-Trimethylbenzene	0.00500	0.00459	0.00423	91.8	84.6	76.0-122			8.16	20
Xylenes, Total	0.0150	0.0166	0.0153	111	102	79.0-123			8.15	20
(S) Toluene-d8				112	111	80.0-120				
(S) 4-Bromofluorobenzene					102	101	77.0-126			
(S) 1,2-Dichloroethane-d4					111	110	70.0-130			

QUALITY CONTROL SUMMARY

[L1538968-02,05,08,10,12](#)

Method Blank (MB)

(MB) R3844362-2 10/03/22 15:24

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l	1 ¹ Cp
n-Butylbenzene	U		0.000157	0.00100	
sec-Butylbenzene	U		0.000125	0.00100	
Ethylbenzene	U		0.000137	0.00100	
Naphthalene	U		0.00100	0.00500	
1,2,4-Trimethylbenzene	U		0.000322	0.00100	
1,3,5-Trimethylbenzene	U		0.000104	0.00100	
Xylenes, Total	U		0.000174	0.00300	
(S) Toluene-d8	113		80.0-120		
(S) 4-Bromofluorobenzene	107		77.0-126		
(S) 1,2-Dichloroethane-d4	115		70.0-130		

Laboratory Control Sample (LCS)

(LCS) R3844362-1 10/03/22 14:45

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	2 ² Tc
n-Butylbenzene	0.00500	0.00407	81.4	73.0-125		
sec-Butylbenzene	0.00500	0.00403	80.6	75.0-125		
Ethylbenzene	0.00500	0.00455	91.0	79.0-123		
Naphthalene	0.00500	0.00375	75.0	54.0-135		
1,2,4-Trimethylbenzene	0.00500	0.00427	85.4	76.0-121		
1,3,5-Trimethylbenzene	0.00500	0.00421	84.2	76.0-122		
Xylenes, Total	0.0150	0.0138	92.0	79.0-123		
(S) Toluene-d8		111	80.0-120			
(S) 4-Bromofluorobenzene		108	77.0-126			
(S) 1,2-Dichloroethane-d4		116	70.0-130			

1¹Cp2²Tc3³Ss4⁴Cn5⁵Sr6⁶Qc7⁷Gl8⁸Al9⁹Sc

QUALITY CONTROL SUMMARY

L1538968-01,02,03,05,07,10,11,13

Method Blank (MB)

(MB) R3844110-1 10/03/22 06:37

Analyste	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
AK102 DRO C10-C25	U		0.170	0.800
(S) o-Terphenyl	75.5			60.0-120

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3844110-2 10/03/22 06:57 • (LCSD) R3844110-3 10/03/22 07:17

Analyste	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	6.00	5.27	5.42	87.8	90.3	75.0-125			2.81	20
(S) o-Terphenyl			79.5	81.4	81.4	60.0-120				

WG1934826

Semi-Volatile Organic Compounds (GC) by Method AK102

QUALITY CONTROL SUMMARY

L1538968-04,06

Method Blank (MB)

(MB) R3843855-1 10/01/22 17:54

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
AK102 DRO C10-C25	U		0.170	0.800
(S) o-Terphenyl	100			60.0-120

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3843855-2 10/01/22 18:17 • (LCSD) R3843855-3 10/01/22 18:39

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	6.00	6.41	6.27	107	104	75.0-125			2.21	20
(S) o-Terphenyl			83.5		84.3	60.0-120				

L1540948-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1540948-03 10/01/22 19:02 • (MS) R3843855-4 10/01/22 19:25 • (MSD) R3843855-5 10/01/22 19:48

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	5.46	U	5.54	6.47	101	108	1	75.0-125			15.5	20
(S) o-Terphenyl				79.8		85.1		50.0-150				

L1540980-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1540980-01 10/02/22 03:21 • (MS) R3843855-6 10/02/22 03:44 • (MSD) R3843855-7 10/02/22 04:07

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	6.00	U	6.56	6.35	109	106	1	75.0-125			3.25	20
(S) o-Terphenyl				83.1		85.4		50.0-150				

QUALITY CONTROL SUMMARY

L1538968-08,09,12

Method Blank (MB)

(MB) R3845659-1 10/06/22 10:33

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
AK102 DRO C10-C25	U		0.170	0.800
(S) o-Terphenyl	72.9			60.0-120

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3845659-2 10/06/22 10:53 • (LCSD) R3845659-3 10/06/22 11:13

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
AK102 DRO C10-C25	6.00	5.97	5.58	99.5	93.0	75.0-125			6.75	20
(S) o-Terphenyl			85.3		77.7	60.0-120				

Method Blank (MB)

(MB) R3841207-3 09/26/22 09:15

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	¹ Cp
Anthracene	U		0.0000190	0.0000500	
Acenaphthene	U		0.0000190	0.0000500	
Acenaphthylene	U		0.0000171	0.0000500	
Benzo(a)anthracene	U		0.0000203	0.0000500	
Benzo(a)pyrene	U		0.0000184	0.0000500	
Benzo(b)fluoranthene	U		0.0000168	0.0000500	
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	
Benzo(k)fluoranthene	U		0.0000202	0.0000500	
Chrysene	U		0.0000179	0.0000500	
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	
Fluoranthene	U		0.0000270	0.000100	
Fluorene	U		0.0000169	0.0000500	
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	
Naphthalene	U		0.0000917	0.000250	
Phenanthrene	U		0.0000180	0.0000500	
Pyrene	U		0.0000169	0.0000500	
1-Methylnaphthalene	U		0.0000687	0.000250	
2-Methylnaphthalene	U		0.0000674	0.000250	
(S) Nitrobenzene-d5	110			31.0-160	
(S) 2-Fluorobiphenyl	107			48.0-148	
(S) p-Terphenyl-d14	105			37.0-146	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3841207-1 09/26/22 08:40 • (LCSD) R3841207-2 09/26/22 08:57

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Anthracene	0.00200	0.00207	0.00223	104	111	67.0-150			7.44	20
Acenaphthene	0.00200	0.00204	0.00222	102	111	65.0-138			8.45	20
Acenaphthylene	0.00200	0.00197	0.00213	98.5	106	66.0-140			7.80	20
Benzo(a)anthracene	0.00200	0.00215	0.00227	107	114	61.0-140			5.43	20
Benzo(a)pyrene	0.00200	0.00219	0.00227	109	114	60.0-143			3.59	20
Benzo(b)fluoranthene	0.00200	0.00203	0.00207	102	104	58.0-141			1.95	20
Benzo(g,h,i)perylene	0.00200	0.00191	0.00190	95.5	95.0	52.0-153			0.525	20
Benzo(k)fluoranthene	0.00200	0.00199	0.00207	99.5	104	58.0-148			3.94	20
Chrysene	0.00200	0.00215	0.00229	107	115	64.0-144			6.31	20
Dibenz(a,h)anthracene	0.00200	0.00191	0.00190	95.5	95.0	52.0-155			0.525	20
Fluoranthene	0.00200	0.00218	0.00234	109	117	69.0-153			7.08	20
Fluorene	0.00200	0.00211	0.00220	105	110	64.0-136			4.18	20

QUALITY CONTROL SUMMARY

L1538968-01,02,05,07,10,11,13

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3841207-1 09/26/22 08:40 • (LCSD) R3841207-2 09/26/22 08:57

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Indeno[1,2,3-cd]pyrene	0.00200	0.00210	0.00205	105	103	54.0-153			2.41	20
Naphthalene	0.00200	0.00188	0.00203	94.0	102	61.0-137			7.67	20
Phenanthrene	0.00200	0.00203	0.00220	102	110	62.0-137			8.04	20
Pyrene	0.00200	0.00204	0.00218	102	109	60.0-142			6.64	20
1-Methylnaphthalene	0.00200	0.00189	0.00206	94.5	103	66.0-142			8.61	20
2-Methylnaphthalene	0.00200	0.00196	0.00213	98.0	106	62.0-136			8.31	20
(S) Nitrobenzene-d5				108	114	31.0-160				
(S) 2-Fluorobiphenyl				105	112	48.0-148				
(S) p-Terphenyl-d14				102	103	37.0-146				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Method Blank (MB)

(MB) R3842198-3 09/28/22 00:59

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l	¹ Cp	² Tc	³ Ss	⁴ Cn	⁵ Sr	⁶ Qc	⁷ Gl	⁸ Al	⁹ Sc
Anthracene	U		0.0000190	0.0000500									
Acenaphthene	U		0.0000190	0.0000500									
Acenaphthylene	U		0.0000171	0.0000500									
Benzo(a)anthracene	U		0.0000203	0.0000500									
Benzo(a)pyrene	U		0.0000184	0.0000500									
Benzo(b)fluoranthene	U		0.0000168	0.0000500									
Benzo(g,h,i)perylene	U		0.0000184	0.0000500									
Benzo(k)fluoranthene	U		0.0000202	0.0000500									
Chrysene	U		0.0000179	0.0000500									
Dibenz(a,h)anthracene	U		0.0000160	0.0000500									
Fluoranthene	U		0.0000270	0.000100									
Fluorene	U		0.0000169	0.0000500									
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500									
Naphthalene	U		0.0000917	0.000250									
Phenanthrene	U		0.0000180	0.0000500									
Pyrene	U		0.0000169	0.0000500									
1-Methylnaphthalene	U		0.0000687	0.000250									
2-Methylnaphthalene	U		0.0000674	0.000250									
(S) Nitrobenzene-d5	112			31.0-160									
(S) 2-Fluorobiphenyl	99.5			48.0-148									
(S) p-Terphenyl-d14	101			37.0-146									

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3842198-1 09/28/22 00:21 • (LCSD) R3842198-2 09/28/22 00:39

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Anthracene	0.00200	0.00194	0.00194	97.0	97.0	67.0-150			0.000	20
Acenaphthene	0.00200	0.00204	0.00204	102	102	65.0-138			0.000	20
Acenaphthylene	0.00200	0.00198	0.00199	99.0	99.5	66.0-140			0.504	20
Benzo(a)anthracene	0.00200	0.00192	0.00193	96.0	96.5	61.0-140			0.519	20
Benzo(a)pyrene	0.00200	0.00210	0.00209	105	104	60.0-143			0.477	20
Benzo(b)fluoranthene	0.00200	0.00193	0.00196	96.5	98.0	58.0-141			1.54	20
Benzo(g,h,i)perylene	0.00200	0.00186	0.00183	93.0	91.5	52.0-153			1.63	20
Benzo(k)fluoranthene	0.00200	0.00194	0.00193	97.0	96.5	58.0-148			0.517	20
Chrysene	0.00200	0.00198	0.00199	99.0	99.5	64.0-144			0.504	20
Dibenz(a,h)anthracene	0.00200	0.00189	0.00183	94.5	91.5	52.0-155			3.23	20
Fluoranthene	0.00200	0.00201	0.00199	100	99.5	69.0-153			1.00	20
Fluorene	0.00200	0.00185	0.00193	92.5	96.5	64.0-136			4.23	20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3842198-1 09/28/22 00:21 • (LCSD) R3842198-2 09/28/22 00:39

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Indeno[1,2,3-cd]pyrene	0.00200	0.00198	0.00196	99.0	98.0	54.0-153			1.02	20
Naphthalene	0.00200	0.00209	0.00203	104	102	61.0-137			2.91	20
Phenanthrene	0.00200	0.00196	0.00196	98.0	98.0	62.0-137			0.000	20
Pyrene	0.00200	0.00204	0.00203	102	102	60.0-142			0.491	20
1-Methylnaphthalene	0.00200	0.00208	0.00204	104	102	66.0-142			1.94	20
2-Methylnaphthalene	0.00200	0.00210	0.00204	105	102	62.0-136			2.90	20
(S) Nitrobenzene-d5				118	118	31.0-160				
(S) 2-Fluorobiphenyl				106	105	48.0-148				
(S) p-Terphenyl-d14			99.5	98.0		37.0-146				

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.	¹ Cp
RDL	Reported Detection Limit.	² Tc
Rec.	Recovery.	³ Ss
RPD	Relative Percent Difference.	⁴ Cn
SDG	Sample Delivery Group.	⁵ Sr
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	⁶ Qc
U	Not detected at the Reporting Limit (or MDL where applicable).	⁷ GI
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	⁸ AI
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	⁹ SC
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

B	The same analyte is found in the associated blank.
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
J	The identification of the analyte is acceptable; the reported value is an estimate.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:

Stantec, Anchorage, AK725 E Fireweed Lane
Suite 200
Anchorage, AK 99503Report to:
Ms. Leslie PetreProject Description:
Speedway 5315 TNS 111

Billing Information:

Accounts Payable
725 E Fireweed Lane
Suite 200
Anchorage, AK 99503Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page ____ of ____



PEOPLE ADVANCING SCIENCE
MT JULIET, TN12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>SDG # **L1538968**
D182Acctnum: **STAAAKSSA**Template: **T175450**Prelogin: **P947242**

PM: 034 - Craig Cothron

PB: **BF 8/25/22**

Shipped Via: FedEX 2nd Day

Remarks | Sample # (lab only)

Phone: **907-266-1108**

Client Project #

Lab Project #
STAAAKSSA-5315

Collected by (print):

Leslie Petre Geffen

Site/Facility ID #

0005315

P.O. #

Collected by (signature):

Immediately
Packed on Ice N Y

Rush? (Lab MUST Be Notified)

 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

No.
of
Cntrs

	Sample ID	Core/Grab	Matrix *	Depth	Date	Time	Cntrs	AK101 40ml/Amb HCl	AK102 100ml Amb HCl	NAICP 250ml/HDPE-HN03	PAHSIMLVID 40ml/Amb-NoPres-WT	V8260C 40ml/Amb-HCl
MW-10			GW		9/20/22	14350	11	X	X	X	X	
MW-11			GW		9/20/22	14390	11	X	X	X	X	
MW-12			GW		9/21/22	15020	11	X	X	X	X	
MW-13			GW		9/21/22	14360	11	X	X	X	X	
MW-16			GW		9/20/22	10190	11	X	X	X	X	
G-1			GW		9/21/22	12040	11	X	X	X	X	
G-5			GW		9/20/22	15790	11	X	X	X	X	
MW-17-1			GW		9/21/22	15300	11	X	X	X	X	
MW-17-2			GW		9/21/22	10120	11	X	X	X	X	
RW-1		↓	GW		9/20/22	1737	11	X	X	X	X	

* Matrix:

SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

UPS FedEx Courier

Tracking #

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input checked="" type="checkbox"/> N <input type="checkbox"/>
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y N
Correct bottles used:	<input checked="" type="checkbox"/> Y N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y N
If Applicable	
VCA Zero Headspace:	<input checked="" type="checkbox"/> Y N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y N

Relinquished by : (Signature)

Date: **9/27/22** Time: **11:50a**

Received by: (Signature)

Received by: (Signature)

Trip Blank Received: Yes No
HCl / MeOH
TBR

Relinquished by : (Signature)

Date: Time:

Received by: (Signature)

Received by: (Signature)

Temp: °C Bottles Received: **154**

If preservation required by Login: Date/Time

Relinquished by : (Signature)

Date: Time:

Received for lab by: (Signature)

Received for lab by: (Signature)

Date: **09-23-22** Time: **0900**Hold: Condition: **NCF / OK**

Company Name/Address:

Stantec - Anchorage, AK725 E Fireweed Lane
Suite 200
Anchorage, AK 99503Report to:
Ms. Leslie PetreProject Description:
Speedway 5315 TNS 111

Billing Information:

Accounts Payable
725 E Fireweed Lane
Suite 200
Anchorage, AK 99503

Email To: craig.cothron@pacelabs.com

Phone: **907-266-1108**

City/State

Collected:

Please Circle:

PT MT CT EC

FAIRBANKS, AK

Collected by (print):
Lifetre JG Moorhead

Site/Facility ID #

0005315

P.O. #

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day Five Day

Next Day 5 Day (Rad Only)

Two Day 10 Day (Rad Only)

Three Day

Date Results Needed

No. of Cntrs

Immediately Packed on Ice N Y

Sample ID

Comp/Prab

Matrix *

Depth

Date

Time

RW-2

DUPLICATE 1

DUPLICATE 2

GW

9/20/22 103

GW

9/21/22 103

GW

9/20/22 103

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other _____

Remarks:

Samples returned via:

LPS FedEx Courier _____

Tracking #

pH _____

Temp _____

Flow _____

Other _____

Relinquished by : (Signature)

Date:

9/22/22

Time:

Received by: (Signature)

Trip Blank Received: Yes / No

HC / MeOH
TBR

Relinquished by : (Signature)

Date:

Time:

Received by: (Signature)

Temp: °C Bottles Received:

154

Sample Receipt Checklist

OC Seal Present/Intact: NCOC Signed/Accurate: NBottles arrive intact: NCorrect bottles used: NSufficient volume sent: N

If Applicable

VCA Zero Headspace: NPreservation Correct/Checked: NRAD Screen <0.5 mR/hr: N

Relinquished by : (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: Time:

09-23-22 0900

Hold: Condition:

NCF / OK**Pace**
PEOPLE ADVANCING SCIENCE**MT JULIET, TN**12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>SDG # **L1538968**

Table #

Acctnum: **STAAKSSA**Template: **T175450**Prelogin: **P947242**

PM: 034 - Craig Cothron

PB: **BF 8/25/22**Shipped Via: **FedEX 2nd Day**

Remarks Sample # (lab only)

11538968

<u>Tracking Numbers</u>	<u>Temperature</u>
588275540470	DATA 6 3.9 +.0 = 3.9
588275540460	DATA 6 4.1 +.0 = 4.1

Laboratory Data Review Checklist

Completed By:

Jeremiah Malenfant

Title:

Geologist-In-Training

Date:

11/8/2022

Consultant Firm:

Stantec Consulting Services Inc.

Laboratory Name:

Pace Analytical

Laboratory Report Number:

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

ADEC File Number:

100.26.026

Hazard Identification Number:

24247

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

Note: Any N/A or No box checked must have an explanation in the comments box.

1. Laboratory

a. Did an ADEC CS approved laboratory receive and perform all of the submitted sample analyses?

Yes No N/A Comments:

b. If the samples were transferred to another “network” laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses ADEC CS approved?

Yes No N/A Comments:

Samples not transferred

2. Chain of Custody (CoC)

a. CoC information completed, signed, and dated (including released/received by)?

Yes No N/A Comments:

b. Correct analyses requested?

Yes No N/A Comments:

3. Laboratory Sample Receipt Documentation

a. Sample/cooler temperature documented and within range at receipt (0° to 6° C)?

Yes No N/A Comments:

4.7 °C

b. Sample preservation acceptable – acidified waters, Methanol preserved VOC soil (GRO, BTEX, Volatile Chlorinated Solvents, etc.)?

Yes No N/A Comments:

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

c. Sample condition documented – broken, leaking (Methanol), zero headspace (VOC vials)?

Yes No N/A

Comments:

d. If there were any discrepancies, were they documented? For example, incorrect sample containers/preservation, sample temperature outside of acceptable range, insufficient or missing samples, etc.?

Yes No N/A

Comments:

e. Data quality or usability affected?

Comments:

No.

4. Case Narrative

a. Present and understandable?

Yes No N/A

Comments:

b. Discrepancies, errors, or QC failures identified by the lab?

Yes No N/A

Comments:

Case narrative documents no errors or discrepancies “unless qualified or noted within report”

c. Were all corrective actions documented?

Yes No N/A

Comments:

Dilutions noted in body of report.

d. What is the effect on data quality/usability according to the case narrative?

Comments:

No effect on data quality/usability.

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

5. Samples Results

a. Correct analyses performed/reported as requested on COC?

Yes No N/A Comments:

b. All applicable holding times met?

Yes No N/A Comments:

PAHs extracted at 14 days

c. All soils reported on a dry weight basis?

Yes No N/A Comments:

No soil samples submitted to lab.

d. Are the reported LOQs less than the Cleanup Level or the minimum required detection level for the project?

Yes No N/A Comments:

Benzene in DUP2 above GCL, but J-flag estimate below.

e. Data quality or usability affected?

No; J-flag estimate below GCL.

6. QC Samples

a. Method Blank

i. One method blank reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

ii. All method blank results less than limit of quantitation (LOQ) or project specified objectives?

Yes No N/A Comments:

GRO in MW17-2

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

iii. If above LOQ or project specified objectives, what samples are affected?

Comments:

GRO in MW17-2 detection below LOQ

iv. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

v. Data quality or usability affected?

Comments:

No; Affected sample well below GCL

b. Laboratory Control Sample/Duplicate (LCS/LCSD)

i. Organics – One LCS/LCSD reported per matrix, analysis and 20 samples? (LCS/LCSD required per AK methods, LCS required per SW846)

Yes No N/A Comments:

ii. Metals/Inorganics – one LCS and one sample duplicate reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from LCS/LCSD, and or sample/sample duplicate. (AK Petroleum methods 20%; all other analyses see the laboratory QC pages)

Yes No N/A Comments:

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

v. If %R or RPD is outside of acceptable limits, what samples are affected?
Comments:

None

vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A Comments:

No affected samples.

vii. Data quality or usability affected? (Use comment box to explain.)
Comments:

No.

c. Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Note: Leave blank if not required for project

i. Organics – One MS/MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

ii. Metals/Inorganics – one MS and one MSD reported per matrix, analysis and 20 samples?

Yes No N/A Comments:

iii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable?

Yes No N/A Comments:

iv. Precision – All relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from MS/MSD, and or sample/sample duplicate.

Yes No N/A Comments:

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

v. If %R or RPD is outside of acceptable limits, what samples are affected?

Comments:

No affected samples.

vi. Do the affected sample(s) have data flags? If so, are the data flags clearly defined?

Yes No N/A

Comments:

No affected samples.

vii. Data quality or usability affected? (Use comment box to explain.)

Comments:

No.

d. Surrogates – Organics Only or Isotope Dilution Analytes (IDA) – Isotope Dilution Methods Only

i. Are surrogate/IDA recoveries reported for organic analyses – field, QC and laboratory samples?

Yes No N/A

Comments:

Not included.

ii. Accuracy – All percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods 50-150 %R for field samples and 60-120 %R for QC samples; all other analyses see the laboratory report pages)

Yes No N/A

Comments:

Not included.

iii. Do the sample results with failed surrogate/IDA recoveries have data flags? If so, are the data flags clearly defined?

Yes No N/A

Comments:

Not included.

iv. Data quality or usability affected?

Comments:

No affected samples.

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

e. Trip Blanks

- i. One trip blank reported per matrix, analysis and for each cooler containing volatile samples?
(If not, enter explanation below.)

Yes No N/A Comments:

- ii. Is the cooler used to transport the trip blank and VOA samples clearly indicated on the COC?
(If not, a comment explaining why must be entered below)

Yes No N/A Comments:

- iii. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

Unclear; not included in report.

- iv. If above LOQ or project specified objectives, what samples are affected?

Comments:

No affected samples.

- v. Data quality or usability affected?

Comments:

No.

f. Field Duplicate

- i. One field duplicate submitted per matrix, analysis and 10 project samples?

Yes No N/A Comments:

- ii. Submitted blind to lab?

Yes No N/A Comments:

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

- iii. Precision – All relative percent differences (RPD) less than specified project objectives?
(Recommended: 30% water, 50% soil)

$$\text{RPD (\%)} = \text{Absolute value of: } \frac{(R_1 - R_2)}{((R_1 + R_2)/2)} \times 100$$

Where R_1 = Sample Concentration
 R_2 = Field Duplicate Concentration

Yes No N/A Comments:

Xylenes in MW17-2 and DUP1 107% RPD

- iv. Data quality or usability affected? (Use the comment box to explain why or why not.)
Comments:

No; both measurements well below GCL.

- g. Decontamination or Equipment Blank (If not applicable, a comment stating why must be entered below)?

Yes No N/A Comments:

All disposable equipment.

- i. All results less than LOQ and project specified objectives?

Yes No N/A Comments:

All disposable equipment.

- ii. If above LOQ or project specified objectives, what samples are affected?
Comments:

None.

- iii. Data quality or usability affected?
Comments:

No.

L1538968

Laboratory Report Date:

9/23/2022

CS Site Name:

Speedway Store #5315 (Former TNS 111)

7. Other Data Flags/Qualifiers (ACOE, AFCEE, Lab Specific, etc.)

a. Defined and appropriate?

Yes No N/A

Comments:

[Large empty rectangular box for comments]