



Stantec Consulting Services Inc.
725 East Fireweed Lane Suite 200, Anchorage AK 99503-224

December 7, 2023

Stantec Project Number: 203723076

Paula Sime, PG
Manager, Environmental Services
7-Eleven, Inc.
P.O. Box 1026
Temecula, California 92593

RE: **2024 Corrective Action Work Plan**
Former Tesoro Northstore (TNS) #112
3392 Badger Road, North Pole, Alaska
ADEC Facility ID #1116; ADEC Hazard #24476; ADEC File #100.26.159

Dear Ms. Sime:

This letter presents the 2024 (calendar year) Corrective Action Plan (CAP) for the monitoring and remediation of petroleum contamination at the above referenced site. The 2024 CAP was prepared by Stantec Consulting Services, Inc. (Stantec) on behalf of 7-Eleven, Inc. (7-Eleven) for Tesoro Northstore #52 located in North Pole, Alaska.

This 2024 CAP will be presented at the annual work session with the Alaska Department of Environmental Conservation (ADEC), 7-Eleven, and Stantec. The work session is scheduled for December 7, 2023, and will be presented by Stantec on behalf of 7-Eleven to Pete Campbell, ADEC representative, virtually via Microsoft Teams app.

Attached to this letter are the following items associated with the completion of the 2022 CAP tasks: Location and Vicinity Map, Site Map with Analytical Data Results (4Q October 2023 GWM Event), and Analytical Data Results Tables of Historical Monitoring Events. The site plans, sampling test results and additional site documents for the subject site will be included in a PowerPoint presentation that will be delivered by Stantec during the December 7 work session.

The following sections provide a summary of the work plan tasks that were completed under the current 2023 CAP followed with a summary of the proposed work plan tasks for the 2024 CAP.

2023 CAP Work Plan Tasks

- **Task 1 – Groundwater Monitoring**
 - ✓ This task was completed in accordance with the approved 2023 CAP.

- Task 2 – O&M Chemical Oxidation (Chemox) Treatment System

- ✓ This task was completed in accordance with the approved 2023 CAP. The schedule of the first quarter 2023 chemox injection was altered to account for the late startup of the chemox injection program due to the impact of the harsh winter conditions.

Proposed Work Plan Tasks for 2024

The following table summarizes the proposed tasks and implementation schedule for the 2024 CAP:

2024 CAP Work Plan Tasks and Schedule

Work Plan Task for 2024		1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
Task 1	Monitoring Wells: MW-2, MW-3, MW-6, MW-10, MW-17-2 and MW-17-5.		V, G, D, P, I & S		V, G, D, P, I, & S
	Monitoring Wells MW-1 and MW-4				V, G, D, P, I, & S
	Monitoring Wells MW-3, MW-17-2 and MW-17-5			V, G, D, P, I & S	
Task 2	Chemical Oxidation Treatment		✓	✓	✓

Key:

AK – Alaska Test Method

D – Diesel range organics by AK102.

G – Gasoline range organics by AK101.

I – Intrinsic indicators including dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.

O&M – Operation and Maintenance

P – Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds associated with petroleum fuel, by EPA Test Method 8270D Selective Ion Monitoring (SIM).

S – Sodium analyzed by Metals (ICP) Method 6010C.

V – Volatile organic compounds by EPA Test Method 8260C.

- Task 1 – Groundwater Monitoring

Monitoring of the on-site groundwater monitoring wells will be conducted on a variable frequency as outlined in 2024 Work Plan Schedule shown above. Sampling schedules, well locations and analyses are referenced in the 2024 Work Plan Schedule. The on-site monitoring wells will be sampled to assess treatment impact on the groundwater table.

- Task 2 – Chemical Oxidation (Chemox) Treatment

Stantec proposes to provide chemox treatment of the petroleum contaminated soil and groundwater located in the source area of the former underground storage tank (UST) system. The injection of chemox will occur in the second, third and first part of the fourth quarters of the year. Subject to suitable (non-freezing) weather conditions, Stantec will attempt to inject chemox on a monthly basis throughout the year with the exception of the first quarter.

The chemox injection will be injected into the following 4-inch diameter injection wells: IW-2022A, IW-2022B, IW-2022C, and IW-2022D. Approximately 100 gallons of a prepared solution of potable water and 110 pounds of Klozur One[®] will be manually injected via gravity. Following the injection of the chemox solution, a minimum of 100 gallons of potable water will be injected into each injection well to provide a means of “hydraulically pushing” the chemox solution into the subsurface formation. Also, the wells will be analyzed for sodium to check on the distribution/migration of the oxidant.

The Corrective Action Work Plan for the year 2024 will be implemented by Stantec on behalf of 7-Eleven. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site.

All sampling activities will be completed in accordance with ADEC’s *Underground Storage Tanks Procedures Manual– Standard Sampling Procedures* (March 22, 2017). The methods that will be used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of each well casing. The elevation of the static water level will be based on an arbitrary datum established on-site during a vertical control survey that will be completed by Stantec on an annual basis. The survey will be performed during the summer after the seasonal frost layer thaws.
- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, PET (polyethylene) bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water samples will be collected in laboratory-supplied sample containers. The samples will be delivered to an ADEC-approved laboratory in accordance with standard chain-of-custody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2024 Work Plan Schedule shown above.



If you have any questions or need additional information concerning this 2024 Corrective Action Work Plan, please contact us at (907) 227-9883.

Regards,

STANTEC CONSULTING SERVICES INC.

A handwritten signature in black ink that reads "M. Zidek".


Michael A. Zidek, PMP
Project Manager

A handwritten signature in black ink that reads "Bob Gilfilian".

Robert (Bob) Gilfilian, P.E.
Project Technical Lead

Attachments: Figure 1 – Location and Vicinity Map
Figure 2 – Site Map with Analytical Data Results (4Q October 2023 GWM
Event)
Analytical Data Results Tables of Historical Monitoring Events





**COLONIAL PLAZA MALL
DRINKING WELL,
MORNING STAR SUB. TRACT D
APPROXIMATELY 180'
NORTH OF THIS POINT**

SITE DATA COMPARED TO ADEC Groundwater Cleanup Levels (GCLs)		124-TMB 0.056 mg/L	
ND	NOT DETECTED	135-TMB	0.06 mg/L
-	NOT SAMPLED	BENZENE	0.0046 mg/L
50	SAMPLED & UNDER CRITERION	DRO	
100	SAMPLED & OVER CRITERION	EDB	
FP	FREE PRODUCT	ETHYLBENZENE	0.015 mg/L
DISPLAYED IN mg/L		GRO	2.2 mg/L
		NAPHTHALENE	0.0017 mg/L
		SODIUM	
		TOLUENE	1.1 mg/L
		XYLENES	0.19 mg/L

MW-4 10/19/23

124-TMB	0.000509
135-TMB	0.000118
BENZENE	U(0.00100)
DRO	0.598
EDB	U(0.0000210)
ETHYLBENZENE	0.000176
GRO	U(0.100)
NAPHTHALENE	U(0.000250)
SODIUM	13
TOLUENE	U(0.00100)
XYLENES	0.00107

MW17-2 10/19/23

124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	0.00094
DRO	0.234
EDB	U(0.0000224)
ETHYLBENZENE	0.000589
GRO	0.231
NAPHTHALENE	0.000247
SODIUM	1650
TOLUENE	0.000295
XYLENES	U(0.00300)

MW17-5 10/19/23

124-TMB	0.0111
135-TMB	0.00321
BENZENE	0.00586
DRO	U(0.888)
EDB	U(0.0000220)
ETHYLBENZENE	0.0217
GRO	0.252
NAPHTHALENE	0.000892
SODIUM	199
TOLUENE	0.00418
XYLENES	0.04

MW-1 10/19/23

124-TMB	0.002
135-TMB	0.000374
BENZENE	0.000226
DRO	U(0.888)
EDB	U(0.0000210)
ETHYLBENZENE	0.00103
GRO	0.135
NAPHTHALENE	U(0.000250)
SODIUM	32.6
TOLUENE	0.0531
XYLENES	0.0104

MW-2 10/19/23

124-TMB	0.00444
135-TMB	0.00643
BENZENE	0.000766
DRO	U(0.888)
EDB	U(0.0000224)
ETHYLBENZENE	0.00378
GRO	0.0696
NAPHTHALENE	0.000192
SODIUM	68
TOLUENE	U(0.00100)
XYLENES	0.0068

MW-10 10/19/23

124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.944)
EDB	U(0.0000210)
ETHYLBENZENE	U(0.00100)
GRO	U(0.100)
NAPHTHALENE	U(0.000250)
SODIUM	22.4
TOLUENE	U(0.00100)
XYLENES	U(0.00300)

MW-6 10/19/23

124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.888)
EDB	U(0.0000200)
ETHYLBENZENE	U(0.00100)
GRO	U(0.100)
NAPHTHALENE	U(0.000250)
SODIUM	10
TOLUENE	U(0.00100)
XYLENES	U(0.00300)

MW-3 10/19/23

124-TMB	0.116
135-TMB	0.0362
BENZENE	0.00382
DRO	0.25
EDB	U(0.0000236)
ETHYLBENZENE	0.0881
GRO	1.46
NAPHTHALENE	0.00254
SODIUM	32.7
TOLUENE	0.0167
XYLENES	0.532

- LEGEND:**
- PROPERTY LINE
 - ⊕ MONITORING WELL
 - PP POWER POLE
 - UST UNDERGROUND STORAGE TANK



**Tesoro North Store 112
4Q OCTOBER 2023 GWM EVENT**

**Site Map With Analytical
Data Results**

TNS #112

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
MW17-2													
07/19/2017	--	--	NT	NT	—	—	—	—	—	U(0.039)	—	—	—
10/30/2018	--	--	—	—	U (0.003)	2.50	—	<u>0.18</u>	<u>3.90</u>	—	—	U (0.002)	<u>0.90</u>
05/10/2019	--	--	NT	NT	U (0.003)	0.91	—	0.005100	U (0.25)	U(0.00011)	—	U (0.002)	0.0120
10/22/2019	--	--	—	—	U (0.003)	1.4 H	—	<u>0.21</u>	<u>3.50</u>	—	—	U (0.002)	<u>0.79</u>
08/18/2020	--	381.54	<u>0.457</u>	<u>0.0880</u>	0.0017 J	1.96	—	<u>0.08370</u>	1.76	<u>0.0080500</u>	—	0.00186 J	<u>0.32</u>
10/06/2020	--	381.12	NT	NT	0.00132 J	2.43	—	<u>0.113</u>	2.08	<u>0.0061400</u>	—	U (0.001)	<u>0.591</u>
06/24/2021	--	381.59	<u>0.389</u>	0.05690	0.00163 J	1.58	—	<u>0.07270</u>	1.36	0.0164 B,J	—	U (0.01)	0.173
10/13/2021	--	--	<u>0.315</u>	<u>0.06920</u>	0.00125 J	1.77	—	<u>0.05060</u>	1.51	<u>0.0049300</u>	—	0.00253 J	<u>0.197</u>
05/16/2022	--	382.45	<u>0.247</u>	0.03740	0.000632000	1.15	—	<u>0.03330</u>	0.573	0.000423000	37.5	0.0016500	0.09680
09/26/2022	--	381.46	<u>0.192</u>	0.02510	0.000713000	1.35	—	<u>0.01760</u>	0.557	0.0012700	207	0.0019500	0.04180
10/26/2022	--	381.04	—	—	0.00053000	1.23	U(0.0000200)	0.0012700	0.118	0.000327000	1230	U(0.00100)	0.000377000
06/07/2023	--	381.65	<u>0.09370</u>	0.01870	0.0010500	1.50	—	<u>0.01690</u>	0.425	<u>0.0034900</u>	1280	0.000829000	0.03840
07/26/2023	--	381.65	U(0.00100)	U(0.00100)	0.000862000	0.633	—	0.000272000	U(0.500)	U(0.000250)	1630	U(0.00100)	U(0.00300)
08/16/2023	--	381.03	<u>0.07480</u>	0.02350	<u>0.0083100</u>	0.589	—	<u>0.05570</u>	1.02	<u>0.0034400</u>	425	0.0073600	0.107
09/27/2023	--	381.24	0.000841000	U(0.00100)	0.000697000	0.263	—	0.000436000	0.185	0.000773000	1360	U(0.00100)	0.0011300
10/19/2023	--	380.91	U(0.00100)	U(0.00100)	0.00094000	0.234	U(0.0000224)	0.000589000	0.231	0.000247000	1650	0.000295000	U(0.00300)
MW17-5													
07/19/2017	--	--	<u>0.86</u>	NT	—	—	—	—	—	<u>0.0270</u>	—	—	—
06/14/2018	--	--	0.0440	<u>0.0630</u>	<u>0.0250</u>	0.17	—	<u>0.0640</u>	1.70	0.001100	—	0.52	<u>0.548</u>
10/30/2018	--	--	—	—	<u>0.0550</u>	0.26	—	<u>0.15</u>	<u>3.70</u>	—	—	0.21	<u>0.505</u>
05/09/2019	--	--	—	—	0.003200	0.92	—	<u>0.0160</u>	0.31	—	—	0.002600	0.0480
05/10/2019	--	--	NT	NT	—	—	—	—	—	0.00014000	—	—	—
10/22/2019	--	--	—	—	<u>0.0220</u>	0.47 H	—	<u>0.23</u>	<u>3.70</u>	—	—	0.36	<u>0.721</u>
08/18/2020	--	389.82	<u>0.19</u>	<u>0.117</u>	<u>0.03080</u>	0.825	—	<u>0.151</u>	<u>2.68</u>	<u>0.0072900</u>	—	0.386	<u>0.896</u>
10/06/2020	--	389.43	NT	NT	<u>0.03140</u>	J 0.569	—	<u>0.158</u>	1.68	<u>0.0047500</u>	—	0.144	<u>0.401</u>
10/13/2021	--	--	<u>0.186</u>	<u>0.09640</u>	<u>0.03870</u>	0.800 J	—	<u>0.14</u>	2.18	<u>0.002100</u>	—	0.265	<u>0.469</u>
05/16/2022	--	390.70	<u>0.38</u>	<u>0.114</u>	<u>0.196</u>	1.13	—	<u>0.276</u>	<u>4.07</u>	U(0.000250)	15.4	<u>1.45</u>	<u>1.13</u>
09/26/2022	--	389.74	<u>0.33</u>	<u>0.181</u>	<u>0.151</u>	0.40	—	<u>0.336</u>	<u>4.16</u>	<u>0.0026400</u>	23.8	<u>1.18</u>	<u>1.37</u>
10/26/2022	--	389.32	—	—	<u>0.02670</u>	0.319	U(0.0000204)	<u>0.09680</u>	1.15	<u>0.0039900</u>	270	0.08140	<u>0.276</u>
04/27/2023	--	389.21	0.0088300	0.01630	0.0041400	0.23	—	<u>0.02310</u>	0.306	0.000484000	9.11	U(0.00100)	0.05030
06/07/2023	--	389.92	<u>0.06440</u>	0.02320	<u>0.02440</u>	0.311	—	<u>0.05160</u>	1.43	0.001300	245	0.234	0.182
07/26/2023	--	390.40	<u>0.159</u>	<u>0.06010</u>	<u>0.04650</u>	0.569	—	<u>0.192</u>	2.11	<u>0.0033700</u>	140	0.221	<u>0.567</u>
08/16/2023	--	389.95	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	—	U(0.00100)	0.181	0.000275000	2050	U(0.00100)	U(0.00300)
09/27/2023	--	389.49	<u>0.07040</u>	0.01320	<u>0.01950</u>	0.432	—	<u>0.07680</u>	0.638	0.0013900	45.6	0.01030	0.189
10/19/2023	--	389.19	0.01110	0.0032100	<u>0.0058600</u>	U(0.888)	U(0.0000220)	<u>0.02170</u>	0.252	0.000892000	199	0.0041800	0.0400
MW-1													
05/30/1997	--	380.52	—	—	<u>0.31</u>	8.50	—	<u>2.30</u>	<u>42.0</u>	—	—	<u>9.00</u>	<u>10.0</u>
09/11/1997	--	380.90	—	—	<u>0.571</u>	6.05	—	<u>2.00</u>	<u>55.0</u>	—	—	<u>12.6</u>	<u>9.37</u>
03/12/1998	--	380.56	—	—	<u>0.22</u>	5.10	—	<u>1.30</u>	<u>37.0</u>	—	—	<u>4.90</u>	<u>6.00</u>

	Well Screen Interval	Ground Water Elevatio.	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
07/21/1998	--	381.15	—	—	<u>0.143</u>	7.59	—	<u>0.84</u>	<u>22.0</u>	—	—	<u>4.29</u>	<u>3.92</u>
10/12/1998	--	379.42	—	—	<u>0.277</u>	5.98	—	<u>0.458</u>	<u>16.0</u>	—	—	<u>4.36</u>	<u>1.929</u>
01/21/1999	--	380.44	—	—	<u>0.0360</u>	2.46	—	<u>0.24</u>	<u>6.80</u>	—	—	1.08	<u>1.208</u>
03/31/1999	--	379.92	—	—	<u>0.0150</u>	0.686	—	<u>0.151</u>	<u>3.30</u>	—	—	0.297	<u>0.703</u>
07/28/1999	--	380.78	—	—	<u>0.0870</u>	3.89	—	<u>1.96</u>	<u>46.0</u>	—	—	<u>10.8</u>	<u>9.38</u>
10/15/1999	--	380.55	—	—	<u>0.174</u>	3.74	—	<u>0.503</u>	<u>15.0</u>	—	—	<u>2.97</u>	<u>2.334</u>
03/10/2000	--	380.16	—	—	<u>0.02160</u>	0.81	—	<u>0.161</u>	<u>4.70</u>	—	—	0.718	<u>0.783</u>
06/21/2000	--	380.96	—	—	<u>0.0220</u>	1.03	—	<u>0.284</u>	<u>7.60</u>	—	—	0.931	<u>1.321</u>
09/21/2000	--	380.90	—	—	<u>0.03290</u>	1.61	—	<u>0.16</u>	<u>5.00</u>	—	—	0.471	<u>0.736</u>
01/25/2001	--	380.54	—	—	<u>0.0170</u>	0.644	—	<u>0.11</u>	<u>3.69</u>	—	—	0.322	<u>0.523</u>
04/19/2001	--	380.51	—	—	<u>0.01230</u>	0.92	—	<u>0.0460</u>	1.48	—	—	0.0970	<u>0.221</u>
07/24/2001	--	380.89	—	—	<u>0.01190</u>	0.628	—	<u>0.104</u>	2.07	—	—	0.209	<u>0.409</u>
01/28/2002	--	380.80	—	—	<u>0.12</u>	0.778	—	<u>0.604</u>	<u>10.8</u>	—	—	<u>2.07</u>	<u>2.841</u>
04/30/2002	--	381.29	—	—	<u>5.02</u>	2.10	—	<u>0.284</u>	<u>32.2</u>	—	—	<u>9.48</u>	<u>3.47</u>
09/30/2002	--	381.36	—	—	<u>0.659</u>	1.11	—	<u>0.05510</u>	<u>3.87</u>	—	—	0.209	<u>0.736</u>
05/12/2003	--	381.34	—	—	<u>0.538</u>	4.84	—	<u>0.814</u>	<u>44.5</u>	—	—	<u>3.14</u>	<u>20.42</u>
10/09/2003	--	380.72	—	—	0.0043700	U (0.32)	—	0.0018900	0.697	—	—	0.0057100	0.09980
04/21/2004	--	380.39	—	—	U (0.0005)	U (0.5)	—	U (0.0005)	U (0.05)	—	—	0.000709000	0.0098400
10/21/2004	--	379.96	—	—	<u>0.0054400</u>	2.41	—	0.0058500	<u>3.52</u>	—	—	0.0028400	<u>1.46</u>
05/19/2005	--	380.90	—	—	0.000943000	0.48	—	0.0027200	0.07090	—	—	0.0024800	0.02110
05/15/2007	--	380.09	—	—	U (0.0005)	U (0.413)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/29/2008	--	380.16	—	—	U (0.0005)	0.862	—	U (0.0005)	U (0.05)	—	—	0.00088000	U (0.0015)
05/12/2009	--	380.84	—	—	U (0.0005)	1.77	—	0.00077000	U (0.05)	—	—	0.0042700	0.0058600
06/15/2010	--	380.64	—	—	0.0013400	U (0.420)	—	<u>0.03570</u>	0.849	—	—	0.02970	<u>0.249</u>
05/24/2011	--	380.75	—	—	U (0.0005)	0.652	—	0.0047900	0.08570	—	—	0.00056000	0.03770
05/22/2012	--	380.53	—	—	0.000701000	U (0.410)	—	<u>0.07650</u>	1.41	—	—	0.0028400	<u>0.407</u>
05/21/2013	--	380.84	—	—	0.000845000	0.587	—	<u>0.125</u>	1.21	—	—	U (0.0005)	<u>0.455</u>
05/06/2014	--	380.98	—	—	U (0.0005)	0.64	—	0.002100	U (0.05)	—	—	U (0.0005)	0.0110
05/26/2015	--	381.36	—	—	U (0.001)	2.30	—	0.004500	0.21	—	—	0.004400	0.0310
05/11/2016	--	380.82	—	—	0.00055000	U (0.40)	—	0.005300	U (0.1)	—	—	0.002600	0.0290
05/08/2017	--	381.10	—	—	U (0.002)	1.50	—	<u>0.0340</u>	U (10)	—	—	U (0.002)	<u>0.285</u>
06/14/2018	--	381.20	—	—	U (0.003)	0.43	—	0.008600	0.0280	—	—	0.002100	0.0710
05/09/2019	--	380.58	—	—	U (0.003)	0.42	—	U (0.003)	U (0.25)	—	—	U (0.002)	0.003400
10/06/2020	--	381.10	—	—	0.000373 J	1.27	—	0.0041900	0.153	—	—	0.04280	0.03740
10/13/2021	--	--	—	—	0.000246 J	1.33	—	0.003100	0.315	—	—	0.08830	0.03320
09/26/2022	--	381.43	0.0084400	0.0019400	0.00019000	1.32	—	0.0025100	0.318	0.000112000	26.8	0.184	0.04050
10/19/2023	--	380.91	0.00200	0.000374000	0.000226000	U(0.888)	U(0.0000210)	0.0010300	0.135	U(0.000250)	32.6	0.05310	0.01040
MW-2													
05/30/1997	--	388.86	—	—	<u>92.0</u>	8.20	—	<u>7.10</u>	<u>170</u>	—	—	<u>64.0</u>	<u>33.0</u>
03/12/1998	--	388.90	—	—	<u>2.80</u>	21.0	—	<u>13.0</u>	<u>420</u>	—	—	<u>44.0</u>	<u>62.0</u>

	Well Screen Interval	Ground Water Elevatio.	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
04/19/2001	--	388.85	—	—	<u>2.93</u>	27.4	—	<u>9.90</u>	<u>216</u>	—	—	<u>52.9</u>	<u>44.5</u>
07/24/2001	--	389.24	—	—	<u>1.95</u>	18.5	—	<u>5.30</u>	<u>136</u>	—	—	<u>30.5</u>	<u>33.9</u>
01/28/2002	--	389.14	—	—	<u>1.23</u>	10.5	—	<u>7.38</u>	<u>156</u>	—	—	<u>33.4</u>	<u>39.8</u>
04/30/2002	--	389.66	—	—	<u>0.116</u>	6.90	—	<u>2.60</u>	<u>51.4</u>	—	—	<u>10.2</u>	<u>17.43</u>
09/30/2002	--	389.29	—	—	<u>0.656</u>	6.93	—	<u>2.92</u>	<u>118</u>	—	—	<u>17.9</u>	<u>26.61</u>
05/12/2003	--	389.74	—	—	<u>0.569</u>	5.68	—	<u>4.15</u>	<u>90.8</u>	—	—	<u>19.7</u>	<u>25.43</u>
10/09/2003	--	389.00	—	—	<u>0.25</u>	U (0.32)	—	<u>2.88</u>	<u>64.9</u>	—	—	<u>6.21</u>	<u>14.2</u>
04/21/2004	--	388.73	—	—	U (0.005)	7.00	—	<u>0.114</u>	<u>5.42</u>	—	—	0.116	<u>1.21</u>
10/21/2004	--	388.03	—	—	<u>0.0051800</u>	1.74	—	<u>0.109</u>	<u>3.20</u>	—	—	0.08240	<u>0.699</u>
05/19/2005	--	389.21	—	—	<u>0.0068100</u>	5.49	—	<u>0.376</u>	<u>7.88</u>	—	—	0.513	<u>1.61</u>
09/26/2005	--	388.93	—	—	<u>0.01250</u>	3.15	—	<u>0.422</u>	<u>9.60</u>	—	—	0.58	<u>1.78</u>
05/15/2006	--	388.80	—	—	0.00058000	1.87	—	<u>0.05330</u>	1.50	—	—	0.02730	<u>0.223</u>
11/07/2006	--	388.64	—	—	<u>0.01020</u>	1.35	—	<u>0.906</u>	<u>17.0</u>	—	—	<u>1.11</u>	<u>3.24</u>
05/15/2007	--	388.15	—	—	0.0027900	1.90	—	<u>0.03560</u>	1.99	—	—	0.01990	0.173
10/16/2007	--	388.15	—	—	0.003200	1.55	—	<u>0.412</u>	<u>7.61</u>	—	—	0.173	<u>1.03</u>
04/29/2008	--	388.82	—	—	U (0.0005)	2.09	—	0.004300	0.453	—	—	U (0.0005)	0.01310
10/01/2008	--	389.24	—	—	0.0011400	1.38	—	<u>0.228</u>	<u>3.12</u>	—	—	0.01940	<u>0.739</u>
05/12/2009	--	389.14	—	—	0.0038500	8.79	—	<u>0.308</u>	<u>4.00</u>	—	—	0.01140	<u>0.537</u>
10/26/2009	--	388.76	—	—	0.0013800	0.738	—	<u>0.717</u>	<u>4.25</u>	—	—	0.01080	<u>1.48</u>
06/15/2010	--	388.99	—	—	0.0014300	0.51	—	<u>0.02050</u>	1.32	—	—	0.0013500	0.07290
10/14/2010	--	388.66	—	—	0.0019200	1.49	—	<u>0.127</u>	<u>4.45</u>	—	—	0.01360	<u>0.70</u>
05/24/2011	--	388.96	—	—	0.0023200	3.04	—	<u>0.798</u>	<u>6.24</u>	—	—	0.03130	<u>1.32</u>
10/26/2011	--	388.59	—	—	U (0.010)	0.744	—	<u>0.345</u>	<u>6.53</u>	—	—	U (0.010)	<u>1.11</u>
05/22/2012	--	388.88	—	—	<u>0.0056600</u>	NR	—	<u>0.179</u>	<u>5.17</u>	—	—	0.0027500	<u>0.503</u>
10/11/2012	--	389.13	—	—	0.00075000	0.655	—	0.0070700	0.687	—	—	0.01970	0.06140
05/21/2013	--	389.20	—	—	0.0017300	U (0.397)	—	<u>0.0190</u>	0.388	—	—	0.000638000	0.03250
09/25/2013	--	389.27	—	—	0.001300	0.573	—	<u>0.269</u>	<u>2.61</u>	—	—	0.0010400	<u>0.481</u>
05/06/2014	--	389.28	—	—	0.003800	0.67	—	<u>0.15</u>	1.80	—	—	U (0.0005)	<u>0.21</u>
09/17/2014	--	388.88	—	—	0.00072000	U (0.38)	—	<u>0.0960</u>	1.30	—	—	0.00068000	0.15
05/26/2015	--	389.53	—	—	0.001800	2.50	—	<u>0.0920</u>	1.60	—	—	U (0.003)	<u>0.21</u>
10/06/2015	--	389.86	—	—	<u>0.0360</u>	0.76	—	<u>0.29</u>	<u>4.70</u>	—	—	0.003900	<u>0.64</u>
05/11/2016	--	389.13	—	—	0.002300	0.73	—	<u>0.10</u>	1.20	—	—	U (0.001)	0.14
10/05/2016	--	389.51	—	—	U (0.020)	1.40	—	<u>0.15</u>	1.70	—	—	U (0.020)	<u>0.22</u>
05/08/2017	--	389.42	—	—	U (0.002)	0.68	—	<u>0.23</u>	<u>2.80</u>	—	—	U (0.002)	<u>0.639</u>
09/05/2017	--	389.34	—	—	0.001400	0.90	—	<u>0.0410</u>	1.00	—	—	U (0.001)	0.0810
06/14/2018	--	389.52	—	—	U (0.003)	0.30	—	<u>0.0770</u>	1.10	—	—	U (0.002)	0.1128
10/30/2018	--	389.22	—	—	U (0.003)	2.40	—	<u>0.0420</u>	0.69	—	—	U (0.002)	0.0620
05/09/2019	--	388.88	—	—	U (0.003)	0.26	—	<u>0.0230</u>	0.41	—	—	U (0.002)	0.0510
10/22/2019	--	389.44	—	—	U (0.003)	0.72	—	<u>0.0170</u>	0.36	—	—	U (0.002)	0.0290
08/18/2020	--	389.80	—	—	0.00074000	0.632	—	0.0072800	0.203	—	—	0.000886 J	0.01560
10/06/2020	--	389.40	—	—	0.0012100	0.38 J	—	0.01040	0.277	—	—	0.000531 J	0.02450

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
06/24/2021	--	389.94	—	—	0.00062 J	0.95	—	0.0067300	0.85	—	—	0.000453 J	0.01210
10/13/2021	--	--	—	—	0.000702 J	1.49	—	0.0076800	0.21	—	—	U (0.001)	0.0130
05/16/2022	--	390.75	0.01140	0.0046100	0.000328000	0.38	—	0.0046800	0.126	U(0.000250)	11.5	U(0.00100)	0.0076800
09/26/2022	--	389.76	0.01250	0.0062700	0.000558000	0.772	—	0.0046000	0.174	0.000397000	15.4	0.000511000	0.0085600
04/27/2023	--	389.22	0.0064400	0.007100	0.000564000	0.719	—	0.007400	0.16	0.000145000	12.3	U(0.00100)	0.01220
10/19/2023	--	389.22	0.0044400	0.0064300	0.000766000	U(0.888)	U(0.0000224)	0.0037800	0.06960	0.000192000	68.0	U(0.00100)	0.006800
MW-3													
05/30/1997	--	388.79	—	—	<u>23.0</u>	54.0	—	<u>12.0</u>	<u>380</u>	—	—	<u>69.0</u>	<u>54.0</u>
09/30/2002	--	389.15	—	—	<u>36.6</u>	7.38	—	<u>3.87</u>	<u>337</u>	—	—	<u>75.3</u>	<u>40.3</u>
05/12/2003	--	389.68	—	—	<u>5.41</u>	2.37	—	<u>1.44</u>	<u>36.6</u>	—	—	<u>6.45</u>	<u>7.86</u>
10/09/2003	--	388.92	—	—	<u>13.6</u>	U (0.32)	—	<u>5.31</u>	<u>392</u>	—	—	<u>52.3</u>	<u>49.9</u>
04/21/2004	--	389.34	—	—	<u>0.617</u>	1.90	—	<u>0.722</u>	<u>20.2</u>	—	—	<u>1.47</u>	<u>5.69</u>
10/21/2004	--	388.26	—	—	<u>9.38</u>	4.96	—	<u>3.68</u>	<u>157</u>	—	—	<u>29.5</u>	<u>24.3</u>
05/19/2005	--	389.41	—	—	<u>0.846</u>	2.03	—	<u>1.04</u>	<u>37.3</u>	—	—	<u>5.38</u>	<u>8.90</u>
09/26/2005	--	389.12	—	—	<u>0.04960</u>	3.15	—	<u>0.261</u>	<u>14.6</u>	—	—	<u>1.27</u>	<u>4.24</u>
05/15/2006	--	388.90	—	—	<u>0.833</u>	4.44	—	<u>1.63</u>	<u>44.3</u>	—	—	<u>5.05</u>	<u>12.5</u>
11/07/2006	--	388.87	—	—	<u>1.74</u>	4.68	—	<u>3.74</u>	<u>174</u>	—	—	<u>26.4</u>	<u>31.4</u>
05/15/2007	--	388.37	—	—	<u>0.01240</u>	2.49	—	<u>0.09420</u>	<u>3.93</u>	—	—	0.136	<u>0.948</u>
10/16/2007	--	387.31	—	—	<u>0.126</u>	7.82	—	<u>0.272</u>	<u>55.3</u>	—	—	<u>2.30</u>	<u>17.5</u>
04/29/2008	--	388.74	—	—	<u>0.006300</u>	4.71	—	<u>0.01970</u>	1.44	—	—	0.143	<u>0.321</u>
10/01/2008	--	389.36	—	—	0.0030500	3.20	—	<u>0.05720</u>	<u>2.40</u>	—	—	0.02380	<u>0.913</u>
05/12/2009	--	389.26	—	—	<u>0.0560</u>	5.95	—	<u>0.624</u>	<u>17.2</u>	—	—	0.833	<u>5.70</u>
10/26/2009	--	388.70	—	—	<u>0.09030</u>	3.41	—	<u>0.935</u>	<u>51.5</u>	—	—	<u>2.25</u>	<u>13.6</u>
06/15/2010	--	388.90	—	—	<u>0.04280</u>	2.86	—	<u>0.449</u>	<u>12.8</u>	—	—	0.377	<u>4.20</u>
10/14/2010	--	388.28	—	—	<u>0.113</u>	7.56	—	<u>2.48</u>	<u>137</u>	—	—	<u>9.24</u>	<u>25.6</u>
05/24/2011	--	388.85	—	—	<u>0.205</u>	7.72	—	<u>1.31</u>	<u>62.4</u>	—	—	<u>2.53</u>	<u>20.9</u>
10/26/2011	--	388.56	—	—	<u>0.104</u>	12.0	—	<u>1.39</u>	<u>47.0</u>	—	—	<u>2.09</u>	<u>20.7</u>
05/22/2012	--	388.82	—	—	<u>0.131</u>	5.22	—	<u>0.751</u>	<u>41.3</u>	—	—	<u>1.99</u>	<u>12.9</u>
10/11/2012	--	389.05	—	—	<u>0.01020</u>	1.35	—	<u>0.271</u>	<u>23.2</u>	—	—	0.373	<u>3.83</u>
05/21/2013	--	389.13	—	—	<u>1.50</u>	20.3	—	<u>2.39</u>	<u>70.0</u>	—	—	<u>11.2</u>	<u>15.9</u>
09/25/2013	--	389.18	—	—	<u>0.102</u>	7.15	—	<u>1.93</u>	<u>47.9</u>	—	—	<u>4.01</u>	<u>23.9</u>
05/06/2014	--	389.10	—	—	<u>0.0370</u>	4.70	—	<u>0.42</u>	<u>12.0</u>	—	—	0.47	<u>3.80</u>
09/17/2014	--	388.75	—	—	<u>0.0470</u>	2.70	—	<u>1.20</u>	<u>26.0</u>	—	—	<u>1.50</u>	<u>14.0</u>
05/26/2015	--	389.50	—	—	<u>0.0570</u>	4.60	—	<u>1.60</u>	<u>79.0</u>	—	—	<u>2.00</u>	<u>13.0</u>
10/06/2015	--	389.77	—	—	<u>0.10</u>	2.20	—	<u>1.50</u>	<u>57.0</u>	—	—	<u>2.10</u>	<u>16.0</u>
05/11/2016	--	389.07	—	—	0.00093000	1.60	—	<u>0.0340</u>	1.10	—	—	0.0240	<u>0.34</u>
10/05/2016	--	389.44	—	—	<u>0.0540</u>	2.50	—	<u>0.92</u>	<u>21.0</u>	—	—	0.61	<u>7.90</u>
05/08/2017	--	389.37	—	—	<u>0.0210</u>	4.40	—	<u>0.63</u>	<u>19.0</u>	—	—	0.32	<u>6.60</u>
09/05/2017	--	389.25	—	—	<u>0.0400</u>	2.00	—	<u>1.00</u>	<u>30.0</u>	—	—	0.75	<u>12.0</u>
06/14/2018	--	389.44	—	—	<u>0.0270</u>	2.80	—	<u>1.10</u>	U (25)	—	—	0.67	<u>11.6</u>

	Well Screen Interval	Ground Water Elevatio.	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
10/30/2018	--	389.14	—	—	<u>0.0360</u>	5.70	—	<u>1.20</u>	<u>39.0</u>	—	—	0.37	<u>12.0</u>
05/10/2019	--	388.84	—	—	<u>0.0290</u>	0.66	—	<u>0.38</u>	<u>10.0</u>	—	—	0.20	<u>4.02</u>
10/22/2019	--	389.42	—	—	<u>0.0280</u>	3.7 H	—	<u>0.75</u>	<u>17.0</u>	—	—	0.15	<u>5.50</u>
08/18/2020	--	389.75	—	—	<u>0.02440</u>	2.84	—	<u>0.637</u>	<u>12.6</u>	—	—	0.194	<u>6.86</u>
10/06/2020	--	389.35	—	—	<u>0.04460</u>	3.64	—	<u>0.473</u>	<u>10.7</u>	—	—	0.187	<u>4.59</u>
06/24/2021	--	389.80	—	—	<u>0.02920</u>	2.03	—	<u>0.598</u>	<u>16.0</u>	—	—	0.278	<u>6.45</u>
10/13/2021	--	--	—	—	0.0186 J	2.16	—	<u>0.248</u>	<u>7.35</u>	—	—	0.08560	<u>1.80</u>
05/16/2022	--	390.69	<u>0.322</u>	<u>0.134</u>	<u>0.01320</u>	1.49	—	<u>0.187</u>	<u>2.38</u>	<u>0.0035400</u>	42.0	0.131	<u>1.71</u>
09/26/2022	--	389.68	<u>0.473</u>	<u>0.166</u>	<u>0.01680</u>	1.30	—	<u>0.354</u>	<u>4.78</u>	<u>0.01480</u>	45.4	0.33	<u>2.77</u>
10/26/2022	--	389.26	—	—	<u>0.009900</u>	1.18	U(0.0000216)	<u>0.383</u>	<u>6.65</u>	<u>0.01580</u>	51.7	0.22	<u>3.25</u>
04/27/2023	--	389.17	<u>0.137</u>	0.05110	<u>0.0130</u>	1.72	—	<u>0.219</u>	<u>4.97</u>	<u>0.0091700</u>	42.1	0.232	<u>1.63</u>
07/26/2023	--	389.67	<u>1.63</u>	<u>0.446</u>	<u>0.0120</u>	2.82	—	<u>0.577</u>	<u>9.42</u>	<u>0.02080</u>	34.4	0.353	<u>5.94</u>
08/16/2023	--	389.57	<u>0.406</u>	<u>0.129</u>	0.003500	1.15	—	<u>0.157</u>	1.72	<u>0.0060500</u>	33.6	0.05320	<u>1.17</u>
09/27/2023	--	389.45	0.01520	<u>0.06010</u>	<u>0.0065700</u>	0.747	—	<u>0.199</u>	<u>2.88</u>	<u>0.0045900</u>	35.1	0.199	<u>1.82</u>
10/19/2023	--	389.16	<u>0.116</u>	0.03620	0.0038200	0.25	U(0.0000236)	<u>0.08810</u>	1.46	<u>0.0025400</u>	32.7	0.01670	<u>0.532</u>
MW-4													
05/30/1997	--	380.39	—	—	<u>0.85</u>	0.55	—	<u>0.16</u>	<u>3.80</u>	—	—	0.71	<u>0.64</u>
09/11/1997	--	380.80	—	—	<u>8.41</u>	1.71	—	<u>1.15</u>	<u>64.0</u>	—	—	<u>14.5</u>	<u>5.57</u>
03/12/1998	--	380.44	—	—	<u>2.30</u>	0.68	—	<u>0.42</u>	<u>15.0</u>	—	—	<u>3.30</u>	<u>1.80</u>
07/21/1998	--	381.01	—	—	<u>3.71</u>	0.70	—	<u>0.485</u>	<u>21.0</u>	—	—	<u>3.69</u>	<u>2.09</u>
10/12/1998	--	380.33	—	—	<u>1.95</u>	1.29	—	<u>0.36</u>	<u>12.0</u>	—	—	<u>1.99</u>	<u>1.58</u>
01/21/1999	--	380.35	—	—	<u>0.94</u>	0.70	—	<u>0.127</u>	<u>4.30</u>	—	—	0.483	<u>0.579</u>
07/28/1999	--	380.63	—	—	<u>3.48</u>	2.65	—	<u>0.39</u>	<u>21.0</u>	—	—	<u>5.60</u>	<u>1.86</u>
10/15/1999	--	380.41	—	—	<u>3.30</u>	3.84	—	<u>0.422</u>	<u>26.0</u>	—	—	<u>5.40</u>	<u>1.962</u>
03/10/2000	--	380.05	—	—	<u>1.88</u>	1.91	—	<u>0.466</u>	<u>14.0</u>	—	—	<u>2.52</u>	<u>2.03</u>
06/21/2000	--	380.84	—	—	<u>1.44</u>	0.66	—	<u>0.201</u>	<u>10.0</u>	—	—	<u>1.78</u>	<u>0.923</u>
09/21/2000	--	380.78	—	—	U (0.0005)	0.838	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
01/25/2001	--	380.42	—	—	<u>0.533</u>	1.71	—	<u>0.397</u>	<u>7.27</u>	—	—	0.602	<u>1.464</u>
04/19/2001	--	380.38	—	—	U (0.0005)	U(0.8)	—	0.0110	0.225	—	—	0.0150	0.0660
07/24/2001	--	380.77	—	—	0.00100	0.869	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
01/28/2002	--	380.66	—	—	<u>0.271</u>	0.708	—	<u>0.631</u>	<u>9.58</u>	—	—	0.802	<u>2.646</u>
04/30/2002	--	381.26	—	—	<u>0.06440</u>	U (0.495)	—	<u>0.509</u>	0.623	—	—	U (0.002)	0.128
09/30/2002	--	380.82	—	—	<u>0.01570</u>	U (0.5)	—	0.0052300	0.09430	—	—	U (0.002)	0.01140
05/12/2003	--	381.29	—	—	<u>0.01380</u>	U (0.3)	—	0.0059500	0.167	—	—	0.0026800	0.052520
10/09/2003	--	380.52	—	—	<u>0.03110</u>	2.95	—	0.0055500	0.266	—	—	U (0.0005)	0.06570
04/21/2004	--	380.25	—	—	0.0029500	U (0.5)	—	0.0050600	0.311	—	—	U (0.0005)	0.113
10/21/2004	--	379.42	—	—	<u>0.01210</u>	0.455	—	U (0.0005)	0.06460	—	—	U (0.0005)	0.0079100
05/19/2005	--	380.76	—	—	0.0029500	U (0.391)	—	U (0.0005)	0.0670	—	—	U (0.0005)	0.01670
05/15/2006	--	380.23	—	—	0.000635000	U (0.403)	—	U (0.0005)	0.0510	—	—	U (0.0005)	0.0091900
05/15/2007	--	379.57	—	—	U (0.0005)	0.782	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
04/29/2008	--	380.48	—	—	0.0017500	3.78	—	0.00097000	1.75	—	—	0.0033800	<u>1.20</u>
05/12/2009	--	380.58	—	—	U (0.0005)	U (0.427)	—	U (0.0005)	U (0.05)	—	—	0.0012100	0.0018900
06/15/2010	--	380.53	—	—	U (0.0005)	U (0.410)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.00976)
05/24/2011	--	380.47	—	—	U (0.0005)	U (0.403)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/22/2012	--	380.42	—	—	U (0.0005)	U (0.417)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/06/2013	--	380.83	—	—	U (0.0005)	U (0.403)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/21/2013	--	380.73	—	—	U (0.0005)	U (0.41)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/26/2015	--	381.10	—	—	U (0.001)	0.23	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
05/11/2016	--	380.69	—	—	U (0.0020)	U (0.40)	—	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
05/08/2017	--	381.01	—	—	U (0.002)	0.14	—	U (0.003)	U (1)	—	—	U (0.002)	U (0.002)
06/14/2018	--	381.09	—	—	U (0.003)	U (0.25)	—	U (0.003)	U (0.000054)	—	—	U (0.002)	U (0.002)
05/09/2019	--	385.47	—	—	U (0.003)	0.51	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/06/2020	--	380.98	—	—	U (0.001)	0.574	—	U (0.001)	0.01440	—	—	U (0.001)	U (0.003)
10/13/2021	--	—	—	—	U (0.001)	2.84	—	U (0.001)	U (0.100)	—	—	U (0.001)	0.000454 J
09/26/2022	--	381.31	0.000362000	U(0.00100)	U(0.00100)	2.68	—	U(0.00100)	0.03320	U(0.000250)	13.1	U(0.00100)	0.000534000
10/19/2023	--	380.79	0.000509000	0.000118000	U(0.00100)	0.598	U(0.0000210)	0.000176000	U(0.100)	U(0.000250)	13.0	U(0.00100)	0.0010700
MW-6													
06/21/2000	--	376.32	—	—	0.001200	U (0.3)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
09/21/2000	--	376.28	—	—	U (0.0005)	U (0.297)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
01/25/2001	--	376.03	—	—	0.00051000	U (0.3)	—	U (0.002)	U (0.09)	—	—	0.002600	0.00300
04/19/2001	--	375.98	—	—	U (0.0005)	U (0.808)	—	U (0.002)	U (0.09)	—	—	U (0.002)	0.00300
07/24/2001	--	376.29	—	—	U (0.0005)	U (0.495)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
01/28/2002	--	376.24	—	—	U (0.0005)	U (0.500)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
04/30/2002	--	376.58	—	—	0.000565000	U (0.500)	—	0.0020300	U (0.09)	—	—	0.0041100	0.010810
09/30/2002	--	376.21	—	—	U (0.0005)	U (0.495)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
05/12/2003	--	375.94	—	—	U (0.0005)	U (0.3)	—	U (0.002)	U (0.09)	—	—	U (0.002)	U (0.002)
10/09/2003	--	376.11	—	—	U (0.0005)	U (0.32)	—	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)
04/21/2004	--	375.80	—	—	U (0.0005)	U (0.5)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/21/2004	--	375.02	—	—	U (0.0002)	U (0.4)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.001)
05/19/2005	--	376.05	—	—	U (0.0005)	U (0.391)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/15/2006	--	375.77	—	—	U (0.0005)	U (0.397)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/15/2007	--	375.25	—	—	U (0.0005)	U (0.417)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/29/2008	--	376.04	—	—	U (0.0005)	U (0.481)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/12/2009	--	376.33	—	—	U (0.0005)	U (0.400)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
06/15/2010	--	—	—	—	U (0.0005)	U (0.431)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.00976)
05/24/2011	--	376.07	—	—	U (0.0005)	U (0.385)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/26/2011	--	375.93	—	—	U (0.0005)	U (0.403)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/22/2012	--	376.07	—	—	U (0.0005)	U (0.417)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/11/2012	--	376.25	—	—	U (0.0005)	U (0.403)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
05/21/2013	--	376.29	—	—	U (0.0005)	U (0.417)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)

	Well Screen Interval	Ground Water Elevatio.	124-TMB	135-TMB	Benzene	DRO	EDB	Ethylbenzene	GRO	Naphtthalene	Sodium	Toluene	Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0046</u>			<u>0.015</u>	<u>2.2</u>	<u>0.0017</u>		<u>1.1</u>	<u>0.19</u>
09/25/2013	--	376.44	—	—	U (0.0005)	U (0.385)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/06/2014	--	376.40	—	—	U (0.0005)	U (0.42)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
09/17/2014	--	377.27	—	—	U (0.0005)	U (0.39)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0005)
05/26/2015	--	377.01	—	—	U (0.001)	U (0.21)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
10/06/2015	--	376.80	—	—	U (0.001)	0.84	—	U (0.001)	U (0.01)	—	—	U (0.001)	U (0.003)
05/11/2016	--	376.22	—	—	U (0.0020)	U (0.0020)	—	U (0.0020)	U (0.0020)	—	—	U (0.0020)	U (0.0020)
10/05/2016	--	376.51	—	—	U (0.0020)	U (0.12)	—	U (0.0030)	U (0.05)	—	—	U (0.0020)	U (0.0020)
05/08/2017	--	376.51	—	—	U (0.002)	U (0.11)	—	U (0.003)	U (1)	—	—	U (0.002)	U (0.002)
09/05/2017	--	376.45	—	—	U (0004)	U (0.290)	—	U (0.001)	U (0.150)	—	—	U (0.001)	U (0.003)
06/14/2018	--	376.58	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.002)
10/30/2018	--	376.34	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	0.008400
05/09/2019	--	376.11	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/22/2019	--	376.53	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
08/18/2020	--	376.86	—	—	U (0.200)	J (0.210)	—	U (0.500)	U (0.0500)	—	—	U (0.500)	U (1.500)
10/06/2020	--	376.50	—	—	U (0.001)	U (0.800)	—	U (0.001)	U (0.0100)	—	—	U (0.001)	U (0.003)
06/24/2021	--	376.77	—	—	U (0.001)	U (0.800)	—	U (0.001)	J 0.0384	—	—	U (0.001)	U (0.003)
10/13/2021	--	--	—	—	U (0.001)	0.376 J	—	U (0.001)	U (0.1)	—	—	U (0.001)	0.000221000
05/16/2022	--	377.55	U(0.00100)	0.000565000	U(0.00100)	U(0.840)	—	0.000372000	0.0850	U(0.000250)	8.98	U(0.00100)	U(0.00300)
09/26/2022	--	376.78	U(0.00100)	U(0.00100)	U(0.00100)	U(0.832)	—	U(0.00100)	0.04650	U(0.000250)	10.1	U(0.00100)	U(0.00300)
06/07/2023	--	376.95	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	—	U(0.00100)	U(0.100)	U(0.000250)	7.78	U(0.00100)	U(0.00300)
10/19/2023	--	376.38	U(0.00100)	U(0.00100)	U(0.00100)	U(0.888)	U(0.0000200)	U(0.00100)	U(0.100)	U(0.000250)	10.0	U(0.00100)	U(0.00300)
MW-10													
09/17/2004	--	--	—	—	<u>0.01030</u>	U (0.385)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/21/2004	--	373.28	—	—	U (0.0002)	2.19	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.001)
05/19/2005	--	374.19	—	—	U (0.0005)	U (0.391)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
09/26/2005	--	374.14	—	—	U (0.0005)	U (0.397)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/15/2006	--	373.96	—	—	U (0.0005)	U (0.391)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
11/07/2006	--	373.99	—	—	U (0.0005)	U (0.442)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/15/2007	--	373.58	—	—	U (0.0005)	U (0.41)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/16/2007	--	373.58	—	—	U (0.0005)	U (0.427)	—	U (0.0005)	U (0.05)	—	—	0.000745000	0.0084300
04/29/2008	--	374.06	—	—	U (0.0005)	U (0.424)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/01/2008	--	374.39	—	—	U (0.0005)	U (0.49)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/12/2009	--	374.31	—	—	U (0.0005)	U (0.403)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/26/2009	--	374.04	—	—	U (0.0005)	U (0.417)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
06/15/2010	--	374.22	—	—	U (0.0005)	U (0.417)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.00976)
10/14/2010	--	374.09	—	—	U (0.0005)	U (0.397)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
05/24/2011	--	374.19	—	—	U (0.0005)	U (0.410)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/26/2011	--	374.06	—	—	U (0.0005)	U (0.410)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/22/2012	--	374.14	—	—	U (0.0005)	U (0.410)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/11/2012	--	374.30	—	—	U (0.0005)	U (0.413)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)

	<i>Well Screen Interval</i>	<i>Ground Water Elevatio.</i>	<i>124-TMB</i>	<i>135-TMB</i>	<i>Benzene</i>	<i>DRO</i>	<i>EDB</i>	<i>Ethylbenzene</i>	<i>GRO</i>	<i>Naphtthalene</i>	<i>Sodium</i>	<i>Toluene</i>	<i>Xylenes</i>
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046			0.015	2.2	0.0017		1.1	0.19
05/21/2013	--	374.36	—	—	U (0.0005)	U (0.410)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
09/25/2013	--	374.48	—	—	U (0.0005)	U (0.403)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/06/2014	--	374.46	—	—	U (0.0005)	U (0.41)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.002700
09/17/2014	--	375.48	—	—	U (0.0005)	U (0.41)	—	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/26/2015	--	375.22	—	—	U (0.001)	U (0.22)	—	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
10/06/2015	--	374.86	—	—	U (0.001)	0.41	—	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
05/11/2016	--	374.34	—	—	U (0.0020)	U (0.42)	—	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
10/05/2016	--	374.69	—	—	U (0.0020)	2.60	—	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)
05/08/2017	--	374.59	—	—	U (0.002)	U (0.11)	—	U (0.003)	U (1)	—	—	U (0.002)	0.005600
09/05/2017	--	374.55	—	—	U (.0004)	U (0.280)	—	U (0.001)	U (0.150)	—	—	U (0.001)	U (0.003)
06/14/2018	--	374.64	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.002)
10/30/2018	--	374.46	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
05/09/2019	--	374.28	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/22/2019	--	374.64	—	—	U (0.003)	U (0.12)	—	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
08/18/2020	--	374.92	—	—	U (0.0002)	J (0.283)	—	U (0.0005)	U (0.050)	—	—	U (0.0005)	U (0.0015)
10/06/2020	--	374.59	—	—	U (0.001)	U (0.800)	—	U (0.001)	U (0.0100)	—	—	U (0.001)	U (0.003)
06/24/2021	--	374.81	—	—	U (0.001)	U (0.800)	—	U (0.001)	U (0.0100)	—	—	U (0.001)	U (0.003)
10/13/2021	--	--	—	—	0.0024700	0.403 J	—	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
05/16/2022	--	387.58	U(0.00100)	U(0.00100)	0.0097400	U(0.800)	—	U(0.00100)	0.0330	U(0.000250)	6.53	0.0038700	0.000289000
09/26/2022	--	374.87	U(0.00100)	U(0.00100)	U(0.00100)	U(0.872)	—	U(0.00100)	0.02940	U(0.000250)	7.56	U(0.00100)	U(0.00300)
04/27/2023	--	374.56	U(0.00100)	U(0.00100)	U(0.00100)	0.203	—	U(0.00100)	0.04930	U(0.000250)	9.10	U(0.00100)	U(0.00300)
10/19/2023	--	374.51	U(0.00100)	U(0.00100)	U(0.00100)	U(0.944)	U(0.0000210)	U(0.00100)	U(0.100)	U(0.000250)	22.4	U(0.00100)	U(0.00300)