



Stantec Consulting Services Inc.  
725 East Fireweed Lane Suite 200, Anchorage AK 99503-224

December 7, 2023

Stantec Project Number: 203723073

Paula Sime, PG  
Manager, Environmental Services  
7-Eleven, Inc.  
P.O. Box 1026  
Temecula, California 92593

RE: **2024 Corrective Action Work Plan**  
**Former Tesoro Northstore (TNS) #52**  
Mile 49 at 7172 Parks Highway, Wasilla, Alaska  
ADEC Facility ID #648; ADEC Hazard #23769; ADEC File #2265.26.006

Dear Ms. Sime:

This letter presents the 2024 (calendar year) Corrective Action Plan (CAP) for the monitoring and remediation of petroleum contamination at the above referenced site. The 2024 CAP was prepared by Stantec Consulting Services, Inc. (Stantec) on behalf of 7-Eleven, Inc. (7-Eleven) for Tesoro Northstore (TNS) #52 located in Wasilla, Alaska.

This 2024 CAP will be presented at the annual work session with the Alaska Department of Environmental Conservation (ADEC), 7-Eleven and Stantec. The work session is scheduled for December 7, 2022, and will be presented by Stantec on behalf of 7-Eleven to Pete Campbell, ADEC representative, virtually via Microsoft Teams app.

Attached to this letter are the following items associated with the completion of the 2023 CAP tasks: Location and Vicinity Map, Site Map with Analytical Data Results (4Q November 2023 GWM Event), and Analytical Data Results Tables of Historical Monitoring Events. The site plans, sampling test results and additional site documents for the subject site will be included in a PowerPoint presentation that will be presented by Stantec during the December 7 work session.

The following sections provide a summary of the work plan tasks that were completed under the current 2023 CAP followed by a summary of the proposed work plan tasks for the 2024 CAP.

### **2023 CAP Work Plan Tasks**

- Task 1 –Groundwater Monitoring
  - ✓ This task was completed in accordance with the approved 2023 CAP.

- *Task 2 – O&M Recirculation Groundwater Treatment System*
  - ✓ This task was completed in accordance with the approved 2023 CAP.
- *Task 3 – O&M Chemical Oxidation (Chemox) Treatment System*
  - ✓ This task was completed in accordance with the approved 2023 CAP.

### ***Proposed Work Plan Tasks for 2024***

The following table summarizes the proposed tasks and implementation schedule for the 2024 CAP:

**2024 CAP Work Plan Tasks and Schedule**

Work Plan Task 2024		1 <sup>st</sup> Quarter	2 <sup>nd</sup> Quarter	3 <sup>rd</sup> Quarter	4 <sup>th</sup> Quarter
Task 1	Monitoring Wells: G-1, G-3, G-5, G-7, MW 16-2 and RW 16-1	V, G, D, P, S & I	V, G, D, P, S, & I	V, G, D, P, S & I	V, G, D, P, S & I
	Monitoring Wells G-2 and G-4				V, G, D, P, S & I
	Drinking Water Wells serving Lots 1 and 2, Lot 4, and Lot 5 in Runion Subdivision				D & E
Task 2	O&M Air-Lift Well Remediation System	✓	✓	✓	✓
Task 3	Chemical Oxidation Treatment	✓	✓	✓	✓

Key:

- AK – Alaska Test Method
- D – Diesel range organics by AK102.
- E – Drinking water parameters by EPA Method 524.2.
- G – Gasoline range organics by AK101.
- I – Intrinsic indicators include dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.
- O&M – Operation and Maintenance
- V – Volatile organic compounds by EPA Test Method 8260C.
- S – Sodium analyzed by Metals (ICP) Method 6010C.
- P – Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds associated with petroleum fuel, by EPA Test Method 8270D Selective Ion Monitoring (SIM).

- Task 1 – Groundwater Monitoring

Quarterly monitoring of the groundwater wells and annual monitoring of several existing drinking water wells will be conducted. Sampling locations and analyses for the monitoring and drinking water wells are listed on the 2024 Work Plan Schedule shown above.

- Task 2 – O&M Air-Lift Well Remediation System

The operation of the compressor that operates the air-lift recirculation well is monitored continuously with iMonnit® sensors that remotely monitor, via the wireless broadband network (cellular internet), the electrical current usage on the compressor wiring system. On a quarterly basis, Stantec will physically inspect the compressor. The compressor runs continuously (24-hours per day). Also, the air-lift recovery well will be inspected to assess the flow of recirculated groundwater discharged into RW 20-1 and MW G-1. Repair and maintenance of the remediation system will be provided on an as-needed basis.

- Task 3 – Chemical Oxidation (Chemox) Treatment

Chemical oxidation treatment of the petroleum contaminated vadose zone soil and associated groundwater table will be performed via injection of a chemical oxidant (chemox) into two 4-inch diameter injection wells (RW 20-1 and RW 20-2).

The injection of chemox will occur in all four quarters of the year. Subject to suitable (non-freezing) weather conditions, Stantec will attempt to inject chemox on a monthly basis throughout the year. Each chemox injection event will involve the injection of a minimum of 100 gallons of a prepared solution of the chemical oxidant Klozur One® (a chemical mixture consisting primarily of sodium persulfate) into each of the two injection wells. The chemox mixture for each well will consist of 110 pounds Klozur One® mixed with approximately 100 gallons of potable water. A minimum of 200 gallons of potable tap water will be injected into each of injection wells to provide a means of “hydraulically pushing” the chemox solution into the subsurface soil formation and associated groundwater table.

The downgradient monitoring wells will be sampled quarterly as outlined in Task 1 to assess treatment impact on the groundwater table. In addition, the monitoring wells will be sampled for sodium to check on the distribution/migration of the oxidant.

The Corrective Action Work Plan for the year 2024 will be implemented by Stantec on behalf of 7-Eleven. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site.

All sampling activities will be completed in accordance with ADEC's *Underground Storage Tanks Procedures Manual– Standard Sampling Procedures* (March 22, 2017). The methods that will be used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of each well casing. The elevation of the static water level will be based on an arbitrary datum established on-site during a vertical control survey that will be completed by Stantec on an



annual basis. The survey will be performed during the summer after the seasonal frost layer thaws.

- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, Teflon® bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water samples will be collected in laboratory-supplied sample containers. The samples will be delivered to an ADEC-approved laboratory in accordance with standard chain-of-custody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2024 Work Plan Schedule shown above.

If you have any questions or need additional information concerning this 2024 Corrective Action Work Plan, please contact us at (907) 227-9883.

Regards,

**STANTEC CONSULTING SERVICES INC.**

A handwritten signature in black ink that reads "M. Zidek".


Michael A. Zidek, PMP  
Project Manager

A handwritten signature in black ink that reads "Bob Gilfilian".

Bob Gilfilian, P.E.  
Project Technical Lead

Attachments: Figure 1 – Location and Vicinity Map  
Figure 2 – Site Map with Analytical Data Results  
(4Q November 2023 GWM Event)  
Analytical Data Results Tables of Historical Monitoring Events





Unit	ft	ft	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046		1.5	0.015	2.2	0.0017		1.1		0.19
<b>G-1</b>														
04/24/1997	--	--					3.70	11.0	12.0	170			28.0	64.0
09/03/1997	--	--					0.00100	12.0	5.20	85.0			12.0	41.0
12/29/1997	--	--					0.0420	3.30	1.50	34.0			2.00	9.30
04/23/1998	--	--					0.13	8.30	4.10	91.0			3.90	23.0
08/03/1998	--	--					0.14	12.0	3.00	76.0			3.10	19.0
11/02/1998	--	--					0.121	5.58	4.76	70.0			4.59	27.12
02/12/1999	--	--					0.00100	19.0	4.00	91.0			5.40	24.0
08/30/1999	--	--					0.00100	10.0	5.60	190			3.10	36.0
10/29/1999	--	--					0.00100	0.45	0.0350	0.89			0.0260	0.21
02/08/2000	--	--					0.00100	—	4.40	10.0			3.30	26.0
06/08/2000	--	--					0.00100	0.33	0.11	2.30			0.0510	0.61
08/30/2000	--	--					0.00100	0.57	0.92	19.0			0.50	5.00
11/30/2000	--	--					0.00100	1.90	2.30	42.0			1.20	11.0
02/05/2001	--	--					0.00100	5.20	4.70	94.0			3.40	25.0
05/10/2001	--	--					0.00100	1.90	2.62	41.1			0.967	15.36
08/16/2001	--	--					0.0130	1.99	0.652	14.3			0.401	6.18
11/09/2001	--	--					0.0130	3.16	1.75	25.4			0.608	9.55
02/15/2002	--	--					0.0360	3.66	3.64	66.1			2.82	21.59
05/30/2002	--	--					0.00100	92.6	9.94	113			5.52	51.8
08/14/2002	--	--					0.0480	11.2	6.15	99.6			2.13	37.27
11/14/2002	--	--					0.0530	1.51	5.37	105			2.35	27.17
01/28/2003	--	--					U (0.025)	3.83	1.04	24.8			0.462	7.55
04/17/2003	--	--					0.217	4.70	4.55	117			1.15	26.9
07/17/2003	--	--					U (0.05)	8.34	6.00	104			1.81	35.6
10/02/2003	--	--					0.184	U (0.32)	5.34	137			1.84	33.4
01/20/2004	--	--					U (0.2)	10.6	5.90	100			2.46	34.8
04/13/2004	--	--					U (0.1)	6.97	6.37	109			1.49	37.5
07/20/2004	--	--					U (0.25)	8.09	2.67	87.1			0.612	26.2
09/02/2004	--	--					U (0.05)	4.94	2.60	48.5			0.38	18.4
10/13/2004	--	--					U (0.005)	1.90	0.232	5.98			0.615	1.87
01/28/2005	--	--					U (0.0005)	0.818	0.08430	2.08			0.121	0.582
04/11/2005	--	--					U (0.0005)	0.78	0.03740	0.963			0.0690	0.306
08/12/2005	--	--					U (0.0005)	0.528	U (0.0005)	U (0.05)			U (0.0005)	0.003100
10/07/2005	--	--					U (0.0005)	U (0.397)	0.008200	0.24			0.01030	0.07130
02/14/2006	--	--					U (0.0005)	0.676	0.004100	0.141			0.0083100	0.04820
04/18/2006	--	--					0.01470	8.37	0.962	24.8			0.08740	6.64
07/06/2006	--	--					U (0.0005)	U (0.394)	0.0028900	0.153			0.0035900	0.05390
10/26/2006	--	--					U (0.0005)	U (0.391)	U (0.0005)	U (0.05)			U (0.0005)	U (0.0015)
02/02/2007	--	--					U (0.0005)	1.04	0.257	7.79			0.21	1.95

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
04/19/2007	--	--	--	--	--	U (0.0005)	0.894	<b>0.13</b>	<b>4.12</b>	--	--	0.165	<b>1.12</b>	
08/07/2007	--	--	--	--	--	U (0.0005)	0.582	<b>0.03920</b>	0.891	--	--	0.05360	<b>0.277</b>	
10/23/2007	--	--	--	--	--	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	--	--	U (0.0005)	0.0056600	
02/22/2008	--	--	--	--	--	U (0.0005)	0.479	0.0071200	0.229	--	--	0.01290	0.0680	
04/15/2008	--	--	--	--	--	U (0.0005)	0.667	0.01370	0.45	--	--	0.02470	0.116	
08/27/2008	--	--	--	--	--	U (0.0005)	U (0.4)	0.0039700	0.172	--	--	0.0066200	0.04770	
10/22/2008	--	--	--	--	--	U (0.0005)	U (0.427)	<b>0.02260</b>	0.742	--	--	0.0320	<b>0.255</b>	
02/05/2009	--	--	--	--	--	U (0.0005)	U (0.463)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
04/08/2009	--	--	--	--	--	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	--	--	U (0.0005)	0.002100	
07/09/2009	--	--	--	--	--	U (0.0005)	U (0.397)	U (0.001)	0.106	--	--	0.0013700	0.01880	
11/04/2009	--	--	--	--	--	U (0.0005)	U (0.403)	0.0062400	0.271	--	--	0.0085600	0.06390	
01/27/2010	--	--	--	--	--	U (0.0005)	0.844	U (0.001)	0.07570	--	--	0.0012300	0.01680	
05/27/2010	--	--	--	--	--	U (0.0005)	0.538	0.01170	0.257	--	--	0.01140	0.09230	
08/19/2010	--	--	--	--	--	U (0.0005)	U (0.455)	0.000537000	0.184	--	--	U (0.0005)	0.01890	
10/26/2010	--	--	--	--	--	U (0.0005)	0.993	0.0044300	0.181	--	--	0.0044100	0.05740	
02/17/2011	--	--	--	--	--	U (0.0005)	0.491	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
06/09/2011	--	--	--	--	--	U (0.0005)	0.635	0.000945000	0.143	--	--	0.000913000	0.04250	
09/20/2011	--	--	--	--	--	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	--	--	U (0.0005)	0.0023600	
10/21/2011	--	--	--	--	--	U (0.0005)	U (0.417)	<b>0.05650</b>	0.851	--	--	0.01210	<b>0.345</b>	
02/17/2012	--	--	--	--	--	U (0.0005)	0.712	0.0023500	0.07870	--	--	0.0012800	0.0410	
05/17/2012	--	--	--	--	--	U (0.0005)	0.596	<b>0.0250</b>	0.941	--	--	0.0057200	<b>0.339</b>	
09/05/2012	--	--	--	--	--	U (0.0005)	U (0.424)	0.01390	0.404	--	--	0.0046800	0.145	
10/30/2012	--	--	--	--	--	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
01/30/2013	--	--	--	--	--	U (0.0005)	0.461	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/10/2013	--	--	--	--	--	U (0.0005)	U (0.424)	0.0140	0.248	--	--	0.00067000	0.166	
10/11/2013	--	--	--	--	--	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
12/11/2013	--	--	--	--	--	U (0.0005)	U (0.403)	U (0.001)	U (0.05)	--	--	U (0.001)	U (0.003)	
02/19/2014	--	--	--	--	--	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	--	--	0.000667000	0.0028100	
05/01/2014	--	--	--	--	--	U (0.0005)	U (0.41)	0.003800	0.11	--	--	U (0.001)	0.0280	
10/30/2014	--	--	--	--	--	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/15/2015	--	--	--	--	--	U (0.002)	0.34	U (0.003)	U (0.05)	--	--	U (0.002)	U (0.002)	
09/02/2015	--	--	--	--	--	U (0.0002)	U (0.40)	U (0.001)	0.15	--	--	U (0.001)	U (0.003)	
11/12/2015	--	--	--	--	--	U (0.0020)	0.63	U (0.0030)	U (0.050)	--	--	U (0.0020)	U (0.0020)	
01/28/2016	--	--	--	--	--	U (0.0020)	0.88	U (0.0030)	U (0.050)	--	--	U (0.0020)	U (0.0020)	
05/09/2016	--	--	--	--	--	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	--	--	U (0.001)	U (0.003)	
10/24/2016	--	--	--	--	--	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	--	--	U (0.001)	U (0.003)	
12/09/2016	--	--	--	--	--	U (0.002)	U (0.11)	U (0.003)	U (0.05)	--	--	U (0.002)	U (0.003)	
04/25/2017	--	--	--	--	--	U (0.0002)	0.99	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.002)	
10/20/2017	--	--	--	--	--	U (0.002)	1.40	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.003)	
02/13/2018	--	--	--	--	--	U (0.002)	0.88	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.002)	
08/17/2018	--	--	--	--	--	U (0.015)	<b>1.60</b>	U (0.015)	U (0.25)	--	--	U (0.01)	U (0.015)	

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
10/25/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
02/26/2019	--	--	—	—	U (0.003)	0.51	0.006600	U (0.25)	—	—	U (0.002)	U (0.003)	—	
04/24/2019	--	--	—	—	U (0.003)	U (0.25)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
07/16/2019	--	--	—	—	U (0.003)	<b>1.60</b>	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
10/17/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
08/12/2020	--	93.30	—	—	U (0.001)	0.242	U (0.001)	U (0.100)	—	23.4	U (0.001)	U (0.003)	—	
10/02/2020	--	97.11	—	—	U (0.001)	U (0.824)	0.000248000	0.03370	—	—	U (0.001)	0.0026200	—	
05/18/2021	--	97.04	U (0.00100)	U (0.00100)	U (0.001)	0.405	U (0.001)	0.01520	U (0.00500)	16.4	U (0.001)	U (0.002)	—	
10/13/2021	--	--	0.000527000	0.000151000	0.000169000	0.518	0.000325000	0.182	U (0.000250)	56.7	U (0.001)	0.000554000	—	
05/11/2022	--	69.63	U(0.00100)	U(0.00100)	U(0.00100)	1.08	U(0.00100)	U(0.100)	U(0.000250)	23.9	U(0.00100)	U(0.00300)	—	
07/19/2022	--	97.00	U(0.00100)	U(0.00100)	U(0.00100)	0.554	U(0.00100)	U(0.100)	U(0.0002500)	1.96	U(0.00100)	U(0.00300)	—	
10/12/2022	--	80.20	U(0.00100)	U(0.00100)	U(0.00100)	0.565	U(0.00100)	U(0.100)	U(0.000250)	7.81	U(0.00100)	U(0.00300)	—	
07/12/2023	--	97.41	U(0.00100)	U(0.00100)	U(0.00100)	1.21	U(0.00100)	0.0300	U(0.000250)	6.78	U(0.00100)	U(0.00100)	—	
11/02/2023	--	97.11	U(0.00100)	U(0.00100)	U(0.00100)	1.13	U(0.00100)	0.04130	U(0.000250)	4.54	U(0.00100)	U(0.00300)	—	
<b>G-2</b>														
04/24/1997	--	--	—	—	U	U	U	U	—	—	0.00100	0.002300	—	
09/03/1997	--	--	—	—	U	U	U	U	—	—	0.00100	0.002100	—	
12/29/1997	--	--	—	—	U	U	U	U	—	—	U	U	—	
04/23/1998	--	--	—	—	U	U	U	U	—	—	0.00200	U	—	
08/03/1998	--	--	—	—	U	U	U	U	—	—	U	U	—	
11/02/1998	--	--	—	—	U	U	U	U	—	—	U	U	—	
05/11/1999	--	--	—	—	U	U	U	U	—	—	U	U	—	
08/30/1999	--	--	—	—	U	U	U	U	—	—	U	U	—	
10/29/1999	--	--	—	—	U	U	U	U	—	—	U	U	—	
06/08/2000	--	--	—	—	U	U	U	U	—	—	U	U	—	
11/30/2000	--	--	—	—	U	U	U	U	—	—	U	U	—	
05/10/2001	--	--	—	—	U	U	0.00500	0.114	—	—	U	0.0210	—	
11/09/2001	--	--	—	—	U	U	U	U	—	—	U	U	—	
04/13/2004	--	--	—	—	U (0.0005)	U (0.5)	0.000557000	U (0.05)	—	—	U (0.0005)	0.0074500	—	
04/11/2005	--	--	—	—	U (0.0005)	0.421	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	—	
05/17/2012	--	--	—	—	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	—	
05/10/2013	--	--	—	—	U (0.0005)	U (0.446)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	—	
05/01/2014	--	--	—	—	U (0.0005)	U (0.40)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)	—	
04/25/2017	--	--	—	—	U (0.0002)	U (0.11)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)	—	
08/17/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
04/24/2019	--	--	—	—	U (0.003)	U (0.27)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)	—	
10/02/2020	--	67.82	—	—	U (0.001)	U (0.808)	U (0.001)	U (0.100)	—	—	U (0.001)	U (0.002)	—	
10/13/2021	--	68.29	U (0.00100)	U (0.00100)	0.000101000	0.363	U (0.001)	0.08090	U (0.000250)	25.9	U (0.001)	U (0.002)	—	
11/02/2023	--	71.47	U(0.00100)	U(0.00100)	U(0.00100)	0.521	U(0.00100)	0.04830	U(0.000250)	10.6	U(0.00100)	U(0.00300)	—	
<b>G-3</b>														

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
04/24/1997	--	--				0.00100	<b>5.10</b>	<b>5.40</b>	<b>70.0</b>				<b>7.60</b>	<b>26.0</b>
09/03/1997	--	--				<b>0.0800</b>	<b>7.50</b>	<b>1.40</b>	<b>21.0</b>				<b>2.00</b>	<b>7.70</b>
12/29/1997	--	--				<b>0.0570</b>	<b>3.50</b>	<b>1.50</b>	<b>19.0</b>				0.43	<b>4.70</b>
04/23/1998	--	--				0.00100	<b>6.90</b>	<b>3.10</b>	<b>40.0</b>				0.49	<b>10.0</b>
08/03/1998	--	--				<b>0.14</b>	<b>2.00</b>	<b>3.30</b>	<b>39.0</b>				0.45	<b>10.0</b>
11/02/1998	--	--				0.00100	<b>2.43</b>	<b>3.00</b>	<b>30.0</b>				0.58	<b>10.27</b>
02/12/1999	--	--				0.00100	<b>8.00</b>	<b>3.90</b>	<b>48.0</b>				0.52	<b>12.0</b>
05/11/1999	--	--				<b>0.0510</b>	<b>17.6</b>	<b>1.02</b>	<b>14.0</b>				0.12	<b>4.16</b>
08/30/1999	--	--				0.00100	<b>4.60</b>	<b>1.60</b>	<b>19.0</b>				0.12	<b>3.90</b>
10/29/1999	--	--				0.001800	0.92	<b>0.0170</b>	0.32				0.001600	0.0730
02/08/2000	--	--				<b>0.00700</b>	0	<b>0.47</b>	<b>4.00</b>				0.0380	<b>0.89</b>
06/08/2000	--	--				0.00100	1.10	0.00300	0				U	0.0100
08/30/2000	--	--				0.00100	0.51	0.00400	0.12				0.001800	0.0300
11/30/2000	--	--				<b>0.00600</b>	<b>5.50</b>	<b>0.32</b>	<b>2.90</b>				0.0320	<b>0.68</b>
02/05/2001	--	--				<b>0.00600</b>	<b>5.90</b>	<b>0.46</b>	<b>4.30</b>				0.14	<b>0.90</b>
05/10/2001	--	--				0.00100	<b>12.8</b>	0.00300	0				U	0.00900
08/16/2001	--	--				<b>0.00500</b>	<b>8.75</b>	<b>0.39</b>	<b>2.76</b>				0.06130	<b>0.856</b>
11/09/2001	--	--				<b>0.0340</b>	<b>1.57</b>	<b>0.0190</b>	0.57				0.08280	0.103
02/15/2002	--	--				<b>0.00800</b>	<b>70.7</b>	<b>0.0490</b>	0.87				0.119	0.156
05/30/2002	--	--				<b>0.0210</b>	<b>34.2</b>	<b>0.20</b>	<b>2.25</b>				0.08090	<b>0.605</b>
08/14/2002	--	--				<b>0.0290</b>	<b>5.68</b>	<b>0.488</b>	<b>5.44</b>				0.147	<b>1.49</b>
11/14/2002	--	--				<b>0.06580</b>	<b>4.08</b>	<b>0.804</b>	<b>8.97</b>				0.186	<b>1.9704</b>
01/28/2003	--	--				<b>0.05710</b>	<b>7.89</b>	<b>0.319</b>	<b>2.93</b>				0.09140	<b>0.644</b>
04/17/2003	--	--				0.0028800	<b>4.58</b>	<b>0.02820</b>	0.585				0.02740	0.0820
07/17/2003	--	--				U (0.0005)	<b>7.48</b>	0.01070	0.233				0.01650	0.03270
10/02/2003	--	--				U (0.0005)	1.14	0.000626000	U (0.08)				0.0022400	0.0023200
01/20/2004	--	--				U (0.0005)	<b>1.83</b>	0.0039900	0.144				0.04390	0.01270
04/13/2004	--	--				U (0.005)	<b>2.89</b>	<b>0.04720</b>	0.855				0.02610	0.148
07/20/2004	--	--				U (0.0005)	<b>19.4</b>	0.002800	0.164				0.03050	0.0085300
10/13/2004	--	--				U (0.0005)	<b>2.11</b>	U (0.0005)	U (0.08)				0.000537000	U (0.001)
01/28/2005	--	--				0.000857000	<b>3.65</b>	0.00078000	0.09730				0.02930	0.003800
04/11/2005	--	--				0.0031100	<b>2.58</b>	0.0023200	0.127				0.01130	0.02530
08/12/2005	--	--				U (0.0005)	1.14	U (0.0005)	U (0.05)				U (0.0005)	U (0.0015)
10/07/2005	--	--				U (0.0005)	<b>2.85</b>	U (0.0005)	U (0.05)				0.0023400	U (0.0015)
02/14/2006	--	--				0.000874000	<b>3.00</b>	0.0012900	0.215				0.0760	0.007200
04/18/2006	--	--				U (0.0005)	<b>7.64</b>	0.000884000	0.181				0.06140	0.0035600
07/06/2006	--	--				U (0.0005)	<b>3.17</b>	U (0.0005)	U (0.05)				0.0025200	U (0.0015)
10/26/2006	--	--				U (0.0005)	1.06	U (0.0005)	U (0.05)				U (0.0005)	U (0.0015)
02/02/2007	--	--				<b>0.0052800</b>	<b>2.27</b>	0.001700	0.236				0.05130	0.01540
08/07/2007	--	--				U (0.0005)	0.841	U (0.0005)	U (0.05)				U (0.0005)	U (0.0015)
10/23/2007	--	--				<b>0.0050200</b>	1.41	<b>0.0200</b>	0.322				0.03580	0.03190

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>			<b>1.1</b>	<b>0.19</b>	
02/21/2008	--	--			<b>0.0051700</b>	0.93	<b>0.0670</b>	0.771				0.03070	0.144	
04/15/2008	--	--			<b>0.0056200</b>	0.604	<b>0.135</b>	1.44				0.0400	<b>0.211</b>	
08/27/2008	--	--			<b>0.01380</b>	0.978	<b>0.842</b>	<b>7.26</b>				0.436	<b>2.88</b>	
10/22/2008	--	--			<b>0.01240</b>	0.83	<b>0.96</b>	<b>9.55</b>				0.514	<b>3.57</b>	
02/05/2009	--	--			U (0.01)	0.909	<b>1.17</b>	<b>15.7</b>				0.234	<b>4.73</b>	
02/19/2009	--	--			<b>0.007100</b>	<b>9.47</b>	<b>0.08340</b>	1.04				0.04930	<b>0.241</b>	
04/08/2009	--	--			U (0.005)	<b>1.51</b>	<b>0.378</b>	<b>4.20</b>				0.07020	<b>1.43</b>	
07/09/2009	--	--			U (0.0005)	<b>1.81</b>	<b>1.12</b>	<b>3.01</b>				0.04150	<b>4.32</b>	
11/04/2009	--	--			U (0.0005)	U (0.400)	<b>0.579</b>	<b>12.7</b>				0.101	<b>2.55</b>	
01/27/2010	--	--			U (0.0005)	1.12	<b>0.337</b>	<b>6.47</b>				0.01570	<b>2.01</b>	
05/27/2010	--	--			U (0.0005)	1.01	<b>0.03790</b>	0.936				0.000748000	0.137	
08/19/2010	--	--			U (0.0005)	U (0.403)	<b>0.03360</b>	0.933				0.000756000	0.12	
10/26/2010	--	--			U (0.0025)	U (0.397)	<b>0.153</b>	<b>4.62</b>				U (0.0025)	<b>0.643</b>	
02/17/2011	--	--			U (0.0005)	<b>4.10</b>	<b>0.06470</b>	2.11				0.0011200	<b>0.222</b>	
06/09/2011	--	--			0.000536000	U (0.446)	<b>0.06660</b>	<b>2.26</b>				0.0018800	<b>0.232</b>	
09/20/2011	--	--			U (0.0005)	U (0.400)	<b>0.02350</b>	1.69				0.000718000	0.07940	
10/21/2011	--	--			0.0010700	U (0.417)	<b>0.03250</b>	<b>2.51</b>				0.0012600	0.105	
02/17/2012	--	--			0.000809000	1.15	<b>0.05360</b>	<b>2.62</b>				0.000792000	0.131	
05/17/2012	--	--			0.0011700	0.56	<b>0.08990</b>	<b>5.91</b>				0.0016400	<b>0.303</b>	
09/05/2012	--	--			U (0.0005)	U (0.424)	<b>0.166</b>	0.71				U (0.0005)	0.04860	
10/30/2012	--	--			U (0.0005)	U (0.431)	U (0.0005)	U (0.05)				U (0.0005)	U (0.0015)	
01/30/2013	--	--			U (0.0005)	0.67	<b>0.01820</b>	0.818				0.0036400	0.05550	
05/10/2013	--	--			0.0015300	U (0.439)	<b>0.05540</b>	1.35				0.0015100	0.167	
10/11/2013	--	--			U (0.0005)	U (0.391)	U (0.0005)	U (0.05)				U (0.0005)	U (0.0015)	
12/11/2013	--	--			U (0.0005)	U (0.417)	U (0.001)	U (0.05)				U (0.001)	U (0.003)	
02/19/2014	--	--			U (0.0005)	0.928	0.00066000	U (0.05)				U (0.0005)	0.0017700	
05/01/2014	--	--			U (0.0005)	<b>4.80</b>	0.006600	0.30				0.00100	0.0170	
10/30/2014	--	--			U (0.0005)	1.00	0.009700	0.46				U (0.0005)	0.0230	
02/11/2015	--	--			0.00200	<b>12.0</b>	<b>0.0870</b>	<b>4.80</b>				0.001100	<b>0.24</b>	
05/15/2015	--	--			U (0.002)	1.30	0.007800	<b>2.60</b>				U (0.002)	0.0150	
09/02/2015	--	--			U (0.0002)	U (0.40)	0.007900	1.10				U (0.001)	0.006400	
11/12/2015	--	--			U (0.0020)	0.26	<b>0.0360</b>	<b>3.20</b>				U (0.0020)	0.0690	
01/28/2016	--	--			U (0.0020)	0.76	<b>0.0270</b>	<b>3.20</b>				U (0.0020)	0.0520	
05/09/2016	--	--			0.0002000	0.58	0.008600	1.60				U (0.001)	0.0120	
10/24/2016	--	--			0.0002000	0.37	0.001700	<b>4.40</b>				U (0.001)	0.003600	
12/09/2016	--	--			U (0.002)	0.48	0.00200	<b>4.20</b>				U (0.002)	0.003800	
04/25/2017	--	--			U (0.0002)	<b>4.70</b>	0.008900	<b>2.30</b>				U (0.002)	0.0160	
10/20/2017	--	--			U (0.002)	<b>3.00</b>	U (0.003)	U(1.0)				U (0.002)	U(0.003)	
02/13/2018	--	--			U (0.002)	<b>6.70</b>	U (0.003)	U (1.0)				0.005400	0.004700	
08/17/2018	--	--			U (0.003)	<b>3.20</b>	0.004700	0.99				0.00091000	0.0093800	
10/25/2018	--	--			U (0.003)	<b>2.30</b>	U (0.003)	0.37				U (0.002)	U (0.003)	

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
02/26/2019	--	--	--	--	--	--	U (0.003)	<b>8.50</b>	0.00600	1.70	--	--	U (0.002)	0.0130
04/24/2019	--	--	--	--	--	--	U (0.003)	<b>7.70</b>	0.003400	1.60	--	--	U (0.002)	0.006800
07/16/2019	--	--	--	--	--	--	U (0.003)	<b>4.60</b>	0.003300	1.30	--	--	U (0.002)	0.00600
10/17/2019	--	--	--	--	--	--	U (0.003)	<b>3.60</b>	U (0.003)	0.58	--	--	U (0.002)	U (0.003)
08/12/2020	--	67.25	--	--	--	--	U (0.001)	0.339	0.000754000	0.173	--	8.35	U (0.001)	0.0015900
10/02/2020	--	66.93	--	--	--	--	U (0.001)	1.45	0.000143000	0.12	--	--	U (0.001)	U (0.002)
03/03/2021	--	--	--	--	--	--	U (0.001)	1.47	0.00091000	1.01	--	--	U (0.001)	0.00086000
03/31/2021	--	62.99	--	--	--	--	--	--	--	--	123	--	--	--
05/18/2021	--	64.72	0.04520	0.04570	U (0.001)	<b>8.48</b>	U (0.001)	1.36	U (0.00500)	32.2	U (0.001)	U (0.002)	--	--
07/21/2021	--	64.55	<b>0.05990</b>	<b>0.06690</b>	U (0.001)	<b>2.32</b>	0.0016300	1.68	<b>0.0020600</b>	9.61	0.000279000	0.001500	--	--
10/13/2021	--	67.39	0.000928000	0.000365000	U (0.001)	0.865	U (0.001)	0.176	U (0.000250)	10.7	U (0.001)	U (0.002)	--	--
05/11/2022	--	67.75	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U(0.000250)	22.0	U(0.00100)	U(0.00300)	--	--
10/12/2022	--	80.10	0.0011800	0.000508000	U(0.00100)	0.392	0.000464000	0.03490	U(0.000250)	7.96	U(0.00100)	0.000449000	--	--
04/28/2023	--	--	--	--	U(0.00100)	1.30	0.000565000	0.971	U(0.000250)	6.68	0.000797000	0.000581000	--	--
07/12/2023	--	73.70	0.000789000	U(0.00100)	U(0.00100)	<b>1.61</b>	0.000513000	0.07620	U(0.000250)	6.03	U(0.00100)	U(0.00100)	--	--
11/02/2023	--	74.43	0.005500	0.0028800	0.000151000	1.14	0.0031700	0.08810	U(0.000250)	5.00	0.01170	0.0024900	--	--
<b>G-4</b>														
04/24/1997	--	--	--	--	--	--	U	--	U	--	--	0.00100	0.004800	--
09/03/1997	--	--	--	--	--	--	U	0.32	U	U	--	--	U	U
12/29/1997	--	--	--	--	--	--	U	--	U	U	--	--	U	U
04/23/1998	--	--	--	--	--	--	U	--	U	U	--	--	U	U
08/03/1998	--	--	--	--	--	--	U	--	U	U	--	--	U	U
11/02/1998	--	--	--	--	--	--	U	--	U	U	--	0.001200	0.001100	--
02/12/1999	--	--	--	--	--	--	U	0.36	U	U	--	--	U	U
05/10/1999	--	--	--	--	--	--	U	<b>1.98</b>	0.006500	0.0910	--	--	U	0.02790
08/30/1999	--	--	--	--	--	--	U	--	U	U	--	--	U	U
10/29/1999	--	--	--	--	--	--	U	--	U	U	--	--	U	U
06/08/2000	--	--	--	--	--	--	U	0.30	U	U	--	--	U	U
11/30/2000	--	--	--	--	--	--	U	--	U	U	--	--	U	U
05/10/2001	--	--	--	--	--	--	U	--	U	U	--	0.00200	--	--
11/09/2001	--	--	--	--	--	--	U	--	U	U	--	--	U	U
05/30/2002	--	--	--	--	--	--	U (0.0005)	U	U	U	--	0.00300	--	--
04/17/2003	--	--	--	--	--	--	U (0.0005)	<b>0.25</b>	U (0.0005)	U (0.08)	--	--	U (0.0005)	U (0.001)
04/13/2004	--	--	--	--	--	--	U (0.0005)	<b>0.5</b>	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
04/11/2005	--	--	--	--	--	--	U (0.0005)	<b>1.67</b>	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
04/18/2006	--	--	--	--	--	--	U (0.0005)	<b>0.407</b>	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
04/19/2007	--	--	--	--	--	--	U (0.0005)	<b>0.431</b>	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
04/15/2008	--	--	--	--	--	--	U (0.0005)	<b>0.436</b>	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)
02/19/2009	--	--	--	--	--	--	U (0.463)	U (0.0005)	U (0.05)	--	--	--	U (0.0005)	U (0.0015)
04/08/2009	--	--	--	--	--	--	U (0.0005)	--	--	--	--	--	--	--

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
05/27/2010	--	--	--	--	--	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
06/09/2011	--	--	--	--	--	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/17/2012	--	--	--	--	--	—	0.819	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/10/2013	--	--	--	--	--	U (0.0005)	U (0.463)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/01/2014	--	--	--	--	--	U (0.0005)	U (0.42)	U (0.001)	U (0.05)	--	--	U (0.001)	U (0.001)	
05/15/2015	--	--	--	--	--	U (0.002)	U (0.23)	U (0.003)	U (0.05)	--	--	U (0.002)	U (0.002)	
05/09/2016	--	--	--	--	--	U (0.0002)	U (0.42)	U (0.001)	U (0.1)	--	--	U (0.001)	U (0.003)	
04/25/2017	--	--	--	--	--	U (0.0002)	U (0.11)	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.002)	
08/17/2018	--	--	--	--	--	U (0.003)	U (0.12)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
04/24/2019	--	--	--	--	--	U (0.003)	U (0.28)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
10/02/2020	--	66.26	--	--	--	U (0.001)	0.281	U (0.001)	U (0.100)	--	--	U (0.001)	U (0.002)	
10/13/2021	--	66.83	U (0.00100)	U (0.00100)	U (0.001)	0.313	U (0.001)	0.0580	U (0.000250)	21.9	U (0.001)	U (0.002)		
11/02/2023	--	74.23	U (0.00100)	U(0.00100)	U(0.00100)	0.574	U(0.00100)	0.03850	U(0.000250)	4.78	U(0.00100)	U(0.00300)		
<b>G-5</b>						<b>0.0320</b>		<b>0.91</b>	<b>17.0</b>			0.56	<b>5.20</b>	
04/24/1997	--	--	--	--	--	0.00100	<b>4.80</b>	<b>1.10</b>	<b>25.0</b>	--	--	U	<b>5.40</b>	
09/03/1997	--	--	--	--	--	<b>0.0650</b>	<b>4.00</b>	<b>1.00</b>	<b>19.0</b>	--	--	0.15	<b>4.70</b>	
12/29/1997	--	--	--	--	--	<b>0.0480</b>	<b>2.70</b>	<b>0.38</b>	<b>11.0</b>	--	--	0.0680	<b>1.70</b>	
04/23/1998	--	--	--	--	--	0.00100	0.27	U	0	--	--	U	0.001900	
08/03/1998	--	--	--	--	--	0.0260	<b>1.82</b>	<b>0.12</b>	<b>3.70</b>	--	--	0.0100	<b>0.27</b>	
11/02/1998	--	--	--	--	--	<b>0.0110</b>	0.95	<b>0.34</b>	<b>4.60</b>	--	--	0.0290	<b>0.90</b>	
08/31/1999	--	--	--	--	--	<b>0.0240</b>	0.40	<b>0.0660</b>	<b>2.70</b>	--	--	0.00600	0.11	
10/29/1999	--	--	--	--	--	<b>0.00800</b>	—	<b>0.0530</b>	<b>4.20</b>	--	--	0.00600	0.10	
02/08/2000	--	--	--	--	--	0.00100	0	<b>0.0230</b>	0.61	--	--	U	0.0400	
06/08/2000	--	--	--	--	--	0.00100	0.00100	0.00400	0.22	--	--	U	0.00800	
08/30/2000	--	--	--	--	--	0.0120	0.49	<b>0.0790</b>	<b>3.90</b>	--	--	0.00600	0.14	
11/30/2000	--	--	--	--	--	<b>0.0150</b>	0.32	<b>0.0160</b>	2.10	--	--	0.00800	0.0260	
02/05/2001	--	--	--	--	--	<b>0.00700</b>	0.00100	<b>0.0610</b>	1.62	--	--	U	0.10	
05/10/2001	--	--	--	--	--	<b>0.0310</b>	U	<b>0.0420</b>	<b>2.74</b>	--	--	0.0110	0.0650	
11/09/2001	--	--	--	--	--	0.00400	U	U	0.258	--	--	U	0.00200	
08/14/2002	--	--	--	--	--	<b>0.0130</b>	0.552	<b>0.145</b>	<b>2.53</b>	--	--	0.00300	0.182	
11/14/2002	--	--	--	--	--	0.0025700	U (0.5)	U (0.002)	0.137	--	--	U (0.002)	U (0.002)	
01/28/2003	--	--	--	--	--	<b>0.0640</b>	1.20	<b>0.07330</b>	<b>2.40</b>	--	--	U (0.02)	0.06670	
04/17/2003	--	--	--	--	--	<b>0.01810</b>	0.418	<b>0.08340</b>	<b>3.14</b>	--	--	0.00200	0.186	
07/17/2003	--	--	--	--	--	U (0.005)	U (0.5)	<b>0.06660</b>	<b>2.72</b>	--	--	U (0.005)	0.184	
10/02/2003	--	--	--	--	--	<b>0.01250</b>	U (0.32)	<b>0.127</b>	<b>4.33</b>	--	--	0.0057700	<b>0.217</b>	
04/13/2004	--	--	--	--	--	U (0.0005)	U (0.5)	U (0.0005)	0.05390	--	--	U (0.0005)	U (0.0015)	
07/20/2004	--	--	--	--	--	0.0035100	0.484	<b>0.05610</b>	1.70	--	--	U (0.0005)	0.02390	
10/13/2004	--	--	--	--	--	<b>0.00900</b>	0.443	<b>0.08930</b>	<b>2.71</b>	--	--	0.0015500	0.113	
01/28/2005	--	--	--	--	--	0.001100	0.45	<b>0.01830</b>	1.35	--	--	0.0019800	0.0200	

Unit	ft	ft	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			0.056	0.06	0.0046	1.5	0.015	2.2	0.0017		1.1	0.19		
04/11/2005	--	--	—	—	U (0.0005)	U (0.391)	0.01380	1.06	—	—	0.000845000	0.01170		
08/12/2005	--	--	—	—	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
10/07/2005	--	--	—	—	U (0.0005)	U (0.407)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
02/14/2006	--	--	—	—	0.0018600	0.475	0.01630	1.34	—	—	0.0013600	0.006600		
04/18/2006	--	--	—	—	0.001800	0.693	0.153	2.04	—	—	0.000663000	0.24		
07/06/2006	--	--	—	—	0.0014100	U (0.41)	0.09320	1.14	—	—	0.0015800	0.103		
10/26/2006	--	--	—	—	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
04/19/2007	--	--	—	—	U (0.0005)	U (0.435)	0.01630	0.774	—	—	U (0.0005)	0.02270		
08/07/2007	--	--	—	—	0.0014700	U (0.407)	0.0061100	0.529	—	—	U (0.0005)	0.00700		
10/23/2007	--	--	—	—	U (0.0005)	U (0.446)	0.0053400	0.40	—	—	U (0.0005)	0.0060300		
02/21/2008	--	--	—	—	0.0023100	U (0.417)	0.05920	1.97	—	—	0.000739000	0.05230		
08/27/2008	--	--	—	—	U (0.0005)	U (0.4)	0.02030	0.506	—	—	U (0.0005)	0.02430		
10/22/2008	--	--	—	—	U (0.0005)	U (0.420)	0.0062900	0.35	—	—	U (0.0005)	0.0051200		
02/05/2009	--	--	—	—	0.00093000	0.59	0.08980	2.02	—	—	0.0021100	0.101		
02/19/2009	--	--	—	—	0.0024900	0.689	0.129	1.96	—	—	0.0028300	0.262		
04/08/2009	--	--	—	—	0.005800	U (0.435)	0.26	3.84	—	—	0.169	0.634		
07/09/2009	--	--	—	—	0.0026700	U (0.410)	0.184	2.51	—	—	0.0045200	0.284		
11/04/2009	--	--	—	—	0.0036500	U (0.397)	0.292	4.13	—	—	0.0073900	0.645		
01/27/2010	--	--	—	—	0.0038500	U (0.427)	0.499	7.17	—	—	0.03130	1.51		
05/27/2010	--	--	—	—	0.002200	0.668	0.406	5.19	—	—	0.02180	1.22		
08/19/2010	--	--	—	—	0.0010500	0.415	0.233	3.27	—	—	0.0030700	0.977		
10/26/2010	--	--	—	—	U (0.0022)	U (0.403)	0.04490	0.741	—	—	U (0.0005)	0.07230		
02/17/2011	--	--	—	—	0.0029100	U (0.410)	0.108	3.11	—	—	0.003400	0.472		
06/09/2011	--	--	—	—	0.0019900	0.436	0.173	5.08	—	—	0.0040500	0.856		
09/20/2011	--	--	—	—	0.0010100	U (0.403)	0.03620	0.975	—	—	0.0013300	0.138		
10/21/2011	--	--	—	—	U (0.0005)	U (0.439)	0.01210	0.365	—	—	U (0.0005)	0.03030		
02/17/2012	--	--	—	—	0.0040300	0.726	0.08070	2.80	—	—	0.0049700	0.476		
05/17/2012	--	--	—	—	0.000704000	0.541	0.01250	0.683	—	—	0.000734000	0.03780		
10/30/2012	--	--	—	—	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
01/30/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
05/10/2013	--	--	—	—	0.00052000	U (0.400)	U (0.0005)	0.221	—	—	0.000627000	0.0019400		
10/11/2013	--	--	—	—	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
12/11/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)		
02/19/2014	--	--	—	—	U (0.0005)	U (0.400)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
05/01/2014	--	--	—	—	U (0.005)	U (0.41)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)		
10/30/2014	--	--	—	—	0.00086000	U (0.42)	U (0.0005)	0.19	—	—	U (0.0005)	U (0.0015)		
02/11/2015	--	--	—	—	U (0.0005)	U (0.42)	0.003100	0.28	—	—	U (0.0005)	0.003100		
11/12/2015	--	--	—	—	U (0.0020)	U (0.21)	U (0.0030)	0.32	—	—	U (0.0020)	U (0.0020)		
01/28/2016	--	--	—	—	U (0.0020)	U (0.11)	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)		
10/24/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)		
12/09/2016	--	--	—	—	U (0.002)	U (0.12)	0.006300	0.17	—	—	U (0.001)	0.003400		

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>			<b>1.1</b>	<b>0.19</b>	
04/24/2017	--	--	—	—	U (0.0002)	0.22	<b>0.0850</b>	1.40	—	—	U (0.001)	—	<b>0.44</b>	
10/20/2017	--	--	—	—	U (0.002)	U (0.110)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)		
02/13/2018	--	--	—	—	U (0.002)	U (0.13)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)		
08/17/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
10/25/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
02/26/2019	--	--	—	—	U (0.003)	0.12	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
04/24/2019	--	--	—	—	U (0.003)	U (0.27)	0.008600	U (0.25)	—	—	U (0.002)	0.006800		
07/16/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
10/17/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)		
08/12/2020	--	66.92	—	—	U (0.001)	U (0.864)	U (0.001)	U (0.100)	—	—	10.6	U (0.001)	U (0.003)	
10/02/2020	--	66.29	—	—	0.000236000	0.406	U (0.001)	0.01890	—	—	—	U (0.001)	U (0.002)	
05/18/2021	--	62.56	U (0.00100)	0.000191000	U (0.001)	U (0.800)	0.001700	0.06930	U (0.00500)	13.9	U (0.001)	U (0.002)		
07/21/2021	--	62.64	0.000612000	0.000507000	U (0.001)	0.34	U (0.001)	0.04780	U (0.00500)	14.2	U (0.001)	U (0.003)		
10/13/2021	--	66.89	U (0.00100)	U (0.00100)	0.000267000	0.402	U (0.001)	0.07760	U (0.000250)	20.3	U (0.001)	U (0.002)		
03/18/2022	--	62.05	U (0.00100)	U (0.00100)	0.000264000	U(0.800)	0.000484000	0.08580	U (0.000250)	17.3	U(0.00100)	U(0.00300)		
05/11/2022	--	67.47	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	0.03450	U(0.000250)	20.2	U(0.00100)	U(0.00300)		
07/19/2022	--	69.95	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U(0.0002500)	8.41	U(0.00100)	U(0.00300)		
10/12/2022	--	79.93	U(0.00100)	U(0.00100)	U(0.00100)	U(0.170)	U(0.00100)	U(0.100)	U(0.000250)	8.87	U(0.00100)	U(0.00300)		
03/08/2023	--	65.87	U(0.00100)	U(0.00100)	0.0031900	U(0.170)	U(0.00100)	U(0.100)	U(0.000250)	9.82	U(0.00100)	U(0.00300)		
04/28/2023	--	--	—	—	0.000126000	0.386	U(0.00100)	0.07080	U(0.000250)	18.5	U(0.00100)	U(0.00300)		
07/12/2023	--	73.56	U(0.00100)	U(0.00100)	U(0.00100)	0.207	U(0.00100)	0.03590	U(0.000250)	6.18	U(0.00100)	U(0.00100)		
11/02/2023	--	74.35	U(0.00100)	U(0.00100)	U(0.00100)	1.02	U(0.00100)	0.03580	U(0.000250)	5.24	U(0.00100)	U(0.00300)		
<b>G-7</b>														
08/03/1998	--	--	—	—	U	U	U	U	—	—	U	U		
11/02/1998	--	--	—	—	U	U	0.0120	0.16	—	—	0.00500	0.0580		
02/12/1999	--	--	—	—	U	0.79	U	U	—	—	U	U		
05/10/1999	--	--	—	—	U	0.45	U	U	—	—	U	U		
08/30/1999	--	--	—	—	U	U	U	U	—	—	U	U		
10/29/1999	--	--	—	—	U	U	U	U	—	—	U	U		
06/08/2000	--	--	—	—	U	U	U	U	—	—	U	U		
11/30/2000	--	--	—	—	U	U	U	U	—	—	U	U		
05/10/2001	--	--	—	—	U	U	U	U	—	—	U	U		
11/09/2001	--	--	—	—	U	U	U	U	—	—	U	U		
05/30/2002	--	--	—	—	U	<b>2.47</b>	U	U	—	—	U	U		
04/17/2003	--	--	—	—	U (0.0005)	U (0.25)	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)		
04/13/2004	--	--	—	—	U (0.0005)	U (0.5)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
04/11/2005	--	--	—	—	U (0.0005)	U (0.435)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
04/18/2006	--	--	—	—	U (0.0005)	U (0.397)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
04/19/2007	--	--	—	—	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		
04/15/2008	--	--	—	—	U (0.0005)	0.673	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)		

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
02/19/2009	--	--	--	--	--	U (0.0005)	U (0.455)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
01/27/2010	--	--	--	--	--	U (0.0005)	U (0.397)	U (0.001)	U (0.05)	--	--	U (0.001)	U (0.003)	
05/27/2010	--	--	--	--	--	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
08/19/2010	--	--	--	--	--	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
10/26/2010	--	--	--	--	--	U (0.0005)	U (0.407)	U (0.0005)	U (0.08)	--	--	U (0.0005)	U (0.001)	
02/17/2011	--	--	--	--	--	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
06/09/2011	--	--	--	--	--	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
09/20/2011	--	--	--	--	--	U (0.0005)	U (0.391)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
10/21/2011	--	--	--	--	--	U (0.0005)	U (0.413)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
02/17/2012	--	--	--	--	--	U (0.0005)	0.584	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/17/2012	--	--	--	--	--	U (0.0005)	0.628	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
07/18/2012	--	--	--	--	--	U (0.0005)	U (0.403)	U (0.0010)	U (0.05)	--	--	U (0.0010)	U (0.0030)	
09/05/2012	--	--	--	--	--	U (0.0005)	U (0.400)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
10/30/2012	--	--	--	--	--	U (0.0005)	U (0.397)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
01/30/2013	--	--	--	--	--	U (0.0005)	0.531	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
02/15/2013	--	--	--	--	--	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/10/2013	--	--	--	--	--	U (0.0005)	U (0.417)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
10/11/2013	--	--	--	--	--	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
12/11/2013	--	--	--	--	--	U (0.0005)	U (0.410)	U (0.001)	U (0.05)	--	--	U (0.001)	U (0.003)	
02/19/2014	--	--	--	--	--	U (0.0005)	U (0.407)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/01/2014	--	--	--	--	--	U (0.0005)	U (0.39)	U (0.001)	U (0.05)	--	--	U (0.001)	U (0.001)	
10/30/2014	--	--	--	--	--	U (0.0005)	U (0.39)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
02/11/2015	--	--	--	--	--	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
05/15/2015	--	--	--	--	--	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	--	--	U (0.0005)	U (0.0015)	
09/02/2015	--	--	--	--	--	U (0.0020)	U (0.42)	U (0.001)	0.16	--	--	U (0.001)	U (0.001)	
11/12/2015	--	--	--	--	--	U (0.0020)	U (0.20)	U (0.0030)	U (0.050)	--	--	U (0.0020)	U (0.0020)	
01/28/2016	--	--	--	--	--	U (0.0020)	0.23	U (0.0030)	U (0.050)	--	--	U (0.0020)	U (0.0020)	
05/09/2016	--	--	--	--	--	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	--	--	U (0.001)	U (0.003)	
10/24/2016	--	--	--	--	--	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	--	--	U (0.001)	U (0.003)	
12/09/2016	--	--	--	--	--	U (0.002)	U (0.11)	U (0.003)	U (0.05)	--	--	U (0.002)	U (0.003)	
02/08/2017	--	--	--	--	--	U (0.002)	U (0.11)	U (0.003)	U (0.05)	--	--	U (0.002)	U (0.002)	
04/25/2017	--	--	--	--	--	U (0.0002)	U (0.11)	U (0.001)	U (1.0)	--	--	U (0.001)	U (0.003)	
10/20/2017	--	--	--	--	--	U (0.002)	U (0.110)	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.003)	
02/13/2018	--	--	--	--	--	U (0.002)	U (0.12)	U (0.003)	U (1.0)	--	--	U (0.002)	U (0.002)	
08/17/2018	--	--	--	--	--	U (0.003)	U (0.12)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
10/25/2018	--	--	--	--	--	U (0.003)	U (0.12)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
02/26/2019	--	--	--	--	--	U (0.003)	U (0.13)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
04/24/2019	--	--	--	--	--	U (0.003)	U (0.26)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
07/16/2019	--	--	--	--	--	U (0.003)	U (0.12)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
10/17/2019	--	--	--	--	--	U (0.003)	U (0.12)	U (0.003)	U (0.25)	--	--	U (0.002)	U (0.003)	
10/02/2020	--	67.10	--	--	--	U (0.001)	U (0.888)	U (0.001)	U (0.100)	--	--	U (0.001)	U (0.002)	

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
05/18/2021	--	60.81	U (0.00100)	U (0.00100)	U (0.001)	U (0.800)	U (0.001)	0.0320	U (0.00500)	9.55	U (0.001)	U (0.002)		
07/21/2021	--	61.67	U (0.00100)	U (0.00100)	U (0.001)	0.251	U (0.001)	U (0.100)	U (0.00500)	13.1	U (0.001)	U (0.003)		
10/13/2021	--	66.63	U (0.00100)	U (0.00100)	U (0.001)	0.358	U (0.001)	0.05070	U (0.00250)	5.05	U (0.001)	U (0.002)		
03/18/2022	--	59.20	U (0.00100)	U (0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U (0.000250)	14.3	U(0.00100)	U(0.00300)		
05/11/2022	--	67.15	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U(0.000250)	5.09	U(0.00100)	U(0.00300)		
07/19/2022	--	69.89	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U(0.0002500)	6.10	U(0.00100)	U(0.00300)		
10/12/2022	--	79.69	U(0.00100)	U(0.00100)	U(0.00100)	U(0.170)	U(0.00100)	U(0.0287)	U(0.000250)	6.88	U(0.00100)	U(0.00300)		
03/08/2023	--	65.89	U(0.00100)	U(0.00100)	0.000124000	0.28	U(0.00100)	U(0.04930)	U(0.000250)	4.35	U(0.00100)	U(0.00300)		
04/28/2023	--	--	--	--	U(0.00100)	0.267	U(0.00100)	U(0.00100)	U(0.000250)	7.91	U(0.00100)	0.000431000		
07/12/2023	--	73.37	U(0.00100)	U(0.00100)	U(0.00100)	0.216	U(0.00100)	0.04610	U(0.000250)	5.20	U(0.00100)	U(0.00100)		
11/02/2023	--	74.17	U(0.00100)	U(0.00100)	U(0.00100)	0.563	U(0.00100)	0.0380	U(0.000250)	4.41	U(0.00100)	U(0.00300)		
<b>MW16-2</b>														
12/09/2016	--	--	--	--	--	U (0.0002)	0.25	<b>0.0220</b>	2.00	--	--	U (0.001)	<b>0.429</b>	
02/08/2017	--	--	--	--	--	U (0.002)	<b>2.10</b>	<b>0.44</b>	<b>19.0</b>	--	--	0.007800	<b>3.30</b>	
04/25/2017	--	--	--	--	--	U (0.0002)	0.86	U (0.30)	<b>8.70</b>	--	--	U (0.002)	<b>1.00</b>	
10/20/2017	--	--	--	--	--	U (0.002)	0.26	<b>0.0420</b>	2.20	--	--	U (0.002)	0.125	
02/13/2018	--	--	--	--	--	U (0.002)	0.59	<b>0.0510</b>	<b>6.10</b>	--	--	U (0.002)	0.177	
08/17/2018	--	--	--	--	--	U (0.003)	0.63	0.0150	<b>2.40</b>	--	--	U (0.002)	0.07710	
10/25/2018	--	--	--	--	--	U (0.003)	0.31	0.003600	1.00	--	--	U (0.002)	0.0130	
02/26/2019	--	--	--	--	--	U (0.003)	1.10	0.006600	<b>4.60</b>	--	--	U (0.002)	0.0230	
04/24/2019	--	--	--	--	--	U (0.003)	0.58	0.006500	<b>4.20</b>	--	--	U (0.002)	0.0270	
07/16/2019	--	--	--	--	--	U (0.003)	0.67	0.006600	<b>3.40</b>	--	--	U (0.002)	0.0310	
10/17/2019	--	--	--	--	--	U (0.003)	0.30	0.005200	2.10	--	--	U (0.002)	0.0230	
08/12/2020	--	67.36	--	--	--	U (0.001)	0.419	0.0016600	1.65	--	21.7	U (0.001)	0.0073500	
10/02/2020	--	67.05	--	--	--	U (0.001)	0.25	0.00072000	0.967	--	--	U (0.001)	0.00277200	
03/31/2021	--	65.19	--	--	--	U (0.001)	0.585	0.00100	<b>2.86</b>	--	4.42	U (0.001)	0.0027600	
05/18/2021	--	66.27	0.0110	0.01030	U (0.001)	U (0.800)	U (0.001)	0.419	U (0.00500)	4.72	U (0.001)	U (0.002)		
07/21/2021	--	66.08	0.01450	0.01260	U (0.001)	0.441	0.000569000	0.724	U (0.00500)	5.58	U (0.001)	0.0013500		
10/13/2021	--	67.54	U (0.00100)	U (0.00100)	U (0.001)	0.819	U (0.001)	0.765	U (0.000250)	71.7	U (0.001)	U (0.002)		
03/18/2022	--	65.86	0.03410	0.02310	U(0.00100)	0.643	0.00032000	1.95	0.000106000	6.93	U(0.00100)	U(0.00300)		
05/11/2022	--	67.88	0.01240	0.0063100	0.000105000	0.49	U(0.00100)	0.658	U(0.000250)	21.6	U(0.00100)	U(0.00300)		
07/19/2022	--	70.17	0.02030	0.01010	0.00013000	U(0.800)	U(0.00100)	0.354	U(0.000250)	9.06	U(0.00100)	U(0.00300)		
10/12/2022	--	80.12	0.000523000	0.000487000	U(0.00100)	U(0.170)	U(0.00100)	0.02940	U(0.000250)	9.84	U(0.00100)	U(0.00300)		
03/08/2023	--	66.69	<b>0.09380</b>	<b>0.06640</b>	0.0029300	1.46	0.000899000	1.61	0.000116000	180	0.00042000	0.000326000		
04/28/2023	--	--	--	--	U(0.00100)	0.413	0.000143000	0.926	U(0.000250)	16.2	U(0.00100)	0.000357000		
07/12/2023	--	73.75	U(0.00100)	U(0.00100)	U(0.00100)	0.21	U(0.00100)	U(0.100)	U(0.000263)	6.95	U(0.00100)	U(0.00100)		
11/02/2023	--	74.47	U(0.00100)	U(0.00100)	U(0.00100)	0.449	U(0.00100)	0.03820	U(0.000250)	5.26	U(0.00100)	U(0.00300)		
<b>R1+2</b>														
12/09/2016	--	--	--	--	--	U	U	U	--	--	--	U	U	
04/25/2017	--	--	--	--	--	U	U	U	--	--	--	U	U	

			Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0046</b>		<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0017</b>		<b>1.1</b>	<b>0.19</b>	
08/17/2018	--	--	--	--	--	--	U	U	--	--	--	U	--	U
04/23/2019	--	--	--	--	--	--	U(0.26)	U	--	--	--	U	--	U
10/02/2020	--	--	--	--	--	U(0.000500)	U(0.240)	U(0.000500)	--	--	--	U(0.00100)	--	U(0.000500)
10/13/2021	--	--	--	--	--	U(0.000500)	0.343	U(0.000500)	--	--	--	U(0.00100)	--	U(0.000500)
10/12/2022	--	--	--	--	--	U(0.000500)	U(0.170)	U(0.000500)	--	--	--	U(0.00100)	--	U(0.000500)
11/02/2023	--	--	--	--	--	U(0.000500)	0.444	U(0.000500)	--	--	--	U(0.000500)	--	U(0.000500)
<b>R5</b>							U	U	U	--	--	U	--	U
12/09/2016	--	--	--	--	--	--	U	U	--	--	--	U	--	U
04/25/2017	--	--	--	--	--	--	U	U	--	--	--	U	--	U
08/17/2018	--	--	--	--	--	--	U	U	--	--	--	U	--	U
04/23/2019	--	--	--	--	--	--	U	U	--	--	--	U	--	U
10/02/2020	--	--	--	--	--	U(0.000500)	U(0.800)	U(0.000500)	--	--	--	U(0.00100)	--	U(0.000500)
10/13/2021	--	--	--	--	--	U(0.000500)	0.273	U(0.000500)	--	--	--	U(0.00100)	--	U(0.000500)
10/12/2022	--	--	--	--	--	U(0.000500)	U(0.800)	U(0.000500)	--	--	--	U(0.00100)	0.000303000	--
11/02/2023	--	--	--	--	--	U(0.000500)	1.03	U(0.000500)	--	--	--	U(0.000500)	--	U(0.000500)
<b>RW16-1</b>														
10/24/2016	--	--	--	--	--	U (0.0002)	<b>4.60</b>	<b>1.70</b>	<b>30.0</b>	--	--	0.0190	<b>10.1</b>	
02/08/2017	--	--	--	--	--	U (0.002)	<b>2.70</b>	<b>7.90</b>	<b>25.0</b>	--	--	0.004800	<b>8.90</b>	
04/25/2017	--	--	--	--	--	U (0.002)	<b>2.40</b>	U (0.750)	<b>12.0</b>	--	--	U (0.001)	<b>4.83</b>	
08/17/2018	--	--	--	--	--	U (0.003)	<b>7.90</b>	<b>1.20</b>	<b>24.0</b>	--	--	0.001800	<b>8.50</b>	
08/12/2020	--	67.49	--	--	0.00092000	<b>2.00</b>	<b>1.58</b>	<b>5.85</b>	--	--	65.8	0.0055800	<b>8.26</b>	
10/02/2020	--	67.20	--	--	U (0.020)	<b>3.58</b>	<b>0.373</b>	<b>3.99</b>	--	--	--	0.01740	<b>1.721</b>	
03/31/2021	--	67.77	--	--	U (0.020)	<b>4.72</b>	<b>1.33</b>	<b>14.0</b>	--	--	64.0	U (0.020)	<b>5.28</b>	
05/18/2021	--	66.12	<b>2.50</b>	<b>0.53</b>	U (0.200)	<b>7.24</b>	<b>0.761</b>	<b>3.38</b>	U (1.00)	24.1	U (0.200)	<b>4.80</b>		
07/21/2021	--	65.91	<b>2.90</b>	<b>0.597</b>	U (0.200)	<b>9.60</b>	<b>1.36</b>	<b>7.22</b>	U (1.00)	16.7	U (0.200)	<b>7.69</b>		
10/13/2021	--	67.71	<b>1.83</b>	<b>0.28</b>	U (0.200)	<b>7.89</b>	<b>1.11</b>	<b>7.99</b>	U (1.00)	11.3	U (0.200)	<b>4.826</b>		
03/18/2022	--	65.51	<b>4.04</b>	<b>0.868</b>	U(0.200)	<b>4.36</b>	<b>0.939</b>	<b>23.2</b>	<b>0.04860</b>	39.9	U(0.200)	<b>5.548</b>		
05/11/2022	--	68.00	<b>3.88</b>	<b>0.756</b>	U(0.0500)	<b>5.82</b>	<b>0.533</b>	<b>17.7</b>	<b>0.06120</b>	56.9	U(0.0500)	<b>2.773</b>		
07/19/2022	--	70.05	0.03960	0.01150	0.000116000	0.572	0.0024200	0.247	0.0010400	33.2	0.00028000	0.033910		
10/12/2022	--	79.98	0.0024100	U(0.000104)	0.000309000	0.50	0.000383000	0.322	0.001100	26.7	0.00038000	0.0130		
03/08/2023	--	66.64	<b>2.47</b>	<b>0.328</b>	0.0017400	<b>5.76</b>	<b>0.661</b>	<b>2.61</b>	<b>0.03170</b>	274	0.0044300	<b>0.531</b>		
04/28/2023	--	--	--	--	U(0.00100)	<b>3.69</b>	<b>0.437</b>	<b>7.51</b>	<b>0.03820</b>	161	U(0.00100)	<b>2.14</b>		
07/12/2023	--	73.62	<b>0.172</b>	0.05050	0.000595000	0.607	0.0080800	1.48	0.000706000	18.3	0.0015300	0.01910		
11/02/2023	--	74.50	U(0.00100)	0.000216000	U(0.00100)	0.626	U(0.00100)	0.09130	U(0.000250)	9.90	U(0.00100)	U(0.00300)		