NOTICE OF INTENT

to be covered under

APDES GENERAL PERMIT AK-G52-0000

for

SEAFOOD PROCESSORS IN ALASKA

(See Part IV.C. of the Permit, reissued 2001)

Please submit this NOI to:

Department of Environmental Conservation
Division of Water

555 Cordova Street
Anchorage, AK 99501

Submittal of this document constitutes notice that the party identified in Section 1 intends to be covered by the APDES general permit authorizing discharges from seafood processing activities in Alaska and obligates the permittee to comply with the terms and conditions of the permit.

Please fill in all information. Attach supplemental information sheets as appropriate.

SECTION 1 - PERMIT INFORMATION

APDES PERMIT NO. AK-G52 - 0053	ADEC Number (Seafood Processor License) AK67-B

SECTION 2 - OPERATOR INFORMATION (Part IV.C.2)

Company Name Trident Seafoods Corporation	
Address 5303 Shilshole Ave NW	Phone (206) 783-3818
City/State/Zip Seattle, WA 98107-4000	FAX (206) 297-5794
Representative/Title Joseph T. Plesha	E-mail joep@tridentseafoods.com

SECTION 3 - OWNER INFORMATION (Part IV.C.3)

Owner Name Trident Seafoods Corporation	
Address 5303 Shilshole Ave NW	Phone (206) 783-3818
City/State/Zip Seattle, WA 98107-4000	FAX (206) 297-5794
Representative/Title Joseph T. Plesha	E-mail joep@tridentseafoods.com

SECTION 4 - FACILITY or VESSEL INFORMATION (Part IV.C.4)

Facility/Vessel Name Trident Chignik Production Facility	No of Employees 16 (plant) 80-250 (vessels)
Address PO Box 69	Phone (907) 749-2276
City/State/Zip Chignik, AK 99564	FAX (907) 749-2248
Latitude and Longitude of Discharge(s) 56-17.936 N / 158-23.247 W	
Previous facility/vessel name(s)	

Type of vessel	USCG no.	Vessel length

SECTION 5 - FACILITY CLASSIFICATION (Part IV.C.5; Check each that applies)

☐	Offshore floating seafood processor: operating and discharging between 1 and 3 nautical mile from shore at MLLW
☐	Nearshore floating seafood processor: operating and discharging from one (1) to one half (0.5) nautical mile from shore at MLLW
✓	Shore-based seafood processor: operating and discharging less than one half (0.5) nautical mile from shore at MLLW (Includes vessels that meet discharge location criteria)

SECTION 6 - PROJECTED PRODUCTION INFORMATION (Part IV.C.6; Check all that apply)

	Whole		Head-on & Gutted	✓	Headed & Gutted	✓	Fillets		Cured, salted or smoked
	Canned		Fish meal		Surimi, fish paste		Mince, dry/ washed		Mince, wet/ unwashed
✓	Roe		Crab: whole, pieces		Shrimp, scallops, clams, oysters, snails, urchins, cucumbers (circle appropriate items)				Other (identify):

Catch Processed (by type, e.g., cod, pollock, salmon)	Finished Product (by type, e.g., fillets, surimi, canned)	24-hour Design Capacity in lbs of processing raw product	Location (Lat/Long or ADF&G areas)	Anticipated Processing Activity -- Number of days per month											
				Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Salmon	Fillets, H&G, Roe	300,000	See Section 4						30	31	31				

SECTION 7 - RECEIVING WATER INFORMATION (Part IV.C.7)

Name(s) of waterbody(ies) receiving discharges of the facility Anchorage Bay

Name of any larger, adjacent receiving waterbody(ies) Chignik Bay, Gulf of Alaska

List any areas within three (3) nautical miles of operation which are excluded from coverage under the General Permit (e.g., Parks, Preserves, Refuges, Critical Habitats etc.)

Within 1NM of Alaska Peninsula NWR but over water, currently requesting submerged land status from ADNR

Nature of Receiving Water: Discharge is to marine water ✓ Discharge is to fresh water ☐ Discharge is to estuary or tidal tributary ☐

Attention: Nearshore and Shore-based Processors must submit a bathymetric map of the receiving water within one (1) nautical mile of the discharge showing the location of the facility and all discharge point(s)

SECTION 8 - DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

	Package Treatment Plant		Municipal System
X	On-site septic system		Community Septic system
	USCG Approved System (MSD) Type:		Capacity (gals/day):

Seafood Processing Wastes

Outfall depth: -60 ft.	Outfall distance from shore: 420 ft.	Water depth at outfall: -66 ft.

Vessels indicate the range of water column depths at which vessel discharges processing wastes: to ft.

Grinder - Type/Name: Muffin Monster, Vaughan Grinds seafood wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

✓	Process disinfectants	✓	Transfer water
	Cooling water	✓	Gray water
	Boiler water		Live tank water
	Cooking water		Air scrubber water
	Refrigerated seawater		Other (name):

Projected Maximum Quantity in lbs of Process Waste Solids that are Discharged

Specific Species Processed	TOTAL DAILY Amount of Solids Discharged	TOTAL ANNUAL Amount of Solids Discharged
Salmon	99,000 lbs.	9,108,000 lbs.
	lbs.	lbs.
	lbs.	lbs.

SECTION 9 - REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part VI.C.9)

Does your facility/vessel refuel fishing vessels? Yes ✓ No ☐
If yes, what is the capacity of your refueling tanks? 20,000

If no, what is the location and distance to the nearest refueling station?

SECTION 10 - SUBMITTALS (Part IV.C.10; to be attached to this NOI) * shore-based & near-shore processors only

✓	Letter certifying that the facility has developed and operates in accordance with a Best Management Practices Plan
✓	Location Map showing the location of the facility in the context of the coastal area of Alaska *
✓	Bathymetric Map of Receiving Water showing facility, outfall and water depths within one mile of the discharge *
	Waiver Request (for seafloor survey, discharging to excluded areas (Part III.A,B,C), if applicable

SECTION 11- SIGNATURE and CERTIFICATION (Part IV.C.11)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature Principal or Partner	Title/Company Chief Legal Officer/Trident Seafoods
Print Name Joseph T. Plesha	Date 6/22/12

ALASKA PACKER

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☐	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: ORCA		Capacity (gals/day): 8,000

Seafood Processing Wastes

Grinder – Type/Name: Autio, Vaughn, Franklin-Miller Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☐	Boiler Water	☐	Live tank water
☐	Cooking Water	☐	Air scrubber water
☒	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☒ Yes ☐ No If yes, what is the capacity of your refueling tanks? 185,000 gallons	If no, what is the location and distance to the nearest refueling station?

ALEUTIAN FALCON

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☐	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: Red Fox II		Capacity (gals/day): 3,500

Seafood Processing Wastes

Grinder – Type/Name: Muffin Monster, Overmeyer, Vaughn Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☒	Transfer water
☐	Cooling Water	☒	Gray Water
☒	Boiler Water	☒	Live tank water
☒	Cooking Water	☐	Air scrubber water
☒	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☐ Yes ☒ No If yes, what is the capacity of your refueling tanks? gallons	If no, what is the location and distance to the nearest refueling station? Various shored-based fueling stations.

INDEPENDENCE

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☒	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: ORCA II - 330 Capacity (gals/day): 10,000		

Seafood Processing Wastes

Grinder – Type/Name: Vaughn, Franklin Miller, Autio Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☐	Boiler Water	☐	Live tank water
☐	Cooking Water	☐	Air scrubber water
☒	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☒ Yes ☐ No If yes, what is the capacity of your refueling tanks? 346,906 gallons	If no, what is the location and distance to the nearest refueling station?

ISLAND ENTERPRISE

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☒	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: Envirovac 10044300 Capacity (gals/day): 2,600		

Seafood Processing Wastes

Grinder – Type/Name: Chicago Pump/Sewer Chewer Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☒	Boiler Water	☒	Live tank water
☐	Cooking Water	☐	Air scrubber water
☐	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☐ Yes ☒ No If yes, what is the capacity of your refueling tanks? gallons	If no, what is the location and distance to the nearest refueling station?

KODIAK ENTERPRISE			
SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)			
Sanitary Wastes			
☒	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: Ejector System Type III Capacity (gals/day): 5,000		
Seafood Processing Wastes			
Grinder – Type/Name: Chicago Pump/Sewer Chewer Grinds seafoods wastes to: 0.5 inch width			
Other Wastewaters (Check all that apply)			
☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☒	Boiler Water	☒	Live tank water
☒	Cooking Water	☐	Air scrubber water
☐	Refrigerated seawater	☐	Other (name):
SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)			
Does your facility/vessel refuel fishing vessels? ☐Yes ☒ No If yes, what is the capacity of your refueling tanks? gallons		If no, what is the location and distance to the nearest refueling station?	

OCEAN FRESH			
SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)			
Sanitary Wastes			
☐	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: ORCA Capacity (gals/day): 2,060		
Seafood Processing Wastes			
Grinder – Type/Name: Grinds seafoods wastes to: 0.5 inch width			
Other Wastewaters (Check all that apply)			
☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☐	Boiler Water	☒	Live tank water
☐	Cooking Water	☐	Air scrubber water
☒	Refrigerated seawater	☐	Other (name):
SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)			
Does your facility/vessel refuel fishing vessels? ☐Yes ☒ No If yes, what is the capacity of your refueling tanks? gallons		If no, what is the location and distance to the nearest refueling station? Various shored-based fueling stations.	

PRIBILOF

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☐	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: Omni Pure II Capacity (gals/day): 1,800		

Seafood Processing Wastes

Grinder – Type/Name: Vaughn, Muffin Monster Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☒	Transfer water
☒	Cooling Water	☒	Gray Water
☐	Boiler Water	☐	Live tank water
☐	Cooking Water	☐	Air scrubber water
☒	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☐Yes ☒ No
If yes, what is the capacity of your refueling tanks? gallons

If no, what is the location and distance to the nearest refueling station? Various shored-based fueling stations.

SEATTLE ENTERPRISE

SECTION 8 – DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

☒	Package Treatment Plant	☐	Municipal System
☐	On-site septic system	☐	Community Septic System
☒	USCG Approved System (MSD) Type: ORCA IIA-165 Capacity (gals/day): 5,000		

Seafood Processing Wastes

Grinder – Type/Name: Chicago Pump/Sewer Chewer Grinds seafoods wastes to: 0.5 inch width

Other Wastewaters (Check all that apply)

☒	Process Disinfectants	☐	Transfer water
☒	Cooling Water	☒	Gray Water
☒	Boiler Water	☒	Live tank water
☒	Cooking Water	☐	Air scrubber water
☐	Refrigerated seawater	☐	Other (name):

SECTION 9 – REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part IV.C.9)

Does your facility/vessel refuel fishing vessels? ☐Yes ☒ No
If yes, what is the capacity of your refueling tanks? gallons

If no, what is the location and distance to the nearest refueling station? Various shored-based fueling stations.

TRIDENT SEAFOODS CORPORATION
CHIGNIK PRODUCTION FACILITY

AMENDED NOTICE OF INTENT
APDES GENERAL PERMIT AKG520053

DATE: _____

SUPPLEMENT TO AMENDED NOI FORM

The Chignik Production facility lost its main processing plant in a fire in 2008. There is still operational filleting equipment on the premises, but the plant has not operated since summer 2009. At any time, Trident may elect to place the fillet line into operation; however, production & discharge amounts would not be significant.

For the majority of its output at the Chignik Production facility, Trident intends to moor one processing vessel at a time at the end of the dock at the facility and allow the vessel to discharge processing waste through the facility outfall line. Only one vessel at a time processes at the Chignik Production facility dock. Trident purchases fish and loads it onto the processing vessel, where the fish are processed and frozen. The processing offal is ground to 0.5" dimensions in all directions on the vessel and then pumped back to the Chignik Production facility. The Chignik Production facility then runs the ground-up waste through its sump grinders, and discharges this re-ground waste through Trident's Chignik Production outfall line. The product is loaded into on-shore containers; by processing and loading at the dock, the vessels save time they would otherwise spend in transit to offload their product, as they have limited storage capacity.

The vessel Pribilof will process at the Chignik Production facility dock from early to mid-June, and is scheduled to depart by June 25.

Some time around June 20, vessel Ocean Fresh, a floater processor contracted by Trident to process its fish, will replace the Pribilof at the Chignik Production facility & will process until late August.

In the event that there is a larger than usual salmon run, it is possible that any of the following vessels might end up mooring at the Chignik Production facility dock, once Ocean Fresh has departed, to process until the end of August: Alaska Packer, Aleutian Falcon, Independence, Island Enterprise, Kodiak Enterprise, Pribilof, Seattle Enterprise.

Chignik Production will ensure that permit requirements are met for all vessels that discharge through its outfall line.

ANCHORAGE AND MUD BAYS - 1 : 6,300
(NOAA Chart) Chart #16566_2 - Depth Units: FATHOMS



DO NOT USE FOR NAVIGATION
SOME NAVIGATION AIDS MAY NOT BE SHOWN

Nobeltec software™ - Copyright © 1995-2011 Nobeltec(1-800-946-2877)

DATE: 6/22/2012

Alaska Department of Environmental Conservation
ATTN: Air and Water Quality Division
555 Cordova Street
Anchorage, Alaska 99501

RE: Trident Seafoods Corporation – Chignik Production Facility
APDES PERMIT NO. AKG520053
Best Management Practices Plan

To Whom it May Concern:

This letter certifies that Trident Seafoods Corporation – Chignik Production Facility has developed and operates in accordance with a Best Management Practices Plan per requirements of APDES General Permit AKG520053.

Joseph T. Plesha
Authorized Representative