NOTICE OF INTENT

to be covered under

APDES GENERAL PERMIT AK-G52-0000

for

SEAFOOD PROCESSORS IN ALASKA

(See Part IV.C. of the Permit, reissued 2001)

Please submit this NOI to:

Department of Environmental Conservation
Division of Water

555 Cordova Street
Anchorage, AK 99501

Submittal of this document constitutes notice that the party identified in Section 1 intends to be covered by the APDES general permit authorizing discharges from seafood processing activities in Alaska and obligates the permittee to comply with the terms and conditions of the permit.

Please fill in all information. Attach supplemental information sheets as appropriate.

SECTION 1 - PERMIT INFORMATION

APDES PERMIT NO. **AK-G52 -** 0174	ADEC Number (Seafood Processor License) AK - 1096

SECTION 2 - OPERATOR INFORMATION (Part IV.C.2)

Company Name	Kwik Pak Fisheries LLC		
Address	2909 Arctic Blvd	Phone	907-644-0326
City/State/Zip	Anchorage, AK 99503	FAX	907-644-0499
Representative/Title	Jack Schulthes, General Manager	E-mail	

SECTION 3 - OWNER INFORMATION (Part IV.C.3)

Owner Name	Yukon Delta Fisheries Development		
Address	Same as above	Phone	
City/State/Zip		FAX	
Representative/Title	Ragnar O. Alstrom, Executive Director	E-mail	

SECTION 4 - FACILITY or VESSEL INFORMATION (Part IV.C.4)

Facility/Vessel Name	Kwik Pak	No of Employees	250
Address		Phone	
City/State/Zip	Emmonak, Alaska 99581	FAX	

Latitude and Longitude of Discharge(s)

164 - 522921 W

Previous facility/vessel name(s)

Type of vessel	USCG no.	Vessel length

SECTION 5 - FACILITY CLASSIFICATION (Part IV.C.5; Check each that applies)

	Offshore floating seafood processor: operating and discharging between 1 and 3 nautical mile from shore at MLLW
	Nearshore floating seafood processor: operating and discharging from one (1) to one half (0.5) nautical mile from shore at MLLW
X	Shore-based seafood processor: operating and discharging less than one half (0.5) nautical mile from shore at MLLW (Includes vessels that meet discharge location criteria)

EDA Building

SECTION 6 - PROJECTED PRODUCTION INFORMATION (Part IV.C.6; Check all that apply)

[ ]	Whole	[ ]	Head-on & Gutted	[ ]	Headed & Gutted	[X]	Fillets	[ ]	Cured, salted or smoked
[ ]	Canned	[ ]	Fish meal	[ ]	Surimi, fish paste	[ ]	Mince, dry/ washed	[ ]	Mince, wet/ unwashed
[ ]	Roe	[ ]	Crab: whole, pieces	[ ]	Shrimp, scallops, clams, oysters, snails, urchins, cucumbers (circle appropriate items)			[ ]	Other (identify):

Catch Processed (by type, e.g., cod, pollock, salmon)	Finished Product (by type, e.g., fillets, surimi, canned)	24-hour Design Capacity in lbs of processing raw product	Location (Lat/Long or ADF&G areas)	Anticipated Processing Activity – Number of days per month											
				Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Salmon	Filet	50,000	164.522921 W						30	31	31	20			
			62.775510 3 N												
Whitefish		10,000										20			

SECTION 7 - RECEIVING WATER INFORMATION (Part IV.C.7)

Name(s) of waterbody(ies) receiving discharges of the facility: Kwigok Pass

Name of any larger, adjacent receiving waterbody(ies): Yukon River

List any areas within three (3) nautical miles of operation which are excluded from coverage under the General Permit (e.g., Parks, Preserves, Refuges, Critical Habitats etc.)

Nature of Receiving Water: Discharge is to marine water [ ] Discharge is to fresh water [X] Discharge is to estuary or tidal tributary [ ]

Attention: Nearshore and Shore-based Processors must submit a bathymetric map of the receiving water within one (1) nautical mile of the discharge showing the location of the facility and all discharge point(s)

Yukon Delta Barge

SECTION 6 - PROJECTED PRODUCTION INFORMATION (Part IV.C.6; Check all that apply)

X	Whole	X	Head-on & Gutted	X	Headed & Gutted		Fillets		Cured, salted or smoked
	Canned		Fish meal		Surimi, fish paste		Mince, dry/ washed		Mince, wet/ unwashed
X	Roe		Crab: whole, pieces		Shrimp, scallops, clams, oysters, snails, urchins, cucumbers (circle appropriate items)				Other (identify):

Catch Processed (by type, e.g., cod, pollock, salmon)	Finished Product (by type, e.g., fillets, surimi, canned)	24-hour Design Capacity in lbs of processing raw product	Location (Lat/Long or ADF&G areas)	Anticipated Processing Activity -- Number of days per month											
				Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Salmon	H and G	150,000	164.52291	W					30	31	31	20			
	Princess		62.7755103	N											
	Roe														
Whitefish	H and G	15,000										20			

SECTION 7 - RECEIVING WATER INFORMATION (Part IV.C.7)

Name(s) of waterbody(ies) receiving discharges of the facility: Kwigut Pass

Name of any larger, adjacent receiving waterbody(ies): Yukon River

List any areas within three (3) nautical miles of operation which are excluded from coverage under the General Permit (e.g., Parks, Preserves, Refuges, Critical Habitats etc.)

Nature of Receiving Water: Discharge is to marine water [ ] Discharge is to fresh water [X] Discharge is to estuary or tidal tributary [ ]

Attention: Nearshore and Shore-based Processors must submit a bathymetric map of the receiving water within one (1) nautical mile of the discharge showing the location of the facility and all discharge point(s)

Yukon Delta Barge

SECTION 8 - DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

	Package Treatment Plant	X	Municipal System
	On-site septic system		Community Septic system
	USCG Approved System (MSD) Type:		Capacity (gals/day):

Seafood Processing Wastes

Outfall depth: 25 - 35 ft. | Outfall distance from shore: 40 ft. | Water depth at outfall: 25 - 35 ft.

Vessels indicate the range of water column depths at which vessel discharges processing wastes: to ft.

Grinder - Type/Name: Autio 801 Grinds seafood wastes to: 1/2 inch width

Other Wastewaters (Check all that apply)

X	Process disinfectants	X	Transfer water
X	Cooling water		Gray water
	Boiler water		Live tank water
	Cooking water		Air scrubber water
	Refrigerated seawater		Other (name):

Projected Maximum Quantity in lbs of Process Waste Solids that are Discharged

Specific Species Processed	TOTAL DAILY Amount of Solids Discharged	TOTAL ANNUAL Amount of Solids Discharged
Salmon	50,000 lbs.	2,000,000 lbs.
Whitefish	1,000 lbs.	8,000 lbs.
	lbs.	lbs.

SECTION 9 - REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part VI.C.9)

Does your facility/vessel refuel fishing vessels? Yes [X] No [ ]
If yes, what is the capacity of your refueling tanks?

If no, what is the location and distance to the nearest refueling station?

SECTION 10 - SUBMITTALS (Part IV.C.10; to be attached to this NOI) * shore-based & near-shore processors only

X	Letter certifying that the facility has developed and operates in accordance with a Best Management Practices Plan
X	Location Map showing the location of the facility in the context of the coastal area of Alaska *
N/A	Bathymetric Map of Receiving Water showing facility, outfall and water depths within one mile of the discharge *
	Waiver Request (for seafloor survey, discharging to excluded areas (Part III.A,B,C), if applicable

SECTION 11- SIGNATURE and CERTIFICATION (Part IV.C.11)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature Principal or Partner	Title/Company Manager Kwik Pak
Print Name Jack Schuthuis	Date 09-21-16

EDA Building

SECTION 8 - DESCRIPTION of DISCHARGES (Part IV.C.8)

Sanitary Wastes

	Package Treatment Plant	X	Municipal System
	On-site septic system		Community Septic system
	USCG Approved System (MSD) Type:		Capacity (gals/day):

Seafood Processing Wastes

Outfall depth: 25-35 ft. | Outfall distance from shore: 40 ft. | Water depth at outfall: 25-35 ft.

Vessels indicate the range of water column depths at which vessel discharges processing wastes: to ft.

Grinder - Type/Name: Autio 801 Grinds seafood wastes to: 1/2 inch width

Other Wastewaters (Check all that apply)

X	Process disinfectants	X	Transfer water
	Cooling water		Gray water
	Boiler water		Live tank water
	Cooking water		Air scrubber water
	Refrigerated seawater		Other (name):

Projected Maximum Quantity in lbs of Process Waste Solids that are Discharged

Specific Species Processed	TOTAL DAILY Amount of Solids Discharged	TOTAL ANNUAL Amount of Solids Discharged
Salmon	15,000 lbs.	600,000 lbs.
Whitefish	5,000 lbs.	8,000 lbs.
	lbs.	lbs.

SECTION 9 - REFUELING CAPABILITY and PROXIMITY TO FUELING STATIONS (Part VI.C.9)

Does your facility/vessel refuel fishing vessels? Yes [X] No [ ]
If yes, what is the capacity of your refueling tanks?

If no, what is the location and distance to the nearest refueling station?

SECTION 10 - SUBMITTALS (Part IV.C.10; to be attached to this NOI) * shore-based & near-shore processors only

X	Letter certifying that the facility has developed and operates in accordance with a Best Management Practices Plan
X	Location Map showing the location of the facility in the context of the coastal area of Alaska *
N/A	Bathymetric Map of Receiving Water showing facility, outfall and water depths within one mile of the discharge *
	Waiver Request (for seafloor survey, discharging to excluded areas (Part III.A,B,C), if applicable

SECTION 11- SIGNATURE and CERTIFICATION (Part IV.C.11)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature Principal or Partner	Title/Company General Manager
Print Name Jack Schuttleis	Date 09-21-16

KWIKPAK Fisheries, LLC

EMMONAK OFFICE

P.O. Box 128
Emmonak, Alaska 99581
p 907-949-1120 *f* 907-949-1123

ANCHORAGE OFFICE

2909 Arctic Boulevard
Anchorage, Alaska 99503
p 907-644-0326 *f* 907-644-0499
tf 877-644-0326

September 20, 2016

Clynda Case
Department of Environmental Conservation
Division of Water
Seafood and Agricultural Facility
1700 E. Bogard Road, Building B, Suite 103
Wasilla, Alaska 99654

Dear Ms. Case:

Kwik Pak Fisheries LLC is requesting a waiver from having to perform a seafloor survey as required in the APDES Seafood Waste Discharge General Permit.

The outfall area is in Kwiguk Pass which is a tributary of the Yukon River. Due to the vast amount of entrained glacial silt visibility in the area is zero.

Kwik Pak has no concerns that there is any debris pile due to the high flow rate of the River.

Thank you,

Jack Schultheis
General Manager

Google Maps



Map data ©2016 Google 2 mi

Google Maps



Map data ©2016 Google 1 mi

BEST MANAGEMENT PRACTICES PLAN
REVIEW AND CERTIFICATION
Kwik' Pak Fisheries LLC
AK G52-0543
Emmonak

The attached Best Management Practices Plan has been reviewed and accepted by appropriate staff members and I certify that it meets the requirements of the NPDES General Permit for Seafood Processors in Alaska. We have also performed a pre-operation waste handling check and the system is working correctly without leaks or bypasses.

General Manager
Printed Name Jack Schulthuis

Signature

Date Jan 3, 2016