ATTACHMENT F
Best Management Practices Plan Certification

Facility Name: _Trident Seafoods Cordova Inland Water Discharge Vessel – Alaska Pacific____

APDES Permit Number: __AKG523051_____

The BMP Plan is complete and is available upon request to ADEC.

The BMP Plan is being implemented by trained employees.

The BMP Plan has been reviewed and endorsed by the facility manager.

The individuals responsible for implementation of the BMP Plan have been properly trained.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature:	**Title/Company:** Environmental Compliance Director
Print Name: Shawn Stokes	**Date:** 18 December 2015

A previously authorized operator under AKG520000 or a newly authorized operator under AKG523000 shall develop and implement a BMP Plan that satisfies the requirements of this Part within 60 days of the effective date of authorization to discharge under the permit.

An owner or operator who currently has coverage under AKG523000 shall submit written certification that the BMP Plan has been reviewed and revised to meet the requirements of this Part (6.1) whenever an updated NOI is submitted.

State of Alaska
Department of Environmental Conservation
Division of Water
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, AK 99501