



PUBLIC NOTICE

Alaska Department of Environmental Conservation (DEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

NOTICE OF PROPOSED ISSUANCE OF AN
ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES)
AUTHORIZATION TO DISCHARGE UNDER A GENERAL PERMIT TO WATERS OF THE
UNITED STATES

DEC Contact:

Marie Klingman
Alaska Department of Environmental Conservation
Division of Water
Wastewater Discharge Authorization Program
610 University Avenue
Fairbanks, Alaska 99709
Phone: (907) 451-2101
marie.klingman@alaska.gov

Draft Authorization to Discharge under a General Permit - Public Notice Period:

Public Notice Start Date: September 6, 2018
Public Notice Expiration Date: October 5, 2018

Authorization No.:

AKG573041

Facility Name:

Old Kasigluk Lagoon

Proposed Project and Location:

The proposed authorization under general permit AKG573000, Domestic Wastewater Treatment Lagoons Discharging to Surface Water, authorizes the discharge of equivalent to secondary treated domestic wastewater from Old Kasigluk Lagoon to the Johnson River. Annual discharge shall occur for approximately two weeks at an estimated maximum daily rate of 144,000 gallons per day. A mixing zone is proposed for fecal coliform bacteria and is defined as 830 feet downstream centered over the point where the discharge enters Johnson River.

The General Permit, Fact Sheet, and proposed authorization are available upon request or can be Accessed at the DEC web site: <http://dec.alaska.gov/water/wastewater/>.

Tentative Determination:

DEC has tentatively determined to issue an authorization to Kasigluk Traditional Council to discharge under the general permit for the activity described above.

For inquiries or to request copies of the documents, contact:

DEC Contact:

Marie Klingman
610 University Avenue
Fairbanks, Alaska 99709
Phone: (907) 451-2101
marie.klingman@alaska.gov

Public Comments:

Written comments on the proposed authorization to discharge under an APDES general permit must be submitted within 30 days of the issuance of this public notice. Please direct written comments to the attention of Marie Klingman at the address or email identified above. All comments should include the name, address, and telephone number of the commenter and a concise statement of comment on the permit condition(s) and the relevant facts upon which the comment is based. Comments of either support or concern which are directed at specific, cited permit requirements are appreciated. Mailed comments must be postmarked on or before the expiration date of the public notice.

**DEADLINE FOR WRITTEN COMMENTS
October 5, 2018 at 5:00 p.m.**

Administrative Record:

The APDES draft permit, fact sheet, and associated documents are available for public review at the DEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street
Anchorage, AK 99501
907-269-6285

610 University Avenue
Fairbanks, AK 99709
907-451-2100

410 Willoughby Ave #303
Juneau, AK 99811
907-465-5300

43335 Kalifornsky Beach Road
Soldotna, AK 99615
907-262-5210

1700 E Bogard Road #B
Suite #103
Wasilla, AK 99654
907-376-1850

If you would like to see any additional supporting technical documents, contact Marie Klingman.

The documents are also accessible from the DEC website at:
<http://dec.alaska.gov/water/wastewater/>.

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this public process, please contact Theresa Zimmerman at (907) 465-6171 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 30 days of publication of this notice to ensure that any necessary accommodations can be provided.