DEPARTMENT OF ENVIRONMENTAL CONSERVATION



18 AAC 75

Oil and Other Hazardous Substances Pollution Control

Public Comment Draft

October 1, 2018

Comment Period Ends 5:00 p.m Monday, November 5, 2018

Larry Hartig Commissioner

18 AAC 75.325(g) is amended to read:

(g) If using method two or method three for determining the applicable soil cleanup levels as described in 18 AAC 75.340 and 18 AAC 75.341, or if applying the groundwater cleanup levels at Table C in 18 AAC 75.345, a responsible person shall ensure that, after completing site cleanup, the risk from hazardous substances does not exceed a cumulative carcinogenic risk standard of 1 in 100,000 across all exposure pathways and does not exceed a cumulative noncarcinogenic risk standard at a hazard index of one, reported to one significant figure, across all exposure pathways. Instructions for determining cumulative risk are provided in the department's *Procedures for Calculating Cumulative Risk*, dated **September 25, 2018**, [FEBRUARY 1, 2018] and adopted by reference. (Eff. 1/22/99, Register 149; am 8/27/2000, Register 155; am 1/30/2003, Register 165; am 10/9/2008, Register 188; am 6/17/2015, Register 214; am 1/1/2016, Register 217; am 11/6/2016, Register 220; am 9/29/2018, Register 227; am / / Register) **Authority:** AS 46.03.020 AS 46.03.740 AS 46.04.020 AS 46.03.050 AS 46.03.745 AS 46.04.070

18 AAC 75.330 is amended by adding a new subsection to read:

AS 46.03.710

(f) As an interim removal action, where groundwater contamination exceeds the cleanup levels established under 18 AAC 75.345(b)(2), (3), or (4), the department may require a responsible person to provide an alternative source of drinking water for the affected parties or

AS 46.03.822

AS 46.09.020

implement other institutional controls under 18 AAC 75.375. (Eff. 1/22/99, Register 149; am __/____, Register ____)

Authority: AS 46.03.020 AS 46.03.740 AS 46.04.070

AS 46.03.050 AS 46.03.745 AS 46.09.020

AS 46.03.710 AS 46.04.020

18 AAC 75.340(e)(1) is amended to read:

Authority: AS 46.03.020 AS 46.03.740 AS 46.04.070

AS 46.03.050 AS 46.03.745 AS 46.09.020

AS 46.03.710 AS 46.04.020

18 AAC 75.341(c) is repealed and readopted to read:

(c) If a responsible person uses method two for chemicals other than petroleum hydrocarbons under 18 AAC 75.340, the soil cleanup levels must be based on Table B1 in this subsection.

TABLE B1. METHOD TV	WO – SOIL CLEAN	UP LEVELS TABLE (S	ee notes for a	additional rec	uirements)	
Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone ²	Under 40 Inch	Over 40 Inch	Migration to
			Human Health ⁵ (mg/kg)	Zone ³ Zone ⁴ Human Human		Groundwater ⁶ (mg/kg)
				Health ⁵ (mg/kg)	Health ⁵ (mg/kg)	(mg/ kg)
Acenaphthene ⁷	83-32-9	nc	6300	4600	3800	37
Acenaphthylene ^{7,8}	208-96-8	nc	3100	2300	1900	18
Acetone	67-64-1	nc	1.0 x 10 ⁵ ; ⁹	81000	65000	38
Aldrin	309-00-2	ca	0.67	0.49	0.40	0.0099
Anthracene ⁷	120-12-7	nc	31000	23000	19000	390
Antimony (metallic)	7440-36-0	nc	55	41	33	4.6
Arsenic, Inorganic ¹¹	7440-38-2	ca	12	8.8	7.2	0.20
Barium	7440-39-3	nc	25000	20000	17000	2100
Benz[a]anthracene ⁷	56-55-3	m	20	14	12	0.70
Benzaldehyde	100-52-7	nc	770 (3000) ¹⁰	770 (2300)	770 (1800)	0.52
Benzene ⁷	71-43-2	ca	16	11	8.1	0.022

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Benzo[a]pyrene ⁷	50-32-8	m	2.0	1.5	1.2	1.9
Benzo[b]fluoranthene ⁷	205-99-2	m	20	15	12	20
Benzo[g,h,i]perylene ^{7,8}	191-24-2	nc	3100	2300	1900	15000
Benzo[k]fluoranthene ⁷	207-08-9	m	200	150	120	190
Benzoic Acid	65-85-0	nc	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	200
Benzyl Alcohol	100-51-6	nc	11000	8200	6700	5.7
Beryllium and compounds	7440-41-7	nc	270	200	170	260
Bis(2-chloroethyl)ether	111-44-4	ca	4.0	2.8	2.1	0.00042
Bis(2-ethylhexyl)phthalate	117-81-7	ca	680	500	410	88
Bromobenzene	108-86-1	nc	160 (410) ¹⁰	160 (290) ¹⁰	160 (215) ¹⁰	0.36
Bromodichloromethane	75-27-4	ca	5.3	3.6	2.6	0.0043
Bromoform	75-25-2	ca	340	240	170	0.10

TABLE B1. METHOD TV	VO – SOIL CLEAN	UP LEVELS TABLE (S	ee notes for a		,	
Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater (mg/kg)
Bromomethane	74-83-9	nc	15	10	7.4	0.024
Butadiene, 1,3-	106-99-0	ca	1.2	0.86	0.64	0.0012
Butanol, N-	71-36-3	nc	6500 (14000) ¹⁰	6500 (10000) ¹⁰	6500 (8300) ¹⁰	5.3
Butyl Benzyl Phthalate	85-68-7	ca	5000	3700	3000	16
Butylbenzene, n-	104-51-8	nc	20 (6800)10	20 (5000)10	20 (4150)10	23
Butylbenzene, sec-	135-98-8	nc	28 (14000) ¹⁰	28 (10000) ¹⁰	28 (8300) ¹⁰	42
Butylbenzene, tert-	98-06-6	nc	36 (14000) ¹⁰	36 (10000) ¹⁰	36 (10000) ¹⁰	11
Cadmium	7440-43-9	nc	120	92	76	9.1
Carbon Disulfide	75-15-0	nc	500	500	500 (800)10	2.9

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
			$(1600)^{10}$	$(1100)^{10}$		
Carbon Tetrachloride	56-23-5	ca	13	9.1	6.6	0.021
Chlordane	12789-03-6	ca	29	22	17	0.18
Chlordecone (Kepone)	143-50-0	ca	0.95	0.70	0.58	0.0083
Chloroaniline, p-	106-47-8	ca	47	35	29	0.015
Chlorobenzene	108-90-7	nc	180 (370) ¹⁰	180 (250)10	180 (180)10	0.46
Chloroform	67-66-3	ca	5.8	4.0	2.9	0.0071
Chloromethane	74-87-3	nc	250	170	120	0.61
Chloronaphthalene, Beta-	91-58-7	nc	8400	6200	5100	26
Chlorophenol, 2-	95-57-8	nc	680	510	410	0.71
Chromium(III), Insoluble Salts ¹²	16065-83-1	nc	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹
Chromium(VI) ¹²	18540-29-9	m	4.9	3.9	3.2	0.089

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Chrysene ⁷	218-01-9	m	2000	1500	1200	600
Copper	7440-50-8	nc	5500	4100	3300	370
Cresol, m-	108-39-4	nc	5500	4100	3400	6.1
Cresol, o-	95-48-7	nc	5500	4100	3400	6.2
Cresol, p-	106-44-5	nc	11000	8200	6700	12
Cumene	98-82-8	nc	54 (2500)10	54 (1700) ¹⁰	54 (1300)10	5.6
Cyanide (CN-) ¹³	57-12-5	nc	48	34	26	0.20
Cyclohexane	110-82-7	nc	77 (14000) ¹⁰	77 (9400) ¹⁰	77 (6700) ¹⁰	150
DDD	72-54-8	ca	3.3	2.5	2.0	0.098
DDE, p,p'-	72-55-9	ca	34	25	20	0.72
DDT	50-29-3	ca	33	24	20	5.1

TABLE DA METHOD TW	O COU CLEANI	ID LEVIEL C'TADLE (C		1.11.1	•	
TABLE B1. METHOD TW	O – SOIL CLEAN	JP LEVELS TABLE (S	ee notes for a	additional rec	quirements)	
		health effect that	Arctic	Under 40	Over 40	
				Inch	Inch	
	CAS	drives risk:	Zone ²	Zone ³	Zone ⁴	Migration to
Hazardous Substance	Number ¹	carcinogen (ca);	Human	Human	Human	Groundwater ⁶
	Number	noncarcinogen (nc);		Health ⁵		(mg/kg)
		mutagen (m)	Health ⁵		Health ⁵	
		mutugen (m)	(mg/kg)	(mg/kg)	(mg/kg)	
Dibenz[a,h]anthracene ⁷	53-70-3	m	2.0	1.5	1.2	6.3
Dibenzofuran	132-64-9	nc	130	95	77	0.97
Dibromochloromethane	124-48-1	ca	140	110	88	0.0027
Dibromoethane, 1,2- (Ethylene Dibromide)	106-93-4	ca	0.62	0.42	0.31	0.00024
Dibromomethane (Methylene Bromide)	74-95-3	nc	45	31	22	0.025
Dibutyl Phthalate	84-74-2	nc	11000	8200	6700	16
Dichlorobenzene, 1,2-	95-50-1	nc	78 (2300) ¹⁰	78 (1600) ¹⁰	78 (1200) ¹⁰	2.4
Dichlorobenzene, 1,3-8	541-73-1	nc	62 (2000)10	62 (1400) ¹⁰	62 (1000) ¹⁰	2.3
Dichlorobenzene, 1,4-	106-46-7	ca	31	21	15	0.037
Dichlorobenzidine, 3,3'-	91-94-1	ca	21	16	13	0.056
Dichlorodifluoromethane	75-71-8	nc	220	150	110	3.9
Dichloroethane, 1,1-	75-34-3	ca	67	46	33	0.092
		J	L		l	I

Register _____, _____

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Dimethylphthalate ⁸	131-11-3	nc	88000	66000	54000	48
Dinitrobenzene, 1,2-	528-29-0	nc	11	8.2	6.7	0.014
Dinitrobenzene, 1,3-	99-65-0	nc	11	8.2	6.7	0.014
Dinitrobenzene, 1,4-	100-25-4	nc	11	8.2	6.7	0.014
Dinitrophenol, 2,4-	51-28-5	nc	220	160	130	0.34
Dinitrotoluene, 2,4-	121-14-2	ca	30	23	18	0.024
Dinitrotoluene, 2,6-	606-20-2	ca	6.3	4.7	3.8	0.0050
Dinitrotoluene, 2-Amino-4,6-	35572-78-2	nc	270	200	160	0.25
Dinitrotoluene, 4-Amino-2,6-	19406-51-0	nc	270	200	160	0.25
Dioxane, 1,4-	123-91-1	ca	100	73	58	0.012
Diphenylamine	122-39-4	nc	11000	8200	6700	17
Endosulfan (Endosulfan I + Endosulfan II)	115-29-7	nc	820	610	500	9.3

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health ⁵ (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Endrin	72-20-8	nc	33	25	20	0.61
Ethyl Chloride	75-00-3	nc	1400 (29000) ¹⁰	1400 (20000) ¹⁰	1400 (14000) ¹⁰	72
Ethylbenzene ⁷	100-41-4	ca	72	49	35	0.13
Ethylene Glycol	107-21-1	nc	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	110
Fluoranthene ⁷	206-44-0	nc	4200	3100	2500	590
Fluorene ⁷	86-73-7	nc	4200	3100	2500	36
Formaldehyde	50-00-0	ca	430	290	210	0.011
Heptachlor	76-44-8	ca	2.2	1.6	1.3	0.0076
Heptachlor Epoxide	1024-57-3	ca	1.2	0.86	0.69	0.0019
Hexachlorobenzene	118-74-1	ca	2.8	2.0	1.5	0.0082
Hexachlorobutadiene	87-68-3	nc	3.3 (14) ¹⁰	3.3 (10) ¹⁰	3.3 (7.2) ¹⁰	0.020

Hazardous Substance	CAS Number¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Hexachlorocyclohexane, Alpha-	319-84-6	ca	1.5	1.1	0.91	0.0029
Hexachlorocyclohexane, Beta-	319-85-7	ca	5.3	3.9	3.2	0.010
Hexachlorocyclohexane, Gamma- (Lindane)	58-89-9	ca	9.9	7.4	6.0	0.016
Hexachlorocyclopentadiene	77-47-4	nc	2.0	1.4	1.0	0.0093
Hexachloroethane	67-72-1	ca	25	17	12	0.018
Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)	121-82-4	ca	110	79	64	0.027
Hexane, N-	110-54-3	nc	140 (1600) ¹⁰	$140 (1100)^{10}$	140 (750)10	13010
Hexanone, 2-	591-78-6	nc	380	270	210	0.11
Hydrazine	302-01-2	ca	0.76	0.55	0.40	3.1 x 10 ⁻⁵
Indeno[1,2,3-cd]pyrene ⁷	193-39-5	m	20	15	12	65
Isophorone	78-59-1	ca	10000	7400	6100	2.7

TABLE B1. METHOD TWO	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health ⁵ (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Isopropanol	67-63-0	nc	14000	9500	6800	1.1
Lead and Compounds ¹⁴	7439-92-1	nc	400	400	400	n/a
Manganese	7439-96-5	nc	2900	2700	2000	370
Mercuric Chloride ⁸	7487-94-7	nc	41	30	25	3.9
Mercury (elemental)	7439-97-6	nc	3.1 (28) ¹⁰	3.1 (19) ¹⁰	3.1 (14) ¹⁰	0.36
Methanol	67-56-1	nc	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	1.0 x 10 ⁵ ; ⁹	54
Methoxychlor	72-43-5	nc	550	410	340	13
Methyl Ethyl Ketone (2-Butanone)	78-93-3	nc	23000 (53000) ¹⁰	23000 (38000) ¹⁰	23000 (30000) ¹⁰	15
Methyl Isobutyl Ketone (4-methyl-2-pentanone)	108-10-1	nc	2200 (69000) ¹⁰	2200 (47000) ¹⁰	2200 (34000) ¹⁰	18
Methyl Mercury	22967-92-6	nc	14	10	8.3	180

Hazardous Substance	CAS Number¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Methyl tert-Butyl Ether (MTBE)	1634-04-4	ca	970	670	480	0.40
Methylene Chloride	75-09-2	nc	630	460	360	0.33
Methylnaphthalene, 1-	90-12-0	ca	68 (310) ¹⁰	68 (230) ¹⁰	68 (190) ¹⁰	0.41
Methylnaphthalene, 2-	91-57-6	nc	420	310	250	1.3
Naphthalene ⁷	91-20-3	ca	42	29	20	0.038
Nickel Soluble Salts	7440-02-0	nc	2600	2000	1700	340
Nitrobenzene	98-95-3	ca	64	43	31	0.0079
Nitroglycerin	55-63-0	nc	11	8.2	6.7	0.0082
Nitroguanidine	556-88-7	nc	11000	8200	6700	5.8
Nitrosodimethylamine, N-	62-75-9	m	0.036	0.026	0.020	3.3 x 10 ⁻⁶
Nitroso-di-N-propylamine, N-	621-64-7	ca	1.4	1.00	0.82	0.00068
Nitrosodiphenylamine, N-	86-30-6	ca	1900	1400	1200	4.6

Register _____, _____

2019

DRAFT

Hazardous Substance	CAS Number¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health ⁵ (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Perfluorooctane Sulfonic Acid (PFOS) ⁸	1763-23-1	nc	2.2	1.6	1.3	0.00053
Perfluorooctanoic Acid (PFOA) ⁸	335-67-1	nc	2.2	1.6	1.3	0.00029
Phenanthrene ^{7,8}	85-01-8	nc	3100	2300	1900	39
Phenol	108-95-2	nc	33000	25000	20000	29
Phosphorus, White	7723-14-0	nc	2.7	2.0	1.7	0.020
Polychlorinated Biphenyls (total) ¹⁵	1336-36-3	ca	1.0	1.0	1.0	n/a
Propyl benzene	103-65-1	nc	52 (5200)10	52 (3700) ¹⁰	52 (2800)10	9.1
Pyrene ⁷	129-00-0	nc	3100	2300	1900	87
Selenium	7782-49-2	nc	680	510	410	6.9
Silver	7440-22-4	nc	680	510	410	11
Strontium	7440-24-6	nc	82000	61000	50000	5600
Styrene	100-42-5	nc	180	180	180	10

DRAFT

Hazardous Substance	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
			$(8100)^{10}$	$(5700)^{10}$	$(4200)^{10}$	
TCDD, 2,3,7,8- ¹⁶	1746-01-6	ca	8.2 x 10 ⁻⁵	6.0 x 10 ⁻⁵	4.9 x 10 ⁻⁵	3.9 x 10 ⁻⁶
Tetrachloroethane, 1,1,1,2-	630-20-6	ca	30	21	15	0.022
Tetrachloroethane, 1,1,2,2-	79-34-5	ca	8.8	6.1	4.4	0.0030
Tetrachloroethylene	127-18-4	nc	68 (140) ¹⁰	68 (95) ¹⁰	68 (69)10	0.19
Tetryl (Trinitrophenylmethylnitramine)	479-45-8	nc	270	200	170	2.5
Thallium (Soluble Salts)	7440-28-0	nc	1.4	1.00	0.83	0.19
Toluene ⁷	108-88-3	nc	200 (8000) ¹⁰	200 (5800) ¹⁰	200 (4500) ¹⁰	6.7
Toxaphene	8001-35-2	ca	8.6	6.4	5.2	0.72
Trichloro-1,2,2-trifluoroethane, 1,1,2-	76-13-1	nc	740 (16000) ¹⁰	740 (11000) ¹⁰	740 (7700) ¹⁰	310

TABLE B1. METHOD TV	CAS Number ¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health ⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater ⁶ (mg/kg)
Trichlorobenzene, 1,2,3-	87-61-6	nc	110	81	66	0.15
Trichlorobenzene, 1,2,4-	120-82-1	nc	66	45	32	0.082
Trichloroethane, 1,1,1-	71-55-6	nc	360 (160000) ¹⁰	360 (11000) ¹⁰	360 (7800) ¹⁰	32
Trichloroethane, 1,1,2-	79-00-5	nc	2.3	1.6	1.1	0.0014
Trichloroethylene	79-01-6	nc	7.1	4.9	3.5	0.011
Trichlorofluoromethane	75-69-4	nc	980 (41000) ¹⁰	980 (30000) ¹⁰	980 (25000) ¹⁰	41
Trichlorophenol, 2,4,5-	95-95-4	nc	11000	8200	6700	28
Trichlorophenol, 2,4,6-	88-06-2	nc	110	82	67	0.092
Trichlorophenoxyacetic Acid, 2,4,5-	93-76-5	nc	1100	820	670	0.66
Trichlorophenoxypropionic acid, -2,4,5	93-72-1	nc	880	660	540	0.55

Hazardous Substance	CAS Number¹	health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Arctic Zone² Human Health⁵ (mg/kg)	Under 40 Inch Zone³ Human Health⁵ (mg/kg)	Over 40 Inch Zone4 Human Health5 (mg/kg)	Migration to Groundwater (mg/kg)
Trichloropropane, 1,2,3-	96-18-4	m	0.089	0.066	0.054	3.1 x 10 ⁻⁵
Trimethylbenzene, 1,2,4-	95-63-6	nc	43 (400) ¹⁰	43 (280) ¹⁰⁾	43 (210)10	0.61
Trimethylbenzene, 1,3,5-	108-67-8	nc	37 (360) ¹⁰	37 (250) ¹⁰	37 (180) ¹⁰	0.66
Tri-n-butyltin	688-73-3	nc	41	30	25	0.68
Trinitrobenzene, 1,3,5-	99-35-4	nc	3900	2900	2400	15
Trinitrotoluene, 2,4,6-	118-96-7	nc	64	47	39	0.39
Vanadium and Compounds	7440-62-2	nc	680	510	420	1100
Vinyl Acetate	108-05-4	nc	2100	1400	1000	1.1
Vinyl Chloride	75-01-4	ca	0.69	0.65	0.61	0.00080
Xylenes ⁷	1330-20-7	nc	57 (710) ¹⁰	57 (490)10	57 (350)10	1.5
Zinc and Compounds	7440-66-6	nc	41000	30000	25000	4900

NOTES TO TABLE B1 FOLLOW TABLE B2 IN (d) OF THIS SECTION

18 AAC 75.341(d) is repealed and readopted to read:

(d) If a responsible person uses method two for petroleum hydrocarbons under 18 AAC 75.340, the soil cleanup levels must be based on Table B2 in this subsection.

TABLE B2. METHOD TWO - PETROLEUM HYDROCARBON SOIL CLEANUP LEVELS																			
Petroleum Hydrocarbon Range		Arctic Zoo mg/kg	ne²	Under 40 Inch Zone ³		Under 40 Inch Zone ³		Under 40 Inch Zone ³		Over 40 Inch Zone ⁴			Over 40 Inch Zone ⁴			Over 40 Inch Zone ⁴			Maximum Allowable Concentrations ¹⁷
	Ingestion (mg/kg) ¹⁸	Inhalation (mg/kg) ¹⁹	Migration to Groundwater (mg/kg) ⁶	Ingestion (mg/kg) ¹⁸	Inhalation (mg/kg) ¹⁹	Migration to groundwater (mg/kg) ⁶	Ingestion (mg/kg) ¹⁸	Inhalation (mg/kg) ¹⁹	Migration to Groundwater (mg/kg) ⁶	mg/kg									
		For	Laboratory	Analysis	using AK	Methods 10	01, 102, a	nd 103											
C ₆ -C ₁₀ GRO using AK 101	1400	1400	n/a	1400	1400	300	1400	1400	260	1400									
C ₁₀ -C ₂₅ DRO using AK 102	12500	12500	n/a	10250	12500	250	8250	12500	230	12500									
C ₂₅ -C ₃₆ RRO using AK 103	13700	22000	n/a	10000	22000	11000	8300	22000	9700	22000									
	For Lab	oratory Ana	lysis using AK	Aliphatic a	nd Aromat	ic Fraction M	ethods 101	AA, 102AA	, and 103AA										
C ₆ -C ₁₀ Aliphatics	1000	1000	n/a	1000	1000	270	1000	1000	240	1000									
C ₆ -C ₁₀ Aromatics	1000	1000	n/a	1000	1000	150	1000	1000	130	1000									
C ₁₀ -C ₂₅ Aliphatics	10000	10000	n/a	10000	10000	7200	8300	10000	6400	10000									
C ₁₀ -C ₂₅ Aromatics	5000	5000	n/a	4100	5000	100	3300	5000	90	5000									
C ₂₅ -C ₃₆ Aliphatics	20000	20000	n/a	20000	20000	20000	20000	20000	20000	20000									
C ₂₅ -C ₃₆ Aromatics	4100	10000	n/a	3000	10000	3300	2500	10000	2900	10000									
See notes to table for	further req	uirements. '	'n/a" means not	applicable.					I										

Notes to Tables B1 and B2:

If applicable, alternative cleanup levels must be protective of migration to surface water.

Concentrations of hazardous substances in soil must be calculated and presented on a per dry weight basis. For volatile organic hazardous substances for which toxicity data are not currently available or calculated levels exceed the calculated saturation concentration, the cleanup level that applies at a site is the calculated saturation concentration determined using the equations set out in the *Procedures for Calculating Cleanup Levels*, adopted by reference in 18 AAC 75.340.

The cleanup level from Table B1 or B2 that applies at a site is the most stringent of the applicable exposure pathway-specific cleanup levels based on human health, ingestion, inhalation, or migration to groundwater. Where the superscript figure "9" follows the exponent "105", separated by a semicolon, the figure "9" refers to Note 9.

- 1. "CAS Number" means the Chemical Abstract Service (CAS) registry number uniquely assigned to chemicals by the American Chemical Society and recorded in the CAS Registry System.
 - 2. "Arctic zone" is defined at 18 AAC 75.990.
- 3. "Under 40 inch zone" means a site that receives mean annual precipitation of less than 40 inches each year.
- 4. "Over 40 inch zone" means a site that receives mean annual precipitation of 40 or more inches each year.
- 5. The "Human Health" exposure pathway is the cumulative exposure pathway through dermal contact, ingestion, and inhalation of volatile and particulate compounds from hazardous substances in the soil but excludes the vapor intrusion pathway of indoor air inhalation.
 - 6. The "Migration to Groundwater" exposure pathway is the potential for hazardous

substances to leach to groundwater where they may result in a completed human health exposure pathway through dermal contact, ingestion, or inhalation of contaminants at or above levels listed in Table C at 18 AAC 75.345(b)(1); soil cleanup levels protective of migration to surface water must be determined on a site-specific basis.

- 7. If using method two or method three, the applicable petroleum hydrocarbon cleanup levels must be met in addition to the applicable chemical-specific cleanup levels for benzene, ethylbenzene, toluene, and total xylenes; the chemical-specific cleanup levels for the polynuclear aromatic hydrocarbons acenaphthene, acenaphthylene, anthracene, benz[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[g,h,i]pyrene, chrysene, dibenz[a,h]anthracene, fluoranthene, fluorene, indeno[1,2,3-c,d]pyrene, naphthalene, phenanthrene, and pyrene must also be met unless the department determines that those cleanup levels need not be met to protect human health, safety, and welfare, and the environment.
- 8. Where one or more toxicological values were unavailable, toxicity values from surrogate compounds or other sources were used as presented in Table 6 in the *Procedures for Calculating Cleanup Levels*, adopted by reference in 18 AAC 75.340.
- 9. The ceiling limit of 100,000 mg/kg is equivalent to a chemical representing 10 percent by weight of the soil sample. At this contaminant concentration and higher, the assumptions for soil contact may be violated (for example, soil adherence and wind-borne dispersion assumptions) due to the presence of the foreign substance itself.
- 10. This level is based on a soil saturation concentration (Csat) using the equations set out in *Procedures for Calculating Cleanup Levels*, adopted by reference in 18 AAC 75.340. The Csat value is listed first, followed by the human health risk-based cleanup level in parentheses. The human health risk-based cleanup level assumptions do not take free product into

consideration. In accordance with 18 AAC 75.325(f), free product must be recovered to the maximum extent practicable. Contaminant concentrations above the Csat value trigger the need to assess the practicability of product recovery; if the department determines product recovery is impracticable, the risk-based cleanup level may be applied as long as the cumulative risk standards are met.

- 11. Due to the prevalence of naturally occurring arsenic throughout the state, arsenic at a site will be considered background arsenic unless anthropogenic contribution from a source, activity, or mobilization by means of another introduced contaminant is known or suspected.
- 12. Due to the prevalence of naturally occurring chromium III throughout the state, sample results reported for total chromium detected at a site will be considered background chromium III unless anthropogenic contribution of chromium III or VI from a source, activity, or mobilization by means of another introduced contaminant is known or suspected. The calculated chromium III migration to groundwater cleanup level exceeds 1,000,000 parts per million.
 - 13. Cyanide expressed as free, or physiologically available cyanide.
- 14. Lead cleanup levels are based on land use; for residential land use, the soil cleanup level is 400 mg/kg. For commercial or industrial land use, as applied in 18 AAC 75.340(e)(3), the soil cleanup level is 800 mg/kg; through an approved site-specific risk assessment, conducted according to the *Risk Assessment Procedures Manual*, adopted by reference in 18 AAC 75.340, approved exposure models may be used to evaluate exposure to a child resident or an adult worker; a responsible person may also propose an alternative cleanup level, through a site-specific risk assessment conducted according to the *Risk Assessment Procedures Manual*, and based on a chemical speciation of the lead present at the site. For soils contaminated with lead more than 15 feet below ground surface, lead cleanup levels will be determined on a site-specific

basis.

- 15. The applicable EPA regulation governing disposal and cleanup of polychlorinated biphenyl (PCB) contaminated facilities under 40 C.F.R. 761.61 (PCB remediation waste) may apply to PCB cleanup at a contaminated site. The PCB cleanup levels listed in Table B1 are based on cleanup levels referred to in 40 C.F.R. 761.61 for high occupancy areas with no cap. For unrestricted land use, polychlorinated biphenyls (PCBs) in soil shall be cleaned up to the listed value, unless the department determines that a different cleanup level is necessary as provided in 18 AAC 75.340(i); with the prior approval of the department, PCBs in soil may be cleaned up to
 - (A) between 1 and 10 mg/kg if the responsible person
 - (i) caps each area containing PCBs in soil at levels between 1 and 10 mg/kg; for purposes of this Note 15, "caps" means covering an area of PCB contaminated soil with an appropriate material to prevent exposure of humans and the environment to PCBs; to be approved, a cap must be designed and constructed of a material acceptable to the department and of sufficient strength and durability to withstand the use of the surface that is exposed to the environment; within 72 hours after discovery of a breach to the integrity of a cap, the responsible person or the landowner shall initiate repairs to that breach; and
 - (ii) provides the department within 60 days after completing the cleanup, documentation that the responsible person has recorded a deed notation in the appropriate land records, or on another instrument that is normally examined during a title search, documenting that PCBs remain in the soil, that the contaminated soil has been capped, and that subsequent interest holders may have legal obligations with respect to the cap

and the contaminated soil; or

- (B) an alternative PCB soil cleanup level developed through an approved site-specific risk assessment, conducted according to the *Risk Assessment Procedures Manual*, adopted by reference at 18 AAC 75.340.
- 16. This cleanup level is for 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin (TCDD) only; all cleanup levels for polychlorinated dibenzo-*p*-dioxin (PCDD) and polychlorinated dibenzofuran (PCDF) congeners must be determined on a site-specific basis using the TCDD toxicity equivalent (TEQ) approach described in the *Procedures for Calculating Cumulative Risk*, adopted by reference in 18 AAC 75.325.
- 17. This level is the concentration of C₆ C₁₀, C₁₀ C₂₅, or C₂₅ C₃₆ petroleum hydrocarbon range in surface and subsurface soil that if exceeded, indicates an increased potential for hazardous substance migration or for risk to human health, safety, or welfare, or to the environment; the level of a petroleum hydrocarbon may not remain at a concentration above the maximum allowable concentration unless a responsible person demonstrates that the petroleum hydrocarbon will not migrate and will not pose a significant risk to human health, safety, or welfare, or to the environment; free product must be recovered as required by 18 AAC 75.325(f).
- 18. "Ingestion" means a potential pathway of exposure to hazardous substances through direct consumption of the soil.
- 19. "Inhalation" means a potential pathway to volatile organic hazardous substances in the soil through volatilization, but excludes the vapor intrusion pathway of indoor air inhalation. (Eff. 1/22/99, Register 149; am 8/27/2000, Register 155; am 1/30/2003, Register 165; am 10/9/2008, Register 188; am 11/6/2016, Register 220; am 9/29/2018, Register 227; am

__/___, Register ____)

Authority: AS 46.03.020 AS 46.03.740 AS 46.04.070

AS 46.03.050 AS 46.03.745 AS 46.09.020

AS 46.03.710 AS 46.04.020

18 AAC 75.345(b)(1) is repealed and readopted to read:

(1) the cleanup levels in Table C if the current use or the reasonably expected potential future use of the groundwater, determined under 18 AAC 75.350, is a drinking water source;

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)		
Acenaphthene	83-32-9	nc	530		
Acenaphthylene ³	208-96-8	nc	260		
Acetone	67-64-1	nc	14000		
Aldrin	309-00-2	ca	0.0092		
Anthracene	120-12-7	nc	43 (1800) ⁴		
Antimony (metallic)	7440-36-0	nc	7.8		
Arsenic, Inorganic ⁵	7440-38-2	ca	0.52		
Barium	7440-39-3	nc	3800		
Benz[a]anthracene	56-55-3	m	0.30		
Benzaldehyde	100-52-7	nc	190		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)		
Benzene	71-43-2	ca	4.6		
Benzo[a]pyrene	50-32-8	m	0.25		
Benzo[b]fluoranthene	205-99-2	m	2.5		
Benzo[g,h,i]perylene ³	191-24-2	nc	0.26 (600) ⁴		
Benzo[k]fluoranthene	207-08-9	m	0.80 (25)4		
Benzoic Acid	65-85-0	nc	75000		
Benzyl Alcohol	100-51-6	nc	2000		
Beryllium and compounds	7440-41-7	nc	25		
Bis(2-chloroethyl)ether	111-44-4	ca	0.14		
Bis(2-ethylhexyl)phthalate	117-81-7	ca	56		
Bromobenzene	108-86-1	nc	62		
Bromodichloromethane	75-27-4	ca	1.3		
Bromoform	75-25-2	ca	33		
Bromomethane	74-83-9	nc	7.5		
Butadiene, 1,3-	106-99-0	ca	0.18		
Butanol, N-	71-36-3	nc	2000		
Butyl Benzyl Phthalate	85-68-7	ca	160		
Butylbenzene, n-	104-51-8	nc	1000		
Butylbenzene, sec-	135-98-8	nc	2000		
Butylbenzene, tert-	98-06-6	nc	690		
Cadmium (Diet)	7440-43-9	nc	9.2		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)		
Carbon Disulfide	75-15-0	nc	810		
Carbon Tetrachloride	56-23-5	ca	4.6		
Chlordane	12789-03-6	ca	0.20		
Chlordecone (Kepone)	143-50-0	ca	0.035		
Chloroaniline, p-	106-47-8	ca	3.7		
Chlorobenzene	108-90-7	nc	78		
Chloroform	67-66-3	ca	2.2		
Chloromethane	74-87-3	nc	190		
Chloronaphthalene, Beta-	91-58-7	nc	750		
Chlorophenol, 2-	95-57-8	nc	91		
Chromium(III), Insoluble Salts ⁶	16065-83-1	nc	22000		
Chromium(VI) ⁶	18540-29-9	m	0.35		
Chrysene	218-01-9	m	2.0 (250)4		
Copper	7440-50-8	nc	800		
Cresol, m-	108-39-4	nc	930		
Cresol, o-	95-48-7	nc	930		
Cresol, p-	106-44-5	nc	1900		
Cumene	98-82-8	nc	450		
Cyanide (CN-)	57-12-5	nc	1.5		
Cyclohexane	110-82-7	nc	13000		
DDD	72-54-8	ca	0.060		

TABLE C. GROUNDWATER CLEANUP LEVELS					
		Health effect that	Groundwater		
		drives risk:	Human Health		
Hazardous Substance	CAS Number ¹	carcinogen (ca);	Cleanup Level ²		
		noncarcinogen	(micrograms		
		(nc); mutagen (m)	/liter)		
DDE, p,p'-	72-55-9	ca	0.46		
DDT	50-29-3	ca	2.3		
Dibenz[a,h]anthracene	53-70-3	m	0.25		
Dibenzofuran	132-64-9	nc	7.9		
Dibromochloromethane	124-48-1	ca	8.7		
Dibromoethane, 1,2- (Ethylene Dibromide)	106-93-4	ca	0.075		
Dibromomethane (Methylene Bromide)	74-95-3	nc	8.3		
Dibutyl Phthalate	84-74-2	nc	900		
Dichlorobenzene, 1,2-	95-50-1	nc	300		
Dichlorobenzene, 1,3- ³	541-73-1	nc	300		
Dichlorobenzene, 1,4-	106-46-7	ca	4.8		
Dichlorobenzidine, 3,3'-	91-94-1	ca	1.3		
Dichlorodifluoromethane	75-71-8	nc	200		
Dichloroethane, 1,1-	75-34-3	ca	28		
Dichloroethane, 1,2-	107-06-2	ca	1.7		
Dichloroethylene, 1,1-	75-35-4	nc	280		
Dichloroethylene, 1,2-cis-	156-59-2	nc	36		
Dichloroethylene, 1,2-trans-	156-60-5	nc	360		
Dichlorophenol, 2,4-	120-83-2	nc	46		
Dichlorophenoxy Acetic Acid, 2,4-	94-75-7	nc	170		
Dichloropropane, 1,2-	78-87-5	nc	8.2		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen	Groundwater Human Health Cleanup Level ² (micrograms		
Dichloropropene, 1,3-	542-75-6	(nc); mutagen (m)	/liter) 4.7		
		ca			
Dieldrin	60-57-1	ca	0.018		
Diethyl Phthalate	84-66-2	nc	15000		
Dimethylphenol, 2,4-	105-67-9	nc	360		
Dimethylphthalate ³	131-11-3	nc	16000		
Dinitrobenzene, 1,2-	528-29-0	nc	1.9		
Dinitrobenzene, 1,3-	99-65-0	nc	2.0		
Dinitrobenzene, 1,4-	100-25-4	nc	2.0		
Dinitrophenol, 2,4-	51-28-5	nc	39		
Dinitrotoluene, 2,4-	121-14-2	ca	2.4		
Dinitrotoluene, 2,6-	606-20-2	ca	0.49		
Dinitrotoluene, 2-Amino-4,6-	35572-78-2	nc	39		
Dinitrotoluene, 4-Amino-2,6-	19406-51-0	nc	39		
Dioxane, 1,4-	123-91-1	ca	4.6		
Diphenylamine	122-39-4	nc	1300		
Endosulfan	115-29-7	nc	100		
Endrin	72-20-8	nc	2.3		
Ethyl Chloride	75-00-3	nc	21000		
Ethylbenzene	100-41-4	ca	15		
Ethylene Glycol	107-21-1	nc	40000		
Fluoranthene	206-44-0	nc	260 (800)4		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen	Groundwater Human Health Cleanup Level ² (micrograms		
		(nc); mutagen (m)	/liter)		
Fluorene	86-73-7	nc	290		
Formaldehyde	50-00-0	ca	4.3		
Heptachlor	76-44-8	ca	0.014		
Heptachlor Epoxide	1024-57-3	ca	0.014		
Hexachlorobenzene	118-74-1	ca	0.098		
Hexachlorobutadiene	87-68-3	nc	1.4		
Hexachlorocyclohexane, Alpha-	319-84-6	ca	0.072		
Hexachlorocyclohexane, Beta-	319-85-7	ca	0.25		
Hexachlorocyclohexane, Gamma- (Lindane)	58-89-9	ca	0.42		
Hexachlorocyclopentadiene	77-47-4	nc	0.41		
Hexachloroethane	67-72-1	ca	3.3		
Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)	121-82-4	ca	7.0		
Hexane, N-	110-54-3	nc	1500		
Hexanone, 2-	591-78-6	nc	38		
Hydrazine	302-01-2	ca	0.011		
Indeno[1,2,3-cd]pyrene	193-39-5	m	$0.19(2.5)^4$		
Isophorone	78-59-1	ca	780		
Isopropanol	67-63-0	nc	410		
Lead and Compounds ⁷	7439-92-1	nc	15		
Manganese	7439-96-5	nc	430		
Mercuric Chloride ³	7487-94-7	nc	5.7		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)		
Mercury (elemental)	7439-97-6	nc	0.52		
Methanol	67-56-1	nc	20000		
Methoxychlor	72-43-5	nc	37		
Methyl Ethyl Ketone (2-Butanone)	78-93-3	nc	5600		
Methyl Isobutyl Ketone (4-methyl-2-pentanone)	108-10-1	nc	6300		
Methyl Mercury	22967-92-6	nc	2.0		
Methyl tert-Butyl Ether (MTBE)	1634-04-4	ca	140		
Methylene Chloride	75-09-2	nc	110		
Methylnaphthalene, 1-	90-12-0	ca	11		
Methylnaphthalene, 2-	91-57-6	nc	36		
Naphthalene	91-20-3	ca	1.7		
Nickel Soluble Salts	7440-02-0	nc	390		
Nitrobenzene	98-95-3	ca	1.4		
Nitroglycerin	55-63-0	nc	2.0		
Nitroguanidine	556-88-7	nc	2000		
Nitrosodimethylamine, N-	62-75-9	m	0.0011		
Nitroso-di-N-propylamine, N-	621-64-7	ca	0.11		
Nitrosodiphenylamine, N-	86-30-6	ca	120		
Nitrotoluene, m-	99-08-1	nc	1.7		
Nitrotoluene, o-	88-72-2	ca	3.1		
Nitrotoluene, p-	99-99-0	nc	43		

TABLE C. GROUNDWATER CLEANUP LEVELS					
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)		
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX)	2691-41-0	nc	1000		
Octyl Phthalate, di-N-	117-84-0	nc	22 (200) ⁴		
Pentachlorophenol	87-86-5	ca	0.41		
Pentaerythritol tetranitrate (PETN)	78-11-5	nc	39		
Perchlorate and Perchlorate Salts	14797-73-0	nc	14		
Perfluorobutane Sulfonic Acid (PFBS) ³	375-73-5	nc	400		
Perfluoroheptanoic Acid (PFHpA)	375-85-9	nc	0.070^9		
Perfluorohexane Sulfonic Acid (PFHxS)	355-46-4	nc	0.070^9		
Perfluorononanoic Acid (PFNA)	375-95-1	nc	0.070^9		
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	nc	0.070^9		
Perfluorooctanoic Acid (PFOA)	335-67-1	nc	0.070^9		
Phenanthrene ³	85-01-8	nc	170		
Phenol	108-95-2	nc	5800		
Phosphorus, White	7723-14-0	nc	0.40		
Polychlorinated Biphenyls (PCBs)	1336-36-3	ca	0.44		
Propyl benzene	103-65-1	nc	660		
Pyrene	129-00-0	nc	120		
Selenium	7782-49-2	nc	100		
Silver	7440-22-4	nc	94		
Styrene	100-42-5	nc	1200		
Strontium	7440-24-6	nc	12000		

TABLE C. GROUNDWATER CLEANUP LEVELS				
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)	
TCDD, 2,3,7,8-8	1746-01-6	ca	1.2 x 10 ⁻⁶	
	630-20-6		5.7	
Tetrachloroethane, 1,1,1,2-		ca		
Tetrachloroethane, 1,1,2,2-	79-34-5	ca	0.76	
Tetrachloroethylene	127-18-4	nc	41	
Tetryl (Trinitrophenylmethylnitramine)	479-45-8	nc	39	
Thallium (Soluble Salts)	7440-28-0	nc	0.20	
Toluene	108-88-3	nc	1100	
Toxaphene	8001-35-2	ca	0.71	
Trichloro-1,2,2-trifluoroethane, 1,1,2-	76-13-1	nc	10000	
Trichlorobenzene, 1,2,3-	87-61-6	nc	7.0	
Trichlorobenzene, 1,2,4-	120-82-1	nc	4.0	
Trichloroethane, 1,1,1-	71-55-6	nc	8000	
Trichloroethane, 1,1,2-	79-00-5	nc	0.41	
Trichloroethylene	79-01-6	nc	2.8	
Trichlorofluoromethane	75-69-4	nc	5200	
Trichlorophenol, 2,4,5-	95-95-4	nc	1200	
Trichlorophenol, 2,4,6-	88-06-2	nc	12	
Trichlorophenoxyacetic Acid, 2,4,5-	93-76-5	nc	160	
Trichlorophenoxypropionic acid, -2,4,5	93-72-1	nc	110	
Trichloropropane, 1,2,3-	96-18-4	m	0.0075	
Trimethylbenzene, 1,2,4-	95-63-6	nc	56	

TABLE C. GROUNDWATER CLEANUP LEVELS				
Hazardous Substance	CAS Number ¹	Health effect that drives risk: carcinogen (ca); noncarcinogen (nc); mutagen (m)	Groundwater Human Health Cleanup Level ² (micrograms /liter)	
Trimethylbenzene, 1,3,5-	108-67-8	nc	60	
Tri-n-butyltin	688-73-3	nc	3.7	
Trinitrobenzene, 1,3,5-	99-35-4	nc	590	
Trinitrotoluene, 2,4,6-	118-96-7	nc	9.8	
Vanadium and Compounds	7440-62-2	nc	86	
Vinyl Acetate	108-05-4	nc	410	
Vinyl Chloride	75-01-4	ca	0.19	
Xylenes	1330-20-7	nc	190	
Zinc and Compounds	7440-66-6	nc	6000	
PETROLEUN	1 HYDROCARBONS	<u>1</u>	<u> </u>	
C ₆ -C ₁₀ GRO		nc	2200	
C ₁₀ -C ₂₅ DRO		nc	1500	
C ₂₅ -C ₃₆ RRO		nc	1100	

Notes to Table C:

- 1. "CAS Number" means the Chemical Abstract Service (CAS) registry number uniquely assigned to chemicals by the American Chemical Society and recorded in the CAS Registry System.
- 2. The "Human Health" exposure pathway is the cumulative exposure pathway through dermal contact, ingestion, and inhalation of volatile compounds from hazardous substances in the

water.

- 3. Where one or more toxicological values were unavailable, toxicity values from surrogate compounds or other sources were used as presented in Table 6 from the Procedures for Calculating Cleanup Levels, adopted by reference in 18 AAC 75.340.
- 4. This level is set at the compound's solubility concentration using the equations set out in the *Procedures for Calculating Cleanup Levels*, adopted by reference in 18 AAC 75.340. The solubility value is listed first, followed by the human health risk-based cleanup level in parentheses. The human health risk-based cleanup level assumptions do not take free product into consideration. In accordance with 18 AAC 75.325(f), free product must be recovered to the maximum extent practicable. Contaminant concentrations above the solubility value trigger the need to assess the practicability of product recovery; if the department determines product recovery is impracticable, the risk-based cleanup level may be applied as long as the cumulative risk standards are met.
- 5. Due to the prevalence of naturally occurring arsenic throughout the state, arsenic at a site will be considered background arsenic unless anthropogenic contribution from a source, activity, or mobilization by means of another introduced contaminant is known or suspected.
- 6. Due to the prevalence of naturally occurring chromium III throughout the state, sample results reported for total chromium detected at a site will be considered background chromium III unless anthropogenic contribution of chromium III or VI from a source, activity, or mobilization by means of another introduced contaminant is known or suspected.
 - 7. The lead cleanup level is taken from EPA's action level for lead in water.
- 8. This cleanup level is for 2,3,7,8-Tetrachlorodibenzo-*p*-Dioxin (TCDD) only; all cleanup levels for polychlorinated dibenzo-*p*-dioxin (PCDD) and polychlorinated dibenzo-furan

AS 46.03.050

AS 46.03.710

(PCDF) congeners must be determined on a site-specific basis using the TCDD toxicity equivalent (TEQ) approach described in the *Procedures for Calculating Cumulative Risk*, adopted by reference in 18 AAC 75.325.

9. The value is based off EPA health advisories values for drinking water for PFOS and PFOA. The sum of five per- and poly-fluroalkyl substances (PFAS) (Perfluorooctane Sulfonic Acid (PFOS), Perfluorooctanoic Acid (PFOA), Perfluorononanoic acid (PFNA), Perfluorohexane Sulfonic Acid (PFHxS), and Perfluoroheptanoic Acid (PFHpA) may not exceed the limit of 0.07 μg/L. (Eff. 1/22/99, Register 149; am 8/27/2000, Register 155; am 1/30/2003, Register 165; am 10/9/2008, Register 188; am 6/17/2015, Register 214; am 11/6/2016, Register 220; am 9/29/2018, Register 227; am __/___, Register ____)

Authority: AS 46.03.020 AS 46.03.740 AS 46.04.070

AS 46.03.745

AS 46.04.020

AS 46.09.010

AS 46.09.020