

Southeast Alaska Geographic Response Strategies

May 2014

ID	Location and Description	Response Strategy	Implementation	Response Resources	Staging Area	Site Access	Resources Protected	Special Considerations
SE02-06-01 DV	Craig/Klawock Fish Egg Island a. Lat. 55° 28.539'N Lon. 133° 9.831'W Craig Island b. Lat. 55° 28.522'N Lon. 133° 9.369'W Klawock River c. Lat. 55° 33.263'N Lon. 133° 6.171'W	Divert and Collect Divert oil to shore-side collection points determined by spill source and trajectory.	Deploy anchors and boom with skiffs (class 6). Place protected-water boom at proper angle to divert incoming oil to the collection site. Set-up collection site using shore-side collection units or if oil volume is minimal, use sorbent boom or snare line to provide collection of oil. Tend throughout the tide. Boom lengths: a & b. 1500 ft. c. 550 ft.	Deployment Equipment 2050 ft. protected-water boom 10 ea. small anchor systems 4 ea. anchor stakes 1 ea. shore-side collection units and/or 400 ft. sorbent boom for collection Vessels 1 ea. class 3 2 ea. class 6 Personnel/Shift 7 ea. vessel crew 2 ea. response techs Tending Vessels 1 ea. class 3 1 ea. class 3 1 ea. class 6 Personnel/Shift 3 ea. vessel crew	Craig/Klawock	Site is accessible via the road system. Via marine waters Chart 17405_1	Fish: coho, chum, pink, dolly varden Birds: waterfowl concentration Habitat: gravel beach, marsh, sheltered rocky shore, exposed tidal flats Human uses: subsistence, commercial fishing, high recreational use, hatchery operation	Vessel master should have local knowledge. Hatchery operation may provide support with logistics and equipment. Consult with Incident Command to ensure ADFG-Title 16 and ADNR-Title 41 permits have been obtained. Consult the Site Selection Matrix for cultural resources designation. Consult the ADEC "Spill Tactics for Alaska Responders" manual for additional information on the deployment of these tactics. Site surveyed: June 1, 2013 Tested: not yet
SE02-06-02 PR	Craig/Klawock a. Lat. 55° 28.119'N Lon. 133° 7.698'W b. Lat. 55° 28.249'N Lon. 133° 7.752'W c. Lat. 55° 28.412'N Lon. 133° 7.687'W d. Lat. 55° 28.550'N Lon. 133° 7.726'W e. Lat. 55° 28.757'N Lon. 133° 7.832'W f. Lat. 55° 28.990'N Lon. 133° 7.661'W g. Lat. 55° 29.169'N Lon. 133° 7.872'W h. Lat. 55° 29.187'N Lon. 133° 8.069'W i. Lat. 55° 33.247'N Lon. 133° 5.292'W j. Lat. 55° 33.597'N Lon. 133° 4.786'W	Passive Recovery Deploy passive recovery across the channels of the streams in Craig and Klawock area.	At each stream mouth place and anchor approximately 150 ft. of snare line or sorbent boom across the channels of streams in the area. Replace as necessary to maximize the recovery.	1 ea. response tech Deployment Equipment 1500 ft. snare line or sorbent boom 10 ea. anchor systems 40 ea. anchor stakes Vessels/Personnel/Shift Same as SE02-06-01 Tending Vessels/Personnel/Shift Same as SE02-06-01	Craig/Klawock	Site accessible via road system. Via marine waters Chart 17405_1	Same as SE02-06-01	Vessel master should have local knowledge. A population of bears may be present in the area. A bear guard is required during shore operations.
SE02-06-03	Craig/Klawock Nearshore waters in the general area of: Lat. 55° 02.18'N Lon. 131°31.30'W	Free-oil Recovery Maximize free-oil recovery in the offshore & nearshore environment of Craig/Klawock depending on spill location and trajectory.	Deploy free-oil recovery strike teams upwind and up current of Craig/Klawock. Use aerial surveillance to locate incoming slicks.	Deploy multiple free-oil recovery strike teams as required to maximize interception of oil before it impacts sensitive areas.	Craig/Klawock	Via marine waters Chart 17405_1	Same as SE02-06-01	Vessel master should have local knowledge. Use extreme caution, shoal waters with numerous reefs and rocks.

SE02-06