

### CPVEC Data Collection Log

Meter Calibration

DO Calibrated at 100% sat

Page/Pages	1   3
Harbor	Sitka
Date (mm/dd/yy)	5-11-22
Weather (C, PC, LR, HR)	C
Air Temp C	
Check w/Harbor Master (Y/N)	
Implement Boat Safety (Y/N)	
Samplers	JCD GP

Clear, Partly Cloudy, Light Rain, Heavy Rain

Standard Value	pH 7.0	pH 4.0	pH 10.0	Yes	No
Calibrated	7.6	9.5	9.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Accept if value +/- 0.1 units of 7.0 standard temp corrected.					

Sample ID*	S110				S109				S108				S107			
Time	0940				1000				1030				1040			
Latitude	/				/				/				/			
Longitude	/				/				/				/			
Water Depth (ft)	76 ft				182				/				/			
Photographs (No)	0				0				0				1			
Fecal (Y/N)	Y				Y				Y				Y			
Depth (m)	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Temp C	8.5	8.4	8.3	8.2	8.5	8.4	8.4	8.3	8.9	8.8	8.8	8.4	9.2	9.2	9.1	8.6
pH	8.30	8.32	8.32	8.35	8.36	8.39	8.36	8.37					8.54	8.53	8.53	8.51
Salinity (ppt)	30.37	30.42	30.53	30.59	30.57	30.60	30.62	30.64	30.31	30.58	30.72	30.89	29.42	30.20	30.58	30.83
D.O. mg/L	11.33	11.20	11.50	11.60	11.65	11.68	11.74	11.75	11.73	11.84	12.10	12.19	11.68	11.65	11.74	11.65
Notes/Comments																

\*Sample ID is combined harbor (JH or SK), Site (01-24), Date (mm/dd).  
 Add "R" for replicate, add "FB" for field blank, "EB" for equipment blank.

S1 FB 0920

### CPVEC Data Collection Log

Page/Pages	2 / 203
Harbor	SKK
Date (mm/dd/yy)	5-10-22
Weather (C, PC, LR, HR)	PC
Air Temp C	
Check w/Harbor Master (Y/N)	
Implement Boat Safety (Y/N)	
Samplers	

Clear, Partly Cloudy, Light Rain, Heavy Rain

Meter Calibration		DO Calibrated at 100% sat	
Standard	pH 7.0	pH 4.0	pH 10.0
Value	See page 1		
Calibrated			
Accept if value +/- 0.1 units of 7.0 standard temp corrected.			

Sample ID*	S106				S105				S104				S103			
Time	1050				1100				1130				1115			
Latitude	/				/				/				/			
Longitude	/				/				/				/			
Water Depth (ft)	/				/				/				/			
Photographs (No)	3				0				0				0			
Fecal (Y/N)	Y				Y				Y				Y			
Depth (m)	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Temp C	9.1	9.2	9.2	9.0	9.1	9.2	9.3	9.4	9.6	9.4	9.2	9.2	9.0	9.1	9.1	9.1
pH	8.44	8.44	8.47	8.47	8.46	8.44	8.47	8.43	8.34	8.38	8.47	8.41	8.36	8.41	8.42	8.43
Salinity (ppt)	27.98	28.92	30.65	30.77	27.08	29.20	29.65	29.91	27.53	28.07	28.88	29.41	26.98	27.35	28.56	28.59
D.O. mg/L	11.37	11.55	11.72	11.90	11.26	11.33	11.66	11.76	11.26	11.44	11.50	11.65	11.13	11.23	11.38	11.52
Notes/Comments	near fuel dock															

\*Sample ID is combined harbor (JH or SK), Site (01-24), Date (mm/dd).  
 Add "R" for replicate, add "FB" for field blank, "EB" for equipment blank.

### CPVEC Data Collection Log

Page/Pages	3	23
Harbor	S JLT	
Date (mm/dd/yy)	5/10/22	
Weather (C, PC, LR, HR)	PC	
Air Temp C		
Check w/Harbor Master (Y/N)		
Implement Boat Safety (Y/N)		
Samplers	PUSSEAN / DARS	

Clear, Partly Cloudy, Light Rain, Heavy Rain

	Meter Calibration	pH 7.0	pH 4.0	pH 10.0	DO Calibrated at 100% sat
Standard Value	Calibrated	See Form 1			Yes No
Accept if value +/- 0.1 units of 7.0 standard temp corrected.					

Sample ID*	SI02				SI01											
Time	1140				1150											
Latitude	/															
Longitude	/															
Water Depth (ft)	/															
Photographs (No)	0				0											
Fecal (Y/N)	Y				Y											
Depth (m)	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Temp C	9.5	9.5	9.4	9.4	9.2	9.2	9.2	9.1								
pH	8.41	8.37	8.41	8.36	8.40	8.40	8.43	8.44								
Salinity (ppt)	27.78	27.85	28.03	28.16	28.60	27.61	28.47	29.55								
D.O. mg/L	11.49	11.51	11.52	11.56	11.22	11.65	11.24	11.13								
Notes/Comments																

\*Sample ID is combined harbor (JH or SK), Site (01-24), Date (mm/dd).  
 Add "R" for replicate, add "FB" for field blank, "EB" for equipment blank.



May 19, 2022

Service Request No:K2205112

Jeff Davis  
Aquatic Restoration and Research Institute  
22290 S. C. Street  
P.O. Box 923  
Talkeetna, AK 99676

**Laboratory Results for: Ambient WQ- Sitka**

Dear Jeff,

Enclosed are the results of the sample(s) submitted to our laboratory May 11, 2022  
For your reference, these analyses have been assigned our service request number **K2205112**.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at [www.alsglobal.com](http://www.alsglobal.com). All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3364. You may also contact me via email at [howard.holmes@alsglobal.com](mailto:howard.holmes@alsglobal.com).

Respectfully submitted,

**ALS Group USA, Corp. dba ALS Environmental**

Howard Holmes  
Project Manager

ADDRESS 1317 S. 13th Avenue, Kelso, WA 98626  
PHONE +1 360 577 7222 | FAX +1 360 636 1068  
ALS Group USA, Corp.  
dba ALS Environmental



# Narrative Documents

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Received:** 05/11/2022

**CASE NARRATIVE**

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

**Sample Receipt:**

Thirteen ocean water samples were received for analysis at ALS Environmental on 05/11/2022. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

**Metals:**

No significant anomalies were noted with this analysis.

**General Chemistry:**

No significant anomalies were noted with this analysis.

Approved by 

Date 05/19/2022



### SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

<b>CLIENT ID: S1FB</b>	<b>Lab ID: K2205112-001</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.013		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.03	J	0.02	0.10	ug/L	200.8
Copper	0.03	J	0.02	0.10	ug/L	200.8
Zinc	0.25	J	0.20	0.50	ug/L	200.8

<b>CLIENT ID: S110</b>	<b>Lab ID: K2205112-002</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.026		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.27		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.29		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.48	J	0.20	0.50	ug/L	200.8
Copper	0.27		0.02	0.10	ug/L	200.8
Nickel	0.31		0.03	0.20	ug/L	200.8
Zinc	0.53		0.20	0.50	ug/L	200.8

<b>CLIENT ID: S109</b>	<b>Lab ID: K2205112-003</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.012		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.15		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.30		0.03	0.20	ug/L	200.8
Copper	0.14		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8

<b>CLIENT ID: S108</b>	<b>Lab ID: K2205112-004</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.017		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.26		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.29		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.80		0.20	0.50	ug/L	200.8
Copper	0.28		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8
Zinc	1.04		0.20	0.50	ug/L	200.8

<b>CLIENT ID: S107</b>	<b>Lab ID: K2205112-005</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.009	J	0.003	0.010	mg/L	350.1
Copper, Dissolved	0.45		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.29		0.03	0.20	ug/L	200.8
Zinc, Dissolved	1.44		0.20	0.50	ug/L	200.8
Copper	0.41		0.02	0.10	ug/L	200.8
Nickel	0.32		0.03	0.20	ug/L	200.8
Zinc	1.72		0.20	0.50	ug/L	200.8



### SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

<b>CLIENT ID: S106</b>	<b>Lab ID: K2205112-006</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.020		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.24		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.29		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.73		0.20	0.50	ug/L	200.8
Copper	0.27		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8
Zinc	1.56		0.20	0.50	ug/L	200.8

<b>CLIENT ID: S105</b>	<b>Lab ID: K2205112-007</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.017		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.22		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.31		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.54		0.20	0.50	ug/L	200.8
Copper	0.22		0.02	0.10	ug/L	200.8
Nickel	0.28		0.03	0.20	ug/L	200.8
Zinc	0.57		0.20	0.50	ug/L	200.8

<b>CLIENT ID: S103</b>	<b>Lab ID: K2205112-008</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.020		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.21		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.28		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.47	J	0.20	0.50	ug/L	200.8
Copper	0.20		0.02	0.10	ug/L	200.8
Nickel	0.29		0.03	0.20	ug/L	200.8
Zinc	0.52		0.20	0.50	ug/L	200.8

<b>CLIENT ID: S103X</b>	<b>Lab ID: K2205112-009</b>
-------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.027		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.21		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.28		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.39	J	0.20	0.50	ug/L	200.8
Copper	0.22		0.02	0.10	ug/L	200.8
Nickel	0.44		0.03	0.20	ug/L	200.8
Zinc	0.49	J	0.20	0.50	ug/L	200.8

<b>CLIENT ID: S104</b>	<b>Lab ID: K2205112-010</b>
------------------------	-----------------------------

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.019		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.17		0.02	0.10	ug/L	200.8





**SAMPLE DETECTION SUMMARY**

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

**CLIENT ID: S104** **Lab ID: K2205112-010**

Analyte	Results	Flag	MDL	MRL	Units	Method
Nickel, Dissolved	0.30		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.25	J	0.20	0.50	ug/L	200.8
Copper	0.16		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8
Zinc	0.27	J	0.20	0.50	ug/L	200.8

**CLIENT ID: S102** **Lab ID: K2205112-011**

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.023		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.20		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.29		0.03	0.20	ug/L	200.8
Zinc, Dissolved	0.45	J	0.20	0.50	ug/L	200.8
Copper	0.21		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8
Zinc	0.41	J	0.20	0.50	ug/L	200.8

**CLIENT ID: S101** **Lab ID: K2205112-012**

Analyte	Results	Flag	MDL	MRL	Units	Method
Ammonia as Nitrogen	0.019		0.003	0.010	mg/L	350.1
Copper, Dissolved	0.49		0.02	0.10	ug/L	200.8
Nickel, Dissolved	0.28		0.03	0.20	ug/L	200.8
Zinc, Dissolved	1.70		0.20	0.50	ug/L	200.8
Copper	0.51		0.02	0.10	ug/L	200.8
Nickel	0.30		0.03	0.20	ug/L	200.8
Zinc	1.69		0.20	0.50	ug/L	200.8

**CLIENT ID: Trip Blank** **Lab ID: K2205112-013**

Analyte	Results	Flag	MDL	MRL	Units	Method
Copper	0.03	J	0.02	0.10	ug/L	200.8



## Sample Receipt Information

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka

**Service Request:**K2205112

**SAMPLE CROSS-REFERENCE**

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
K2205112-001	S1FB	5/10/2022	0920
K2205112-002	S110	5/10/2022	0940
K2205112-003	S109	5/10/2022	1000
K2205112-004	S108	5/10/2022	1030
K2205112-005	S107	5/10/2022	1040
K2205112-006	S106	5/10/2022	1050
K2205112-007	S105	5/10/2022	1100
K2205112-008	S103	5/10/2022	1115
K2205112-009	S103X	5/10/2022	1115
K2205112-010	S104	5/10/2022	1130
K2205112-011	S102	5/10/2022	1140
K2205112-012	S101	5/10/2022	1150
K2205112-013	Trip Blank	5/10/2022	

PROJECT NAME	<u>Ambient WQ - Sitka</u>		
PROJECT NUMBER			
PROJECT MANAGER	<u>Jeff Davis</u>		
COMPANY NAME	<u>ARRI</u>		
ADDRESS	<u>PO Box 923</u>		
CITY/STATE/ZIP	<u>Talkeetna Ak 99676</u>		
E-MAIL ADDRESS	<u>arri@arrialaska.org</u>		
PHONE #	<u>907.315.4631</u>		
SAMPLER'S SIGNATURE	<u>[Signature]</u>		

SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS	Semivolatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270LL <input type="checkbox"/> SIM PAH <input type="checkbox"/>	Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/>	Hydrocarbons Gas <input type="checkbox"/> 8021 <input type="checkbox"/> 8021 <input type="checkbox"/> BTEX <input type="checkbox"/>	Oil & Grease/TPPH 1664 <input type="checkbox"/> HEM <input type="checkbox"/> 1664 <input type="checkbox"/> SGT <input type="checkbox"/>	Aroclors <input type="checkbox"/>	Pesticides/Herbicides 608 <input type="checkbox"/> 8081 <input type="checkbox"/>	Chlorophenolics Tri <input type="checkbox"/> 8141 <input type="checkbox"/> 8151 <input type="checkbox"/>	Metals, Total or Dissolved (See List below) PCP <input type="checkbox"/>	Cyanide <input type="checkbox"/>	(circle) pH, Cond., Cl, SO <sub>4</sub> , PO <sub>4</sub> , F, NO <sub>2</sub> , NO <sub>3</sub> , BOD, TSS, TDS, Turb. (circle) NH <sub>3</sub> -N, COD, TKN, TOC, DOC, NO <sub>2</sub> -N, NO <sub>3</sub> , T-Phos	Hex-Chrom <input type="checkbox"/>	Alkalinity <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	Dioxins/Furans 1613 <input type="checkbox"/> CO <sub>3</sub> <input type="checkbox"/> HCO <sub>3</sub> <input type="checkbox"/>	Dissolved Gases RSK 175 <input type="checkbox"/> Methane <input type="checkbox"/> CO <sub>2</sub> <input type="checkbox"/>	Ethane <input type="checkbox"/> Ethene <input type="checkbox"/>	REMARKS
<u>SIFB</u>	<u>5/10</u>	<u>993</u>																			
<u>S110</u>	<u>5/10</u>	<u>0940</u>																			
<u>S109</u>		<u>1006</u>																			
<u>S108</u>		<u>1030</u>																			
<u>S107</u>		<u>1040</u>																			
<u>S106</u>		<u>1050</u>																			
<u>S105</u>		<u>1100</u>																			
<u>S103</u>		<u>1115</u>																			
<u>S103X</u>		<u>1115</u>																			
<u>S104</u>		<u>1136</u>																			


<b>REPORT REQUIREMENTS</b> <input checked="" type="checkbox"/> I. Routine Report: Method Blank, Surrogate, as required <input type="checkbox"/> II. Report Dup., MS, MSD as required <input type="checkbox"/> III. CLP Like Summary (no raw data) <input type="checkbox"/> IV. Data Validation Report <input checked="" type="checkbox"/> V. EDD	<b>INVOICE INFORMATION</b> P.O. # _____ Bill To: _____	Circle which metals are to be analyzed: Total Metals: Al As Sb Ba Be B Ca Cd Co Cr <u>Cu</u> Fe Pb Mg Mn Mo <u>Ni</u> K Ag Na Se Sr Ti Sn V Zn Hg Dissolved Metals: Al As Sb Ba Be B Ca Cd Co Cr <u>Cu</u> Fe Pb Mg Mn Mo <u>Ni</u> K Ag Na Se Sr Ti Sn V Zn Hg	
	<b>TURNAROUND REQUIREMENTS</b> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 5 day <input type="checkbox"/> Standard (15 working days) <input type="checkbox"/> Provide FAX Results Requested Report Date _____	*INDICATE STATE HYDROCARBON PROCEDURE: AK CA WI NORTHWEST OTHER: _____ (CIRCLE ONE) SPECIAL INSTRUCTIONS/COMMENTS: _____	<b>Container Supply Number</b>  123485
	<input type="checkbox"/> Sample Shipment contains USDA regulated soil samples (check box if applicable)		

<b>RELINQUISHED BY:</b> <u>[Signature]</u> <u>5.10.22</u> Signature Date/Time Printed Name Firm	<b>RECEIVED BY:</b> <u>[Signature]</u> _____ Signature Date/Time Printed Name Firm	<b>RELINQUISHED BY:</b> _____ Signature Date/Time Printed Name Firm	<b>RECEIVED BY:</b> <u>[Signature]</u> <u>5/11/2014 55</u> Signature Date/Time Printed Name Firm
--	---	--	---

PROJECT NAME: <u>Ambient WQ - Sitka</u>				
PROJECT NUMBER: _____				
PROJECT MANAGER: <u>Jeff Davis</u>				
COMPANY NAME: <u>ARRI</u>				
ADDRESS: <u>PO Box 923</u>				
CITY/STATE/ZIP: <u>Talkeetna, AK 99676</u>				
E-MAIL ADDRESS: <u>arri@arrialaska.org</u>				
PHONE #: <u>907 315 4631</u> FAX #: _____				
SAMPLER'S SIGNATURE: <u>[Signature]</u>				

SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX	NUMBER OF CONTAINERS	Semi-volatile Organics by GC/MS 625 <input type="checkbox"/> 8270 <input type="checkbox"/> 8270LL <input type="checkbox"/> SIM PAH <input type="checkbox"/>	Volatile Organics 624 <input type="checkbox"/> 8260 <input type="checkbox"/>	Hydrocarbons (*see below) Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Oil <input type="checkbox"/>	Oil & Grease/TPH 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/>	Aroclors <input type="checkbox"/>	Pesticides/Herbicides 608 <input type="checkbox"/> 8081 <input type="checkbox"/>	Congeners <input type="checkbox"/>	Chlorophenolics Tri <input type="checkbox"/> 8141 <input type="checkbox"/> 8151 <input type="checkbox"/>	Metals, Total or Dissolved (See List below) Cyanide <input type="checkbox"/>	Hex-Chrom <input type="checkbox"/>	(circle) pH, Cond., Cl, SO <sub>4</sub> , PO <sub>4</sub> , F, NO <sub>2</sub> , NO <sub>3</sub> , BOD, TSS, TDS, Turb. (circle) NH <sub>3</sub> -N, COD, TKN, TOC, DOC, NO <sub>2</sub> +NO <sub>3</sub> , T-Phos	TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> 506 <input type="checkbox"/>	Alkalinity <input type="checkbox"/> CO <sub>3</sub> <input type="checkbox"/> HCO <sub>3</sub> <input type="checkbox"/>	Dioxins/Furans 1613 <input type="checkbox"/> 8290 <input type="checkbox"/>	Dissolved Gases CO <sub>2</sub> <input type="checkbox"/> Methane <input type="checkbox"/> Ethane <input type="checkbox"/> Ethene <input type="checkbox"/>	RSK 175 <input type="checkbox"/>	REMARKS	
<u>S102</u>	<u>5/10</u>	<u>1140</u>		<u>MW</u>																			
<u>S101</u>	<u>5/10</u>	<u>1150</u>		<u>↓</u>																			
<u>Trip Blank</u>																							

<p><b>REPORT REQUIREMENTS</b></p> <p><input checked="" type="checkbox"/> I. Routine Report: Method Blank, Surrogate, as required</p> <p><input type="checkbox"/> II. Report Dup., MS, MSD as required</p> <p><input type="checkbox"/> III. CLP Like Summary (no raw data)</p> <p><input type="checkbox"/> IV. Data Validation Report</p> <p><input checked="" type="checkbox"/> V. EDD</p>	<p><b>INVOICE INFORMATION</b></p> <p>P.O. # _____</p> <p>Bill To: _____</p>	<p>Circle which metals are to be analyzed:</p> <p>Total Metals: Al As Sb Ba Be B Ca Cd Co <u>Cu</u> Fe Pb Mg Mn Mo <u>Ni</u> K Ag Na Se Sr Tl Sn V <u>Zn</u> Hg</p> <p>Dissolved Metals: Al As Sb Ba Be B Ca Cd Co <u>Cu</u> Fe Pb Mg Mn Mo <u>Ni</u> K Ag Na Se Sr Tl Sn V <u>Zn</u> Hg</p> <p>*INDICATE STATE HYDROCARBON PROCEDURE: AK CA WI NORTHWEST OTHER: _____ (CIRCLE ONE)</p> <p>SPECIAL INSTRUCTIONS/COMMENTS:</p> <p><input type="checkbox"/> Sample Shipment contains USDA regulated soil samples (check box if applicable)</p>
<p><b>TURNAROUND REQUIREMENTS</b></p> <p>____ 24 hr. ____ 48 hr.</p> <p>____ 5 day</p> <p>____ Standard (15 working days)</p> <p>____ Provide FAX Results</p> <p>____ Requested Report Date</p>		<p style="text-align: right;"><b>Container Supply Number</b></p> <p style="text-align: center;"></p> <p style="text-align: center;">123485</p>

<p><b>RELINQUISHED BY:</b></p> <p><u>[Signature]</u> <u>to 5-10-22</u></p> <p>Signature _____ Date/Time _____</p> <p>Printed Name _____ Firm _____</p>	<p><b>RECEIVED BY:</b></p> <p><u>To Alaska Air</u></p> <p>Signature _____ Date/Time _____</p> <p>Printed Name _____ Firm _____</p>	<p><b>RELINQUISHED BY:</b></p> <p>Signature _____ Date/Time _____</p> <p>Printed Name _____ Firm _____</p>	<p><b>RECEIVED BY:</b></p> <p><u>[Signature]</u> <u>5/10/20 1155</u></p> <p>Signature _____ Date/Time _____</p> <p>Printed Name <u>Chack</u> Firm <u>ALS</u></p>
--	--	--	--

PM HH

Cooler Receipt and Preservation Form

Client ARRI Service Request K22 05112  
Received: 5/11/22 Opened: 5/11/22 By: RM Unloaded: 5/11/22 By: RM

- 1. Samples were received via?  USPS  Fed Ex  UPS  DHL  PDX  Courier  Hand Delivered
- 2. Samples were received in: (circle)  Cooler  Box  Envelope  Other  NA
- 3. Were custody seals on coolers?  NA  Y  N If yes, how many and where? \_\_\_\_\_  
If present, were custody seals intact?  Y  N If present, were they signed and dated?  Y  N

Temp Blank	Sample Temp	IR Gun	Cooler #/COC ID (NA)	Out of temp. Indicate with "X"	PM Notified If out of temp	Tracking Number (NA)	Filed
3.7	---	IR02		---	---		
11.7	12.4	IR02		---	---		

- 4. Was a Temperature Blank present in cooler?  NA  Y  N If yes, note the temperature in the appropriate column above:  
If no, take the temperature of a representative sample bottle contained within the cooler; notate in the column "Sample Temp":
- 5. Were samples received within the method specified temperature ranges?  NA  Y  N  
If no, were they received on ice and same day as collected? If not, notate the cooler # below and notify the PM.  NA  Y  N

If applicable, tissue samples were received: Frozen Partially Thawed Thawed

- 6. Packing material: Inserts  Baggies  Bubble Wrap  Gel Packs  Wet Ice  Dry Ice  Sleeves
- 7. Were custody papers properly filled out (ink, signed, etc.)?  NA  Y  N
- 8. Were samples received in good condition (unbroken)  NA  Y  N
- 9. Were all sample labels complete (ie, analysis, preservation, etc.)?  NA  Y  N
- 10. Did all sample labels and tags agree with custody papers?  NA  Y  N
- 11. Were appropriate bottles/containers and volumes received for the tests indicated?  NA  Y  N
- 12. Were the pH-preserved bottles (see SMO GEN SOP) received at the appropriate pH? Indicate in the table below  NA  Y  N
- 13. Were VOA vials received without headspace? Indicate in the table below.  NA  Y  N
- 14. Was C12/Res negative?  NA  Y  N
- 15. Were 100ml sterile microbiology bottles filled exactly to the 100ml mark?  NA  Y  N Under filled Overfilled

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count	Bottle Type	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, Resolutions: Cooler out of temp not relevant due to Testing  
100% Samples AU01, AU01F, AUFB not on C.O.C.



## Miscellaneous Forms

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

### **Inorganic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

### **Metals Data Qualifiers**

- # The control limit criteria is not applicable.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.  
  - i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

### **Organic Data Qualifiers**

- \* The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.  
*DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.  
  - i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

### **Additional Petroleum Hydrocarbon Specific Qualifiers**

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.



**ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso  
State Certifications, Accreditations, and Licenses**

<b>Agency</b>	<b>Web Site</b>	<b>Number</b>
Alaska DEH	<a href="http://dec.alaska.gov/eh/lab/cs/csapproval.htm">http://dec.alaska.gov/eh/lab/cs/csapproval.htm</a>	UST-040
Arizona DHS	<a href="http://www.azdhs.gov/lab/license/env.htm">http://www.azdhs.gov/lab/license/env.htm</a>	AZ0339
Arkansas - DEQ	<a href="http://www.adeq.state.ar.us/techsvs/labcert.htm">http://www.adeq.state.ar.us/techsvs/labcert.htm</a>	88-0637
California DHS (ELAP)	<a href="http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx">http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx</a>	2795
DOD ELAP	<a href="http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm">http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm</a>	L16-58-R4
Florida DOH	<a href="http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm">http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm</a>	E87412
Hawaii DOH	<a href="http://health.hawaii.gov/">http://health.hawaii.gov/</a>	-
ISO 17025	<a href="http://www.pjllabs.com/">http://www.pjllabs.com/</a>	L16-57
Louisiana DEQ	<a href="http://www.deq.louisiana.gov/page/la-lab-accreditation">http://www.deq.louisiana.gov/page/la-lab-accreditation</a>	03016
Maine DHS	<a href="http://www.maine.gov/dhhs/">http://www.maine.gov/dhhs/</a>	WA01276
Minnesota DOH	<a href="http://www.health.state.mn.us/accreditation">http://www.health.state.mn.us/accreditation</a>	053-999-457
Nevada DEP	<a href="http://ndep.nv.gov/bsdw/labservice.htm">http://ndep.nv.gov/bsdw/labservice.htm</a>	WA01276
New Jersey DEP	<a href="http://www.nj.gov/dep/enforcement/oqa.html">http://www.nj.gov/dep/enforcement/oqa.html</a>	WA005
New York - DOH	<a href="https://www.wadsworth.org/regulatory/elap">https://www.wadsworth.org/regulatory/elap</a>	12060
North Carolina DEQ	<a href="https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification">https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification</a>	605
Oklahoma DEQ	<a href="http://www.deq.state.ok.us/CSDnew/labcert.htm">http://www.deq.state.ok.us/CSDnew/labcert.htm</a>	9801
Oregon – DEQ (NELAP)	<a href="http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx">http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx</a>	WA100010
South Carolina DHEC	<a href="http://www.scdhec.gov/environment/EnvironmentalLabCertification/">http://www.scdhec.gov/environment/EnvironmentalLabCertification/</a>	61002
Texas CEQ	<a href="http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html">http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html</a>	T104704427
Washington DOE	<a href="http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html">http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html</a>	C544
Wyoming (EPA Region 8)	<a href="https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water">https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water</a>	-
Kelso Laboratory Website	<a href="http://www.alsglobal.com">www.alsglobal.com</a>	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at [www.ALSGlobal.com](http://www.ALSGlobal.com) or at the accreditation bodies web site.

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/analyte is offered by that state.

## Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.  
dba ALS Environmental

Analyst Summary report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka/

**Service Request:** K2205112

**Sample Name:** S1FB  
**Lab Code:** K2205112-001  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

Analysis Method	Extracted/Digested By	Analyzed By
200.8	SSOLADEY	JCHAN
350.1	ESCHLOSS	ESCHLOSS

**Sample Name:** S110  
**Lab Code:** K2205112-002  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

Analysis Method	Extracted/Digested By	Analyzed By
200.8	SSOLADEY	JCHAN
350.1	ESCHLOSS	ESCHLOSS

**Sample Name:** S109  
**Lab Code:** K2205112-003  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

Analysis Method	Extracted/Digested By	Analyzed By
200.8	SSOLADEY	JCHAN
350.1	ESCHLOSS	ESCHLOSS

**Sample Name:** S108  
**Lab Code:** K2205112-004  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

Analysis Method	Extracted/Digested By	Analyzed By
200.8	SSOLADEY	JCHAN
350.1	ESCHLOSS	ESCHLOSS

ALS Group USA, Corp.  
dba ALS Environmental

Analyst Summary report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka/

**Service Request:** K2205112

**Sample Name:** S107  
**Lab Code:** K2205112-005  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S106  
**Lab Code:** K2205112-006  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S105  
**Lab Code:** K2205112-007  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S103  
**Lab Code:** K2205112-008  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

ALS Group USA, Corp.  
dba ALS Environmental

Analyst Summary report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka/

**Service Request:** K2205112

**Sample Name:** S103X  
**Lab Code:** K2205112-009  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S104  
**Lab Code:** K2205112-010  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S102  
**Lab Code:** K2205112-011  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**Sample Name:** S101  
**Lab Code:** K2205112-012  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8  
350.1

**Extracted/Digested By**  
SSOLADEY  
ESCHLOSS

**Analyzed By**  
JCHAN  
ESCHLOSS

**ALS Group USA, Corp.**  
dba ALS Environmental

Analyst Summary report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka/

**Service Request:** K2205112

**Sample Name:** Trip Blank  
**Lab Code:** K2205112-013  
**Sample Matrix:** Ocean Water

**Date Collected:** 05/10/22  
**Date Received:** 05/11/22

**Analysis Method**  
200.8

**Extracted/Digested By**  
SSOLADEY

**Analyzed By**  
JCHAN



# Sample Results

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



# Metals

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S1FB  
**Lab Code:** K2205112-001

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:20  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.03 J	ug/L	0.10	0.02	1	05/19/22 12:04	05/18/22	
Nickel	200.8	ND U	ug/L	0.20	0.03	1	05/19/22 12:04	05/18/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/19/22 12:04	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S1FB  
**Lab Code:** K2205112-001

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:20  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.03 J	ug/L	0.10	0.02	1	05/19/22 12:02	05/18/22	
Nickel	200.8	ND U	ug/L	0.20	0.03	1	05/19/22 12:02	05/18/22	
Zinc	200.8	0.25 J	ug/L	0.50	0.20	1	05/19/22 12:02	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S110  
**Lab Code:** K2205112-002

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.27	ug/L	0.10	0.02	1	05/19/22 12:17	05/18/22	
Nickel	200.8	0.29	ug/L	0.20	0.03	1	05/19/22 12:17	05/18/22	
Zinc	200.8	0.48 J	ug/L	0.50	0.20	1	05/19/22 12:17	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S110  
**Lab Code:** K2205112-002

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

**Total Metals**

<b>Analyte Name</b>	<b>Analysis Method</b>	<b>Result</b>	<b>Units</b>	<b>MRL</b>	<b>MDL</b>	<b>Dil.</b>	<b>Date Analyzed</b>	<b>Date Extracted</b>	<b>Q</b>
Copper	200.8	<b>0.27</b>	ug/L	0.10	0.02	1	05/19/22 12:05	05/18/22	
Nickel	200.8	<b>0.31</b>	ug/L	0.20	0.03	1	05/19/22 12:05	05/18/22	
Zinc	200.8	<b>0.53</b>	ug/L	0.50	0.20	1	05/19/22 12:05	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S109  
**Lab Code:** K2205112-003

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.15	ug/L	0.10	0.02	1	05/19/22 12:19	05/18/22	
Nickel	200.8	0.30	ug/L	0.20	0.03	1	05/19/22 12:19	05/18/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/19/22 12:19	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S109  
**Lab Code:** K2205112-003

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.14</b>	ug/L	0.10	0.02	1	05/19/22 12:06	05/18/22	
Nickel	200.8	<b>0.30</b>	ug/L	0.20	0.03	1	05/19/22 12:06	05/18/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/19/22 12:06	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S108  
**Lab Code:** K2205112-004

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:30  
**Date Received:** 05/11/22 14:55

**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.26</b>	ug/L	0.10	0.02	1	05/19/22 12:20	05/18/22	
Nickel	200.8	<b>0.29</b>	ug/L	0.20	0.03	1	05/19/22 12:20	05/18/22	
Zinc	200.8	<b>0.80</b>	ug/L	0.50	0.20	1	05/19/22 12:20	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S108  
**Lab Code:** K2205112-004

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:30  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

**Total Metals**

<b>Analyte Name</b>	<b>Analysis Method</b>	<b>Result</b>	<b>Units</b>	<b>MRL</b>	<b>MDL</b>	<b>Dil.</b>	<b>Date Analyzed</b>	<b>Date Extracted</b>	<b>Q</b>
Copper	200.8	<b>0.28</b>	ug/L	0.10	0.02	1	05/19/22 12:07	05/18/22	
Nickel	200.8	<b>0.30</b>	ug/L	0.20	0.03	1	05/19/22 12:07	05/18/22	
Zinc	200.8	<b>1.04</b>	ug/L	0.50	0.20	1	05/19/22 12:07	05/18/22	



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S107  
**Lab Code:** K2205112-005

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.45	ug/L	0.10	0.02	1	05/19/22 12:21	05/18/22	
Nickel	200.8	0.29	ug/L	0.20	0.03	1	05/19/22 12:21	05/18/22	
Zinc	200.8	1.44	ug/L	0.50	0.20	1	05/19/22 12:21	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S107  
**Lab Code:** K2205112-005

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.41	ug/L	0.10	0.02	1	05/19/22 12:08	05/18/22	
Nickel	200.8	0.32	ug/L	0.20	0.03	1	05/19/22 12:08	05/18/22	
Zinc	200.8	1.72	ug/L	0.50	0.20	1	05/19/22 12:08	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S106  
**Lab Code:** K2205112-006

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:50  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.24</b>	ug/L	0.10	0.02	1	05/19/22 12:22	05/18/22	
Nickel	200.8	<b>0.29</b>	ug/L	0.20	0.03	1	05/19/22 12:22	05/18/22	
Zinc	200.8	<b>0.73</b>	ug/L	0.50	0.20	1	05/19/22 12:22	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S106  
**Lab Code:** K2205112-006

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:50  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.27</b>	ug/L	0.10	0.02	1	05/19/22 12:09	05/18/22	
Nickel	200.8	<b>0.30</b>	ug/L	0.20	0.03	1	05/19/22 12:09	05/18/22	
Zinc	200.8	<b>1.56</b>	ug/L	0.50	0.20	1	05/19/22 12:09	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S105  
**Lab Code:** K2205112-007

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.22	ug/L	0.10	0.02	1	05/19/22 12:23	05/18/22	
Nickel	200.8	0.31	ug/L	0.20	0.03	1	05/19/22 12:23	05/18/22	
Zinc	200.8	0.54	ug/L	0.50	0.20	1	05/19/22 12:23	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S105  
**Lab Code:** K2205112-007

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.22	ug/L	0.10	0.02	1	05/19/22 12:13	05/18/22	
Nickel	200.8	0.28	ug/L	0.20	0.03	1	05/19/22 12:13	05/18/22	
Zinc	200.8	0.57	ug/L	0.50	0.20	1	05/19/22 12:13	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103  
**Lab Code:** K2205112-008

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.21	ug/L	0.10	0.02	1	05/19/22 12:27	05/18/22	
Nickel	200.8	0.28	ug/L	0.20	0.03	1	05/19/22 12:27	05/18/22	
Zinc	200.8	0.47 J	ug/L	0.50	0.20	1	05/19/22 12:27	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103  
**Lab Code:** K2205112-008

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

<b>Analyte Name</b>	<b>Analysis Method</b>	<b>Result</b>	<b>Units</b>	<b>MRL</b>	<b>MDL</b>	<b>Dil.</b>	<b>Date Analyzed</b>	<b>Date Extracted</b>	<b>Q</b>
Copper	200.8	<b>0.20</b>	ug/L	0.10	0.02	1	05/19/22 12:14	05/18/22	
Nickel	200.8	<b>0.29</b>	ug/L	0.20	0.03	1	05/19/22 12:14	05/18/22	
Zinc	200.8	<b>0.52</b>	ug/L	0.50	0.20	1	05/19/22 12:14	05/18/22	



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103X  
**Lab Code:** K2205112-009

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.21	ug/L	0.10	0.02	1	05/19/22 12:28	05/18/22	
Nickel	200.8	0.28	ug/L	0.20	0.03	1	05/19/22 12:28	05/18/22	
Zinc	200.8	0.39 J	ug/L	0.50	0.20	1	05/19/22 12:28	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103X  
**Lab Code:** K2205112-009

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.22	ug/L	0.10	0.02	1	05/19/22 12:15	05/18/22	
Nickel	200.8	0.44	ug/L	0.20	0.03	1	05/19/22 12:15	05/18/22	
Zinc	200.8	0.49 J	ug/L	0.50	0.20	1	05/19/22 12:15	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S104  
**Lab Code:** K2205112-010

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:30  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.17	ug/L	0.10	0.02	1	05/19/22 12:29	05/18/22	
Nickel	200.8	0.30	ug/L	0.20	0.03	1	05/19/22 12:29	05/18/22	
Zinc	200.8	0.25 J	ug/L	0.50	0.20	1	05/19/22 12:29	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S104  
**Lab Code:** K2205112-010

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:30  
**Date Received:** 05/11/22 14:55

**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.16</b>	ug/L	0.10	0.02	1	05/19/22 12:16	05/18/22	
Nickel	200.8	<b>0.30</b>	ug/L	0.20	0.03	1	05/19/22 12:16	05/18/22	
Zinc	200.8	<b>0.27 J</b>	ug/L	0.50	0.20	1	05/19/22 12:16	05/18/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S102  
**Lab Code:** K2205112-011

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:40  
**Date Received:** 05/11/22 14:55

**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.20	ug/L	0.10	0.02	1	05/18/22 11:51	05/17/22	
Nickel	200.8	0.29	ug/L	0.20	0.03	1	05/18/22 11:51	05/17/22	
Zinc	200.8	0.45 J	ug/L	0.50	0.20	1	05/18/22 11:51	05/17/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S102  
**Lab Code:** K2205112-011

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.21	ug/L	0.10	0.02	1	05/18/22 11:45	05/17/22	
Nickel	200.8	0.30	ug/L	0.20	0.03	1	05/18/22 11:45	05/17/22	
Zinc	200.8	0.41 J	ug/L	0.50	0.20	1	05/18/22 11:45	05/17/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S101  
**Lab Code:** K2205112-012

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:50  
**Date Received:** 05/11/22 14:55

**Basis:** NA

Dissolved Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	<b>0.49</b>	ug/L	0.10	0.02	1	05/18/22 11:52	05/17/22	
Nickel	200.8	<b>0.28</b>	ug/L	0.20	0.03	1	05/18/22 11:52	05/17/22	
Zinc	200.8	<b>1.70</b>	ug/L	0.50	0.20	1	05/18/22 11:52	05/17/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S101  
**Lab Code:** K2205112-012

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:50  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

**Total Metals**

<b>Analyte Name</b>	<b>Analysis Method</b>	<b>Result</b>	<b>Units</b>	<b>MRL</b>	<b>MDL</b>	<b>Dil.</b>	<b>Date Analyzed</b>	<b>Date Extracted</b>	<b>Q</b>
Copper	200.8	<b>0.51</b>	ug/L	0.10	0.02	1	05/18/22 11:46	05/17/22	
Nickel	200.8	<b>0.30</b>	ug/L	0.20	0.03	1	05/18/22 11:46	05/17/22	
Zinc	200.8	<b>1.69</b>	ug/L	0.50	0.20	1	05/18/22 11:46	05/17/22	



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** Trip Blank  
**Lab Code:** K2205112-013

**Service Request:** K2205112  
**Date Collected:** 05/10/22  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	0.03 J	ug/L	0.10	0.02	1	05/18/22 11:50	05/17/22	
Nickel	200.8	ND U	ug/L	0.20	0.03	1	05/18/22 11:50	05/17/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/18/22 11:50	05/17/22	



# General Chemistry

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S1FB  
**Lab Code:** K2205112-001

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:20  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.013</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S110  
**Lab Code:** K2205112-002

**Service Request:** K2205112  
**Date Collected:** 05/10/22 09:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.026</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S109  
**Lab Code:** K2205112-003

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.012</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S108  
**Lab Code:** K2205112-004

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:30  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.017</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S107  
**Lab Code:** K2205112-005

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.009 J</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S106  
**Lab Code:** K2205112-006

**Service Request:** K2205112  
**Date Collected:** 05/10/22 10:50  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.020</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S105  
**Lab Code:** K2205112-007

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:00  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.017</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103  
**Lab Code:** K2205112-008

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.020</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S103X  
**Lab Code:** K2205112-009

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:15  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.027</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S104  
**Lab Code:** K2205112-010

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:30  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.019</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S102  
**Lab Code:** K2205112-011

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:40  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.023</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** S101  
**Lab Code:** K2205112-012

**Service Request:** K2205112  
**Date Collected:** 05/10/22 11:50  
**Date Received:** 05/11/22 14:55  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	<b>0.019</b>	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	



# QC Summary Forms

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



# Metals

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)



ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** Method Blank  
**Lab Code:** KQ2207764-01

**Service Request:** K2205112  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	ND U	ug/L	0.10	0.02	1	05/18/22 11:22	05/17/22	
Nickel	200.8	ND U	ug/L	0.20	0.03	1	05/18/22 11:22	05/17/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/18/22 11:22	05/17/22	

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** Method Blank  
**Lab Code:** KQ2207765-01

**Service Request:** K2205112  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

Total Metals

Analyte Name	Analysis Method	Result	Units	MRL	MDL	Dil.	Date Analyzed	Date Extracted	Q
Copper	200.8	ND U	ug/L	0.10	0.02	1	05/19/22 11:59	05/18/22	
Nickel	200.8	ND U	ug/L	0.20	0.03	1	05/19/22 11:59	05/18/22	
Zinc	200.8	ND U	ug/L	0.50	0.20	1	05/19/22 11:59	05/18/22	

**ALS Group USA, Corp.**  
dba ALS Environmental

QA/QC Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Analyzed:** 05/18/22

**Duplicate Lab Control Sample Summary**  
**Total Metals**

**Units:**ug/L  
**Basis:**NA

**Lab Control Sample**  
KQ2207764-02

**Duplicate Lab Control Sample**  
KQ2207764-03

<b>Analyte Name</b>	<b>Analytical Method</b>	<b>Result</b>	<b>Spike Amount</b>	<b>% Rec</b>	<b>Result</b>	<b>Spike Amount</b>	<b>% Rec</b>	<b>% Rec Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
Copper	200.8	1.85	2.00	93	1.93	2.00	97	63-128	4	20
Nickel	200.8	2.01	2.00	101	1.99	2.00	100	88-112	<1	20
Zinc	200.8	1.89	2.00	94	1.97	2.00	99	79-133	4	20

**ALS Group USA, Corp.**  
dba ALS Environmental

QA/QC Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Analyzed:** 05/19/22

**Duplicate Lab Control Sample Summary**  
**Total Metals**

**Units:**ug/L  
**Basis:**NA

**Lab Control Sample**  
KQ2207765-02

**Duplicate Lab Control Sample**  
KQ2207765-03

<b>Analyte Name</b>	<b>Analytical Method</b>	<b>Result</b>	<b>Spike Amount</b>	<b>% Rec</b>	<b>Result</b>	<b>Spike Amount</b>	<b>% Rec</b>	<b>% Rec Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
Copper	200.8	1.87	2.00	93	1.87	2.00	93	63-128	<1	20
Nickel	200.8	2.08	2.00	104	2.09	2.00	104	88-112	<1	20
Zinc	200.8	1.88	2.00	94	1.90	2.00	95	79-133	1	20



## General Chemistry

**ALS Environmental—Kelso Laboratory**  
1317 South 13th Avenue, Kelso, WA 98626  
Phone (360) 577-7222 Fax (360) 425-9096  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water  
**Sample Name:** Method Blank  
**Lab Code:** K2205112-MB

**Service Request:** K2205112  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

General Chemistry Parameters

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>Result</u>	<u>Units</u>	<u>MRL</u>	<u>MDL</u>	<u>Dil.</u>	<u>Date Analyzed</u>	<u>Date Extracted</u>	<u>Q</u>
Ammonia as Nitrogen	350.1	ND U	mg/L	0.010	0.003	1	05/13/22 15:22	05/13/22	

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Collected:** 05/10/22  
**Date Received:** 05/11/22  
**Date Analyzed:** 05/13/22  
**Date Extracted:** 05/13/22

**Duplicate Matrix Spike Summary**  
**Ammonia as Nitrogen**

**Sample Name:** S110  
**Lab Code:** K2205112-002  
**Analysis Method:** 350.1  
**Prep Method:** Method

**Units:** mg/L  
**Basis:** NA

Analyte Name	Sample Result	Result	Matrix Spike K2205112-002MS		Duplicate Matrix Spike K2205112-002DMS		% Rec Limits	RPD	RPD Limit	
			Spike Amount	% Rec	Result	Spike Amount				% Rec
Ammonia as Nitrogen	0.026	0.229	0.200	102	0.234	0.200	104	90-110	2	20

Results flagged with an asterisk (\*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Collected:** 05/10/22  
**Date Received:** 05/11/22  
**Date Analyzed:** 05/13/22  
**Date Extracted:** 05/13/22

**Duplicate Matrix Spike Summary**  
**Ammonia as Nitrogen**

**Sample Name:** S104  
**Lab Code:** K2205112-010  
**Analysis Method:** 350.1  
**Prep Method:** Method

**Units:** mg/L  
**Basis:** NA

Analyte Name	Sample Result	Result	Matrix Spike K2205112-010MS		Duplicate Matrix Spike K2205112-010DMS		% Rec Limits	RPD	RPD Limit	
			Spike Amount	% Rec	Result	Spike Amount				% Rec
Ammonia as Nitrogen	0.019	0.224	0.200	103	0.228	0.200	104	90-110	2	20

Results flagged with an asterisk (\*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.



ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: Aquatic Restoration and Research Institute (ARRI)
Project: Ambient WQ- Sitka
Sample Matrix: Ocean Water

Service Request: K2205112
Date Collected: 05/10/22
Date Received: 05/11/22
Date Analyzed: 05/13/22

Replicate Sample Summary
General Chemistry Parameters

Sample Name: S110 Units: mg/L
Lab Code: K2205112-002 Basis: NA

Table with 9 columns: Analyte Name, Analysis Method, MRL, MDL, Sample Result, Duplicate Sample K2205112-002DUP Result, Average, RPD, RPD Limit. Row 1: Ammonia as Nitrogen, 350.1, 0.010, 0.003, 0.026, 0.023, 0.0243, 10, 20.

Results flagged with an asterisk (\*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Collected:** 05/10/22  
**Date Received:** 05/11/22  
**Date Analyzed:** 05/13/22

**Replicate Sample Summary**  
**General Chemistry Parameters**

**Sample Name:** S104 **Units:** mg/L  
**Lab Code:** K2205112-010 **Basis:** NA

<u>Analyte Name</u>	<u>Analysis Method</u>	<u>MRL</u>	<u>MDL</u>	<u>Sample Result</u>	<u>Duplicate Sample K2205112-010DUP Result</u>	<u>Average</u>	<u>RPD</u>	<u>RPD Limit</u>
Ammonia as Nitrogen	350.1	0.010	0.003	0.019	0.016	0.0177	17	20

Results flagged with an asterisk (\*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.  
dba ALS Environmental

QA/QC Report

**Client:** Aquatic Restoration and Research Institute (ARRI)  
**Project:** Ambient WQ- Sitka  
**Sample Matrix:** Ocean Water

**Service Request:** K2205112  
**Date Analyzed:** 05/13/22  
**Date Extracted:** 05/13/22

**Lab Control Sample Summary**  
**Ammonia as Nitrogen**

**Analysis Method:** 350.1  
**Prep Method:** Method

**Units:** mg/L  
**Basis:** NA  
**Analysis Lot:** 764134

<b>Sample Name</b>	<b>Lab Code</b>	<b>Result</b>	<b>Spike Amount</b>	<b>% Rec</b>	<b>% Rec Limits</b>
Lab Control Sample	K2205112-LCS	0.297	0.300	99	90-110



**Admiralty**  
ENVIRONMENTAL

641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

---

Jeff Davis  
PO Box 923  
Talkeetna, AK 99676

May 20, 2022

**Aquatic Restoration & Research Institute – Sitka**

Date of Collection: May 10, 2022  
Sampling Location: Sitka, Alaska

**Summary**

Ten samples from the Aquatic Restoration & Research Institute were received at Admiralty Environmental, Juneau, AK on May 10, 2022.

The samples were analyzed for fecal coliform and enterococci bacteria. All laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

Diana Cote  
Admiralty Environmental



**Aquatic Restoration and Research Institute**

Sitka

May 10, 2022

Sitka, AK

**Analytical Report**

Admiralty Environmental EPA ID AK 00976

AE 28885

Sample Location	Date & Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
SI 10	5/10/2022; 09:40	< 2.0	< 10
SI 09	5/10/2022; 10:00	< 2.0	< 10
SI 08	5/10/2022; 10:30	< 2.0	< 10
SI 07	5/10/2022; 10:40	< 2.0	< 10
SI 06	5/10/2022; 10:50	< 2.0	< 10
SI 05	5/10/2022; 11:00	< 2.0	< 10
SI 04	5/10/2022; 11:30	< 2.0	10
SI 03	5/10/2022; 11:15	< 2.0	< 10
SI 02	5/10/2022; 11:40	< 2.0	< 10
SI 01	5/10/2022; 11:50	< 2.0	< 10

Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met
FC	<2.0	---	---	---	5/10/2022; 17:00	Yes
Enterococci	---	---	---	---	5/10/2022; 16:40	Yes

Analysis Description:

Analysis	Method	MDL	PQL	Unit
FC	SM 9222D	1.0	2.0	FC/100ml
Enterococci	ASTM D6503-99	1.0	10	MPN/100mg/L

Case Narrative:

All sample analysis QA/QC parameters were met for this event.

Key:

FC	Fecal Coliform
Enterococci	Enterococci
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
 CTO, Admiralty Environmental  
 dwetzel@admiraltyenv.com



**Admiralty Environmental**  
 641 W. Willoughby Ave, Suite 301  
 Juneau, AK 99801  
 (907) 463-4415

CHAIN OF CUSTODY/TRANSMITTAL RECORD  
 PAGE 1 of 1

<b>PROJECT NAME:</b> Aquatic Restoration and Research Institute				<b>Project:</b> Sitka				AE 28885							
<b>REPORT TO:</b> Jeff Davis arri@arrialaska.org		<b>PHONE#:</b>													
<b>ADDRESS:</b> PO Box 923 Talkeetna, AK 99676		<b>SAMPLED BY:</b>													
<b>COMMENTS:</b>				# OF BOTTLES		Fecal Coliform						Enterococci MPN			
								FIELD RESULTS							
DATE	TIME	SITE DESCRIPTION / IDENTIFIER	MATRIX	# OF BOTTLES	Fecal Coliform	Enterococci MPN				pH	Temp	D.O.			
5/10/22	0940	SI 10	H <sub>2</sub> O	1	1	1									
	1000	SI 09	H <sub>2</sub> O	1	1	1									
	1030	SI 08	H <sub>2</sub> O	1	1	1									
	1040	SI 07	H <sub>2</sub> O	1	1	1									
	1050	SI 06	H <sub>2</sub> O	1	1	1									
	1100	SI 05	H <sub>2</sub> O	1	1	1									
	1130	SI 04	H <sub>2</sub> O	1	1	1									
	1115	SI 03	H <sub>2</sub> O	1	1	1									
	1140	SI 02	H <sub>2</sub> O	1	1	1									
	1150	SI 01	H <sub>2</sub> O	1	1	1									
<b>RELINQUISHED BY:</b>		<b>RECEIVED BY:</b>		<b>RELINQUISHED BY:</b>		<b>RECEIVED BY:</b>		Section to Be Completed by Receiving Laboratory  Temp °C: 4.04 Thermo ID#: Lab #7 Condition of Custody Seals: <input checked="" type="checkbox"/> Initialed By: DW Shipped Via:							
Signature		Signature		Signature		Signature									
Printed Name		Printed Name		Printed Name		Printed Name									
Date		Date		Date		Date									
Time		Time		Time		Time									



# Admiralty Environmental Cooler Receipt Form

Lab: Admiralty Environmental, LLC  
Client: ARRI

AE# AE 28885

Date Opened: 5/10/2022 Opened by: D. Wetzel

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: Sitka

2. COC Attached? **yes** Properly Completed? **yes** Signed by AE employee? **yes**

Small Temp. Blank **4.04** (temp in Celsius)  
Large Temp. Blank: **n/a** (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: n/a

2. COC Attached? **n/a** Properly Completed? **n/a** Signed by AE employee? **n/a**

3. Airbill attached? **n/a** Airbill #: **n/a**

4. Custody Seals? **n/a**

5. Seals intact? **n/a**

Temp. Blank: **n/a** (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: **10** Packing type: **cooler**

Number of Bottles Received: **10**

1. Samples in proper bags? **yes**

2. Bottles intact? **yes**

3. Sufficient sample volume? **yes**

4. Labels agree with COC? **yes**

5. Samples delivered within holding time? **yes**

6. Sample preservation checked? **n/a**

Problems encountered: **no**

Was the project manager called? **no**

COMMENTS:

Signature: \_\_\_\_\_

Date and time: \_\_\_\_\_

5/10/22 1545



**Admiralty**  
ENVIRONMENTAL

641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

---

Jeff Davis  
PO Box 923  
Talkeetna, AK 99676

May 31, 2022

**Aquatic Restoration & Research Institute – Sitka**

Date of Collection: May 19, 2022  
Sampling Location: Sitka, Alaska

**Summary**

Ten samples from the Aquatic Restoration & Research Institute were received at Admiralty Environmental, Juneau, AK on May 19, 2022. One sample, bottle “S6” was cracked in the cooler and could not be analyzed.

The samples were received past holding time and were analyzed for fecal coliform and enterococci bacteria upon laboratory receipt. All other laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

Diana Cote  
Admiralty Environmental





641 W. Willoughby Ave., Suite 301 Juneau, AK 99801  
 (907) 463 - 4415  
 www.admiraltyenvironmental.com

## Aquatic Restoration and Research Institute

Sitka

May 19, 2022

Sitka, AK

## Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 29004

Sample Location	Date & Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
S 10	5/19/2022; 06:30	< 2	< 10
S 9	5/19/2022; 06:50	< 10	< 10
S 8	5/19/2022; 07:10	< 2	< 10
S 7	5/19/2022; 07:15	< 2	< 10
S 5	5/19/2022; 07:25	5	< 10
S 4	5/19/2022; 07:45	< 2	< 10
S 3	5/19/2022; 07:38	< 2	< 10
S 2	5/19/2022; 07:50	< 2	< 10
S 1	5/19/2022; 07:35	2	295

### Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met
FC	<2.0	---	---	---	5/19/2022; 17:27	No
Enterococci	---	---	---	---	5/19/2022; 17:23	No

### Analysis Description:

Analysis	Method	MDL	PQL	Unit
FC	SM 9222D	1.0	2.0	FC/100ml
Enterococci	ASTM D6503-99	1.0	10	MPN/100mg/L

### Case Narrative:

The parameters of fecal coliform and enterococci were received past holding times and were analyzed upon laboratory receipt. All other sample analysis QA/QC parameters were met for this event.

### Key:

FC	Fecal Coliform
Enterococci	Enterococci
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
 CTO, Admiralty Environmental  
 dwetzel@admiraltyenv.com



Admiralty Environmental  
 641 W. Willoughby Ave, Suite 301  
 Juneau, AK 99801  
 (907) 463-4415

CHAIN OF CUSTODY/TRANSMITTAL RECORD  
 PAGE 1 of 1

PROJECT NAME: <b>Aquatic Restoration and Research Institute</b>				Project: Sitka									
REPORT TO: Jeff Davis arri@arrialaska.org		PHONE#:		FIELD RESULTS		pH		Temp		D.O.			
ADDRESS: PO Box 923 Talkeetna, AK 99676		SAMPLED BY:											
COMMENTS:				# OF BOTTLES	Fecal Coliform	Enterococci MPN							
DATE	TIME	SITE DESCRIPTION / IDENTIFIER	MATRIX										
5/19/22	0630	S10	H <sub>2</sub> O				1	1	1				
	0650	S7	H <sub>2</sub> O				1	1	1				
	0710	S8	H <sub>2</sub> O				1	1	1				
	0715	S7	H <sub>2</sub> O				1	1	1				
	0720	S6*	H <sub>2</sub> O				1	1	1				
	0725	S5	H <sub>2</sub> O				1	1	1				
	0745	S4	H <sub>2</sub> O				1	1	1				
	0736	S3	H <sub>2</sub> O				1	1	1				
	0750	S2	H <sub>2</sub> O	1	1	1							
	0735	S1	H <sub>2</sub> O	1	1	1							
RELINQUISHED BY:		RECEIVED BY:		RECEIVED BY:		Section to Be Completed by Receiving Laboratory							
Signature		Signature		Signature		Temp °C: 6.77							
Printed Name		Printed Name		Printed Name		Thermo ID#: Lab#7							
Date		Date		Date		Condition of Custody Seals: <input checked="" type="checkbox"/>							
Time		Time		Time		Initialed By: NH							
						Shipped Via: AK Seaplane							

AE ~~29017NH~~  
 29004

\* S06 - bottle cracked



# Admiralty Environmental Cooler Receipt Form

Lab: Admiralty Environmental, LLC  
Client: ARRI - Sitka

AE# AE 29004

Date Opened: 5/19/2022 Opened by: N. Harper

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: n/a

2. COC Attached? n/a Properly Completed? n/a Signed by AE employee? n/a

Small Temp. Blank: n/a (temp in Celsius)  
Large Temp. Blank: n/a (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: ARRI - Sitka

2. COC Attached? yes Properly Completed? yes Signed by AE employee? yes

3. Airbill attached? yes Airbill #: 4819896

4. Custody Seals? yes

5. Seals intact? yes

Temp. Blank: 6.77 (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: 10 Packing type: cooler

Number of Bottles Received: 10

1. Samples in proper bags? yes

2. Bottles intact? no, S06 broken

3. Sufficient sample volume? yes

4. Labels agree with COC? yes

5. Samples delivered within holding time? no

6. Sample preservation checked? n/a

Problems encountered: S06 rejected

Was the project manager called? no

COMMENTS:

Signature: N. Harper

Date and time: 5/19/22; 1640

REVISED



641 W. Willoughby Ave., Suite 301 Juneau, AK 99801  
(907) 463 - 4415  
www.admiraltyenvironmental.com

### Aquatic Restoration and Research Institute

Sitka

May 19, 2022

Sitka, AK

### Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 29004

Sample Location	Date & Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
S 10	5/19/2022; 06:30	< 2	< 10
S 9	5/19/2022; 06:50	< 2	< 10
S 8	5/19/2022; 07:10	< 2	< 10
S 7	5/19/2022; 07:15	< 2	< 10
S 5	5/19/2022; 07:25	5	< 10
S 4	5/19/2022; 07:45	< 2	< 10
S 3	5/19/2022; 07:38	< 2	< 10
S 2	5/19/2022; 07:50	< 2	< 10
S 1	5/19/2022; 07:35	2	295

Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met
FC	<2.0	---	---	---	5/19/2022; 17:27	No
Enterococci	---	---	---	---	5/19/2022; 17:23	No

Analysis Description:

Analysis	Method	MDL	PQL	Unit
FC	SM 9222D	1.0	2.0	FC/100ml
Enterococci	ASTM D6503-99	1.0	10	MPN/100mg/L

Case Narrative:

The parameters of fecal coliform and enterococci were received past holding times and were analyzed upon laboratory receipt. All other sample analysis QA/QC parameters were met for this event.

Key:

FC	Fecal Coliform
Enterococci	Enterococci
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
CTO, Admiralty Environmental  
dwetzel@admiraltyenv.com



Admiralty Environmental  
 641 W. Willoughby Ave, Suite 301  
 Juneau, AK 99801  
 (907) 463-4415

CHAIN OF CUSTODY/TRANSMITTAL RECORD  
 PAGE 1 of 1

PROJECT NAME: <b>Aquatic Restoration and Research Institute</b>				Project: Sitka									
REPORT TO: Jeff Davis arri@arrialaska.org		PHONE#:		FIELD RESULTS		pH		Temp		D.O.			
ADDRESS: PO Box 923 Talkeetna, AK 99676		SAMPLED BY:											
COMMENTS:				# OF BOTTLES	Fecal Coliform	Enterococci MPN							
DATE	TIME	SITE DESCRIPTION / IDENTIFIER	MATRIX										
5/19/22	0630	S10	H <sub>2</sub> O				1	1	1				
	0650	S7	H <sub>2</sub> O				1	1	1				
	0710	S8	H <sub>2</sub> O				1	1	1				
	0715	S7	H <sub>2</sub> O				1	1	1				
	0720	S6*	H <sub>2</sub> O				1	1	1				
	0725	S5	H <sub>2</sub> O				1	1	1				
	0745	S4	H <sub>2</sub> O				1	1	1				
	0736	S3	H <sub>2</sub> O				1	1	1				
	0750	S2	H <sub>2</sub> O	1	1	1							
	0735	S1	H <sub>2</sub> O	1	1	1							

AE ~~29017NH~~  
 29004

RELINQUISHED BY:	RECEIVED BY:	RECEIVED BY:	Section to be Completed by Receiving Laboratory:	
Signature: <i>Nora Harper</i>	Signature:	Signature:	Temp °C: 6.77	
Printed Name: Nora Harper	Printed Name:	Printed Name:	Thermo ID#: Lab#7	
Date: 5/19/22	Date:	Date:	Condition of Custody Seals: <input checked="" type="checkbox"/>	
Time: 1030	Time: 1640	Time:	Initialed By: NH	
			Shipped Via: AK Seaplane	

\* S06 - bottle cracked



# Admiralty Environmental Cooler Receipt Form

Lab: Admiralty Environmental, LLC  
Client: ARRI - Sitka

AE# AE 29004

Date Opened: 5/19/2022 Opened by: N. Harper

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: n/a

2. COC Attached? n/a Properly Completed? n/a Signed by AE employee? n/a

Small Temp. Blank: n/a (temp in Celsius)  
Large Temp. Blank: n/a (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: ARRI - Sitka

2. COC Attached? yes Properly Completed? yes Signed by AE employee? yes

3. Airbill attached? yes Airbill #: 4819896

4. Custody Seals? yes

5. Seals intact? yes

Temp. Blank: 6.77 (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: 10 Packing type: cooler

Number of Bottles Received: 10

1. Samples in proper bags? yes

2. Bottles intact? no, S06 broken

3. Sufficient sample volume? yes

4. Labels agree with COC? yes

5. Samples delivered within holding time? no

6. Sample preservation checked? n/a

Problems encountered: S06 rejected

Was the project manager called? no

COMMENTS:

Signature: N. Harper

Date and time: 5/19/22; 1640



**Admiralty**  
ENVIRONMENTAL

641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

---

Jeff Davis  
PO Box 923  
Talkeetna, AK 99676

June 6, 2022

**Aquatic Restoration & Research Institute – Sitka**

Date of Collection: May 25, 2022  
Sampling Location: Sitka, Alaska

**Summary**

Ten samples from the Aquatic Restoration & Research Institute were received at Admiralty Environmental, Juneau, AK on May 25, 2022.

The samples were analyzed for fecal coliform and enterococci bacteria upon laboratory receipt. Two sample locations were analyzed past holding times due to early sample times. All other laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

Diana Cote  
Admiralty Environmental



641 W. Willoughby Ave., Suite 301 Juneau, AK 99801  
 (907) 463 - 4415  
 www.admiraltyenvironmental.com

## Aquatic Restoration and Research Institute

Sitka

May 25, 2022

Sitka, AK

## Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 29122

Sample Location	Date & Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
S10*	05/25/2022; 07:45	<2.0	<10
S09*	05/25/2022; 07:50	2.0	<10
S08	05/25/2022; 08:00	<2.0	<10
S07	05/25/2022; 08:05	3.0	<10
S06	05/25/2022; 08:10	2.0	<10
S05	05/25/2022; 08:20	<2.0	<10
S03	05/25/2022; 08:30	<2.0	<10
S01	05/25/2022; 08:35	<2.0	<10
S02	05/25/2022; 08:40	<2.0	<10
S04	05/25/2022; 08:45	<2.0	<10

### Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met
FC	<2.0	---	---	---	05/25/2022; 15:55	Yes
Enterococci	---	---	---	---	05/25/2022; 15:54	Yes

### Analysis Description:

Analysis	Method	MDL	PQL	Unit
FC	SM 9222D	1.0	2.0	FC/100ml
Enterococci	ASTM D6503-99	1.0	10	MPN/100mg/L

### Case Narrative:

\*Sample analyses commenced outside of 8 hour holding time for sites S09 and S10. All other sample analysis QA/QC parameters were met for this event.

### Key:

FC	Fecal Coliform
Enterococci	Enterococci
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
 CTO, Admiralty Environmental  
 dwetzel@admiraltyenv.com





**Admiralty Environmental**  
 641 W. Willoughby Ave, Suite 301  
 Juneau, AK 99801  
 (907) 463-4415

CHAIN OF CUSTODY/TRANSMITTAL RECORD  
 PAGE 1 of 1

PROJECT NAME: <b>Aquatic Restoration and Research Institute</b>				Project: Sitka				AE 29122										
REPORT TO: Jeff Davis arri@arrialaska.org		PHONE#: 907 623 7182		# OF BOTTLES	Fecal Coliform	Enterococci	MPN											
ADDRESS: PO Box 923 Talkeetna, AK 99676		SAMPLED BY: A. RUSSIAN																
COMMENTS:																		
FIELD RESULTS																		
DATE	TIME	SITE DESCRIPTION /IDENTIFIER	MATRIX											pH	Temp	D.O.		
5/24/22	745	S10	H <sub>2</sub> O	1	1	1												
5/25/22	750	S09	H <sub>2</sub> O	1	1	1												
	0800	S08	H <sub>2</sub> O	1	1	1												
	0805	S07	H <sub>2</sub> O	1	1	1												
	0810	S06	H <sub>2</sub> O	1	1	1												
	0820	S05	H <sub>2</sub> O	1	1	1												
	0830	S03	H <sub>2</sub> O	1	1	1												
	0835	S01	H <sub>2</sub> O	1	1	1												
	0840	S02	H <sub>2</sub> O	1	1	1												
	0845	S04 "S04" written on bottle	H <sub>2</sub> O	1	1	1												
RELINQUISHED BY: Signature		RECEIVED BY: Signature		RELINQUISHED BY: Signature		RECEIVED BY: Signature		Section to Be Completed by Receiving Laboratory										
Printed Name		Printed Name		Printed Name		Printed Name												
Date		Date		Date		Date												
Time		Time		Time		Time												
Temp °C:		Thermo ID#:		Condition of Custody Seals		Initialed By:												

sample date is 5/25/22 per client. HK

note: the 08:45 sample bottle will be spotted as S04.



# Admiralty Environmental Cooler Receipt Form

Lab: **Admiralty Environmental, LLC**  
Client: **ARRI**

AE# AE 29122

Date Opened: **5/25/2022** Opened by: **A. Torrance**

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: **n/a**

2. COC Attached? **n/a** Properly Completed? **n/a** Signed by AE employee? **n/a**

Small Temp. Blank: **n/a** (temp in Celsius)  
Large Temp. Blank: **n/a** (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: **Sitka**

2. COC Attached? **yes** Properly Completed? **yes** Signed by AE employee? **yes**

3. Airbill attached? **yes** Airbill #: **4835455**

4. Custody Seals? **yes**

5. Seals intact? **yes**

Temp. Blank: **4.35** (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: **10** Packing type: **cooler**

Number of Bottles Received: **10**

1. Samples in proper bags? **yes**

2. Bottles intact? **yes**

3. Sufficient sample volume? **yes**

4. Labels agree with COC? **yes**

5. Samples delivered within holding time? **yes**

6. Sample preservation checked? **n/a**

Problems encountered: **no**

Was the project manager called? **no**

COMMENTS:

Signature: \_\_\_\_\_

Date and time: 5/25/22, 14 45



**Admiralty**  
ENVIRONMENTAL

641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

---

Jeff Davis  
PO Box 923  
Talkeetna, AK 99676

June 16, 2022

**Aquatic Restoration & Research Institute – Sitka**

Date of Collection: June 7, 2022  
Sampling Location: Sitka, Alaska

**Summary**

Ten samples from the Aquatic Restoration & Research Institute were received at Admiralty Environmental, Juneau, AK on June 7, 2022.

The samples were analyzed for fecal coliform and enterococci bacteria. All laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

Diana Cote  
Admiralty Environmental



## Aquatic Restoration and Research Institute

Sitka

June 7, 2022

Sitka, AK

## Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 29240

Sample Location	Date & Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
SI 10	6/7/2022;07:00	< 2	10
SI 09	6/7/2022;07:05	< 2	< 10
SI 08	6/7/2022;07:10	< 2	10
SI 07	6/7/2022;07:15	< 2	< 10
SI 06	6/7/2022;07:25	< 2	< 10
SI 05	6/7/2022;07:30	< 2	< 10
SI 04	6/7/2022;07:40	< 2	< 10
SI 03	6/7/2022;07:35	< 2	< 10
SI 02	6/7/2022;07:45	< 2	< 10
SI 01	6/7/2022;07:50	3.0	10

### Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met
FC	<2.0	---	---	---	6/7/2022; 14:55	Yes
Enterococci	---	---	---	---	6/7/2022; 14:57	Yes

### Analysis Description:

Analysis	Method	MDL	PQL	Unit
FC	SM 9222D	1.0	2.0	FC/100ml
Enterococci	ASTM D6503-99	1.0	10	MPN/100mg/L

### Case Narrative:

All sample analysis QA/QC parameters were met for this event.

### Key:

FC	Fecal Coliform
Enterococci	Enterococci
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
 CTO, Admiralty Environmental  
 dwetzel@admiraltyenv.com



Admiralty Environmental  
 641 W. Willoughby Ave, Suite 301  
 Juneau, AK 99801  
 (907) 463-4415

CHAIN OF CUSTODY/TRANSMITTAL RECORD  
 PAGE 1 of 1

PROJECT NAME: <b>Aquatic Restoration and Research Institute</b>				Project: Sitka				29240 AE <u>29252</u> NH							
REPORT TO: Jeff Davis arri@arrialaska.org			PHONE#:			# OF BOTTLES			Fecal Coliform			Enterococci MPN			
ADDRESS: PO Box 923 Talkeetna, AK 99676			SAMPLED BY:												
COMMENTS:												FIELD RESULTS			
DATE	TIME	SITE DESCRIPTION / IDENTIFIER			MATRIX	#	F	C	E	C	M	P	pH	Temp	D.O.
6/7/22	0700	SI 10			H <sub>2</sub> O	1	1	1							
	0705	SI 09			H <sub>2</sub> O	1	1	1							
	0710	SI 08			H <sub>2</sub> O	1	1	1							
	0715	SI 07			H <sub>2</sub> O	1	1	1							
	0725	SI 06			H <sub>2</sub> O	1	1	1							
	0730	SI 05			H <sub>2</sub> O	1	1	1							
	0740	SI 04			H <sub>2</sub> O	1	1	1							
	0755	SI 03			H <sub>2</sub> O	1	1	1							
	0745	SI 02			H <sub>2</sub> O	1	1	1							
	0750	SI 01			H <sub>2</sub> O	1	1	1							
RELINQUISHED BY:				RECEIVED BY:				RECEIVED BY:							
Signature: <i>[Signature]</i>				Signature: <i>[Signature]</i>				Signature: _____							
Printed Name: Aaron Ross				Printed Name: Nora Harper				Printed Name: _____							
Date: 6/7/22				Date: 6/7/22				Date: _____							
Time: 0830				Time: 1345				Time: _____							
Section to Be Completed by Receiving Laboratory:															
Temp °C: 6.85															
Thermo ID#: Lab #7															
Condition of Custody Seals: <input checked="" type="checkbox"/>															
Initiated By: NH															
Shipped Via: Seaplanes															



# Admiralty Environmental Cooler Receipt Form

Lab: Admiralty Environmental, LLC  
Client: ARRI

AE# AE 29240

Date Opened: 6/7/2022 Opened by: N. Harper

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: n/a

2. COC Attached? n/a Properly Completed? n/a Signed by AE employee? n/a

Small Temp. Blank: n/a (temp in Celsius)  
Large Temp. Blank: n/a (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: Sitka

2. COC Attached? yes Properly Completed? yes Signed by AE employee? yes

3. Airbill attached? yes Airbill #: 4870632

4. Custody Seals? yes

5. Seals intact? yes

Temp. Blank: 6.85 (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: 10 Packing type: cooler

Number of Bottles Received: 10

1. Samples in proper bags? yes

2. Bottles intact? yes

3. Sufficient sample volume? yes

4. Labels agree with COC? yes

5. Samples delivered within holding time? yes

6. Sample preservation checked? n/a

Problems encountered: no

Was the project manager called? no

COMMENTS:

Signature: N. Harper

Date and time: 6/7/22; 1345