

Wood Stoves Meeting Proposed Standard

| Manufacturer Name | Model Name | Emission Rate (g/hr) | Heat Output (Btu/hr) | Type ¹ |
|-------------------------------------------------------|----------------------------------------------------|----------------------|----------------------|-------------------|
| Appalachian Stove & Fabricators, Inc. | Model 32-BW | 2.5 | 10,400-24,500 | C |
| Archgard Industries, Lid. | Optima PS1 | 0.87 | 10,196-29,581 | NC |
| Avalon by Travis Industries, Inc. | Arbor | 2.4 | 10,700-33,900 | NC |
| Avalon by Travis Industries, Inc. | Avalon Spokane 1750 I | 1.94 | 9,300-42,200 | NC |
| Avalon by Travis Industries, Inc. | Rainier Insert | 2 | 11,200-40,000 | NC |
| Blaze King Industries, Inc. | Chinook/ Scirrocco/Ashford 20 | 1.3 | 11,400-22,700 | C |
| Blaze King Industries, Inc. | Chinook/ Scirrocco/Ashford 30 | 0.97 | 11,200-27,280 | NC |
| Blaze King Industries, Inc. | Heat Pro C210 | 2.1 | 10,700-43,300 | C |
| Blaze King Industries, Inc. | King Catalytic Insert KEI-1300 | 2.2 | 10,100-34,500 | C |
| Blaze King Industries, Inc. | King Catalytic KEJ-1101 | 1.9 | 9,000-35,300 | C |
| Blaze King Industries, Inc. | King KEJ 1107 | 1.76 | 9,100-39,800 | C |
| Blaze King Industries, Inc. | King PEJ 1003 | 2.4 | 10,300-41,600 | C |
| Blaze King Industries, Inc. | Princess Insert Model PI 1010A | 2 | 7,200-29,500 | C |
| Blaze King Industries, Inc. | Princess PEJ 1006 | 2.4 | 12,000-35,600 | C |
| Blaze King Industries, Inc. | Royal Heir RHT-2200. 2250 | 2.5 | 7,700-31,100 | C |
| Country Stoves, Inc./ Lennox Hearth Products | Striker S160 and C160 | 1.6 | 12,500-41,200 | NC |
| England's Stove Works, Inc. | 13-NCMH, 50-SNC13, | 2.35 | 11,579-32,017 | NC |
| England's Stove Works, Inc. | 30-NC, 50-TNC30L, 50-TNC30G | 1.63 | 11,950-28,337 | NC |
| England's Stove Works, Inc. | Englander Freestanding Radiant 24FC | 2.4 | 7,200-35,600 | C |
| England's Stove Works, Inc. | Englander Front Loading Fireplace 28IC | 2.5 | 8,200-24,400 | C |
| England's Stove Works, Inc. | Model 18 PC | 2.2 | 8,700-26,400 | C |
| England's Stove Works, Inc. | Model 18M-H | 2 | 7,800-26,900 | C |
| England's Stove Works, Inc. | Summers Heat Model 50-SHW20, Englander Model 24JC | 2.1 | 7,200-28,600 | C |
| England's Stove Works, Inc. | Summers Heat Model 50-SHW25, Englander Model 24ICD | 2.4 | 5,400-17,400 | C |
| Fireplace Products International Limited | F5100 | 1.46 | 11,738-41,982 | C |
| Fireplace Xtrodinair (FPX) by Travis Industries, Inc. | 36 Elite | 2.3 | 11,900-47,100 | C |
| Fireplace Xtrodinair (FPX) by Travis Industries, Inc. | 44 Elite | 2.5 | 11,000-45,300 | C |
| Foundries du Lion S.A. | Efel Symphony 390.74 | 1.8 | 10,700-33,000 | C |

¹ C = Catalytic, NC = Non-catalytic



Alaska Department of Environmental Conservation

Division of Air Quality

| Manufacturer Name | Model Name | Emission Rate (g/hr) | Heat Output (Btu/hr) | Type ¹ |
|-------------------------------------------------|-----------------------------------------------|----------------------|----------------------|-------------------|
| Harman Stove Company | Model Exception TL300 | 1.1 | 11,238-34,921 | NC |
| Harman Stove Company | Oakwood | 2.3 | 10,900-30,500 | NC |
| Hearth and Home Technologies | 2100 ACC | 2.1 | 12,000-28,000 | NC |
| Hearth and Home Technologies | 4300ACC | 1.1 | 11,842-38,305 | NC |
| Hearth and Home Technologies | Quadra Fire 2100 Millinnium & 2100 ACT | 2 | 10900-37200 | NC |
| Hearth and Home Technologies | Quadra Fire 4300 ACT | 1.2 | 11,900-58,500 | NC |
| Hearth and Home Technologies | Quadra Fire 5700 ACC | 2.3 | 11,17-40,359 | NC |
| Hearth and Home Technologies | Quadra-Fire 1900 | 2.2 | 11,500-32,200 | NC |
| Hearth and Home Technologies | Quadra-Fire 3100 ACC | 1.1 | 11,900-43,200 | NC |
| Hearth and Home Technologies | Quadra-Fire 3100 ACT & 3100I ACT | 1.3 | 11,400-46,900 | NC |
| Hearth and Home Technologies | Quadra-Fire 3100F, 3100 I | 2.1 | 11,900-43,200 | NC |
| Hearth and Home Technologies | Quadra-Fire 4300 | 2.1 | 11,900-39,900 | NC |
| Hearth and Home Technologies | Quadra-Fire 5100 I ACT B | 2 | 11,900-50,600 | NC |
| Hearth and Home Technologies | Quadra-Fire Cape Cod | 2.2 | 11,500-43,000 | NC |
| Hearthstone Quality Home Heating Products, Inc. | Heritage | 2.3 | 10,700-29,400 | NC |
| Hearthstone Quality Home Heating Products, Inc. | Homestead 8570 | 1.9 | 10,500-33,600 | NC |
| Hearthstone Quality Home Heating Products, Inc. | Phoenix 8612 | 2.4 | 10,500-41,500 | NC |
| Hearthstone Quality Home Heating Products, Inc. | Shelburne Model 8370, 8371 | 2.1 | 11,800-32,400 | NC |
| High Sierra Stoves, Ltd. | Ambassador 4700TE | 2.5 | 10,100-37,600 | C |
| High Sierra Stoves, Ltd. | Evolution 8000TE | 2.2 | 7,900-40,500 | C |
| Hussong Manufacturin Company, Inc.(Kozy Heat) | Olivia, Model Number OVL-PC | 2.5 | 8,100-21,400 | NC |
| Jotul North America (Jotul U.S.A., Inc.) | F45 | 2.31 | 11,576-26,528 | NC |
| Jotul North America (Jotul U.S.A., Inc.) | Firelight 12 | 2.4 | 10,500-32,100 | C |
| Krog Iversen & Co. A/S | Basic 1 & 3 | 2.17 | 10,032-17,906 | NC |
| Krog Iversen & Co. A/S | Basic 4 | 2.2 | 10000-22100 | NC |
| Krog Iversen & Co. A/S | DSA 4 | 1.1 | 10,500-27,900 | NC |
| Kuma Stove And Iron Works | Model Kuma 100/300/400 | 2.2 | 10,100-52,100 | C |
| Lennox Hearth Products | Bayview II, 2000C,BV4000C, BV4000C-2 | 1.9 | 6,600-40,900 | C |
| LOPI by Travis Industries, Inc. | Leyden | 2.4 | 10,700-33,900 | NC |
| LOPI by Travis Industries, Inc. | Republic 1750, Endeavor Insert, Revere Insert | 1.94 | 9,300-42,200 | NC |



Alaska Department of Environmental Conservation

Division of Air Quality

| Manufacturer Name | Model Name | Emission Rate (g/hr) | Heat Output (Btu/hr) | Type ¹ |
|-----------------------------------|--------------------------------------------------|----------------------|----------------------|-------------------|
| Monessan Hearth Systems | Century/Dutchmaster FW and CDW | 1 | 11,800-32,300 | NC |
| Monessan Hearth Systems | Defiant 1975 | 2.3 | 9,600-26,600 | NC |
| New Buck Corp. (Buck Stove Corp.) | 50PCV, 50PBay, 50CV, 50CBay, 50CD, 50BCV, 50BBay | 2.5 | 10,100-38,000 | C |
| New Buck Corp. (Buck Stove Corp.) | Buck Bay Model 91 | 1.2 | 8,800-51,200 | C |
| New Buck Corp. (Buck Stove Corp.) | Buck Master | 2.1 | 10,800-49,800 | C |
| New Buck Corp. (Buck Stove Corp.) | New Buck/Carolina Model 17 | 1.2 | 8,100-27,900 | C |
| NU-TEC/Upland Distributors, Inc. | Brenden BR-60 | 1.43 | 11,000-29,400 | C |
| NYSERDA | XEOOS | 2.4 | 11,519-27,432 | NC |
| Rais A/S | Gabo Pina Vola | 2.1 | 12,000-26,700 | NC |
| Russo Products, Inc. | GV-30S | 2.5 | 9,500-38,700 | C |
| Russo Products, Inc. | W-25C | 2.4 | 8,400-31,300 | C |
| Salvo Machinery, Inc. | Model Citation | 2.4 | 9,600-33,500 | C |
| Sherwood Industries, Ltd. | Mini | 1.6 | 8,378-23,488 | NC |
| StoveBuilder International, Inc. | Eurostar, Osburn 5000 | 2.18 | 10,301-30,456 | NC |
| Travis Industries, Inc. | Avalon Rainier 90/Rainier 45 | 2 | 11,200-40,000 | NC |
| Travis Industries, Inc. | Avalon Spokane 1750 380-NT & X-NT | 1.94 | 93,00-42,200 | NC |
| Travis Industries, Inc. | Cape Cod | 0.45 | 10,749-39,413 | C |
| Travis Industries, Inc. | Fireplace Xtordinaire 44 Elite | 2.5 | 11,000-45,300 | C |
| Travis Industries, Inc. | Fireplace Xtordinaire Elite 36 Z.C. & B.I. | 2.3 | 11,900-47,100 | C |
| Travis Industries, Inc. | Flush Wood | 2.45 | 12,084-29,605 | NC |
| Travis Industries, Inc. | Leyden and Avalon Arbor | 2.4 | 10,700-33,900 | NC |
| Travis Industries, Inc. | LG Flushwood Insert Hybrid - Fyre | 0.58 | 8,544-35,278 | C |
| Travis Industries, Inc. | Lopi Endeavor, Lopi Revere , Lopi Republic 1750, | 1.94 | 9,300-42,200 | NC |
| Travis Industries, Inc. | Model 44-A BI and Z.C. | 2.3 | 10,700-75,700 | C |
| Travis Industries, Inc. | Small Flush Wood Hybrid Fyre | 0.89 | 9,784-31,428 | C |
| United States Stove Company | 2400 | 1.13 | 7,315-14,033 | NC |
| United States Stove Company | 3000 (AFS7500), SW4100, 3000 FT | 1.9 | 11,624-38,140 | NC |
| United States Stove Company | Ashley AHS2, AHS2B; King KHS2 | 1.9 | 13,700-34,300 | C |
| United States Stove Company | Ashley CAHF-2, Atlanta ACF-2, King MCF-2 | 1.6 | 12,800-38,900 | C |
| United States Stove Company | Breckwell W3000FS/W3000I | 2.3 | 11,600-33,700 | NC |
| Vermont Castings | Defiant 1975 | 1.1 | 11,400-34,065 | C |
| Vermont Castings | Dutchwest 2477 | 1.4 | 7,800-25,100 | NC |
| Vermont Castings | Encore 2040 | 1.6 | 9,975-33,963 | NC |



Alaska Department of Environmental Conservation

Division of Air Quality

| Manufacturer Name | Model Name | Emission Rate (g/hr) | Heat Output (Btu/hr) | Type ¹ |
|-----------------------------------|-------------------------------------------------------------|----------------------|----------------------|-------------------|
| Vermont Castings | Savannah SSW30FTAL, SSW30FTAPB, SSW30STAL, SSW30STAPB | 2.5 | 11,600-30,600 | NC |
| Vermont Castings | Savannah SSW30FTPB | 2.5 | 11,600-30,600 | C |
| Vermont Castings/ CFM Corporation | 2370 | 1 | 5,700-18,300 | C |
| Vermont Castings/ CFM Corporation | C.D. Lg. Fed. Convection Heater FA264CCL, FA264CCR | 1.6 | 6,600-26,700 | C |
| Vermont Castings/ CFM Corporation | Century/Dutchmaster FW and CDW | 1 | 11,800-32,300 | NC |
| Vermont Castings/ CFM Corporation | Defiant 1910 & 1945 | 0.8 | 10,600-44,400 | C |
| Vermont Castings/ CFM Corporation | Defiant Encore | 0.6 | 6,200-32,900 | C |
| Vermont Castings/ CFM Corporation | Defiant Encore 2140 | 1.8 | 9,000-41,300 | C |
| Vermont Castings/ CFM Corporation | Defiant Encore 2550 (Formerly 2190) | 1.6 | 8,700-41,700 | C |
| Vermont Castings/ CFM Corporation | Dutchwest Extra Large Convection 2462 | 1.3 | 8,300-28,000 | C |
| Vermont Castings/ CFM Corporation | DutchWest Large 2479 | 1.31 | 11,300-26,500 | NC |
| Vermont Castings/ CFM Corporation | Dutchwest Large Convection Heater (Model 2461) | 1.41 | 10,700-29,500 | C |
| Vermont Castings/ CFM Corporation | DutchWest Medium 2478 | 1.5 | 10,600-25,300 | NC |
| Vermont Castings/ CFM Corporation | Dutchwest Small Convection Heater #2460 | 1.1 | 6,600-27,300 | C |
| Vermont Castings/ CFM Corporation | DutchWest Small Model 2460 | 1.41 | 7,800-25,100 | NC |
| Vermont Castings/ CFM Corporation | Encore 1450 N/C | 0.7 | 10,600-24,050 | NC |
| Vermont Castings/ CFM Corporation | FA264 | 2.2 | 9500-31700 | C |
| Vermont Castings/ CFM Corporation | FA455 | 1.3 | 10,400-26,500 | C |
| Vermont Castings/ CFM Corporation | Intrepid II Model 1990 | 2.1 | 8,300-26,700 | C |
| Vermont Castings/ CFM Corporation | Intrepid II Model 2070 | 2.4 | 9,200-19,300 | C |
| Vermont Castings/ CFM Corporation | Model 2170 | 2.1 | 9,400-22,800 | C |
| Vermont Castings/ CFM Corporation | Model EWF 36A | 2.4 | 11,300-75,500 | C |
| Vermont Castings/ CFM Corporation | WinterWarm Fireplace Insert Model 1280 | 2.1 | 10,300-30,000 | C |
| Vermont Castings/ CFM Corporation | WinterWarm Small Insert Model 2080 | 2.1 | 8,700-31,100 | C |
| Wittus Fire By Design | XEOOS Twinfire | 2.4 | 11,519-27,432 | NC |
| Woodstock Soapstone Company, Inc. | Catalytic Fireview Soapstone Stove #205 | 1.35 | 10,900-42,900 | C |
| Woodstock Soapstone Company, Inc. | Paladian Model 202, Paladian Model 203 & Keystone Model 204 | 1.9 | 8,500-35,000 | C |
| Woodstock Soapstone Company, Inc. | Progress Hybrid Soapstone Stove #209 | 1.33 | 12,538-73,171 | CH |

