5.5. PM2.5 NETWORK AND MONITORING PROGRAM

Air quality monitoring data are used to determine compliance with the NAAQS. It is important to monitor and compare ambient air quality concentrations to modeled emission projections to determine if the projections are reasonable and credible. Section 110(a)(2)(B) of the CAAA (42 U.S.C. 7410(a)(2)(b)) requires that each implementation plan submitted to EPA provide for the establishment and operation of "appropriate devices, methods, systems, and procedures necessary to monitor, compile, and analyze data on ambient are quality." Details of the ADEC PM 2.5 Network and Monitoring Program and be found in the Appendix III.D.5.5.

The Fairbanks North Star Borough (FNSB) Air Program operates and manages five monitoring stations located within the Northern Alaska Air Quality Control Region: one State and Local Air Monitoring Site (SLAMS) for carbon monoxide (CO), one SLAMS site for PM_{2.5}, one Speciation Trend Network (STN) site, one multi pollutant Ncore site and one Special Purpose Monitoring (SPM) sites for PM_{2.5}. Both, the SLAMS and STN sites are located at the Fairbanks State Office Building. Figure 5.5-1 is a map showing the entire Fairbanks and North Pole area. The red dots indicate the locations of the monitoring sites. The locations of the monitoring network are described in the table below.

<u>PM</u> 2.5									
<u>Site Name</u>	Location	AQS ID	Designation	Install Date	<u>Scale</u>				
State Office	Fairbanks	02-090-0010	SLAMS	Oct, 1998	neighborhood				
Building			STN	Mar, 2005	neighborhood				
NCore	Fairbanks	02-090-0034	NCore	Oct, 2009	neighborhood				
North Pole	North Pole	not available	SPM	Mar, 2012	neighborhood				
Fire									
<u>CO</u>									
<u>Site Name</u>	Location	AQS ID	Designation	Install Date	<u>Scale</u>				
Old Post	Fairbanks	02-090-0002	SLAMS	Jan, 1972	micro				
Office									

Table 5.5-1 SLAMS	and SPM si	ites in the F	airbanks N	orth Star I	Sorough
	and of M St	tues in the r	an banks 1	or in Star	Joi ougn

<u>The Old Post Office site</u> is located at 250 Cushman Street, in the middle of central business district and at one of the busiest intersections in downtown Fairbanks. This site is equipped with a CO

III.D.5.5-1

(SLAMS) monitor and the dominant source of CO for this site is automobile exhaust. There are some small family dwellings in the area, but land use is predominantly business. The Alaska Railroad industrial area and Aurora Energy coal fired power plants are both located within one mile of the site. Coal fired power plants operated by the University of Alaska, Fairbanks and Fort Wainwright Army Post are located within five miles of this site. CO is also measured at the NCore site. If a viable correlation can be established between both CO sites, the Old Post office site might be shut down, as CO levels are generally low.

<u>The State Office Building</u> site at 675 Seventh Ave is located in the middle of the central business district. Fine particulate matter sources for this site change season to season. During the winter months, the primary sources are home heating, vehicle exhaust and wood smoke, while during the summer, the main source is from wildland fire smoke. This site is equipped with a Federal Reference Monitor (FRM) for PM_{2.5} (SLAMS), and the PM_{2.5} speciation monitors (STN). Both filter based samplers are set to the national 1 in 3 day sampling schedule.

The NCORE site is located at 809 Pioneer Road. The site is located approximately 35 meters north of the Chena River near the Fairbanks North Star Borough building and within one mile of numerous road systems. ADEC chose this site for multi pollutant monitoring since Fairbanks is dealing with the most significant air quality impacts in the state. This is a neighborhood-scale population orientated site. The site is equipped with FRM PM₁₀ and PM_{2.5} (SLAMS), continuous PM₁₀ and PM_{2.5}, PM_{10-2.5} (SPM), speciated PM_{2.5} (SPM) monitors, hourly CO (SLAMS quality), SO₂ (SLAMS quality), total reactive nitrogen (NO_y), and ozone (O₃) (SLAMS),surface meteorology for wind speed/direction, ambient temperature, relative humidity (RH) and barometric pressure. While the site houses continuous PM_{2.5} analyzers that should be capable of measuring "FRM-like" data, the samplers do not meet EPA performance requirements as Class III Federal Equivalence method (FEM) and are not used for regulatory purposes. The data therefore are only used for trend analyses, supporting documentation and air quality advisories.

<u>North Pole Fire Station</u> site is located on the west side of North Pole Fire Station #3 at 3288 Hurst Road in the middle of a residential area. This site houses a FRM $PM_{2.5}$ sampler operating on the national 1 in 3 day sampling schedule. As with the NCore site, a continuous $PM_{2.5}$ analyzer (non

III.D.5.5-2

FEM) is also located at the site, which is used for air quality advisories. The dominant source of $PM_{2.5}$ for this site changes from season to season. The source contribution to winter time $PM_{2.5}$ is still being studied. Wood smoke from home heating is currently considered one of the major sources. During the summer months, the main source is wildland fire smoke.

The monitoring network is operated 24 hours each day. Two types of PM_{2.5} monitors are installed in Fairbanks area, Met-One Beta Attenuation Monitors (BAM 1020) provides information in real time for evaluating the air quality index and Thermo Electron Inc. Partisol 2000 samplers follow the national 1-in-3 day sampling schedule. The filters from the Partisol 2000 samplers are sent to the ADEC laboratory for gravimetric analysis and the data are reduced to produce the 24-hour average particulate concentrations. The continuous data from BAM 1020 monitors are uploaded to a central computer every day of the week. PM_{2.5} monitoring is conducted following requirements established in federal regulations, EPA guidance and instrument manufacturer recommendations.



Pole Elementary

