THE STATE of ALASKA
GOVERNOR BILL WALKER

Department of Environmental Conservation
DIVISION OF WATER
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501-2617
Main: 907.269.6285
Fax: 907.334.2415
www.dec.alaska.gov/water/wwdp

June 29, 2017

Kodiak Soil and Water Conservation District (KWSCD)
Attention: Blythe Brown, Programs Coordinator
518 West Marine Way, Suite 206
Kodiak, AK 99615

Re: AKG870018: Buskin River Watershed, KWSCD

Dear Ms. Brown:

The Alaska Department of Environmental Conservation (DEC) has completed its review of your AKG870000 Pesticide General Permit (PGP) Notice of Intent (NOI) and is issuing the following authorization number: **AKG870018**. The wastewater discharge is authorized in accordance with the terms of the general permit and any site specific requirements in this authorization for the following pest management areas identified in the NOI:

Pest Management Area: 1 of 1, Kodiak Archipelago Cooperative Weed Management Area, waters within the boundaries of the Buskin River watershed
Pesticide Use Patterns:

☐ Mosquito and Other Flying Insect Pest Control ☐ Animal Pest Control
☒ Weed and Algae Pest Control ☐ Forest Canopy Pest Control

	Pesticide Products	
Pest(s) to be controlled:	**Product Name:**	**EPA Registration Number:**
Reed Canarygrass	Aquamaster	524-343

An electronic copy of the PGP is available at http://dec.alaska.gov/water/wnpspc/stormwater/docs/AKG870000_2017_PGP.pdf and a copy of this authorization letter is posted to the DEC water permit search website http://dec.alaska.gov/Applications/Water/WaterPermitSearch/Search.aspx.

The authorization effective date is 6/29/2017

The authorization to discharge expires upon submittal of a Notice of Termination, see Permit Part 1.2.6.

The permittee is reminded of the following permit requirements:

- Technology-Based Effluent Limitations, Part 2.2, Decision-makers' Responsibilities for All Decision-makers
- Technology-Based Effluent Limitations, Part 2.2, Decision-makers' Responsibilities for Decision-makers Required to Submit NOIs
- Water Quality, Part 3
- Monitoring, Part 4
- Corrective Action, Part 6
- Recordkeeping, Parts 7.1, 7.3, and 7.5
- Standard Permit Conditions, Permit Appendix A

If you are self-applying a pesticide, your requirements also include:

- Technology-Based Effluent Limitations, Part 2.1 Applicators' Responsibilities

---

A copy of the PGP AKG870000 and this authorization must be kept at the address provided in the NOI. This authorization does not relieve the permittee from other local, state, or federal government permitting requirements.

If you have any questions regarding the above, please contact me at 907-334-2288 or via email at James.Rypkema@alaska.gov.

Sincerely,

James Rypkema
Section Manager, Storm Water and Wetlands

Enclosure: Pesticide Discharge map (if provided in NOI).

cc: w/enclosure (email)
Annie Looman, KSWCD