THE STATE of ALASKA
GOVERNOR MIKE DUNLEAVY

Department of Environmental Conservation
DIVISION OF WATER
Wastewater Discharge Authorization Program

555 Cordova Street
Anchorage, Alaska 99501-2617
Main: 907.269.6285
Fax: 907.334.2415
www.dec.alaska.gov/water/wwdp

February 26, 2019

Alaska Department of Transportation and Public Facilities, Ted Stevens Anchorage International Airport (ADOT&PF – AIA), Attention: Jim Szczesniak, Airport Manager
P.O. Box 196960
Anchorage, AK 99517

Re: AKG870023: ADOT&PF/AIA – Lake Hood/Lake Spenard Weed/Algae Pesticide Application

Dear Mr. Szczesniak:

The Alaska Department of Environmental Conservation (DEC) has completed its review of your AKG870000 Pesticide General Permit (PGP) Notice of Intent (NOI) and is issuing the following authorization number: **AKG870023**. The wastewater discharge is authorized in accordance with the terms of the general permit and any site specific requirements in this authorization for the following pest management areas identified in the NOI:

Pest Management Area: Lake Hood/Lake Spenard – Anchorage International Airport
Pesticide Use Patterns:

☐ Mosquito and Other Flying Insect Pest Control
☒ Weed and Algae Pest Control
☐ Animal Pest Control
☐ Forest Canopy Pest Control

Pest(s) to be controlled:	Pesticide Products	
	Product Name:	EPA Registration Number:
Nuisance Aquatic Vegetation	Diquat (Littora)	EPA 67690-53
Elodea	SonarGenesis (Fluridone)	EPA 67690-54
Elodea	SonarOne	EPA 67690-45

An electronic copy of the PGP is available at http://dec.alaska.gov/water/wnpspc/stormwater/docs/AKG870000_2017_PGP.pdf and a copy of this authorization letter is posted to the DEC water permit search website http://dec.alaska.gov/Applications/Water/WaterPermitSearch/Search.aspx.

The authorization effective date is 2/26/19

The authorization to discharge expires upon submittal of a Notice of Termination, see Permit Part 1.2.6.

The permittee is reminded of the following permit requirements: Technology-Based Effluent Limitations, Part 2.2, Decision-makers' Responsibilities for All Decision-makers

- Technology-Based Effluent Limitations, Part 2.2, Decision-makers' Responsibilities for Decision-makers Required to Submit NOIs
- Water Quality, Part 3
- Monitoring, Part 4
- Pesticide Discharge Management Plan, Part 5
- Corrective Action, Part 6
- Recordkeeping, Parts 7.1, 7.4, and 7.5
- Annual Report, Part 7.6

- Standard Permit Conditions, Permit Appendix A

If you are self-applying a pesticide, your requirements also include:

- Technology-Based Effluent Limitations, Part 2.1 Applicators' Responsibilities

---

A copy of the PGP AKG870000 and this authorization must be kept at the address provided in the NOI. This authorization does not relieve the permittee from other local, state, or federal government permitting requirements.

If you have any questions regarding the above, please contact me at 907-334-2288 or via email at James.Rypkema@alaska.gov.

Sincerely,

James Rypkema
Section Manager, Storm Water and Wetlands

Enclosure: Pesticide Discharge map (if provided in NOI).

cc: w/enclosure (email)
Kenton Curtis, ADOT&PF – AIA
Brienna Demeris, ADOT&PF - AIA