

ALASKA DEPARTMENT OF ENVIRONMENTAL CONSERVATION

**Division of Air Quality
AIR QUALITY ADVISORY
Central and Eastern Alaska #2021-F2
Thursday, July 1, 2021**

LOCATION(S) IMPACTED: The Tanana Valley and Yukon Flats region will be experiencing degraded air quality due to wildfire smoke from the Dry Creek and Munson Creek fires.

VALID TIME: Thursday, July 1, 2021 5:00 PM to Saturday, July 3, 2021 5:00 PM, advisory will be issued until end of the event.

TIME/DATE OF THE NEXT REPORT: Saturday, July 3, 5:00 PM, if needed.

ADVISORY: This morning's smoke from the Munson Creek fire settled into the Chena River valley, with the help of light east winds, and drained into the FSNB area. We are expecting increased fire/smoke activity on both the Munson Creek and Dry Creek fires the next few days with the hotter/dryer temperatures. We will see east winds again tonight in the region, the Munson Creek smoke has a high probability of draining into the Tanana Valley /FNSB area tomorrow morning. As winds shift to a more southwest component Friday afternoon smoke from the Dry Creek fire push into the area trapped under low level clouds. The Munson Creek smoke will then begin to move into the Yukon Flats in the morning hours and lift during the afternoon hours and migrate over the border into Canada. Air Quality will vary between **GOOD** and **UNHEALTHY** depending on wind flow and proximity to the fires. **See the table below for more guidance on the Air Quality Categories and Cautionary Statements.**

Be aware that areas immediately downwind of any fire will experience **HAZARDOUS** levels of smoke. Generally, worse conditions occur overnight and during the early morning hours, as the atmosphere cools and brings smoke to the surface. During the day, surface heating will mix smoke and carry it upwards, temporarily improving air quality.

SMOKE AND PUBLIC IMPACT: This is an area forecast, and as such is a general forecast for portions of Southwestern Interior Alaska. Smoke intensity will vary depending on precise location and local wind flow patterns. Smoke concentrations will be such that they could impact public health at times. It is advised that travelers check local weather as smoke conditions may vary considerably from one locality to the next. The most recent weather observations may be found on National Weather Service's homepage at <http://pafc.arh.noaa.gov/obs.php>.

In smoke impacted areas, DEC advises people with respiratory or heart disease, the elderly and children should avoid prolonged exertion; everyone else should limit prolonged exertion.

The following table contains the cautionary statements for the Air Quality for Particle Pollution.

Air Quality Category	Cautionary Statements
Good	None
Moderate	Unusually sensitive people should consider reducing prolonged or heavy exertion.
Unhealthy for Sensitive Groups	People with heart or lung disease, the elderly and children should reduce prolonged or heavy exertion.
Unhealthy	People with respiratory or heart disease, the elderly and children should avoid prolonged exertion; everyone else should limit prolonged exertion
Very Unhealthy	People with respiratory or heart disease, the elderly and children should avoid any outdoor activity; everyone else should avoid prolonged exertion
Hazardous	Everyone should avoid any outdoor exertion; people with respiratory or heart disease, the elderly and children should remain indoors

When air quality data is unavailable, the following **Air Quality Smoke Reference Guide** may be used to estimate air quality levels and potential health impacts:

Visibility	Air Quality
10+ miles	Good
6 - 9 miles	Moderate
3 - 5 miles	Unhealthy for sensitive
1.5 - 2.5 miles	groups
0.9 - 1.4 miles	Unhealthy
0.8 miles or less	Very Unhealthy
	Hazardous

FOR MORE INFORMATION: For information on this advisory, contact Mark Smith with the Division of Air Quality at 907-269-7676.

