



THE STATE  
of **ALASKA**  
GOVERNOR BILL WALKER

## Department of Environmental Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated Sites Program

410 Willoughby Ave., Suite 303  
P.O. Box 111800  
Juneau, Alaska 99811-1800  
Main: 907.465.5390  
Fax: 907.465.5218  
[www.dec.alaska.gov](http://www.dec.alaska.gov)

File No: 330.38.120

January 2, 2015

Certified Mail Return Receipt Requested  
Article No. 7014 1200 0000 7457 8518

Alyeska Pipeline Service Company  
Attn: Jan Shifflet  
Mail Stop 507  
PO Box 196660  
Anchorage, AK 99519-6660

Re: Institutional Controls verification for Alyeska PS 05 Turbine Fuel Spill

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified Alyeska PS 05 Turbine Fuel Spill as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, **this letter is being sent as a reminder** of the conditions placed on the property as part of the 2009 Record of Decision granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination is from a 2009 leak of turbine fuel from the Solar™ generator enclosure.

The 2009 determination is subject to the following site-specific conditions and/or controls:

1. Any future change in land use may impact the exposure assumptions cited in the 2009 Record of Decision document. If land use and/or ownership changes, current ICs may not be protective and ADEC may require additional remediation and/or ICs. Therefore the Alyeska Pipeline Services Company shall report to ADEC every five years to document land use, or report as soon as Alyeska Pipeline Services Company becomes aware of any change in land ownership and/or use, if earlier. The report can be sent to the local ADEC office or electronically to [DEC.ICUnit@alaska.gov](mailto:DEC.ICUnit@alaska.gov).
2. Any proposal to transport soil or groundwater off site requires ADEC approval in accordance with 18 AAC 75.325 (i). A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership.

January 2, 2015

3. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited.
4. Soil contamination is remaining under the generator shed. When the building is removed and/or the soil becomes accessible, the soil must be evaluated and contamination addressed in accordance with an ADEC approved work plan.

In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available at ADEC's online database record at: [http://dec.alaska.gov/Applications/SPAR/CCReports/Site\\_Report.aspx?Hazard\\_ID=25440](http://dec.alaska.gov/Applications/SPAR/CCReports/Site_Report.aspx?Hazard_ID=25440)

If you have any questions regarding this site, please contact me at (907) 465-5229 or [evonne.reese@alaska.gov](mailto:evonne.reese@alaska.gov) and I will be glad to assist you.

Sincerely,



for

Evonne Reese  
Environmental Program Specialist  
Institutional Control Unit

Encl: 2009 Record of Decision