


TAM-85-JAR LAYER: DN=4 OFF-REF# I:_2006\451\45175\001\002\45175\001.dwg
 PROJECTNAME: IMAGES: XREFS: PENTABLE: P: FULL.CTB PRINTED: 9/29/2006 4:42 PM BY: JAR



B-110			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	1.8	<0.4	--
DRO	7.2	4.9	<5.2
RRO	<4.1	<4.1	11
BENZ	<0.005	<0.004	--

B-109			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	4,700	7,300	1,000
DRO	3,400	6,000	1,500
RRO	<410	<1,100	<430
BENZ	2.2	7	1.3

B-112			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	<7.7	2.8	7.4
DRO	160	190	64
RRO	110	84	14
BENZ	<0.08	0.004	<0.02

B-115			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	<0.4	<0.4	<3.5
DRO	5.2	4.7	<5.1
RRO	13	16	7.6
BENZ	<0.004	<0.005	<0.03

B-108			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	15	95	980
DRO	830	830	1,500
RRO	<110	<41	<450
BENZ	0.02	0.05	0.6

B-114			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	<0.4	<0.5	0.9
DRO	23	<4.2	<5.1
RRO	19	<4.2	11
BENZ	<0.004	<0.005	<0.004

B-107			
DATE	8/1/06		
DEPTH	1-3 FT	3-5 FT	
GRO	1.7	2.4	
DRO	<4.1	42	
RRO	5.2	39	
BENZ	0.009	0.005	

B-113			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	0.6	0.5	--
DRO	67	63	5.4
RRO	65	88	14
BENZ	<0.004	<0.004	--

B-104			
DATE	8/1/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	1.3	170	1.1
DRO	7.9	400	<4.8
RRO	54	<20	<4.8
BENZ	0.006	0.04	<0.004

B-111			
DATE	8/3/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	<0.4	<0.4	7.1
DRO	<4.1	<4.1	<5.2
RRO	<4.1	<4.1	<5.2
BENZ	<0.004	<0.004	0.01

B-105			
DATE	8/1-2/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	3.5	2.6	0.8
DRO	620	850	<4.9
RRO	230	<43	<4.9
BENZ	0.006	0.005	0.004

B-106			
DATE	8/1-2/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	63	2,600	8.5
DRO	570	4,900	9.8
RRO	400	<2,100	<5.1
BENZ	0.1	2.3	0.01

B-103			
DATE	8/1/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	11	520	3.7
DRO	2,000	5,300	15
RRO	<420	<930	14
BENZ	<0.01	0.3	0.009

B-101			
DATE	7/31/06		
DEPTH	1-3 FT	3-5 FT	8-10 FT
GRO	<8.3	29	<0.4
DRO	130	590	<4.7
RRO	580	760	5.1
BENZ	<0.08	0.007	<0.004

B-102			
DATE	8/1/06		
DEPTH	1-3 FT	3-5 FT	6-8 FT
GRO	<8.4	580	75
DRO	170	6,600	51
RRO	590	<960	<5.0
BENZ	<0.08	<0.4	0.02

MW-11			
DATE	8/1-2/06		
DEPTH	1-3 FT	3-5 FT	10-12 FT
GRO	0.6	30	<0.4
DRO	6.9	<27	<4.8
RRO	46	210	5.4
BENZ	<0.004	0.2	0.009

- LEGEND**
- MONITORING WELL
 - ⊗ DESTROYED PIEZOMETER
 - ⊠ TEST WELL
 - ⊠ 2006 SOIL BORING

SAMPLE LOCATION	
DATE	SAMPLE DATE
DEPTH	SAMPLE DEPTH
GRO	GASOLINE RANGE ORGANICS
DRO	DIESEL RANGE ORGANICS
RRO	RESIDUAL RANGE ORGANICS
BENZ	BENZENE

RESULTS ARE REPORTED IN MILLIGRAMS PER KILOGRAM (mg/kg)

HIGHLIGHTED CONCENTRATIONS ARE GREATER THAN THE ADEC SOIL CLEANUP LEVEL FOR MIGRATION TO GROUNDWATER, UNDER 40-INCH ZONE.

-- = NOT ANALYZED



FORMER CHEVRON BULK PLANT 305154
 608 BRIDGE ACCESS ROAD, KENAI, ALASKA

**2006 SITE ASSESSMENT
 SOIL ANALYTICAL DATA**



SOURCE: Base map provided by McLANE CONSULTING INC., SOLDONTA, AK. (907) 283-4218. Map drawn full scale, map date August 8, 2006.

Table 1
Soil Boring GRO, DRO, and RRO Analytical Results

Former Chevron Bulk Plant 305154
608 Bridge Access Road
Kenai, AK

Boring	Depth below ground surface (feet)	Date Sampled	GRO	DRO	RRO	Benzene	Toluene	Ethylbenzene	Total Xylenes
ADEC Soil Cleanup Level (Migration to groundwater)			300	250	11,000	0.02	5.4	5.5	78
SB-1	2.5	05/17/05	200	230	< 41	0.1	0.1	< 0.3	4.9
SB-2	2.0	05/16/05	7.7	5.8	11	0.01	0.04	0.02	0.09
SB-3	2.0	05/17/05	0.4	19	35	< 0.004	0.006	< 0.004	< 0.01
SB-4	2.6	05/16/05	510	3,200	< 420	0.6	0.5	< 0.2	< 3.2
SB-5	2.7	05/16/05	3.2	80	20	0.007	0.01	< 0.004	< 0.05
SB-6	4.0	05/17/05	< 0.4	< 4.2	< 4.2	< 0.004	0.007	< 0.004	< 0.01
SB-7	4.0	05/17/05	< 0.5	< 4.8	< 4.8	< 0.005	0.008	< 0.005	< 0.01
SB-8	2.2	05/17/05	310	2,800	< 890	< 0.2	< 0.2	< 0.6	< 2.2
SB-8	4.0	05/17/05	290	260	< 48	< 0.2	0.5	0.4	2.7
SB-9	4.0	05/17/05	< 0.4	< 4.5	6.2	< 0.004	< 0.004	< 0.004	< 0.01
SB-10	4.0	05/17/05	< 0.4	< 4.4	24	< 0.004	< 0.004	< 0.004	< 0.01
SB-11	4.3	05/17/05	< 0.3	< 22	67	< 0.003	0.003	< 0.003	< 0.01
SB-12	4.0	05/17/05	< 0.4	< 4.3	24	< 0.004	< 0.004	< 0.004	< 0.01
SB-12	4.0D	05/17/05	< 0.3	8.5	34	< 0.003	0.003	< 0.003	< 0.01
SB-13	4.0	05/17/05	< 0.5	18	7.7	0.01	0.04	0.009	0.04
SB-14	4.3	05/16/05	< 0.5	< 4.8	< 4.8	< 0.005	0.008	< 0.005	< 0.01
SB-15	4.6	05/16/05	< 0.5	< 5.0	10	< 0.005	0.01	< 0.005	0.02
SB-16	3.6	05/16/05	< 0.5	< 4.6	11	< 0.005	0.008	< 0.005	< 0.01
SB-17	4.2	05/17/05	< 0.5	< 4.9	9.5	< 0.005	< 0.005	< 0.005	< 0.01
SB-18	4.7	05/17/05	< 0.4	< 4.2	< 4.2	< 0.003	0.008	< 0.003	< 0.01
SB-19	4.2	05/17/05	1.7	91	< 8.7	< 0.004	0.005	< 0.004	< 0.01
SB-20	4.2	05/17/05	6.7	< 4.9	< 4.9	0.009	0.8	0.2	1.9
SB-21	2.5	05/17/05	2,200	7,800	< 900	3.7	< 0.9	< 0.9	< 8.8
SB-21	4.0	05/17/05	1,200	3,600	< 480	2.5	< 0.3	< 0.2	< 6.0
SB-22	3.0	05/19/05	< 0.4	< 4.3	< 4.3	0.005	0.02	< 0.004	< 0.01
SB-22	3.0D	05/19/05	< 0.3	5.4	7.2	0.003	0.01	< 0.003	< 0.01
SB-23	3.0	05/19/05	1,200	3,700	< 420	0.6	< 2.1	< 2.1	< 31
SB-24	4.0	05/19/05	< 0.4	52	12	< 0.004	0.006	< 0.004	< 0.01
SB-25	2.5	05/19/05	180	5,100	< 420	< 0.9	< 0.9	< 0.9	< 2.6
SB-25	4.0	05/19/05	310	4,600	< 480	< 0.09	0.2	< 0.4	4.1
MW-1	2.5	05/18/05	55	500	< 100	< 0.04	0.08	0.1	3.7
MW-2	3.0	05/18/05	11	500	1,100	0.009	0.01	< 0.02	< 0.07
MW-3	3.0	05/18/05	< 0.4	< 4.3	6.3	0.006	0.03	< 0.004	0.02
MW-4	3.5	05/19/05	120	1,500	220	0.2	< 0.2	< 0.2	< 2.1
MW-4	4.2	05/19/05	230	1,700	< 420	0.3	< 0.1	< 0.4	< 2.1
MW-5	4.7	05/18/05	0.7	< 4.8	< 4.8	0.005	0.03	0.02	0.2
MW-6	4.0	05/18/05	< 0.4	< 4.4	< 4.4	< 0.003	0.01	< 0.003	< 0.01
MW-7	4.0	05/19/05	< 0.5	4.8	56	< 0.004	< 0.004	< 0.004	< 0.01
MW-8	2.3	05/20/05	< 20	< 23	80	< 0.2	< 0.2	< 0.2	< 0.6
MW-9	2.5	05/19/05	< 0.4	< 25	83	0.01	< 0.004	< 0.004	< 0.01
MW-9	2.5D	05/19/05	< 0.4	13	66	0.01	< 0.004	< 0.004	< 0.01
MW-10	3.8	05/19/05	< 0.4	< 4.5	22	< 0.004	< 0.004	< 0.004	< 0.01
MW-10	3.8D	05/19/05	< 0.5	< 4.7	21	< 0.005	< 0.005	< 0.005	< 0.01

Notes

All results reported in milligram per kilogram (mg/kg)

Gasoline range organics (GRO) was analyzed by AK Method 101.

Diesel range organics (DRO) was analyzed by AK Method 102

Residual range organics (RRO) was analyzed by AK Method 103.

Benzene, toluene, ethylbenzene, and total xylenes (BTEX) were analyzed by EPA Method 8021

Highlighted concentrations are greater than the ADEC soil cleanup level for migration to groundwater, under 40-inch zone.

< = not detected greater than the laboratory reporting limit

-- = not analyzed

D = Duplicate sample

¹The detection limit for benzene was greater than or equal to the ADEC cleanup level for some samples, due to foaming of the samples.

Table 3
Groundwater Elevation and Analytical Data

Former Chevron Bulk Terminal 305154
608 Bridge Access Road
Kenai, Alaska

Sample ID	Date Sampled	Notes	Well Elevation (feet amsl)	Depth to Groundwater (feet bgs)	Groundwater Elevation (feet amsl)	GRO (µg/L)	DRO (µg/L)	RRO (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-1	6/27/05		16.94	3.20	13.74	28,000	16,000	1,100	< 0.5	58	480	7,300	--
	11/8/05			--	--	--	--	--	--	--	--	--	--
	4/20/06			1.75	15.19	6,900	7,600	--	3.9	35	84	2,400	--
	6/29/06			2.92	14.02	15,000	5,300	--	< 10	20	150	4,700	< 10
MW-2	6/27/05		16.91	3.49	13.42	51	21,000	38,000	< 0.5	< 0.5	0.6	1.8	--
	11/8/05	b		3.23	13.68	35	5,500	9,500	< 0.5	< 0.5	< 0.5	< 1.5	--
	4/20/06			2.03	14.88	< 10	1,200	--	< 0.5	< 0.5	< 0.5	< 1.5	--
	6/29/06			3.29	13.62	31	5,800	--	< 0.5	< 0.5	< 0.5	< 1.5	< 2.5
MW-3	6/29/06	Dup		--	--	37	6,100	--	< 0.5	< 0.5	< 0.5	< 1.5	< 2.5
	6/27/05		17.98	4.40	13.58	9,800	11,000	1,600	43	320	360	2,100	--
	11/8/05			--	--	--	--	--	--	--	--	--	--
	4/20/06	a		2.55	15.43	--	--	--	--	--	--	--	--
MW-4	6/29/06	d	18.15	4.17	13.98	7,000	7,100	--	18	240	280	1,800	< 10
	6/27/05		17.93	4.23	13.70	38,000	8,000	600	36	10,000	290	3,400	--
	11/8/05	b		4.00	13.93	40,000	8,600	1,300	40	8,000	540	5,300	--
	11/8/05	Dup.b		--	--	39,000	12,000	2,200	37	7,500	510	5,100	--
MW-5	4/20/06	a		--	ICE	--	--	--	--	--	--	--	--
	6/29/06			3.97	13.98	31,000	13,000	--	15	8,800	190	2,800	< 60
	6/27/05		18.50	5.47	13.03	7,300	5,800	860	200	250	260	1,400	--
	11/8/05	b		5.15	13.35	5,500	8,500	1,700	110	150	190	1,000	--
MW-6	4/20/06			3.95	14.55	5,800	8,900	--	110	30	240	1,500	--
	6/29/06	d	18.84	5.36	12.79	5,100	8,400	--	86	81	210	1,100	< 10
	6/27/05		18.76	5.10	13.66	3,000	2,300	830	33	5.8	13	25	--
	11/8/05			--	--	--	--	--	--	--	--	--	--
MW-7	4/20/06			3.62	15.14	1,500	1,300	--	5.8	2.1	6.6	12	--
	6/29/06	d	19.06	4.88	13.27	1,300	2,200	--	4.6	2.7	11	35	< 10
	6/27/05		19.23	5.64	13.59	< 10	< 200	410	0.7	< 0.5	< 0.5	1.5	--
	11/8/05			--	--	--	--	--	--	--	--	--	--
MW-8	4/20/06	a		4.20	15.03	--	--	--	--	--	--	--	--
	6/29/06			5.46	13.78	< 10	220	--	< 0.5	< 0.5	< 0.5	< 1.5	< 2.5
	6/27/05		14.25	2.81	11.44	< 10	< 200	240	< 0.5	< 0.5	< 0.5	< 1.5	--
	11/7/05			2.62	11.63	38	210	< 200	< 2.0	< 0.5	< 0.5	< 1.5	--
MW-9	4/20/06			1.30	12.95	< 10	800	--	< 0.5	< 0.5	< 0.5	< 1.5	--
	6/29/06			2.94	11.31	14	1,100	--	< 0.5	< 0.5	< 0.5	< 1.5	< 2.5
	6/27/05		14.81	2.55	12.26	860	680	1,100	57	< 0.5	23	190	--
	11/7/05			2.31	12.50	1,600	470	940	84	0.7	54	380	--
MW-10	4/20/06			1.22	13.59	82	560	--	1.9	< 0.5	0.6	18	--
	6/29/06			2.58	12.23	650	1,300	--	22	< 0.5	19.0	160	< 2.5
	6/27/05		16.27	4.46	11.81	< 10	5,500	17,000	< 0.5	< 0.5	< 0.5	< 1.5	--
	11/7/05			4.38	11.89	< 10	32,000	86,000	< 0.5	< 0.5	< 0.5	< 1.5	--
ADEC non-potable Groundwater Cleanup Levels	4/20/06			4.05	12.22	< 10	1,100	--	< 0.5	< 0.5	< 0.5	< 1.5	--
	4/20/06	Dup		--	--	< 10	1,700	--	< 0.5	< 0.5	< 0.5	< 1.5	--
	6/29/06			5.37	10.90	< 10	3,300	--	< 0.5	< 0.5	< 0.5	< 1.5	< 2.5
ADEC non-potable Groundwater Cleanup Levels		c				1,300	1,500	1,100	5.0	1,000	700	10,000	

Notes:

All results are in micrograms per liter (µg/L)
Gasoline range organics (GRO) was analyzed by AK Method 101.
Diesel range organics (DRO) was analyzed by AK Method 102
Residual range organics (RRO) was analyzed by AK Method 103.
Benzene, toluene, ethylbenzene, and total xylenes (BTEX) were analyzed by EPA Method 8021
< = not detected greater than the laboratory reporting limit
-- = not analyzed

bgs = Below ground surface
amsl = Above mean sea level
Dup = Duplicate

Table 4
PAH Groundwater Analytical Data
Former Chevron Bulk Terminal 305154
608 Bridge Access Road
Kenai, Alaska

Sample ID	Date Sampled	Notes	Naphthalene (µg/L)	Acenaphthylene (µg/L)	Acenaphthene (µg/L)	Fluorene (µg/L)	Phenanthrene (µg/L)	Anthracene (µg/L)	Fluoranthene (µg/L)	Pyrene (µg/L)	Benzo (a) anthracene (µg/L)	Chrysene (µg/L)	Benzo (b) fluoranthene (µg/L)	Benzo (k) fluoranthene (µg/L)	Benzo (a) pyrene (µg/L)	Indeno (1, 2, 3-cd) pyrene (µg/L)	Dibenz (a,h) anthracene (µg/L)	Benzo (g, h, i) perylene (µg/L)
MW-1	6/27/05		6	0.05	0.09	0.2	0.1	< 0.02	0.03	0.06	< 0.02	< 0.02	0.03	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	4/20/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
MW-2	6/29/06		1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		0.4	0.07	0.1	0.4	0.3	0.03	0.05	0.1	< 0.02	0.03	0.03	0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05	b	0.02	< 0.02	< 0.01	0.04	0.05	< 0.02	0.01	0.03	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	4/20/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
MW-3	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05	Dup	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		43	0.2	0.6	1	0.6	< 0.02	0.04	0.05	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-4	4/20/06	a	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/29/06		17.00	< 1.0	< 1.0	1.00	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		82	0.2	0.5	1	1	0.08	0.1	0.2	< 0.02	0.04	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05	b	130	0.3	0.6	2	1	0.1	0.2	0.3	0.1	0.1	0.1	0.06	0.09	0.03	< 0.02	0.05
	11/8/05	Dup,b	130	< 0.02	0.8	3	1	0.2	0.3	0.4	0.2	0.2	0.2	0.2	0.1	0.06	0.02	0.06
MW-5	4/20/06	a	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/29/06		24	< 1.0	< 1.0	2	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		22	< 0.02	0.01	0.07	0.01	< 0.02	0.02	0.03	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05	b	27	< 0.02	< 0.01	0.2	< 0.01	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
MW-6	4/20/06		3.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		4.0	0.06	0.3	0.3	0.05	0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		0.01	< 0.02	< 0.01	< 0.01	< 0.01	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/8/05		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-8	4/20/06	a	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		0.01	< 0.02	< 0.01	< 0.01	0.03	< 0.02	0.03	0.04	< 0.02	< 0.02	< 0.02	< 0.01	< 0.02	< 0.02	< 0.02	< 0.02
	11/7/05		< 0.1	< 0.2	< 0.2	< 0.1	0.1	< 0.2	0.1	< 0.2	< 0.2	< 0.2	< 0.2	< 0.1	< 0.2	< 0.2	< 0.2	< 0.2
MW-9	4/20/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		3.0	0.03	0.06	0.05	0.2	0.07	0.2	0.2	0.08	0.09	0.1	0.04	0.1	0.05	< 0.02	0.06
	11/7/05		15	2.0	0.4	1.0	10	2.0	15	15	6.0	6.0	8.0	4.0	7.0	4.0	0.7	4.0
MW-10	4/20/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/29/06		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
	6/27/05		2.0	27	2.0	14	60	52	160	240	96	94	100	45	100	48	14	53
	11/7/05		7.0	54	2.0	26	160	120	420	500	240	260	220	80	250	110	28	120
	4/20/06		< 1.0	5.0	< 1.0	3.0	14	11	31	46	20	21	22	9.0	22	11	3.0	10
ADEC Groundwater Cleanup Levels	6/29/06	Dup	< 1.0	5.0	< 1.0	3.0	13	10	31	43	20	20	22	8.0	24	13	3.0	12
		c	700	2,200	2,200	1,460	11,000	11,000	1,460	1,100	1	100	1	10	0.2	1	0.1	1,100

Notes:
Polynuclear aromatic hydrocarbons (PAHs) were analyzed by EPA Method 8270 C.
All results are in micrograms per liter (µg/L)
< = not detected greater than the laboratory reporting limit
-- = not analyzed
Dup = Duplicate
a = Ice in well casing precluded sample collection
b = Temperature upon receipt at laboratory was 16.5 to 16.7 °C.
c = ADEC Groundwater Cleanup Levels per 18 AAC 75.345, Table C Register 165, January 2003, & Technical Memorandum 01-007.
Highlighted concentrations are greater than the ADEC groundwater cleanup level (18 AAC 75.345 Table C).