



THE STATE
of ALASKA
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental
Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program
P.O. Box 111800
Juneau, Alaska 99811-1800
Main: 907.465.5250
Fax: 907.465.5245
www.dec.alaska

November 14, 2019

File: 2454.38.004

Lower Kuskokwim School District
Attn: Dan Walker – Superintendent
PO Box 305
Bethel, AK 99559

Re: Institutional Controls (ICs) Verification for: **‘Former Kongiganak School Tank Farm’ site**; Site Locator: 125’ North of the school

Dear Superintendent Walker,

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified ‘Former Kongiganak School Tank Farm’ as a site with institutional controls.

Lower Kuskokwim School District should be aware that there are ongoing obligations for this site.

In order to prevent people from being exposed to any remaining contamination on the property, **this letter is being sent as a reminder** of the conditions placed on the property as part of the 2009 Record of Decision granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination is from leaking pipes from the former Kongiganak School Tank farm’s ten vertical above ground fuel storage tanks that were decommissioned in April 2003.

Please be advised that the ‘Former Kongiganak School Tank Farm’ site is subject to the following standard and site-specific conditions and/or institutional controls:

1. Any future change in land use may impact the exposure assumptions cited in the 2009 Conditional Closure. If land use changes, current institutional controls may not be protective and ADEC may require additional remediation and/or institutional controls. Therefore, LKSD will report to ADEC every five years to document land use, or as soon as there is any change in land ownership and/or use. The report can be sent to the local ADEC office or submitted electronically to CS.Submittals@alaska.gov.
2. Future installation of groundwater wells will require prior approval from ADEC.
3. ADEC approval is required prior to moving any soil or groundwater off any site that is subject to the site cleanup rules [see 18 AAC 75.325(i)]. A “site” [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership. In the future, if soil will be excavated or groundwater will be brought to the surface (for example to dewater

in support of construction) it must be characterized and managed following regulations applicable at that time and ADEC approval must be obtained before moving the soil or water off the property. *This is a standard condition.*

4. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited. *This is a standard condition.*
5. Groundwater throughout Alaska is protected for use as a water supply for drinking, culinary and food processing, agriculture including irrigation and stock watering, aquaculture, and industrial use. Contaminated site cleanup complete determinations are based on groundwater being considered a potential drinking water source. In the event that groundwater from this site is to be used for other purposes in the future, such as aquaculture, additional characterization and treatment may be required to ensure the water is suitable for its intended use. *This is a standard condition.*

In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available through ADEC's online database record at: <http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/4015>

The ADEC will issue a reminder letter such as this on a scheduled basis, every five years. If you have any questions regarding this site, please contact me at (907) 465-5390 or mossy.mead@alaska.gov and I will be glad to assist you.

Sincerely,



Mossy Mead
Environmental Program Technician – IC Unit

Encl: 2009 Conditional Closure

You may submit any needed documentation electronically. If your submittal is too large to email (i.e. exceeds 20 megabytes), you may submit it to me through the Alaska ZendTo "drop-off" option at <https://drop.state.ak.us/drop/>. The Division of SPAR/Contaminated Sites Program prefers and encourages electronic submittals.

From: [Microsoft Outlook](#)
To: dan_walker@lksd.org
Subject: Relayed: Institutional Controls reminder letter for: Kongiganak site
Date: Thursday, November 14, 2019 2:19:28 PM
Attachments: [Institutional Controls reminder letter for Kongiganak site.msg](#)

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:
dan_walker@lksd.org (dan_walker@lksd.org) <mailto:dan_walker@lksd.org>
Subject: Institutional Controls reminder letter for: Kongiganak site