



THE STATE  
of ALASKA  
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental  
Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated Sites Program  
P.O. Box 111800  
Juneau, Alaska 99811-1800  
Main: 907.465.5250  
Fax: 907.465.5245  
www.dec.alaska

December 6, 2019

File: 2560.38.003

Certified Mail, Return Receipt Requested  
Article No. 7018 2290 0001 8578 6419

Lake and Peninsula Borough  
PO Box 495  
King Salmon, AK 99613

Re: Institutional Controls (ICs) Verification for: 'Former Iliamna Newhalen Nondalton Electric'  
**site;**  
Site Locator: Lot 1, Section 28, Township 005-S, Range 033-W, Iliamna C-6, Seward  
Meridian

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified 'Former Iliamna Newhalen Nondalton Electric' as a site with institutional controls.

The Lake and Peninsula Borough should be aware that there are ongoing obligations for this site.

In order to prevent people from being exposed to any remaining contamination on the property, **this letter is being sent as a reminder** of the conditions placed on the property as part of the 2014 Conditional Closure granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination were documented as remaining on the property. The contamination is from a former above ground fuel storage tank area.

Please be advised that the 'Former Iliamna Newhalen Nondalton Electric' site is subject to the following standard and site-specific conditions and/or institutional controls:

1. Any future change in land use may impact the exposure assumptions cited in the 2014 Conditional Closure. If land use changes, current institutional controls may not be protective and ADEC may require additional remediation and/or institutional controls. Therefore, L&PB will report to ADEC every five years to document land use, or as soon as there is any change in land ownership and/or use. The report can be sent to the local ADEC office or submitted electronically to [CS.Submittals@alaska.gov](mailto:CS.Submittals@alaska.gov).
2. Installation of groundwater wells at this site will require approval from ADEC.
3. ADEC approval is required prior to moving any soil or groundwater off any site that is subject to the site cleanup rules [see 18 AAC 75.325(i)]. A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership. In the future, if soil will be excavated or groundwater will be brought to the surface (for example to dewater in support of construction) it must be characterized and managed following regulations

applicable at that time and ADEC approval must be obtained before moving the soil or water off the property. *This is a standard condition.*

4. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited. *This is a standard condition.*
5. Groundwater throughout Alaska is protected for use as a water supply for drinking, culinary and food processing, agriculture including irrigation and stock watering, aquaculture, and industrial use. Contaminated site cleanup complete determinations are based on groundwater being considered a potential drinking water source. In the event that groundwater from this site is to be used for other purposes in the future, such as aquaculture, additional characterization and treatment may be required to ensure the water is suitable for its intended use. *This is a standard condition.*

**In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership.** Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available through ADEC's online database record at: <http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/2150>

The ADEC will issue a reminder letter such as this on a scheduled basis, every five years. If you have any questions regarding this site, please contact me at (907) 465-5390 or [mossy.mead@alaska.gov](mailto:mossy.mead@alaska.gov) and I will be glad to assist you.

Sincerely,



Mossy Mead  
Environmental Program Technician – IC Unit

Encl: 2014 Conditional Closure

**Note: In the interest of reducing file space, the Division of SPAR/Contaminated Sites Program has transitioned to electronic transmission of project correspondence. Please provide us with your current e-mail address (if you have one) so that we may issue future correspondence to you in an electronic format.**

*You may submit any needed documentation electronically. If your submittal is too large to email (i.e. exceeds 20 megabytes), you may submit it to me through the Alaska ZendTo "drop-off" option at <https://drop.state.ak.us/drop/>. The Division of SPAR/Contaminated Sites Program prefers and encourages electronic submittals.*

U.S. Postal Service™  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

**OFFICIAL USE**

Certified Mail Fee \$ \_\_\_\_\_

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ \_\_\_\_\_

Return Receipt (electronic) \$ \_\_\_\_\_

Certified Mail Restricted Delivery \$ \_\_\_\_\_

Adult Signature Required \$ \_\_\_\_\_

Adult Signature Restricted Delivery \$ \_\_\_\_\_

12/6/19

Postmark  
Here

2150

2560.38.003

Postage \$ \_\_\_\_\_

Total Postage and Fees \$ \_\_\_\_\_

Sent To *Forensik Elisanna Neuhaken Mondaton*

Street and Apt. No., or PO Box No. *Lake & Peninsula Borough*

City, State, ZIP+4® *PO Box 495*

*King Salmon, AK 99613*

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

7018 2290 0001 8578 6419

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits. *12/6/19*

1. Article Addressed to:

**Lake & Peninsula Borough  
 PO Box 495  
 King Salmon, AK 99613**



9590 9402 4354 8190 2136 48

2. Article Number (Transfer from service label)

7018 2290 0001 8578 6419

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X *[Signature]*

- Agent  
 Addressee

B. Received by (Printed Name)

*Natalie Bendza*

C. Date of Delivery

*12/13/19*

D. Is delivery address different from item 1?

- Yes  
 No

- Priority Mail Express®  
 Registered Mail™  
 Registered Mail Restricted Delivery  
 Certified Mail®  
 Certified Mail Restricted Delivery  
 Collect on Delivery  
 Collect on Delivery Restricted Delivery  
 Return Receipt for Merchandise  
 Signature Confirmation™  
 Signature Confirmation Restricted Delivery

PS Form 3811, July 2015 PSN 7530-02-000-9053

Domestic Return Receipt