



THE STATE  
of **ALASKA**  
GOVERNOR MIKE DUNLEAVY

**Department of Environmental  
Conservation**

DIVISION OF SPILL PREVENTION AND RESPONSE  
Contaminated Sites Program

410 Willoughby Avenue, Suite 303  
P.O. Box 111800  
Juneau, AK 99811-1800  
Phone: 907-465-5390  
Fax: 907-465-5218  
[www.dec.alaska.gov](http://www.dec.alaska.gov)

File No: 2569.38.007

August 5, 2020

AT&T Alascom  
Environmental Health & Safety  
1444 East Jericho Turnpike  
Huntington, NY 11743

Re: Institutional Controls verification for: **AT&T Alascom King Salmon Earth Sta.**

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified AT&T Alascom King Salmon Earth Sta., located at the King Salmon Airport, Alaska 99613, as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, **this letter is being sent as a reminder** of the conditions placed on the property as part of the Date of Cleanup document, document name granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination was documented as remaining on the property. The contamination originated from two aboveground storage tanks (ASTs) formerly located on the property.

The 2010 determination is subject to the following site-specific conditions and/or controls:

1. Any future change in land use may impact the exposure assumptions cited in the Decision Document. If land use and/or ownership changes, current institutional controls may not be protective and ADEC may require additional remediation and/or institutional controls. Therefore, AT&T will report to ADEC every five years to document land use, or as soon as AT&T becomes aware of any change in land ownership and/or use. The report can be sent to the local ADEC office or electronically to [DEC.ICUnit@alaska.gov](mailto:DEC.ICUnit@alaska.gov).
2. The soil contamination located under the powerhouse ASTs is currently inaccessible. When the powerhouse AST is removed and/or the soil becomes accessible, the soil must be evaluated and contamination addressed in accordance with an ADEC approved work plan.
3. ADEC recommends periodically monitoring the Communications Building drinking water well for petroleum constituents.
4. Any proposal to transport soil or groundwater off-site requires DEC approval in accordance with 18 AAC 75.325(i). A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated,

including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership. **This is a standard condition.**

5. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited. **This is a standard condition.**

In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available at ADEC's online database record at: <https://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/2819>

If you have any questions regarding this site, please contact me at (907) 465-5229 or [evonne.reese@alaska.gov](mailto:evonne.reese@alaska.gov) and I will be glad to assist you.

Sincerely,



Evonne Reese  
Environmental Program Specialist  
Institutional Control Unit

Encl: 2010 Decision Document  
CC: ADOT&PF - Anchorage

**Note: In the interest of reducing file space, the Division of SPAR/Contaminated Sites Program is transitioning to electronic transmission of project correspondence. Please provide us with your current e-mail address (if you have one) so that we may issue future correspondence to you in an electronic format.**

*You may submit any needed documentation electronically. If your submittal is too large to email (i.e. exceeds 20 megabytes), you may submit it to me through the Alaska ZendTo "drop-off" option at <https://drop.state.ak.us/drop/>. The Division of SPAR/Contaminated Sites Program prefers and encourages electronic submittals.*