100.26.131
100.38.097
MSK

Travis/Peterson Environmental Consulting, Inc.

Michael D. Travis P.E.
Principal

3305 Arctic Boulevard, Suite 102
Anchorage, Alaska 99503

Phone: 907-522-4337
Fax: 907-522-4313
e-mail: mtravis@tpeci.com

Laurence A. Peterson
Operations Manager

329 2nd Street
Fairbanks, Alaska 99701

Phone: 907-455-7225
Fax: 907-455-7228
e-mail: larry@tpeci.com

June 22, 2005
1197-01

RECEIVED
JUN 23 2005
CONTAMINATED SITES
FAIRBANKS

Seekins Ford-Lincoln-Mercury, Inc.
1625 Old Steese Highway
Fairbanks, Alaska 99701

Attention: **Al Haynes**

Re: Groundwater Sampling, May 25 and 26, 2005

Dear Mr. Haynes:

Travis/Peterson Environmental Consulting, Inc. (TPECI) is pleased to present our letter report summarizing data obtained from the groundwater sampling event conducted on May 25 and 26, 2005 at Seekins Ford-Lincoln-Mercury (Figures 1 and 2). The purpose of the sampling activity is to develop sufficient information about the site to receive a Conditional Closure.

On May 25 and 26, 2005, monitoring wells MW-1, MW-2, MW-3, MW-4, MW-6, MW-7, MW-8, MW-9, GWP-1, GWP-2 and GWP-3 were sampled. Sample MW-4 was duplicated for quality control purposes. The groundwater samples were submitted to SGS Environmental Services on May 27, 2005 for laboratory analysis by the following methods:

- Gasoline range organics (GRO) by method AK101/8021B;
- Volatile organic compounds (VOC) by method SW8260B;
- Diesel range organic (DRO) by method AK102 DRO and
- Ethylene Dibromide (EDB) by method EPA504.

Monitoring Well Summary

All wells were sampled without complication. No adverse conditions were noted by the field technician. Groundwater test results are summarized below.

Groundwater Results

Standard sampling protocols were employed at all times during the groundwater sampling event. Groundwater elevations and well depths were measured from the top of each respective well casing. The analytical results from the May 25 and 26 groundwater sampling event are summarized in Table 1 below.

TABLE 1

DETECTED ANALYTES FROM THE AUGUST 2004 SAMPLING EVENT

List of detected analytes	MCL mg/L	MW-1 mg/L	MW-2 mg/L	MW-3 mg/L	MW-4 mg/L	MW-6 mg/L	MW-7 mg/L	MW-8 mg/L	MW-9 mg/L	GWP-1 mg/L	GWP-2 mg/L	GWP-3 mg/L	DUPE mg/L
1,2,4-Trichlorobenzene	0.07	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	1.85	0.069		0.016		ND	ND			ND	ND	ND	
1,2-Dichlorobenzene	0.6	ND		0.032		ND	ND			ND	ND	ND	
1,3,5-Trimethylbenzene	1.85	0.019		0.006		ND	ND			ND	ND	ND	
1,4-Dichlorobenzene	0.075	ND		0.001		ND	ND			ND	ND	ND	
4-Isopropyltoluene	NS	0.001		0.004		ND	ND			ND	ND	ND	
Acetone	3.65	ND		0.016		ND	ND			ND	ND	ND	
Ethylbenzene	0.7	ND		0.002		ND	ND			ND	ND	ND	
Isopropylbenzene (Cumene)	3.65	ND		ND		ND	ND			ND	ND	ND	
Methyl-t-buyl ether	0.02	ND		ND		ND	ND			0.002	ND	ND	
Naphthalene	0.7	0.002		0.098		ND	ND			0.006	ND	ND	
n-Butylbenzene	1.46	ND		0.001		ND	ND			ND	ND	ND	
n-Propylbenzene	1.46	ND		0.001		ND	ND			ND	ND	ND	
o-Xylene	10.0 (total)	0.11		0.004		ND	ND			ND	ND	ND	
P & M Xylene		0.21		0.008		ND	ND			ND	ND	ND	
sec-Butylbenzene	1.46	ND		0.001		ND	ND			ND	ND	ND	
tert-Butylbenzene	1.46	ND		0.001		ND	ND			ND	ND	ND	
Tetrachloroethene	0.005	ND		0.002		ND	ND			ND	ND	ND	
Toluene	1	0.002		0.004		ND	ND			ND	ND	ND	
Trichloroethene	0.005	ND		0.003		**0.009**	ND			ND	ND	ND	
Trichlorofluoromethane	10.95	ND		ND		0.005	0.019			ND	0.001	0.001	
GRO	1.3	1.12		0.12		ND	ND			ND	ND	ND	
DRO	1.5	0.363		1.05		ND	ND			ND	ND	ND	

"DUPE" is a duplicate corresponding to MW-4
"ND" indicates the analyte was below laboratory detection level.
"NS" indicates that no standard exists for the analyte.
Bold indicates the analyte was above the ADEC maximum concentration level (MCL).

Conclusions

Eleven wells were sampled in all. Of these, four failed to show amounts of any contaminant tested for in excess of the ADEC MCL standards. One well (MW-6) contained levels of Trichloroethene that were above the ADEC MCL standard of 0.005 mg/L.

If you have any questions regarding this report please contact me at 907-455-7225.

Sincerely,

Dave Miller
Staff Scientist

cc: Deborah Williams, Alaska Department of Environmental Conservation

Attachments: Figure 1. Location & Vicinity
Figure 2. Site Plan
SGS Analytical Results

FIGURES







TRAVIS/PETERSON ENVIRONMENTAL CONSULTING, INC. 329 2ND STREET FAIRBANKS, ALASKA 99701	SEEKINS	FIGURE 1 LOCATION & VICINITY
PROJECT No: 1197-01	FILE: 1197/01/Figures/Figure 1-Location & Vicinity.SKF	DATE: 06/03/05 SCALE: AS SHOWN



TRAVIS/PETERSON ENVIRONMENTAL CONSULTING, INC. 329 2ND STREET FAIRBANKS, ALASKA 99701	SEEKINS		FIGURE 2 SITE PLAN
PROJECT No: 1197-01	FILE: 1197/01/Figures/Figure 2-Site Plan.SKF	DATE: 06/03/05	SCALE: AS SHOWN

SGS ENVIRONMENTAL SERVICES, INC.

ANALYTICAL RESULTS

SGS

Laboratory Analysis Report

200 W. Potter Drive
Anchorage, AK 99518-1605
Tel: (907) 562-2343
Fax: (907) 561-5301
Web: http://www.us.sgs.com

Kindra Geis
Travis/Peterson
329 2nd Street
Fairbanks, AK 99701

Work Order: 1052660
1197-01

Client: Travis/Peterson

Report Date: June 07, 2005

Released by: Stephen C. Ede

Enclosed are the analytical results associated with the above workorder.

As required by the state of Alaska and the USEPA, a formal Quality Assurance/Quality Control Program is maintained by SGS. A copy of our Quality Control Manual that outlines this program is available at your request. The laboratory ADEC certification numbers are AK971-05 (DW), UST-005 (CS) and AK00971 (Micro).

Except as specifically noted, all statements and data in this report are in conformance to the provisions set forth by the SGS Quality Assurance Program Plan and the National Environmental Laboratory Accreditation Conference.

If you have any questions regarding this report or if we can be of any other assistance, please call your SGS Project Manager at (907) 562-2343.

The following descriptors may be found on your report which will serve to further qualify the data.

PQL	Practical Quantitation Limit (reporting limit).
U	Indicates the analyte was analyzed for but not detected.
F	Indicates an estimated value that falls below PQL, but is greater than the MDL.
J	The quantitation is an estimation.
B	Indicates the analyte is found in a blank associated with the sample.
*	The analyte has exceeded allowable regulatory or control limits.
GT	Greater Than
D	The analyte concentration is the result of a dilution.
LT	Less Than
!	Surrogate out of control limits.
Q	QC parameter out of acceptance range.
M	A matrix effect was present.
JL	The analyte was positively identified, but the quantitation is a low estimation.
E	The analyte result is high outside of calibrated range.

Note: Soil samples are reported on a dry weight basis unless otherwise specified.

SGS

SGS Ref.#	1052660002	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 12:20
Client Sample ID	MW1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

GRO - Sample has a pH greater than two. Sample was received unpreserved.

DRO - The pattern is consistent with a weathered gasoline.

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trimethylbenzene	69.0	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3,5-Trimethylbenzene	19.3	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Isopropyltoluene	1.20	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Acetone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Benzene	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660002	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 12:20
Client Sample ID	MW1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Naphthalene	2.24	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Styrene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Toluene	2.24	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660002	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 12:20
Client Sample ID	MW1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Bromomethane	30.0 U	30.0	ug/L	SW8260B	B		05/30/05	05/31/05	WJH
P & M -Xylene	207	20.0	ug/L	SW8260B	B		05/30/05	05/31/05	WJH
o-Xylene	110	10.0	ug/L	SW8260B	B		05/30/05	05/31/05	WJH
Surrogates									
1,2-Dichloroethane-D4 <surr>	105		%	SW8260B	D	72-119	05/30/05	05/30/05	VS
4-Bromofluorobenzene <surr>	102		%	SW8260B	D	76-119	05/30/05	05/30/05	VS
Dibromofluoromethane <surr>	101		%	SW8260B	D	85-115	05/30/05	05/30/05	VS
Toluene-d8 <surr>	118		%	SW8260B	D	85-120	05/30/05	05/30/05	VS
Volatile Fuels Department									
Gasoline Range Organics	1120	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	103		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.363	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	89.6		%	AK102	J	50-150	05/31/05	05/31/05	MCM
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA
Surrogates									
1,3-Dichlorobenzene <surr>	115		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660003	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 12:55
Client Sample ID	MW2	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

GRO - Sample has a pH greater than two. Sample was received unpreserved.

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Acetone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Benzene	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660003
Client Name	Travis/Peterson
Project Name/#	1197-01
Client Sample ID	MW2
Matrix	Water (Surface, Eff., Ground)

All Dates/Times are Alaska Standard Time

Printed Date/Time	06/07/2005 13:42
Collected Date/Time	05/25/2005 12:55
Received Date/Time	05/28/2005 9:00
Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Styrene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Toluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660003	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 12:55
Client Sample ID	MW2	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromomethane	3.00 U	3.00	ug/L	SW8260B	B		05/30/05	05/31/05	WJH
Surrogates									
1,2-Dichloroethane-D4 <surr>	108		%	SW8260B	D	72-119	05/30/05	05/30/05	VS
4-Bromofluorobenzene <surr>	108		%	SW8260B	D	76-119	05/30/05	05/30/05	VS
Dibromofluoromethane <surr>	103		%	SW8260B	D	85-115	05/30/05	05/30/05	VS
Toluene-d8 <surr>	110		%	SW8260B	D	85-120	05/30/05	05/30/05	VS
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	97.1		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	85.2		%	AK102	J	50-150	05/31/05	05/31/05	MCM
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0203 U	0.0203	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0203 U	0.0203	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA
Surrogates									
1,3-Dichlorobenzene <surr>	95.5		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660004	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 13:40
Client Sample ID	MW3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

DRO - Unknown hydrocarbon with several peaks is present.

GRO - Sample has a pH greater than two. Sample was received unpreserved.

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trichlorobenzene	1.59	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trimethylbenzene	15.9	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichlorobenzene	31.8	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3,5-Trimethylbenzene	5.92	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,4-Dichlorobenzene	1.48	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Isopropyltoluene	3.71	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Acetone	16.4	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Benzene	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660004	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 13:40
Client Sample ID	MW3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Ethylbenzene	1.59	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Naphthalene	9.75	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
P & M -Xylene	7.96	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Styrene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Tetrachloroethene	2.46	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Toluene	3.54	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichloroethene	2.86	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Butylbenzene	1.18	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Propylbenzene	1.17	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
o-Xylene	4.44	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
sec-Butylbenzene	1.04	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
tert-Butylbenzene	1.09	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660004	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 13:40
Client Sample ID	MW3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromomethane	3.00 U	3.00	ug/L	SW8260B	C		05/30/05	05/31/05	WJH
Surrogates									
1,2-Dichloroethane-D4 <surr>	109		%	SW8260B	D	72-119	05/30/05	05/30/05	VS
4-Bromofluorobenzene <surr>	104		%	SW8260B	D	76-119	05/30/05	05/30/05	VS
Dibromofluoromethane <surr>	105		%	SW8260B	D	85-115	05/30/05	05/30/05	VS
Toluene-d8 <surr>	110		%	SW8260B	D	85-120	05/30/05	05/30/05	VS
Volatile Fuels Department									
Gasoline Range Organics	117	90.0	ug/L	AK101	B		05/31/05	05/31/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	104		%	AK101	B	50-150	05/31/05	05/31/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	1.05	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	100		%	AK102	J	50-150	05/31/05	05/31/05	MCM
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0195 U	0.0195	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0195 U	0.0195	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA
Surrogates									
1,3-Dichlorobenzene <surr>	97		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660010	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 14:50
Client Sample ID	MW4	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	95		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	75.5		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660010	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 14:50
Client Sample ID	MW4	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660010	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 14:50
Client Sample ID	MW4	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	104		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	98.8		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.4		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660010	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 14:50
Client Sample ID	MW4	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <sur>	88.4		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660011
Client Name	Travis/Peterson
Project Name/#	1197-01
Client Sample ID	MW6
Matrix	Water (Surface, Eff., Ground)

All Dates/Times are Alaska Standard Time

Printed Date/Time	06/07/2005 13:42
Collected Date/Time	05/26/2005 15:50
Received Date/Time	05/28/2005 9:00
Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	96.2		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	65.8		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	4.81	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660011	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 15:50
Client Sample ID	MW6	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	9.24	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660011	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 15:50
Client Sample ID	MW6	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	103		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	97.7		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	96.6		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0198 U	0.0198	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660011	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 15:50
Client Sample ID	MW6	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <surr>	97.3		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660006	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 15:30
Client Sample ID	MW7	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	94.2		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	85.6		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Trichlorofluoromethane	18.6	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660006
Client Name	Travis/Peterson
Project Name/#	1197-01
Client Sample ID	MW7
Matrix	Water (Surface, Eff., Ground)

All Dates/Times are Alaska Standard Time

Printed Date/Time	06/07/2005 13:42
Collected Date/Time	05/25/2005 15:30
Received Date/Time	05/28/2005 9:00
Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660006	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 15:30
Client Sample ID	MW7	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	101		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	98.9		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.5		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	99.7		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0186 U	0.0186	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0186 U	0.0186	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660006	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 15:30
Client Sample ID	MW7	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <sur>	110		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660008	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 12:55
Client Sample ID	MW8	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	95.9		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	73.5		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660008	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 12:55
Client Sample ID	MW8	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660008	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 12:55
Client Sample ID	MW8	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	102		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	96.4		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.9		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0188 U	0.0188	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0188 U	0.0188	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660008	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 12:55
Client Sample ID	MW8	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <surr>	84.7		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660001	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	MW9	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

GRO - Sample has a pH greater than two. Sample was received unpreserved.

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Acetone	10.0 U	10.0	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Benzene	0.400 U	0.400	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660001	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	MW9	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Styrene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Toluene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS

SGS

SGS Ref.#	1052660001	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	MW9	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		05/30/05	05/30/05	VS
Bromomethane	3.00 U	3.00	ug/L	SW8260B	B		05/30/05	05/31/05	WJH
Surrogates									
1,2-Dichloroethane-D4 <surr>	112		%	SW8260B	D	72-119	05/30/05	05/30/05	VS
4-Bromofluorobenzene <surr>	105		%	SW8260B	D	76-119	05/30/05	05/30/05	VS
Dibromofluoromethane <surr>	106		%	SW8260B	D	85-115	05/30/05	05/30/05	VS
Toluene-d8 <surr>	108		%	SW8260B	D	85-120	05/30/05	05/30/05	VS
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	94.6		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	77		%	AK102	J	50-150	05/31/05	05/31/05	MCM
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0222 U	0.0222	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0222 U	0.0222	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA
Surrogates									
1,3-Dichlorobenzene <surr>	86.2		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660007	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 16:30
Client Sample ID	GWP1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	101		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	89.4		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660007	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 16:30
Client Sample ID	GWP1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	2.03	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660007	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 16:30
Client Sample ID	GWP1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.65	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	103		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	99.4		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.1		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0185 U	0.0185	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0185 U	0.0185	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660007	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 16:30
Client Sample ID	GWP1	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <surr>	94.6		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660009	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 13:40
Client Sample ID	GWP2	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	94.5		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	79.6		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	9.99	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660009	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 13:40
Client Sample ID	GWP2	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660009	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 13:40
Client Sample ID	GWP2	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	99.2		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	94.4		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.7		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	99.9		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0190 U	0.0190	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0190 U	0.0190	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660009	**All Dates/Times are Alaska Standard Time**	
Client Name	Travis/Peterson	**Printed Date/Time**	06/07/2005 13:42
Project Name/#	1197-01	**Collected Date/Time**	05/26/2005 13:40
Client Sample ID	GWP2	**Received Date/Time**	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	**Technical Director**	**Stephen C. Ede**

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <sur>	85.3		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660005	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 14:15
Client Sample ID	GWP3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660005	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 14:15
Client Sample ID	GWP3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	100		%	SW8260B	C	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	95.1		%	SW8260B	C	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	98.2		%	SW8260B	C	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	C	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0203 U	0.0203	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0203 U	0.0203	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660005	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 14:15
Client Sample ID	GWP3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	94.6		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	91.3		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Trichlorofluoromethane	1.18	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	C		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	C		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660005	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 14:15
Client Sample ID	GWP3	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <surr>	97.8		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660012	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 0:00
Client Sample ID	DUPE MW 4	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	95.1		%	AK101	A	50-150	05/30/05	05/30/05	MML
Semivolatile Organic Fuels Department									
Diesel Range Organics	0.300 U	0.300	mg/L	AK102	J		05/31/05	05/31/05	MCM
Surrogates									
5a Androstane <surr>	74.9		%	AK102	J	50-150	05/31/05	05/31/05	MCM
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/06/05	VS
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660012	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 0:00
Client Sample ID	DUPE - MV IV	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660012
Client Name	Travis/Peterson
Project Name/#	1197-01
Client Sample ID	DUPE
Matrix	Water (Surface, Eff., Ground)

All Dates/Times are Alaska Standard Time

Printed Date/Time	06/07/2005 13:42
Collected Date/Time	05/26/2005 0:00
Received Date/Time	05/28/2005 9:00
Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	102		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	97.6		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	97.4		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE
EDB+DBCP by Microextraction									
1,2-Dibromo-3-chloropropane	0.0186 U	0.0186	ug/L	EPA 504.1	G	(<=0.2)	06/03/05	06/04/05	WAA
1,2-Dibromoethane	0.0186 U	0.0186	ug/L	EPA 504.1	G	(<=0.05)	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660012	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/26/2005 0:00
Client Sample ID	DUPE	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
EDB+DBCP by Microextraction									
Surrogates									
1,3-Dichlorobenzene <surr>	103		%	EPA 504.1	G	30-120	06/03/05	06/04/05	WAA

SGS

SGS Ref.#	1052660013	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	Trip Blanks	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Sample Remarks:

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Fuels Department									
Gasoline Range Organics	90.0 U	90.0	ug/L	AK101	A		05/30/05	05/30/05	MML
Surrogates									
4-Bromofluorobenzene <surr>	95.1		%	AK101	A	50-150	05/30/05	05/30/05	MML
Volatile Gas Chromatography/Mass Spectroscopy									
Dichlorodifluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Vinyl chloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromomethane	3.00 U	3.00	ug/L	SW8260B	E		06/03/05	06/05/05	VS
Chloroethane	1.00 U	1.00	ug/L	SW8260B	E		06/03/05	06/05/05	VS
Trichlorofluoromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methylene chloride	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon disulfide	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Acetone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,2-Dichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Butanone (MEK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromochloromethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chloroform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Carbon tetrachloride	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Benzene	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660013	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	Trip Blanks	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
Trichloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromomethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromodichloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chloroethyl Vinyl Ether	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
cis-1,3-Dichloropropene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Toluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
trans-1,3-Dichloropropene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2-Trichloroethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Tetrachloroethene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichloropropane	0.400 U	0.400	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Dibromochloromethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromoethane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Chlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,1,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Ethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
P & M -Xylene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Styrene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromoform	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Isopropylbenzene (Cumene)	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
o-Xylene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Bromobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichloropropane	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Propylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,1,2,2-Tetrachloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Chlorotoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3,5-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
tert-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trimethylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
sec-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE

SGS

SGS Ref.#	1052660013	All Dates/Times are Alaska Standard Time	
Client Name	Travis/Peterson	Printed Date/Time	06/07/2005 13:42
Project Name/#	1197-01	Collected Date/Time	05/25/2005 11:40
Client Sample ID	Trip Blanks	Received Date/Time	05/28/2005 9:00
Matrix	Water (Surface, Eff., Ground)	Technical Director	Stephen C. Ede

Parameter	Results	PQL	Units	Method	Container ID	Allowable Limits	Prep Date	Analysis Date	Init
Volatile Gas Chromatography/Mass Spectroscopy									
4-Isopropyltoluene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,4-Dichlorobenzene	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
n-Butylbenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,3-Dichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dibromo-3-chloropropane	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,4-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Hexachlorobutadiene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Naphthalene	2.00 U	2.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2,3-Trichlorobenzene	1.00 U	1.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
4-Methyl-2-pentanone (MIBK)	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
2-Hexanone	10.0 U	10.0	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Methyl-t-butyl ether	5.00 U	5.00	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
1,2-Dichloroethane	0.500 U	0.500	ug/L	SW8260B	D		06/03/05	06/04/05	TJE
Surrogates									
Dibromofluoromethane <surr>	104		%	SW8260B	D	85-115	06/03/05	06/04/05	TJE
1,2-Dichloroethane-D4 <surr>	96		%	SW8260B	D	72-119	06/03/05	06/04/05	TJE
Toluene-d8 <surr>	97.8		%	SW8260B	D	85-120	06/03/05	06/04/05	TJE
4-Bromofluorobenzene <surr>	101		%	SW8260B	D	76-119	06/03/05	06/04/05	TJE