



THE STATE
of **ALASKA**
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program

43335 Kalifornsky Beach Road
Soldotna, AK 99669
Office: 907-262-5210
Fax: 907-262-2294
www.dec.alaska.gov

File: 2319.26.002

August 22, 2023

Joe Browning
Kasilof Riverview Lodge
P.O. Box 254
Kenai, AK 99610

Re: Kasilof Riverview Lodge
Hazard ID: 22950
Work Plan to Conduct Quarterly Groundwater and Drinking Water Sampling
ADEC Approval

Mr. Browning,

The Alaska Department of Environmental Conservation's (ADEC), Contaminated Sites Program (CSP) received the Work Plan to Conduct Quarterly Groundwater and Drinking Water Sampling prepared by Shannon & Wilson, dated July 11, 2023. The work plan was received on July 18, 2023. The work plan is approved.

If you have any questions or need further assistance, please feel free to contact me at 907-262-3412 or by email at peter.campbell@alaska.gov.

Sincerely,

Peter Campbell

Peter Campbell

ADEC Environmental Program Specialist
Contaminated Sites Program

CC: Alec Rizzo – Shannon & Wilson by e-mail