



THE STATE
of **ALASKA**
GOVERNOR MIKE DUNLEAVY

**Department of Environmental
Conservation**

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program

410 Willoughby Ave., Suite 303
P.O. Box 111800
Juneau, Alaska 99811-1800
Main: 907.465.5390
Fax: 907.465.5218
www.dec.alaska.gov

File: 2538.38.016

May 28, 2024

Aleut Enterprise, LLC
The Aleut Corporation
4000 Old Seward Hwy., Ste. 301
Anchorage, AK 99503

Re: Institutional Controls (ICs) Verification for:
Cold Bay Frosty Fuel Gas Valve

To Whom It May Concern:

The Contaminated Sites Program conducts periodic verification of closed sites where institutional controls (land use restrictions) are required under 18 AAC 75.375. We have identified the site known in our records as Cold Bay Frosty Fuel Gas Valve as a site with institutional controls.

In order to prevent people from being exposed to any remaining contamination on the property, **this letter is being sent as a reminder** of the conditions placed on the property as part of the 2007 Record of Decision granted by the Alaska Department of Environmental Conservation (ADEC). At the time of closure, soil and groundwater contamination were documented as remaining on the property. The contamination is from a gasoline release at the pipeline valve in 1994

Policy and regulations have evolved since this site was closed with conditions in 2007. Please be advised that the Cold Bay Frosty Fuel Gas Valve site is subject to the following standard and site-specific conditions and/or institutional controls:

1. The Aleut Enterprise Corporation must notify ADEC if there is a change in land use as a fuel tank farm in the future.
2. ADEC approval is required prior to moving any soil or groundwater off any site that is, or has been, subject to the site cleanup rules [see 18 AAC 75.325(i)]. A "site" [as defined by 18 AAC 75.990 (115)] means an area that is contaminated, including areas contaminated by the migration of hazardous substances from a source area, regardless of property ownership. In the future, if soil will be excavated or groundwater will be brought to the surface (for example to dewater in support of construction) it must be characterized and managed following regulations applicable at that time and ADEC approval must be obtained before moving soil or water off the property.
This is a standard condition.

3. Movement or use of contaminated material in a manner that results in a violation of 18 AAC 70 water quality standards is prohibited. *This is a standard condition.*
4. Groundwater throughout Alaska is protected for use as a water supply for drinking, culinary and food processing, agriculture including irrigation and stock watering, aquaculture, and industrial use. Contaminated site cleanup complete determinations are based on groundwater being considered a potential drinking water source. In the event that groundwater from this site is to be used for other purposes in the future, such as aquaculture, additional characterization and treatment may be required to ensure the water is suitable for its intended use. *This is a standard condition.*

In addition to the conditions above, you are required to notify the ADEC if there are any changes in land use or ownership. Failure to maintain these requirements may result in re-opening the site by the Contaminated Sites Program, in which case, further remediation could be mandatory.

In accordance with 18 AAC 75.380(d)(2), ADEC may require additional site assessment, monitoring, remediation, and/or necessary actions at this facility should new information become available that indicates contamination at this site may pose a threat to human health or the environment.

If you seek to have the institutional controls removed from this site, you can choose at any time to voluntarily conduct additional assessment, monitoring or further cleanup to demonstrate that contamination at the site now meets the applicable cleanup levels under 18 AAC 75.

This site information is a matter of public record and is available through ADEC's online database record at: <http://dec.alaska.gov/Applications/SPAR/PublicMVC/CSP/SiteReport/2123>

The ADEC will issue a reminder letter such as this on a scheduled basis, every five years. If you have any questions regarding this site, please contact me at (907) 465-5229 or evonne.reese@alaska.gov and I will be glad to assist you.

Sincerely,



Evonne Reese
Environmental Program Specialist
Institutional Controls Unit

Encl: 2007 Record of Decision