

AUTHORIZATION TO SUBMIT REPORT

Stantec has been authorized by the client, 7-Eleven (representative Paula Sime, PG, Manager – Environmental Services) to submit the enclosed report titled "Speedway 5314 (7-Eleven 46745 - Former TNS 76, 3Q August 2024 GWM Event Report" dated October 2024, to the Alaska Department of Environmental Conservation. If you have any questions or need additional information concerning this report, please contact me at (907) 227-9883 or via email at bob.gilfilian@stantec.com.

Regards,

STANTEC CONSULTING SERVICES, INC.

Robert (Bob) Gilfilian, P.E.

Project Technical Lead

Bob Gilfilian

Principal Senior Civil Engineer

TABLE OF CONTENTS

4 CD	ONIXA	MC AND ADDREW ATIONS	
ACR		MS AND ABBREVIATIONS	
1.0	INTR	ODUCTION	1
2.0	FIELI	D ACTIVITIES	1
3.0	GRO	UNDWATER MONITORING RESULTS	2
	3.1	GROUNDWATER ELEVATIONS	2
	3.2	INTRINSIC WATER QUALITY PARAMETERS	2
		ANALYTICAL WATER QUALITY DATA	
	3.4	QUALITY ASSURANCE (QA)/ QUALITY CONTROL (QC) REVIEW	4
4.0	REM	EDIATION SYSTEM	5
5.0		USSION OF FINDINGS	
6.0		CLUSIONS AND RECOMMENDATIONS	
7.0	LIMI	TATIONS	6
~			
LIS	T OF	TABLES	
Table	e 1 (Groundwater Elevations	2
Table	e 2 I	Intrinsic Water Quality Parameters	3
Table	e 3a (Groundwater Analytical Results for BTEX, GRO, and DRO	3
Table		Groundwater Analytical Results for Naphthalene, TMB and Sodium	
Table	e 4 I	Laboratory Quality Control Objectives	5
T TC	ТОБ	FIGURES	
LIS	1 OF	FIGURES	
Figu	re 1	Location and Vicinity Map	
Figu	re 2	Site Plan with Analytical Results	
Figu	re 3	Groundwater Elevations Contours	
T TC	т об	APPENDICES	
T19	I Or	APPENDICES	
Арре	endix A		
		A Site Background	
Appe	endix A	A Site Background B Field Methods and Procedures	
Appe	endix A	A Site Background B Field Methods and Procedures C Field Measurements & Notes	

ACRONYMS AND ABBREVIATIONS

AAC Alaska Administrative Code

ADEC Alaska Department of Environmental Conservation

AK Alaska Test Method

BTEX benzene, toluene, ethylbenzene, and xylenes

Chemox chemical oxidation
DO dissolved oxygen
DRO diesel range organics

EPA U.S. Environmental Protection Agency

GCL groundwater cleanup level

gpm gallons per minute GRO gasoline range organics

IW injection well

Klozur® One Trademarked chemical oxidizer developed by PeroxyChem

mg/L milligrams per liter
MW monitoring well

PAH polycyclic aromatic hydrocarbon ORP oxidation-reduction potential

QA quality assurance QC quality control Speedway Speedway, LLC

Stantec Stantec Consulting Services, Inc.

Tesoro Tesoro Refining and Marketing Company

TMB Trimethylbenzene

UST underground storage tank
VOC Volatile Organic Compounds

1.0 INTRODUCTION

This Groundwater Monitoring Event Report was prepared by Stantec Consulting Services Inc. (Stantec) on behalf of Speedway Store 5314 (7-Eleven Store 46745 - Former TNS 76), located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska (**Figure 1**). Background and historical information for this site is summarized in **Appendix A**. The methods used for this monitoring event were conducted in accordance with the Alaska Department of Environmental Conservation (ADEC) approved 2024 Corrective Action Plan (CAP) for this site. The 2024 CAP work plan tasks are summarized in **Appendix B**.

This third quarter 2024 groundwater monitoring event was conducted on August 28, 2024, by Stantec environmental staff including Bob Gilfilian, Principal Engineer; Sydney Souza, Environmental Geologist; and Jeremiah Malenfant, Geologist-in-Training. Stantec field staff completed the monthly chemical oxidation (chemox) injection event on August 29 and September 23, 2024.

2.0 FIELD ACTIVITIES

On August 28, 2024, Stantec completed the following field activities as part of this groundwater monitoring event:

- Measured the depth to groundwater in Monitoring Wells MW-1, MW-2, MW-3, MW-4, and RW19-1. Groundwater depth measurements were used by the SampleServe™ program to calculate the hydraulic gradient and direction of flow of the groundwater table.
- Measured the following intrinsic water quality parameters in four monitoring/remediation wells: pH, temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP), and specific conductance.
- Collected groundwater samples from all five monitoring/remediation wells and a duplicate (of MW-3) and submitted them for laboratory analysis of: U.S. Environmental Protection Agency (EPA) Method 8260C for petroleum fuel associated volatile organic compounds including benzene, toluene, ethylbenzene, and xylenes (BTEX), 1,2,4- Trimethylbenzene (TMB) and 1,3,5-TMB, as well as polycyclic aromatic hydrocarbons (PAHs), specifically naphthalene, by EPA 8270D; Alaska Test Method (AK)101 for GRO; AK102 for DRO; and metals by EPA 6010C (ICP) for sodium.
- A surface water grab sample was collected from ponded surface water associated with the wetland area located in the depression just south of MW-3.

On August 29, 2024, Stantec completed a monthly injection of chemox treatment into the 3 remediation wells (IW-1, IW-2 and IW-3). Field methods and procedures are provided in **Appendix B**. Field measurements and notes are provided in **Appendix C**.

3.0 GROUNDWATER MONITORING RESULTS

3.1 GROUNDWATER ELEVATIONS

Table 1 presents groundwater elevations at this site based on the depths to static groundwater levels measured during this monitoring event. The recirculation pump in RW19-1 was discharged on a continuous basis at about 1 gallon per minute (gpm) across all wells located in the "footprint" of the former underground storage tank (UST) shown on the site plan presented on **Figure 2**.

Table 1 Groundwater Elevations

Measured on August 28, 2024

Monitoring Well Identification	Top of Casing Elevation (feet relative to datum) ¹	Depth to Groundwater (feet btoc)	Groundwater Elevation (feet relative to datum) ¹
MW-1	94.73	19.28	75.45
MW-2	95.07	17.95	77.12
MW-3	94.46	17.21	77.25
MW-4	95.01	17.83	77.18
RW19-1	95.73	21.15	74.58

Key:

The hydraulic gradient across the site was found to be approximately 0.040 feet per foot directed northwest at 304 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction is consistent with past monitoring events. A plot of groundwater elevation contours generated by the SampleServe software program, as well as a rose diagram, generated by the Surfer™ software program, of past groundwater direction and gradient, is included in **Figure 3.** The SampleServe program uses a combination of kriging and nearest-neighbor analyses to generate the contours.

3.2 INTRINSIC WATER QUALITY PARAMETERS

Intrinsic water quality data collected during this monitoring event is presented in **Table 2**. High specific conductance readings and higher ORP readings are indicative of the influence of chemox treatment. Intrinsic water quality parameters were not collected from the pumping well due to maintenance tasks being conducted concurrently.

 ^{1 -} Based on a vertical control survey of June 17, 2024, using an elevation datum of 100.0 feet established on the benchmark on the concrete base of the existing on-site drinking water well.
 feet btoc - feet below top of monitoring well casing

Table 2 Intrinsic Water Quality Parameters

Measurements taken on August 28, 2024

Well ID	Volume Purged (gallons)	Temp.	pН	Dissolved Oxygen (mg/L)	ORP (mV)	Specific Conductance (µs/cm °C)
MW-1	2.5	7.8	6.68	1.17	170.9	1596
MW-2	5	8.4	6.96	3.25	169.9	592.0
MW-3	3	8.5	6.98	2.54	174.2	760
MW-4	5	8.6	6.72	2.05	220.8	1623
RW19-1	NA	NM	NM	NM	NM	NM

ORP -

oxidation-reduction potential

Key:

°C – degrees Celsius

microSiemens per centimeter °C

μS/cm°C – pH – -log [H+]

SC specific conductance at 25°C mg/L milligrams per liter

mV – millivolts Temp. – temperature Not Measured NA – not applicable NM –

3.3 ANALYTICAL WATER QUALITY DATA

Laboratory analytical results for BTEX, GRO, DRO, 1,2,4-TMB, 1,3,5-TMB, sodium, and naphthalene detected in groundwater samples collected during this monitoring event are summarized in Tables 3a and 3b. Historical results for the current and previous monitoring events are presented in **Appendix D**. The complete laboratory analytical report and laboratory data review checklist is provided in **Appendix E**.

A grab sample was collected from ponded surface water associated with a wetland (see Figure 2 for location). This sample was collected to determine if subsurface contamination or runoff are impacting the wetlands to the south of the store in a depression approximately 15-feet below the ground surface of the store.

Table 3 Groundwater Analytical Results for BTEX, GRO, and DRO

Samples collected on August 28, 2024

Sample Identification	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	GRO (mg/L)	DRO (mg/L)
MW-1	0.00463	U(0.00100)	U(0.00100)	U(0.00300)	0.0624 B J	0.323 B J
MW-2	0.0159	U(0.00100)	0.00787	0.011520 J	0.270 B	0.457 B J
MW-3	0.0176	U(0.0100)	0.0710	0.17335 J	0.786 B	0.639 B J
DUP 1 (dup. of MW-3)	0.0160	U(0.00100)	0.0715	0.17234	0.832 B	0.582 B J
MW-4	0.0586	0.00401	0.0238	0.01753	0.600 B	0.676 B J
RW19-1	0.0117	U(0.00500)	0.00565	0.0125	0.132 B	0.366 B J
Wetland (surface water)	0.00610	0.00202	0.0225	0.06736	0.594 B	1.47 B
GCLs	0.0046	1.1	0.015	0.19	2.2	1.5

Table 2 Intrinsic Water Quality Parameters

Measurements taken on August 28, 2024

Well ID	Volume Purged (gallons)	Temp.	pН	Dissolved Oxygen (mg/L)	ORP (mV)	Specific Conductance (µs/cm °C)
MW-1	2.5	7.8	6.68	1.17	170.9	1596
MW-2	5	8.4	6.96	3.25	169.9	592.0
MW-3	3	8.5	6.98	2.54	174.2	760
MW-4	5	8.6	6.72	2.05	220.8	1623
RW19-1	NA	NM	NM	NM	NM	NM

Key:

°C – degrees Celsius

microSiemens per centimeter °C

μS/cm°C mg/L milligrams per liter

mV – millivolts

NA – not applicable ORP oxidation-reduction potential

pH – -log [H+]

SC specific conductance at 25°C

Temp. – temperature NM – Not Measured

3.3 ANALYTICAL WATER QUALITY DATA

Laboratory analytical results for BTEX, GRO, DRO, 1,2,4-TMB, 1,3,5-TMB, sodium, and naphthalene detected in groundwater samples collected during this monitoring event are summarized in Tables 3a and 3b. Historical results for the current and previous monitoring events are presented in **Appendix D**. The complete laboratory analytical report and laboratory data review checklist is provided in **Appendix E**.

A grab sample was collected from ponded surface water associated with a wetland (see Figure 2 for location). This sample was collected to determine if subsurface contamination or runoff are impacting the wetlands to the south of the store in a depression approximately 15-feet below the ground surface of the store.

Table 3a Groundwater Analytical Results for BTEX, GRO, and DRO

Samples collected on August 28, 2024

Sample Identification	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	GRO (mg/L)	DRO (mg/L)
MW-1	0.00463	U(0.00100)	U(0.00100)	U(0.00300)	0.0624 B J	0.323 B J
MW-2	0.0159	U(0.00100)	0.00787	0.011520 J	0.270 B	0.457 B J
MW-3	0.0176	U(0.0100)	0.0710	0.17335 J	0.786 B	0.639 B J
DUP 1 (dup. of MW-3)	0.0160	U(0.00100)	0.0715	0.17234	0.832 B	0.582 B J
MW-4	0.0586	0.00401	0.0238	0.01753	0.600 B	0.676 B J
RW19-1	0.0117	U(0.00500)	0.00565	0.0125	0.132 B	0.366 B J
Wetland (surface water)	0.00610	0.00202	0.0225	0.06736	0.594 B	1.47 B
GCLs	0.0046	1.1	0.015	0.19	2.2	1.5

Table 3b Groundwater Analytical Results for Naphthalene, TMB, and SodiumSamples collected on August 28, 2024

Sample Identification	1,2,4-TMB (mg/L)	1,3,5-TMB (mg/L)	Naphthalene ¹ (mg/L)	Sodium (mg/L)
MW-1	U(0.00100)	U(0.00100)	U(0.000250)	70.1
MW-2	0.00396	0.000740 J	U(0.000250)	60.7
MW-3	0.0611	0.0236	0.00123	64.9
DUP 1 (dup. of MW-3)	0.0644	0.0236	0.00118	63.8
MW-4	0.00242	U(0.00100)	0.00137	136
RW19-1	0.00182	U(0.00500)	0.000260	38.7
Stream	0.0856	0.0439	0.00182	57.1
GCLs	0.056	0.060	0.0017	NA

AK - Alaska Test Method

TMB - Trimethylbenzene

Key:

1 – Analyzed by EPA Method 8270D-SIM

DUP - Duplicate

mg/L - milligrams per liter

B – The same analyte is found in the associated blank.

BTEX – benzene, toluene, ethylbenzene, and xylenes

DRO - Diesel range organics, analyzed by AK102

GCLs – Groundwater cleanup levels, per ADEC 18 AAC 75.345, Table C, updated September 29, 2018.

GRO – Gasoline range organics, analyzed by AK101

J – The identification of the analyte is acceptable; the reported value is an estimate.

U() – Undetected above laboratory reporting limits shown in parentheses.

Bold – indicates the concentration exceeds the GCL or, if not detected, the practical quantitation limit exceeds the GCL.

3.4 QUALITY ASSURANCE (QA)/ QUALITY CONTROL (QC) REVIEW

Pace analytical performed all analysis of groundwater samples for this sampling event. **Table 4** provides a summary of the laboratory QC objectives and outcomes for this monitoring event. Laboratory QC data and the ADEC Laboratory Data Review Checklist are included with the laboratory report in **Appendix E**.

All samples were extracted and analyzed within the relevant hold times. A duplicate sample set was collected to determine the precision of the field collection and laboratory analyses for this sampling event. Sample DUP 1 is a duplicate of sample MW-3. The data presented in **Table 4** shows that the precision for the duplicate sample set was not outside the established QA criteria for any analyte.

Table 4 Laboratory Quality Control Objectives

Quality Control Designation	Tolerance	Results for this Event
Holding Times		
DRO/Water/to analyze	40 days	9 days
GRO/Water/to analyze	14 days	8 days
VOCs/Water/to analyze	14 days	10 days
Field Duplicates – Precision		
Benzene/Water	± 30%	9.5%
Toluene/Water	± 30%	NC
Ethylbenzene/Water	± 30%	0.7%
Xylenes/Water	± 30%	0.6%
GRO/Water	± 30%	5.7%
DRO/Water	± 30%	9.3%
1,2,4-TMB/Water	± 30%	5.3%
1,3,5-TMB/Water	± 30%	0.0%
Naphthalene/Water	± 30%	4.1%
Sodium/Water	± 30%	1.7%

Key:

% – percent

 \pm – plus or minus

BTEX – benzene, toluene, ethylbenzene, and xylenes

DRO - diesel range organics

GRO - gasoline range organics

TMB - Trimethylbenzene

PAH – polycyclic aromatic hydrocarbon

VOC - Volatile Organic Compounds

NC - not calculated due to analyte being undetected in sample

4.0 REMEDIATION SYSTEM

The re-circulation of pumped groundwater from RW19-1 is coupled with periodic injection (typically monthly during the non-freeze time of year) of a chemox product that is injected into the three remediation wells (IW-1, IW-2, and IW-3). On August 29, 2024, Stantec completed a groundwater remediation event that involved the manual injection of a mixture of two 55-pound bags of Klozur One[®] product each mixed with 50 gallons of tap water into each the three remediation wells for a total of 330 total pounds of chemox injected onsite. Additional flushing was not required in the wells due to the continuous flow from the recirculation pump.

Concurrent with both the monitoring event and the chemox event, staff redeveloped the recirculation well and piping. Upon completion of the chemox injection process, the flow from the on-site recirculation well (RW19-1) was reconnected to discharge constant flow into all three wells at approximately 1.5 gpm with a backpressure of 60 psi. The final scheduled monthly injection of chemox for the year is in October 2024.

5.0 DISCUSSION OF FINDINGS

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18 AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- MW-1: Benzene.
- MW-2: Benzene.
- MW-3: Benzene, ethylbenzene, and 1,2,4-TMB.
- MW-4: Benzene and ethylbenzene.
- RW19-1: Benzene.
- Wetland (surface water): Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene.

Benzene was detected above GCLs in MW-1 for the second time since July of 2023.

The hydraulic gradient across the site was found to be approximately 0.040 feet per foot directed northwest at 304 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction is consistent with past monitoring events.

6.0 CONCLUSIONS AND RECOMMENDATIONS

During last week of October 2024, Stantec plans to return to the site to re-sample the wetland (surface water) and test the sample for the same contaminants as shown herein on Table 3. The purpose of the resample is to confirm the finding of contamination and address the issue if contamination is verified with a remedial approach that will be provided in the corrective action work plan for 2025 that will be discussed during the annual work session with 7-Eleven, ADEC and Stantec. The annual work session is planned to be held in December 2024. No other anomalies were found during the third quarter 2024 monitoring event that would require additional corrective action or changes to the ADEC-approved year 2024 Corrective Action Work Plan for this site.

7.0 LIMITATIONS

Stantec conducted this monitoring event in accordance with the 2024 Corrective Action Work Plan approved by ADEC, and in a manner consistent with the level of skill ordinarily exercised by members of the profession currently practicing under similar conditions. All sampling activities were completed in accordance with the ADEC *Underground Storage Tanks Procedures Manual – Standard Sampling Procedures* (March 22, 2017). The conclusions in this report are Stantec's professional opinion, as of the time of the report, and concerning the scope described in the report. The opinions in the document are based on conditions and information existing at the time the scope of work was conducted and do not consider any subsequent changes. This report relates solely to the specific project for which Stantec was retained and the stated purpose for which the report was prepared.

This report is not to be used or relied on for any variation or extension of the project, or for any other project or purpose, and any unauthorized use or reliance is at the recipient's own risk.


In addition, this report is intended solely for use by the client in accordance with Stantec's contract with the client. While the report may be provided to applicable authorities having jurisdiction and others for whom the client is responsible, Stantec does not warrant the services to any third party. The report may not be relied upon by any other party without the express written consent of Stantec, which may be withheld at Stantec's discretion.


FIGURES


Figure 1 Location and Vicinity Map

Figure 2 Site Plan with Analytical Results

Figure 3 Groundwater Elevation and Contours







APPENDIX A

Site Background

APPENDIX A - SITE BACKGROUND

Speedway Store 5314 (7-Eleven Store 46745 - Former TNS 76) located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska **ADEC File #2265.26.037**

Speedway Store 5314 (former Tesoro 2 Go Mart #76) is a retail fuel and convenience store facility located at 3600 Palmer-Wasilla Highway, Wasilla, Alaska (Figure 1). The legal description for the property is Lot 7, Block 1, Cameron Acres Subdivision, Matanuska-Susitna Borough.

Two 15,000-gallon underground storage tanks (USTs) were installed at the site in 1995. Based on historical records, this is the first retail fuel convenience store to occupy this location. The site is covered with asphalt paving with concrete in the area over the USTs and fuel dispenser islands. The former UST system and dispensing components were removed from September to October 2014 and replaced with a new UST fueling system. The new UST fueling system consists of two 15,000-gallon fiberglass-reinforced plastic, double-walled USTs installed on January 29, 2015, and seven fuel dispensers (six gasoline and one diesel). Distribution piping consists of 2-inch fiberglass primary and 3-inch fiberglass secondary.

In addition, the former convenience store was demolished and replaced with a new convenience store that was constructed at a different location on the property. The property is over 1 acre in size and is served with an on-site drinking water well and on-site septic tank and drainfield system.

October 2014. During the 2014 Site Assessment of the UST closure, a petroleum fuel release was discovered in the subsurface soils partially surrounding and underlying the USTs. At that time, a very deep test pit was excavated beneath the former USTs to the groundwater table. Field screening with a photoionization detector (PID) indicated that petroleum contamination was present throughout the vadose zone and extended to the underlying groundwater table. Due to site safety concerns with sloughing soils, it was not feasible to excavate all of the contaminated soil below the former USTs.

A Release Investigation (RI) was conducted by MWH Americas, Inc. (MWH) subsequent to the closure of the former USTs. The RI included the installation of a soil vapor extraction (SVE) remediation well and several groundwater monitoring wells. MWH completed a groundwater monitoring event after the monitoring wells were installed. Follow-up water samples were collected from the onsite drinking water well for appropriate laboratory analyses.

The findings of the RI indicated a significant amount of petroleum contamination had impacted the subsurface soils and shallow groundwater table at the site. The soil samples collected indicate higher concentrations of gasoline range organics (GRO) and benzene, toluene, ethylbenzene, and xylenes (BTEX) constituents directly below the location occupied by the former USTs at Remediation Wells RW-2 and RW-3. Benzene was detected above Alaska Department of Environmental Conservation (ADEC) groundwater cleanup level (GCL) in groundwater at monitoring wells installed at the site. GRO contaminants have also impacted the groundwater table. The system has been monitored on a quarterly basis since the completion of the RI.



February 2015. Benzene exceeded the GCL in Monitoring Well MW-2. BTEX, GRO, and diesel range organics (DRO) exceeded GCLs in Monitoring Well MW-3. Benzene, toluene, and GRO exceeded GCLs in Monitoring Well MW-4.

June 2015. MWH installed and placed into operation a SVE system at the site. Early results indicate that the system is effectively removing petroleum-related vapors from the subsurface. Additionally, a surface water sample was collected from an on-site nearby wetland surface water area. Xylenes and DRO were detected in the water sample; however, the concentrations were below the ADEC groundwater and surface water cleanup levels.

September 2015. Benzene and DRO exceeded GCLs in Monitoring Well MW-2. BTEX and DRO exceeded GCLs in Monitoring Well MW-3. Benzene exceeded GCL in Monitoring Well MW-4. The SVE remediation system blower was offline, requiring maintenance.

November 2015. Benzene exceeded GCL in Monitoring Well MW-1. Benzene, GRO, and DRO exceeded the GCL in Monitoring Well MW-2. Benzene, toluene, and GRO all remained above their GCLs, consistent with the past five monitoring events, at Monitoring Well MW-3.

December 2015. Maintenance was performed on the SVE system on December 31, 2015. A replacement SVE system blower was installed. The system was brought back online on the date of the replacement blower installation. A PID was used to monitor the system effluent after the initial 15 minutes of operation and indicated that 424 parts per million by volume were being removed by the system.

January 2016. Benzene exceeded the GCL in Monitoring Well MW-1. Benzene, toluene, ethylbenzene, and DRO exceeded their GCLs in Monitoring Well MW-2; and benzene, toluene, ethylbenzene, xylenes, GRO, and DRO exceeded their GCLs in Monitoring Well MW-3. The laboratory did not provide results for requested GRO analyses for samples from Monitoring Wells MW-2 and MW-4.

May 2016. In Monitoring Wells MW-1, MW-2, and MW-4, only benzene exceeded GCL. MW-3 exceeded GCLs for all analytes tested. There were no detections in the Carmen Lot 7 drinking water sample. An SVE effluent sample was collected to monitor SVE performance.

October 2016. In Monitoring Well MW-1, only benzene exceeded GCL. In Monitoring Well MW-2, all analytes but toluene and DRO exceeded GCLs. Monitoring Well MW-3 exceeded GCLs for all analytes tested. Monitoring Well MW-4 had no exceedances. There were no detections in the Carmen Lot 7 drinking water sample. An SVE effluent sample was collected to monitor SVE performance.

December 2016. In Monitoring Well MW-1, only benzene exceeded GCL. In Monitoring Well MW-2, all analytes but toluene exceeded GCLs. Monitoring Well MW-3 exceeded GCLs for benzene, GRO, and DRO. Monitoring Well MW-4 and the Carmen Lot 7 drinking water sample had no exceedances. Both Monitoring Wells MW-3 and MW-4 had insufficient sample volumes to complete all analytical testing. The SVE system observed for operation and performance.



February 2017. Benzene was the only analyte to exceed the GCL in Monitoring Wells MW-1 and MW-4. Benzene and ethylbenzene exceeded GCLs in Monitoring Well MW-2, and all analytes exceeded their GCLs in Monitoring Well MW-3. The SVE system was frozen due to record cold temperatures experienced during January 2017. A subsequent site visit on February 16, 2017, was made to thaw and restore the SVE system to normal operation.

April 2017. In addition to testing for BTEX, DRO, and GRO, expanded testing for volatile organic compounds (VOCs), and polynuclear aromatic hydrocarbons (PAHs) were conducted on all monitoring wells. Benzene was the only analyte to exceed the GCL in Monitoring Wells MW-1 and MW-4. BTEX (minus toluene) and GRO exceeded their GCLs in Monitoring Well MW-2, consistent with previous monitoring events. The expanded testing found 1,2,4-trimethlybenzene and naphthalene to also exceed GCLs. In Monitoring Well MW-3, BTEX and DRO exceeded their GCLs, also consistent with previous monitoring events. The expanded testing found 1,2,4-trimethlybenzene, 1,3,5-trimethlybenzene, and naphthalene to also exceed GCLs. Pilot Testing (conducted in May 2017) of air injection into remediation wells to volatize groundwater and smear zone contaminants indicated a slight increase of volatilization when air is injected into RW-2, and RW-3.

September 2017. Except for the following, all analytes were below GCLs in the wells sampled:

- Monitoring Well MW-1 benzene exceeded the GCL.
- Monitoring Well MW-2 benzene, ethylbenzene, xylenes and GRO exceeded their GCLs.
- Monitoring Well MW-3 BTEX, GRO, and DRO were above their GCLs. The MW-3
 duplicate sample provided results within established Quality Assurance/Quality Control
 (QA/QC) standards.
- Monitoring Well MW-4 benzene, ethylbenzene, xylenes, and GRO exceeded their GCLs.

The SVE contaminant vapor mass removal was less than observed during pilot test in May 2017 and requires additional optimization.

February 2018. Except for the following, all analytes were below GCLs in the wells sampled:

- Monitoring Well MW-1 benzene.
- Monitoring Well MW-2 benzene, ethylbenzene, xylenes, and GRO (GRO was not detected, but the Reporting Limit exceeded the GCL).
- Monitoring Well MW-3 BTEX and GRO (GRO was not detected, but the Reporting Limit exceeded the GCL). The MW-3 duplicate sample provided results within established OA/OC standards.
- Monitoring Well MW-4 benzene, ethylbenzene, xylenes, and GRO.

The SVE contaminant vapor mass removal was less than previously observed on site. In addition, the field work included an assessment of the buried piping systems for the air sparging (AS) and SVE systems. The assessment was performed with a downhole camera capable of recording



photographs and video of the interior conditions of the piping system. The findings of the downhole camera assessment of the buried piping system was inconclusive.

June 2018. The results from the June 29, 2018, monitoring event supports the continued pattern that GRO contamination persists on site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated well. In summary, the results of the groundwater analytical sampling showed that analytes detected above the GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, GRO, and naphthalene.
- Monitoring Well MW-3: BTEX, GRO and naphthalene. Except for GRO, the duplicate sample provided results within established QA/QC standards.
- Monitoring Well MW-4: Benzene, ethylbenzene, and naphthalene.

A representative water sample from the on-site drinking water well serving the Tesoro 2 Go Mart was sampled and tested for VOCs. The water sample was found to have no detectable levels of contaminants of concern, except the laboratory reporting limits were over the GCLs for 1,1,2-trichloroethane (TCA) and vinyl chloride.

The SVE contaminant vapor mass removal is very low and based on the recent pattern of decline suggest that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

September 2018. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-4: Benzene, and 1,2,4-trimethylbenzene.

Several analytes for VOCs were reported as undetected but had laboratory reporting limits that equaled or exceeded their corresponding GCLs. The results from this monitoring event supports the continued pattern that GRO contamination persists at the site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated well.

The approximate hydraulic gradient across the site was found to be approximately 0.03 feet per foot directed toward the north-northeast at 14 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.



The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

October 2018. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-1: Benzene.
- Monitoring Wells MW-2 and MW-3: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene.
- Monitoring Well MW-4: Benzene.

Several VOCs were reported as undetected but had laboratory reporting limits that equaled or exceeded their corresponding GCLs. The results from this October 26, 2018, monitoring event supports the continued pattern that GRO contamination persists at the site and is observed in Monitoring Wells MW-2 and MW-3. In addition, Monitoring Well MW-3 is consistently the most contaminated on-site monitoring well.

The approximate hydraulic gradient across the site was found to be approximately 0.03 feet per foot directed toward the north at 358 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determined to be feasible, a new work plan will be presented to ADEC in 2019 for review and approval prior to making any changes.

February 2019. Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs were:

- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, and GRO.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, and DRO.
- Monitoring Well MW-4: Benzene

The existing bio-sparge treatment system is not functional and will be replaced. In the 2nd quarter of 2019, Stantec plans to install a groundwater recirculation system based on pump and treat technology. The SVE contaminant vapor mass removal is very low and, based on the recent pattern of decline, suggests that the SVE system performance requires additional optimization. Alternative treatment options are currently being evaluated and, if determine feasible, a new work plan will be presented to ADEC for review and approval prior to making any changes.

April 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4, as well as the on-site drinking water well.



Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring Well MW-2: Benzene, xylenes, GRO, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene.
- Monitoring Well MW-3: Benzene, GRO, and naphthalene.

A representative water sample from the on-site drinking water well serving the Tesoro 2Go Mart was sampled and tested for VOCs. The water sample was found to have no detectable levels of contaminants of concern, except the laboratory reporting limits were over the GCLs for 1,1,2-TCA, 1,2,3-trichloropropane, 1,2-dibromoethane, and vinyl chloride.

The groundwater hydraulic gradient across the site was found to be approximately 0.04 feet per foot directed toward the west-northwest at 290 degrees. The groundwater flow direction and gradient are inconsistent with past monitoring events in that the direction of flow is to the west rather than historically to the north with a slightly higher gradient.

July 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene, ethylbenzene, xylenes, and GRO.
- Monitoring Well MW-3: BTEX, GRO, and DRO.
- Monitoring Well MW-4: Benzene.

The groundwater hydraulic gradient across the site was found to be approximately 0.013 feet per foot directed toward the north-northeast at 22 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

Stantec plans to drill a new 4" diameter remediation well and repurpose the current bio-sparge system. The new well and bio-sparge system will be converted into a groundwater recirculation system to allow injection of chemical oxidation products. The implementation of this change in the remediation system will occur in the 4th quarter of 2019.

October 2019. The monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, and MW-4.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

Monitoring Well MW-2: Benzene and ethylbenzene.



- Monitoring Well MW-3: benzene, ethylbenzene, xylenes, and GRO.
- Monitoring Well MW-4: Benzene.

The groundwater hydraulic gradient across the site was found to be approximately 0.013 feet per foot directed toward the north at 350 degrees. The groundwater flow direction and gradient are consistent with past monitoring events.

Stantec plans to drill a new 4" diameter remediation well (RW 19-1) and repurpose the current bio-sparge system. The new well and bio-sparge system will be converted into a groundwater recirculation system to allow injection of chemical oxidation products. The implementation of this change in the remediation system will occur in the 2nd quarter of 2020.

August 2020. The 3rd quarter groundwater monitoring event included: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC groundwater cleanup levels (GCLs) in the primary samples were:

- Monitoring Well MW-2: Benzene, ethylbenzene, and xylenes.
- Monitoring Well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), and diesel range organics (DRO).
- Monitoring Well MW-4: Benzene.

The hydraulic gradient across the site was found to be approximately 0.025 feet per foot directed toward the north at 47 degrees. The groundwater flow direction and gradient are consistent with past monitoring events. A historical summary of the groundwater flow for the last 10 monitoring events is shown in the "rose diagram" presented on the Site Plan drawing.

In 2019 Stantec installed a groundwater recirculation system based on pump and treat technology. The 4" diameter remediation well (RW 19-1) that was installed in October 2019, is connected to the existing underground piping system (formerly used for the bio-sparge system) consisting of 3 vertical injection wells located under the northeast portion of the existing store building. Chemical oxidation injection of Klozur One® product directly into the 3 vertical injection wells was conducted during this monitoring event. A total of 330 pounds of Klozur One® and 750 gallons of water pumped from RW19-1 was injected into the in-situ groundwater treatment system.

October 2020. The 4th quarter groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

• Monitoring well MW-1: Benzene



- Monitoring well MW-2: Benzene, ethylbenzene, and 1,2,4-trimethylbenzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
- Monitoring well MW-4: Benzene.

No contaminants were detected in the drinking water sample collected from the water spigot in the store's utility sink.

The hydraulic gradient across the site was found to be approximately 0.032 feet per foot directed toward the north-east at 28 degrees. The groundwater flow direction and gradient are consistent with past monitoring events. A historical summary of the groundwater flow for the last 11 monitoring events is shown in the "rose diagram" presented on the Site Plan drawing.

On September 3, 2020 - prior to the 4th quarter groundwater monitoring event, Stantec completed an injection of chemox products. A chemox solution consisting of two 55-pound bags of Klozur One® product mixed with 50 gallons of water was injected into each of the three remediation wells of the former bio-sparge system (RW-1, RW-2, and RW-3). An additional 200 gallons of water from RW19-1 was injected directly into each remediation well (RW-1, RW-2, and RW-3) immediately after the injection of the chemox solution. In summary, a total of 330 pounds of Klozur One® and 750 gallons of water pumped from RW19-1 was injected into the in-situ groundwater treatment system.

March 2021. The 1st quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, toluene, gasoline range organics (GRO), and diesel range organics (DRO).
- Monitoring well MW-4: Benzene.

The hydraulic gradient across the site was found to be approximately 0.024 feet per foot directed toward the northwest at 340 degrees. The calculated groundwater gradient and flow direction do not account for the water table drawdown associated with remediation well RW19-1. The groundwater gradient and flow direction are consistent with past monitoring events.

The operation of the groundwater recirculation well (RW 19-1) was checked and noted to be operating within normal range. The submersible pump runs on a continuous basis and observed to discharge approximately a total flow rate of 1.5 gallons per minute into the three on-site injection wells (RW-1, RW-2 and RW-3) that are located within the "footprint" of the former underground storage tank (UST).



May 2021. The 2nd quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the primary samples were:

- Monitoring well MW-2: Benzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, toluene, GRO, DRO, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene.
- Monitoring well MW-4: Benzene.

The approximate hydraulic gradient and direction of groundwater flow across the site was found to be approximately 0.027 feet per foot directed toward the northeast at 59 degrees. The calculated groundwater gradient and flow direction do not account for the water table drawdown associated with remediation well RW19-1. The groundwater gradient and flow direction are generally consistent with past monitoring events. The gradient and direction of flow was graphically calculated by triangulation method.

The operation of the groundwater recirculation well (RW 19-1) was checked and noted to be operating within normal range. The submersible pump runs on a continuous basis and observed to discharge approximately a total flow rate of 1 to 2 gallons per minute into the three on-site injection wells (RW-1, RW-2 and RW-3) that are located within the "footprint" of the former underground storage tank (UST).

Chemox injection via the three remediation wells took place on May 19, 2021, during the completion of the groundwater monitoring event. Stantec completed an injection of two 55-pound bags of Klozur One[®] product mixed with 50 gallons of water was injected into each of the three remediation wells of the former bio-sparge system (RW-1, RW-2, and RW-3) for a total 330 pounds of Klozur One[®] and 750 gallons of water pumped from RW19-1 was injected into the insitu groundwater treatment system. The next scheduled injection of chemox into the treatment wells is planned for the third quarter of 2021.

July 2021. The 2nd quarter 2021 groundwater monitoring event included: measuring the depth to groundwater; measuring intrinsic water quality parameters; and collecting and analyzing groundwater samples from monitoring wells MW-01, MW-02, MW-03, MW-04 and remediation well RW19-1.

Results of the groundwater analytical sampling showed that analytes detected above ADEC GCLs in the samples were:

• Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB.



• Monitoring well MW-4: Benzene.

However, the laboratory reported the test results for naphthalene in all of the wells were non-detect but all of them were above the ADEC GCL for naphthalene. Consequently, are shown in this report as exceedance of the naphthalene GCL.

The hydraulic gradient across the site was found to be approximately 0.027 feet per foot directed toward the northeast at 59 degrees. The calculation by triangulation of groundwater hydraulic flow was based on the static water levels in the four on-site monitoring wells and the pumping water level in "pump and treat" well (RW 19-1). The groundwater gradient and flow direction are generally consistent with past monitoring events.

The operation of the groundwater recirculation "pump and treat" well (RW 19-1) was checked and noted to be operating within normal range. The well's submersible pump runs on a continuous basis (24 hours each day). Upon arrival to the site on July 28, 2021, the well pump was discharging approximately 1.4 gallons per minute (gpm) into the three on-site treatment/remediation (injection) wells (RW-1, RW-2 and RW-3) that are located within the "footprint" of the former underground storage tank (UST). The pumped groundwater is treated in-situ with a chemical oxidation (chemox) injection process.

On July 28, 2021, Stantec completed groundwater remediation event that included the injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One[®] product and 50 gallons of tap water into each of the three remediation wells. Following the injection of the chemox solution, Stantec injected additional 250 to 300 gallons of tap water to "hydraulically push" the chemox mixture into each remediation well.

October 2021: The fourth quarter 2021 monitoring event was conducted on October 14, 2021, and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1. In addition, a representative water sample was collected for analysis for appropriate drinking water parameters from the store's onsite drinking water well. The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) for the following monitoring wells:

- Monitoring well MW-1: Benzene
- Monitoring well MW-2: Benzene and ethylbenzene.
- Monitoring well MW-3: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB.
- Monitoring well MW-4: Benzene.

No contaminants of concern were detected in the drinking water sample collected from the store.

The hydraulic gradient across the site was found to be approximately 0.04 feet per foot directed toward the west-northwest at 285 degrees. The calculation of groundwater hydraulic flow was performed by the "Surfer®" modeling software in conjunction with the static water levels in the four on-site monitoring wells and the pumping water level in "pump and treat" recirculation well (RW 19-1). Due to the operation of the recirculation well RW-19-1, the groundwater flow direction



was slightly altered to the west and the gradient was slightly higher compared to past monitoring events.

The well pump in RW-19-1 was discharging approximately 1.4 gallons per minute (gpm) into the three on-site treatment/remediation (injection) wells (RW-1, RW-2 and RW-3) that are located within the footprint of the former underground storage tank (UST). The well's submersible pump runs on a continuous basis (24 hours each day). The pumped groundwater is treated in-situ with the periodic dosing/injection of a chemical oxidant (chemox) product.

On October 1, 2021, Stantec completed groundwater remediation event that included the injection of chemox solution into the three treatment/remediation wells. The injection process involved the Speedway Store 5314 (former Tesoro 2 Go Mart #76) Page 2 October 2021 4Q Monitoring Event Report November 2021 manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells. Following the injection of the chemox solution, Stantec injected additional 250 to 300 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

March 2022: This first quarter 2022 monitoring event report was conducted on March 17, 2022 and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-2: Benzene.
- <u>Monitoring well MW-3</u>: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB.
- Monitoring well MW-4: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- Remediation Well RW19-1: Benzene.

The hydraulic gradient across the site was found to be approximately 0.019 feet per foot directed northwest at 312 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured during the monitoring event on March 17. The groundwater gradient and flow direction are generally consistent with past monitoring events.

On March 25, 2022, Stantec completed groundwater remediation event that included the injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One[®] product and 50 gallons of tap water into each of the three remediation wells for a total of 100 gallons per well and 300 gallons of chemox solution total. Following the injection of the chemox solution,



Stantec injected an additional 100 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

June 2022: This second quarter 2022 monitoring event report was conducted on June 22 and 23, 2022 and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- <u>Monitoring Well MW-1</u>: Benzene.
- Monitoring Well MW-2: Benzene.
- <u>Monitoring well MW-3</u>: Benzene, ethylbenzene, xylenes, gasoline range organics (GRO), diesel range organics (DRO), naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB
- Monitoring well MW-4: Benzene, ethylbenzene, xylenes, GRO, naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- Remediation Well RW19-1: Benzene, ethylbenzene and 1,2,4-TMB.

The hydraulic gradient across the site was found to be approximately 0.078 feet per foot directed north-northwest at 343 degrees.

During the 2Q 2022, Stantec completed two groundwater remediation events that included the monthly injection of chemical oxidation (chemox) solution into the three treatment/remediation wells. The chemox was injected on May 16 and June 16, 2022. The chemox injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells (RW-1, RW-2 and RW-3) for a total of 100 gallons per well and 300 gallons of chemox solution total. Following the injection of the chemox solution, Stantec injected an additional one to two hundred gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation.

August 2022: This third quarter 2022 monitoring event report was conducted on August 19, 2022 and included the following field activities: measuring the depth to groundwater; measuring water quality parameters; and collecting and analyzing groundwater samples from Monitoring Wells MW-1, MW-2, MW-3, MW-4, and Remediation Well RW19-1.

The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC GCLs for the following monitoring wells:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene.
- Monitoring well MW-3: Naphthalene, as well as benzene and naphthalene in the duplicate sample.



- Monitoring well MW-4: Benzene, ethylbenzene, and naphthalene.
- Remediation Well RW19-1: Benzene.

The hydraulic gradient across the site was found to be approximately 0.020 feet per foot directed northwest at 298 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump on during the monitoring event on August 19. The groundwater flow direction is more westerly than in past monitoring events, while the gradient is generally consistent.

Flow from RW 19-1 was discharged at approximately 1 gpm on a continuous basis into injection well RW-2 located in the footprint of the former UST. Between June 23 and July 20 of this year, the pump was turned off to protect the pump during low groundwater elevation conditions due to low rainfall in the early to mid summer.

October 2022: The fourth quarter monitoring event was completed on October 5, 2022. The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene.
- <u>Monitoring well MW-3</u>: Benzene, ethylbenzene, total xylenes, naphthalene, and 1,2,4-TMB. 1,3,5-TMB was also detected in the duplicate sample.
- <u>Monitoring well MW-4</u>: Benzene, ethylbenzene, total xylenes, naphthalene, and 1,2,4-TMB.
- Remediation Well RW19-1: Benzene.

The hydraulic gradient across the site was found to be approximately 0.14 feet per foot directed north-northwest at 307 degrees. The increased gradient observed during this monitoring event is due to well rehabilitation in RW19-1 increasing the cone of influence of the remediation system. It is anticipated that the gradient will decrease over time as groundwater flow conditions adjust to the increased pumping level.

On October 6, Stantec staff pulled the pump and cleaned it and the drop tube, and purged the well to clean iron flocculant off the screen. The submersible pump in the recirculation well has since been operating on a continuous basis (24 hours each day).

On October 6, 2022, Stantec completed groundwater remediation event that included the injection of chemox solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One® product and 50 gallons of tap water into each of the three remediation wells (RW-1, RW-2 and RW-3) for a total of 100 gallons per well and 300 gallons of chemox solution total. It was noted that the chemox solution was accepted less readily in well RW-2 than the other wells. Following the injection of the chemox solution, Stantec injected an additional 100-200 gallons of tap water into each remediation well to hydraulically push the chemox mixture into the subsurface formation. Upon completion of the



chemox injection process, the flow from the on-site recirculation well (RW 19-1) was reconnected to discharge constant flow into RW-2.

March 2023: This monitoring event was completed on March 9, 2023. The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- <u>Monitoring Well MW-2</u>: Benzene and ethylbenzene.
- <u>Monitoring well MW-3</u>: Benzene, ethylbenzene, total xylenes, GRO, DRO, naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- <u>Monitoring well MW-4</u>: Benzene, ethylbenzene, total xylenes, naphthalene, 1,2,4-TMB, and 1,3,5-TMB.
- Remediation Well RW19-1: Benzene and ethylbenzene.

The hydraulic gradient across the site was found to be approximately 0.027 feet per foot directed northwest at 323 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction and gradient are consistent with past monitoring events.

On March 28, 2023, Stantec completed a groundwater remediation event that included the injection of chemox solution into the three treatment/remediation wells. It was noted that the chemox solution was accepted less readily in wells RW-1 and RW-2 than in the past. Following the chemox event, water from the recirculation well was directed into RW-1.

April 2023: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-2: Benzene.
- <u>Monitoring well MW-3 and DUP</u>: Benzene, ethylbenzene, total xylenes, DRO, and naphthalene.
- Monitoring well MW-4: Benzene and ethylbenzene.
- <u>Remediation Well RW19-1</u>: Benzene and ethylbenzene.

The hydraulic gradient across the site was found to be approximately 0.05 feet per foot directed northwest at 315 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction and gradient are consistent with past monitoring events.

Monitoring well MW-4 has historically shown more contamination. However, results from this monitoring event show that petroleum contaminant concentrations have decreased in MW-4 since the Q1 sampling event.



July 2023: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- Monitoring Well MW-1: Benzene.
- Monitoring Well MW-2: Benzene.
- Monitoring well MW-3 and DUP: Benzene, ethylbenzene, and 1,2,4-TMB
- Monitoring well MW-4: Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene
- Remediation Well RW19-1: Benzene and ethylbenzene.

The hydraulic gradient across the site was found to be approximately 0.038 feet per foot directed west at 253 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater gradient is consistent with past monitoring events, but the flow direction is more westerly due to the increased drawdown in remediation well RW19-1.

Monitoring well MW-4 has historically shown more contamination. The previous monitoring event showed a decrease in contamination. However, results from this monitoring event show that petroleum contaminant concentrations are still relatively high in MW-4 since the Q1 sampling event.

On July 14, 2023, Stantec completed a groundwater remediation event that included the injection of chemox solution into the three treatment/remediation wells. The injection process involved the manual injection of a mixture of two 55-pound bags of Klozur One® product each mixed with 50 gallons of tap water into the three remediation wells (RW-1, RW-2, and RW-3) for a total of 100 gallons each for all three remediation wells and 330 pounds of chemox solution total. Following the injection of the chemox solution, Stantec injected an additional approximately 150 gallons of tap water into the three remediation wells (RW-1, RW-2, and RW-3) to hydraulically push the chemox mixture into the subsurface formation.

October 2023: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- MW-2: Benzene.
- MW-3: Ethylbenzene.
- <u>MW-4</u>: Benzene, ethylbenzene, & naphthalene.
- RW19-1: Benzene.

The hydraulic gradient across the site was found to be approximately 0.12 feet per foot directed northwest at 304 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running.



The groundwater flow direction is consistent with past monitoring events, but the gradient is larger due to the increased drawdown in remediation well RW19-1.

No BTEX constituents were detected above GCLs in the drinking water well serving the site. However, DRO was detected below GCLs. DRO was last detected in this well in 2020.

March 2024: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18 AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- <u>MW-2</u>: Benzene, ethylbenzene.
- MW-3: Benzene, ethylbenzene, xylene, GRO, 1,2,4-TMB, 1,3,5-TMB, and naphthalene.
- MW-4: Benzene, ethylbenzene.
- RW19-1: Benzene, ethylbenzene.

Due to the warm temperature of the sample cooler when it arrived at the laboratory, the sample results could be skewed. These results should be examined with this in mind.

The hydraulic gradient across the site was found to be approximately 0.090 feet per foot directed northwest at 315 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction is consistent with past monitoring events.

June 2024: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska Administrative Code (AAC) 18 AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- MW-1: Benzene.
- MW-2: Benzene.
- MW-3: Benzene, ethylbenzene, xylene, 1,2,4-TMB, and naphthalene.
- MW-4: Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene.
- RW19-1: Benzene.

Overall, ethylbenzene concentrations across the site have come down. Benzene was detected above GCLs in MW-1 for the first time since July of last year.

The hydraulic gradient across the site was found to be approximately 0.083 feet per foot directed northwest at 291 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction is consistent with past monitoring events.

August 2024: The laboratory analytical sample results showed petroleum associated analytes were present at concentrations exceeding ADEC groundwater cleanup levels (GCLs) as listed in Alaska



Administrative Code (AAC) 18 AAC 75.345 Table C (9/18/2019) for the following monitoring wells:

- MW-1: Benzene.
- MW-2: Benzene.
- MW-3: Benzene, ethylbenzene, and 1,2,4-TMB.
- MW-4: Benzene and ethylbenzene.
- RW19-1: Benzene.
- Wetland: Benzene, ethylbenzene, 1,2,4-TMB, and naphthalene.

Benzene was detected above GCLs in MW-1 for the second time since July of 2023.

The hydraulic gradient across the site was found to be approximately 0.040 feet per foot directed northwest at 304 degrees. The calculation of groundwater hydraulic flow was based on the static water levels in the five on-site wells measured with the groundwater recirculation pump running. The groundwater flow direction is consistent with past monitoring events.



APPENDIX B

Field Methods & Procedures

APPENDIX B – FIELD METHODS AND PROCEDURES

Speedway Store 5314 (7-Eleven Store 46745 - Former TNS 76) located at 3600 Palmer-Wasilla Highway, Fairbanks, Alaska

Lot 7, Block 1, Cameron Acres Subdivision, Matanuska-Susitna Borough ADEC File #2265,26.037

The following table presents the proposed tasks for the Alaska Department of Environmental Conservation (ADEC)-approved 2024 Corrective Action Plan (CAP). The scope of these tasks is based on the results and findings of the monitoring and remediation completed to date at the site.

2024 Work Plan Schedule Speedway Store 5314

	Work Plan Task	1 st Quarter	2 nd Quarter	3 rd Quarter	4 th Quarter
Task 1	Monitoring Wells: MW-1, MW-2, MW-3, and MW-4 including Remediation/Recirculation Well RW19-1	V, G, D, P, S & I			
	On-site Domestic Drinking Water Well				D&E
Task 2	O&M Recirculation Groundwater Treatment System	✓	✓	✓	✓
Task 3	Chemical Oxidation Treatment	✓	✓	✓	✓

Key:

AK - Alaska Test Method

D – Diesel range organics by AK102.

EPA – U.S. Environmental Protection Agency

- E Drinking Water parameters by EPA Test Method 524.2.
- G Gasoline range organics by AK101.
- I Indicators, parameters tested include dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.

O&M – Operation and Maintenance

- V Volatile organic compounds by EPA Test Method 8260C.
- S Sodium analyzed by Metals (ICP) Method 6010C.
- P Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds, by EPA Test Method 8270D Selective Ion Monitoring (SIM).

The CAP for the year 2024 will be implemented by Stantec on behalf of Speedway. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site. All sampling activities will be completed in accordance with ADEC's *Underground Storage Tanks Procedures Manual—Standard Sampling Procedures* (March 22, 2017). The



methods that will be used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of
 each well casing. The elevation of the static water level will be based on an arbitrary datum
 established on-site during a vertical control survey that will be completed by Stantec on an
 annual basis. The survey will be performed during the summer after the seasonal frost layer
 thaws.
- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, Teflon[®] bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water samples will be collected in laboratory-supplied sample containers. The samples
 will be delivered to an ADEC-approved laboratory in accordance with standard chain-ofcustody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2024 Schedule shown above.

APPENDIX C

Field Measurements & Notes



Site Name: TNS #76 Date: 08/28/2024 Name(s): Sydney Souza

							· · · · · · · · ·	, ,
Well ID	Time of Day	Depth to Product	Depth to Water	Depth to Bottom	Product Thickness	Well Diameter	Well Material	Comment(s) on Condition o Well
MW-1	8/28/24 09:40		19.28			2.0	PVC	
MW-2	8/28/24 09:51		17.95			2.0	PVC	
MW-3	8/28/24 10:11		17.21			2.0	PVC	
MW-4	8/28/24 10:35		17.83			2.0	PVC	
RW19-1	8/28/24 12:29							



Site Name: TNS #76 08/28/2024,

Sydney Date: 9:40 AM Name(s): Souza



Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW-	N/A	19.28	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
94.73 2.0			PVC
Latitud	de (decimal)	Longitude (decimal)	Weather
61.584	45298133	-149.358577633	

Type/Model Meter Used:		
Calibrated: (date) Vol:	(time)	Cell
Type/Model Pump Used:		
Pump Intake?	ft	<u> </u>
Above / Below Botto	om / TOC	

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
Sodium	1 X 250 mL Poly ✔







									Pı	urge watei	r disposal	: Pour on	ground	
Time	Depth to Water (ft)	Flow Rate (ml/Min)	р	Н		ıctivity /cm)	Turb (N	oidity TU)	Dissol (m	ved O2 g/l)	Tei (Cel	mp. sius)	Potentia	Reduction al (ORP) nv
09:40	19.28	\times	Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
Sample C	ollected?	Yes		1	Time	09:40	_	1	1	Total Pum	ped from V	Vell?	0	Gal

NOTES / COMMENTS:



Site Name: TNS #76 08/28/2024,

 08/28/2024,
 Sydney

 Date: 9:57 AM
 Name(s): Souza



Well ID	Free Product (ft)	Water (ft)	Bottom (ft)
MW- 2	N/A	17.95	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material
95.07	2.0		PVC
Latitud	de (decimal)	Longitude (decimal)	Weather
61.584	43106137	-149.358489851	

61.5843106137	-149.358489851								
Type/Model Meter Used:									
Calibrated: (date) (time)									
Vol:									
Type/Model Pump Used:									
Pump Intake?	ft								
Above / Below	Bottom / TOC								

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
Sodium	1 X 250 mL Poly ✔



Purge water disposal: Pour on ground

Time	Depth to Water (ft)	Flow Rate (ml/Min)	р	Н	Condu (ms	ıctivity /cm)	Turb (N	oidity TU)		ved O2 g/l)	Ter (Cel:	np. sius)	Potentia	Reduction al (ORP) nv
09:51	17.95	\times	Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
Sample C	Collected?	Yes	<u> </u>		Time	09:57	_	<u> </u>	<u> </u>	Total Pum	ped from V	Vell?	0	Gal

NOTES / COMMENTS:	

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.



Site Name: TNS #76 08/28/2024, Date: 10:20 AM

Sydney Name(s): Souza



Well ID	Free Product (ft)	Water (ft)	Bottom (ft)	
MW- 3	N/A	17.21		
TOC	Well Dia. (in)	Screen Length (ft)	Well Material	
94.52 2.0			PVC	
Latitud	de (decimal)	Longitude (decimal)	Weather	
61.584	12287396	-149.358589014		

Type/Model Meter Used: Calibrated: (date)	(time)	Ce
Vol: Type/Model Pump Used:		
Pump Intake?	ft	
Above / Below Botto	om / TOC	

Analytical Parameters	Bottles to be filled
PAH	2 X 40 mL Amber VOAs ✓
BTEX	3 X 40 mL Amber VOAs ✓
GRO	3 X 40 mL Amber VOAs ✓
DRO	2 X 100 mL Amber Glass ✓
Sodium	1 X 250 mL Poly ✓







Purge water disposal: Pour on ground QA/QC:Duplicate #1

									~	A/QC.Dup	mouto // =			
Time	Depth to Water (ft)	Flow Rate (ml/Min)	р	Н	Condu (ms	ıctivity /cm)		oidity TU)		ved O2 g/l)	Ter (Cel:	np. sius)		Reduction al (ORP) nv
10:11	17.21	\times	Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)
 Sample C	ollected? _	Yes			Time	10:20	_			Total Pum	ped from V	 Vell?	0	Gal

NOTES / COMMENTS:			



Site Name: TNS #76 08/28/2024, Sydney Date: 10:52 AM Name(s): Souza Analytical Well Free Product Bottles to be filled **Parameters** ID (ft) Water (ft) Bottom (ft) PAH 2 X 40 mL Amber MW-N/A 17.83 VOAs ✔ **BTEX** 3 X 40 mL Amber TOC | Well Dia. (in) Screen Length (ft) Well Material VOAs ✓ 95.01 2.0 PVC 3 X 40 mL Amber **GRO** Latitude (decimal) Longitude (decimal) VOAs ✔ Weather DRO 2 X 100 mL Amber 61.5842637859 -149.358822557 Glass ✓ Type/Model Meter Used: ____ Sodium 1 X 250 mL Poly 🗸 Calibrated: (date) _____ (time) ____ Cell Purge water disposal: Pour on ground Type/Model Pump Used: ___ Pump Intake? Above / Below Bottom / TOC Depth to Flow Oxygen Reduction Water Conductivity Turbidity **Dissolved O2** Potential (ORP) Rate Temp. (ml/Min) Time (ft) рН (ms/cm) (NTU) (mg/I)(Celsius) mv Change* Change* Change* Change* (±10% or (±10% or Change* Change* Reading (±3%) 17.83 Reading <5) <0.5) Reading (±10mv) 10:35 (± 0.1) Reading Reading Reading (±3%) 10:52 Total Pumped from Well? _____ Sample Collected? Yes Gal Time **NOTES / COMMENTS:**

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.



Sample Collected?

Yes

Site Name: TNS #76 08/28/2024, Sydney Date: 12:29 PM Name(s): Souza

Well ID	Free Product (ft)	Water (ft)	Bottom (ft)	Analytical Parameters	Bottles to be filled	
RW19-	N/A			PAH	2 X 40 mL Amber VOAs ✓	
TOC	Well Dia. (in)	Screen Length (ft)	Well Material	BTEX	3 X 40 mL Amber VOAs ✓	
95.73				GRO	3 X 40 mL Amber	
Latitude	e (decimal)	Longitude (decimal)	Weather		VOAs ✓	
61.5843	3002	-149.3588681		DRO	2 X 100 mL Amber Glass ✓	
Type/Mo	odel Meter Use	d:		Sodium	1 X 250 mL Poly ✔	
Calibrat Vol:	ed: (date)	(time)	Cell			Purge water disposal: Pour on ground
Type/Mo	odel Pump Use	d:				
Pump Ir	ntake?	ft				
Above	/ Below B	ottom / TOC				

Time	Depth to Water (ft)	Flow Rate (ml/Min)	р	Н	Condu (ms	ıctivity /cm)	Turk (N	oidity TU)		ved O2 g/l)	Ter (Cel:	mp. sius)	Potentia	Reduction al (ORP) nv
12:29		\times	Reading	Change* (±0.1)	Reading	Change* (±3%)	Reading	Change* (±10% or <5)	Reading	Change* (±10% or <0.5)	Reading	Change* (±3%)	Reading	Change* (±10mv)

NOTES / COMMENTS:

Total Pumped from Well? _____0

Gal

12:29

Time

*Minimum pumping time 15 Mins. - Collect data every 3 mins once flow through cell is full or once every volume of the flow through cell based on flow rate, which ever is longest. Indicator Parameters Have Stabilized When 3 Consecutive Readings Are Within: \pm 0.1 for pH; \pm 3% for Specific Conductivity and Temperature; \pm 10 mv for ORP; and \pm 10% for Turbidity (when Turbidity is above 5 NTUs) or 3 readings less than 5.0 NTUs; \pm 10% mg/l Dissolved Oxygen (when Dissolved Oxygen is above 0.5mg/l) or 3 readings less than 0.5 mg/l.



 Site Name:
 TNS #76
 08/28/2024,
 Sydney

 Date:
 9:40 AM
 Name(s):
 Souza

Location ID	CDC Latitude (desired)	CDC Langitude (decimal)	
Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)	
MW-1	61.5845298133	-149.358577633	
Field Intrinsics			
Sampler Names	s: Sydney Remi	Sheen/Odor?: None	
pH: 6.68		Specific Conductance: 1596	
DO: 1.17		Temperature (C): 7.8	
ORP: 170.9		Purge Volume (gal): 2.5	
Notes: Transpa	rent light orange		









Site Name: TNS #76 08/28/2024, Date: 9:57 AM

Sydney Name(s): <u>Souza</u>



Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)	
MW-2	61.5843106137	-149.358489851	
Field Intrinsics			
Sampler Name	s: Sydney / Remi	Sheen/Odor?: None	
pH: 6.96		Specific Conductance: 592.0	
DO: 3.25		Temperature (C): 8.4	
ORP: 169.9		Purge Volume (gal): 5	
Notes: Dark ora	ange with springtails		







 Site Name:
 TNS #76
 08/28/2024,
 Sydney

 Date:
 10:20 AM
 Name(s):
 Souza

Location ID	GPS Latitude (decimal)	GPS Longitude (decimal)	
MW-3	61.5842287396	-149.358589014	
Field Intrinsics	i		
Sampler Names	s: Remi Sydney	Sheen/Odor?: Faint gas odor	
pH: 6.98		Specific Conductance: 760	
DO: 2.54		Temperature (C): 8.5	
ORP: 174.2		Purge Volume (gal): 3	
Notes: Brown s	ediment		









Site Name: TNS #76 08/28/2024, Date: 10:52 AM

 8/2024,
 Sydney

 2AM
 Name(s): Souza

//	1
1	2

Location ID	GPS Latitude (decimal)		GPS Longitude (decimal)	
MW-4	61.5842637859		-149.358822557	
Field Intrinsics				
Sampler Names: S	Sydney / Remi	She	en/Odor?: Faint odor	
pH: 6.72		Spe	cific Conductance: 1623	
DO: 2.05		Tem	perature (C): 8.6	
ORP: 220.8		Purç	ge Volume (gal): 5	
Notes: Deep orang	ge colour			



Site Name: <u>TNS #76</u> 08/28/2024, Date: 12:29 PM

28/2024, Sydney 29 PM Name(s): Souza

		J. <u>====================================</u>		10(0)1 <u>000120</u>
Location ID	GPS Latitude (decimal)	GPS Longitude (decima	al)
RW19-1	61.5843002		-149.3588681	
Field Intrinsics				
Sampler Names:		Sheen/Odor?:		
pH:		Specific Conductance:		
DO:		Temperature (C):	
ORP:		Purge Volume (gal):		
Notes:				

APPENDIX D

Historical Monitoring Data

		"Interval	Una Water Elevatio,					8/		2		
	ž	Screen menual	omo omo			90		eughoon on the second				one in the state of the state o
Unit an Health Cleanup	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MW-1			<u>0.056</u>	0.06	0.0046	<u>1.5</u>	<u>0.015</u>	2.2	0.0017		<u>1.1</u>	0.19
11/06/2014			_		0.0270	0.36	U (0.0005)	0.0670			U (0.0005)	U (0.0015)
02/25/2015					0.001300	U (0.41)	U (0.0005)	U (0.05)			U (0.0005)	U (0.0015)
06/10/2015				_	U (0.002)	0.50	,	U (0.060)	_		U (0.002)	U (0.002)
09/02/2015				_	0.001100	U (0.40)	U (0.001)	U (0.1)	_		U (0.001)	U (0.003)
11/12/2015			_	_	0.0290	U (0.21)	U (0.003)	0.14	_	_	U (0.002)	U (0.002)
01/20/2016			_	_	0.0710	0.22	U (0.003)	0.18	_		U (0.002)	U (0.002)
05/09/2016			_	_	0.0260	U (0.45)	U (0.001)	0.10	_	_	U (0.001)	U (0.003)
10/13/2016			_	_	0.0530	0.36	U (0.001)	0.84	_	_	U (0.001)	U (0.003)
12/09/2016			_		0.0270	0.67	U (0.002)	0.0670	_	_	U (0.002)	U (0.003)
02/08/2017				_	0.0100	0.27	U (0.003)	0.0570	_	_	U (0.002)	U (0.002)
04/24/2017				_		U (0.0003)	U (0.003)	U (0.001)	_	_	U (0.002)	U (0.003)
09/01/2017				_	0.006800	0.25	U (0.003)	Ù (1.0)	_	_	U (0.002)	U (0.002)
02/15/2018				_	0.0120	U (0.13)	U (0.003)	U (1.0)	_	_	U (0.002)	U (0.003)
06/29/2018				_	0.0260	0.30	U (0.003)	U (0.25)	_	_	U (0.002)	U (0.003)
09/11/2018				_	0.0100	U (0.27)	U (0.001)	U (0.15)	_	_	U (0.001)	U (0.002)
10/26/2018			_	_	0.0150	0.31	U (0.003)	U (0.25)	_	_	U (0.002)	U (0.003)
02/25/2019			_	_	0.003700	0.19	U (0.003)	U (0.25)	_		U (0.002)	U (0.003)
04/25/2019			_	_	U (0.003)	U (0.27)	U (0.003)	U (0.25)	_		U (0.002)	U (0.003)
07/25/2019			_	_	0.007100	0.27	U (0.003)	U (0.25)	_	_	U (0.002)	U (0.003)
10/18/2019			_	_	U (0.003)	0.16	U (0.003)	U (0.25)	_	_	U (0.002)	U (0.003)
08/11/2020		73.27	_	_	0.0026200	U (0.808)	U (0.001)	U (0.1)	_	35.8	U (0.001)	U (0.003)
10/12/2020		72.88	U (0.001)	U (0.001)	<u>0.0054800</u>	0.369	U (0.001)	0.0110	U (0.000250)	43.6	U (0.001)	U (0.002)
03/23/2021		73.38	_	_	0.000526000	U (0.840)	U (0.001)	0.0130	_	33.2	U (0.001)	U (0.001)
05/19/2021		73.17	U(0.00100)	U(0.00100)	<u>0.0048100</u>	U (0.840)	U (0.001)	0.03020	U(0.00500)	35.0	U (0.001)	U (0.002)
07/14/2021		72.93	U (0.00100)	U (0.00100)	0.0017700	0.317	U (0.001)	U (0.1)	U (0.00500)	32.2	U (0.001)	U (0.003)
10/14/2021		75.24	U(0.00100)	U(0.00100)	<u>0.01670</u>	0.427	U (0.001)	0.06690	U(0.000250)	59.7	U (0.001)	U (0.002)
03/17/2022		75.93	U(0.00100)	U(0.00100)	0.000111000	0.263	U(0.00100)	U(0.100)	U(0.000250)	133	U(0.00100)	U(0.00300)
06/22/2022		73.67	U(0.00100)	U(0.00100)	<u>0.0097500</u>	U(0.800)	U(0.00100)	0.03750	U(0.000250)	49.2	U(0.00100)	U(0.00300)
08/19/2022		75.72	U(0.00100)	0.000106000	0.0060600	U(0.800)	U(0.00100)	0.05090	U(0.000250)	85.3	U(0.00100)	0.000456000

		Interval	er					2		g, /		
	N.	Screen menyal	Una Waler Elevatio,			oway. 6		ollo ollo ollo ollo ollo ollo ollo oll				al a
Unit an Health Cleanup	ft	ft	ppm <u>0.056</u>	ppm 0.06	ppm 0.0046	ppm <u>1.5</u>	ppm 0.015	ppm <u>2.2</u>	ppm 0.0017	ppm	ppm 1.1	ppm 0.19
10/05/2022			U(0.00100)	U(0.00100)	0.04770	U(0.800)	U(0.00100)	0.08130	U(0.000250)	54.8	U(0.00100)	U(0.00300)
03/09/2023		75.05	U(0.00100)	U(0.00100)	0.0022400	0.281 J,B	0.000167 J	0.0303 J	U(0.000250)	55.4	U(0.00100)	U(0.00300)
04/26/2023		76.74	O(0.00100)	O(0.00100)	0.0680	0.201 3,6	0.000237000	0.03033	U(0.00025)	70.6	U(0.00100)	0.0031300
07/13/2023		79.30	U(0.00100)	U(0.00100)	0.01030	0.341	U(0.00100)	0.06110	U(0.000250)	90.3	U(0.00100)	U(0.00100)
11/03/2023		76.62	U(0.00100)	U(0.00100)	0.0043400	0.508	U(0.00100)	0.04730	U(0.000250)	154	U(0.00100)	U(0.00300)
03/21/2024		76.20	U(0.00100)	U(0.00100)	0.0019400	U(0.800)	U(0.00100)	0.125	U(0.000250)	107	U(0.00100)	U(0.00100)
06/17/2024		75.49	U(0.00100)	U(0.00100)	0.0120	U(0.800)	U(0.00100)	U(0.100)	U(0.000250)	76.7	U(0.00100)	U(0.00300)
08/28/2024		75.45	U(0.00100)	U(0.00100)	0.0046300	0.323	U(0.00100)	0.06240	U(0.000250)	70.1	U(0.00100)	U(0.00100)
MW-2			,	,			,		,		,	
11/06/2014			_	_	0.0670	0.19	<u>0.0160</u>	0.68	_		0.0260	0.13
02/25/2015			_	_	0.0220	U (0.41)	0.003400	0.13	_		0.004500	0.0200
06/10/2015			_	_	U (0.002)	1.10	U (0.003)	<u>6.10</u>	_		U (0.002)	<u>1.82</u>
09/02/2015			_	_	0.0890	<u>1.80</u>	<u>0.0650</u>	U (10)	_		0.0560	<u>1.40</u>
11/12/2015			_	_	0.0910	<u>1.80</u>	<u>0.13</u>	<u>22.0</u>	_		0.11	0.179
01/20/2016			_	_	<u>0.52</u>	<u>1.60</u>	<u>0.83</u>	_	_	_	<u>1.50</u>	<u>5.10</u>
05/09/2016			_	_	<u>0.41</u>	0.95	<u>0.35</u>	U (10)	_		0.37	<u>2.80</u>
10/13/2016			_	_	<u>0.42</u>	0.98	<u>0.48</u>	9.20	_	_	0.63	<u>2.62</u>
12/09/2016			_	_	<u>0.57</u>	<u>1.70</u>	<u>0.50</u>	<u>11.0</u>	_	-	0.17	<u>1.01</u>
02/08/2017			_	_	<u>0.0530</u>	0.20	<u>0.0210</u>	0.58	_	_	U (0.002)	0.0960
04/24/2017			_	_	<u>0.0360</u>	0.94	<u>0.0350</u>	<u>2.60</u>	_	_	0.0120	<u>0.66</u>
09/01/2017			_	_	<u>0.0830</u>	1.30	<u>0.45</u>	<u>9.70</u>	_		0.0260	<u>2.33</u>
02/15/2018			_	_	<u>0.0670</u>	0.98	<u>0.14</u>	U (10)	_		0.0200	<u>0.97</u>
06/29/2018			_	_	<u>0.17</u>	1.20	<u>0.59</u>	<u>6.00</u>	_	_	0.25	<u>3.30</u>
09/11/2018			_	_	0.0940	0.74	<u>0.18</u>	<u>4.80</u>	_		0.13	<u>1.08</u>
10/26/2018			_	_	<u>0.17</u>	1.00	0.48	<u>11.0</u>	_	—	0.28	<u>3.01</u>
02/25/2019			—	—	0.0920	1.20	0.18	<u>5.40</u>	<u> </u>	— <u> </u>	0.22	<u>1.41</u>
04/25/2019			_	_	0.0510	0.93	U (0.003)	<u>3.60</u>	<u> </u>	_	0.13	<u>1.28</u>
07/25/2019			—	—	0.0790	0.89	0.20	<u>5.40</u>	<u> </u>	<u> </u>	0.13	<u>1.47</u>
10/18/2019			—	—	0.0250	0.24	0.0220	0.74	<u> </u>		0.006500	0.101
08/11/2020		74.49	—	—	0.05990	0.553	0.07590	0.921		33.2	0.01070	<u>0.465</u>

		Interval	St. Key.									
	, and a	Screen merval	Una Waler Elevatio,			all de la company de la compan		euglia e euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia euglia e euglia e euglia euglia euglia euglia euglia euglia euglia euglia euglia e euglia euglia euglia euglia euglia euglia euglia euglia euglia e euglia euglia euglia euglia euglia euglia euglia euglia euglia e euglia euglia e e e e e e e e e e e e e e e e e e e	2			or o
Unit an Health Cleanup	ft	ft	ppm 0.056	ppm 0.06	ppm 0.0046	ppm <u>1.5</u>	ppm 0.015	ppm <u>2.2</u>	ppm 0.0017	ppm	ppm 1.1	ppm 0.19
10/12/2020		74.58	0.109	0.03290	<u>0.0046</u>	0.409	0.04550		0.000405000	55.2	U (0.001)	0.168
03/23/2021		73.53	0.105	0.03290	0.0054200	U (0.840)	U (0.001)	0.02270	0.000403000	48.1	U (0.001)	U (0.003)
05/19/2021		73.57	0.0027800	0.001200	0.0033800	U (0.840)	0.000461000	0.02270	U(0.00500)	25.4	U (0.001)	0.0050100
07/14/2021		73.97	0.0048700	0.0010700	0.0039900	0.272	0.0019300	0.05040	U (0.00500)	32.8	U (0.001)	0.0046500
10/14/2021		76.78	0.07060	0.01850	0.02920	0.589	0.01760		0.000277000	50.3	0.01090	0.1308
03/17/2022		76.98	0.01130	0.0033500	0.01890	0.288	0.0072300	0.249	U(0.000250)		0.000395000	0.023130
06/22/2022		74.73	U(0.00100)	U(0.00100)	0.02030	0.38	0.0058300	0.327	U(0.000250)	87.7	0.0056700	0.0045400
08/19/2022		77.77	U(0.00100)	U(0.00100)	0.0230	0.198	0.0064100	0.137	U(0.000250)	86.3	0.0017100	0.0077500
10/05/2022			0.0090700	0.0030400	0.0078100	U(0.800)	0.0044600	0.117	U(0.000250)	37.3	0.000291000	0.01050
03/09/2023		76.66	0.02990	0.0087900	0.05930	0.451 J,B	0.01770	0.375	0.0011400	36.7	0.000918 J	0.038850
04/26/2023		77.75	_	_	0.01230	0.318	0.0027300	0.128	0.000109000	51.4	0.000342000	0.01020
07/13/2023		77.36	0.0220	0.0066100	0.01290	0.349	0.005300	0.343	0.000347000	61.2	U(0.00100)	0.0020100
11/03/2023		77.65	0.0033700	0.00098000	0.004400	0.695	0.0029900	0.08240	U(0.000250)	37.1	U(0.00100)	0.010580
03/21/2024		77.23	0.01080	0.0033400	0.04420	U(0.800)	<u>0.01820</u>	0.34	0.000217000	111	U(0.00100)	0.00100
06/17/2024		77.00	U(0.00100)	U(0.00100)	<u>0.05650</u>	0.278	0.0089400	0.08630	0.0003000	167	0.0035700	0.000943000
08/28/2024			0.0039600	0.00074000	<u>0.01590</u>	0.457	0.0078700	0.27	U(0.000250)	60.7	U(0.00100)	0.011520
MW-3												
11/06/2014			_	_	<u>5.00</u>	<u>3.50</u>	<u>37.0</u>	<u>240</u>	_	_	<u>7.40</u>	39.0
02/25/2015			_	_	<u>2.90</u>	8.60	<u>6.70</u>	<u>180</u>	_	_	34.0	<u>37.0</u>
06/10/2015			_	_	<u>5.20</u>	9.50	8.20	<u>210</u>	_	_	38.0	<u>48.0</u>
09/02/2015			_	_	<u>3.70</u>	<u>5.10</u>	4.40	U (200)	_	_	<u>24.0</u>	<u>28.0</u>
11/12/2015			_	_	<u>1.30</u>	<u>3.60</u>	<u>0.21</u>	<u>87.0</u>	_	_	2.10	<u>1.69</u>
01/20/2016			_	_	3.80	<u>4.10</u>	4.20	<u>120</u>	_	_	<u>13.0</u>	<u>25.3</u>
05/09/2016			_	_	<u>2.10</u>	1.50	<u>2.20</u>	<u>69.0</u>	_		<u>21.0</u>	<u>33.0</u>
10/13/2016 12/09/2016			_	_	1.20	2.00 2.20	<u>2.90</u>	<u>46.0</u>	_		4.20	14.6 0.54
02/08/2016			_	_	0.17	3.30	E2.0	100 98.0	_	_	00.0	
04/24/2017			_	_	39.0 2.50	3.90 6.70	<u>53.0</u> <u>5.20</u>	<u>98.0</u> U (200)	_	_	99.0 14.0	103 28.9
09/01/2017			-	_	<u>2.50</u> <u>0.61</u>	1.90	3.70	75.0	_		9.30	<u>28.9</u> <u>21.4</u>
02/15/2018			_	_	<u>0.81</u> <u>0.30</u>	1.30	<u>3.70</u> <u>2.90</u>	U (100)	_		3.80	<u>21.4</u> <u>15.6</u>
02/13/2010			_	_	<u>0.30</u>	1.30	<u> 2.30</u>	0 (100)	_	_	3.00	<u>15.0</u>

		heral	Una Water Elevatio,					*		•		
	'n	Screen menal	en our			w			\$ 2			Joseph Joseph
Unit an Health Cleanup	ft	ft	ppm <u>0.056</u>	ppm 0.06	ppm 0.0046	ppm	ppm <u>0.015</u>	ppm	ppm 0.0017	ppm	ppm	ppm 0.19
06/29/2018			0.056	0.06	<u>0.0046</u> <u>0.28</u>	1.10	<u>0.015</u> <u>1.70</u>	2.2 23.0	0.0017		1.10	8.20
09/11/2018					<u>0.28</u> <u>0.29</u>	0.91	1.00	<u>23.0</u> 14.0		_	0.53	<u>5.60</u>
10/26/2018					<u>0.29</u> <u>0.32</u>	0.91	<u>1.00</u> <u>0.89</u>	<u>15.0</u>			0.36	4.30
02/25/2019					<u>0.95</u>	4.60	2.30	U (1.3)			0.69	11.4
04/25/2019				_	0.14	0.64	U (1.5)	11.0			0.13	U (1.5)
07/25/2019			_	_	0.68	<u>1.90</u>	2.40	41.0		_	<u>1.20</u>	<u>11.6</u>
10/18/2019			_	_	0.21	1.20	1.70	21.0		_	0.66	9.70
08/11/2020		75.60	_	_	0.737	4.89	<u>2.99</u>	<u>32.8</u>	_	52.4	1.05	<u>17.0</u>
10/12/2020		76.20	<u>2.91</u>	<u>0.764</u>	<u>0.32</u>	<u>5.22</u>	<u>2.46</u>	<u>29.4</u>	<u>0.04890</u>	66.1	0.868	<u>14.89</u>
03/23/2021		75.12	_	_	<u>0.45</u>	U (0.840)	<u>3.73</u>	<u>54.3</u>	_	U(3.00)	<u>1.21</u>	<u>21.6</u>
05/19/2021		76.08	<u>2.24</u>	<u>0.631</u>	<u>0.473</u>	<u>5.08</u>	<u>2.04</u>	<u>31.1</u>	U(1.00)	47.0	0.186	<u>11.1</u>
07/14/2021		75.93	<u>2.16</u>	<u>0.594</u>	<u>0.581</u>	<u>3.87</u>	<u>2.65</u>	30.3	U (1.00)	49.8	0.156	<u>12.87</u>
10/14/2021		77.13	<u>1.31</u>	<u>0.33</u>	0.0840	<u>2.11</u>	<u>0.741</u>	<u>15.8</u>	<u>0.01090</u>	41.2	0.13	<u>4.147</u>
03/17/2022		76.99	<u>1.49</u>	<u>0.46</u>	0.06420	3.44	0.07640	<u>13.9</u>	0.02380	110	0.01040	<u>4.351</u>
06/22/2022		77.52	<u>1.90</u>	<u>0.62</u>	0.09230	<u>3.24</u>	<u>0.739</u>	<u>10.2</u>	<u>0.02620</u>	74.8	0.03360	<u>3.776</u>
08/19/2022		77.96	0.0280	0.0070700	<u>0.01190</u>	1.49	0.01060	0.559	<u>0.0031500</u>	68.9	U(0.00500)	<u>0.2237</u>
10/05/2022			0.343	0.09250	0.0200	0.92	<u>0.168</u>	<u>2.83</u>	0.004200	56.0	0.000379000	<u>0.618</u>
03/09/2023		76.79	<u>1.35</u>	0.339	<u>0.153</u>	2.10 B	<u>0.959</u>	<u>10.3</u>	0.02740	55.6	0.03320	<u>4.512</u>
04/26/2023		77.80	_	_	0.02410	<u>2.16</u>	0.09520	1.24	0.0028400	53.3	U(0.0100)	<u>0.375</u>
07/13/2023		77.39	0.06380	0.0190	0.009900	1.14	<u>0.0670</u>		0.000881000	60.0	0.0015900	0.05580
11/03/2023		77.63	0.0270	0.0082100	0.0039800	1.12	0.02920	0.389	0.000631000	45.5	0.000497000	0.1068
03/21/2024		77.19	0.911	0.271	0.102	0.922	<u>0.511</u>	<u>7.64</u>	0.01360	63.2	0.01280	0.254
06/17/2024		77.25	0.07640	0.01270	0.07120	1.15	0.218	1.53	0.0077500	101	U(0.0100)	0.305
08/28/2024			0.06440	0.02360	<u>0.01760</u>	0.639	<u>0.07150</u>	0.832	0.0012300	64.9	U(0.0100)	0.17335
MW-4 11/06/2014					0.94	0.45	0.30	<u>13.0</u>			<u>1.90</u>	<u>1.50</u>
02/25/2015					3.70	1.00	<u>0.56</u>	<u>13.0</u> 29.0	_		6.60	2.70
06/10/2015			_	_	<u>3.70</u> <u>1.10</u>	0.99	<u>0.54</u>	<u>23.0</u> 14.0			2.30	2.70 2.70
09/02/2015					0.0260	U (0.40)	0.00700	0.30	_	_	U (0.001)	0.0300
11/12/2015			_	_		U (0.21)		U (0.050)	_	_	_	_

		menal	F. Elevatio,					g, /			′	
	'n	Screen meny	Una Water Elevation			own to						
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
an Health Cleanup			<u>0.056</u>	<u>0.06</u>	0.0046 0.004300	1.5 0.15	<u>0.015</u>	<u>2.2</u>	0.0017		U (0.002)	<u>0.19</u>
01/20/2016 05/09/2016			_	_	0.004300 <u>0.009200</u>	0.15	U (0.003) U (0.001)	11 (0 1)		_	U (0.002)	U (0.002) U (0.003)
10/13/2016			_	_	U (0.00020)	U (0.42) 0.18	U (0.001)	U (0.1) U (0.1)	_	_	U (0.001)	U (0.003)
12/09/2016			_	_	0 (0.00020)	0.18	0 (0.001)	U (0.05)		_	0 (0.001)	0 (0.003)
02/08/2017					0.0170	0.18	U (0.003)	U (0.05)			U (0.002)	U (0.002)
04/24/2017						U (0.0003)	0.004900				U (0.002)	U (0.002)
09/01/2017					0.55	0.48	0.38	5.10			U (0.050)	0.74
02/15/2018					0.19	0.29	0.26	3.30			U (0.10)	0.438
06/29/2018			_		0.0900	0.19	0.0220	0.52		_	U (0.002)	0.0270
09/11/2018					0.008600	U (0.28)	0.005200	U (0.15)		_	U (0.001)	0.006200
10/26/2018			_	_	0.0130	0.15	0.004500	U (0.25)		_	U (0.002)	0.008900
02/25/2019			_	_	0.0260	0.20	0.003400	U (0.25)		_	U (0.002)	0.008900
04/25/2019			_	_	U (0.003)	U (0.27)	U (0.003)	U (0.25)			U (0.002)	U (0.003)
07/25/2019			_		0.0510	0.16	U (0.003)	U (0.25)		_	U (0.002)	0.00780Ó
10/18/2019			_		0.0200	U (0.12)	0.005900	U (0.25)		_	0.0150	0.02770
08/11/2020		75.74	_	_	0.0540	U (0.800)	0.000455000	0.0840		58.4	U (0.001)	0.0093300
10/12/2020		76.05	0.01120	0.0017400	0.129	U (0.800)	0.0069900	0.313	0.000465000	36.2	U (0.001)	0.02640
03/23/2021		73.83	_	_	0.0790	0.266	0.01780	0.274		47.1	U (0.001)	0.03450
05/19/2021		75.89	0.01710	0.0042300	0.03070	U (0.840)	0.0032800	0.153	U(0.00500)	67.5	U (0.001)	0.01230
07/14/2021		75.81	0.0037400	0.000529000	<u>0.01760</u>	0.371	0.000375000	0.06820	U (0.00500)	76.7	U (0.001)	0.0038300
10/14/2021		75.05	0.0056100	0.000233000	<u>0.0056400</u>	0.521	0.0031800	0.105	0.000209000	63.4	U (0.001)	0.0078800
03/17/2022		76.92	0.273	<u>0.106</u>	<u>0.214</u>	0.683	<u>0.186</u>	<u>2.80</u>	0.0033400	41.6	0.168	<u>0.857</u>
06/22/2022		76.20	<u>0.401</u>	<u>0.128</u>	<u>0.409</u>	0.816	<u>0.373</u>	<u>4.88</u>	<u>0.0094100</u>	91.0	U(0.0500)	<u>1.49</u>
08/19/2022		77.72	U(0.00500)	U(0.00500)	0.09210	1.29	0.02370	0.638	<u>0.0065700</u>	104	U(0.00500)	0.0025300
10/05/2022			0.09080	0.04280	0.06440	0.565	<u>0.131</u>	0.885	<u>0.0074600</u>	66.2	U(0.00500)	<u>0.198</u>
03/09/2023		76.78	0.313	0.0820	<u>0.159</u>	0.941 B	<u>0.157</u>	2.00	<u>0.0045300</u>	45.9	0.0028300	<u>0.4931</u>
04/26/2023		77.76	_	_	<u>0.03680</u>	0.311	<u>0.04870</u>	0.625	0.0011600	61.5	U(0.00100)	0.118
07/13/2023		77.13	<u>0.06790</u>	0.0150	<u>0.08590</u>	1.08	<u>0.08970</u>	1.17	0.0081800	205	0.01130	0.0062900
11/03/2023		77.41	0.0130	U(0.00100)	<u>0.0840</u>	1.08	0.02990	0.487	<u>0.0045900</u>	235	0.0051800	0.02730
03/21/2024		77.05	0.0013200	0.003200	<u>0.05970</u>	0.252	<u>0.01680</u>	0.498	0.000513000	95.8	U(0.00100)	0.001200

		30	Omno Water Elevation							/	/ /	
		in the	ater E.					, e		9/		
		Screen merul	n oun	43E	SW SO	a de la companya de l		annbenzene G.	0 / ;	South		Join A.
	'n	ે	3	7/ 3				8		*/ S	2	
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
an Health Cleanup		77.00	0.056	0.06	<u>0.0046</u>	1.5	0.015	2.2	0.0017	100	1.1	0.19
06/17/2024		77.03	0.07150	0.0044400	0.06220	0.388	0.05190	0.679	0.0022700	108	0.0018900	0.058560
08/28/2024			0.0024200	U(0.00100)	<u>0.05860</u>	0.676	0.02380	0.60	0.0013700	136	0.0040100	0.017530
RW19-1 08/11/2020		73.12	_	_	0.0012600	U (0.848)	U (0.001)	U (0.100)	_	28.8	U (0.001)	0.000489000
10/12/2020		70.87	U (0.001)	U (0.001)	0.000609000	U (0.800)	U (0.001)	` ,	U (0.000250)	28.6	U (0.001)	U (0.002)
03/23/2021					U (0.001)	U (0.840)	U (0.001)	0.01190	, , , , , , , , , , , , , , , , , , ,	25.9	U (0.001)	U (0.003)
05/19/2021			U(0.00100)	U(0.00100)	U (0.001)	U (0.800)	U (0.001)	0.01580	U(0.00500)	28.8	U (0.001)	U (0.002)
07/14/2021		70.48	U (0.00100)	U (0.00100)	U (0.001)	0.297	U (0.001)	U (0.100)	U (0.00500)	28.8	U (0.001)	U (0.003)
10/14/2021		72.83	U(0.00100)	U(0.00100)	0.000506000	0.387	U (0.001)	0.04260	U(0.000250)	32.3	U (0.001)	U (0.002)
03/17/2022		75.68	0.0070200	0.0038800	0.0048800	U(0.888)	0.0031100	0.147	0.000108000	48.2	U(0.00100)	0.028120
06/23/2022		73.55	0.01690	0.0054700	<u>0.02570</u>	U(0.800)	0.0190	0.223	0.000452000	36.9	0.0016600	0.08220
08/19/2022		69.73	0.0017300	0.000659000	<u>0.01070</u>	0.443	0.0083800	0.21	0.000186000	36.9	0.0010400	0.022440
10/05/2022			0.0024500	0.000995000	0.0073700	U(0.800)	0.0067800	0.06320	0.000239000	33.6	U(0.00100)	0.0095300
03/09/2023		75.44	0.02950	0.0080100	<u>0.02620</u>	0.274 J,B	0.03530	0.24	0.000209 J	34.9	U(0.00100)	0.09580
04/26/2023		75.77	_	_	<u>0.02080</u>	0.355	<u>0.02520</u>	0.248	0.000483000	38.6	U(0.00100)	0.05210
07/13/2023		75.51	0.01210	0.0044400	0.02210	0.347	<u>0.01830</u>	0.253	U(0.000500)	56.0	0.000291000	0.000733000
11/03/2023		69.52	0.000608000	0.00056000	<u>0.0069700</u>	1.06	0.0060100	0.08810	U(0.000250)	29.3	U(0.00100)	0.0079100
03/21/2024		72.38	0.03020	0.0047900	<u>0.117</u>	0.224	0.09540		0.000264000	71.4	U(0.00100)	0.0021100
06/17/2024		71.78	0.004900	0.000741000	<u>0.01150</u>	U(0.800)	0.01340	0.08980	U(0.000250)	34.8	U(0.00500)	0.02630
08/28/2024			0.0018200	U(0.00500)	<u>0.01770</u>	0.366	0.0056500	0.132	0.00026000	38.7	U(0.00500)	0.01250
Wetland			0.00500	0.04222	0.000100	1 47	0.00050	0.504	0.0010000		0.0000000	0.6706
08/28/2024			<u>0.08560</u>	0.04390	0.006100	1.47	0.02250	0.594	0.0018200	57.1	0.0020200	<u>0.6736</u>

APPENDIX E

Laboratory Analytical Report and ADEC Laboratory Data Review Checklist



Pace Analytical® ANALYTICAL REPORT

September 18, 2024

7-11 Stantec - Anchorage, AK

L1773508 Sample Delivery Group:

Samples Received: 08/31/2024

Project Number: 203723698

Description: Store 5314

TNS 76 Site:

Report To: Ms. Sydney Souza

725 E Fireweed Lane

Suite 200

Anchorage, AK 99503

Entire Report Reviewed By:

Craig Cothron Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com















TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
MW-1 L1773508-01	6
MW-2 L1773508-02	8
MW-3 L1773508-03	10
MW-4 L1773508-04	12
DUP L1773508-05	14
TRIP BLANK L1773508-06	16
RW19-1 L1773508-07	17
STREAM L1773508-08	19
Qc: Quality Control Summary	21
Metals (ICP) by Method 6010D	21
Volatile Organic Compounds (GC) by Method AK101	23
Volatile Organic Compounds (GC/MS) by Method 8260C	25
Semi-Volatile Organic Compounds (GC) by Method AK102	26
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	27
GI: Glossary of Terms	29
Al: Accreditations & Locations	30
Sc: Sample Chain of Custody	31



















SAMPLE SUMMARY

			Collected by	Collected date/time		
MW-1 L1773508-01 GW			Sydney Souza	08/28/24 09:37	08/31/24 09:	00
Method	Batch	Dilution	Preparation	Analysis	Analyst	Location
			date/time	date/time		
Metals (ICP) by Method 6010D	WG2357387	1	09/13/24 14:59	09/14/24 13:19	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 22:34	09/06/24 22:34	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 16:38	09/07/24 16:38	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 06:25	MAA	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG2355328	1	09/03/24 16:02	09/05/24 20:12	DSH	Mt. Juliet, TN
			Collected by	Collected date/time	Received da	te/time
MW-2 L1773508-02 GW			Sydney Souza	08/28/24 09:57	08/31/24 09:	00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG2357387	1	09/13/24 14:59	09/14/24 13:20	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 22:11	09/06/24 22:11	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 16:58	09/07/24 16:58	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 06:45	MAA	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG2355328	1	09/03/24 16:02	09/05/24 20:29	DSH	Mt. Juliet, TN
			Collected by	Collected date/time	Received da	te/time
MW-3 L1773508-03 GW			Sydney Souza	08/28/24 10:20	08/31/24 09:	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG2357387	1	09/13/24 14:59	09/14/24 13:22	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2359924	1	09/11/24 14:17	09/11/24 14:17	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	10	09/07/24 20:21	09/07/24 20:21	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 07:06	MAA	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG2355328	1	09/03/24 16:02	09/06/24 17:07	MBE	Mt. Juliet, TN
			Collected by	Collected date/time	Received da	te/time
MW-4 L1773508-04 GW			Sydney Souza	08/28/24 10:52	08/31/24 09:	
Method	Batch	Dilution	Preparation	Analysis	Analyst	Location
wellou	Dateii	Dilution	date/time	date/time	Alldiyst	Location
Metals (ICP) by Method 6010D	WG2357387	1	09/13/24 14:59	09/14/24 13:24	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 21:49	09/06/24 21:49	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 17:18	09/07/24 17:18	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 07:26	MAA	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG2355328	1	09/03/24 16:02	09/06/24 17:25	MBE	Mt. Juliet, TN
			Collected by	Collected date/time	Received da	te/time
DUP L1773508-05 GW			Sydney Souza	08/28/24 00:00	08/31/24 09:	00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG2357387	1	09/13/24 14:59	09/14/24 13:25	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 21:26	09/06/24 21:26	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 17:39	09/07/24 17:39	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 07:46	MAA	Mt. Juliet, TN





















Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

WG2355328

09/03/24 16:02

09/06/24 17:43

MBE

Mt. Juliet, TN

SAMPLE SUMMARY

TRIP BLANK L1773508-06 GW			Collected by Sydney Souza	Collected date/time 08/28/24 00:00	Received da 08/31/24 09:	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 15:57	09/07/24 15:57	JCP	Mt. Juliet, TN
RW19-1 L1773508-07 GW			Collected by Sydney Souza	Collected date/time 08/28/24 12:29	Received da 08/31/24 09:	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICP) by Method 6010D	WG2357388	1	09/17/24 18:22	09/17/24 21:11	MAP	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 21:03	09/06/24 21:03	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	5	09/07/24 20:41	09/07/24 20:41	JCP	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method AK102	WG2355602	1	09/04/24 08:40	09/05/24 08:06	MAA	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM	WG2355328	1	09/03/24 16:02	09/06/24 18:00	MBE	Mt. Juliet, TN
			Collected by	Collected date/time	Received da	te/time
STREAM L1773508-08 GW			Sydney Souza	08/28/24 10:25	08/31/24 09:	00
Method	Batch	Dilution	Preparation	Analysis	Analyst	Location
			date/time	date/time		
Metals (ICP) by Method 6010D	WG2357388	1	09/17/24 18:22	09/17/24 21:13	MAP	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method AK101	WG2357521	1	09/06/24 20:41	09/06/24 20:41	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260C	WG2358078	1	09/07/24 17:59	09/07/24 17:59	JCP	Mt. Juliet, TN

WG2355602

WG2355328

1



















Mt. Juliet, TN

Mt. Juliet, TN

MAA

MBE

Semi-Volatile Organic Compounds (GC) by Method AK102

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

09/04/24 08:40

09/03/24 16:02

09/05/24 16:14

09/06/24 18:18

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

¹Cp

















PAGE:

5 of 31

Craig Cothron Project Manager

SAMPLE RESULTS - 01

Collected date/time: 08/28/24 09:37

Metals (ICP) by	Method 601	0D					
	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	70.1		0.504	3.00	1	09/14/2024 13:19	WG2357387

Cp



Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.0624	ВЈ	0.0287	0.100	1	09/06/2024 22:34	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	89.8			50.0-150		09/06/2024 22:34	WG2357521
(S) a.a.a-Trifluorotoluene(PID)	104			79.0-125		09/06/2024 22:34	WG2357521



Ss



[°]Sr

[°]Qc

GI

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.00463		0.0000941	0.00100	1	09/07/2024 16:38	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 16:38	WG2358078
sec-Butylbenzene	U		0.000125	0.00100	1	09/07/2024 16:38	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 16:38	WG2358078
Ethylbenzene	U		0.000137	0.00100	1	09/07/2024 16:38	WG2358078
Isopropylbenzene	U		0.000105	0.00100	1	09/07/2024 16:38	WG2358078
Naphthalene	U	<u>C3</u>	0.00100	0.00500	1	09/07/2024 16:38	WG2358078
Toluene	U		0.000278	0.00100	1	09/07/2024 16:38	WG2358078
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	09/07/2024 16:38	WG2358078
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	09/07/2024 16:38	WG2358078
m&p-Xylene	U		0.000430	0.00200	1	09/07/2024 16:38	WG2358078
o-Xylene	U		0.000174	0.00100	1	09/07/2024 16:38	WG2358078
(S) Toluene-d8	100			80.0-120		09/07/2024 16:38	WG2358078
(S) 4-Bromofluorobenzene	93.1			77.0-126		09/07/2024 16:38	WG2358078
(S) 1,2-Dichloroethane-d4	114			70.0-130		09/07/2024 16:38	WG2358078

°AI

⁹Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.323	<u>B J</u>	0.170	0.800	1	09/05/2024 06:25	WG2355602
(S) o-Terphenyl	100			50.0-150		09/05/2024 06:25	WG2355602

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/05/2024 20:12	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/05/2024 20:12	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/05/2024 20:12	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/05/2024 20:12	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/05/2024 20:12	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/05/2024 20:12	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/05/2024 20:12	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/05/2024 20:12	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/05/2024 20:12	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/05/2024 20:12	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/05/2024 20:12	WG2355328
Fluorene	U		0.0000169	0.0000500	1	09/05/2024 20:12	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/05/2024 20:12	WG2355328
Naphthalene	U		0.0000917	0.000250	1	09/05/2024 20:12	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/05/2024 20:12	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/05/2024 20:12	WG2355328

SAMPLE RESULTS - 01

Collected date/time: 08/28/24 09:37

L1773508

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	U		0.0000687	0.000250	1	09/05/2024 20:12	WG2355328
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/05/2024 20:12	WG2355328
(S) Nitrobenzene-d5	77.0			31.0-160		09/05/2024 20:12	WG2355328
(S) 2-Fluorobiphenyl	81.0			48.0-148		09/05/2024 20:12	WG2355328
(S) p-Terphenyl-d14	73.0			37.0-146		09/05/2024 20:12	WG2355328



















SAMPLE RESULTS - 02

Collected date/time: 08/28/24 09:57

Metals (ICP) by Method 6010D

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	60.7		0.504	3.00	1	09/14/2024 13:20	WG2357387



Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.270	В	0.0287	0.100	1	09/06/2024 22:11	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	86.7			50.0-150		09/06/2024 22:11	WG2357521
(S) a,a,a-Trifluorotoluene(PID)	105			79.0-125		09/06/2024 22:11	WG2357521



Ss

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.0159		0.0000941	0.00100	1	09/07/2024 16:58	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 16:58	WG2358078
sec-Butylbenzene	0.000258	<u>J</u>	0.000125	0.00100	1	09/07/2024 16:58	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 16:58	WG2358078
Ethylbenzene	0.00787		0.000137	0.00100	1	09/07/2024 16:58	WG2358078
Isopropylbenzene	0.000887	J	0.000105	0.00100	1	09/07/2024 16:58	WG2358078
Naphthalene	U	<u>C3</u>	0.00100	0.00500	1	09/07/2024 16:58	WG2358078
Toluene	U		0.000278	0.00100	1	09/07/2024 16:58	WG2358078
1,2,4-Trimethylbenzene	0.00396		0.000322	0.00100	1	09/07/2024 16:58	WG2358078
1,3,5-Trimethylbenzene	0.000740	J	0.000104	0.00100	1	09/07/2024 16:58	WG2358078
m&p-Xylene	0.0108		0.000430	0.00200	1	09/07/2024 16:58	WG2358078
o-Xylene	0.000720	J	0.000174	0.00100	1	09/07/2024 16:58	WG2358078
(S) Toluene-d8	95.2			80.0-120		09/07/2024 16:58	WG2358078
(S) 4-Bromofluorobenzene	93.8			77.0-126		09/07/2024 16:58	WG2358078
(S) 1,2-Dichloroethane-d4	113			70.0-130		09/07/2024 16:58	WG2358078

Gl ΆΙ

[°]Qc

Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.457	<u>B J</u>	0.170	0.800	1	09/05/2024 06:45	WG2355602
(S) o-Terphenyl	85.5			50.0-150		09/05/2024 06:45	WG2355602

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/05/2024 20:29	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/05/2024 20:29	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/05/2024 20:29	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/05/2024 20:29	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/05/2024 20:29	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/05/2024 20:29	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/05/2024 20:29	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/05/2024 20:29	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/05/2024 20:29	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/05/2024 20:29	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/05/2024 20:29	WG2355328
Fluorene	U		0.0000169	0.0000500	1	09/05/2024 20:29	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/05/2024 20:29	WG2355328
Naphthalene	U		0.0000917	0.000250	1	09/05/2024 20:29	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/05/2024 20:29	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/05/2024 20:29	WG2355328

ACCOUNT: 7-11 Stantec - Anchorage, AK

PROJECT: 203723698

SDG: L1773508

DATE/TIME: 09/18/24 16:16 PAGE: 8 of 31

SAMPLE RESULTS - 02

Collected date/time: 08/28/24 09:57

L1773508

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	U		0.0000687	0.000250	1	09/05/2024 20:29	WG2355328
2-Methylnaphthalene	U		0.0000674	0.000250	1	09/05/2024 20:29	WG2355328
(S) Nitrobenzene-d5	76.5			31.0-160		09/05/2024 20:29	WG2355328
(S) 2-Fluorobiphenyl	80.0			48.0-148		09/05/2024 20:29	WG2355328
(S) p-Terphenyl-d14	70.5			37.0-146		09/05/2024 20:29	WG2355328



















Analyte

TPHGAK C6 to C10

a,a,a-Trifluorotoluene(FID) (S) a,a,a-Trifluorotoluene(PID)

SAMPLE RESULTS - 03

Collected date/time: 08/28/24 10:20

Volatile Organic Compounds (GC) by Method AK101

Qualifier

В

MDL

mg/l

0.0287

Result

mg/l

0.786

91.9

105

Metals	(ICP)	by	Method	6010D
--------	-------	----	--------	-------

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	64.9		0.504	3.00	1	09/14/2024 13:22	WG2357387

Dilution

Analysis

date / time

09/11/2024 14:17

09/11/2024 14:17

09/11/2024 14:17

Batch

WG2359924

WG2359924

WG2359924

RDL

mg/l

0.100

50.0-150

79.0-125





Ss



















Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.0176		0.000941	0.0100	10	09/07/2024 20:21	WG2358078
n-Butylbenzene	U		0.00157	0.0100	10	09/07/2024 20:21	WG2358078
sec-Butylbenzene	U		0.00125	0.0100	10	09/07/2024 20:21	WG2358078
tert-Butylbenzene	U		0.00127	0.0100	10	09/07/2024 20:21	WG2358078
Ethylbenzene	0.0710		0.00137	0.0100	10	09/07/2024 20:21	WG2358078
Isopropylbenzene	0.00773	<u>J</u>	0.00105	0.0100	10	09/07/2024 20:21	WG2358078
Naphthalene	U	<u>C3</u>	0.0100	0.0500	10	09/07/2024 20:21	WG2358078
Toluene	U		0.00278	0.0100	10	09/07/2024 20:21	WG2358078
1,2,4-Trimethylbenzene	0.0611		0.00322	0.0100	10	09/07/2024 20:21	WG2358078
1,3,5-Trimethylbenzene	0.0236		0.00104	0.0100	10	09/07/2024 20:21	WG2358078
m&p-Xylene	0.166		0.00430	0.0200	10	09/07/2024 20:21	WG2358078
o-Xylene	0.00735	<u>J</u>	0.00174	0.0100	10	09/07/2024 20:21	WG2358078
(S) Toluene-d8	94.6			80.0-120		09/07/2024 20:21	WG2358078
(S) 4-Bromofluorobenzene	93.9			77.0-126		09/07/2024 20:21	WG2358078
(S) 1,2-Dichloroethane-d4	117			70.0-130		09/07/2024 20:21	WG2358078

Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.639	ВJ	0.170	0.800	1	09/05/2024 07:06	WG2355602
(S) o-Terphenyl	67.1			50.0-150		09/05/2024 07:06	WG2355602

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/06/2024 17:07	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/06/2024 17:07	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/06/2024 17:07	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/06/2024 17:07	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/06/2024 17:07	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/06/2024 17:07	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/06/2024 17:07	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/06/2024 17:07	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/06/2024 17:07	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/06/2024 17:07	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/06/2024 17:07	WG2355328
Fluorene	0.0000485	<u>J</u>	0.0000169	0.0000500	1	09/06/2024 17:07	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/06/2024 17:07	WG2355328
Naphthalene	0.00123		0.0000917	0.000250	1	09/06/2024 17:07	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/06/2024 17:07	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/06/2024 17:07	WG2355328

SAMPLE RESULTS - 03

Collected date/time: 08/28/24 10:20

L1773508

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	0.000297		0.0000687	0.000250	1	09/06/2024 17:07	WG2355328
2-Methylnaphthalene	0.000380		0.0000674	0.000250	1	09/06/2024 17:07	WG2355328
(S) Nitrobenzene-d5	81.5			31.0-160		09/06/2024 17:07	WG2355328
(S) 2-Fluorobiphenyl	69.5			48.0-148		09/06/2024 17:07	WG2355328
(S) p-Terphenyl-d14	72.5			37.0-146		09/06/2024 17:07	WG2355328



















SAMPLE RESULTS - 04

Collected date/time: 08/28/24 10:52

Metals (ICP) by Method 6010D

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	136		0.504	3.00	1	09/14/2024 13:24	WG2357387



Ss

Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.600	B	0.0287	0.100	1	09/06/2024 21:49	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	88.4			50.0-150		09/06/2024 21:49	WG2357521
(S) a,a,a-Trifluorotoluene(PID)	106			79.0-125		09/06/2024 21:49	WG2357521





[°]Qc

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.0586		0.0000941	0.00100	1	09/07/2024 17:18	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 17:18	WG2358078
sec-Butylbenzene	0.00136		0.000125	0.00100	1	09/07/2024 17:18	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 17:18	WG2358078
Ethylbenzene	0.0238		0.000137	0.00100	1	09/07/2024 17:18	WG2358078
Isopropylbenzene	0.00824		0.000105	0.00100	1	09/07/2024 17:18	WG2358078
Naphthalene	0.00140	<u>C3 J</u>	0.00100	0.00500	1	09/07/2024 17:18	WG2358078
Toluene	0.00401		0.000278	0.00100	1	09/07/2024 17:18	WG2358078
1,2,4-Trimethylbenzene	0.00242		0.000322	0.00100	1	09/07/2024 17:18	WG2358078
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	09/07/2024 17:18	WG2358078
m&p-Xylene	0.0156		0.000430	0.00200	1	09/07/2024 17:18	WG2358078
o-Xylene	0.00193		0.000174	0.00100	1	09/07/2024 17:18	WG2358078
(S) Toluene-d8	95.0			80.0-120		09/07/2024 17:18	WG2358078
(S) 4-Bromofluorobenzene	97.8			77.0-126		09/07/2024 17:18	WG2358078
(S) 1,2-Dichloroethane-d4	111			70.0-130		09/07/2024 17:18	WG2358078

Gl





Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.676	<u>B J</u>	0.170	0.800	1	09/05/2024 07:26	WG2355602
(S) o-Terphenyl	94.6			50.0-150		09/05/2024 07:26	WG2355602

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/06/2024 17:25	WG2355328
Acenaphthene	0.0000304	<u>J</u>	0.0000190	0.0000500	1	09/06/2024 17:25	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/06/2024 17:25	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/06/2024 17:25	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/06/2024 17:25	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/06/2024 17:25	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/06/2024 17:25	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/06/2024 17:25	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/06/2024 17:25	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/06/2024 17:25	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/06/2024 17:25	WG2355328
Fluorene	0.0000476	<u>J</u>	0.0000169	0.0000500	1	09/06/2024 17:25	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/06/2024 17:25	WG2355328
Naphthalene	0.00137		0.0000917	0.000250	1	09/06/2024 17:25	WG2355328
Phenanthrene	0.0000213	<u>J</u>	0.0000180	0.0000500	1	09/06/2024 17:25	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/06/2024 17:25	WG2355328

ACCOUNT: 7-11 Stantec - Anchorage, AK

PROJECT: 203723698

SDG: L1773508

DATE/TIME: 09/18/24 16:16

PAGE: 12 of 31

SAMPLE RESULTS - 04

Collected date/time: 08/28/24 10:52

L1773508

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	0.00102		0.0000687	0.000250	1	09/06/2024 17:25	WG2355328
2-Methylnaphthalene	0.00169		0.0000674	0.000250	1	09/06/2024 17:25	WG2355328
(S) Nitrobenzene-d5	102			31.0-160		09/06/2024 17:25	WG2355328
(S) 2-Fluorobiphenyl	<i>78.5</i>			48.0-148		09/06/2024 17:25	WG2355328
(S) p-Terphenyl-d14	76.0			37.0-146		09/06/2024 17:25	WG2355328



















DUP

SAMPLE RESULTS - 05

Collected date/time: 08/28/24 00:00

Metals (ICP) by Method 6010D

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	63.8		0.504	3.00	1	09/14/2024 13:25	WG2357387



Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.832	В	0.0287	0.100	1	09/06/2024 21:26	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	91.3			50.0-150		09/06/2024 21:26	WG2357521
(S) a,a,a-Trifluorotoluene(PID)	104			79.0-125		09/06/2024 21:26	WG2357521



Ss

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.0160		0.0000941	0.00100	1	09/07/2024 17:39	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 17:39	WG2358078
sec-Butylbenzene	U		0.000125	0.00100	1	09/07/2024 17:39	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 17:39	WG2358078
Ethylbenzene	0.0715		0.000137	0.00100	1	09/07/2024 17:39	WG2358078
Isopropylbenzene	0.00816		0.000105	0.00100	1	09/07/2024 17:39	WG2358078
Naphthalene	0.00222	<u>C3 J</u>	0.00100	0.00500	1	09/07/2024 17:39	WG2358078
Toluene	U		0.000278	0.00100	1	09/07/2024 17:39	WG2358078
1,2,4-Trimethylbenzene	0.0644		0.000322	0.00100	1	09/07/2024 17:39	WG2358078
1,3,5-Trimethylbenzene	0.0236		0.000104	0.00100	1	09/07/2024 17:39	WG2358078
m&p-Xylene	0.165		0.000430	0.00200	1	09/07/2024 17:39	WG2358078
o-Xylene	0.00734		0.000174	0.00100	1	09/07/2024 17:39	WG2358078
(S) Toluene-d8	95.4			80.0-120		09/07/2024 17:39	WG2358078
(S) 4-Bromofluorobenzene	97.7			77.0-126		09/07/2024 17:39	WG2358078
(S) 1,2-Dichloroethane-d4	115			70.0-130		09/07/2024 17:39	WG2358078

Gl

Αl

Sc

[°]Qc

Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.582	ВJ	0.170	0.800	1	09/05/2024 07:46	WG2355602
(S) o-Terphenyl	71.2			50.0-150		09/05/2024 07:46	WG2355602

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/06/2024 17:43	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/06/2024 17:43	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/06/2024 17:43	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/06/2024 17:43	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/06/2024 17:43	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/06/2024 17:43	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/06/2024 17:43	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/06/2024 17:43	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/06/2024 17:43	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/06/2024 17:43	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/06/2024 17:43	WG2355328
Fluorene	0.0000333	<u>J</u>	0.0000169	0.0000500	1	09/06/2024 17:43	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/06/2024 17:43	WG2355328
Naphthalene	0.00118		0.0000917	0.000250	1	09/06/2024 17:43	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/06/2024 17:43	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/06/2024 17:43	WG2355328

ACCOUNT: 7-11 Stantec - Anchorage, AK

PROJECT: 203723698

SDG: L1773508

DATE/TIME: 09/18/24 16:16

14 of 31

PAGE:

DUP

SAMPLE RESULTS - 05

Collected date/time: 08/28/24 00:00

L1773508

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	0.000292		0.0000687	0.000250	1	09/06/2024 17:43	WG2355328
2-Methylnaphthalene	0.000362		0.0000674	0.000250	1	09/06/2024 17:43	WG2355328
(S) Nitrobenzene-d5	84.5			31.0-160		09/06/2024 17:43	WG2355328
(S) 2-Fluorobiphenyl	74.0			48.0-148		09/06/2024 17:43	WG2355328
(S) p-Terphenyl-d14	69.5			37.0-146		09/06/2024 17:43	WG2355328



















TRIP BLANK

SAMPLE RESULTS - 06

Collected date/time: 08/28/24 00:00

L1773508

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	09/07/2024 15:57	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 15:57	WG2358078
sec-Butylbenzene	U		0.000125	0.00100	1	09/07/2024 15:57	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 15:57	WG2358078
Ethylbenzene	U		0.000137	0.00100	1	09/07/2024 15:57	WG2358078
Isopropylbenzene	U		0.000105	0.00100	1	09/07/2024 15:57	WG2358078
Naphthalene	U	<u>C3</u>	0.00100	0.00500	1	09/07/2024 15:57	WG2358078
Toluene	U		0.000278	0.00100	1	09/07/2024 15:57	WG2358078
1,2,4-Trimethylbenzene	U		0.000322	0.00100	1	09/07/2024 15:57	WG2358078
1,3,5-Trimethylbenzene	U		0.000104	0.00100	1	09/07/2024 15:57	WG2358078
m&p-Xylene	U		0.000430	0.00200	1	09/07/2024 15:57	WG2358078
o-Xylene	U		0.000174	0.00100	1	09/07/2024 15:57	WG2358078
(S) Toluene-d8	98.1			80.0-120		09/07/2024 15:57	WG2358078
(S) 4-Bromofluorobenzene	90.4			77.0-126		09/07/2024 15:57	WG2358078
(S) 1,2-Dichloroethane-d4	111			70.0-130		09/07/2024 15:57	WG2358078



















RW19-1

SAMPLE RESULTS - 07

Collected date/time: 08/28/24 12:29

Metals (ICP) by Method 6010D

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	38.7		0.504	3.00	1	09/17/2024 21:11	WG2357388

<u>г</u>



Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.132	В	0.0287	0.100	1	09/06/2024 21:03	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	91.5			50.0-150		09/06/2024 21:03	WG2357521
(S) a,a,a-Trifluorotoluene(PID)	104			79.0-125		09/06/2024 21:03	WG2357521



Ss



⁶Qc

Gl

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.0117		0.000471	0.00500	5	09/07/2024 20:41	WG2358078
n-Butylbenzene	U		0.000785	0.00500	5	09/07/2024 20:41	WG2358078
sec-Butylbenzene	U		0.000625	0.00500	5	09/07/2024 20:41	WG2358078
tert-Butylbenzene	U		0.000635	0.00500	5	09/07/2024 20:41	WG2358078
Ethylbenzene	0.00565		0.000685	0.00500	5	09/07/2024 20:41	WG2358078
Isopropylbenzene	0.00133	<u>J</u>	0.000525	0.00500	5	09/07/2024 20:41	WG2358078
Naphthalene	U	<u>C3</u>	0.00500	0.0250	5	09/07/2024 20:41	WG2358078
Toluene	U		0.00139	0.00500	5	09/07/2024 20:41	WG2358078
1,2,4-Trimethylbenzene	0.00182	<u>J</u>	0.00161	0.00500	5	09/07/2024 20:41	WG2358078
1,3,5-Trimethylbenzene	U		0.000520	0.00500	5	09/07/2024 20:41	WG2358078
m&p-Xylene	0.0125		0.00215	0.0100	5	09/07/2024 20:41	WG2358078
o-Xylene	U		0.000870	0.00500	5	09/07/2024 20:41	WG2358078
(S) Toluene-d8	97.6			80.0-120		09/07/2024 20:41	WG2358078
(S) 4-Bromofluorobenzene	92.8			77.0-126		09/07/2024 20:41	WG2358078
(S) 1,2-Dichloroethane-d4	116			70.0-130		09/07/2024 20:41	WG2358078

ÅI

⁹Sc

Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	0.366	BJ	0.170	0.800	1	09/05/2024 08:06	WG2355602
(S) o-Terphenyl	104			50.0-150		09/05/2024 08:06	WG2355602

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/06/2024 18:00	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/06/2024 18:00	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/06/2024 18:00	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/06/2024 18:00	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/06/2024 18:00	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/06/2024 18:00	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/06/2024 18:00	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/06/2024 18:00	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/06/2024 18:00	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/06/2024 18:00	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/06/2024 18:00	WG2355328
Fluorene	U		0.0000169	0.0000500	1	09/06/2024 18:00	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/06/2024 18:00	WG2355328
Naphthalene	0.000260		0.0000917	0.000250	1	09/06/2024 18:00	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/06/2024 18:00	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/06/2024 18:00	WG2355328

ACCOUNT: 7-11 Stantec - Anchorage, AK PROJECT: 203723698

SDG: L1773508 **DATE/TIME**: 09/18/24 16:16

PAGE:

17 of 31

RW19-1

SAMPLE RESULTS - 07

Collected date/time: 08/28/24 12:29

L1773508

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	0.0000905	J	0.0000687	0.000250	1	09/06/2024 18:00	WG2355328
2-Methylnaphthalene	0.000100	<u>J</u>	0.0000674	0.000250	1	09/06/2024 18:00	WG2355328
(S) Nitrobenzene-d5	79.5			31.0-160		09/06/2024 18:00	WG2355328
(S) 2-Fluorobiphenyl	75.0			48.0-148		09/06/2024 18:00	WG2355328
(S) p-Terphenyl-d14	82.0			37.0-146		09/06/2024 18:00	WG2355328



















STREAM

SAMPLE RESULTS - 08

Collected date/time: 08/28/24 10:25

Metals (ICP) by Method 6010D

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Sodium	57.1		0.504	3.00	1	09/17/2024 21:13	WG2357388

Volatile Organic Compounds (GC) by Method AK101

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
TPHGAK C6 to C10	0.594	В	0.0287	0.100	1	09/06/2024 20:41	WG2357521
(S) a,a,a-Trifluorotoluene(FID)	90.3			50.0-150		09/06/2024 20:41	WG2357521
(S) a,a,a-Trifluorotoluene(PID)	104			79.0-125		09/06/2024 20:41	WG2357521



Ss

[°]Qc

Volatile Organic Compounds (GC/MS) by Method 8260C

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Benzene	0.00610		0.0000941	0.00100	1	09/07/2024 17:59	WG2358078
n-Butylbenzene	U		0.000157	0.00100	1	09/07/2024 17:59	WG2358078
sec-Butylbenzene	U		0.000125	0.00100	1	09/07/2024 17:59	WG2358078
tert-Butylbenzene	U		0.000127	0.00100	1	09/07/2024 17:59	WG2358078
Ethylbenzene	0.0225		0.000137	0.00100	1	09/07/2024 17:59	WG2358078
Isopropylbenzene	0.00236		0.000105	0.00100	1	09/07/2024 17:59	WG2358078
Naphthalene	0.00256	<u>C3 J</u>	0.00100	0.00500	1	09/07/2024 17:59	WG2358078
Toluene	0.00202		0.000278	0.00100	1	09/07/2024 17:59	WG2358078
1,2,4-Trimethylbenzene	0.0856		0.000322	0.00100	1	09/07/2024 17:59	WG2358078
1,3,5-Trimethylbenzene	0.0439		0.000104	0.00100	1	09/07/2024 17:59	WG2358078
m&p-Xylene	0.0655		0.000430	0.00200	1	09/07/2024 17:59	WG2358078
o-Xylene	0.00186		0.000174	0.00100	1	09/07/2024 17:59	WG2358078
(S) Toluene-d8	93.3			80.0-120		09/07/2024 17:59	WG2358078
(S) 4-Bromofluorobenzene	96.8			77.0-126		09/07/2024 17:59	WG2358078
(S) 1,2-Dichloroethane-d4	114			70.0-130		09/07/2024 17:59	WG2358078

Αl

GI



Semi-Volatile Organic Compounds (GC) by Method AK102

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
AK102 DRO C10-C25	1.47	<u>B</u>	0.170	0.800	1	09/05/2024 16:14	WG2355602
(S) o-Terphenyl	<i>75.2</i>			50.0-150		09/05/2024 16:14	WG2355602

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	<u>Batch</u>
Analyte	mg/l		mg/l	mg/l		date / time	
Anthracene	U		0.0000190	0.0000500	1	09/06/2024 18:18	WG2355328
Acenaphthene	U		0.0000190	0.0000500	1	09/06/2024 18:18	WG2355328
Acenaphthylene	U		0.0000171	0.0000500	1	09/06/2024 18:18	WG2355328
Benzo(a)anthracene	U		0.0000203	0.0000500	1	09/06/2024 18:18	WG2355328
Benzo(a)pyrene	U		0.0000184	0.0000500	1	09/06/2024 18:18	WG2355328
Benzo(b)fluoranthene	U		0.0000168	0.0000500	1	09/06/2024 18:18	WG2355328
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	1	09/06/2024 18:18	WG2355328
Benzo(k)fluoranthene	U		0.0000202	0.0000500	1	09/06/2024 18:18	WG2355328
Chrysene	U		0.0000179	0.0000500	1	09/06/2024 18:18	WG2355328
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	1	09/06/2024 18:18	WG2355328
Fluoranthene	U		0.0000270	0.000100	1	09/06/2024 18:18	WG2355328
Fluorene	0.0000296	<u>J</u>	0.0000169	0.0000500	1	09/06/2024 18:18	WG2355328
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	1	09/06/2024 18:18	WG2355328
Naphthalene	0.00182		0.0000917	0.000250	1	09/06/2024 18:18	WG2355328
Phenanthrene	U		0.0000180	0.0000500	1	09/06/2024 18:18	WG2355328
Pyrene	U		0.0000169	0.0000500	1	09/06/2024 18:18	WG2355328

STREAM

SAMPLE RESULTS - 08

Collected date/time: 08/28/24 10:25

L1773508

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l	mg/l		date / time	
1-Methylnaphthalene	0.000413		0.0000687	0.000250	1	09/06/2024 18:18	WG2355328
2-Methylnaphthalene	0.000464		0.0000674	0.000250	1	09/06/2024 18:18	WG2355328
(S) Nitrobenzene-d5	76.0			31.0-160		09/06/2024 18:18	WG2355328
(S) 2-Fluorobiphenyl	79.5			48.0-148		09/06/2024 18:18	WG2355328
(S) p-Terphenyl-d14	76.5			37.0-146		09/06/2024 18:18	WG2355328



















QUALITY CONTROL SUMMARY

L1773508-01,02,03,04,05

Metals (ICP) by Method 6010D

Method Blank (MB)

(MB) R4119862-1	09/14/24 12:39			
	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Sodium	U		0.504	3.00









(LCS) R4119862-2 09/14/24 12:40

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Sodium	10.0	10.3	103	80.0-120	










(OS) L1773469-13 09/14/24 12:42 • (MS) R4119862-4 09/14/24 12:45 • (MSD) R4119862-5 09/14/24 12:47









QUALITY CONTROL SUMMARY

L1773508-07,08

Method Blank (MB)

Metals (ICP) by Method 6010D

(MB) R4121003-1 09/17/24 20:59

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Sodium	U		0.504	3.00









(LCS) R4121003-2	09/17/24	21:01
------------------	----------	-------

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Sodium	10.0	9 71	97.1	80 0 ₋ 120	









(OS) L1773512-04 09/17/24 21:03 • (MS) R4121003-4 09/17/24 21:06 • (MSD) R4121003-5 09/17/24 21:08

,	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Sodium	10.0	U	9.53	9.55	95.3	95.5	1	75.0-125			0.274	20







QUALITY CONTROL SUMMARY

Volatile Organic Compounds (GC) by Method AK101

L1773508-01,02,04,05,07,08

Method Blank (MB)

MB) R4118027-2 09/06/	24 14:12				
	MB Result	MB Qualifier	MB MDL	MB RDL	
Analyte	mg/l		mg/l	mg/l	
PHGAK C6 to C10	0.0995	<u>J</u>	0.0287	0.100	
(S) a,a,a-Trifluorotoluene(FID)	92.1			60.0-120	
(S) a,a,a-Trifluorotoluene(PID)	104			79.0-125	

(LCS) R4118027-1 09/06/	24 11:29 • (LCSD) R4118027-3	09/06/24 18:41								
	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits	
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%	
TPHGAK C6 to C10	5.00	4.81	4.66	96.2	93.2	60.0-120			3.17	20	
(S) a,a,a-Trifluorotoluene(FID)				108	106	60.0-120					
(S) a,a,a-Trifluorotoluene(PID)				115	115	79.0-125					



QUALITY CONTROL SUMMARY

Volatile Organic Compounds (GC) by Method AK101

L1773508-03

Method Blank (MB)

(MB) R4119221-3 09/11/2	4 13:55				
	MB Result	MB Qualifier	MB MDL	MB RDL	
Analyte	mg/l		mg/l	mg/l	
TPHGAK C6 to C10	0.0859	<u>J</u>	0.0287	0.100	
(S) a,a,a-Trifluorotoluene(FID)	92.6			60.0-120	
(S) a,a,a-Trifluorotoluene(PID)	103			79.0-125	

(LCS) R4119221-1 09/11/24	12:47 • (LCSD) F	R4119221-2 0	9/11/24 13:09							
	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%
TPHGAK C6 to C10	5.00	4.69	4.71	93.8	94.2	60.0-120			0.426	20
(S) a,a,a-Trifluorotoluene(FID)				109	98.0	60.0-120				
(S) a,a,a-Trifluorotoluene(PID)				116	118	79.0-125				



QUALITY CONTROL SUMMARY

Volatile Organic Compounds (GC/MS) by Method 8260C

L1773508-01,02,03,04,05,06,07,08

Method Blank (MB)

(MB) R4117317-4 09/07/24	11:40			
	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Benzene	U		0.0000941	0.00100
n-Butylbenzene	U		0.000157	0.00100
sec-Butylbenzene	U		0.000125	0.00100
tert-Butylbenzene	U		0.000127	0.00100
Ethylbenzene	U		0.000137	0.00100
Isopropylbenzene	U		0.000105	0.00100
Naphthalene	U		0.00100	0.00500
Toluene	U		0.000278	0.00100
1,2,4-Trimethylbenzene	U		0.000322	0.00100
1,3,5-Trimethylbenzene	U		0.000104	0.00100
m&p-Xylene	U		0.000430	0.00200
o-Xylene	U		0.000174	0.00100
(S) Toluene-d8	98.6			80.0-120
(S) 4-Bromofluorobenzene	91.2			77.0-126
(S) 1,2-Dichloroethane-d4	116			70.0-130

Sc

(LCS) R4117317-1 09/07/24 10:19 • (LCSD) R4117317-2 09/07/24 10:39											
	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits	
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%	
Benzene	0.00500	0.00552	0.00490	110	98.0	70.0-123			11.9	20	
n-Butylbenzene	0.00500	0.00457	0.00439	91.4	87.8	73.0-125			4.02	20	
sec-Butylbenzene	0.00500	0.00477	0.00434	95.4	86.8	75.0-125			9.44	20	
tert-Butylbenzene	0.00500	0.00468	0.00429	93.6	85.8	76.0-124			8.70	20	
Ethylbenzene	0.00500	0.00551	0.00490	110	98.0	79.0-123			11.7	20	
Isopropylbenzene	0.00500	0.00559	0.00463	112	92.6	76.0-127			18.8	20	
Naphthalene	0.00500	0.00394	0.00387	78.8	77.4	54.0-135	<u>J</u>	<u>J</u>	1.79	20	
Toluene	0.00500	0.00526	0.00440	105	88.0	79.0-120			17.8	20	
1,2,4-Trimethylbenzene	0.00500	0.00465	0.00429	93.0	85.8	76.0-121			8.05	20	
1,3,5-Trimethylbenzene	0.00500	0.00474	0.00442	94.8	88.4	76.0-122			6.99	20	
m&p-Xylene	0.0100	0.0109	0.00935	109	93.5	80.0-122			15.3	20	
o-Xylene	0.00500	0.00537	0.00467	107	93.4	80.0-122			13.9	20	
(S) Toluene-d8				95.1	93.3	80.0-120					
(S) 4-Bromofluorobenzene				95.3	92.0	77.0-126					
(S) 1,2-Dichloroethane-d4				114	116	70.0-130					

QUALITY CONTROL SUMMARY

Semi-Volatile Organic Compounds (GC) by Method AK102

L1773508-01,02,03,04,05,07,08

Method Blank (MB)

(MB) R4115857-1 09/05	/24 02:55			
	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
AK102 DRO C10-C25	0.187	<u>J</u>	0.170	0.800
(S) o-Terphenyl	114			60.0-120



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4115857-2	09/05/24 03:15 • (LCSD) R41158	57-3 09/05/24 03:35

(200) 1(1110007 2 00700	200) (111000) 2 00/00/21 00:10 (2005) (111000) 0 00/00/21 00:00											
	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits		
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%		
AK102 DRO C10-C25	6.00	5.46	6.33	91.0	105	75.0-125			14.8	20		
(S) o-Terphenyl				79.7	98.1	60.0-120						







L1771328-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(05)	1 1771328-01	09/05/24 03:55	(MAS) D/115857_/	09/05/24 05:45 •	(MSD) P/115857_5	09/05/24 06:05
$(\cup \cup)$	/ L1/ / 1320-01	03/03/24 03.33	(1713) K4113037-4	03/03/24 03.43	(17130) K4113037-3	03/03/24 00.03

US) L17/1328-01 09/05/24 03:55 • (MS) R4115857-4 09/05/24 05:45 • (MSD) R4115857-5 09/05/24 06:05												
	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
AK102 DRO C10-C25	6.00	0.254	5.83	5.14	92.9	81.4	1	75.0-125			12.6	20
(S) o-Ternhenyl					93.3	80.3		50.0-150				







QUALITY CONTROL SUMMARY

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

L1773508-01,02,03,04,05,07,08

Method Blank (MB)

(MB) R4116612-3 09/05	5/24 11:38				Ľ
	MB Result	MB Qualifier	MB MDL	MB RDL	2
Analyte	mg/l		mg/l	mg/l	-
Anthracene	U		0.0000190	0.0000500	
Acenaphthene	U		0.0000190	0.0000500	3
Acenaphthylene	U		0.0000171	0.0000500	Ľ
Benzo(a)anthracene	U		0.0000203	0.0000500	4
Benzo(a)pyrene	U		0.0000184	0.0000500	
Benzo(b)fluoranthene	U		0.0000168	0.0000500	
Benzo(g,h,i)perylene	U		0.0000184	0.0000500	5
Benzo(k)fluoranthene	U		0.0000202	0.0000500	Ľ
Chrysene	U		0.0000179	0.0000500	6
Dibenz(a,h)anthracene	U		0.0000160	0.0000500	(
Fluoranthene	U		0.0000270	0.000100	
Fluorene	U		0.0000169	0.0000500	7 (
Indeno(1,2,3-cd)pyrene	U		0.0000158	0.0000500	
Naphthalene	U		0.0000917	0.000250	8
Phenanthrene	U		0.0000180	0.0000500	1
Pyrene	U		0.0000169	0.0000500	
1-Methylnaphthalene	U		0.0000687	0.000250	9
2-Methylnaphthalene	U		0.0000674	0.000250	L
(S) Nitrobenzene-d5	<i>75.5</i>			31.0-160	
(S) 2-Fluorobiphenyl	73.5			48.0-148	
(S) p-Terphenyl-d14	68.0			37.0-146	

(LCS) R4116612-1 09/05	/24 11:03 • (LCSD)) R4116612-2	09/05/24 11:20							
	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%
Anthracene	0.00200	0.00158	0.00156	79.0	78.0	67.0-150			1.27	20
Acenaphthene	0.00200	0.00154	0.00154	77.0	77.0	65.0-138			0.000	20
Acenaphthylene	0.00200	0.00161	0.00163	80.5	81.5	66.0-140			1.23	20
Benzo(a)anthracene	0.00200	0.00153	0.00155	76.5	77.5	61.0-140			1.30	20
Benzo(a)pyrene	0.00200	0.00142	0.00142	71.0	71.0	60.0-143			0.000	20
Benzo(b)fluoranthene	0.00200	0.00146	0.00147	73.0	73.5	58.0-141			0.683	20
Benzo(g,h,i)perylene	0.00200	0.00146	0.00146	73.0	73.0	52.0-153			0.000	20
Benzo(k)fluoranthene	0.00200	0.00141	0.00141	70.5	70.5	58.0-148			0.000	20
Chrysene	0.00200	0.00167	0.00167	83.5	83.5	64.0-144			0.000	20
Dibenz(a,h)anthracene	0.00200	0.00143	0.00142	71.5	71.0	52.0-155			0.702	20
Fluoranthene	0.00200	0.00175	0.00174	87.5	87.0	69.0-153			0.573	20
Fluorene	0.00200	0.00172	0.00171	86.0	85.5	64.0-136			0.583	20

QUALITY CONTROL SUMMARY

Semi Volatile Organic Compounds (GC/MS) by Method 8270D-SIM

L1773508-01,02,03,04,05,07,08

(LCS) R4116612-1 09/05/24 11:	• (LCSD) R4116612-2	09/05/24 11:20
-------------------------------	---------------------	----------------

	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Analyte	mg/l	mg/l	mg/l	%	%	%			%	%
Indeno(1,2,3-cd)pyrene	0.00200	0.00139	0.00137	69.5	68.5	54.0-153			1.45	20
Naphthalene	0.00200	0.00164	0.00163	82.0	81.5	61.0-137			0.612	20
Phenanthrene	0.00200	0.00162	0.00162	81.0	81.0	62.0-137			0.000	20
Pyrene	0.00200	0.00151	0.00152	75.5	76.0	60.0-142			0.660	20
1-Methylnaphthalene	0.00200	0.00166	0.00164	83.0	82.0	66.0-142			1.21	20
2-Methylnaphthalene	0.00200	0.00156	0.00155	78.0	77.5	62.0-136			0.643	20
(S) Nitrobenzene-d5				84.5	83.5	31.0-160				
(S) 2-Fluorobiphenyl				82.5	82.5	48.0-148				
(S) p-Terphenyl-d14				71.0	71.5	37.0-146				



















GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
-----------	-------------

В	The same analyte is found in the associated blank.
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
J	The identification of the analyte is acceptable; the reported value is an estimate.

¹Cp

















ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina 1	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
lowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LAO00356
Kentucky 16	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	Al30792	Tennessee 1 4	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA - ISO 17025 5	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234



^{*} Not all certifications held by the laboratory are applicable to the results reported in the attached report.

TN00003

EPA-Crypto



















 $^{^* \, \}text{Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.} \\$

Company Name/Address:			Billing Infor	mation:					Α	nalvsis /	Contair	Prese	rvative		Chain of Custody	Page Tol T
7-11 Stantec - Anchorage, AK 725 E Fireweed Lane			Attn Paula Sime PO Box 711 - Loc. 0148		Pres Chk									- Pace	ce.	
			Dallas, T	x 75221											PEOPLE AD	VANCING SCIENCE
Suite 200																
Anchorage. AK 99503			Frankl Toy or	raig.cothron@pace	lahs com										MT JUL	
Report to:			Email 10: Ci	500 ZOCS	Lec i	~~									12065 Lebanon Rd Mount Submitting a sample via thi	is chain of custody
Ms. Sydney Souza			Syaney	.200 acc	Please Cir	rcle.				-					constitutes acknowledgme Pace Terms and Conditions	found at:
Project Description: 20372	3698	Collected: C	Nas. 11	a, AK ILab Project #	PT MT C					es-W					https://info.pacelabs.com/ terms.pdf	Thubis/pas-standard-
Phone: 907-266-1108	Client Project 203723698			CTANAKSSOAS					03	40mlAmb-NoPres-WT		-Bik			SDG# C1	18
Collected by (print): Sydney Souza	Site/Facility ID			20372	3698		HG.	Amb HCl	250mlHDPE-HN03	lAmb	DHC	V8260C 40mlAmb-HCl-Blk			Acctnum: STAA	
Collected by (signature):		ab MUST Be	Notified)	Quote #			40mlAmb HCl	Am	DP	Om O	lm!	Tu l			Template:T257	
		ay Five		-			An	1	픋	40	=	글			Prelogin: P109	
lydyl	Next Da	y 5 Day	y (Rad Only) ay (Rad Only)	Date Results	Needed	No.	Dm	100ml	50	1 5	40	40			PM: 034 - Craig C	
Immediately Packed on Ice N Y Y	Two Day		ay (Kad Only)			of		2 1	22	Σ	00	00			Shipped Via: Fed	
Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs	AK101	AK 102	NAICP	PAHSIMLVID	V8260C 40mlAmb-HCl	V826			Remarks	Sample # (lab only)
1	G	GW	11	8/28/24	0937	11	X	X	X	X	X					-01
MW-1	1	GW	+	1	0957	11	X	X	X	X	X					-02
MW-2		-	++		1020	11	X	X	X	X	X					_03
mw-3		GW				-					-					- 04
mw-4		GW			1052	11	X	X	X	X	X				- 1 1 1 :	
DUP	V	GW			-	11	X	, X	X	X	X				Duplicade	-05
TRIP BLANK		GW	_		_	1	X	The same of				X		1		-06
RW19-1	G	GN	-	1	1229	11	X	X	X	X	X					-02
	G	SW		8/28/24	-	11	X	X	X	X	X					_08
Stream	9	300		010010-1												
														5	Sample Receipt Che	ecklist /
* Matrix: SS - Soil AIR - Air F - Filter	Remarks:									рН	_	Temp		COC Sea	nl Present/Intact: gned/Accurate: arrive intact:	NB NA N
GW - Groundwater B - Bioassay WW - WasteWater										Flo	w	_ Other		Correct	bottles used: lent volume sent:	ZI_N N
DW - Drinking Water	Samples returne	d via:		Track	ing# 74	111	45	7 (0	7.	120					If Applicabl	
OT - Other	UPS FedE		r	- ITACK	mg # /	16.0	10	~	-	-			444	VOA Zer Preserv	ro Headspace: vation Correct/Che	cked: _X _N
Relinquished by : (Signature)		Date:	24 Tim	ne: Recei	ved by: (Sign	ature)				Trip Bla	ank Reco		rBR	RAD Scr	reen <0.5 mR/hr:	4 - N
Relinquished by: (Signature)	0	Date:	Tim	-	ved by: (Sign	ature)					+1A0+13	-	es Received:	If preserv	vation required by Log	in: Date/Time
Online sich ad by / (Cinnatura)		Date:	Tin	ne: Recei	ved for lab b	y: (Signa	ature)	7		Date:		Time	e:	Hold:		Condition: NCF / OK
Relinquished by : (Signature)					MX	0	Mi	te	her	1 2	121	124	090	2		NCF / OK

an 1 of 1

ADEC Contaminated Sites Program Laboratory Data Review Checklist

Completed By:	Sydney Souza	CS Site Name:	5314 / Tesoro Northstore #76	Lab Name:	Pace Analytical		
Title:	Environmental Geologist	ADEC File No.:	100.26.159	Lab Report No.:	L1773508		
Consulting Firm:	Stantec Consulting Services Inc.	Hazard ID No.:	26295	Lab Report Date:	September 18, 2024		
Note: Any N. 1. Labo		cked must have	e an explanation in	the comments	s box.		
a.	 a. Did an ADEC Contaminated Sites Laboratory Approval Program (CS-LAP) approved laboratory receive and perform all the submitted sample analyses? Yes ⋈ No □ N/A □ Comments: Click or tap here to enter text. 						
b.	. If the samples were transferred to another "network" laboratory or sub-contracted to an alternate laboratory, was the laboratory performing the analyses CS-LAP approved? Yes □ No □ N/A ⊠						
2. Chail	Comments: San of Custody (Co		t transierreu				
a.	 a. Is the CoC information completed, signed, and dated (including released/received by)? Yes ⋈ No □ N/A □ Comments: Click or tap here to enter text. 						
b.	 b. Were the correct analyses requested? Yes ⋈ No □ N/A □ Analyses requested: AK101, AK102, Sodium, 8270 SIM PAHs, 8260C VOCs Comments: Click or tap here to enter text. 						
3. Labo	ratory Sample R	eceipt Docum	nentation				
a.	 a. Is the sample/cooler temperature documented and within range at receipt (0° to 6° C)? Yes ⋈ No □ N/A □ Cooler temperature(s): 0.7° C Comments: Click or tap here to enter text. 						

	b.	Is the sample preservation acceptable – acidified waters, methanol preserved soil (GRO, BTEX, VOCs, etc.)? Yes No N/A Comments: Click or tap here to enter text.
	C.	Is the sample condition documented – broken, leaking, zero headspace (VOA vials); canister vacuum/pressure checked and no open valves, etc.? Yes \boxtimes No \square N/A \square Comments: Sample condition documented as OK
	d.	If there were any discrepancies, were they documented? For example, incorrect sample containers/preservation, sample temperature outside of acceptable range, insufficient or missing samples, canister not holding a vacuum, etc.? Yes \square No \square N/A \boxtimes Comments: No discrepancies documented
	e.	Is the data quality or usability affected? Yes □ No □ N/A ☒ Comments: Click or tap here to enter text.
4.	Case I	Narrative
	a.	Is the case narrative present and understandable? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.
	b.	Are there discrepancies, errors, or QC failures identified by the lab? Yes No N/A Comments: Case narrative documents no errors or discrepancies "unless qualified or notated within report".
	C.	Were all the corrective actions documented? Yes □ No □ N/A ☒ Comments: No corrective actions taken
	d.	What is the effect on data quality/usability according to the case narrative? Comments: No effect on data quality/usability
5.	Sampl	le Results
	a.	Are the correct analyses performed/reported as requested on CoC? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.
	b.	Are all applicable holding times met? Yes \boxtimes No \square N/A \square

Lab Report No.: L1773508

Lab Report No	o.: L1773508					
	Comments: Click or tap here to enter text.					
C.	Are all soils reported on a dry weight basis? Yes □ No □ N/A ☒ Comments: No soil samples submitted to the lab					
d.	 d. Are the reported limits of quantitation (LoQ) or limits of detections (LOD), or reporting limits (RL) less than the Cleanup Level or the action level for the project? Yes No N/A Comments: Click or tap here to enter text. 					
e.	Is the data quality or usability affected? Yes □ No □ N/A ☒ Comments: Click or tap here to enter text.					
6. QC Sa	ımples					
a.	Method Blank					
	 i. Was one method blank reported per matrix, analysis, and 20 samples? Yes ⋈ No □ N/A □ Comments: Click or tap here to enter text. 					
	ii. Are all method blank results less than LOQ (or RL)?Yes ⋈ No □Comments: J-flagged result for a surrogate in GRO					
	iii. If above LoQ or RL, what samples are affected?Comments: Click or tap here to enter text.					
	 iv. Do the affected sample(s) have data flags? If so, are the data flags clearly defined? Yes □ No □ N/A ☒ Comments: No affected samples 					
	v. Data quality or usability affected? Yes □ No □ N/A ⊠ Comments: No.					
b.	Laboratory Control Sample/Duplicate (LCS/LCSD)					
	 i. Organics – Are one LCS/LCSD reported per matrix, analysis and 20 samples? (LCS/LCSD required per AK methods, LCS required per SW846) Yes ⋈ No □ N/A □ 					

Lab Report No.: L1773508

Comments: Click or tap here to enter text.

	ii.	Metals/Inorganics – Are one LCS and one sample duplicate reported per matrix, analysis and 20 samples? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.
	iii.	Accuracy – Are all percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods: AK101 60%-120%, AK102 75%-125%, AK103 60%-120%; all other analyses see the laboratory QC pages) Yes No N/A Comments: Click or tap here to enter text.
	iv.	Precision – Are all relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? Was the RPD reported from LCS/LCSD, and or sample/sample duplicate? (AK Petroleum methods 20%; all other analyses see the laboratory QC pages) Yes \boxtimes No \square N/A \square Comments: Click or tap here to enter text.
	V.	If %R or RPD is outside of acceptable limits, what samples are affected? Comments: None
	vi.	Do the affected sample(s) have data flags? If so, are the data flags clearly defined? Yes \square No \square N/A \boxtimes Comments: No affected samples
	vii.	Is the data quality or usability affected? Yes □ No □ N/A ☒ Comments: Click or tap here to enter text.
C.	Matrix	Spike/Matrix Spike Duplicate (MS/MSD)
	i.	Organics – Are one MS/MSD reported per matrix, analysis and 20 samples? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.
	ii.	Metals/Inorganics – Are one MS/MSD reported per matrix, analysis and 20 samples? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.

Lab Report No.: L1773508

	iii.	Accuracy – Are all percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? Yes \boxtimes No \square N/A \square
		Comments: Click or tap here to enter text.
	iv.	Precision – Are all relative percent differences (RPD) reported and less than method or laboratory limits and project specified objectives, if applicable? RPD reported from MS/MSD, and or sample/sample duplicate.
		Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.
	V.	If %R or RPD is outside of acceptable limits, what samples are affected? Comments: Click or tap here to enter text.
	vi.	Do the affected sample(s) have data flags? If so, are the data flags clearly defined?
		Yes □ No □ N/A ⊠ Comments: No affected samples
	vii.	Is the data quality or usability affected? Yes □ No □ N/A ☒ Comments: Click or tap here to enter text.
d.	_	gates – Organics Only or Isotope Dilution Analytes (IDA) – Isotope Dilution ds Only
	i.	Are surrogate/IDA recoveries reported for organic analyses – field, QC, and laboratory samples? Yes \boxtimes No \square N/A \square
		Comments: Click or tap here to enter text.
	ii.	Accuracy – Are all percent recoveries (%R) reported and within method or laboratory limits and project specified objectives, if applicable? (AK Petroleum methods 50-150 %R for field samples and 60-120 %R for QC samples; all other analyses see the laboratory report pages) Yes \boxtimes No \square N/A \square
		Comments: Click or tap here to enter text.
	iii.	Do the sample results with failed surrogate/IDA recoveries have data flags? If so, are the data flags clearly defined? Yes □ No □ N/A ☒
		Comments: No affected samples
	iv.	Is the data quality or usability affected? Yes □ No □ N/A ⊠

Lab Report No.: L1773508

Comments: Click or tap here to enter text.

		Commonic. Once of tap here to enter text.	
e.	Trip B	lanks	
	i.	Is one trip blank reported per matrix, analysis, and for each cooler containing volatile samples? Yes \boxtimes No \square N/A \square Comments: Click or tap here to enter text.	
	ii.	Are all results less than LoQ or RL? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.	
	iii.	If above LoQ or RL, what samples are affected? Comments: None.	
	iv.	Is the data quality or usability affected? Yes □ No □ N/A ☒ Comments: No affected samples.	
f.	Field [Duplicate	
	i.	Are one field duplicate submitted per matrix, analysis, and 10 project samples? Yes \boxtimes No \square N/A \square Comments: Click or tap here to enter text.	
	ii.	Was the duplicate submitted blind to lab? Yes ⊠ No □ N/A □ Comments: Click or tap here to enter text.	
iii. Precision – All relative percent differences (RPD) less than spe project objectives? (Recommended: 30% water or air, 50% soil			
		$RPD \ (\%) = \left \frac{R_1 - R_2}{\left(\frac{R_1 + R_2}{2}\right)} \right \ X \ 100$	
		Where R_1 = Sample Concentration	
		R_2 = Field Duplicate Concentration	
		Is the data quality or usability affected? (Explain)	
		Yes ⊠ No □ N/A □ Comments:	
	iv.	Is the data quality or usability affected? (Explain)	

Comments: Click or tap here to enter text.

g. Decon	tamination or Equipment Blanks
i.	Were decontamination or equipment blanks collected? Yes □ No □ N/A ☒ Comments: Used disposable equipment
ii.	Are all results less than LoQ or RL? Yes □ No □ N/A ☒ Comments: Used disposable equipment
iii.	If above LoQ or RL, specify what samples are affected Comments: Click or tap here to enter text.
iv.	Are data quality or usability affected? Yes □ No □ N/A ☒ Comments: Click or tap here to enter text.
7. Other Data Fl	ags/Qualifiers (ACOE, AFCEE, Lab Specific, etc.)
a. Are the	ey defined and appropriate? Yes ⊠ No □ N/A □ Comments:

Lab Report No.: L1773508