



Stantec Consulting Services Inc.

3900 C Street, Suite 902, Anchorage AK 99503

December 10, 2024

Stantec Project Number: 203723785

Paula Sime, PG  
Manager, Environmental Services  
7-Eleven, Inc.  
P.O. Box 1026  
Temecula, California 92593

RE: **2025 Corrective Action Work Plan**  
**7-Eleven Store 46754 (Former Tesoro North Store (TNS) #52)**  
Mile 49 at 7172 Parks Highway, Wasilla, Alaska  
ADEC Facility ID #648; ADEC Hazard #23769; ADEC File #2265.26.006

Dear Ms. Sime:

This letter presents the 2025 (calendar year) Corrective Action Plan (CAP) for the monitoring and remediation of petroleum contamination at the above referenced site. The 2025 CAP was prepared by Stantec Consulting Services, Inc. (Stantec) on behalf of 7-Eleven, Inc. (7-Eleven) for 7-Eleven Store 46754 (former Tesoro North Store (TNS) #52) located in Wasilla, Alaska.

This 2025 CAP will be presented at the annual work session with the Alaska Department of Environmental Conservation (ADEC), 7-Eleven and Stantec. The work session is scheduled for December 10, 2024, and will be presented by Stantec on behalf of 7-Eleven to Pete Campbell, ADEC representative, virtually via Microsoft TEAMS app.

Attached to this letter are the following items associated with the completion of the 2024 CAP tasks: Location and Vicinity Map, Site Map with Analytical Data Results (October 2024 GWM Event), and Analytical Data Results Tables of Historical Monitoring Events. The site plans, sampling test results, and additional site documents for the subject site will be included in a PowerPoint presentation that will be presented by Stantec during the December work session.

The following sections provide a summary of the work plan tasks that were completed under the current 2024 CAP followed by a summary of the proposed work plan tasks for the 2025 CAP.

**2024 CAP Work Plan Tasks**

- Task 1 – Groundwater Monitoring
  - ✓ This task was completed in accordance with the approved 2024 CAP.

- Task 2 – O&M Recirculation Groundwater Treatment System
  - ✓ This task was completed in general accordance with the approved 2024 CAP. However, the buried airline to the air-lift well was frozen during the early part of 2024. The line eventually became frost free which allowed resumption of the air-lift well operation. As a means to overcome future freezing issues, Stantec installed a heat trace line inside the airline during the month of September 2024.
- Task 3 – O&M Chemical Oxidation (Chemox) Treatment System
  - ✓ This task was completed in accordance with the approved 2024 CAP.

**Proposed Work Plan Tasks for 2025**

The following table summarizes the proposed tasks and implementation schedule for the 2025 CAP:

**2025 CAP Work Plan Tasks and Schedule**

Work Plan Task 2025		1 <sup>st</sup> Quarter	2 <sup>nd</sup> Quarter	3 <sup>rd</sup> Quarter	4 <sup>th</sup> Quarter
Task 1	Monitoring Wells: G-1, G-3, G-5, G-7, MW16-2 and RW16-1	V, G, D, P, S & I	V, G, D, P, S, & I		
	Monitoring Wells G-2 and G-4		V, G, D, P, S & I		
	Drinking Water Wells serving Lots 1 and 2, Lot 4, and Lot 5 in Runion Subdivision		D & E		
Task 2	O&M Air-Lift Well Remediation System	✓	✓		
Task 3	Prepare Request to ADEC to Grant Closure Cleanup and Decommissioning of all Groundwater Monitoring and Remediation Wells			✓	✓

Key:

- AK – Alaska Test Method
- D – Diesel range organics by AK102.
- E – Drinking water parameters by EPA Method 524.
- G – Gasoline range organics by AK101.
- I – Intrinsic indicators include dissolved oxygen, specific conductance, oxygen-reduction potential, pH, and temperature.
- O&M – Operation and Maintenance
- V – Volatile organic compounds by EPA Test Method 8260C.

S – Sodium analyzed by Metals (ICP) Method 6010C.

P – Polynuclear aromatic hydrocarbons (PAHs), i.e., semi-volatile organic compounds associated with petroleum fuel, by EPA Test Method 8270D-SIM (Selective Ion Monitoring).

- Task 1 – Groundwater Monitoring

Quarterly monitoring of the groundwater wells and annual monitoring of several existing drinking water wells will be conducted during the first two quarters of 2025. Sampling locations and analyses for the monitoring and drinking water wells are listed on the 2025 Work Plan Schedule shown above.

- Task 2 – O&M Air-Lift Well Remediation System

Subject to the finding of no contamination in the wells sampled during the first two quarters in 2025, the operation of the air-lift well will be terminated (see details described below in Task 3). The operation of the compressor that operates the air-lift recirculation well is monitored continuously with iMonnit<sup>®</sup> sensors that remotely monitor, via the wireless broadband network (cellular internet), the electrical current usage on the compressor wiring system. On a quarterly basis, Stantec will physically inspect the compressor. The compressor runs continuously (24-hours per day). Also, the air-lift recovery well will be inspected to assess the flow of recirculated groundwater discharged into RW20-1 and G-1. Repair and maintenance of the remediation system will be provided on an as-needed basis.

- Task 3 – Prepare Request to ADEC to Grant Closure Cleanup and Decommissioning of All Groundwater Monitoring and Remediation Wells

As reported in the attached Appendix - Analytical Data Results Tables of Historical Monitoring Events, all groundwater monitoring wells have been reported for the past 3 to 4 monitoring events to have no petroleum hydrocarbon contaminants above the ADEC groundwater cleanup levels (GCLs). Subject to the finding of no contamination in all of the wells (identified in Task 1) sampled during the first two quarters in 2025, Stantec will prepare a request to ADEC on behalf of 7-Eleven for the closure of this site. A separate detailed work plan will be subsequently prepared by Stantec for the decommissioning of all monitoring and remediation wells including the closure (abandonment) of the air-lift well and groundwater recirculation system.

The Corrective Action Work Plan for the year 2025 will be implemented by Stantec on behalf of 7-Eleven. Groundwater monitoring will be conducted to track migration and trends of contaminants that are present at the site.

All sampling activities will be completed in accordance with ADEC's *Underground Storage Tanks Procedures Manual– Standard Sampling Procedures* (March 22, 2017). The methods that will be



used for conducting a monitoring event, unless otherwise noted in the monitoring report, will include:

- The static water levels in the monitoring wells will be measured with respect to the top of each well casing. The elevation of the static water level will be based on an arbitrary datum established on-site during a vertical control survey that will be completed by Stantec on an annual basis. The survey will be performed during the summer after the seasonal frost layer thaws.
- The monitoring wells will be purged of a minimum of three well bore volumes prior to collecting the water samples. A new, disposable, Teflon<sup>®</sup> bailer will be used to sample each well. The first bail of water removed from each well will be examined for petroleum odor, sheen, and any other unique physical features.
- Water samples will be collected in laboratory-supplied sample containers. The samples will be delivered to an ADEC-approved laboratory in accordance with standard chain-of-custody procedures.
- Additional water samples will be collected from the monitoring wells after the well has been purged, as described above, and tested in the field for chemical and physical intrinsic parameters listed in the 2025 Work Plan Schedule shown above.

If you have any questions or need additional information concerning this 2025 Corrective Action Work Plan, please contact us at (907) 227-9883.

Regards,

**STANTEC CONSULTING SERVICES INC.**

Michael A. Zidek, PMP  
Project Manager

Bob Gilfilian, P.E.  
Project Technical Lead

Attachments:     Figure 1 – Location and Vicinity Map  
                          Figure 2 – Site Map with Analytical Data Results (October 2024 GWM Event)  
                          Appendix - Analytical Data Results Tables of Historical Monitoring Events





RW16-1 10/28/24	
124-TMB	0.00112
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.888)
ETHYLBENZENE	0.000452
GRO	0.386
NAPHTHALENE	U(0.000250)
SODIUM	8.35
TOLUENE	U(0.00100)
TOTAL XYLENES	0.001666

MW16-2 10/28/24	
124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.800)
ETHYLBENZENE	U(0.00100)
GRO	0.139
NAPHTHALENE	U(0.000250)
SODIUM	6.13
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)

G-4 10/28/24	
124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.840)
ETHYLBENZENE	U(0.00100)
GRO	0.795
NAPHTHALENE	U(0.000250)
SODIUM	5.13
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)

G-5 10/28/24	
124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.890)
ETHYLBENZENE	U(0.00100)
GRO	0.052
NAPHTHALENE	U(0.000250)
SODIUM	5.34
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)

R4 10/28/24	
124-TMB	--
135-TMB	--
BENZENE	0.0000526
DRO	--
ETHYLBENZENE	U(0.000500)
GRO	--
NAPHTHALENE	--
SODIUM	--
TOLUENE	U(0.000500)
TOTAL XYLENES	U(0.000500)

G-7 10/28/24	
124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.840)
ETHYLBENZENE	U(0.00100)
GRO	0.0581
NAPHTHALENE	U(0.000250)
SODIUM	4.55
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)


G-1 10/28/24	
124-TMB	U(0.00100)
135-TMB	U(0.00100)
BENZENE	U(0.00100)
DRO	U(0.840)
ETHYLBENZENE	U(0.00100)
GRO	0.0508
NAPHTHALENE	U(0.000250)
SODIUM	4.76
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)

G-3 10/28/24	
124-TMB	0.00115
135-TMB	0.00104
BENZENE	U(0.00100)
DRO	0.607
ETHYLBENZENE	0.000929
GRO	0.127
NAPHTHALENE	U(0.000250)
SODIUM	5.02
TOLUENE	U(0.00100)
TOTAL XYLENES	U(0.00300)

R1+2 10/28/24	
124-TMB	--
135-TMB	--
BENZENE	U(0.000500)
DRO	--
ETHYLBENZENE	U(0.000500)
GRO	--
NAPHTHALENE	--
SODIUM	--
TOLUENE	U(0.000500)
TOTAL XYLENES	U(0.000500)

R5 10/28/24	
124-TMB	--
135-TMB	--
BENZENE	U(0.000500)
DRO	--
ETHYLBENZENE	U(0.000500)
GRO	--
NAPHTHALENE	--
SODIUM	--
TOLUENE	U(0.000500)
TOTAL XYLENES	U(0.000500)

SITE DATA COMPARED TO ADEC Groundwater Cleanup Levels (GCLs)		ND NOT DETECTED		124-TMB 0.056 mg/L	
--	NOT SAMPLED	--	NOT SAMPLED	135-TMB	0.06 mg/L
50	SAMPLED & UNDER CRITERION	50	SAMPLED & UNDER CRITERION	BENZENE	0.0046 mg/L
100	SAMPLED & OVER CRITERION	100	SAMPLED & OVER CRITERION	DRO	1.5 mg/L
E2	FREE PRODUCT DISPLAYED IN mg/L	E2	FREE PRODUCT DISPLAYED IN mg/L	ETHYLBENZENE	0.015 mg/L
				GRO	2.2 mg/L
				NAPHTHALENE	0.0017 mg/L
				SODIUM	
				TOLUENE	1.1 mg/L
				TOTAL XYLENES	0.19 mg/L



- LEGEND:**
- PROPERTY LINE
  - ⊙ 2020 SOIL BORING/MONITORING WELL
  - ⊙ 2016 SOIL BORING/MONITORING WELL
  - ⊙ MONITORING WELL
  - ⊙ AIR SPARGE WELL
  - AS AIR SPARGE
  - DRO DIESEL RANGE ORGANICS
  - GRO GASOLINE RANGE ORGANICS
  - GW Elev GROUNDWATER ELEVATION IN FEET
  - NM NOT MEASURED
  - TMB TRIMETHYLBENZENE
  - U UNDETECTED ABOVE PRACTICAL QUANTITATION LIMIT SHOWN IN PARENTHESES
  - VSC VAPOR STRIPPING AND CIRCULATION

7-Eleven 46754  
 7-Eleven - Paula Sime  
 7172 W Parks Hwy  
 Wasilla, Alaska 99623

Data Table

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
GW Human Health Cleanup			<u>0.056</u>	<u>0.06</u>	<u>0.0,046</u>	<u>1.5</u>	<u>0.015</u>	<u>2.2</u>	<u>0.0,017</u>		<u>1.1</u>	<u>0.19</u>
G-1												
04/24/1997	--	--	—	—	<u>3.70</u>	<u>11.0</u>	<u>12.0</u>	<u>170</u>	—	—	<u>28.0</u>	<u>64.0</u>
09/03/1997	--	--	—	—	0.00100	<u>12.0</u>	<u>5.20</u>	<u>85.0</u>	—	—	<u>12.0</u>	<u>41.0</u>
12/29/1997	--	--	—	—	<u>0.0420</u>	<u>3.30</u>	<u>1.50</u>	<u>34.0</u>	—	—	<u>2.00</u>	<u>9.30</u>
04/23/1998	--	--	—	—	<u>0.13</u>	<u>8.30</u>	<u>4.10</u>	<u>91.0</u>	—	—	<u>3.90</u>	<u>23.0</u>
08/03/1998	--	--	—	—	<u>0.14</u>	<u>12.0</u>	<u>3.00</u>	<u>76.0</u>	—	—	<u>3.10</u>	<u>19.0</u>
11/02/1998	--	--	—	—	<u>0.121</u>	<u>5.58</u>	<u>4.76</u>	<u>70.0</u>	—	—	<u>4.59</u>	<u>27.12</u>
02/12/1999	--	--	—	—	0.00100	<u>19.0</u>	<u>4.00</u>	<u>91.0</u>	—	—	<u>5.40</u>	<u>24.0</u>
08/30/1999	--	--	—	—	0.00100	<u>10.0</u>	<u>5.60</u>	<u>190</u>	—	—	<u>3.10</u>	<u>36.0</u>
10/29/1999	--	--	—	—	0.00100	0.45	<u>0.0350</u>	0.89	—	—	0.0260	<u>0.21</u>
02/08/2000	--	--	—	—	0.00100	—	<u>4.40</u>	<u>10.0</u>	—	—	<u>3.30</u>	<u>26.0</u>
06/08/2000	--	--	—	—	0.00100	0.33	<u>0.11</u>	<u>2.30</u>	—	—	0.0510	<u>0.61</u>
08/30/2000	--	--	—	—	0.00100	0.57	<u>0.92</u>	<u>19.0</u>	—	—	0.50	<u>5.00</u>
11/30/2000	--	--	—	—	0.00100	<u>1.90</u>	<u>2.30</u>	<u>42.0</u>	—	—	<u>1.20</u>	<u>11.0</u>
02/05/2001	--	--	—	—	0.00100	<u>5.20</u>	<u>4.70</u>	<u>94.0</u>	—	—	<u>3.40</u>	<u>25.0</u>
05/10/2001	--	--	—	—	0.00100	<u>1.90</u>	<u>2.62</u>	<u>41.1</u>	—	—	0.967	<u>15.36</u>
08/16/2001	--	--	—	—	<u>0.0130</u>	<u>1.99</u>	<u>0.652</u>	<u>14.3</u>	—	—	0.401	<u>6.18</u>
11/09/2001	--	--	—	—	<u>0.0130</u>	<u>3.16</u>	<u>1.75</u>	<u>25.4</u>	—	—	0.608	<u>9.55</u>
02/15/2002	--	--	—	—	<u>0.0360</u>	<u>3.66</u>	<u>3.64</u>	<u>66.1</u>	—	—	<u>2.82</u>	<u>21.59</u>
05/30/2002	--	--	—	—	0.00100	<u>92.6</u>	<u>9.94</u>	<u>113</u>	—	—	<u>5.52</u>	<u>51.8</u>
08/14/2002	--	--	—	—	<u>0.0480</u>	<u>11.2</u>	<u>6.15</u>	<u>99.6</u>	—	—	<u>2.13</u>	<u>37.27</u>
11/14/2002	--	--	—	—	<u>0.0530</u>	<u>1.51</u>	<u>5.37</u>	<u>105</u>	—	—	<u>2.35</u>	<u>27.17</u>
01/28/2003	--	--	—	—	U (0.025)	<u>3.83</u>	<u>1.04</u>	<u>24.8</u>	—	—	0.462	<u>7.55</u>
04/17/2003	--	--	—	—	<u>0.217</u>	<u>4.70</u>	<u>4.55</u>	<u>117</u>	—	—	<u>1.15</u>	<u>26.9</u>
07/17/2003	--	--	—	—	U (0.05)	<u>8.34</u>	<u>6.00</u>	<u>104</u>	—	—	<u>1.81</u>	<u>35.6</u>
10/02/2003	--	--	—	—	<u>0.184</u>	U (0.32)	<u>5.34</u>	<u>137</u>	—	—	<u>1.84</u>	<u>33.4</u>
01/20/2004	--	--	—	—	U (0.2)	<u>10.6</u>	<u>5.90</u>	<u>100</u>	—	—	<u>2.46</u>	<u>34.8</u>
04/13/2004	--	--	—	—	U (0.1)	<u>6.97</u>	<u>6.37</u>	<u>109</u>	—	—	<u>1.49</u>	<u>37.5</u>
07/20/2004	--	--	—	—	U (0.25)	<u>8.09</u>	<u>2.67</u>	<u>87.1</u>	—	—	0.612	<u>26.2</u>
09/02/2004	--	--	—	—	U (0.05)	<u>4.94</u>	<u>2.60</u>	<u>48.5</u>	—	—	0.38	<u>18.4</u>
10/13/2004	--	--	—	—	U (0.005)	<u>1.90</u>	<u>0.232</u>	<u>5.98</u>	—	—	0.615	<u>1.87</u>

	Well Screen Interval	Ground Water Elevation	1,2,4-TMB	1,3,5-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
01/28/2005	--	--	—	—	U (0.0005)	0.818	<b>0.08430</b>	2.08	—	—	0.121	<b>0.582</b>
04/11/2005	--	--	—	—	U (0.0005)	0.78	<b>0.03740</b>	0.963	—	—	0.0690	<b>0.306</b>
08/12/2005	--	--	—	—	U (0.0005)	0.528	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.003100
10/07/2005	--	--	—	—	U (0.0005)	U (0.397)	0.008200	0.24	—	—	0.01030	0.07130
02/14/2006	--	--	—	—	U (0.0005)	0.676	0.004100	0.141	—	—	0.0083100	0.04820
04/18/2006	--	--	—	—	<b>0.01470</b>	<b>8.37</b>	<b>0.962</b>	<b>24.8</b>	—	—	0.08740	<b>6.64</b>
07/06/2006	--	--	—	—	U (0.0005)	U (0.394)	0.0028900	0.153	—	—	0.0035900	0.05390
10/26/2006	--	--	—	—	U (0.0005)	U (0.391)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/02/2007	--	--	—	—	U (0.0005)	1.04	<b>0.257</b>	<b>7.79</b>	—	—	0.21	<b>1.95</b>
04/19/2007	--	--	—	—	U (0.0005)	0.894	<b>0.13</b>	<b>4.12</b>	—	—	0.165	<b>1.12</b>
08/07/2007	--	--	—	—	U (0.0005)	0.582	<b>0.03920</b>	0.891	—	—	0.05360	<b>0.277</b>
10/23/2007	--	--	—	—	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.0056600
02/22/2008	--	--	—	—	U (0.0005)	0.479	0.0071200	0.229	—	—	0.01290	0.0680
04/15/2008	--	--	—	—	U (0.0005)	0.667	0.01370	0.45	—	—	0.02470	0.116
08/27/2008	--	--	—	—	U (0.0005)	U (0.4)	0.0039700	0.172	—	—	0.0066200	0.04770
10/22/2008	--	--	—	—	U (0.0005)	U (0.427)	<b>0.02260</b>	0.742	—	—	0.0320	<b>0.255</b>
02/05/2009	--	--	—	—	U (0.0005)	U (0.463)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/08/2009	--	--	—	—	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.002100
07/09/2009	--	--	—	—	U (0.0005)	U (0.397)	U (0.001)	0.106	—	—	0.0013700	0.01880
11/04/2009	--	--	—	—	U (0.0005)	U (0.403)	0.0062400	0.271	—	—	0.0085600	0.06390
01/27/2010	--	--	—	—	U (0.0005)	0.844	U (0.001)	0.07570	—	—	0.0012300	0.01680
05/27/2010	--	--	—	—	U (0.0005)	0.538	0.01170	0.257	—	—	0.01140	0.09230
08/19/2010	--	--	—	—	U (0.0005)	U (0.455)	0.000537000	0.184	—	—	U (0.0005)	0.01890
10/26/2010	--	--	—	—	U (0.0005)	0.993	0.0044300	0.181	—	—	0.0044100	0.05740
02/17/2011	--	--	—	—	U (0.0005)	0.491	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
06/09/2011	--	--	—	—	U (0.0005)	0.635	0.000945000	0.143	—	—	0.000913000	0.04250
09/20/2011	--	--	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	U (0.0005)	0.0023600
10/21/2011	--	--	—	—	U (0.0005)	U (0.417)	<b>0.05650</b>	0.851	—	—	0.01210	<b>0.345</b>
02/17/2012	--	--	—	—	U (0.0005)	0.712	0.0023500	0.07870	—	—	0.0012800	0.0410
05/17/2012	--	--	—	—	U (0.0005)	0.596	<b>0.0250</b>	0.941	—	—	0.0057200	<b>0.339</b>
09/05/2012	--	--	—	—	U (0.0005)	U (0.424)	0.01390	0.404	—	—	0.0046800	0.145
10/30/2012	--	--	—	—	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
01/30/2013	--	--	—	—	U (0.0005)	0.461	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/10/2013	--	--	—	—	U (0.0005)	U (0.424)	0.0140	0.248	—	—	0.00067000	0.166
10/11/2013	--	--	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
12/11/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
02/19/2014	--	--	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	0.000667000	0.0028100
05/01/2014	--	--	—	—	U (0.0005)	U (0.41)	0.003800	0.11	—	—	U (0.001)	0.0280
10/30/2014	--	--	—	—	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)



	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
05/15/2015	--	--	—	—	U (0.002)	0.34	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)
09/02/2015	--	--	—	—	U (0.0002)	U (0.40)	U (0.001)	0.15	—	—	U (0.001)	U (0.003)
11/12/2015	--	--	—	—	U (0.0020)	0.63	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)
01/28/2016	--	--	—	—	U (0.0020)	0.88	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)
05/09/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
10/24/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
12/09/2016	--	--	—	—	U (0.002)	U (0.11)	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.003)
04/25/2017	--	--	—	—	U (0.0002)	0.99	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
10/20/2017	--	--	—	—	U (0.002)	1.40	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)
02/13/2018	--	--	—	—	U (0.002)	0.88	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
08/17/2018	--	--	—	—	U (0.015)	<b>1.60</b>	U (0.015)	U (0.25)	—	—	U (0.01)	U (0.015)
10/25/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
02/26/2019	--	--	—	—	U (0.003)	0.51	0.006600	U (0.25)	—	—	U (0.002)	U (0.003)
04/24/2019	--	--	—	—	U (0.003)	U (0.25)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
07/16/2019	--	--	—	—	U (0.003)	<b>1.60</b>	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/17/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
08/12/2020	--	93.30	—	—	U (0.001)	0.242	U (0.001)	U (0.100)	—	23.4	U (0.001)	U (0.003)
10/02/2020	--	97.11	—	—	U (0.001)	U (0.824)	0.000248000	0.03370	—	—	U (0.001)	0.0026200
05/18/2021	--	97.04	U (0.00100)	U (0.00100)	U (0.001)	0.405	U (0.001)	0.01520	U (0.00500)	16.4	U (0.001)	U (0.002)
10/13/2021	--	--	0.000527000	0.000151000	0.000169000	0.518	0.000325000	0.182	U (0.000250)	56.7	U (0.001)	0.000554000
05/11/2022	--	69.63	U(0.00100)	U(0.00100)	U(0.00100)	1.08	U(0.00100)	U(0.100)	U(0.000250)	23.9	U(0.00100)	U(0.00300)
07/19/2022	--	97.00	U(0.00100)	U(0.00100)	U(0.00100)	0.554	U(0.00100)	U(0.100)	U(0.0002500)	1.96	U(0.00100)	U(0.00300)
10/12/2022	--	80.20	U(0.00100)	U(0.00100)	U(0.00100)	0.565	U(0.00100)	U(0.100)	U(0.000250)	7.81	U(0.00100)	U(0.00300)
07/12/2023	--	97.41	U(0.00100)	U(0.00100)	U(0.00100)	1.21	U(0.00100)	0.0300	U(0.000250)	6.78	U(0.00100)	U(0.00100)
11/02/2023	--	97.11	U(0.00100)	U(0.00100)	U(0.00100)	1.13	U(0.00100)	0.04130	U(0.000250)	4.54	U(0.00100)	U(0.00300)
03/22/2024	--	66.54	U(0.00100)	U(0.00100)	U(0.00100)	0.312	U(0.00100)	0.08040	U(0.000250)	24.7	U(0.00100)	U(0.00100)
06/19/2024	--	97.78	U(0.00100)	U(0.00100)	U(0.00100)	0.449	U(0.00100)	U(0.100)	U(0.000250)	5.79	U(0.00100)	U(0.00300)
08/27/2024	--	76.67	—	—	U(0.00100)	0.637	U(0.00100)	0.05350	U(0.000250)	5.83	U(0.00100)	U(0.00100)
10/28/2024	--	98.28	U(0.00100)	U(0.00100)	U(0.00100)	U(0.840)	U(0.00100)	0.05080	U(0.000250)	4.76	U(0.00100)	U(0.00300)
<b>G-3</b>												
04/24/1997	--	--	—	—	0.00100	<b>5.10</b>	<b>5.40</b>	<b>70.0</b>	—	—	<b>7.60</b>	<b>26.0</b>
09/03/1997	--	--	—	—	<b>0.0800</b>	<b>7.50</b>	<b>1.40</b>	<b>21.0</b>	—	—	<b>2.00</b>	<b>7.70</b>
12/29/1997	--	--	—	—	<b>0.0570</b>	<b>3.50</b>	<b>1.50</b>	<b>19.0</b>	—	—	0.43	<b>4.70</b>
04/23/1998	--	--	—	—	0.00100	<b>6.90</b>	<b>3.10</b>	<b>40.0</b>	—	—	0.49	<b>10.0</b>
08/03/1998	--	--	—	—	<b>0.14</b>	<b>2.00</b>	<b>3.30</b>	<b>39.0</b>	—	—	0.45	<b>10.0</b>
11/02/1998	--	--	—	—	0.00100	<b>2.43</b>	<b>3.00</b>	<b>30.0</b>	—	—	0.58	<b>10.27</b>
02/12/1999	--	--	—	—	0.00100	<b>8.00</b>	<b>3.90</b>	<b>48.0</b>	—	—	0.52	<b>12.0</b>
05/11/1999	--	--	—	—	<b>0.0510</b>	<b>17.6</b>	<b>1.02</b>	<b>14.0</b>	—	—	0.12	<b>4.16</b>
08/30/1999	--	--	—	—	0.00100	<b>4.60</b>	<b>1.60</b>	<b>19.0</b>	—	—	0.12	<b>3.90</b>

		Well Screen Interval	Ground Water Elevation	1,2,4-TMB	1,3,5-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>			<b>1.1</b>	<b>0.19</b>
10/29/1999	--	--	—	—	0.001800	0.92	<b>0.0170</b>	0.32	—	—	0.001600	0.0730	
02/08/2000	--	--	—	—	<b>0.00700</b>	0	<b>0.47</b>	<b>4.00</b>	—	—	0.0380	<b>0.89</b>	
06/08/2000	--	--	—	—	0.00100	1.10	0.00300	0	—	—	U	0.0100	
08/30/2000	--	--	—	—	0.00100	0.51	0.00400	0.12	—	—	0.001800	0.0300	
11/30/2000	--	--	—	—	<b>0.00600</b>	<b>5.50</b>	<b>0.32</b>	<b>2.90</b>	—	—	0.0320	<b>0.68</b>	
02/05/2001	--	--	—	—	<b>0.00600</b>	<b>5.90</b>	<b>0.46</b>	<b>4.30</b>	—	—	0.14	<b>0.90</b>	
05/10/2001	--	--	—	—	0.00100	<b>12.8</b>	0.00300	0	—	—	U	0.00900	
08/16/2001	--	--	—	—	<b>0.00500</b>	<b>8.75</b>	<b>0.39</b>	<b>2.76</b>	—	—	0.06130	<b>0.856</b>	
11/09/2001	--	--	—	—	<b>0.0340</b>	<b>1.57</b>	<b>0.0190</b>	0.57	—	—	0.08280	0.103	
02/15/2002	--	--	—	—	<b>0.00800</b>	<b>70.7</b>	<b>0.0490</b>	0.87	—	—	0.119	0.156	
05/30/2002	--	--	—	—	<b>0.0210</b>	<b>34.2</b>	<b>0.20</b>	<b>2.25</b>	—	—	0.08090	<b>0.605</b>	
08/14/2002	--	--	—	—	<b>0.0290</b>	<b>5.68</b>	<b>0.488</b>	<b>5.44</b>	—	—	0.147	<b>1.49</b>	
11/14/2002	--	--	—	—	<b>0.06580</b>	<b>4.08</b>	<b>0.804</b>	<b>8.97</b>	—	—	0.186	<b>1.9704</b>	
01/28/2003	--	--	—	—	<b>0.05710</b>	<b>7.89</b>	<b>0.319</b>	<b>2.93</b>	—	—	0.09140	<b>0.644</b>	
04/17/2003	--	--	—	—	0.0028800	<b>4.58</b>	<b>0.02820</b>	0.585	—	—	0.02740	0.0820	
07/17/2003	--	--	—	—	U (0.0005)	<b>7.48</b>	0.01070	0.233	—	—	0.01650	0.03270	
10/02/2003	--	--	—	—	U (0.0005)	1.14	0.000626000	U (0.08)	—	—	0.0022400	0.0023200	
01/20/2004	--	--	—	—	U (0.0005)	<b>1.83</b>	0.0039900	0.144	—	—	0.04390	0.01270	
04/13/2004	--	--	—	—	U (0.005)	<b>2.89</b>	<b>0.04720</b>	0.855	—	—	0.02610	0.148	
07/20/2004	--	--	—	—	U (0.0005)	<b>19.4</b>	0.002800	0.164	—	—	0.03050	0.0085300	
10/13/2004	--	--	—	—	U (0.0005)	<b>2.11</b>	U (0.0005)	U (0.08)	—	—	0.000537000	U (0.001)	
01/28/2005	--	--	—	—	0.000857000	<b>3.65</b>	0.00078000	0.09730	—	—	0.02930	0.003800	
04/11/2005	--	--	—	—	0.0031100	<b>2.58</b>	0.0023200	0.127	—	—	0.01130	0.02530	
08/12/2005	--	--	—	—	U (0.0005)	1.14	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
10/07/2005	--	--	—	—	U (0.0005)	<b>2.85</b>	U (0.0005)	U (0.05)	—	—	0.0023400	U (0.0015)	
02/14/2006	--	--	—	—	0.000874000	<b>3.00</b>	0.0012900	0.215	—	—	0.0760	0.007200	
04/18/2006	--	--	—	—	U (0.0005)	<b>7.64</b>	0.000884000	0.181	—	—	0.06140	0.0035600	
07/06/2006	--	--	—	—	U (0.0005)	<b>3.17</b>	U (0.0005)	U (0.05)	—	—	0.0025200	U (0.0015)	
10/26/2006	--	--	—	—	U (0.0005)	1.06	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
02/02/2007	--	--	—	—	<b>0.0052800</b>	<b>2.27</b>	0.001700	0.236	—	—	0.05130	0.01540	
08/07/2007	--	--	—	—	U (0.0005)	0.841	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
10/23/2007	--	--	—	—	<b>0.0050200</b>	1.41	<b>0.0200</b>	0.322	—	—	0.03580	0.03190	
02/21/2008	--	--	—	—	<b>0.0051700</b>	0.93	<b>0.0670</b>	0.771	—	—	0.03070	0.144	
04/15/2008	--	--	—	—	<b>0.0056200</b>	0.604	<b>0.135</b>	1.44	—	—	0.0400	<b>0.211</b>	
08/27/2008	--	--	—	—	<b>0.01380</b>	0.978	<b>0.842</b>	<b>7.26</b>	—	—	0.436	<b>2.88</b>	
10/22/2008	--	--	—	—	<b>0.01240</b>	0.83	<b>0.96</b>	<b>9.55</b>	—	—	0.514	<b>3.57</b>	
02/05/2009	--	--	—	—	U (0.01)	0.909	<b>1.17</b>	<b>15.7</b>	—	—	0.234	<b>4.73</b>	
02/19/2009	--	--	—	—	<b>0.007100</b>	<b>9.47</b>	<b>0.08340</b>	1.04	—	—	0.04930	<b>0.241</b>	
04/08/2009	--	--	—	—	U (0.005)	<b>1.51</b>	<b>0.378</b>	<b>4.20</b>	—	—	0.07020	<b>1.43</b>	

Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
GW Human Health Cleanup			0.056	0.06	0.0,046	1.5	0.015	2.2	0.0,017			1.1	0.19
07/09/2009	--	--	—	—	U (0.0005)	1.81	1.12	3.01	—	—	0.04150	4.32	
11/04/2009	--	--	—	—	U (0.0005)	U (0.400)	0.579	12.7	—	—	0.101	2.55	
01/27/2010	--	--	—	—	U (0.0005)	1.12	0.337	6.47	—	—	0.01570	2.01	
05/27/2010	--	--	—	—	U (0.0005)	1.01	0.03790	0.936	—	—	0.000748000	0.137	
08/19/2010	--	--	—	—	U (0.0005)	U (0.403)	0.03360	0.933	—	—	0.000756000	0.12	
10/26/2010	--	--	—	—	U (0.0025)	U (0.397)	0.153	4.62	—	—	U (0.0025)	0.643	
02/17/2011	--	--	—	—	U (0.0005)	4.10	0.06470	2.11	—	—	0.0011200	0.222	
06/09/2011	--	--	—	—	0.000536000	U (0.446)	0.06660	2.26	—	—	0.0018800	0.232	
09/20/2011	--	--	—	—	U (0.0005)	U (0.400)	0.02350	1.69	—	—	0.000718000	0.07940	
10/21/2011	--	--	—	—	0.0010700	U (0.417)	0.03250	2.51	—	—	0.0012600	0.105	
02/17/2012	--	--	—	—	0.000809000	1.15	0.05360	2.62	—	—	0.000792000	0.131	
05/17/2012	--	--	—	—	0.0011700	0.56	0.08990	5.91	—	—	0.0016400	0.303	
09/05/2012	--	--	—	—	U (0.0005)	U (0.424)	0.166	0.71	—	—	U (0.0005)	0.04860	
10/30/2012	--	--	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
01/30/2013	--	--	—	—	U (0.0005)	0.67	0.01820	0.818	—	—	0.0036400	0.05550	
05/10/2013	--	--	—	—	0.0015300	U (0.439)	0.05540	1.35	—	—	0.0015100	0.167	
10/11/2013	--	--	—	—	U (0.0005)	U (0.391)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)	
12/11/2013	--	--	—	—	U (0.0005)	U (0.417)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)	
02/19/2014	--	--	—	—	U (0.0005)	0.928	0.0066000	U (0.05)	—	—	U (0.0005)	0.0017700	
05/01/2014	--	--	—	—	U (0.0005)	4.80	0.006600	0.30	—	—	0.00100	0.0170	
10/30/2014	--	--	—	—	U (0.0005)	1.00	0.009700	0.46	—	—	U (0.0005)	0.0230	
02/11/2015	--	--	—	—	0.00200	12.0	0.0870	4.80	—	—	0.001100	0.24	
05/15/2015	--	--	—	—	U (0.002)	1.30	0.007800	2.60	—	—	U (0.002)	0.0150	
09/02/2015	--	--	—	—	U (0.0002)	U (0.40)	0.007900	1.10	—	—	U (0.001)	0.006400	
11/12/2015	--	--	—	—	U (0.0020)	0.26	0.0360	3.20	—	—	U (0.0020)	0.0690	
01/28/2016	--	--	—	—	U (0.0020)	0.76	0.0270	3.20	—	—	U (0.0020)	0.0520	
05/09/2016	--	--	—	—	0.0002000	0.58	0.008600	1.60	—	—	U (0.001)	0.0120	
10/24/2016	--	--	—	—	0.0002000	0.37	0.001700	4.40	—	—	U (0.001)	0.003600	
12/09/2016	--	--	—	—	U (0.002)	0.48	0.00200	4.20	—	—	U (0.002)	0.003800	
04/25/2017	--	--	—	—	U (0.0002)	4.70	0.008900	2.30	—	—	U (0.002)	0.0160	
10/20/2017	--	--	—	—	U (0.002)	3.00	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)	
02/13/2018	--	--	—	—	U (0.002)	6.70	U (0.003)	U (1.0)	—	—	0.005400	0.004700	
08/17/2018	--	--	—	—	U (0.003)	3.20	0.004700	0.99	—	—	0.00091000	0.0093800	
10/25/2018	--	--	—	—	U (0.003)	2.30	U (0.003)	0.37	—	—	U (0.002)	U (0.003)	
02/26/2019	--	--	—	—	U (0.003)	8.50	0.00600	1.70	—	—	U (0.002)	0.0130	
04/24/2019	--	--	—	—	U (0.003)	7.70	0.003400	1.60	—	—	U (0.002)	0.006800	
07/16/2019	--	--	—	—	U (0.003)	4.60	0.003300	1.30	—	—	U (0.002)	0.00600	
10/17/2019	--	--	—	—	U (0.003)	3.60	U (0.003)	0.58	—	—	U (0.002)	U (0.003)	
08/12/2020	--	67.25	—	—	U (0.001)	0.339	0.000754000	0.173	—	8.35	U (0.001)	0.0015900	

Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	Well Screen Interval	Ground Water Elevation	1,2,4-TMB	1,3,5-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
10/02/2020	--	66.93	—	—	U (0.001)	1.45	0.000143000	0.12	—	—	U (0.001)	U (0.002)
03/03/2021	--	--	—	—	U (0.001)	1.47	0.00091000	1.01	—	—	U (0.001)	0.00086000
03/31/2021	--	62.99	—	—	—	—	—	—	123	—	—	—
05/18/2021	--	64.72	0.04520	0.04570	U (0.001)	<b>8.48</b>	U (0.001)	1.36	U (0.00500)	32.2	U (0.001)	U (0.002)
07/21/2021	--	64.55	<b>0.05990</b>	<b>0.06690</b>	U (0.001)	<b>2.32</b>	0.0016300	1.68	<b>0.0020600</b>	9.61	0.000279000	0.001500
10/13/2021	--	67.39	0.000928000	0.000365000	U (0.001)	0.865	U (0.001)	0.176	U (0.000250)	10.7	U (0.001)	U (0.002)
05/11/2022	--	67.75	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	U(0.100)	U(0.000250)	22.0	U(0.00100)	U(0.00300)
10/12/2022	--	80.10	0.0011800	0.000508000	U(0.00100)	0.392	0.000464000	0.03490	U(0.000250)	7.96	U(0.00100)	0.000449000
04/28/2023	--	--	—	—	U(0.00100)	1.30	0.000565000	0.971	U(0.000250)	6.68	0.000797000	0.000581000
07/12/2023	--	73.70	0.000789000	U(0.00100)	U(0.00100)	<b>1.61</b>	0.000513000	0.07620	U(0.000250)	6.03	U(0.00100)	U(0.00100)
11/02/2023	--	74.43	0.005500	0.0028800	0.000151000	1.14	0.0031700	0.08810	U(0.000250)	5.00	0.01170	0.0024900
06/19/2024	--	73.48	0.000803000	U(0.00100)	U(0.00100)	U(0.800)	0.000439000	U(0.100)	U(0.000250)	6.12	U(0.00100)	U(0.00300)
08/27/2024	--	74.09	—	—	U(0.00100)	0.826	0.000468000	0.08640	U(0.000250)	5.68	U(0.00100)	0.000194000
10/28/2024	--	75.51	0.0011500	0.0010400	U(0.00100)	0.607	0.000929000	0.127	U(0.000250)	5.02	U(0.00100)	U(0.00300)
<b>G-4</b>												
04/24/1997	--	--	—	—	U	—	U	U	—	—	0.00100	0.004800
09/03/1997	--	--	—	—	U	0.32	U	U	—	—	U	U
12/29/1997	--	--	—	—	U	U	U	U	—	—	U	U
04/23/1998	--	--	—	—	U	U	U	U	—	—	U	U
08/03/1998	--	--	—	—	U	U	U	U	—	—	—	U
11/02/1998	--	--	—	—	U	U	U	U	—	—	0.001200	0.001100
02/12/1999	--	--	—	—	U	0.36	U	U	—	—	U	U
05/10/1999	--	--	—	—	U	<b>1.98</b>	0.006500	0.0910	—	—	U	0.02790
08/30/1999	--	--	—	—	U	U	U	U	—	—	U	U
10/29/1999	--	--	—	—	U	U	U	U	—	—	U	U
06/08/2000	--	--	—	—	U	0.30	U	U	—	—	U	U
11/30/2000	--	--	—	—	U	U	U	U	—	—	U	U
05/10/2001	--	--	—	—	U	U	U	U	—	—	U	0.00200
11/09/2001	--	--	—	—	U	U	U	U	—	—	U	U
05/30/2002	--	--	—	—	U (0.0005)	U	U	U	—	—	0.00300	U
04/17/2003	--	--	—	—	U (0.0005)	U (0.25)	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)
04/13/2004	--	--	—	—	U (0.0005)	U (0.5)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/11/2005	--	--	—	—	U (0.0005)	<b>1.67</b>	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/18/2006	--	--	—	—	U (0.0005)	U (0.407)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/19/2007	--	--	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/15/2008	--	--	—	—	U (0.0005)	0.436	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/19/2009	--	--	—	—	—	U (0.463)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/08/2009	--	--	—	—	U (0.0005)	—	—	—	—	—	—	—
05/27/2010	--	--	—	—	U (0.0005)	U (0.431)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
06/09/2011	--	--	—	—	U (0.0005)	U (0.424)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/17/2012	--	--	—	—	—	0.819	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/10/2013	--	--	—	—	U (0.0005)	U (0.463)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/01/2014	--	--	—	—	U (0.0005)	U (0.42)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
05/15/2015	--	--	—	—	U (0.002)	U (0.23)	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)
05/09/2016	--	--	—	—	U (0.0002)	U (0.42)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
04/25/2017	--	--	—	—	U (0.0002)	U (0.11)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
08/17/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
04/24/2019	--	--	—	—	U (0.003)	U (0.28)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/02/2020	--	66.26	—	—	U (0.001)	0.281	U (0.001)	U (0.100)	—	—	U (0.001)	U (0.002)
10/13/2021	--	66.83	U (0.00100)	U (0.00100)	U (0.001)	0.313	U (0.001)	0.0580	U (0.000250)	21.9	U (0.001)	U (0.002)
11/02/2023	--	74.23	U(0.00100)	U(0.00100)	U(0.00100)	0.574	U(0.00100)	0.03850	U(0.000250)	4.78	U(0.00100)	U(0.00300)
10/28/2024	--	75.27	U(0.00100)	U(0.00100)	U(0.00100)	U(0.840)	U(0.00100)	0.05950	U(0.000250)	5.13	U(0.00100)	U(0.00300)
<b>G-5</b>												
04/24/1997	--	--	—	—	<b>0.0320</b>	—	<b>0.91</b>	<b>17.0</b>	—	—	0.56	<b>5.20</b>
09/03/1997	--	--	—	—	0.00100	<b>4.80</b>	<b>1.10</b>	<b>25.0</b>	—	—	U	<b>5.40</b>
12/29/1997	--	--	—	—	<b>0.0650</b>	<b>4.00</b>	<b>1.00</b>	<b>19.0</b>	—	—	0.15	<b>4.70</b>
04/23/1998	--	--	—	—	<b>0.0480</b>	<b>2.70</b>	<b>0.38</b>	<b>11.0</b>	—	—	0.0680	<b>1.70</b>
08/03/1998	--	--	—	—	0.00100	0.27	U	0	—	—	U	0.001900
11/02/1998	--	--	—	—	<b>0.0260</b>	<b>1.82</b>	<b>0.12</b>	<b>3.70</b>	—	—	0.0100	<b>0.27</b>
08/31/1999	--	--	—	—	<b>0.0110</b>	0.95	<b>0.34</b>	<b>4.60</b>	—	—	0.0290	<b>0.90</b>
10/29/1999	--	--	—	—	<b>0.0240</b>	0.40	<b>0.0660</b>	<b>2.70</b>	—	—	0.00600	0.11
02/08/2000	--	--	—	—	<b>0.00800</b>	—	<b>0.0530</b>	<b>4.20</b>	—	—	0.00600	0.10
06/08/2000	--	--	—	—	0.00100	0	<b>0.0230</b>	0.61	—	—	U	0.0400
08/30/2000	--	--	—	—	0.00100	0.00100	0.00400	0.22	—	—	U	0.00800
11/30/2000	--	--	—	—	<b>0.0120</b>	0.49	<b>0.0790</b>	<b>3.90</b>	—	—	0.00600	0.14
02/05/2001	--	--	—	—	<b>0.0150</b>	0.32	<b>0.0160</b>	2.10	—	—	0.00800	0.0260
05/10/2001	--	--	—	—	<b>0.00700</b>	0.00100	<b>0.0610</b>	1.62	—	—	U	0.10
08/16/2001	--	--	—	—	<b>0.0310</b>	U	<b>0.0420</b>	<b>2.74</b>	—	—	0.0110	0.0650
11/09/2001	--	--	—	—	0.00400	U	U	0.258	—	—	U	0.00200
08/14/2002	--	--	—	—	<b>0.0130</b>	0.552	<b>0.145</b>	<b>2.53</b>	—	—	0.00300	0.182
11/14/2002	--	--	—	—	0.0025700	U (0.5)	U (0.002)	0.137	—	—	U (0.002)	U (0.002)
01/28/2003	--	--	—	—	<b>0.0640</b>	1.20	<b>0.07330</b>	<b>2.40</b>	—	—	U (0.02)	0.06670
04/17/2003	--	--	—	—	<b>0.01810</b>	0.418	<b>0.08340</b>	<b>3.14</b>	—	—	0.00200	0.186
07/17/2003	--	--	—	—	U (0.005)	U (0.5)	<b>0.06660</b>	<b>2.72</b>	—	—	U (0.005)	0.184
10/02/2003	--	--	—	—	<b>0.01250</b>	U (0.32)	<b>0.127</b>	<b>4.33</b>	—	—	0.0057700	<b>0.217</b>
04/13/2004	--	--	—	—	U (0.0005)	U (0.5)	U (0.0005)	0.05390	—	—	U (0.0005)	U (0.0015)
07/20/2004	--	--	—	—	0.0035100	0.484	<b>0.05610</b>	1.70	—	—	U (0.0005)	0.02390
10/13/2004	--	--	—	—	<b>0.00900</b>	0.443	<b>0.08930</b>	<b>2.71</b>	—	—	0.0015500	0.113

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
01/28/2005	--	--	—	—	0.001100	0.45	<b>0.01830</b>	1.35	—	—	0.0019800	0.0200
04/11/2005	--	--	—	—	U (0.0005)	U (0.391)	0.01380	1.06	—	—	0.000845000	0.01170
08/12/2005	--	--	—	—	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/07/2005	--	--	—	—	U (0.0005)	U (0.407)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/14/2006	--	--	—	—	0.0018600	0.475	<b>0.01630</b>	1.34	—	—	0.0013600	0.006600
04/18/2006	--	--	—	—	0.001800	0.693	<b>0.153</b>	2.04	—	—	0.000663000	<b>0.24</b>
07/06/2006	--	--	—	—	0.0014100	U (0.41)	<b>0.09320</b>	1.14	—	—	0.0015800	0.103
10/26/2006	--	--	—	—	U (0.0005)	U (0.41)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/19/2007	--	--	—	—	U (0.0005)	U (0.435)	<b>0.01630</b>	0.774	—	—	U (0.0005)	0.02270
08/07/2007	--	--	—	—	0.0014700	U (0.407)	0.0061100	0.529	—	—	U (0.0005)	0.00700
10/23/2007	--	--	—	—	U (0.0005)	U (0.446)	0.0053400	0.40	—	—	U (0.0005)	0.0060300
02/21/2008	--	--	—	—	0.0023100	U (0.417)	<b>0.05920</b>	1.97	—	—	0.000739000	0.05230
08/27/2008	--	--	—	—	U (0.0005)	U (0.4)	<b>0.02030</b>	0.506	—	—	U (0.0005)	0.02430
10/22/2008	--	--	—	—	U (0.0005)	U (0.420)	0.0062900	0.35	—	—	U (0.0005)	0.0051200
02/05/2009	--	--	—	—	0.00093000	0.59	<b>0.08980</b>	2.02	—	—	0.0021100	0.101
02/19/2009	--	--	—	—	0.0024900	0.689	<b>0.129</b>	1.96	—	—	0.0028300	<b>0.262</b>
04/08/2009	--	--	—	—	<b>0.005800</b>	U (0.435)	<b>0.26</b>	<b>3.84</b>	—	—	0.169	<b>0.634</b>
07/09/2009	--	--	—	—	0.0026700	U (0.410)	<b>0.184</b>	<b>2.51</b>	—	—	0.0045200	<b>0.284</b>
11/04/2009	--	--	—	—	0.0036500	U (0.397)	<b>0.292</b>	<b>4.13</b>	—	—	0.0073900	<b>0.645</b>
01/27/2010	--	--	—	—	0.0038500	U (0.427)	<b>0.499</b>	<b>7.17</b>	—	—	0.03130	<b>1.51</b>
05/27/2010	--	--	—	—	0.002200	0.668	<b>0.406</b>	<b>5.19</b>	—	—	0.02180	<b>1.22</b>
08/19/2010	--	--	—	—	0.0010500	0.415	<b>0.233</b>	<b>3.27</b>	—	—	0.0030700	<b>0.977</b>
10/26/2010	--	--	—	—	U (0.0022)	U (0.403)	<b>0.04490</b>	0.741	—	—	U (0.0005)	0.07230
02/17/2011	--	--	—	—	0.0029100	U (0.410)	<b>0.108</b>	<b>3.11</b>	—	—	0.003400	<b>0.472</b>
06/09/2011	--	--	—	—	0.0019900	0.436	<b>0.173</b>	<b>5.08</b>	—	—	0.0040500	<b>0.856</b>
09/20/2011	--	--	—	—	0.0010100	U (0.403)	<b>0.03620</b>	0.975	—	—	0.0013300	0.138
10/21/2011	--	--	—	—	U (0.0005)	U (0.439)	0.01210	0.365	—	—	U (0.0005)	0.03030
02/17/2012	--	--	—	—	0.0040300	0.726	<b>0.08070</b>	<b>2.80</b>	—	—	0.0049700	<b>0.476</b>
05/17/2012	--	--	—	—	0.000704000	0.541	0.01250	0.683	—	—	0.000734000	0.03780
10/30/2012	--	--	—	—	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
01/30/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/10/2013	--	--	—	—	0.00052000	U (0.400)	U (0.0005)	0.221	—	—	0.000627000	0.0019400
10/11/2013	--	--	—	—	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
12/11/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
02/19/2014	--	--	—	—	U (0.0005)	U (0.400)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/01/2014	--	--	—	—	U (0.005)	U (0.41)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
10/30/2014	--	--	—	—	0.00086000	U (0.42)	U (0.0005)	0.19	—	—	U (0.0005)	U (0.0015)
02/11/2015	--	--	—	—	U (0.0005)	U (0.42)	0.003100	0.28	—	—	U (0.0005)	0.003100
11/12/2015	--	--	—	—	U (0.0020)	U (0.21)	U (0.0030)	0.32	—	—	U (0.0020)	U (0.0020)

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
01/28/2016	--	--	—	—	U (0.0020)	U (0.11)	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)
10/24/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
12/09/2016	--	--	—	—	U (0.002)	U (0.12)	0.006300	0.17	—	—	U (0.001)	0.003400
04/24/2017	--	--	—	—	U (0.0002)	0.22	<b>0.0850</b>	1.40	—	—	U (0.001)	<b>0.44</b>
10/20/2017	--	--	—	—	U (0.002)	U (0.110)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)
02/13/2018	--	--	—	—	U (0.002)	U (0.13)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
08/17/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/25/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
02/26/2019	--	--	—	—	U (0.003)	0.12	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
04/24/2019	--	--	—	—	U (0.003)	U (0.27)	0.008600	U (0.25)	—	—	U (0.002)	0.006800
07/16/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/17/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
08/12/2020	--	66.92	—	—	U (0.001)	U (0.864)	U (0.001)	U (0.100)	—	10.6	U (0.001)	U (0.003)
10/02/2020	--	66.29	—	—	0.000236000	0.406	U (0.001)	0.01890	—	—	U (0.001)	U (0.002)
05/18/2021	--	62.56	U (0.00100)	0.000191000	U (0.001)	U (0.800)	0.001700	0.06930	U (0.00500)	13.9	U (0.001)	U (0.002)
07/21/2021	--	62.64	0.000612000	0.000507000	U (0.001)	0.34	U (0.001)	0.04780	U (0.00500)	14.2	U (0.001)	U (0.003)
10/13/2021	--	66.89	U (0.00100)	U (0.00100)	0.000267000	0.402	U (0.001)	0.07760	U (0.000250)	20.3	U (0.001)	U (0.002)
03/18/2022	--	62.05	U (0.00100)	U (0.00100)	0.000264000	U (0.800)	0.000484000	0.08580	U (0.000250)	17.3	U (0.00100)	U (0.00300)
05/11/2022	--	67.47	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	0.03450	U (0.000250)	20.2	U (0.00100)	U (0.00300)
07/19/2022	--	69.95	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	U (0.100)	U (0.0002500)	8.41	U (0.00100)	U (0.00300)
10/12/2022	--	79.93	U (0.00100)	U (0.00100)	U (0.00100)	U (0.170)	U (0.00100)	U (0.100)	U (0.000250)	8.87	U (0.00100)	U (0.00300)
03/08/2023	--	65.87	U (0.00100)	U (0.00100)	0.0031900	U (0.170)	U (0.00100)	U (0.100)	U (0.000250)	9.82	U (0.00100)	U (0.00300)
04/28/2023	--	--	—	—	0.000126000	0.386	U (0.00100)	0.07080	U (0.000250)	18.5	U (0.00100)	U (0.00300)
07/12/2023	--	73.56	U (0.00100)	U (0.00100)	U (0.00100)	0.207	U (0.00100)	0.03590	U (0.000250)	6.18	U (0.00100)	U (0.00100)
11/02/2023	--	74.35	U (0.00100)	U (0.00100)	U (0.00100)	1.02	U (0.00100)	0.03580	U (0.000250)	5.24	U (0.00100)	U (0.00300)
03/22/2024	--	64.34	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	0.186	U (0.000250)	11.0	U (0.00100)	U (0.00100)
06/19/2024	--	73.32	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	U (0.100)	U (0.000250)	6.07	U (0.00100)	U (0.00300)
08/27/2024	--	73.91	—	—	U (0.00100)	0.197	U (0.00100)	0.06040	U (0.000250)	5.65	U (0.00100)	U (0.00100)
10/28/2024	--	75.42	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	0.0520	U (0.000250)	5.34	U (0.00100)	U (0.00300)
<b>G-7</b>												
08/03/1998	--	--	—	—	U	U	U	U	—	—	U	U
11/02/1998	--	--	—	—	U	U	0.0120	0.16	—	—	0.00500	0.0580
02/12/1999	--	--	—	—	U	0.79	U	U	—	—	U	U
05/10/1999	--	--	—	—	U	0.45	U	U	—	—	U	U
08/30/1999	--	--	—	—	U	U	U	U	—	—	U	U
10/29/1999	--	--	—	—	U	U	U	U	—	—	U	U
06/08/2000	--	--	—	—	U	U	U	U	—	—	U	U
11/30/2000	--	--	—	—	U	U	U	U	—	—	U	U
05/10/2001	--	--	—	—	U	U	U	U	—	—	U	U

	<i>Well Screen Interval</i>	<i>Ground Water Elevation</i>	<i>1,2,4-TMB</i>	<i>1,3,5-TMB</i>	<i>Benzene</i>	<i>DRO</i>	<i>Ethylbenzene</i>	<i>GRO</i>	<i>Naphthalene</i>	<i>Sodium</i>	<i>Toluene</i>	<i>Total Xylenes</i>
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
11/09/2001	--	--	—	—	U	U	U	U	—	—	U	U
05/30/2002	--	--	—	—	U	2.47	U	U	—	—	U	U
04/17/2003	--	--	—	—	U (0.0005)	U (0.25)	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)
04/13/2004	--	--	—	—	U (0.0005)	U (0.5)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/11/2005	--	--	—	—	U (0.0005)	U (0.435)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/18/2006	--	--	—	—	U (0.0005)	U (0.397)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/19/2007	--	--	—	—	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
04/15/2008	--	--	—	—	U (0.0005)	0.673	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/19/2009	--	--	—	—	U (0.0005)	U (0.455)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
01/27/2010	--	--	—	—	U (0.0005)	U (0.397)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
05/27/2010	--	--	—	—	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
08/19/2010	--	--	—	—	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/26/2010	--	--	—	—	U (0.0005)	U (0.407)	U (0.0005)	U (0.08)	—	—	U (0.0005)	U (0.001)
02/17/2011	--	--	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
06/09/2011	--	--	—	—	U (0.0005)	U (0.439)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
09/20/2011	--	--	—	—	U (0.0005)	U (0.391)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/21/2011	--	--	—	—	U (0.0005)	U (0.413)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/17/2012	--	--	—	—	U (0.0005)	0.584	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/17/2012	--	--	—	—	U (0.0005)	0.628	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
07/18/2012	--	--	—	—	U (0.0005)	U (0.403)	U (0.0010)	U (0.05)	—	—	U (0.0010)	U (0.0030)
09/05/2012	--	--	—	—	U (0.0005)	U (0.400)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/30/2012	--	--	—	—	U (0.0005)	U (0.397)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
01/30/2013	--	--	—	—	U (0.0005)	0.531	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/15/2013	--	--	—	—	U (0.0005)	U (0.403)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/10/2013	--	--	—	—	U (0.0005)	U (0.417)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
10/11/2013	--	--	—	—	U (0.0005)	U (0.410)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
12/11/2013	--	--	—	—	U (0.0005)	U (0.410)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.003)
02/19/2014	--	--	—	—	U (0.0005)	U (0.407)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/01/2014	--	--	—	—	U (0.0005)	U (0.39)	U (0.001)	U (0.05)	—	—	U (0.001)	U (0.001)
10/30/2014	--	--	—	—	U (0.0005)	U (0.39)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
02/11/2015	--	--	—	—	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
05/15/2015	--	--	—	—	U (0.0005)	U (0.42)	U (0.0005)	U (0.05)	—	—	U (0.0005)	U (0.0015)
09/02/2015	--	--	—	—	U (0.0020)	U (0.42)	U (0.001)	0.16	—	—	U (0.001)	U (0.001)
11/12/2015	--	--	—	—	U (0.0020)	U (0.20)	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)
01/28/2016	--	--	—	—	U (0.0020)	0.23	U (0.0030)	U (0.050)	—	—	U (0.0020)	U (0.0020)
05/09/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
10/24/2016	--	--	—	—	U (0.0002)	U (0.41)	U (0.001)	U (0.1)	—	—	U (0.001)	U (0.003)
12/09/2016	--	--	—	—	U (0.002)	U (0.11)	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.003)
02/08/2017	--	--	—	—	U (0.002)	U (0.11)	U (0.003)	U (0.05)	—	—	U (0.002)	U (0.002)



	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
04/25/2017	--	--	—	—	U (0.0002)	U (0.11)	U (0.001)	U (1.0)	—	—	U (0.001)	U (0.003)
10/20/2017	--	--	—	—	U (0.002)	U (0.110)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.003)
02/13/2018	--	--	—	—	U (0.002)	U (0.12)	U (0.003)	U (1.0)	—	—	U (0.002)	U (0.002)
08/17/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/25/2018	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
02/26/2019	--	--	—	—	U (0.003)	U (0.13)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
04/24/2019	--	--	—	—	U (0.003)	U (0.26)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
07/16/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/17/2019	--	--	—	—	U (0.003)	U (0.12)	U (0.003)	U (0.25)	—	—	U (0.002)	U (0.003)
10/02/2020	--	67.10	—	—	U (0.001)	U (0.888)	U (0.001)	U (0.100)	—	—	U (0.001)	U (0.002)
05/18/2021	--	60.81	U (0.00100)	U (0.00100)	U (0.001)	U (0.800)	U (0.001)	0.0320	U (0.00500)	9.55	U (0.001)	U (0.002)
07/21/2021	--	61.67	U (0.00100)	U (0.00100)	U (0.001)	0.251	U (0.001)	U (0.100)	U (0.00500)	13.1	U (0.001)	U (0.003)
10/13/2021	--	66.63	U (0.00100)	U (0.00100)	U (0.001)	0.358	U (0.001)	0.05070	U (0.000250)	5.05	U (0.001)	U (0.002)
03/18/2022	--	59.20	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	U (0.100)	U (0.000250)	14.3	U (0.00100)	U (0.00300)
05/11/2022	--	67.15	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	U (0.100)	U (0.000250)	5.09	U (0.00100)	U (0.00300)
07/19/2022	--	69.89	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	U (0.100)	U (0.000250)	6.10	U (0.00100)	U (0.00300)
10/12/2022	--	79.69	U (0.00100)	U (0.00100)	U (0.00100)	U (0.170)	U (0.00100)	U (0.0287)	U (0.000250)	6.88	U (0.00100)	U (0.00300)
03/08/2023	--	65.89	U (0.00100)	U (0.00100)	0.000124000	0.28	U (0.00100)	0.04930	U (0.000250)	4.35	U (0.00100)	U (0.00300)
04/28/2023	--	--	—	—	U (0.00100)	0.267	U (0.00100)	U (0.00100)	U (0.000250)	7.91	U (0.00100)	0.000431000
07/12/2023	--	73.37	U (0.00100)	U (0.00100)	U (0.00100)	0.216	U (0.00100)	0.04610	U (0.000250)	5.20	U (0.00100)	U (0.00100)
11/02/2023	--	74.17	U (0.00100)	U (0.00100)	U (0.00100)	0.563	U (0.00100)	0.0380	U (0.000250)	4.41	U (0.00100)	U (0.00300)
03/22/2024	--	64.30	U (0.00100)	U (0.00100)	U (0.00100)	U (0.840)	U (0.00100)	0.0430	U (0.000250)	4.67	U (0.00100)	U (0.00100)
06/19/2024	--	73.17	U (0.00100)	U (0.00100)	U (0.00100)	U (0.800)	U (0.00100)	0.04010	U (0.000250)	4.71	U (0.00100)	U (0.00300)
08/27/2024	--	73.74	—	—	U (0.00100)	0.228	U (0.00100)	0.05690	U (0.000250)	4.63	U (0.00100)	U (0.00100)
10/28/2024	--	74.72	U (0.00100)	U (0.00100)	U (0.00100)	U (0.840)	U (0.00100)	0.05810	U (0.000250)	4.55	U (0.00100)	U (0.00300)
<b>MW16-2</b>												
12/09/2016	--	--	—	—	U (0.0002)	0.25	<b>0.0220</b>	2.00	—	—	U (0.001)	<b>0.429</b>
02/08/2017	--	--	—	—	U (0.002)	<b>2.10</b>	<b>0.44</b>	<b>19.0</b>	—	—	0.007800	<b>3.30</b>
04/25/2017	--	--	—	—	U (0.0002)	0.86	U (0.30)	<b>8.70</b>	—	—	U (0.002)	<b>1.00</b>
10/20/2017	--	--	—	—	U (0.002)	0.26	<b>0.0420</b>	2.20	—	—	U (0.002)	0.125
02/13/2018	--	--	—	—	U (0.002)	0.59	<b>0.0510</b>	<b>6.10</b>	—	—	U (0.002)	0.177
08/17/2018	--	--	—	—	U (0.003)	0.63	0.0150	<b>2.40</b>	—	—	U (0.002)	0.07710
10/25/2018	--	--	—	—	U (0.003)	0.31	0.003600	1.00	—	—	U (0.002)	0.0130
02/26/2019	--	--	—	—	U (0.003)	1.10	0.006600	<b>4.60</b>	—	—	U (0.002)	0.0230
04/24/2019	--	--	—	—	U (0.003)	0.58	0.006500	<b>4.20</b>	—	—	U (0.002)	0.0270
07/16/2019	--	--	—	—	U (0.003)	0.67	0.006600	<b>3.40</b>	—	—	U (0.002)	0.0310
10/17/2019	--	--	—	—	U (0.003)	0.30	0.005200	2.10	—	—	U (0.002)	0.0230
08/12/2020	--	67.36	—	—	U (0.001)	0.419	0.0016600	1.65	—	21.7	U (0.001)	0.0073500
10/02/2020	--	67.05	—	—	U (0.001)	0.25	0.00072000	0.967	—	—	U (0.001)	0.00277200

		Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>			<b>1.1</b>	<b>0.19</b>
03/31/2021	--	65.19	—	—	U (0.001)	0.585	0.00100	<b>2.86</b>	—	4.42	U (0.001)	0.0027600	
05/18/2021	--	66.27	0.0110	0.01030	U (0.001)	U (0.800)	U (0.001)	0.419	U (0.00500)	4.72	U (0.001)	U (0.002)	
07/21/2021	--	66.08	0.01450	0.01260	U (0.001)	0.441	0.000569000	0.724	U (0.00500)	5.58	U (0.001)	0.0013500	
10/13/2021	--	67.54	U (0.00100)	U (0.00100)	U (0.001)	0.819	U (0.001)	0.765	U (0.000250)	71.7	U (0.001)	U (0.002)	
03/18/2022	--	65.86	0.03410	0.02310	U(0.00100)	0.643	0.00032000	1.95	0.000106000	6.93	U(0.00100)	U(0.00300)	
05/11/2022	--	67.88	0.01240	0.0063100	0.000105000	0.49	U(0.00100)	0.658	U(0.000250)	21.6	U(0.00100)	U(0.00300)	
07/19/2022	--	70.17	0.02030	0.01010	0.00013000	U(0.800)	U(0.00100)	0.354	U(0.000250)	9.06	U(0.00100)	U(0.00300)	
10/12/2022	--	80.12	0.000523000	0.000487000	U(0.00100)	U(0.170)	U(0.00100)	0.02940	U(0.000250)	9.84	U(0.00100)	U(0.00300)	
03/08/2023	--	66.69	<b>0.09380</b>	<b>0.06640</b>	0.0029300	1.46	0.000899000	1.61	0.000116000	180	0.00042000	0.000326000	
04/28/2023	--	--	—	—	U(0.00100)	0.368	0.000143000	0.926	U(0.000250)	13.0	U(0.00100)	0.000357000	
07/12/2023	--	73.75	U(0.00100)	U(0.00100)	U(0.00100)	0.21	U(0.00100)	U(0.100)	U(0.000263)	6.95	U(0.00100)	U(0.00100)	
11/02/2023	--	74.47	U(0.00100)	U(0.00100)	U(0.00100)	0.449	U(0.00100)	0.03820	U(0.000250)	5.26	U(0.00100)	U(0.00300)	
03/22/2024	--	66.62	0.01980	0.01260	U(0.00100)	U(0.800)	0.000346000	0.864	U(0.000250)	42.9	U(0.00100)	U(0.00100)	
06/19/2024	--	73.52	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	0.04740	U(0.000250)	6.16	U(0.00100)	U(0.00300)	
10/28/2024	--	75.59	U(0.00100)	U(0.00100)	U(0.00100)	U(0.800)	U(0.00100)	0.139	U(0.000250)	6.13	U(0.00100)	U(0.00300)	
<b>R1+2</b>													
12/09/2016	--	--	—	—	U	U	U	—	—	—	U	U	
04/25/2017	--	--	—	—	U	U	U	—	—	—	U	U	
08/17/2018	--	--	—	—	U	U	U	—	—	—	U	U	
04/23/2019	--	--	—	—	U	U(0.26)	U	—	—	—	U	U	
10/02/2020	--	--	—	—	U(0.000500)	U(0.240)	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
10/13/2021	--	--	—	—	U(0.000500)	0.343	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
10/12/2022	--	--	—	—	U(0.000500)	U(0.170)	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
11/02/2023	--	--	—	—	U(0.000500)	0.444	U(0.000500)	—	—	—	U(0.000500)	U(0.000500)	
10/28/2024	--	--	—	—	U(0.000500)	—	U(0.000500)	—	—	—	U(0.000500)	U(0.000500)	
<b>R4</b>													
12/09/2016	--	--	—	—	U	U	U	—	—	—	U	U	
04/25/2017	--	--	—	—	U	U	U	—	—	—	U	U	
08/17/2018	--	--	—	—	U	U	U	—	—	—	U	U	
04/23/2019	--	--	—	—	U	U(0.25)	U	—	—	—	U	U	
10/02/2020	--	--	—	—	U(0.000500)	U(0.840)	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
10/13/2021	--	--	—	—	U(0.000500)	0.327	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
10/12/2022	--	--	—	—	U(0.000500)	U(0.800)	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)	
10/28/2024	--	--	—	—	0.00005260000	—	U(0.000500)	—	—	—	U(0.000500)	U(0.000500)	
<b>R5</b>													
12/09/2016	--	--	—	—	U	U	U	—	—	—	U	U	
04/25/2017	--	--	—	—	U	U	U	—	—	—	U	U	
08/17/2018	--	--	—	—	U	U	U	—	—	—	U	U	

	Well Screen Interval	Ground Water Elevation	124-TMB	135-TMB	Benzene	DRO	Ethylbenzene	GRO	Naphthalene	Sodium	Toluene	Total Xylenes
Unit	ft	ft	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
<b>GW Human Health Cleanup</b>			<b>0.056</b>	<b>0.06</b>	<b>0.0,046</b>	<b>1.5</b>	<b>0.015</b>	<b>2.2</b>	<b>0.0,017</b>		<b>1.1</b>	<b>0.19</b>
04/23/2019	--	--	—	—	U	U(0.27)	U	—	—	—	U	U
10/02/2020	--	--	—	—	U(0.000500)	U(0.800)	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)
10/13/2021	--	--	—	—	U(0.000500)	0.273	U(0.000500)	—	—	—	U(0.00100)	U(0.000500)
10/12/2022	--	--	—	—	U(0.000500)	U(0.800)	U(0.000500)	—	—	—	U(0.00100)	0.000303000
11/02/2023	--	--	—	—	U(0.000500)	1.03	U(0.000500)	—	—	—	U(0.000500)	U(0.000500)
10/28/2024	--	--	—	—	U(0.000500)	—	U(0.000500)	—	—	—	U(0.000500)	U(0.000500)
<b>RW16-1</b>												
10/24/2016	--	--	—	—	U (0.0002)	<b>4.60</b>	<b>1.70</b>	<b>30.0</b>	—	—	0.0190	<b>10.1</b>
02/08/2017	--	--	—	—	U (0.002)	<b>2.70</b>	<b>7.90</b>	<b>25.0</b>	—	—	0.004800	<b>8.90</b>
04/25/2017	--	--	—	—	U (0.002)	<b>2.40</b>	U (0.750)	<b>12.0</b>	—	—	U (0.001)	<b>4.83</b>
08/17/2018	--	--	—	—	U (0.003)	<b>7.90</b>	<b>1.20</b>	<b>24.0</b>	—	—	0.001800	<b>8.50</b>
08/12/2020	--	67.49	—	—	0.00092000	<b>2.00</b>	<b>1.58</b>	<b>5.85</b>	—	65.8	0.0055800	<b>8.26</b>
10/02/2020	--	67.20	—	—	U (0.020)	<b>3.58</b>	<b>0.373</b>	<b>3.99</b>	—	—	0.01740	<b>1.721</b>
03/31/2021	--	67.77	—	—	U (0.020)	<b>4.72</b>	<b>1.33</b>	<b>14.0</b>	—	64.0	U (0.020)	<b>5.28</b>
05/18/2021	--	66.12	<b>2.50</b>	<b>0.53</b>	U (0.200)	<b>7.24</b>	<b>0.761</b>	<b>3.38</b>	U (1.00)	24.1	U (0.200)	<b>4.80</b>
07/21/2021	--	65.91	<b>2.90</b>	<b>0.597</b>	U (0.200)	<b>9.60</b>	<b>1.36</b>	<b>7.22</b>	U (1.00)	16.7	U (0.200)	<b>7.69</b>
10/13/2021	--	67.71	<b>1.83</b>	<b>0.28</b>	U (0.200)	<b>7.89</b>	<b>1.11</b>	<b>7.99</b>	U (1.00)	11.3	U (0.200)	<b>4.826</b>
03/18/2022	--	65.51	<b>4.04</b>	<b>0.868</b>	U(0.200)	<b>4.36</b>	<b>0.939</b>	<b>23.2</b>	<b>0.04860</b>	39.9	U(0.200)	<b>5.548</b>
05/11/2022	--	68.00	<b>3.88</b>	<b>0.756</b>	U(0.0500)	<b>5.82</b>	<b>0.533</b>	<b>17.7</b>	<b>0.06120</b>	56.9	U(0.0500)	<b>2.773</b>
07/19/2022	--	70.05	0.03960	0.01150	0.000116000	0.572	0.0024200	0.247	0.0010400	33.2	0.00028000	0.033910
10/12/2022	--	79.98	0.0024100	U(0.000104)	0.000309000	0.50	0.000383000	0.322	0.001100	26.7	0.00038000	0.0130
03/08/2023	--	66.64	<b>2.47</b>	<b>0.328</b>	0.0017400	<b>5.76</b>	<b>0.661</b>	<b>2.61</b>	<b>0.03170</b>	274	0.0044300	<b>0.531</b>
04/28/2023	--	--	—	—	U(0.00100)	<b>3.69</b>	<b>0.437</b>	<b>7.51</b>	<b>0.03820</b>	161	U(0.00100)	<b>2.14</b>
07/12/2023	--	73.62	<b>0.172</b>	0.05050	0.000595000	0.607	0.0080800	1.48	0.000706000	18.3	0.0015300	0.01910
11/02/2023	--	74.50	U(0.00100)	0.000216000	U(0.00100)	0.626	U(0.00100)	0.09130	U(0.000250)	9.90	U(0.00100)	U(0.00300)
03/22/2024	--	66.37	<b>2.47</b>	<b>0.458</b>	0.000964000	<b>2.56</b>	<b>0.534</b>	<b>14.9</b>	<b>0.04920</b>	102	0.0042500	<b>0.584</b>
06/19/2024	--	73.50	0.02710	0.0034900	U(0.00500)	U(0.800)	0.0074900	0.58	0.000851000	14.6	U(0.00500)	0.033930
08/27/2024	--	74.04	—	—	0.00013000	0.432	0.0043900	0.402	0.000472000	14.8	0.000374000	0.01190
10/28/2024	--	75.66	0.0011200	U(0.00100)	U(0.00100)	U(0.888)	0.000452000	0.386	U(0.000250)	8.35	U(0.00100)	0.00166600