

**DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
AIR QUALITY CONTROL MINOR GENERAL PERMIT  
MINOR GENERAL PERMIT 9 FOR ROCK CRUSHERS**

**Permit No.** AQ \_\_\_\_\_ MG90\_\_1

Final – April 1, 2014

This minor general permit is to be used for the construction, operation, or relocation of the rock crusher described below, which has a rated capacity of at least five tons per hour, as described in 18 AAC 50.502(b)(3), that is also classified as, or part of, a minor stationary source, but is not a Title V stationary source. This minor general permit also satisfies 18 AAC 50.502(c) for rock crushers that include diesel engine(s) with a cumulative capacity of 1,100 hp or less. This minor general permit satisfies the Permittee's obligation to obtain a permit under AS 46.14.120(g). Technical support for permit conditions and explanation of revisions from the 2009 Minor General Permit 9 can be found in the Technical Analysis Report. This permit authorizes the Permittee to operate any emission unit identified in Table A at the same location. To operate emission units concurrently at two separate sites or at a source required to have an operating permit, please contact the Department or apply for a separate letter of MG9 permit authorization for the additional locations.

This minor general permit does not expire and is valid until the Alaska Department of Environmental Conservation (Department) terminates, modifies, reopens, or revokes and reissues the permit. The letter of authorization is in effect until withdrawn, modified, revoked and reissued, or if the source no longer qualifies for this permit.

\_\_\_\_\_  
John F. Kuterbach, Manager  
Air Permits Program

Application determined complete by:

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Authorization Date

\_\_\_\_\_  
Printed Name

**Table A Facility Information**

<b>Permittee:</b>		<b>Plant Name:</b>	
<b>Emission Unit</b>	<b>Make</b>	<b>Model</b>	<b>Rating/Capacity</b>
<b>Diesel Engines:</b>			
<b>Rock Crushers:</b>			
<b>Aggregate Processing Equipment:</b>	<b>Make</b>	<b>Model</b>	<b>Rating/Capacity</b>
<b>Screening Operations</b>			
<b>Belt Conveyors</b>			

**TABLE OF CONTENTS**

1. Ambient Air Quality Protection.....	4
2. Relocation Reporting Requirements.....	4
3. General Recordkeeping.....	4
4. General Reporting.....	4
5. Visible Emissions.....	5
6. Sulfur Compound Emissions.....	7
7. Pollution Control Equipment Breakdowns.....	7
8. Excess Emissions and Permit Deviations.....	7
9. Air Pollution Prohibited.....	7
10. Nonroad Engines.....	8
11. Change of Ownership.....	8
12. Administration Fees.....	8
13. Assessable Emissions & Emission Fees.....	8
14. Good Air Pollution Control Practice.....	8
15. Reasonable Precautions to Prevent Fugitive Dust.....	8
16. Equipment Changes.....	9
17. Terms to Make the Permit Enforceable.....	9
18. Source Testing Requirements.....	9
Assessable Emissions Calculations.....	Appendix A
Fugitive Dust Control Plan.....	Appendix B
<u>Required Forms</u>	
Relocation Notification Form.....	Form 1
Excess Emissions and Permit Deviation Report Form.....	Form 2
Emission Fee Estimate Report Form.....	Form 3
<u>Sample Forms*</u>	
Facility Operating Report Form.....	Form 4
Visible emissions (Method 9) Observations Form.....	Form 5
Smoke/No Smoke Log.....	Form 6
Complaint Log.....	Form 7
Non-road Engine Location Log.....	Form 8
Equipment Changes Report Form.....	Form 9

\* Online submission of reports may require use of standardized Sample Forms.

## MG9 OPERATING PERMIT CONDITIONS

### Table B Emissions Limits

Emission type	Limit
Opacity (Visible Emissions)	20% for fugitive dust and diesel engines with stack diameters of 18 inches or greater 15% opacity for diesel engines with stack diameters smaller than 18 inches
Particulate Matter	0.05 grains per cubic foot
Sulfur Compounds	500 ppm

### LOCATION RESTRICTIONS

1. **Ambient Air Quality Protection.** Give adequate consideration to siting issues when operating or changing locations of a rock crusher plant (see *Note* in Technical Analysis Report).

1.1. Do not operate the rock crusher or diesel engine within 400 feet of the nearest occupied structure off the work site.

1.2. Non-road engine location restrictions: A portable engine does not qualify as a non-road engine if it remains in place for 12 consecutive months or is located at a seasonal source and operates during the full annual operating period of the seasonal source.

1.3. *SO<sub>2</sub> Special Protection Area.* If operating in one of the sulfur dioxide special protection areas described in 18 AAC 50.025(c) (Unalaska or St. Paul Island areas) you cannot operate diesel engines for electrical power generation unless burning only ULSD.

2. **Relocation Reporting Requirements.** Provide notice to the Department at least 10 days before installing or relocating the Rock Crusher by using the Relocation Notification form (Form 1). If the location is within 2,000 feet of the nearest occupied off-site structure, you must attach a fugitive dust control plan as part of the relocation notice; see Condition 15.

### MONITORING, RECORDKEEPING, AND REPORTING

3. **General Recordkeeping.** Keep copies of all monitoring, recordkeeping, reporting, and all other documents required in this permit for at least five years.

4. **General Reporting.**

4.1. **Submittals.** Unless otherwise directed by the Department, submit original reports, compliance certifications, or other required documents, by mail, to:

Alaska Department of Environmental Conservation  
Air Permits Program  
Attn: Compliance Technician  
610 University Avenue  
Fairbanks, AK 99709-3643

4.2. You may substitute mailed originals by submitting through Department approved electronic reporting methods, if electronic signing methods are available.

4.3. **Certification.** Certify any permit application, report, affirmations, or compliance certification submitted to the Department and required under the permit by including the signature of a responsible official for the permitted stationary source following the statement: "*Based on information and belief formed after reasonable inquiry, I certify that the statements and information in and attached to this document are true, accurate, and complete.*" Excess emission reports must be certified either upon submittal or with an operating report required for the same reporting period. All other reports and other documents must be certified upon submittal. See 18 AAC 50.990(93) for the definition of "Responsible Official."

4.4. **Operating Reports.** Submit operating reports as directed by either Condition 4.1 or 4.2, by the dates listed in Table C. The semi-annual Facility Operating Report (FOR) must include all information required by other conditions of this permit. If the facility does not operate during the winter season, you may submit a report early with your summer FOR.

**Table C Operating Report Schedule**

Report Type	Reporting Period	Due Date
FOR	April 1 – October 31	November 30
FOR	November 1 – March 31	April 30

4.5. **Information Requests.** Furnish to the Department, within a reasonable time, any information that the Department requests in writing to determine whether cause exists to modify, revoke and reissue, or terminate the permit or to determine compliance with the permit. Upon request, furnish to the Department copies of records required to be kept by the permit. The Department may require you to furnish copies of those records directly to the federal administrator.

**5. Visible Emissions.**

5.1. **Rock Crushers and Crushing Process Equipment.** Visible emissions limits are listed in Table B.

<b>Monitor:</b>	<ul style="list-style-type: none"> <li>● Use EPA Method 9 to determine the opacity of fugitive dust emitted from the rock crushing process. All observations must be at least 18 consecutive minutes.</li> <li>● Identify the emission points capable of producing fugitive emissions. Determine which point has the highest continuous opacity and use this point for monitoring.</li> <li>● Observe fugitive dust with Method 9 at the emission point identified above:                             <ul style="list-style-type: none"> <li>○ During regular operation loads (not on idle or reduced loads);</li> <li>○ Within two days of startup at the beginning of the season or after relocation;</li> <li>○ At least once every 14 operating days; and</li> <li>○ Within two days of startup following a shutdown of more than 5 days.</li> </ul> </li> <li>● If six-minute average opacity is observed as greater than 20%, report as excess emissions under Condition 8 and refer to Condition 15 for Reasonable Precautions to Prevent Fugitive Dust; take corrective actions as appropriate.</li> </ul>
<b>Record:</b>	<ul style="list-style-type: none"> <li>● Keep all observation sheets and summaries for at least five years.</li> <li>● Calculate and record the greatest 6-consecutive-minute averages observed.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Submit a list of emission points identified and which point was monitored. This list may be in the form of a simple list, picture with points circled and labeled, or a flow diagram with labeled emissions points.</li> <li>● Submit copies of all Method 9 observations with the FOR.</li> <li>● Submit copies of all Method 9 training certificates for all observers in the reporting period.</li> <li>● Report any failure to monitor as a permit deviation according to Condition 8.</li> <li>● Report any excess emission (greater than 20% opacity) according to Condition 8.</li> </ul>

5.2. **Diesel Engines.** Visible emissions limits are listed in Table B.

<b>Monitor:</b>	<ul style="list-style-type: none"> <li>● Use the Smoke/No Smoke Plan or EPA Method 9 to observe emissions from the exhaust stack or port of each diesel engine.</li> <li>● <u>Smoke/No Smoke Plan</u>: Observe each exhaust stack for presence or absence of smoke, excluding water vapor.             <ul style="list-style-type: none"> <li>○ Initial Frequency: Conduct Smoke/No Smoke observations once every operating day.</li> <li>○ After monitoring for 30 consecutive operating days, conduct Smoke/No Smoke observations at least once every 14 operating days.</li> <li>○ If smoke is observed, follow the corrective actions in Condition 5.3</li> </ul> </li> <li>● <u>Method 9</u>: All observations must be at least 18 consecutive minutes.             <ul style="list-style-type: none"> <li>○ First observation: within two days of startup at the beginning of the season or after relocating the crusher, or within three days after changing from the Smoke/No Smoke Plan.</li> <li>○ After the first observation, conduct observations at least once every 14 operating days.</li> <li>○ If opacity of greater than 20% is observed, refer to corrective actions in 5.3(e)-(f).</li> </ul> </li> </ul>
<b>Record:</b>	<ul style="list-style-type: none"> <li>● Keep all observation sheets, logs, summaries, and Method 9 training certificates for at least five years.</li> <li>● Record date, time, production rate, observer name, and smoke observation in Smoke/No Smoke log.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Report which method you used during the reporting period.</li> <li>● Include copies of all Method 9 observations and/or complete Smoke/No Smoke log for the reporting period.</li> <li>● Report if/when you change visible emissions observation methods.</li> <li>● Report any smoke observed under the Smoke/No Smoke Plan and a summary of any corrective actions taken.</li> <li>● Report any failure to monitor in accordance with Condition 8.</li> </ul>

5.3. **Corrective Actions for Smoke Observed in Condition 5.2**(for diesel engines only). If smoke is observed while conducting Smoke/No Smoke observations:

- a. Do an initial Method 9 observation. If opacity is greater than 20%, see corrective actions in 5.3(c). Continue using Method 9 to monitor visible emissions, following specifications in Condition 5.1. In order to return to Smoke/No Smoke Plan, follow Conditions 5.3(b)-(d).
- b. Initiate actions to eliminate smoke from the engine within 24 hours of the observations;
- c. Keep a written record of the starting date, completion date, and a description of the actions taken to reduce smoke; and
- d. If seven consecutive observations are made of 0% opacity, you may return to the Smoke/No Smoke Plan beginning with initial frequency (Condition 5.2).
- e. If Method 9 observations result in 6-minute average opacity greater than 20%, either:
  - i. Conduct a Particulate Matter source test within 60 days, following the requirements in Condition 18; or
  - ii. Make repairs so that emissions no longer exceed 20% opacity averaged over 6 minutes.
- f. For diesel engines with stack diameter of less than 18 inches, conduct a Particulate Matter source test if Method 9 observations result in 6-minute average opacity greater than 15%.

**6. Sulfur Compound Emissions.** Applies to fuel for all engines, including non-road engines. Emissions limits are listed in Table B.

<b>Record:</b>	<ul style="list-style-type: none"> <li>● Keep fuel delivery receipts that specify fuel grade and amount.</li> <li>● If diesel delivery receipts do not show that the diesel is Ultra Low Sulfur Diesel (ULSD) or Low Sulfur Diesel (LSD), test delivered fuel for sulfur content, or get a certification statement or analysis from the supplier that shows fuel sulfur percent by weight.</li> <li>● For liquid fuel from a North Slope topping plant, obtain results of a monthly fuel analysis from the topping plant.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● If only ULSD or LSD was used for the entire reporting period, submit a statement from the fuel supplier stating only ULSD or LSD was supplied, with your semi-annual operating report.</li> <li>● If anything other than ULSD or LSD was used, submit a list of fuel deliveries with fuel grades, a certificate from the supplier verifying the sulfur content, or a fuel analysis showing sulfur content of the fuel used.</li> <li>● If natural gas was used during the reporting period, submit a statement certified by the Responsible Official.</li> <li>● If highline power was used during the reporting period, submit a statement certified by the Responsible Official.</li> <li>● Include a copy of the fuel analysis from a North Slope topping plant, if applicable.</li> </ul>

**7. Pollution Control Equipment Breakdowns.**

<b>Record:</b>	<ul style="list-style-type: none"> <li>● Keep records of pollution control equipment breakdowns and corrective actions.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Notify the Department within two days of a pollution control equipment breakdown as a Permit Deviation in accordance with Condition 8.</li> <li>● Include a summary of each breakdown in the FOR.</li> </ul>

**8. Excess Emissions and Permit Deviations.**

<b>Record:</b>	<ul style="list-style-type: none"> <li>● Keep records of excess emissions, permit deviations, and corrective actions.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Report excess emissions that present a potential threat to human health or safety or that the owner, operator, or Permittee believes to be unavoidable as soon as possible.</li> <li>● Report unavoidable emergencies, malfunctions, or non-routine repairs that cause excess emissions within two working days after the event started or was discovered.</li> <li>● Report all other excess emissions or permit deviations, including failure to monitor, within 30 days of the end of the month in which the incident occurs.</li> <li>● Report using the online form at <a href="http://www.dec.state.ak.us/air/ap/site.htm">http://www.dec.state.ak.us/air/ap/site.htm</a> or the Excess Emissions and Permit Deviation Form listed as Form 2.</li> <li>● Include a summary of excess emissions and permit deviations in each FOR.</li> </ul>

**9. Air Pollution Prohibited.**

<b>Record:</b>	<ul style="list-style-type: none"> <li>● Record the date, time, and nature of all emissions complaints received.</li> <li>● Record the name of the person(s) that complained, if known.</li> <li>● Record a summary of any investigations including reasons you do or do not believe the emissions have caused a violation.</li> <li>● Record any corrective actions taken or planned for complaints.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Include in FOR for each reporting period:             <ul style="list-style-type: none"> <li>○ Number of complaints received.</li> <li>○ Number of times you or the Department found corrective action necessary.</li> </ul> </li> </ul>

	<ul style="list-style-type: none"> <li>○ Number of times action was taken on a complaint within 24 hours.</li> <li>○ Status of corrective actions found necessary that were not taken within 24 hours.</li> </ul>
--	---

10. **Non-road Engines.** Defined in 18 AAC 50.990(63) and 40 C.F.R. 89.2.

<b>Record:</b>	Keep a log of the following for each non-road engine for at least five years: <ul style="list-style-type: none"> <li>● Date and location of the engine each time it is relocated.</li> <li>● Make, model, serial number, and rated capacity of the engine.</li> </ul>
<b>Report:</b>	<ul style="list-style-type: none"> <li>● Include the non-road engine location log in each FOR.</li> </ul>

GENERAL CONDITIONS

11. **Change of Ownership.** If the ownership of the Rock Crusher is changed, both the new and previous owners must complete a transfer of ownership form and receive authorization to operate from the Department before the plant is operated by the new owner. The transfer of ownership form is available from ADEC Air Permits Program staff or on the Department’s website. The website address at the time of issuance of this permit is: <http://dec.alaska.gov/air/ap/operatingperapp.html>.

12. **Administration Fees.** You are required pay to the Department all permit administrations fees. Administration fee rates are set out in 18 AAC 50.400-405.

13. **Assessable Emissions & Emission Fees.** You are required to pay to the Department annual emission fees based on the stationary source’s assessable emissions as determined by the Department under 18 AAC 50.410. The assessable emission fee rate is set out in 18 AAC 50.410(b). The Department will assess fees per ton of each air pollutant that the stationary source emits or has the potential to emit in quantities great than 10 tons per year. No later than March 31 of each year, you may submit an estimate of the stationary source’s assessable emissions to the Department, using the Emission Reporting and Emission Fee Estimate form. Otherwise, emission fees for the next fiscal year will be based on the potential to emit. See Appendix A for calculation of assessable emissions and Form 3 for the Emission Fee Estimate report form.

14. **Good Air Pollution Control Practice.** For all emission units authorized by this permit, perform regular maintenance considering the manufacturer’s or the operator’s maintenance procedures, keep records of any maintenance that would have a significant effect on emissions, and keep a copy of either the manufacturer’s or the operator’s maintenance procedures on site.

15. **Reasonable Precautions to Prevent Fugitive Dust.** A person who causes or permits bulk materials to be handled, transported, or stored, or who engages in an industrial activity or construction project shall take reasonable precautions to prevent the release of airborne particulate matter and fugitive dust from aggregate piles, conveyors and elevators, loading locations, the rotary drum, screens, vehicle traffic within the stationary source boundaries and other sources of fugitive dust into the ambient air.

15.1. Follow the Fugitive Dust Control Plan (Appendix B) that you included with your minor general permit application or a revised version if submitted to or requested by the Department. A revised or site-specific Fugitive Dust Control Plan must be submitted with each relocation notice if the new location is within 2,000 ft of the nearest occupied structure (see Condition 2).

15.2. Reasonable precautions to prevent fugitive dust may include the following:

- a. installation and use of hoods;
- b. fans and dust collectors to enclose and vent dusty materials;
- c. other covers and enclosures;
- d. cleanup of loose material on work surfaces;
- e. minimizing drop distances on the conveyor systems and lowering loader buckets to be in contact with the surface of the soil or ground before dumping;
- f. application of water or dust suppressants;
- g. stopping activity in windy conditions; and
- h. measures to prevent carryout or trackout of dust or mud by trucks.

16. **Equipment Changes.** Submit changes in rock crushers initial crushing, tertiary crushing, or diesel engine equipment, if capacity differs from original permitted equipment, to the Department within 30 days.

17. **Terms to Make the Permit Enforceable.**

17.1. Compliance with permit terms and conditions is considered to be in compliance with those requirements that are

- a. Included and specifically identified in the permit; or
- b. Determined in writing in the permit to be inapplicable.

17.2. Comply with each permit term and condition. Noncompliance with a permit term or condition constitutes a violation of AS 46.14, 18 AAC 50.345, and, except for those terms or conditions designated in the permit as not federally enforceable, the Clean Air Act, and is grounds for

- a. An enforcement action; or
- b. Permit termination, revocation and reissuance, or modification in accordance with AS 46.14.280.

17.3. It is not a defense in an enforcement action to claim that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with a permit term or condition.

17.4. Each permit term and condition is independent of the permit as a whole and remains valid regardless of a challenge to any other part of the permit.

17.5. The permit may be modified, reopened, revoked and reissued, or terminated for cause. A request by the Permittee for modification, revocation and reissuance, or termination or notification of planned changes or anticipated noncompliance does not stay any permit condition.

17.6. The permit does not convey any property rights of any sort, nor any exclusive privilege.

17.7. Allow the Department or an inspector authorized by the Department, upon presentation of credentials and at reasonable times with the consent of the owner or operator to

- a. Enter upon the premises where a source subject to the permit is located or where records required by the permit are kept;
- b. Have access to and copy any records required by the permit;
- c. Inspect any stationary source, equipment, practices, or operations regulated by or referenced in the permit; and
- d. Sample or monitor substances or parameters to assure compliance with the permit or other applicable requirements.

**SOURCE TESTING REQUIREMENTS**

18. **Source Testing Requirements.**

18.1. **General Requirements.** In addition to any source testing explicitly required by the permit, conduct source testing as required by the Department to determine compliance with applicable permit requirements.

18.2. **Operating Conditions.** Unless otherwise specified by an applicable requirement or test method, you should conduct source testing

- a. At a point or points that characterize the actual discharge into the ambient air; and
- b. At the maximum rated burning or operating capacity of the emission unit or another rate determined by the Department to characterize the actual discharge into the ambient air.

18.3. **Reference Test Methods.** Refer to the Technical Analysis Report for approved reference test methods and details.

18.4. **Excess Air Requirements.** Standard exhaust gas volumes must include only the volume of gases formed from the theoretical combustion of the fuel, plus the excess air volume normal for the specific emission unit type, corrected to standard conditions (dry gas at 68°F and absolute pressure of 760 mm of mercury).

18.5. **Text Exemption.** You are not required to comply with Condition 18.6-18.8 when the exhaust is observed for visible emissions by Method 9 Plan or Smoke/No Smoke Plan under Conditions 5.2 and 5.3 for diesel engines only. This does not apply to fugitive emission sources.

18.6. **Test Plans.** Before conducting any source tests, submit a plan to the Department. The plan must include the methods and procedures to be used for sampling, testing, and quality assurance, and must specify how the emission unit will operate during the test and how you will document that operation. Submit a complete plan within 60 days after receiving a request under Condition 5.3.e.i or 18.1 and at least 30 days before the scheduled date of any test unless the Department agrees in writing to some other time period. Retesting may be done without resubmitting the plan.

You may request an extension to a source test deadline established by the Department. You may delay a source test beyond the original deadline only if the extension is approved in writing by the Department's appropriate division director or designee.

18.7. **Test Notification.** At least 10 days before conducting a source test, give the Department written notice of the date and the time the source test will begin.

18.8. **Test Reports.** Within 60 days after completing a source test, submit a copy of the results in the format set out in the *Source Test Report Outline*, adopted by reference in 18 AAC 50.030. Certify the results in the manner set out in Condition 4.3. If requested in writing by the Department, provide preliminary results in a shorter period of time specified by the Department.

## Appendix A: Assessable Emissions Calculation (MG9)

Assessable Emissions differ from a source's Potential to Emit (PTE). PTE is used in calculating a source's permit applicability and classification, i.e. minor or major source. While PTE does not include fugitive particulate emissions, assessable emissions do. A source can be classified as a minor source, yet have emission fees based on a criteria pollutant in excess of 100 tons. Likewise, a major source can have a PTE in excess of 100 tpy of a criteria pollutant, yet pay emission fees for that pollutant at a rate far lower. Assessable Emissions use the same calculations as PTE, only operating hours are not based on a maximum potential of 3650 hours (assumed) but instead are based on actual operation for a calendar year. For examples and steps on completing this form to assist in submission of Assessable Emissions, please see the information below.

### Equation:

$$E = (EF \times (\text{tons of rock crushed or hours of operation in a given year} \times RC)) / \text{lbs per ton}$$

Abbreviations:	
tpy	tons per year
tph	tons per hour
EF	emission factor (AP-42)
RC	rated capacity (hp for diesel engines)
lbs	pounds
E	emissions
ULSD	Ultra low sulfur diesel
NoC	number of conveyers

Report using Form 3 Emission Estimates MG9 total emissions for each pollutant in a calendar year. Each emission unit listed in Table A will need a separate calculation using equations provided, where rated capacity is the horsepower for diesel engines.

Emission factors are pollutant/emission unit specific. Fuel assumes use of ULSD; please, contact the Department for assistance if you used alternative fuels. Please see the worksheet on the next page for emission factors and further assistance.

*MG9 Assessable Emissions Calculations Worksheet*

<b>Rock Crushing (AC)</b>	<b>Tertiary Crushing</b>	<b>Fines Crushing</b>	<b>Screening</b>	<b>Fines Screening</b>	<b>Aggregate Handling &amp; Storage Piles</b>
PM-10 EF	0.0024	0.015	0.0087	0.072	0.05

<b>Diesel Engines</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>SO<sub>2</sub><sup>1</sup></b>	<b>VOC</b>	<b>PM-10</b>
Greater than 600hp	0.0055	0.024	1.2x10 <sup>-5</sup>	0.000705	0.0007
Less than 600hp	0.00668	0.031	1.2x10 <sup>-5</sup>	.0000247	0.0022

<sup>1</sup>: SO<sub>2</sub> EF for use with ULSD

Rock Crushing Worksheet:  $E = (EF \times \text{tons of rock crushed}) / 2000$

<b>Tertiary Crushing</b>	<b>Fines Crushing</b>	<b>Screening</b>	<b>Fines Screening</b>	<b>Aggregate Handling &amp; Storage Piles</b>

Conveyer transfer points can change depending on configuration of your plant. The Department has simplified emissions calculations for conveyers based on reasonable assumptions of transfer points given a set NoC as follows:

Conveyor Transfer Points:

Emissions: \_\_\_\_\_ =  $((1.3407 \times \text{NoC}) + 1) \times .0011 \times \text{tons of rock crushed} / 2000$

Diesel Engine Worksheet:  $E = (EF \times \text{hours of operation} \times \text{RC}) / 2000$

<b>CO</b>	<b>NO<sub>x</sub></b>	<b>SO<sub>2</sub></b>	<b>VOC</b>	<b>PM-10</b>

Total Emissions: add items from Rock Crushing Worksheet and PM-10 column from diesel engines rows above for total PM-10. Add remaining columns for all diesel engines listed in Table A.

<b>CO</b>	<b>NO<sub>x</sub></b>	<b>SO<sub>2</sub></b>	<b>VOC</b>	<b>PM-10</b>

Assessable Emissions: for any pollutant total greater than 10 (tons), round to nearest whole number, for any pollutant less than 10 tons, round down to 0. Enter these values on Form 3 and submit as required under Condition 8.

<b>CO</b>	<b>NO<sub>x</sub></b>	<b>SO<sub>2</sub></b>	<b>VOC</b>	<b>PM-10</b>

## **Appendix B: Fugitive Dust Control Plan Guidelines**

The Fugitive Dust Control Plan (Plan) has the purpose to control the fugitive dust emissions from asphalt plant and crusher related activities. The Plan is required for all Minor General Permit holders in order to ensure that reasonable precautions to prevent fugitive dust are taken (MG3 Condition 16, MG9 Condition 15).

A sample plan is on the following page in Appendix B. This plan may be filled out and used for any Minor General Permitted source. You are not required to use the sample form, but similar information contained in the sample form should be included in your plan. If you already have a plan developed or you wish to develop your own plan, the following items should be addressed:

- Points capable of producing fugitive emissions;
- Control of fugitive dust sources, such as:
  - Water application;
  - Dust suppressants;
  - Wind barriers;
  - Hoods, covers, or enclosures;
  - Cleanup of loose materials;
  - Minimizing drop distances and lowering loader buckets before dumping;
  - Fans;
  - Dust collectors;
- Methods to prevent trackout or carryout, such as:
  - Grizzlies or grates;
  - Gravel pads;
  - Paved surfaces;
  - Wheel washers;
  - Truck washing.

## Appendix B: Fugitive Dust Control Plan

Please note, it is the responsibility of the Permittee to ensure that no part of their fugitive dust control plan violates any local, state, or federal law.

### Section 1 – General Information

<b>1-A Facility Information</b>	
Company Name:	
Plant Name:	
Permit No.:	
<b>1-B Contacts</b>	
Report the names, address, and phone numbers of persons and owners or operators responsible for the implementation of the Dust Control Plan and responsible for the dust generating operation and dust control applications.	
<i>Responsible Official</i> (authorized under 18 AAC 50.990(93))	
Name:	
Phone Number:	
<i>On-site Manager/Operator or Point of Contact</i> (if different from above)	
Name:	
Phone Number:	
<b>1-C Recordkeeping and Reporting</b>	
Keep copy of Fugitive Dust Control Plan on-site at all times. Keep records of deviations from dust plan, reasons for the deviation, and corrective actions taken for at least five years.	

### Section 2 – Fugitive Emission Points

<b>2-A Fugitive Emission Points</b>
Identify the relative locations of actual and potential sources of fugitive dust emissions.
<input type="checkbox"/> Bulk material handling and storage areas. <input type="checkbox"/> Paved and unpaved access roads, haul roads, traffic areas, and equipment storage yards. <input type="checkbox"/> Exit points where carryout and trackout onto paved public roads may occur. <input type="checkbox"/> Water supply locations if water application will be used for controlling visible dust emissions. <input type="checkbox"/> Rock crushing operations. <input type="checkbox"/> Screening <input type="checkbox"/> Conveyors <input type="checkbox"/> Fines Screening <input type="checkbox"/> Asphalt plant operations <input type="checkbox"/> Screening <input type="checkbox"/> Conveyors <input type="checkbox"/> Baghouse Catch <input type="checkbox"/> Drum Mixer Discharge <input type="checkbox"/> Hot mix storage silo receiving point
<b>2-B Comments – Fugitive Emission Points</b>

### Section 3 – Control of Fugitive Dust Sources

<p><b>3-A Control of Fugitive Dust Sources</b></p> <p>Check any boxes that apply. Checked boxes represent methods that will be used <i>as needed</i>.</p>
<p><i>Active Operations</i></p> <p><input type="checkbox"/> Water will be applied to dry areas during leveling, grading, trenching, and earthmoving activities.</p> <p><input type="checkbox"/> Wind barriers will be constructed and maintained, and water or dust suppressants will be applied to the disturbed surface areas.</p>
<p><i>Inactive Operations, including after work hours, weekends, and holidays</i></p> <p><input type="checkbox"/> Not applicable for this project (Please explain why in Section 3-C).</p> <p><input type="checkbox"/> Water or dust suppressants will be applied on disturbed surface areas to form a visible crust, and vehicle access will be restricted to maintain the visible crust.</p>
<p><i>Sites Inactive for Seven or More Days</i></p> <p><input type="checkbox"/> Not applicable for this project (Please explain why in Section 3-C).</p> <p><input type="checkbox"/> Vehicle access will be restricted and water/dust suppressants will be applied at all un-vegetated areas.</p> <p><input type="checkbox"/> Vegetation will be established on all previously disturbed areas.</p> <p><input type="checkbox"/> Gravel will be applied and maintained at all previously disturbed areas.</p> <p><input type="checkbox"/> Previously disturbed areas will be paved.</p>
<p><i>Unpaved Access and Haul Roads, Traffic and Equipment Storage Areas</i></p> <p><input type="checkbox"/> Not applicable for this project (Please explain why in Section 3-C).</p> <p><input type="checkbox"/> Apply water or dust suppressants to unpaved haul and access roads.</p> <p><input type="checkbox"/> Post speed limit signs of not more than 15 mph at each entrance, and again every 500 ft.</p> <p><input type="checkbox"/> Water or dust suppressants will be applied to vehicle traffic and equipment storage areas.</p>
<p><i>Wind Events</i></p> <p><input type="checkbox"/> Water application equipment will apply water to control fugitive dust during wind events, unless unsafe to do so. Outdoor construction activities that disturb the soil will cease whenever visible dust emissions cannot be effectively controlled.</p>
<p><b>3-B Bulk Materials</b></p> <p>Check any boxes that apply. Checked boxes represent methods that will be used <i>as needed</i>.</p>
<p><i>Outdoor Handling of Bulk Materials</i></p> <p><input type="checkbox"/> Water or dust suppressants will be applied when handling bulk materials.</p> <p><input type="checkbox"/> Wind barriers with less than 50 percent porosity will be installed and maintained, and water or dust suppressants will be applied.</p>
<p><i>Outdoor Storage of Bulk Materials</i></p> <p><input type="checkbox"/> Water or dust suppressants will be applied to storage piles.</p> <p><input type="checkbox"/> Storage piles will be covered with tarps, plastic, or other suitable material and anchored in such a manner that prevents the cover from being removed by wind actions.</p> <p><input type="checkbox"/> Wind barriers with less than 50 percent porosity will be installed and maintained around the storage piles and water or dust suppressants will be applied.</p> <p><input type="checkbox"/> A three-sided structure (&lt; 50% porosity) will be used that is at least as high as the storage piles.</p>
<p><i>On-Site Transporting of Bulk Materials</i></p> <p><input type="checkbox"/> Vehicle speed will be limited on the work site.</p> <p><input type="checkbox"/> All haul trucks will be loaded such that the freeboard is not less than six inches when transported across any paved public access road.</p> <p><input type="checkbox"/> A sufficient amount of water will be applied to the top of the load to limit visible dust emissions.</p> <p><input type="checkbox"/> Haul trucks will be covered with a tarp or other suitable cover.</p>

**Section 3 – Control of Fugitive Dust Sources (cont.)**

<p><b>3-B Bulk Materials - continued</b></p> <p><i>Off-Site Transporting of Bulk Materials</i></p> <p><input type="checkbox"/> No bulk materials will be transported to or from the project site.</p> <p><input type="checkbox"/> Materials for transport will be wetted as needed.</p> <p><input type="checkbox"/> Covers will be used, as needed. Some or all of the following will be used as necessary:</p> <ul style="list-style-type: none"> <li>• The interior of emptied truck cargo compartments will be cleaned or covered before leaving the site.</li> <li>• Spillage or loss of bulk materials from holes or other openings in the cargo compartment’s floor, sides, and tailgates will be prevented.</li> <li>• Haul trucks will be covered with a tarp or other suitable cover or will be loaded such that the freeboard is not less than six inches when transported on any paved public access road to or from the project site.</li> </ul>
<p><i>Outdoor Transport using a Chute or Conveyor</i></p> <p><input type="checkbox"/> No chutes or conveyors will be used.</p> <p><input type="checkbox"/> Chute or conveyor will be fully enclosed.</p> <p><input type="checkbox"/> Water spray equipment will be used to sufficiently wet the materials.</p> <p><input type="checkbox"/> Transported materials will be washed or screened to remove fines (PM-10 or smaller).</p>
<p><b>3-C Comments – Control of Fugitive Dust Sources</b></p>   

**Section 4 – Dust Control Methods**

<p><b>4-A Water Application</b></p> <p>Complete this section if water application will be used as a control method for limiting visible dust emissions and stabilizing surface areas. Check and answer everything that applies. Checked boxes represent methods that will be used <i>as needed</i>.</p>
<p><i>Water Application Equipment:</i></p> <p><input type="checkbox"/> Sprinklers: Describe the activities that will utilize sprinklers: _____</p> <p><input type="checkbox"/> Water Truck, <input type="checkbox"/> Water Trailer, <input type="checkbox"/> Water Wagon, <input type="checkbox"/> Other: _____ Describe the activities that will utilize this equipment: _____</p> <p>Water application equipment is available to operate after normal working hours, on weekends, and holiday. After-hours contact: _____ Phone number: _____</p>
<p><i>Water Supply (as needed):</i></p> <p><input type="checkbox"/> Fire hydrants. Obtain necessary approval to use specific hydrants.</p> <p><input type="checkbox"/> Storage tanks      Number and capacity: _____</p> <p><input type="checkbox"/> Wells      Number and flow rate: _____</p> <p><input type="checkbox"/> Canal, River, Pond, Lake, etc.      Describe: _____</p> <p>Approval granted by the owner or public agency to use their water source for this project. Owner or Agency: _____ Contact: _____ Phone number: _____</p> <p><input type="checkbox"/> Other: _____</p>

**Section 4 – Dust Control Methods (cont.)**

**4-B Dust Suppressant Products**

Suppressant materials include, but are not limited to: hygroscopic suppressants (road salts), adhesives, petroleum emulsions, polymer emulsions, and bituminous material (road oils).

Copy this section if more than one dust suppressant product will be used.

Not applicable. Only water application will be the control method used.

Applicable.

Product Name: \_\_\_\_\_

Application Equipment: \_\_\_\_\_

Number of Application Equipment Available: \_\_\_\_\_

Attach each of the following information that fully describes this product. Use the checklist below to make sure all information is submitted with this plan.

Product Specifications (MSDS, Product Safety Data Sheet, etc.).

Manufacturer’s Usage Instructions (method, frequency, and intensity of application).

Environmental impacts and approvals or certifications related to the appropriate and safe use for ground application.

**4-C Other Dust Control Methods**

Check the other types of dust control methods that will be implemented at the construction site.

Physical barriers for restricting unauthorized vehicle access:

Fences       Gates       Posts       Berms       Concrete Barriers

Other: \_\_\_\_\_

Wind barriers – Describe: \_\_\_\_\_

Posted speed limit signs meet state and Federal Department of Transportation standards.

Posted at 15 miles per hour,  Posted at \_\_\_\_\_ miles per hour (less than 15 mph)

Re-establish vegetation for temporarily stabilizing previously disturbed surfaces.

Explain: \_\_\_\_\_

Apply and maintain gravel:

On haul roads       On access roads       At equipment storage yards

At vehicle traffic areas       For temporarily stabilizing previously disturbed areas.

Explain: \_\_\_\_\_

Apply pavement – Explain: \_\_\_\_\_

Other: \_\_\_\_\_

**4-D Comments – Dust Control Methods**

**Section 5 – Carryout and Trackout**

<p><b>5-A Treatments for Preventing Trackout</b></p> <p>Trackout is any material that adheres to vehicle tires and is deposited onto a paved public road or the paved shoulder of a paved public road. Check one or a combination that will apply.</p> <p><input type="checkbox"/> <i>Grizzly</i>: Rails, pipes, or grates used to dislodge debris off of vehicles before exiting the site. Extends from the intersection with the paved public road surface for the full width of the unpaved exit surface for the distance of at least 25 feet. Describe: _____</p> <p><input type="checkbox"/> <i>Gravel Pad</i>: A layer of washed gravel at least one inch or larger in diameter, three inches deep, and extends from the intersection with the public paved road surface for the full width of the unpaved exit surface for a distance of at least 50 feet. Describe: _____</p> <p><input type="checkbox"/> <i>Paved Surface</i>: Extends from the intersection with the paved public road surface for the full width of the unpaved access road for at least 100 feet to allow mud and dirt to drop off of vehicles before exiting the site. Describe: _____</p> <p>Mud and dirt deposits accumulating on paved interior roads will be removed with sufficient frequency, but not less frequently than once per workday. Clean-up Frequency: _____</p> <p><input type="checkbox"/> <i>Wheel Washer</i>: Uses water to dislodge debris from tires and vehicle undercarriage. Describe: _____</p> <p><input type="checkbox"/> <i>Other</i>: _____</p>
<p><b>5-B Treatments for Preventing Carryout</b></p> <p>Carryout occurs when materials from emptied or loaded haul trucks, vehicles, or trailers falls onto a paved public road or paved shoulder of a paved public road. Check all methods that apply.</p> <p><input type="checkbox"/> No haul trucks will be routinely entering or leaving the project site.</p> <p><i>Emptied Haul Trucks</i>:</p> <p><input type="checkbox"/> Interior cargo compartments will be cleaned before leaving the project site.</p> <p><input type="checkbox"/> Cargo compartment will be covered with a tarp or suitable cover before leaving the project site.</p> <p><i>Loaded Haul Trucks</i>: Spillage or loss of materials from holes or other opening in the cargo compartment will be prevented when material is transported onto any paved public access road.</p> <p><input type="checkbox"/> Haul trucks will be loaded such that the freeboard is not less than six inches with water applied to the top of the load before leaving the project site.</p> <p><input type="checkbox"/> Cargo compartment and load will be covered with a tarp or suitable cover before leaving the project site.</p> <p><input type="checkbox"/> Other: _____</p>
<p><b>5-C Cleaning up Carryout and Trackout</b></p> <p>Clean up Method: Check the method(s) below that will be used for cleaning carryout and trackout.</p> <p><input type="checkbox"/> Manually sweeping and picking up.</p> <p><input type="checkbox"/> Mechanical sweeping with a rotary brush or broom accompanied or preceded by water. Describe the types of equipment that will be used: _____</p> <p><input type="checkbox"/> Operating a PM10-efficient street sweeper. Make and Model: _____</p> <p><input type="checkbox"/> Flushing with water – allowed if:</p> <ul style="list-style-type: none"> <li>• No curbs or gutters are present.</li> <li>• Using water will not result as a source of trackout and carryout.</li> <li>• Using water will not result in adverse impacts on storm water drainage systems.</li> <li>• Using water will not violate any National Pollutant Discharge Elimination System permit program or Alaska Department of Environmental Conservation, Division of Water Permit.</li> </ul>
<p><b>5-D Comments - Carryout and Trackout</b></p> <p>_____</p>

## Form 1: Relocation Notification (Application Addendum)

Submit to the Department at least *10 days before* moving the plant to any new location.

### Facility Information:

Permittee Name: \_\_\_\_\_ Permit No.: AQ \_\_\_\_\_

Plant Name: \_\_\_\_\_

Contact Person: \_\_\_\_\_ Telephone: \_\_\_\_\_

Make & Model of the Equipment/Stationary Source to be relocated: \_\_\_\_\_

Attach a complete list of equipment to be operated at the new location.

### Estimated Operating Dates:

Estimated start-up date: \_\_\_\_\_

Estimated shut-down date: \_\_\_\_\_

### Location Information:

New Plant Location (street address, milepost number, etc. – Include site maps):

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ OR

UTM Coordinates: Zone \_\_\_\_\_ Northing \_\_\_\_\_ Easting \_\_\_\_\_ Datum \_\_\_\_\_

Distance from Plant boundary to nearest inhabited structure: \_\_\_\_\_ ft

Nearest inhabited structure(s) are on (check one): \_\_\_\_\_ flat terrain \_\_\_\_\_ elevated terrain

If this distance is within 2,000 ft (for rock crushers) or 1 mile (for asphalt plants), include with this addendum a dust control plan that is specific to this location and is adequate to prevent violations of Air Pollution Prohibited (MG3 Condition 10, MG9 Condition 9).

If the plant is to be located in a city or borough with zoning restrictions, please attach the location or siting approval documents from that city or borough to this form (optional).

**Comments:** \_\_\_\_\_

### Certification:

Based on information and belief formed after reasonable inquiry, I certify that the statements and information in and attached to this document are true, accurate, and complete.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_ Phone Number: \_\_\_\_\_

*Send completed report to: Compliance Technician, ADEC Air Permits Program, 610 University Avenue, Fairbanks, AK 99709-3643.*

# ADEC Notification Form

Excess Emissions and Permit Deviation Reporting  
State of Alaska Department of Environmental Conservation  
Division of Air Quality

Stationary Source (Facility) Name

Air Quality Permit Number

Company Name

When did you discover the Excess Emissions/Permit Deviation?

Date:        /        /        Time:        :

When did the event/deviation?

Begin: Date:        /        /        Time:        :        (please use 24hr clock)

End:    Date:        /        /        Time:        :        (please use 24hr clock)

What was the duration of the event/deviation:        :        (hrs:min) or        days  
(total # of hrs, min, or days, if intermittent then include only the duration of the actual emissions/deviation)

Reason for notification: (please check only 1 box and go to the corresponding section)

Excess Emissions Complete Section 1 and Certify

Deviation from Permit Conditions Complete Section 2 and Certify

Deviation from COBC, CO, or Settlement Agreement Complete Section 2 and Certify

## Section 1. Excess Emissions

(a) Was the exceedance         Intermittent        or         Continuous

(b) Cause of Event (Check one that applies):

Start Up/Shut Down

Natural Cause (weather/earthquake/flood)

Control Equipment Failure

Scheduled Maintenance/Equipment Adjustments

Bad fuel/coal/gas

Upset Condition

Other

(c) Description

**Describe briefly what happened and the cause. Include the parameters/operating conditions exceeded, limits, monitoring data and exceedance.**

(d) Emission Units Involved:

Identify the emission units involved in the event, using the same identification number and name as in the permit. Identify each emission standard potentially exceeded during the event and the exceedance.

<u>Unit ID</u>	<u>Emission Unit Name</u>	<u>Permit Condition Exceeded/Limit/Potential Exceedance</u>

(e) Type of Incident (please check only one):

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> Opacity %             | <input type="checkbox"/> Venting (gas/scf)       | <input type="checkbox"/> Control Equipment Down |
| <input type="checkbox"/> Fugitive Emissions    | <input type="checkbox"/> Emission Limit Exceeded | <input type="checkbox"/> Record Keeping Failure |
| <input type="checkbox"/> Marine Vessel Opacity | <input type="checkbox"/> Flaring                 | <input type="checkbox"/> Other:                 |

(f) Unavoidable Emissions:

- Do you intend to assert that these excess emissions were unavoidable?  YES  NO
- Do you intend to assert the affirmative defense of 18 AAC 50.235?  YES  NO

Certify Report (go to end of form)

## Section 2. Permit Deviations

(a) Permit Deviation Type (check one only) (check boxes correspond with sections in permit)

- Source Specific
- Failure to monitor/report
- General Source Test/Monitoring Requirements
- Recordkeeping/Reporting/Compliance Certification
- Standard Conditions Not Included in Permit
- Generally Applicable Requirements
- Reporting/Monitoring for Diesel Engines
- Insignificant Source
- Facility Wide
- Other Section: \_\_\_\_\_ (title of section and section # of your permit)

(b) Emission Units Involved:

Identify the emission units involved in the event, using the same identification number and name as in the permit. List the corresponding Permit condition and the deviation.

<u>Unit ID</u>	<u>Emission Unit Name</u>	<u>Permit Condition /Potential Deviation</u>

(c) **Description of Potential Deviation:**

**Describe briefly what happened and the cause. Include the parameters/operating conditions and the potential deviation.**

(d) Corrective Actions:

Describe actions taken to correct the deviation or potential deviation and to prevent future recurrence.

Certification:

**Based on information and belief formed after reasonable inquiry, I certify that the statements and information in and attached to this document are true, accurate, and complete.**

Printed Name: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Signature: \_\_\_\_\_ Phone number \_\_\_\_\_

**NOTE:** *This document must be certified in accordance with 18 AAC 50.345(j)*

**To Submit this report:**

1. Fax this form to: **907-451-2187**

Or

2. E-mail to: **[DEC.AQ.airreports@alaska.gov](mailto:DEC.AQ.airreports@alaska.gov)**  
*if faxed or e-mailed,*

Or

3. Mail to: **ADEC**  
**Air Permits Program**  
**610 University Avenue**  
**Fairbanks, AK 99709-3643**

Or

4. Phone notifications: **907-451-5173.**  
*Phone notifications require written follow up report.*

Or

5. Submission of information contained in this report can be made electronically at the following website:

**<https://myalaska.state.ak.us/dec/air/airtoolsweb/>**

*if submitted online, report must be submitted by an authorized E-Signer for the Stationary Source.*

### Form 3: Emission Reporting and Emission Fee Estimate

Submit the following information no later than March 31 of each year to:

ADEC Air Permits Program  
610 University Avenue  
Fairbanks, AK 99709-3643

Or

FAX to (907) 451-2187

Or

Email to: [DEC.AQ.Airreports@alaska.gov](mailto:DEC.AQ.Airreports@alaska.gov)

*(If emailed, the report must be signed and certified in accordance with 18 AAC 50.345(j).)*

Or

Submit emissions online at the following website:

<https://myalaska.state.ak.us/deca/air/airtoolsweb/>

Stationary Source Name: \_\_\_\_\_

Permit Number: \_\_\_\_\_ Date: \_\_\_\_\_

Emission Fee Estimate for : \_\_\_\_\_ (State fiscal year)

**Table 1.** Total Emissions & Assessable Emission Fee Estimate

<b>Pollutant</b>	<b>Rock Crusher</b>	<b>Diesel Generator</b>	<b>Assessable Emissions</b>
NO <sub>x</sub>	N/A		
CO	N/A		
SO <sub>2</sub>	N/A		
PM-10			
VOC	N/A		

Based on information and belief formed after reasonable inquiry, I certify that the statements and information in and attached to this document are true, accurate, and complete.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Title

# Form 4: Minor General Permit (MG9) – Facility Operating Report Form

## Facility Information

Stationary Source: \_\_\_\_\_ Permit No.: AQ \_\_\_\_\_

Facility Name: \_\_\_\_\_

Reporting Period:  11/1/\_\_\_\_ to 3/31/\_\_\_\_  4/1/\_\_\_\_ to 10/31/\_\_\_\_

Did this plant operate during this reporting period?

Yes (please complete form)  No (complete the “Certification” section only)

---

## Certification (Condition 4.3)

Certification Statement Signed by a Responsible Official (at end of form)

---

## Visible Emissions - Rock Crusher (Condition 5.1)

Emissions Point observed: \_\_\_\_\_ (please describe)

Method 9 Observations Summary:

Number of Observations	
Highest 6-consecutive-minute Average	
Number of Observations >20%	

All Method 9 Observation forms attached

Excess Emissions/Permit Deviation Forms attached for failure to monitor or for observations of opacity >20%.

---

## Visible Emissions – Diesel Engines (Condition 5.2)

Method used:  Smoke/No Smoke Plan  Method 9  Both

Smoke/No Smoke Plan Summary:

Number of Observations	
Number of Days Smoke Observed	

Complete Smoke/No Smoke Log attached

Summary of Smoke/No Smoke corrective actions attached

Method 9 Observations Summary:

Number of Observations	
Highest 6-consecutive-minute Average	
Number of Observations >20%	

All Method 9 Observation forms attached

Excess Emissions/Permit Deviation Forms attached for failure to monitor or for observations of opacity >20%.

---

**Sulfur Compound Emissions (Condition 6)**

Was ULSD the ONLY fuel used for the entire reporting period?

- Yes, statement certified by Responsible Official attached.
  - No, list of diesel deliveries and fuel analysis or certification from supplier showing fuel sulfur content attached.
  - Highline power used. Statement certified by Responsible Official attached.
  - Natural gas used. Statement certified by Responsible Official attached.
  - North Slope topping plant fuel used. If checked, attach a copy of fuel analysis.
- 

**Pollution Control Equipment Breakdowns (Condition 7)**

Where there any control equipment breakdowns during this reporting period?  Yes  No

- If Yes,  Permit Deviation forms attached  
 Summary of breakdowns attached
- 

**Excess Emissions and Permit Deviations (EE/PD) (Condition 8)**

Where there any EE/PDs during this reporting period?  Yes  No

If Yes,  EE/PD forms attached

---

**Complaint Summary (Condition 9)**

Did you receive any public complaints about emissions during this reporting period?  Yes  No

If Yes,  Complaint Summary attached.

---

**Nonroad Engines (Condition 10)**

Are there engines classified as nonroad engines at this facility?

- Yes, Nonroad Engine Location Log attached.  No.
- 

**Equipment Changes (Condition 16)**

Was new equipment added or existing equipment removed?  Yes, attach Form 10.  No.

---

**Source Testing (Condition 18)**

Where any source tests conducted during this reporting period?

- Yes, on date: \_\_\_\_\_  No.
- 

**Certification (Condition 4.3)**

Based on information and belief formed after reasonable inquiry, I certify that the statements and information in and attached to this document are true, accurate, and complete.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_ Phone Number: \_\_\_\_\_


---

*Send completed report to: Compliance Technician, ADEC Air Permits Program, 610 University Avenue, Fairbanks, AK 99709-3643.*

# EPA METHOD 9 (40 CFR 60 - Appendix A) VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME		
LOCATION		
LOCATION		
CITY	STATE	ZIP
PROCESS EQUIPMENT		OPERATING MODE
CONTROL EQUIPMENT		OPERATING MODE
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT		HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER
		START                  END
DISTANCE TO EMISSION POINT		DIRECTION TO EMISSION PT. (DEGREES 0-360))
START                  END		START                  END
VERTICAL ANGLE TO OBSERVATION POINT		DIRECTION TO OBSERVATION POINT (DEGREES (0-360))
START                  END		START                  END
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT		
START                                  END		
DESCRIBE EMISSIONS		
START                                  END		WATER DROPLET PLUME
EMISSION COLOR		ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> NONE <input type="checkbox"/>
START                  END		
DESCRIBE PLUME BACKGROUND		
START                                  END		
BACKGROUND COLOR		SKY CONDITIONS
START                  END		START                  END
WIND SPEED		WIND DIRECTION
START                  END		START                  END
AMBIENT TEMP		WET BULB TEMP          RH percent
START                  END		

OBSERVATION DATE		START TIME			END TIME	
	SEC	0	15	30	45	COMMENTS
MIN						
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						



ADDITIONAL INFORMATION	

OBSERVER'S NAME (PRINT)	
OBSERVER'S SIGNATURE	DATE
ORGANIZATION	
CERTIFIED BY	DATE



**Form 7: Complaint Summary Form**

Reporting Period:  11/1/\_\_\_ to 3/31/\_\_\_  4/1/\_\_\_ to 10/31/\_\_\_

Number of Complaints Received:	
Number of Times Corrective Actions were Found Necessary:	
Number of Times Corrective Action was Taken Within 24 hours:	

Status of corrective actions deemed necessary that were not taken within 24 hours:

---

---

---

---

---

---

---

---

Comments:

---

---

---

---

---

---

---

---



