Alaska Department of Environmental Conservation

Division of Water

Authorization to Discharge (Modification #1)

SEAFOOD PROCESSORS OPERATING ONSHORE FACILITIES IN KODIAK, ALASKA

FACILITY ASSIGNED AUTHORIZATION NUMBER: AKG528493

GENERAL PERMIT NUMBER: AKG528000

See General Permit for permit requirements.

The following facility is authorized to discharge in accordance with the terms of the State of Alaska General Permit AKG528000 and any site-specific requirements listed in this authorization.

The modified authorization effective date is **DRAFT.**

The authorization to discharge shall expire at midnight, May 31, 2031.

The permittee shall reapply for a permit reissuance on or before December 2, 2030, 180 days prior to the expiration of the general permit.

RESPONSIBLE PARTY
Silver Bay Seafoods

Facility Address: 621 Shelikof Street, Kodiak, AK 99615

Facility Contact: Jacqueline Goveia, Plant Manager

FACILITY INFORMATION
Facility Name: Silver Bay Seafoods – Kodiak West

Commodity Lines Processed: salmon mechanized, bottom fish hand butchered, bottom fish mechanized, herring frozen whole, whole crab / crab sections

Outfall 001A (Seafood Processing Butchering Wastewater) Location: Latitude: 57.78363, Longitude: -152.41967, Saint Paul Harbor

001A Effluent Monitoring Point: After the rotary screens but prior to discharge to waters of the U.S.

Mixing Zones:

Outfall 001A Temperature: Circular area with a 25-meter radius around the outfall terminus.

Temperature limit: 24.5 degrees C maximum, Flow limit: 2.16 mgd maximum.

Outfall 001A Ammonia: Acute mixing zone (8 feet wide by 4 feet long, with width perpendicular to prevailing current direction and length parallel to it) and chronic mixing zone (25 feet wide by 12 feet long, with width perpendicular to prevailing current direction and length parallel to it).

Ammonia limits (mg N/L): Maximum daily = 10.3, Average monthly = 5.6

Site-Specific Requirements:
1. The permittee must operate in accordance with the critical habitat stipulations in Permit Part 2.1.7.
2. Due to reoccurring sea surface residues violations at the facility, the permittee is required to develop and implement mitigating BMPs (Permit Part 2.1.5.5).

DISCHARGE MONITORING REPORT (DMR) ELECTRONIC REPORTING

The permittee must submit DMR data through NetDMR per Phase I of the E-Reporting Rule (40 CFR 127) upon the effective date of the Permit. Authorized persons may access permit information by logging into the NetDMR Portal. DMRs submitted in compliance with the E-Reporting Rule are not required to be submitted as described in Appendix A – Standard Conditions unless requested or approved by the Department. Any DMR data required by the Permit that cannot be reported in a NetDMR field shall be included as an attachment to the NetDMR submittal. DEC has established an electronic reporting website that contains general information about this new reporting format. Training materials and webinars for NetDMR can be found at NetDMR.

DEC STAFF CONTACTS

For technical questions regarding this authorization or the requirements of General Permit AKG528000, please contact Anne Weaver via email or call 907.269.7483.

For NetDMR assistance, please contact Jessica Davison via email or call 907.451.2104.

For questions regarding compliance with this authorization or General Permit AKG528000, please contact Natasha Knight via email or call 907.269.7440.

Any noncompliance event that may endanger health or the environment must be reported orally within 24 hours after the permittee becomes aware of the circumstances and in writing within five days after the permittee becomes aware of the circumstances. Please use one of the following numbers for oral noncompliance event reports:

Toll Free Nationwide (will not accept calls from 907 area codes): 1-877-569-4114 Alaska, Nationwide or International: 1-907-269-4114

Please use DEC's Environmental Data Management System (EDMS) to submit noncompliance notification written reports.

CERTIFICATION/SIGNATURE

	DRAFT
Signature	Date
Jackie E. Ebert	Section Manager Domestic and Industrial Utilities
Printed Name	Title