



641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

Stacie Evans
PO Box 1029
Haines, AK 99827

August 27, 2025

Takshanuk Watershed Council – Haines Beach

Date of Collection: August 12, 2025
Sampling Location: Haines, AK

Summary

Four samples from Takshanuk Watershed Council were received at Admiralty Environmental, Juneau, AK on August 12, 2025.

The samples were analyzed for fecal coliform and enterococci bacteria. All laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

A handwritten signature in black ink, appearing to read "Hope", with a stylized flourish at the end.

Hope O'Neill
Admiralty Environmental



641 W. Willoughby Ave., Suite 301, Juneau, AK 99801
(907) 463 - 4415
www.admiraltyenvironmental.com

Takshanuk Watershed Council

Haines BEACH

August 12, 2025

Haines, AK

Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 38790

Sample Location	Date/Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
Pyramid	08/12/2025; 10:30	<2.0	<10
Portage	08/12/2025; 10:00	2.0	<10
Tanani	08/12/2025; 09:40	2.0	<10
Tanani DUP	08/12/2025; 09:40	<2.0	<10

Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met	Analyst
FC	ND	---	---	---	08/12/2025; 16:00	Yes	KS
Entero	---	---	---	---	08/12/2025; 15:29	Yes	KS

Analysis Description:

Analysis	Method	DF	MDL	PQL	Unit
FC	SM 9222D	2	2.0	2.0	FC/100ml
Entero	ASTM D6503-99	10	10	10	MPN/100ml

Case Narrative:

All sample analysis QA/QC parameters were met for this event.

Key:

DF	Dilution Factor
Entero	Enterococci
FC	Fecal Coliform
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

Hope O'Neill
General Manager, Admiralty Environmental
honeill@admiraltyenv.com



Admiralty Environmental Cooler Receipt Form

Lab: **Admiralty Environmental, LLC**
Client: **Takshanuk Watershed Council**

AE 38790

Date Opened: **8/12/2025** Opened by: **A. Carothers**

A. External Cooler Conditions

• Local Sampling Event

1. Project ID: **n/a**

2. COC Attached? **n/a** Properly Completed? **n/a** Signed by AE employee? **n/a**

Small Temp. Blank: **n/a** (temp in Celsius)

Large Temp. Blank: **n/a** (temp in Celsius)

• Air-Transported Sampling Event

1. Project ID: **Haines BEACH**

2. COC Attached? **yes** Properly Completed? **yes** Signed by AE employee? **yes**

3. Airbill attached? **yes** Airbill #: **7595938**

4. Custody Seals? **yes**

5. Seals intact? **yes**

Temp. Blank: **8.70** (temp in Celsius)

COMMENTS:

B. Sample Conditions

Number of Samples Received: **4** Packing type: **cooler**

Number of Bottles Received: **4**

1. Samples in proper bags? **yes**

2. Bottles intact? **yes**

3. Sufficient sample volume? **yes**

4. Labels agree with COC? **yes**


5. Samples delivered within holding time? **yes**

6. Sample preservation checked? **n/a**

Problems encountered: **no**

Was the project manager called? **no**

COMMENTS:

Signature: 

Date and time: **8/12/25, 14:47**