

**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : COREXIT(R) EC9527A

APPLICATION: OIL SPILL DISPERSANT

COMPANY IDENTIFICATION: Nalco Company

1601 W. Diehl Road Naperville, Illinois 60563-1198

EMERGENCY TELEPHONE NUMBER(S): (800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH: 2/2 FLAMMABILITY: 1/1 INSTABILITY: 0/0 OTHER:

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

 Hazardous Substance(s)
 CAS NO
 % (w/w)

 2-Butoxyethanol
 111-76-2
 30.0 - 60.0

 Organic sulfonic acid salt
 Proprietary
 10.0 - 30.0

 Propylene Glycol
 57-55-6
 1.0 - 5.0

# 3. HAZARDS IDENTIFICATION

### \*\*EMERGENCY OVERVIEW\*\*

### **WARNING**

Eye and skin irritant. Repeated or excessive exposure to butoxyethanol may cause injury to red blood cells (hemolysis), kidney or the liver. Harmful by inhalation, in contact with skin and if swallowed.

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Wear suitable protective clothing. Keep container tightly closed. Flush affected area with water. Keep away from heat. Keep away from sources of ignition - No smoking.

May evolve oxides of carbon (COx) under fire conditions.

PRIMARY ROUTES OF EXPOSURE:

Eye, Skin

**HUMAN HEALTH HAZARDS - ACUTE:** 

**EYE CONTACT:** 

Can cause moderate irritation.



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

### SKIN CONTACT:

Can cause moderate irritation. Harmful if absorbed through skin.

### INGESTION:

May be harmful if swallowed. May cause liver and kidney effects and/or damage. There may be irritation to the gastro-intestinal tract.

### **INHALATION:**

Harmful by inhalation. Repeated or prolonged exposure may irritate the respiratory tract.

### SYMPTOMS OF EXPOSURE:

Acute:

Excessive exposure may cause central nervous system effects, nausea, vomiting, anesthetic or narcotic effects.

Chronic

Repeated or excessive exposure to butoxyethanol may cause injury to red blood cells (hemolysis), kidney or the liver.

### AGGRAVATION OF EXISTING CONDITIONS:

Skin contact may aggravate an existing dermatitis condition.

#### **HUMAN HEALTH HAZARDS - CHRONIC:**

Contains ethylene glycol monobutyl ether (butoxyethanol). Prolonged and/or repeated exposure through inhalation or extensive skin contact with EGBE may result in damage to the blood and kidneys.

## 4. | FIRST AID MEASURES

### **EYE CONTACT:**

Flush affected area with water. Get medical attention.

#### SKIN CONTACT:

Flush affected area with water. Get medical attention.

### INGESTION:

Do not induce vomiting without medical advice. If conscious, washout mouth and give water to drink. Get medical attention.

### **INHALATION:**

Remove to fresh air, treat symptomatically. If symptoms develop, seek medical advice.

### NOTE TO PHYSICIAN:

Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

# 5. FIRE FIGHTING MEASURES

FLASH POINT: 163 °F / 72.7 °C ( TCC )

This product does not sustain combustion per the method outlined in 49 CFR Appendix H.



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

### **EXTINGUISHING MEDIA:**

This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use extinguishing media appropriate for surrounding fire.

### FIRE AND EXPLOSION HAZARD:

May evolve oxides of carbon (COx) under fire conditions.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

# 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS:

Restrict access to area as appropriate until clean-up operations are complete. Stop or reduce any leaks if it is safe to do so. Do not touch spilled material. Ventilate spill area if possible. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection).

### METHODS FOR CLEANING UP:

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

# **ENVIRONMENTAL PRECAUTIONS:**

Do not contaminate surface water.

## 7. HANDLING AND STORAGE

## **HANDLING:**

Avoid eye and skin contact. Do not take internally. Ensure all containers are labeled. Keep the containers closed when not in use.

# STORAGE CONDITIONS:

Store the containers tightly closed.

## SUITABLE CONSTRUCTION MATERIAL:

Stainless Steel 316L, Hastelloy C-276, MDPE (medium density polyethylene), Nitrile, Plexiglass, Kalrez, TFE, Alfax, Teflon, HDPE (high density polyethylene), Neoprene, Aluminum, Polypropylene, Polyethylene, Carbon Steel C1018, Stainless Steel 304, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use., FEP (encapsulated), Perfluoroelastomer, PVC

### **UNSUITABLE CONSTRUCTION MATERIAL:**

Copper, Mild steel, Brass, Nylon, Buna-N, Natural rubber, Polyurethane, Hypalon, Viton, Ethylene propylene, EPDM



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## OCCUPATIONAL EXPOSURE LIMITS:

Exposure guidelines have not been established for this product. Available exposure limits for the substance(s) are shown below.

ACGIH/TLV: Substance(s)

2-Butoxyethanol TWA: 20 ppm, 97 mg/m3

Propylene Glycol

OSHA/PEL: Substance(s)

2-Butoxyethanol TWA: 50 ppm, 240 mg/m3 (Skin)

Propylene Glycol

AIHA/WEEL: Substance(s)

For propylene glycol, an 8 hour TWA of 10 mg/m3 (aerosol) and 50 ppm (total).

#### **ENGINEERING MEASURES:**

General ventilation is recommended.

### RESPIRATORY PROTECTION:

Where concentrations in air may exceed the limits given in this section, the use of a half face filter mask or air supplied breathing apparatus is recommended. A suitable filter material depends on the amount and type of chemicals being handled. Consider the use of filter type: Multi-contaminant cartridge. with a Particulate pre-filter. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

### HAND PROTECTION:

Neoprene gloves, Nitrile gloves, Butyl gloves, PVC gloves

### SKIN PROTECTION:

Wear standard protective clothing.

### **EYE PROTECTION:**

Wear chemical splash goggles.

### **HYGIENE RECOMMENDATIONS:**

Keep an eye wash fountain available. Keep a safety shower available. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

### **HUMAN EXPOSURE CHARACTERIZATION:**

Based on our recommended product application and personal protective equipment, the potential human exposure is: Low



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPEARANCE Clear Amber

ODOR Mild

SPECIFIC GRAVITY

DENSITY

SOLUBILITY IN WATER

pH (100 %)

0.98 - 1.02

8.2 - 8.5 lb/gal

Complete

6.1

VISCOSITY 160 cst @ 32 °F / 0 °C POUR POINT ASTM D-97 -66.9 °F / -55 °C

POUR POINT  $< -40 \,^{\circ}\text{F} / < -40 \,^{\circ}\text{C}$ BOILING POINT  $340 \,^{\circ}\text{F} / 171 \,^{\circ}\text{C}$ 

VAPOR PRESSURE < 5 mm Hg @ 100 °F / 38 °C Same as water

EVAPORATION RATE 0.1

Note: These physical properties are typical values for this product and are subject to change.

# 10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

HAZARDOUS POLYMERIZATION:

Hazardous polymerization will not occur.

CONDITIONS TO AVOID: Extremes of temperature

MATERIALS TO AVOID:

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS : Under fire conditions: Oxides of carbon

# 11. TOXICOLOGICAL INFORMATION

No toxicity studies have been conducted on this product.

**SENSITIZATION:** 

This product is not expected to be a sensitizer.



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

### CARCINOGENICITY:

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

### **HUMAN HAZARD CHARACTERIZATION:**

Based on our hazard characterization, the potential human hazard is: High

# 12. | ECOLOGICAL INFORMATION

### **ECOTOXICOLOGICAL EFFECTS:**

No toxicity studies have been conducted on this product.

### **ACUTE FISH RESULTS:**

Species	Exposure	LC50	Test Descriptor
Turbot	96 hrs	50 mg/l	

#### **MOBILITY:**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	Water	Soil/Sediment
<5%	10 - 30%	70 - 90%

The portion in water is expected to be soluble or dispersible.

### **BIOACCUMULATION POTENTIAL**

Component substances have a low potential to bioconcentrate.

# ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Moderate

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Low

If released into the environment, see CERCLA/SUPERFUND in Section 15.

## 13. | DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

As a non-hazardous waste, it is not subject to federal regulation. Consult state or local regulation for any additional handling, treatment or disposal requirements. For disposal, contact a properly licensed waste treatment, storage, disposal or recycling facility.

# 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

LAND TRANSPORT:

Proper Shipping Name: PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

AIR TRANSPORT (ICAO/IATA):

Proper Shipping Name: PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

MARINE TRANSPORT (IMDG/IMO):

Proper Shipping Name: PRODUCT IS NOT REGULATED DURING

**TRANSPORTATION** 

## 15. | REGULATORY INFORMATION

This section contains additional information that may have relevance to regulatory compliance. The information in this section is for reference only. It is not exhaustive, and should not be relied upon to take the place of an individualized compliance or hazard assessment. Nalco accepts no liability for the use of this information.

NATIONAL REGULATIONS, USA:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, none of the substances in this product are hazardous.

CERCLA/SUPERFUND, 40 CFR 117, 302:

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313 :

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

X Immediate (Acute) Health Hazard

X Delayed (Chronic) Health Hazard

X Fire Hazard

Sudden Release of Pressure Hazard

Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

# SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product contains the following substance(s), (with CAS # and % range) which appear(s) on the List of Toxic Chemicals

Hazardous Substance(s)CAS NO% (w/w)Glycol Ethers30 - 60

### TOXIC SUBSTANCES CONTROL ACT (TSCA):

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

None of the substances are specifically listed in the regulation.

CLEAN AIR ACT, Sec. 112 (40 CFR 61, Hazardous Air Pollutants), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances):

None of the substances are specifically listed in the regulation.

### **CALIFORNIA PROPOSITION 65:**

This product does not contain substances which require warning under California Proposition 65.

## MICHIGAN CRITICAL MATERIALS:

None of the substances are specifically listed in the regulation.

# STATE RIGHT TO KNOW LAWS:

The following substances are disclosed for compliance with State Right to Know Laws:

2-Butoxyethanol 111-76-2 Propylene Glycol 57-55-6

NATIONAL REGULATIONS, CANADA:



**PRODUCT** 

# COREXIT(R) EC9527A

**EMERGENCY TELEPHONE NUMBER(S)** 

(800) 424-9300 (24 Hours) CHEMTREC

### WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

### WHMIS CLASSIFICATION:

D2B - Materials Causing Other Toxic Effects - Toxic Material

# CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

### **AUSTRALIA**

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

### **CHINA**

All substances in this product comply with the Chemical Control Law and are listed on the Inventory of Existing Chemical Substances China (IECSC).

### **EUROPE**

The substance(s) in this preparation are included in or exempted from the EINECS or ELINCS inventories

#### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Ministry of International Trade & industry List (MITI).

#### KORFA

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

### **PHILIPPINES**

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## 16. OTHER INFORMATION

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

\* The human risk is: Low

\* The environmental risk is: Low

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.



**PRODUCT** 

# COREXIT(R) EC9527A

EMERGENCY TELEPHONE NUMBER(S)

(800) 424-9300 (24 Hours) CHEMTREC

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

### **REFERENCES**

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight™™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPSTMTM CD-ROM Version), Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Ariel Insight™™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPS<sup>TMTM</sup> CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight<sup>™™</sup> (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight<sup>™™</sup> CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

Prepared By: Product Safety Department

Date issued: 10/15/2008 Version Number: 1.7