







Figure H-10. Composite Map of All Risk Factors Combined.

Aleutians Subarea
Potential Places of Refuge – Site Assessment Matrix KEY

PPOR ID#- Vessel Size	Type of berth	Swing Room	Bottom Type	Exposure	Conflicting Uses	Ability to Boom/ GRS	Sensitive Resources	Distance via Water to Population Center	
D = A deep draft vessel that exceed 20,000 Gross Tons, has drafts of 25-60 ft. and range from 450 ft.- 1000 ft. LOA, typical of Tankers/Cruiseships	A= Anchorage	Distance measured to nearest shoal waters or hazard	M= Mud	Exposed to winds/seas from the direction noted	CF=Commercial Fishing	WD=Weather Dependent	E= Threatened or Endangered Species present	SP=Sand Point	
	D/P= Dock or Pier		Rky= Rocky		SF=Sport fishing	Y= Yes	H=Highly Sensitive as designated by the AI Subarea GRS Workgroup	NL=Nelson Lagooni	
LII= A light draft vessels of 10,000 to 19,999 Gross Tons, has drafts up to 25 ft., LOA of up to 450 ft., typical of Ferrys/Trampers	G= Gravel		AQ= Aquaculture		N=No	MESA # = Designated as a "Most Environmentally Sensitive Area" & map number	FP=False Pass		
	CI= Clay		R=Recreational				CB=Cold Bay		
	LI= A light draft vessels of 300 to 10,000 Gross Tons, has drafts up to 25 ft., LOA of up to 450 ft., typical of Ferrys/Trampers		S= Sand				CI=Commercial/Industrial	KC=King Cove	
H= Hard			A= Anchorage				UA=Unalaska		
SH=Shells			S=Subsistence Activities				AN=Akutan		
Vol ash= Volcanic Ash			WV=Wildlife Viewing				NI=Nikolski		
stk=Sticky			H=Hunting				AA=Atka		
S = A shallow draft vessel less than 300 Gross Tons, has a draft less than 15 ft., LOA less than 200 ft., typical of Excursion/Fishing vessels	sft=Soft								AK=Adak
	St=silt								AU= Attu Station
					StP= St. Paul				
		SG= St. George							

Table H-1. Key to Site Assessment Matrix.

PPOR ID# (number size)	Type of berth	Overview Map #	Location Name	Lat.	Lon.	Anchoring SwingRoom or Dock Face(w/ Dolphins) in ft.	Depth MLLW in fathoms (approach)	Max Vessel Depth	Bottom Type	Exposure to	Conflicting uses	Ability to Boom	GRS#	Sensitive Resources	Dist. to Population Center(nm)	Dist. Alt. PPOR
Potential Places of Refuge for DEEP DRAFT large vessel exceeding 20,000 Gross Tons																
01-D	A	1	Stepovak Bay	55° 47.57'N	159° 45.26'W	6000	37	60	M,S	S,SE	CF	N	No	E	42 to SP	42 to 02-D
02-D	A	1	Balboa Bay	55°32.08'N	160°36.75'W	6000	38	60	M,Sh	S,W	CF	N	No	E	15 to SP	42 to 01-D
03-D	A	2	Ikatan Bay	54°46.38'N	163°16.06'W	5400	33	60	S,M	W	CF	WD	No	E	8 to FP	26 to 04-D
04-D	A	2	Otter Cove	54°42.13'N	163°21.48'W	6200	26	60	gy,S	S	CF	WD	No	E	34 to FP	26 to 03-D
05-D	A	2	Slime Bank/Urila Bay Anchorage	54°58.76'N	164°18.12'W	6000	18	60	S,Sh,gy	N,E,W	CF	WD	No	E	44 to FP	105 to 06-D
06-D	M	3	Wide Bay	53°56.94'N	166°36.69'W	900	30	60	S,h,sy	S	CI,R,S	WD	AEB-13	H, MESA 28b, E	4.5 to UAA	1.5 to 07-D
07-D	A	3	Broad Bay	53°55.50'N	166°37.75'W	1800	38	60	M	S,SW	CI,R,S	WD	AEB-13	H, MESA 28b, E	4 to UAA	1.5 to 06-D
08-D	A	4	Summer Bay	53°54.85'N	166°27.42'W	1800	9	50	Rky	N, NW	CI,R,S	WD	AEB-19	H, MESA 28b, E	3 to UA	4 to 10-D
09-D	D/P	4	Dutch Harbor-APL dock	53°53.00'N	166°31.86'W	540 (965)	7.5(7)	40	N/A	None	CI, R	Y	AEB-17	H, MESA 28b, E	0.0 to UA	1.5 to 10-D
10-D	D/P	4	Dutch Harbor-UMC/USCG Wharf Positions #1-7	53°54.12'N	166°31.76'W	1420 ft.	7	24-39	N/A	None	CI, R	Y	AEB-17	H, MESA 28b, E	0.0 to UA	1.5 to 09-D
11-D	A	5	Hot Springs Bay	54°10.84'N	165°51.04'W	3000	25	60	M,S	N, NE	CF,R,S	WD	AEB-04	H, MESA 28b, E	8 to AN	36 to 06-D
12-D	A	5	Makushin Bay	53°45.43'N	166°57.68'W	2800	36	60	hrd, M	W, SW	CF	WD	AEB-09	E	52 to UA	47 to 06-D
13-D	A	5	Inanudak Bay	53°17.68'N	168°25.87'W	6000	32	60	bk, S	NW	CF	WD	AEB-20	E	1 to NI	60 to 15-D
14-D	A	6	Applegate Cove	52°52.24'N	169°53.62'W	4200	34	60	S	N	CF	N	No	MESA 29, E	39 to NI	17 to 15-D
15-D	A	6	South Cove	52°48.28'N	169°51.10'W	3000	44	60	Rky	S	CF	N	No	MESA 29, E	40 to NI	17 to 14-D
16-D	A	6	Nazan Bay-1	52°12.12'N	174°06.35'W	6000	43	60	M,S	E	CF,R,S	N	No	E	3.5 to AA	125 to 15-D
17-D	A	7	Sand Bay	51°58.58'N	176°07.97'W	4200	25	60	S,G,rky	W	CF	WD	No	E	20 to AK	17 to 19-D
18-D	A	7	Kuluk Bay	51°53.10'N	176°34.51'W	6000	40	60	S	E	CF, CI, R	WD	No	E	3 to AK	17 to 18-D
19-D	A	7	North Kanaga Island	51°46.46'N	177°25.05'W	3000	40	60	S	N,W	CF	WD	No	E	50 to AK	47 to 21-D
20-D	A	7	Tanaga Bay	51°44.50'N	178°01.83'W	6000	25	60	G	W	CF	WD	No	E	112 to AK	47 to 20-D
21-D	A	9	Sarna Bay-Attu Island	52°52.84'N	173°21.19'E	6000	34	60	S, hrd	N, E	CF	WD	No	E	16 to AU	26 to 25-D
22-D	A	9	Abraham Bay-Attu Island	52°50.55'N	172°40.89'E	4800	28	60	Rky, G	S,SW	CF	N	No	E	25 to AU	39 to 22-D

Table H-2. Aleutian Subarea Site Assessment Matrix (Page 1 of 4).

PPOR ID# (number size)	Type of berth	Overview Map #	Location Name	Lat.	Lon.	Anchoring SwingRoom or Dock Face(w/ Dolphins) in ft.	Depth MLLW in fathoms (approach)	Max Vessel Depth	Bottom Type	Exposure to	Conflicting uses	Ability to Boom	GRS#	Sensitive Resources	Dist. to Population Center(nm)	Dist. Alt. PPOR
23-D	A	9	Otkriti Bay-Agattu Island	52°21.67'N	173°33.88'E	3600	18	50	S	S,E,W	CF	N	No	MESA 33, E	38 to AU	22 to 25-D
24-D	A	9	Binnacle Bay Agattu Island-	52°30.11'N	173°33.04'E	3000	28	60	Rky	N,W	CF	N	No	MESA 33, E	24 to AU	22 to 24-D
25-D	A	10	North Point- St. Paul	57°14.84'N	170°10.88'W	3600	10	50	S,Rky	N,NE,W	CF,R,S	WD	No	MESA 27, E	18 to SPL	4.5 to 27-D
26-D	A	10	English Bay-St. Paul	57°08.46'N	170°18.74'W	1800	5	30	S,Rky	S	CF, CI, R, S,A	WD	No	MESA 27, E	1 to SPL	1.3 to 30-D
27-D	A	10	Lukanin Bay-St. Paul	57°08.05'N	170°13.58'W	2100	9	25	gn, M,S	NE, E,S	CF, CI, R, S,A	WD	No	MESA 27, E	2 to SPL	6 to 30-D
28-D	A	10	Zolitoi Bay-St Paul	57°07.32'N	170°17.64'W	1200	6	25	S	SE,E	CF, CI, R, S,A	WD	No	MESA 27, E	1 to SPL	1.3 to 28-D
29-D	A	10	Zapadni Bay- St George	56°34.10'N	169°42.40'W	3000	12	25	S	SE	CF, CI, R, S,A	WD	No	MESA 27, E	13 to SG	9 to 34-D
30-D	A	10	North Anchorage-St. George Is	56°37.11'N	169°33.61'W	2400	22	60	blk, S	S,W	CF, CI, R, S,A	WD	No	MESA 27, E	0.5 to SG	1 to 31-D
31-D	A	10	Garden Cove- St.George	56°33.10'N	169°30.83'W	3600	20	60	S	S, E	CF, CI,CF, CI, R, S,A R	WD	No	MESA 27, E	7 to SG	8.5 to 32-D
Potential Places of Refuge for LIGHT DRAFT II vessels 10,000 to 19,999 Gross Tons																
32-LII	A	1	Lefthand Bay-Balboa Bay	55°32.37'N	160°42.80'W	3000	12	40	M,Sh	E	CF	WD	No	E	16 to SP	15 to 33-LII
33-LII	A	1	Popof Strait-Sand Point	55°18.77'N	160°32.88'W	3000	27	40	stk,, S	S, N	CF, CI, R	WD	No	E	.5 to SP	15 to 32-LII
34-LII	A	1	Entrance Point Anchorage-	55°59.42'N	160°37.52'W	2300	8	35	S	N,NE,NW	CI,R,S	WD	No	MESA 25b,E	19 to NL	145 to 05-D
35-LII	D/P	2	Cold Bay Dock	55°12.47'N	162°41.70'W	450	6	32	N/A	E, SE	CF, CI, R	WD	No	MESA 25ab, E	0.0 to CB	1 to 38-LII
36-LII	A	2	Volcano Bay	55°12.84'N	161°59.05'W	3000	40	40	S	S	CF	WD	No		28 to KC	20 to 39-LII
37-LII	A	2	Fox Island Anchorage	54°57.42'N	162°23.96'W	3000	13	30	Sticky	SW	CF	WD	No	MESA 35,E	7 to KC	5 to 39-LII
38-LII	A	2	Cold Bay Anchorage	55°12.74'N	162°40.90'W	3000	13(4.5)	40	S	SE	CF, CI, R	WD	No	MESA 25ab, E	1 to CB	1. to 35-LII
39-LII	A	2	King Cove Anchorage	55°02.27'N	162°19.19'W	1800	15	40	bk, M	S	CF, CI, R	WD	No	H	0.5 to KC	5 to 37-LII
40-LII	A	3	Captain's Bay	53°51.55'N	166°34.64'W	3000	45(14)	60	M	None	CI,R,S	WD	AEB-15,16	H, MESA 28b, E	1 to UAA	.5 to 41-LII
41-LII	M	3	Captain's Bay Moorings (3 possible)	53°50.89'N	166°35.24'W	3000	45(14)	60	N/A	None	CI,R,S	WD	AEB-15,16	H, MESA 28b, E	1 to UAA	.5 to 40-LII
42-LII	D/P	4	Dutch Harbor-Delta Western	53°53.50'N	166°32.06'W	485	7	30	N/A	None	CI, R	WD	No	MESA 28b, E	0.0 to UA	1.3 to 44-LII
43-LII	D/P	4	Magones Marine Services	53°54.30'N	166°31.38'W	625	35	35	N/A	None	CI, R	Y	No	H, MESA 28b	0.0 to UA	.5 to 44-LII
44-LII	D/P	4	Dutch Harbor-Western Pioneer	53°54.58'N	166°30.78'W	565	6	27	N/A	None	CI, R	Y	No	MESA 28b, E	0.0 to UA	0.3 nm to 43-LII

Table H-2. Aleutian Subarea Site Assessment Matrix (Page 2 of 4).

PPOR ID# (number size)	Type of berth	Overview Map #	Location Name	Lat.	Lon.	Anchoring SwingRoom Dock Face(w/ Dolphins) in ft.	Depth MLLW in fathoms (approach)	Max Vessel Depth	Bottom Type	Exposure to	Conflicting uses	Ability to Boom	GRS#	Sensitive Resources	Dist. to Population Center(nm)	Dist. Alt. PPOR
45-LII	A	3	Hog Island Anchorage	53°53.59'N	166°33.59'W	1200	20	30	M	None	CF, CI, R, A	Y	AEB-18	H, MESA 28b, E	0.5 to UA	2.5 nm to 46-LII
46-LII	D/P	3	Captains Bay-N. Pac Fuel	53°51.09'N	166°34.40'W	510	30	36	N/A	N, NW	CI, R	N	AEB-15,16	H, MESA 28b	0.0 to UA	2.5 nm to 45-LII
47-LII	A	5	Akutan Harbor	54°07.74'N	165°44.03'W	2500	31	35	M	E	CF, CI, R, A	WD	AEB-03	H, MESA 28a	4.5 to AN	7 to 12-D
48-LII	A	6	Korovin Bay	52°14.95'N	174°19.14'W	6000	48	60	M	W	CF,R,S	N	No	E	35 toAA	33 to 17-D
49-LII	A	7	Tanga Island-Gusty Bay	51°51.94'N	177°52.31'W	3600	40	60	Rky	N, NE	CF	N	No	E	98 TO AK	53 to 20-D
50-LII	D/P	7	Adak Fuel Pier 10	51°51.24'N	176°39.16'W	280 (760)	5	25	N/A	E	CF, CI, R	WD	No	E	0.0 TO AK	0.5 to 53-LII
51-LII	D/P	7	Adak Supply Pier #5	51°51.67'N	176°38.25'W	600	5	27	N/A	None	CF, CI, R	WD	No	E	0.5 TO AK	0.1 to 54-LII
52-LII	D/P	7	Adak Berthing Pier #3	51°51.68'N	176°38.06'W	500	5	25	N/A	None	CF, CI, R	WD	No	E	0.5 TO AK	0.1 to 53-LII
53-LII	A	9	Holtz Bay-Attu Island	52°57.36'N	173°12.38'E	6000	32	60	S	N,NE	CF	WD	No	E	23 to AU	34 to 56-LII
54-LII	D/P	9	Alcan Harbor-Shemya Island	52°44.05'N	174°04.36'E	250	5	25	N/A	NE	CF	WD	No	E	33 to AU	34 to 55-LII
Potential Places of Refuge for LIGHT DRAFT I vessels 300 to 9,999 Gross Tons																
55-LI	D/P	1	Sand Point Dock	55°19.93'N	160°30.06'W	350	5	30	N/A	S	CF, CI, R	WD	No	MESA 25b,E	0.0 to SP	2 to 32-LII
56-LI	D/P	2	King Cove City Dock	55°03.38'N	162°19.36'W	150(330)	5	27	N/A	S	CF, CI, R	WD	No	H	0.0 to KC	1 to 57-LI
57-LI	D/P	2	King Cove Cannery Dock	55°03.57'N	162°19.14'W	400	5	29	N/A	S	CI, R	WD	No	H	0.0 to KC	1 to 56-LI
58-LI	D/P	2	False Pass Ferry Dock	54°51.34'N	163°24.37'W	175	4.5	20	N/A	SE,NE	CI	WD	No	H	0.0 to FP	7 to 03-D
59-LI	M	4	Dutch Harbor Mooring Bouys	53°53.94'N	166°31.28'W	800	17	35	N/A	None	CI, R	Y	No	MESA 28b, E	0.0 to UA	0.2 to 62-LI
60-LI	D/P	4	Dutch Harbor-W.P. Aux. Dock	53°54.67'N	166°30.65'W	350	7	29	N/A	None	CI, R	Y	No	MESA 28b, E	0.0 to UA	0.3 to 62-LI
61-LI	D/P	4	Light Cargo Dock	53°54.28'N	166°30.73'W	190 (370)	5	25	N/A	None	CI, R	Y	No	H, MESA 28b	0.0 to UA	.5 to 59-LI
62-LI	M	4	Iliuliuk Bay Mooring	53°52.76'N	166°31.84'W	1200	6	25	N/A	N	CF, CI, R, A	N	No	H, MESA 28b	0.25 to UA	.3 to 63-LI
63-LI	A	4	Iliuliuk Bay Anchorage	53°52.77'N	166°33.05'W	1200	15	30	Silt	N	CF, CI, R, A	N	No	H, MESA 28b	0.25 to UA	.3 to 62-LI
64-LI	D/P	4	Iliuliuk Harbor Docks	53°52.77'N	166°33.05'W	540	4(3.75)	24	N/A	None	CI, R	Y	AEB-19	H, MESA 28b, E	0.5 to UA	.75 to 62-LI
65-L I	D/P	3	Westword Seafood Dock Captains Bay	53°51.49'N	166°33.22'W	800	4	20	N/A	None	CI, R	WD	AEB-15,16	H, MESA 28b, E	0.0 to UA	1.5 to 66-LI
66-LI	D/P	3	OSI Facility	53°50.42'N	166°34.91'W	450	5	26	N/A	None	CI, R	WD	AEB-15,16	H, MESA 28b, E	0.0 to UA	1.5 to 65-LI

Table H-2. Aleutian Subarea Site Assessment Matrix (Page 3 of 4).

PPOR ID# (number size)	Type of berth	Overview Map #	Location Name	Lat.	Lon.	Anchoring SwingRoom or Dock Face(w/ Dolphins) in ft.	Depth MLLW in fathoms (approach)	Max Vessel Depth	Bottom Type	Exposure to	Conflicting uses	Ability to Boom	GRS#	Sensitive Resources	Dist. to Population Center(nm)	Dist. Alt. PPOR
67-LI	D/P	5	Akutan City Dock	54°07.99'N	165°46.70'W	350	5	28	N/A	E	CF, CI, R	WD	AEB-03	H, MESA 28a	0.0 AN	.5 66-L I
68-LI	D/P	5	Akutan Cannery	54°08.00'N	165°46.43'W	450	5	25	N/A	E	CF, CI, R	WD	AEB-03	H, MESA 28a	0.0 AN	.5 to 65-LI
69-LI	A	5	Lost Harbor	54°13.55'N	165°36.78'W	1200	6	25	M,S	W	CF	WD	EB-02, AEB-0	H, MESA 28a	4.5 to AN	7.5 to 65-LI
70-LI	A	6	Nazan Bay-2	52°12.73'N	174°10.47'W	5600	28	60	M	E	CF, CI, R	N	No	E	1 to AA	1 to 69 LI
71-LI	D/P	6	Atka	52°13.88'N	174°10.51'W	100	6	25	N/A	SE	CF, CI, R	N	No	E	1.5 to AA	1 to 68 LI
72-LI	A	7	Tanga Island-Hotsprings Bay	51°46.94'N	177°45.85'W	2800	21	40	Rky	S,NE	CF	N	No	E	96 TO AK	22 TO 51-LII
73-LI	D	8	Constantine Harbor	51°23.75'N	179°16.95'E	1800	16	40	M,S	N	A	WD	No	E	178 to AK	75 to 72-LI
74-LI	A	8	Kiska Harbor	51°57.84'N	177°34.11'E	2400	14	40	Rky	E	CF	WD	No	MESA 31, E	230 to AK	75 to 71-LI
An incomplete list of Potential Places of Refuge for SHALLOW DRAFT small sized vessel less than 300 Gross Tons																
75-S	D/P	1	Port Moller	55°59.28'N	160°34.50'W	300	3	12	N/A	SW	CF, CI, R	WD	No	MESA 25b,E	20 to NL	19 to 76-S
76-S	D/P	1	Nelson Lagoon	56°00.23'N	161°09.49'W	200	2	10	N/A	None	CF, CI, R	Y	AEA-01	H,MESA 25b,E	0.0 to NL	19 to 75-S
77-S	A	5	Anderson Bay	53°40.03'N	166°50.61'W	2800	67	25	M	None	CF	WD	AEB-10	E	53 to UA	43 to 77-S
78-S	A	5	Chernofsky Harbor	53°23.92'N	167°30.89'W	1200	13	25	M	None	CF	WD	No	E	73 to UA	43 to 76-S
79-S	D/P	10	Village Cove Harbor-St Paul	57°07.63'N	170°16.95'W	200	3	12	N/A	None	CF, CI	Y	No	MESA 27, E	4.5 to SPL	40 to 79-S
80-S	D/P	10	St. George Harbor	56°34.21'N	169°39.92'W	100	3	12	N/A	None	CF, CI	Y	No	MESA 27, E	14 to SG	40 to 78-S

Table H-2. Aleutian Subarea Site Assessment Matrix (Page 4 of 4).