

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Sacramento
880 Riverside Parkway
West Sacramento, CA 95605
Tel: (916)373-5600

TestAmerica Job ID: 320-44245-1
Client Project/Site: 2018 PFAS Phase 2

For:
Shannon & Wilson, Inc
2355 Hill Rd.
Fairbanks, Alaska 99709-5244

Attn: Sheila Hinkley



Authorized for release by:
11/2/2018 10:32:00 AM

David Alltucker, Project Manager I
(916)374-4383
david.alltucker@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Isotope Dilution Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Method Summary	19
Sample Summary	20
Chain of Custody	21
Receipt Checklists	22

Definitions/Glossary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Job ID: 320-44245-1

Laboratory: TestAmerica Sacramento

Narrative

Job Narrative
320-44245-1

Receipt

The samples were received on 10/16/2018 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.4° C.

LCMS

Method(s) 537 (modified): Isotope Dilution Analyte (IDA) recovery is above the method recommended limit for M2-6:2 FTS in the following instrument blank: (ICB 320-255020/9). All of the subsequent calibration verification samples were in control for this IDA. Quantitation by isotope dilution generally precludes any adverse effect on data quality due to elevated IDA recoveries.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method(s) 3535: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 320-254847.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: KL01-2018 PFAS

Lab Sample ID: 320-44245-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid (PFHxA)	27		1.8	0.53	ng/L	1		537 (modified)	Total/NA
Perfluoroheptanoic acid (PFHpA)	19		1.8	0.23	ng/L	1		537 (modified)	Total/NA
Perfluorooctanoic acid (PFOA)	17		1.8	0.77	ng/L	1		537 (modified)	Total/NA
Perfluorononanoic acid (PFNA)	47		1.8	0.25	ng/L	1		537 (modified)	Total/NA
Perfluorodecanoic acid (PFDA)	0.46	J	1.8	0.28	ng/L	1		537 (modified)	Total/NA
Perfluorobutanesulfonic acid (PFBS)	1.9		1.8	0.18	ng/L	1		537 (modified)	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	15	B	1.8	0.15	ng/L	1		537 (modified)	Total/NA
Perfluorooctanesulfonic acid (PFOS)	24		1.8	0.49	ng/L	1		537 (modified)	Total/NA

Client Sample ID: KL101-2018 PFAS

Lab Sample ID: 320-44245-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid (PFHxA)	26		1.9	0.54	ng/L	1		537 (modified)	Total/NA
Perfluoroheptanoic acid (PFHpA)	16		1.9	0.23	ng/L	1		537 (modified)	Total/NA
Perfluorooctanoic acid (PFOA)	16		1.9	0.79	ng/L	1		537 (modified)	Total/NA
Perfluorononanoic acid (PFNA)	50		1.9	0.25	ng/L	1		537 (modified)	Total/NA
Perfluorodecanoic acid (PFDA)	0.44	J	1.9	0.29	ng/L	1		537 (modified)	Total/NA
Perfluorobutanesulfonic acid (PFBS)	2.0		1.9	0.19	ng/L	1		537 (modified)	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	14	B	1.9	0.16	ng/L	1		537 (modified)	Total/NA
Perfluorooctanesulfonic acid (PFOS)	24		1.9	0.50	ng/L	1		537 (modified)	Total/NA

Client Sample ID: BS Upstream-2018PFAS

Lab Sample ID: 320-44245-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid (PFHxA)	0.73	J	1.8	0.51	ng/L	1		537 (modified)	Total/NA
Perfluoroheptanoic acid (PFHpA)	0.28	J	1.8	0.22	ng/L	1		537 (modified)	Total/NA
Perfluorooctanoic acid (PFOA)	1.8		1.8	0.75	ng/L	1		537 (modified)	Total/NA
Perfluorononanoic acid (PFNA)	0.28	J	1.8	0.24	ng/L	1		537 (modified)	Total/NA
Perfluorobutanesulfonic acid (PFBS)	0.95	J	1.8	0.18	ng/L	1		537 (modified)	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.6	B	1.8	0.15	ng/L	1		537 (modified)	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.4		1.8	0.48	ng/L	1		537 (modified)	Total/NA

Client Sample ID: BS Midstream-2018PFAS

Lab Sample ID: 320-44245-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid (PFHxA)	0.64	J	1.7	0.50	ng/L	1		537 (modified)	Total/NA
Perfluoroheptanoic acid (PFHpA)	0.37	J	1.7	0.22	ng/L	1		537 (modified)	Total/NA
Perfluorooctanoic acid (PFOA)	1.8		1.7	0.74	ng/L	1		537 (modified)	Total/NA
Perfluorononanoic acid (PFNA)	0.35	J	1.7	0.23	ng/L	1		537 (modified)	Total/NA
Perfluorobutanesulfonic acid (PFBS)	0.77	J	1.7	0.17	ng/L	1		537 (modified)	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.0	B	1.7	0.15	ng/L	1		537 (modified)	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.0		1.7	0.47	ng/L	1		537 (modified)	Total/NA

Client Sample ID: BS Downstream-2018PFAS

Lab Sample ID: 320-44245-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanoic acid (PFHxA)	2.8		1.8	0.51	ng/L	1		537 (modified)	Total/NA
Perfluoroheptanoic acid (PFHpA)	1.7	J	1.8	0.22	ng/L	1		537 (modified)	Total/NA
Perfluorooctanoic acid (PFOA)	2.7		1.8	0.75	ng/L	1		537 (modified)	Total/NA
Perfluorononanoic acid (PFNA)	5.0		1.8	0.24	ng/L	1		537 (modified)	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Detection Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: BS Downstream-2018PFAS (Continued)

Lab Sample ID: 320-44245-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanesulfonic acid (PFBS)	0.90	J	1.8	0.18	ng/L	1		537 (modified)	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.6	B	1.8	0.15	ng/L	1		537 (modified)	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.0		1.8	0.48	ng/L	1		537 (modified)	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Sacramento

Client Sample Results

Client: Shannon & Wilson, Inc
 Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: KL01-2018 PFAS

Lab Sample ID: 320-44245-1

Date Collected: 10/12/18 13:54

Matrix: Water

Date Received: 10/16/18 10:15

Method: 537 (modified) - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	27		1.8	0.53	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluoroheptanoic acid (PFHpA)	19		1.8	0.23	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorooctanoic acid (PFOA)	17		1.8	0.77	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorononanoic acid (PFNA)	47		1.8	0.25	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorodecanoic acid (PFDA)	0.46	J	1.8	0.28	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluoroundecanoic acid (PFUnA)	ND		1.8	1.0	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorododecanoic acid (PFDoA)	ND		1.8	0.50	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorotridecanoic acid (PFTriA)	ND		1.8	1.2	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorotetradecanoic acid (PFTeA)	ND		1.8	0.26	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorobutanesulfonic acid (PFBS)	1.9		1.8	0.18	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorohexanesulfonic acid (PFHxS)	15	B	1.8	0.15	ng/L		10/25/18 11:18	10/26/18 15:30	1
Perfluorooctanesulfonic acid (PFOS)	24		1.8	0.49	ng/L		10/25/18 11:18	10/26/18 15:30	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C5 PFPeA	75		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C2 PFHxA	87		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C4 PFHpA	84		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C4 PFOA	86		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C5 PFNA	92		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C2 PFDA	84		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C2 PFUnA	84		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C2 PFDoA	81		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C2 PFTeDA	84		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C3 PFBS	81		25 - 150				10/25/18 11:18	10/26/18 15:30	1
18O2 PFHxS	85		25 - 150				10/25/18 11:18	10/26/18 15:30	1
13C4 PFOS	85		25 - 150				10/25/18 11:18	10/26/18 15:30	1

Client Sample Results

Client: Shannon & Wilson, Inc
 Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: KL101-2018 PFAS

Lab Sample ID: 320-44245-2

Date Collected: 10/12/18 13:44

Matrix: Water

Date Received: 10/16/18 10:15

Method: 537 (modified) - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	26		1.9	0.54	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluoroheptanoic acid (PFHpA)	16		1.9	0.23	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorooctanoic acid (PFOA)	16		1.9	0.79	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorononanoic acid (PFNA)	50		1.9	0.25	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorodecanoic acid (PFDA)	0.44	J	1.9	0.29	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluoroundecanoic acid (PFUnA)	ND		1.9	1.0	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorododecanoic acid (PFDoA)	ND		1.9	0.51	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorotridecanoic acid (PFTriA)	ND		1.9	1.2	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorotetradecanoic acid (PFTeA)	ND		1.9	0.27	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorobutanesulfonic acid (PFBS)	2.0		1.9	0.19	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorohexanesulfonic acid (PFHxS)	14	B	1.9	0.16	ng/L		10/25/18 11:18	10/26/18 15:38	1
Perfluorooctanesulfonic acid (PFOS)	24		1.9	0.50	ng/L		10/25/18 11:18	10/26/18 15:38	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C5 PFPeA	73		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C2 PFHxA	87		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C4 PFHpA	85		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C4 PFOA	85		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C5 PFNA	89		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C2 PFDA	82		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C2 PFUnA	83		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C2 PFDoA	79		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C2 PFTeDA	80		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C3 PFBS	77		25 - 150				10/25/18 11:18	10/26/18 15:38	1
18O2 PFHxS	84		25 - 150				10/25/18 11:18	10/26/18 15:38	1
13C4 PFOS	85		25 - 150				10/25/18 11:18	10/26/18 15:38	1

Client Sample Results

Client: Shannon & Wilson, Inc
 Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: BS Upstream-2018PFAS

Lab Sample ID: 320-44245-3

Date Collected: 10/12/18 14:46

Matrix: Water

Date Received: 10/16/18 10:15

Method: 537 (modified) - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	0.73	J	1.8	0.51	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluoroheptanoic acid (PFHpA)	0.28	J	1.8	0.22	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorooctanoic acid (PFOA)	1.8		1.8	0.75	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorononanoic acid (PFNA)	0.28	J	1.8	0.24	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorodecanoic acid (PFDA)	ND		1.8	0.27	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluoroundecanoic acid (PFUnA)	ND		1.8	0.97	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorododecanoic acid (PFDoA)	ND		1.8	0.48	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorotridecanoic acid (PFTriA)	ND		1.8	1.1	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorotetradecanoic acid (PFTeA)	ND		1.8	0.26	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorobutanesulfonic acid (PFBS)	0.95	J	1.8	0.18	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorohexanesulfonic acid (PFHxS)	4.6	B	1.8	0.15	ng/L		10/25/18 11:18	10/26/18 15:45	1
Perfluorooctanesulfonic acid (PFOS)	2.4		1.8	0.48	ng/L		10/25/18 11:18	10/26/18 15:45	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C5 PFPeA	80		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C2 PFHxA	89		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C4 PFHpA	91		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C4 PFOA	89		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C5 PFNA	94		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C2 PFDA	90		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C2 PFUnA	85		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C2 PFDoA	85		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C2 PFTeDA	81		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C3 PFBS	77		25 - 150	10/25/18 11:18	10/26/18 15:45	1
18O2 PFHxS	85		25 - 150	10/25/18 11:18	10/26/18 15:45	1
13C4 PFOS	91		25 - 150	10/25/18 11:18	10/26/18 15:45	1

Client Sample Results

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: BS Midstream-2018PFAS

Lab Sample ID: 320-44245-4

Date Collected: 10/12/18 15:10

Matrix: Water

Date Received: 10/16/18 10:15

Method: 537 (modified) - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	0.64	J	1.7	0.50	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluoroheptanoic acid (PFHpA)	0.37	J	1.7	0.22	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorooctanoic acid (PFOA)	1.8		1.7	0.74	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorononanoic acid (PFNA)	0.35	J	1.7	0.23	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorodecanoic acid (PFDA)	ND		1.7	0.27	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluoroundecanoic acid (PFUnA)	ND		1.7	0.96	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorododecanoic acid (PFDoA)	ND		1.7	0.48	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorotridecanoic acid (PFTriA)	ND		1.7	1.1	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorotetradecanoic acid (PFTeA)	ND		1.7	0.25	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorobutanesulfonic acid (PFBS)	0.77	J	1.7	0.17	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorohexanesulfonic acid (PFHxS)	4.0	B	1.7	0.15	ng/L		10/25/18 11:18	10/26/18 15:53	1
Perfluorooctanesulfonic acid (PFOS)	2.0		1.7	0.47	ng/L		10/25/18 11:18	10/26/18 15:53	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C5 PFPeA	79		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C2 PFHxA	85		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C4 PFHpA	85		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C4 PFOA	89		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C5 PFNA	87		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C2 PFDA	81		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C2 PFUnA	83		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C2 PFDoA	88		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C2 PFTeDA	89		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C3 PFBS	86		25 - 150				10/25/18 11:18	10/26/18 15:53	1
18O2 PFHxS	85		25 - 150				10/25/18 11:18	10/26/18 15:53	1
13C4 PFOS	90		25 - 150				10/25/18 11:18	10/26/18 15:53	1

Client Sample Results

Client: Shannon & Wilson, Inc
 Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: BS Downstream-2018PFAS

Lab Sample ID: 320-44245-5

Date Collected: 10/12/18 15:30

Matrix: Water

Date Received: 10/16/18 10:15

Method: 537 (modified) - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	2.8		1.8	0.51	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluoroheptanoic acid (PFHpA)	1.7	J	1.8	0.22	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorooctanoic acid (PFOA)	2.7		1.8	0.75	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorononanoic acid (PFNA)	5.0		1.8	0.24	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorodecanoic acid (PFDA)	ND		1.8	0.28	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluoroundecanoic acid (PFUnA)	ND		1.8	0.98	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorododecanoic acid (PFDoA)	ND		1.8	0.49	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorotridecanoic acid (PFTriA)	ND		1.8	1.2	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorotetradecanoic acid (PFTeA)	ND		1.8	0.26	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorobutanesulfonic acid (PFBS)	0.90	J	1.8	0.18	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorohexanesulfonic acid (PFHxS)	4.6	B	1.8	0.15	ng/L		10/25/18 11:18	10/26/18 16:00	1
Perfluorooctanesulfonic acid (PFOS)	3.0		1.8	0.48	ng/L		10/25/18 11:18	10/26/18 16:00	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C5 PFPeA	76		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C2 PFHxA	86		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C4 PFHpA	87		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C4 PFOA	82		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C5 PFNA	88		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C2 PFDA	90		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C2 PFUnA	81		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C2 PFDoA	81		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C2 PFTeDA	83		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C3 PFBS	78		25 - 150	10/25/18 11:18	10/26/18 16:00	1
18O2 PFHxS	82		25 - 150	10/25/18 11:18	10/26/18 16:00	1
13C4 PFOS	90		25 - 150	10/25/18 11:18	10/26/18 16:00	1

Isotope Dilution Summary

Client: Shannon & Wilson, Inc
 Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Method: 537 (modified) - Fluorinated Alkyl Substances

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFPeA (25-150)	PFHxA (25-150)	PFHpA (25-150)	PFOA (25-150)	PFNA (25-150)	PFDA (25-150)	PFUnA (25-150)	PFDaA (25-150)
320-44245-1	KL01-2018 PFAS	75	87	84	86	92	84	84	81
320-44245-2	KL101-2018 PFAS	73	87	85	85	89	82	83	79
320-44245-3	BS Upstream-2018PFAS	80	89	91	89	94	90	85	85
320-44245-4	BS Midstream-2018PFAS	79	85	85	89	87	81	83	88
320-44245-5	BS Downstream-2018PFAS	76	86	87	82	88	90	81	81
LCS 320-254847/2-A	Lab Control Sample	95	94	100	96	103	100	98	97
LCSD 320-254847/3-A	Lab Control Sample Dup	82	83	81	85	88	80	89	85
MB 320-254847/1-A	Method Blank	88	88	96	94	95	91	94	90

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFTDA (25-150)	3C3-PFBs (25-150)	PFHxS (25-150)	PFOS (25-150)
320-44245-1	KL01-2018 PFAS	84	81	85	85
320-44245-2	KL101-2018 PFAS	80	77	84	85
320-44245-3	BS Upstream-2018PFAS	81	77	85	91
320-44245-4	BS Midstream-2018PFAS	89	86	85	90
320-44245-5	BS Downstream-2018PFAS	83	78	82	90
LCS 320-254847/2-A	Lab Control Sample	98	88	89	100
LCSD 320-254847/3-A	Lab Control Sample Dup	85	77	77	85
MB 320-254847/1-A	Method Blank	92	82	86	95

Surrogate Legend

- PFPeA = 13C5 PFPeA
- PFHxA = 13C2 PFHxA
- PFHpA = 13C4 PFHpA
- PFOA = 13C4 PFOA
- PFNA = 13C5 PFNA
- PFDA = 13C2 PFDA
- PFUnA = 13C2 PFUnA
- PFDaA = 13C2 PFDaA
- PFTDA = 13C2 PFTeDA
- 13C3-PFBs = 13C3 PFBS
- PFHxS = 18O2 PFHxS
- PFOS = 13C4 PFOS

QC Sample Results

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Method: 537 (modified) - Fluorinated Alkyl Substances

Lab Sample ID: MB 320-254847/1-A

Matrix: Water

Analysis Batch: 255147

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 254847

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid (PFHxA)	ND		2.0	0.58	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluoroheptanoic acid (PFHpA)	ND		2.0	0.25	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorooctanoic acid (PFOA)	ND		2.0	0.85	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorononanoic acid (PFNA)	ND		2.0	0.27	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorodecanoic acid (PFDA)	ND		2.0	0.31	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluoroundecanoic acid (PFUnA)	ND		2.0	1.1	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorododecanoic acid (PFDoA)	ND		2.0	0.55	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorotridecanoic acid (PFTriA)	ND		2.0	1.3	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorotetradecanoic acid (PFTeA)	ND		2.0	0.29	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	0.20	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorohexanesulfonic acid (PFHxS)	0.373	J	2.0	0.17	ng/L		10/25/18 11:18	10/26/18 15:08	1
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	0.54	ng/L		10/25/18 11:18	10/26/18 15:08	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C5 PFPeA	88		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C2 PFHxA	88		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C4 PFHpA	96		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C4 PFOA	94		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C5 PFNA	95		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C2 PFDA	91		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C2 PFUnA	94		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C2 PFDoA	90		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C2 PFTeDA	92		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C3 PFBS	82		25 - 150	10/25/18 11:18	10/26/18 15:08	1
18O2 PFHxS	86		25 - 150	10/25/18 11:18	10/26/18 15:08	1
13C4 PFOS	95		25 - 150	10/25/18 11:18	10/26/18 15:08	1

Lab Sample ID: LCS 320-254847/2-A

Matrix: Water

Analysis Batch: 255147

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 254847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluorohexanoic acid (PFHxA)	40.0	39.0		ng/L		98	66 - 126
Perfluoroheptanoic acid (PFHpA)	40.0	40.7		ng/L		102	66 - 126
Perfluorooctanoic acid (PFOA)	40.0	40.7		ng/L		102	64 - 124
Perfluorononanoic acid (PFNA)	40.0	40.6		ng/L		101	68 - 128
Perfluorodecanoic acid (PFDA)	40.0	38.8		ng/L		97	69 - 129
Perfluoroundecanoic acid (PFUnA)	40.0	40.2		ng/L		100	60 - 120
Perfluorododecanoic acid (PFDoA)	40.0	42.0		ng/L		105	71 - 131
Perfluorotridecanoic acid (PFTriA)	40.0	39.6		ng/L		99	72 - 132
Perfluorotetradecanoic acid (PFTeA)	40.0	37.9		ng/L		95	68 - 128
Perfluorobutanesulfonic acid (PFBS)	35.4	36.2		ng/L		102	73 - 133
Perfluorohexanesulfonic acid (PFHxS)	36.4	34.7		ng/L		95	63 - 123

TestAmerica Sacramento

QC Sample Results

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Method: 537 (modified) - Fluorinated Alkyl Substances (Continued)

Lab Sample ID: LCS 320-254847/2-A

Matrix: Water

Analysis Batch: 255147

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 254847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Perfluorooctanesulfonic acid (PFOS)	37.1	33.8		ng/L		91	67 - 127

Isotope Dilution	LCS		Limits
	%Recovery	Qualifier	
13C5 PFPeA	95		25 - 150
13C2 PFHxA	94		25 - 150
13C4 PFHpA	100		25 - 150
13C4 PFOA	96		25 - 150
13C5 PFNA	103		25 - 150
13C2 PFDA	100		25 - 150
13C2 PFUnA	98		25 - 150
13C2 PFDoA	97		25 - 150
13C2 PFTeDA	98		25 - 150
13C3 PFBS	88		25 - 150
18O2 PFHxS	89		25 - 150
13C4 PFOS	100		25 - 150

Lab Sample ID: LCSD 320-254847/3-A

Matrix: Water

Analysis Batch: 255147

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 254847

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Perfluorohexanoic acid (PFHxA)	40.0	38.2		ng/L		95	66 - 126	2	30
Perfluoroheptanoic acid (PFHpA)	40.0	40.0		ng/L		100	66 - 126	2	30
Perfluorooctanoic acid (PFOA)	40.0	41.4		ng/L		103	64 - 124	2	30
Perfluorononanoic acid (PFNA)	40.0	41.5		ng/L		104	68 - 128	2	30
Perfluorodecanoic acid (PFDA)	40.0	40.1		ng/L		100	69 - 129	3	30
Perfluoroundecanoic acid (PFUnA)	40.0	38.5		ng/L		96	60 - 120	4	30
Perfluorododecanoic acid (PFDoA)	40.0	39.8		ng/L		99	71 - 131	5	30
Perfluorotridecanoic acid (PFTriA)	40.0	38.5		ng/L		96	72 - 132	3	30
Perfluorotetradecanoic acid (PFTeA)	40.0	37.5		ng/L		94	68 - 128	1	30
Perfluorobutanesulfonic acid (PFBS)	35.4	34.8		ng/L		98	73 - 133	4	30
Perfluorohexanesulfonic acid (PFHxS)	36.4	35.2		ng/L		97	63 - 123	1	30
Perfluorooctanesulfonic acid (PFOS)	37.1	33.2		ng/L		89	67 - 127	2	30

Isotope Dilution	LCSD		Limits
	%Recovery	Qualifier	
13C5 PFPeA	82		25 - 150
13C2 PFHxA	83		25 - 150
13C4 PFHpA	81		25 - 150
13C4 PFOA	85		25 - 150
13C5 PFNA	88		25 - 150
13C2 PFDA	80		25 - 150
13C2 PFUnA	89		25 - 150

TestAmerica Sacramento

QC Sample Results

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Method: 537 (modified) - Fluorinated Alkyl Substances (Continued)

Lab Sample ID: LCSD 320-254847/3-A

Matrix: Water

Analysis Batch: 255147

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 254847

<i>Isotope Dilution</i>	<i>LCSD</i>		<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
13C2 PFDoA	85		25 - 150
13C2 PFTeDA	85		25 - 150
13C3 PFBS	77		25 - 150
18O2 PFHxS	77		25 - 150
13C4 PFOS	85		25 - 150

QC Association Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

LCMS

Prep Batch: 254847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-44245-1	KL01-2018 PFAS	Total/NA	Water	3535	
320-44245-2	KL101-2018 PFAS	Total/NA	Water	3535	
320-44245-3	BS Upstream-2018PFAS	Total/NA	Water	3535	
320-44245-4	BS Midstream-2018PFAS	Total/NA	Water	3535	
320-44245-5	BS Downstream-2018PFAS	Total/NA	Water	3535	
MB 320-254847/1-A	Method Blank	Total/NA	Water	3535	
LCS 320-254847/2-A	Lab Control Sample	Total/NA	Water	3535	
LCSD 320-254847/3-A	Lab Control Sample Dup	Total/NA	Water	3535	

Analysis Batch: 255147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
320-44245-1	KL01-2018 PFAS	Total/NA	Water	537 (modified)	254847
320-44245-2	KL101-2018 PFAS	Total/NA	Water	537 (modified)	254847
320-44245-3	BS Upstream-2018PFAS	Total/NA	Water	537 (modified)	254847
320-44245-4	BS Midstream-2018PFAS	Total/NA	Water	537 (modified)	254847
320-44245-5	BS Downstream-2018PFAS	Total/NA	Water	537 (modified)	254847
MB 320-254847/1-A	Method Blank	Total/NA	Water	537 (modified)	254847
LCS 320-254847/2-A	Lab Control Sample	Total/NA	Water	537 (modified)	254847
LCSD 320-254847/3-A	Lab Control Sample Dup	Total/NA	Water	537 (modified)	254847

Lab Chronicle

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Client Sample ID: KL01-2018 PFAS

Date Collected: 10/12/18 13:54

Date Received: 10/16/18 10:15

Lab Sample ID: 320-44245-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3535			274.4 mL	10.00 mL	254847	10/25/18 11:18	TWL	TAL SAC
Total/NA	Analysis	537 (modified)		1			255147	10/26/18 15:30	D1R	TAL SAC

Client Sample ID: KL101-2018 PFAS

Date Collected: 10/12/18 13:44

Date Received: 10/16/18 10:15

Lab Sample ID: 320-44245-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3535			268.4 mL	10.00 mL	254847	10/25/18 11:18	TWL	TAL SAC
Total/NA	Analysis	537 (modified)		1			255147	10/26/18 15:38	D1R	TAL SAC

Client Sample ID: BS Upstream-2018PFAS

Date Collected: 10/12/18 14:46

Date Received: 10/16/18 10:15

Lab Sample ID: 320-44245-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3535			283.7 mL	10.00 mL	254847	10/25/18 11:18	TWL	TAL SAC
Total/NA	Analysis	537 (modified)		1			255147	10/26/18 15:45	D1R	TAL SAC

Client Sample ID: BS Midstream-2018PFAS

Date Collected: 10/12/18 15:10

Date Received: 10/16/18 10:15

Lab Sample ID: 320-44245-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3535			287.7 mL	10.00 mL	254847	10/25/18 11:18	TWL	TAL SAC
Total/NA	Analysis	537 (modified)		1			255147	10/26/18 15:53	D1R	TAL SAC

Client Sample ID: BS Downstream-2018PFAS

Date Collected: 10/12/18 15:30

Date Received: 10/16/18 10:15

Lab Sample ID: 320-44245-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3535			281.8 mL	10.00 mL	254847	10/25/18 11:18	TWL	TAL SAC
Total/NA	Analysis	537 (modified)		1			255147	10/26/18 16:00	D1R	TAL SAC

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600

Accreditation/Certification Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Laboratory: TestAmerica Sacramento

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska (UST)	State Program	10	17-020	01-20-21
ANAB	DoD ELAP		L2468	01-20-21
Arizona	State Program	9	AZ0708	08-11-19
Arkansas DEQ	State Program	6	88-0691	06-17-19
California	State Program	9	2897	01-31-19
Colorado	State Program	8	CA00044	08-31-19
Connecticut	State Program	1	PH-0691	06-30-19
Florida	NELAP	4	E87570	06-30-19
Georgia	State Program	4	N/A	01-28-19
Hawaii	State Program	9	N/A	01-29-19
Illinois	NELAP	5	200060	03-17-19
Kansas	NELAP	7	E-10375	10-31-18 *
Louisiana	NELAP	6	30612	06-30-19
Maine	State Program	1	CA0004	04-14-20
Michigan	State Program	5	9947	01-31-20
Nevada	State Program	9	CA00044	07-31-19
New Hampshire	NELAP	1	2997	04-18-19
New Jersey	NELAP	2	CA005	06-30-19
New York	NELAP	2	11666	03-31-19
Oregon	NELAP	10	4040	01-29-19
Pennsylvania	NELAP	3	68-01272	03-31-19
Texas	NELAP	6	T104704399	05-31-19
US Fish & Wildlife	Federal		LE148388-0	07-31-19
USDA	Federal		P330-18-00239	01-17-21
USEPA UCMR	Federal	1	CA00044	12-31-20
Utah	NELAP	8	CA00044	02-28-19
Vermont	State Program	1	VT-4040	04-30-19
Virginia	NELAP	3	460278	03-14-19
Washington	State Program	10	C581	05-05-19
West Virginia (DW)	State Program	3	9930C	12-31-18
Wyoming	State Program	8	8TMS-L	01-28-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Sacramento

Method Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Method	Method Description	Protocol	Laboratory
537 (modified)	Fluorinated Alkyl Substances	EPA	TAL SAC
3535	Solid-Phase Extraction (SPE)	SW846	TAL SAC

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAC = TestAmerica Sacramento, 880 Riverside Parkway, West Sacramento, CA 95605, TEL (916)373-5600



Sample Summary

Client: Shannon & Wilson, Inc
Project/Site: 2018 PFAS Phase 2

TestAmerica Job ID: 320-44245-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
320-44245-1	KL01-2018 PFAS	Water	10/12/18 13:54	10/16/18 10:15
320-44245-2	KL101-2018 PFAS	Water	10/12/18 13:44	10/16/18 10:15
320-44245-3	BS Upstream-2018PFAS	Water	10/12/18 14:46	10/16/18 10:15
320-44245-4	BS Midstream-2018PFAS	Water	10/12/18 15:10	10/16/18 10:15
320-44245-5	BS Downstream-2018PFAS	Water	10/12/18 15:30	10/16/18 10:15



CHAIN-OF-CUSTODY RECORD

Analytical Methods (include preservative if used)

Turn Around Time:
 Normal Rush
 Please Specify

Quote No:
J-Flags: Yes No

PFAS EPA 537
 12-analytes

Total Number of Containers

Sample Identity	Lab No.	Time	Date Sampled	Analytical Methods					Total Number of Containers	Remarks/Matrix Composition/Grab? Sample Containers
KL01-2018 PFAS		13:54	10/12/18	2					2	Surface Water
KL101-2018 PFAS		13:44	↓	2					2	
BS Upstream-2018 PFAS		14:46	↓	2					2	
BS Midstream-2018 PFAS		15:10	↓	2					2	
BS Downstream-2018 PFAS		15:30	↓	2					2	



320-44245 Chain of Custody

Project Information		Sample Receipt		Relinquished By: 1.		Relinquished By: 2.		Relinquished By: 3.	
Number: <u>101965-003</u>		Total No. of Containers: <u>10</u>		Signature: <u>[Signature]</u>	Time: <u>1300</u>	Signature: _____	Time: _____	Signature: _____	Time: _____
Name: <u>2018 PFAS Phase 2</u>		COC Seals/Intact? <u>Y/N/NA</u>	<u>✓</u>	Printed Name: <u>Sheila Hinckley</u>	Date: <u>10/15/18</u>	Printed Name: _____	Date: _____	Printed Name: _____	Date: _____
Contact: <u>Sheila Hinckley</u>		Received Good Cond./Cold <u>Cold</u>		Company: <u>Shannon & Wilson, Inc.</u>		Company: _____		Company: _____	
Ongoing Project? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Temp: <u>3.4c</u>		Received By: 1.		Received By: 2.		Received By: 3.	
Sampler: <u>SMH/KLC</u>		Delivery Method: <u>Goldstreak</u>		Signature: <u>[Signature]</u>	Time: <u>1016</u>	Signature: _____	Time: _____	Signature: _____	Time: _____
Notes: <u>Bill to SWI</u>				Printed Name: <u>David H</u>	Date: <u>10/16/18</u>	Printed Name: _____	Date: _____	Printed Name: _____	Date: _____
Distribution: White - w/shipment - returned to Shannon & Wilson w/ laboratory report Yellow - w/shipment - for consignee files Pink - Shannon & Wilson - job file				Company: <u>TA Sec</u>		Company: _____		Company: _____	

3.4c



Login Sample Receipt Checklist

Client: Shannon & Wilson, Inc

Job Number: 320-44245-1

Login Number: 44245

List Source: TestAmerica Sacramento

List Number: 1

Creator: Her, David A

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	Gel Packs
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	