

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen											Set	Umax	30000 V			
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:39:21	1	1	1	1	183.8	40.5	0	22890.995	703.2258065	16014.73106	30000	0	0	30000	19.5625	2004
11.02.2020 07:39:22	1	1	1	1	183.8	39.5	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	19.625	2004
11.02.2020 07:39:23	1	1	1	1	183.8	39.5	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	20.125	2004
11.02.2020 07:39:24	1	1	1	1	183.8	40	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	19.875	2004
11.02.2020 07:39:25	1	1	1	1	182.8	39.75	0	22890.995	698.9247312	15900.57891	30000	0	0	30000	19.6875	2004
11.02.2020 07:39:26	1	1	1	1	182.8	39.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	20.9375	2004
11.02.2020 07:39:27	1	1	1	1	182.8	40.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	20.4375	2004
11.02.2020 07:39:28	1	1	1	1	182.8	40.25	0	22890.995	698.9247312	15834.53374	30000	0	0	30000	20	2004
11.02.2020 07:39:29	1	1	1	1	182.8	40	0	22843.602	698.9247312	15998.42361	30000	0	0	30000	19.9375	2004
11.02.2020 07:39:30	1	1	1	1	182.8	39.75	0	22890.995	698.9247312	16114.20651	30000	0	0	30000	19.875	2004
11.02.2020 07:39:31	1	1	1	1	182.8	39.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	19.625	2004
11.02.2020 07:39:32	1	1	1	1	182.8	39.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	19.75	2004
11.02.2020 07:39:33	1	1	1	1	182.8	39.75	0	22938.389	701.0752688	15998.42361	30000	0	0	30000	19.875	2004
11.02.2020 07:39:34	1	1	1	1	182.8	39.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	20.0625	2004
11.02.2020 07:39:35	1	1	1	1	182.5	40	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20	2004
11.02.2020 07:39:36	1	1	1	1	182.5	40	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	20.6875	2004
11.02.2020 07:39:37	1	1	1	1	182.5	40.5	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	20.25	2004
11.02.2020 07:39:38	1	1	1	1	182.5	40.25	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	19.875	2004
11.02.2020 07:39:39	1	1	1	1	182.5	39.75	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	20.625	2004
11.02.2020 07:39:40	1	1	1	1	182.5	40.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	20.3125	2004
11.02.2020 07:39:41	1	1	1	1	182.5	40.25	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	20.25	2004
11.02.2020 07:39:42	1	1	1	1	182.5	40.25	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	21.3125	2004
11.02.2020 07:39:43	1	1	1	1	182.5	41.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	20.125	2004
11.02.2020 07:39:44	1	1	1	1	182.5	40	0	22985.782	701.0752688	16048.16134	30000	0	0	30000	20.5	2004
11.02.2020 07:39:45	1	1	1	1	182.3	40.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	19.8125	2004
11.02.2020 07:39:46	1	1	1	1	182.3	39.75	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	19.75	2004
11.02.2020 07:39:48	1	1	1	1	182.3	39.75	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	20.5625	2004
11.02.2020 07:39:49	1	1	1	1	182.3	40.5	0	22890.995	692.4731183	15998.42361	30000	0	0	30000	20.9375	2004
11.02.2020 07:39:50	1	1	1	1	182.3	40.75	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	21.1875	2004
11.02.2020 07:39:51	1	1	1	1	182.3	41	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.4375	2004
11.02.2020 07:39:52	1	1	1	1	182.3	42	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.1875	2004
11.02.2020 07:39:53	1	1	1	1	182.3	40	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	19.875	2004
11.02.2020 07:39:54	1	1	1	1	182.3	39.75	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	20.5	2004
11.02.2020 07:39:55	1	1	1	1	181.3	40.5	0	23175.355	692.4731183	16031.85389	30000	0	0	30000	20.125	2004
11.02.2020 07:39:56	1	1	1	1	181.3	40	0	23459.716	688.172043	16144.37529	30000	0	0	30000	20.25	2004
11.02.2020 07:39:57	1	1	1	1	181.3	40.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	21.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:39:58	1	1	1	1	181.3	41.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	21.1875	2004
11.02.2020 07:39:59	1	1	1	1	181.3	41	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	19.9375	2004
11.02.2020 07:40:00	1	1	1	1	181.3	39.75	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	21.375	2004
11.02.2020 07:40:01	1	1	1	1	181.3	41.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	20.75	2004
11.02.2020 07:40:02	1	1	1	1	181.3	40.75	0	23222.749	690.3225806	16031.03851	30000	0	0	30000	20.3125	2004
11.02.2020 07:40:03	1	1	1	1	181.3	40.25	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	20.1875	2004
11.02.2020 07:40:04	1	1	1	1	181.3	40	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	20.25	2004
11.02.2020 07:40:05	1	1	1	1	180	40.25	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	21.125	2004
11.02.2020 07:40:06	1	1	1	1	180	41	0	22464.455	711.827957	15927.48621	30000	0	0	30000	20.75	2004
11.02.2020 07:40:07	1	1	1	1	180	40.75	0	22559.242	709.6774194	16106.86815	30000	0	0	30000	20.5	2004
11.02.2020 07:40:08	1	1	1	1	180	40.5	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	20.4375	2004
11.02.2020 07:40:09	1	1	1	1	180	40.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	21	2004
11.02.2020 07:40:10	1	1	1	1	180	41	0	23175.355	690.3225806	16097.89906	30000	0	0	30000	20.9375	2004
11.02.2020 07:40:11	1	1	1	1	180	40.75	0	23222.749	694.6236559	16097.89906	30000	0	0	30000	20.4375	2004
11.02.2020 07:40:17	1	1	1	1	179.5	39.75	0	23601.896	673.1182796	15886.71758	30000	0	0	30000	20.125	2004
11.02.2020 07:40:17	1	1	1	1	179.5	39.75	0	23601.896	673.1182796	15886.71758	30000	0	0	30000	20.125	2004
11.02.2020 07:40:17	1	1	1	1	179.5	39.75	0	23601.896	673.1182796	15886.71758	30000	0	0	30000	20.125	2004
11.02.2020 07:40:17	1	1	1	1	179.5	39.75	0	23601.896	673.1182796	15886.71758	30000	0	0	30000	20.125	2004
11.02.2020 07:40:17	1	1	1	1	179.5	39.75	0	23601.896	673.1182796	15886.71758	30000	0	0	30000	20.125	2004
11.02.2020 07:40:17	1	1	1	1	179.5	40	0	23696.682	677.4193548	16020.43867	30000	0	0	30000	20.125	2004
11.02.2020 07:40:18	1	1	1	1	179.5	40	0	23507.109	675.2688172	15924.22472	30000	0	0	30000	20.4375	2004
11.02.2020 07:40:19	1	1	1	1	179.5	40.25	0	23933.649	673.1182796	16110.12964	30000	0	0	30000	20.75	2004
11.02.2020 07:40:20	1	1	1	1	179.5	40.75	0	24028.436	664.516129	15966.62409	30000	0	0	30000	19.875	2004
11.02.2020 07:40:21	1	1	1	1	179.5	39.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	21.6875	2004
11.02.2020 07:40:22	1	1	1	1	179.5	41.5	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	20.5625	2004
11.02.2020 07:40:23	1	1	1	1	179.5	40.5	0	23649.289	688.172043	16274.83489	30000	0	0	30000	20.8125	2004
11.02.2020 07:40:24	1	1	1	1	179.5	40.75	0	23981.043	662.3655914	15966.62409	30000	0	0	30000	20.125	2004
11.02.2020 07:40:25	1	1	1	1	179.8	40	0	23649.289	688.172043	15918.51711	30000	0	0	30000	20.25	2004
11.02.2020 07:40:27	1	1	1	1	179.8	40.25	0	23791.469	670.9677419	15995.16212	30000	0	0	30000	21.6875	2004
11.02.2020 07:40:28	1	1	1	1	179.8	41.5	0	23791.469	666.6666667	15995.16212	30000	0	0	30000	20.0625	2004
11.02.2020 07:40:29	1	1	1	1	179.8	40	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	20.5	2004
11.02.2020 07:40:30	1	1	1	1	179.8	42	0	24123.223	660.2150538	15925.85546	30000	0	0	30000	21.8125	2004
11.02.2020 07:40:31	1	1	1	1	179.8	41.75	0	24075.829	666.6666667	16018.80793	30000	0	0	30000	21.375	2004
11.02.2020 07:40:32	1	1	1	1	179.8	41.25	0	23791.469	688.172043	16372.67959	30000	0	0	30000	20.125	2004
11.02.2020 07:40:33	1	1	1	1	179.8	40	0	23601.896	688.172043	16242.21999	30000	0	0	30000	20.5625	2004
11.02.2020 07:40:34	1	1	1	1	179.8	40.5	0	23886.256	670.9677419	16045.71522	30000	0	0	30000	20.4375	2004
11.02.2020 07:40:35	1	1	1	1	180	40.25	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	20.3125	2004
11.02.2020 07:40:36	1	1	1	1	180	40.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	20.1875	2004
11.02.2020 07:40:37	1	1	1	1	180	40	0	23601.896	688.172043	16274.83489	30000	0	0	30000	20.5	2004
11.02.2020 07:40:38	1	1	1	1	180	40.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	20.6875	2004
11.02.2020 07:40:39	1	1	1	1	180	40.5	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	20.6875	2004
11.02.2020 07:40:40	1	1	1	1	180	40.5	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	20.8125	2004
11.02.2020 07:40:41	1	1	1	1	180	40.75	0	23175.355	688.172043	15981.30079	30000	0	0	30000	19.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:40:42	1	1	1	1	180	39.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	20.6875	2004
11.02.2020 07:40:43	1	1	1	1	180	40.5	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	20.1875	2004
11.02.2020 07:40:44	1	1	1	1	180	40	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	20.0625	2004
11.02.2020 07:40:45	1	1	1	1	180	40	0	22938.389	694.6236559	16197.3745	30000	0	0	30000	20.125	2004
11.02.2020 07:40:46	1	1	1	1	180	40	0	23175.355	688.172043	15998.42361	30000	0	0	30000	20.8125	2004
11.02.2020 07:40:47	1	1	1	1	180	40.75	0	23364.929	688.172043	16046.53059	30000	0	0	30000	20.5625	2004
11.02.2020 07:40:48	1	1	1	1	180	40.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	19.6875	2004
11.02.2020 07:40:49	1	1	1	1	180	39.5	0	23649.289	688.172043	16274.83489	30000	0	0	30000	21.1875	2004
11.02.2020 07:40:50	1	1	1	1	180	41	0	23033.175	688.172043	15932.37844	30000	0	0	30000	20.0625	2004
11.02.2020 07:40:51	1	1	1	1	180	40	0	23364.929	688.172043	16079.14549	30000	0	0	30000	20.5625	2004
11.02.2020 07:40:52	1	1	1	1	180	40.5	0	23507.109	688.172043	15924.22472	30000	0	0	30000	20.25	2004
11.02.2020 07:40:53	1	1	1	1	180	40.25	0	23554.502	688.172043	16209.60509	30000	0	0	30000	20.625	2004
11.02.2020 07:40:54	1	1	1	1	180	40.5	0	23317.536	688.172043	16013.91569	30000	0	0	30000	20.6875	2004
11.02.2020 07:40:55	1	1	1	1	180.3	40.5	0	23080.569	692.4731183	15998.42361	30000	0	0	30000	21.5	2004
11.02.2020 07:40:56	1	1	1	1	180.3	41.5	0	22985.782	701.0752688	16031.85389	30000	0	0	30000	20.75	2004
11.02.2020 07:40:57	1	1	1	1	180.3	40.75	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	20.25	2004
11.02.2020 07:40:58	1	1	1	1	180.3	40.25	0	23459.716	673.1182796	15758.7041	30000	0	0	30000	20.875	2004
11.02.2020 07:40:59	1	1	1	1	180.3	40.75	0	22985.782	696.7741935	16065.28416	30000	0	0	30000	20.3125	2004
11.02.2020 07:41:00	1	1	1	1	180.3	40.25	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	20.25	2004
11.02.2020 07:41:01	1	1	1	1	180.3	40.25	0	23317.536	688.172043	16046.53059	30000	0	0	30000	20.5	2004
11.02.2020 07:41:02	1	1	1	1	180.3	40.5	0	22985.782	688.172043	15999.23899	30000	0	0	30000	20.875	2004
11.02.2020 07:41:04	1	1	1	1	180.3	40.75	0	23459.716	688.172043	15891.60982	30000	0	0	30000	21.75	2004
11.02.2020 07:41:05	1	1	1	1	180.3	41.75	0	23270.142	673.1182796	16046.53059	30000	0	0	30000	21.9375	2004
11.02.2020 07:41:06	1	1	1	1	180.3	41.75	0	22985.782	698.9247312	16114.20651	30000	0	0	30000	20.25	2004
11.02.2020 07:41:07	1	1	1	1	180.3	40.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	22.5625	2004
11.02.2020 07:41:08	1	1	1	1	180.3	40.25	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	20.8125	2004
11.02.2020 07:41:09	1	1	1	1	180.3	40.75	0	23317.536	688.172043	16046.53059	30000	0	0	30000	21.375	2004
11.02.2020 07:41:10	1	1	1	1	180.3	41.25	0	23554.502	673.1182796	15886.71758	30000	0	0	30000	20.4375	2004
11.02.2020 07:41:11	1	1	1	1	180.3	40.25	0	23222.749	688.172043	16013.91569	30000	0	0	30000	20.0625	2004
11.02.2020 07:41:12	1	1	1	1	180.3	40	0	23649.289	688.172043	16274.83489	30000	0	0	30000	20.5	2004
11.02.2020 07:41:13	1	1	1	1	180.3	40.5	0	23791.469	675.2688172	16148.45215	30000	0	0	30000	21.0625	2004
11.02.2020 07:41:19	1	1	1	1	180	40.75	0	23601.896	688.172043	15956.02424	30000	0	0	30000	20.5	2004
11.02.2020 07:41:19	1	1	1	1	180	40.75	0	23601.896	688.172043	15956.02424	30000	0	0	30000	20.5	2004
11.02.2020 07:41:19	1	1	1	1	180	40.75	0	23601.896	688.172043	15956.02424	30000	0	0	30000	20.5	2004
11.02.2020 07:41:19	1	1	1	1	180	40.75	0	23601.896	688.172043	15956.02424	30000	0	0	30000	20.5	2004
11.02.2020 07:41:19	1	1	1	1	180	40.5	0	23175.355	688.172043	15634.76748	30000	0	0	30000	21.1875	2004
11.02.2020 07:41:20	1	1	1	1	180	41	0	23554.502	675.2688172	16209.60509	30000	0	0	30000	20.25	2004
11.02.2020 07:41:21	1	1	1	1	180	40.25	0	23981.043	666.6666667	16018.80793	30000	0	0	30000	21	2004
11.02.2020 07:41:22	1	1	1	1	180	41	0	23554.502	673.1182796	16209.60509	30000	0	0	30000	20.125	2004
11.02.2020 07:41:23	1	1	1	1	180	40	0	23412.322	666.6666667	15708.96638	30000	0	0	30000	21.8125	2004
11.02.2020 07:41:24	1	1	1	1	180	41.75	0	23649.289	670.9677419	15867.96401	30000	0	0	30000	21.0625	2004
11.02.2020 07:41:25	1	1	1	1	179.8	41	0	23601.896	673.1182796	16242.21999	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:41:26	1	1	1	1	179.8	40.5	0	23601.896	688.172043	15956.02424	30000	0	0	30000	20.6875	2004
11.02.2020 07:41:27	1	1	1	1	179.8	40.5	0	23886.256	666.6666667	16058.76118	30000	0	0	30000	22.0625	2004
11.02.2020 07:41:28	1	1	1	1	179.8	42	0	23791.469	677.4193548	16372.67959	30000	0	0	30000	20.3125	2004
11.02.2020 07:41:29	1	1	1	1	179.8	40.25	0	23270.142	688.172043	15663.30552	30000	0	0	30000	20.4375	2004
11.02.2020 07:41:30	1	1	1	1	179.8	40.25	0	23744.076	675.2688172	16116.65262	30000	0	0	30000	20.875	2004
11.02.2020 07:41:31	1	1	1	1	179.8	40.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	21.5	2004
11.02.2020 07:41:32	1	1	1	1	179.8	41.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	21.8125	2004
11.02.2020 07:41:33	1	1	1	1	179.8	41.75	0	23838.863	675.2688172	16148.45215	30000	0	0	30000	20.5	2004
11.02.2020 07:41:34	1	1	1	1	179.8	40.5	0	23554.502	688.172043	16209.60509	30000	0	0	30000	20.625	2004
11.02.2020 07:41:35	1	1	1	1	180	40.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	21.25	2004
11.02.2020 07:41:36	1	1	1	1	180	41.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	20.5	2004
11.02.2020 07:41:37	1	1	1	1	180	40.5	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	20.875	2004
11.02.2020 07:41:38	1	1	1	1	180	40.75	0	22843.602	701.0752688	15981.30079	30000	0	0	30000	20.5	2004
11.02.2020 07:41:39	1	1	1	1	180	40.5	0	23459.716	677.4193548	16176.99019	30000	0	0	30000	20.9375	2004
11.02.2020 07:41:40	1	1	1	1	180	40.75	0	23601.896	677.4193548	15804.36496	30000	0	0	30000	20.75	2004
11.02.2020 07:41:41	1	1	1	1	180	40.75	0	23554.502	673.1182796	15918.51711	30000	0	0	30000	20.5625	2004
11.02.2020 07:41:42	1	1	1	1	180	40.5	0	23601.896	673.1182796	15804.36496	30000	0	0	30000	20.6875	2004
11.02.2020 07:41:44	1	1	1	1	180	40.5	0	23507.109	688.172043	15790.50363	30000	0	0	30000	21.625	2004
11.02.2020 07:41:45	1	1	1	1	180	41.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	20.875	2004
11.02.2020 07:41:46	1	1	1	1	179.8	40.75	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	22.8125	2004
11.02.2020 07:41:47	1	1	1	1	179.8	40.25	0	23791.469	673.1182796	15982.11616	30000	0	0	30000	20.8125	2004
11.02.2020 07:41:48	1	1	1	1	179.8	40.75	0	23744.076	670.9677419	16013.91569	30000	0	0	30000	21.1875	2004
11.02.2020 07:41:49	1	1	1	1	179.8	41	0	23649.289	670.9677419	15867.96401	30000	0	0	30000	21.5625	2004
11.02.2020 07:41:50	1	1	1	1	179.8	41.5	0	23412.322	688.172043	16144.37529	30000	0	0	30000	20.5	2004
11.02.2020 07:41:51	1	1	1	1	179.8	40.5	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	20.4375	2004
11.02.2020 07:41:52	1	1	1	1	179.8	40.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	20.8125	2004
11.02.2020 07:41:53	1	1	1	1	179.8	40.75	0	23649.289	673.1182796	16084.03772	30000	0	0	30000	21.5	2004
11.02.2020 07:41:54	1	1	1	1	179.8	41.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	22.1875	2004
11.02.2020 07:41:55	1	1	1	1	179	42	0	23838.863	662.3655914	15738.31979	30000	0	0	30000	21.625	2004
11.02.2020 07:41:56	1	1	1	1	179	41.5	0	24360.19	655.9139785	16114.20651	30000	0	0	30000	20.875	2004
11.02.2020 07:41:57	1	1	1	1	179	40.75	0	24170.616	660.2150538	15988.63914	30000	0	0	30000	20.625	2004
11.02.2020 07:41:58	1	1	1	1	179	40.5	0	24360.19	655.9139785	15978.0393	30000	0	0	30000	20.5625	2004
11.02.2020 07:41:59	1	1	1	1	179	40.5	0	24549.763	647.311828	15890.79444	30000	0	0	30000	21.125	2004
11.02.2020 07:42:00	1	1	1	1	179	41	0	24976.303	645.1612903	15998.42361	30000	0	0	30000	20.9375	2004
11.02.2020 07:42:01	1	1	1	1	179	40.75	0	24834.123	643.0107527	15991.08526	30000	0	0	30000	20.8125	2004
11.02.2020 07:42:02	1	1	1	1	179	40.75	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:03	1	1	1	1	179	40.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	20.875	2004
11.02.2020 07:42:04	1	1	1	1	179	40.75	0	24976.303	645.1612903	16029.40777	30000	0	0	30000	20.625	2004
11.02.2020 07:42:05	1	1	1	1	178.5	40.5	0	24691.943	647.311828	15982.93154	30000	0	0	30000	21.4375	2004
11.02.2020 07:42:06	1	1	1	1	178.5	41.25	0	24407.583	653.7634409	16070.99176	30000	0	0	30000	20.9375	2004
11.02.2020 07:42:07	1	1	1	1	178.5	40.75	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	20.375	2004
11.02.2020 07:42:08	1	1	1	1	178.5	40.25	0	24928.91	638.7096774	15951.94738	30000	0	0	30000	21.75	2004
11.02.2020 07:42:09	1	1	1	1	178.5	41.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:42:10	1	1	1	1	178.5	41	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	20.875	2004
11.02.2020 07:42:11	1	1	1	1	178.5	40.75	0	24881.517	645.1612903	16106.05278	30000	0	0	30000	20.375	2004
11.02.2020 07:42:12	1	1	1	1	178.5	40.25	0	25118.483	640.8602151	16150.89827	30000	0	0	30000	20.6875	2004
11.02.2020 07:42:13	1	1	1	1	178.5	40.5	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:14	1	1	1	1	178.5	40.25	0	25497.63	625.8064516	15986.19303	30000	0	0	30000	20.6875	2004
11.02.2020 07:42:20	1	1	1	1	178.3	40.5	0	25260.664	636.5591398	16242.21999	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:20	1	1	1	1	178.3	40.5	0	25260.664	636.5591398	16242.21999	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:20	1	1	1	1	178.3	40.5	0	25260.664	636.5591398	16242.21999	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:20	1	1	1	1	178.3	40.5	0	25260.664	636.5591398	16242.21999	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:20	1	1	1	1	178.3	40.25	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:21	1	1	1	1	178.3	40.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	21.8125	2004
11.02.2020 07:42:23	1	1	1	1	178.3	41.75	0	25687.204	623.655914	15990.26989	30000	0	0	30000	21.375	2004
11.02.2020 07:42:24	1	1	1	1	178.3	41.25	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	20.875	2004
11.02.2020 07:42:25	1	1	1	1	178.3	40.75	0	25639.81	630.1075269	15960.91648	30000	0	0	30000	22.375	2004
11.02.2020 07:42:26	1	1	1	1	177.3	41	0	25545.024	625.8064516	15876.11774	30000	0	0	30000	20.1875	2004
11.02.2020 07:42:27	1	1	1	1	177.3	40	0	25497.63	630.1075269	16035.93075	30000	0	0	30000	21.375	2004
11.02.2020 07:42:28	1	1	1	1	177.3	41.25	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	20.8125	2004
11.02.2020 07:42:29	1	1	1	1	177.3	40.75	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	20.5625	2004
11.02.2020 07:42:30	1	1	1	1	177.3	40.5	0	25402.844	632.2580645	16006.57734	30000	0	0	30000	20.875	2004
11.02.2020 07:42:31	1	1	1	1	177.3	40.75	0	25592.417	623.655914	15905.47115	30000	0	0	30000	20.875	2004
11.02.2020 07:42:32	1	1	1	1	177.3	40.75	0	25497.63	630.1075269	16150.89827	30000	0	0	30000	20.875	2004
11.02.2020 07:42:33	1	1	1	1	177.3	40.75	0	25260.664	627.9569892	15807.62645	30000	0	0	30000	21.5	2004
11.02.2020 07:42:34	1	1	1	1	177.3	41.5	0	25687.204	621.5053763	15990.26989	30000	0	0	30000	20.5	2004
11.02.2020 07:42:35	1	1	1	1	176.3	40.5	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	20.8125	2004
11.02.2020 07:42:36	1	1	1	1	176.3	40.75	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	20.6875	2004
11.02.2020 07:42:37	1	1	1	1	176.3	40.5	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	20.5	2004
11.02.2020 07:42:38	1	1	1	1	176.3	40.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	21.375	2004
11.02.2020 07:42:39	1	1	1	1	176.3	41.25	0	24597.156	647.311828	16080.77623	30000	0	0	30000	20.75	2004
11.02.2020 07:42:40	1	1	1	1	176.3	40.75	0	25071.09	653.7634409	16059.57655	30000	0	0	30000	21.9375	2004
11.02.2020 07:42:41	1	1	1	1	176.3	41.75	0	25213.27	632.2580645	16025.33091	30000	0	0	30000	20.875	2004
11.02.2020 07:42:42	1	1	1	1	176.3	40.75	0	25118.483	638.7096774	15904.65578	30000	0	0	30000	20.6875	2004
11.02.2020 07:42:43	1	1	1	1	176.3	40.5	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	21.375	2004
11.02.2020 07:42:44	1	1	1	1	176.3	41.25	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	20.4375	2004
11.02.2020 07:42:45	1	1	1	1	175	40.25	0	25639.81	621.5053763	15740.76591	30000	0	0	30000	21.125	2004
11.02.2020 07:42:46	1	1	1	1	175	41	0	25545.024	623.655914	15986.19303	30000	0	0	30000	21.8125	2004
11.02.2020 07:42:47	1	1	1	1	175	41.75	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	21.625	2004
11.02.2020 07:42:48	1	1	1	1	175	41.5	0	25260.664	634.4086022	16133.77545	30000	0	0	30000	20.5	2004
11.02.2020 07:42:49	1	1	1	1	175	40.5	0	25497.63	625.8064516	15986.19303	30000	0	0	30000	22	2004
11.02.2020 07:42:50	1	1	1	1	175	42	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	20.5	2004
11.02.2020 07:42:51	1	1	1	1	175	40.5	0	24786.73	647.311828	15960.91648	30000	0	0	30000	20.625	2004
11.02.2020 07:42:52	1	1	1	1	175	40.5	0	24502.37	649.4623656	15860.62566	30000	0	0	30000	21	2004
11.02.2020 07:42:53	1	1	1	1	175	41	0	24976.303	643.0107527	15951.94738	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:42:54	1	1	1	1	175	40.5	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	22.125	2004
11.02.2020 07:42:55	1	1	1	1	174.3	42	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	20.625	2004
11.02.2020 07:42:56	1	1	1	1	174.3	40.5	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	20.75	2004
11.02.2020 07:42:57	1	1	1	1	174.3	40.75	0	25355.45	627.9569892	16006.57734	30000	0	0	30000	20.625	2004
11.02.2020 07:42:58	1	1	1	1	174.3	40.5	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	20.6875	2004
11.02.2020 07:42:59	1	1	1	1	174.3	40.5	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	20.5	2004
11.02.2020 07:43:00	1	1	1	1	174.3	40.5	0	25450.237	623.655914	15926.67083	30000	0	0	30000	21.0625	2004
11.02.2020 07:43:02	1	1	1	1	174.3	41	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	20.9375	2004
11.02.2020 07:43:03	1	1	1	1	174.3	40.75	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	20.6875	2004
11.02.2020 07:43:04	1	1	1	1	174.3	40.5	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	21.75	2004
11.02.2020 07:43:05	1	1	1	1	174.3	41.75	0	24786.73	647.311828	16044.08447	30000	0	0	30000	21.25	2004
11.02.2020 07:43:06	1	1	1	1	173.8	41.25	0	24407.583	647.311828	16009.02346	30000	0	0	30000	21.625	2004
11.02.2020 07:43:07	1	1	1	1	173.8	41.5	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	20.8125	2004
11.02.2020 07:43:08	1	1	1	1	173.8	40.75	0	24502.37	645.1612903	15807.62645	30000	0	0	30000	20.8125	2004
11.02.2020 07:43:09	1	1	1	1	173.8	40.75	0	24454.976	653.7634409	16070.99176	30000	0	0	30000	20.75	2004
11.02.2020 07:43:10	1	1	1	1	173.8	40.75	0	24407.583	647.311828	15798.65735	30000	0	0	30000	20.875	2004
11.02.2020 07:43:11	1	1	1	1	173.8	40.75	0	24644.55	653.7634409	16142.74454	30000	0	0	30000	20.5625	2004
11.02.2020 07:43:12	1	1	1	1	173.8	40.5	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	21.25	2004
11.02.2020 07:43:13	1	1	1	1	173.8	41.25	0	24691.943	647.311828	16173.7287	30000	0	0	30000	20.875	2004
11.02.2020 07:43:14	1	1	1	1	173.8	40.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	20.75	2004
11.02.2020 07:43:15	1	1	1	1	173.8	40.75	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	21.3125	2004
11.02.2020 07:43:16	1	1	1	1	173.8	41.25	0	25213.27	634.4086022	16025.33091	30000	0	0	30000	20.6875	2004
11.02.2020 07:43:22	1	1	1	1	173.8	41.5	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	20.625	2004
11.02.2020 07:43:22	1	1	1	1	173.8	41.5	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	20.625	2004
11.02.2020 07:43:22	1	1	1	1	173.8	41.5	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	20.625	2004
11.02.2020 07:43:22	1	1	1	1	173.8	40.5	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	21.125	2004
11.02.2020 07:43:23	1	1	1	1	173.8	41	0	25260.664	634.4086022	16133.77545	30000	0	0	30000	21.4375	2004
11.02.2020 07:43:24	1	1	1	1	173.8	41.25	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	21.0625	2004
11.02.2020 07:43:25	1	1	1	1	173.5	41	0	24834.123	645.1612903	16106.05278	30000	0	0	30000	20.875	2004
11.02.2020 07:43:26	1	1	1	1	173.5	40.75	0	25118.483	643.0107527	16150.89827	30000	0	0	30000	21.125	2004
11.02.2020 07:43:27	1	1	1	1	173.5	41	0	25165.877	634.4086022	16181.88242	30000	0	0	30000	20.9375	2004
11.02.2020 07:43:28	1	1	1	1	173.5	40.75	0	25213.27	632.2580645	16025.33091	30000	0	0	30000	20.875	2004
11.02.2020 07:43:29	1	1	1	1	173.5	40.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	22.5	2004
11.02.2020 07:43:30	1	1	1	1	173.5	42.5	0	25639.81	621.5053763	16044.89985	30000	0	0	30000	22.4375	2004
11.02.2020 07:43:31	1	1	1	1	173.5	42.25	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	21.0625	2004
11.02.2020 07:43:32	1	1	1	1	173.5	41	0	25829.384	625.8064516	16163.94423	30000	0	0	30000	21.375	2004
11.02.2020 07:43:33	1	1	1	1	173.5	41.25	0	25687.204	623.655914	16044.89985	30000	0	0	30000	20.8125	2004
11.02.2020 07:43:34	1	1	1	1	173.5	40.75	0	25734.597	621.5053763	16137.85231	30000	0	0	30000	21	2004
11.02.2020 07:43:35	1	1	1	1	174	41	0	25308.057	627.9569892	15976.40856	30000	0	0	30000	20.9375	2004
11.02.2020 07:43:36	1	1	1	1	174	40.75	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	22.1875	2004
11.02.2020 07:43:37	1	1	1	1	174	42	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	20.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:43:38	1	1	1	1	174	40.75	0	25402.844	632.2580645	16255.26595	30000	0	0	30000	21.375	2004
11.02.2020 07:43:40	1	1	1	1	174	41.25	0	25165.877	636.5591398	16181.88242	30000	0	0	30000	21.375	2004
11.02.2020 07:43:41	1	1	1	1	174	41.25	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	20.6875	2004
11.02.2020 07:43:42	1	1	1	1	174	40.5	0	25402.844	627.9569892	16006.57734	30000	0	0	30000	21.1875	2004
11.02.2020 07:43:43	1	1	1	1	174	41	0	25450.237	632.2580645	16061.20729	30000	0	0	30000	21.5625	2004
11.02.2020 07:43:44	1	1	1	1	174	41.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	21.5	2004
11.02.2020 07:43:45	1	1	1	1	174	41.5	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	20.875	2004
11.02.2020 07:43:46	1	1	1	1	174	42.25	0	25592.417	623.655914	16044.89985	30000	0	0	30000	21.5	2004
11.02.2020 07:43:47	1	1	1	1	174	41.5	0	25308.057	627.9569892	15867.14864	30000	0	0	30000	20.875	2004
11.02.2020 07:43:48	1	1	1	1	174	40.75	0	25687.204	623.655914	16104.42204	30000	0	0	30000	21.125	2004
11.02.2020 07:43:49	1	1	1	1	174	41	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	21.5	2004
11.02.2020 07:43:50	1	1	1	1	174	41.5	0	25592.417	621.5053763	15990.26989	30000	0	0	30000	21.5625	2004
11.02.2020 07:43:51	1	1	1	1	174	41.5	0	25734.597	623.655914	16048.97671	30000	0	0	30000	21	2004
11.02.2020 07:43:52	1	1	1	1	174	41	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	21.3125	2004
11.02.2020 07:43:53	1	1	1	1	174	41.25	0	25876.777	619.3548387	15970.70095	30000	0	0	30000	21.0625	2004
11.02.2020 07:43:54	1	1	1	1	174	41	0	25734.597	623.655914	15938.90142	30000	0	0	30000	21.9375	2004
11.02.2020 07:43:55	1	1	1	1	172.8	41.75	0	25734.597	625.8064516	16163.94423	30000	0	0	30000	21.8125	2004
11.02.2020 07:43:56	1	1	1	1	172.8	41.75	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	21.1875	2004
11.02.2020 07:43:57	1	1	1	1	172.8	41	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	21.5	2004
11.02.2020 07:43:58	1	1	1	1	172.8	41.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	21.4375	2004
11.02.2020 07:43:59	1	1	1	1	172.8	41.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	20.8125	2004
11.02.2020 07:44:00	1	1	1	1	172.8	40.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	20.875	2004
11.02.2020 07:44:01	1	1	1	1	172.8	40.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	21.25	2004
11.02.2020 07:44:02	1	1	1	1	172.8	41.25	0	25829.384	619.3548387	16223.46642	30000	0	0	30000	20.875	2004
11.02.2020 07:44:03	1	1	1	1	172.8	40.75	0	25876.777	619.3548387	16167.20572	30000	0	0	30000	20.9375	2004
11.02.2020 07:44:04	1	1	1	1	172.8	40.75	0	26113.744	619.3548387	16117.468	30000	0	0	30000	21.25	2004
11.02.2020 07:44:05	1	1	1	1	170.8	41.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	22.1875	2004
11.02.2020 07:44:06	1	1	1	1	170.8	42	0	26255.924	610.7526882	16062.83804	30000	0	0	30000	21.9375	2004
11.02.2020 07:44:07	1	1	1	1	170.8	41.75	0	26255.924	606.4516129	15837.79523	30000	0	0	30000	21.6875	2004
11.02.2020 07:44:08	1	1	1	1	170.8	41.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	20.875	2004
11.02.2020 07:44:09	1	1	1	1	170.8	40.75	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	21.1875	2004
11.02.2020 07:44:10	1	1	1	1	170.8	41	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	21.4375	2004
11.02.2020 07:44:11	1	1	1	1	170.8	41.25	0	26303.318	610.7526882	16035.93075	30000	0	0	30000	21.3125	2004
11.02.2020 07:44:12	1	1	1	1	170.8	41.25	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	22	2004
11.02.2020 07:44:13	1	1	1	1	170.8	42	0	26113.744	606.4516129	16006.57734	30000	0	0	30000	21.625	2004
11.02.2020 07:44:14	1	1	1	1	170.8	41.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	22	2004
11.02.2020 07:44:15	1	1	1	1	169.3	42	0	25876.777	610.7526882	16000.05436	30000	0	0	30000	21	2004
11.02.2020 07:44:16	1	1	1	1	169.3	41	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	21.4375	2004
11.02.2020 07:44:17	1	1	1	1	169.3	41.25	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	21.25	2004
11.02.2020 07:44:23	1	1	1	1	169.3	41	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	23.625	2004
11.02.2020 07:44:23	1	1	1	1	169.3	41	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	23.625	2004
11.02.2020 07:44:23	1	1	1	1	169.3	41	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	23.625	2004
11.02.2020 07:44:23	1	1	1	1	169.3	41	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	23.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:44:23	1	1	1	1	169.3	41	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	23.625	2004
11.02.2020 07:44:24	1	1	1	1	169.3	43.5	0	26255.924	610.7526882	15978.85467	30000	0	0	30000	22.9375	2004
11.02.2020 07:44:25	1	1	1	1	168.3	41.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	21.4375	2004
11.02.2020 07:44:26	1	1	1	1	168.3	41.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	21.125	2004
11.02.2020 07:44:27	1	1	1	1	168.3	41	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	21.125	2004
11.02.2020 07:44:28	1	1	1	1	168.3	41	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	21.0625	2004
11.02.2020 07:44:29	1	1	1	1	168.3	41	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	21	2004
11.02.2020 07:44:30	1	1	1	1	168.3	41	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	21.1875	2004
11.02.2020 07:44:31	1	1	1	1	168.3	41	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	22.25	2004
11.02.2020 07:44:32	1	1	1	1	168.3	42.25	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	21.0625	2004
11.02.2020 07:44:33	1	1	1	1	168.3	41	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	21.375	2004
11.02.2020 07:44:34	1	1	1	1	168.3	41.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	21.25	2004
11.02.2020 07:44:35	1	1	1	1	166.3	41.25	0	26492.891	606.4516129	15952.76275	30000	0	0	30000	21.8125	2004
11.02.2020 07:44:36	1	1	1	1	166.3	41.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	21.625	2004
11.02.2020 07:44:37	1	1	1	1	166.3	41.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	22	2004
11.02.2020 07:44:38	1	1	1	1	166.3	42	0	26682.464	606.4516129	16009.83883	30000	0	0	30000	21.375	2004
11.02.2020 07:44:39	1	1	1	1	166.3	41.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	21.5	2004
11.02.2020 07:44:40	1	1	1	1	166.3	41.5	0	26303.318	606.4516129	16122.36023	30000	0	0	30000	21.75	2004
11.02.2020 07:44:41	1	1	1	1	166.3	41.75	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	21.875	2004
11.02.2020 07:44:42	1	1	1	1	166.3	41.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	21.6875	2004
11.02.2020 07:44:43	1	1	1	1	166.3	41.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	22	2004
11.02.2020 07:44:44	1	1	1	1	166.3	42	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	21.625	2004
11.02.2020 07:44:45	1	1	1	1	165	41.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	21.6875	2004
11.02.2020 07:44:46	1	1	1	1	165	41.5	0	26682.464	600	16066.9149	30000	0	0	30000	21.5	2004
11.02.2020 07:44:47	1	1	1	1	165	41.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	21.375	2004
11.02.2020 07:44:48	1	1	1	1	165	41.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	21.3125	2004
11.02.2020 07:44:49	1	1	1	1	165	41.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	22	2004
11.02.2020 07:44:50	1	1	1	1	165	42	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	22.125	2004
11.02.2020 07:44:51	1	1	1	1	165	42	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	21.8125	2004
11.02.2020 07:44:52	1	1	1	1	165	41.75	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	21.5	2004
11.02.2020 07:44:53	1	1	1	1	165	41.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	21.625	2004
11.02.2020 07:44:54	1	1	1	1	165	41.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	21.5625	2004
11.02.2020 07:44:55	1	1	1	1	162.5	41.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	21.25	2004
11.02.2020 07:44:56	1	1	1	1	162.5	41.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	22.3125	2004
11.02.2020 07:44:57	1	1	1	1	162.5	42.25	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	21.25	2004
11.02.2020 07:44:59	1	1	1	1	162.5	41.25	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	21.125	2004
11.02.2020 07:45:00	1	1	1	1	162.5	41	0	27298.578	595.6989247	16059.57655	30000	0	0	30000	21.1875	2004
11.02.2020 07:45:01	1	1	1	1	162.5	41	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:02	1	1	1	1	162.5	41.75	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	22.125	2004
11.02.2020 07:45:03	1	1	1	1	162.5	42	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	22.4375	2004
11.02.2020 07:45:04	1	1	1	1	162.5	41.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	21.25	2004
11.02.2020 07:45:05	1	1	1	1	160.8	41.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	22.375	2004
11.02.2020 07:45:06	1	1	1	1	160.8	42.25	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	21.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:45:07	1	1	1	1	160.8	41	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	21.625	2004
11.02.2020 07:45:08	1	1	1	1	160.8	41.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:09	1	1	1	1	160.8	41.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	21.875	2004
11.02.2020 07:45:10	1	1	1	1	160.8	41.75	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:11	1	1	1	1	160.8	41.25	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	21.25	2004
11.02.2020 07:45:12	1	1	1	1	160.8	41.25	0	26540.284	593.5483871	15810.07257	30000	0	0	30000	22.375	2004
11.02.2020 07:45:13	1	1	1	1	160.8	42.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	22.1875	2004
11.02.2020 07:45:14	1	1	1	1	160.8	42	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	22.25	2004
11.02.2020 07:45:15	1	1	1	1	159	42.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	21.9375	2004
11.02.2020 07:45:16	1	1	1	1	159	41.75	0	26872.038	595.6989247	15920.14785	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:17	1	1	1	1	159	41.75	0	27109.005	593.5483871	16176.99019	30000	0	0	30000	21.625	2004
11.02.2020 07:45:18	1	1	1	1	159	41.5	0	27014.218	593.5483871	16005.76197	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:19	1	1	1	1	159	41.75	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	21.4375	2004
11.02.2020 07:45:25	1	1	1	1	159	41.75	0	27061.611	580.6451613	15942.97828	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:25	1	1	1	1	159	41.75	0	27061.611	580.6451613	15942.97828	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:25	1	1	1	1	159	41.75	0	27061.611	580.6451613	15942.97828	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:25	1	1	1	1	159	41.75	0	27061.611	580.6451613	15942.97828	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:25	1	1	1	1	159	41.75	0	27061.611	580.6451613	15942.97828	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:25	1	1	1	1	158.8	41.75	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:26	1	1	1	1	158.8	41.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	21.625	2004
11.02.2020 07:45:27	1	1	1	1	158.8	41.5	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	21.875	2004
11.02.2020 07:45:28	1	1	1	1	158.8	41.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	21.375	2004
11.02.2020 07:45:29	1	1	1	1	158.8	41.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	21.625	2004
11.02.2020 07:45:30	1	1	1	1	158.8	41.5	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:31	1	1	1	1	158.8	41.25	0	26919.431	593.5483871	15804.36496	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:32	1	1	1	1	158.8	41.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:33	1	1	1	1	158.8	41.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	22.25	2004
11.02.2020 07:45:34	1	1	1	1	158.8	42.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	21.1875	2004
11.02.2020 07:45:35	1	1	1	1	156.8	41	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:36	1	1	1	1	156.8	41.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	21.4375	2004
11.02.2020 07:45:38	1	1	1	1	156.8	41.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	21.375	2004
11.02.2020 07:45:39	1	1	1	1	156.8	41.25	0	26255.924	597.8494624	15555.67635	30000	0	0	30000	21.5625	2004
11.02.2020 07:45:40	1	1	1	1	156.8	41.5	0	26445.498	604.3010753	15895.68668	30000	0	0	30000	22.875	2004
11.02.2020 07:45:41	1	1	1	1	156.8	42.75	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	22.25	2004
11.02.2020 07:45:42	1	1	1	1	156.8	42.25	0	26255.924	612.9032258	16062.83804	30000	0	0	30000	22.0625	2004
11.02.2020 07:45:43	1	1	1	1	156.8	43	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	21.8125	2004
11.02.2020 07:45:44	1	1	1	1	156.8	41.75	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	21.875	2004
11.02.2020 07:45:45	1	1	1	1	156.8	41.75	0	26255.924	610.7526882	16092.19145	30000	0	0	30000	22.8125	2004
11.02.2020 07:45:46	1	1	1	1	156.8	42.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	21.3125	2004
11.02.2020 07:45:47	1	1	1	1	156.8	41.25	0	26018.957	621.5053763	16058.76118	30000	0	0	30000	22.25	2004
11.02.2020 07:45:48	1	1	1	1	156.8	42.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	21.6875	2004
11.02.2020 07:45:49	1	1	1	1	156.8	41.5	0	25924.171	612.9032258	16058.76118	30000	0	0	30000	21.375	2004
11.02.2020 07:45:50	1	1	1	1	156.8	41.25	0	26303.318	606.4516129	16064.46878	30000	0	0	30000	21.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:45:51	1	1	1	1	156.8	41.5	0	26113.744	617.2043011	16061.20729	30000	0	0	30000	21.9375	2004
11.02.2020 07:45:52	1	1	1	1	156.8	41.75	0	25876.777	619.3548387	16111.76039	30000	0	0	30000	21.5	2004
11.02.2020 07:45:53	1	1	1	1	156.8	41.5	0	26018.957	612.9032258	16002.50048	30000	0	0	30000	22.3125	2004
11.02.2020 07:45:54	1	1	1	1	156.8	42.25	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	22.25	2004
11.02.2020 07:45:55	1	1	1	1	157.5	42.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	22.25	2004
11.02.2020 07:45:56	1	1	1	1	157.5	42.25	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	22.25	2004
11.02.2020 07:45:57	1	1	1	1	157.5	42.25	0	25829.384	617.2043011	15941.34754	30000	0	0	30000	22.3125	2004
11.02.2020 07:45:58	1	1	1	1	157.5	42.25	0	25592.417	625.8064516	15986.19303	30000	0	0	30000	22.25	2004
11.02.2020 07:45:59	1	1	1	1	157.5	42.25	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	22.375	2004
11.02.2020 07:46:00	1	1	1	1	157.5	42.25	0	25687.204	623.655914	16019.6233	30000	0	0	30000	22.875	2004
11.02.2020 07:46:01	1	1	1	1	157.5	42.75	0	25592.417	623.655914	16044.89985	30000	0	0	30000	21.1875	2004
11.02.2020 07:46:02	1	1	1	1	157.5	41	0	25545.024	619.3548387	15930.7477	30000	0	0	30000	21.625	2004
11.02.2020 07:46:03	1	1	1	1	157.5	41.5	0	25497.63	623.655914	15956.02424	30000	0	0	30000	21.3125	2004
11.02.2020 07:46:04	1	1	1	1	157.5	41.25	0	25497.63	625.8064516	15956.02424	30000	0	0	30000	22.875	2004
11.02.2020 07:46:05	1	1	1	1	157.8	42.75	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	21.5625	2004
11.02.2020 07:46:06	1	1	1	1	157.8	41.5	0	25639.81	625.8064516	16075.06863	30000	0	0	30000	22.625	2004
11.02.2020 07:46:07	1	1	1	1	157.8	42.5	0	25592.417	623.655914	15960.91648	30000	0	0	30000	22	2004
11.02.2020 07:46:08	1	1	1	1	157.8	42	0	26113.744	615.0537634	16117.468	30000	0	0	30000	22.125	2004
11.02.2020 07:46:09	1	1	1	1	157.8	42	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	22	2004
11.02.2020 07:46:10	1	1	1	1	157.8	42	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	21.5625	2004
11.02.2020 07:46:11	1	1	1	1	157.8	41.5	0	25639.81	623.655914	15934.82456	30000	0	0	30000	22.3125	2004
11.02.2020 07:46:12	1	1	1	1	157.8	42.25	0	25924.171	619.3548387	15970.70095	30000	0	0	30000	21.5625	2004
11.02.2020 07:46:13	1	1	1	1	157.8	41.5	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	22.9375	2004
11.02.2020 07:46:14	1	1	1	1	157.8	42.75	0	25876.777	623.655914	15883.45609	30000	0	0	30000	21.875	2004
11.02.2020 07:46:15	1	1	1	1	157.3	41.75	0	25876.777	617.2043011	15661.67478	30000	0	0	30000	21.9375	2004
11.02.2020 07:46:16	1	1	1	1	157.3	41.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	22.125	2004
11.02.2020 07:46:17	1	1	1	1	157.3	42	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	22.8125	2004
11.02.2020 07:46:19	1	1	1	1	157.3	42.75	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	21.625	2004
11.02.2020 07:46:20	1	1	1	1	157.3	41.5	0	25545.024	621.5053763	15876.11774	30000	0	0	30000	22.25	2004
11.02.2020 07:46:21	1	1	1	1	157.3	42.25	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	22.5625	2004
11.02.2020 07:46:26	1	1	1	1	157.5	42.75	0	25639.81	617.2043011	16104.42204	30000	0	0	30000	21.75	2004
11.02.2020 07:46:26	1	1	1	1	157.5	42.75	0	25639.81	617.2043011	16104.42204	30000	0	0	30000	21.75	2004
11.02.2020 07:46:26	1	1	1	1	157.5	42.75	0	25639.81	617.2043011	16104.42204	30000	0	0	30000	21.75	2004
11.02.2020 07:46:26	1	1	1	1	157.5	42.75	0	25639.81	617.2043011	16104.42204	30000	0	0	30000	21.75	2004
11.02.2020 07:46:26	1	1	1	1	157.5	42.75	0	25639.81	617.2043011	16104.42204	30000	0	0	30000	21.75	2004
11.02.2020 07:46:27	1	1	1	1	157.5	41.75	0	25592.417	623.655914	15876.11774	30000	0	0	30000	22.75	2004
11.02.2020 07:46:28	1	1	1	1	157.5	42.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	21.5625	2004
11.02.2020 07:46:29	1	1	1	1	157.5	41.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	21.875	2004
11.02.2020 07:46:30	1	1	1	1	157.5	41.75	0	25687.204	623.655914	15934.82456	30000	0	0	30000	21.9375	2004
11.02.2020 07:46:31	1	1	1	1	157.5	41.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	21.875	2004
11.02.2020 07:46:32	1	1	1	1	157.5	41.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	21.8125	2004
11.02.2020 07:46:33	1	1	1	1	157.5	41.75	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	21.625	2004
11.02.2020 07:46:34	1	1	1	1	157.5	41.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	21.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:46:35	1	1	1	1	156.8	41.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	21.75	2004
11.02.2020 07:46:36	1	1	1	1	156.8	41.75	0	27440.758	584.9462366	16228.35866	30000	0	0	30000	21.9375	2004
11.02.2020 07:46:37	1	1	1	1	156.8	41.75	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	21.5	2004
11.02.2020 07:46:38	1	1	1	1	156.8	41.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	21.9375	2004
11.02.2020 07:46:39	1	1	1	1	156.8	41.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	21.6875	2004
11.02.2020 07:46:40	1	1	1	1	156.8	41.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	22.3125	2004
11.02.2020 07:46:41	1	1	1	1	156.8	42.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	21.625	2004
11.02.2020 07:46:42	1	1	1	1	156.8	41.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	21.8125	2004
11.02.2020 07:46:43	1	1	1	1	156.8	41.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.625	2004
11.02.2020 07:46:44	1	1	1	1	156.8	41.5	0	28957.346	544.0860215	15754.62724	30000	0	0	30000	22.25	2004
11.02.2020 07:46:45	1	1	1	1	155.8	42.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	21.9375	2004
11.02.2020 07:46:46	1	1	1	1	155.8	41.75	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	21.8125	2004
11.02.2020 07:46:47	1	1	1	1	155.8	41.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	22.375	2004
11.02.2020 07:46:48	1	1	1	1	155.8	42.25	0	28957.346	554.8387097	15951.94738	30000	0	0	30000	21.875	2004
11.02.2020 07:46:49	1	1	1	1	155.8	41.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	21.6875	2004
11.02.2020 07:46:50	1	1	1	1	155.8	41.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	22.1875	2004
11.02.2020 07:46:51	1	1	1	1	155.8	42	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	22.25	2004
11.02.2020 07:46:52	1	1	1	1	155.8	42.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	22	2004
11.02.2020 07:46:53	1	1	1	1	155.8	42	0	27630.332	576.344086	15924.22472	30000	0	0	30000	22.1875	2004
11.02.2020 07:46:54	1	1	1	1	155.8	42	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	21.8125	2004
11.02.2020 07:46:55	1	1	1	1	156.3	41.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	21.6875	2004
11.02.2020 07:46:56	1	1	1	1	156.3	41.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	21.875	2004
11.02.2020 07:46:58	1	1	1	1	156.3	41.75	0	27819.905	574.1935484	15686.95132	30000	0	0	30000	22.375	2004
11.02.2020 07:46:59	1	1	1	1	156.3	42.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	22.3125	2004
11.02.2020 07:47:00	1	1	1	1	156.3	42.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	22.4375	2004
11.02.2020 07:47:01	1	1	1	1	156.3	42.25	0	27109.005	589.2473118	16088.11459	30000	0	0	30000	22.5625	2004
11.02.2020 07:47:02	1	1	1	1	156.3	42.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	23.875	2004
11.02.2020 07:47:03	1	1	1	1	156.3	43.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	23.5625	2004
11.02.2020 07:47:04	1	1	1	1	156.3	43.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	22.25	2004
11.02.2020 07:47:05	1	1	1	1	162	42.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	22.3125	2004
11.02.2020 07:47:06	1	1	1	1	162	42.25	0	25592.417	625.8064516	16100.34517	30000	0	0	30000	22.25	2004
11.02.2020 07:47:07	1	1	1	1	162	42.25	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	22.375	2004
11.02.2020 07:47:08	1	1	1	1	162	42.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	22.1875	2004
11.02.2020 07:47:09	1	1	1	1	162	42	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	22.0625	2004
11.02.2020 07:47:10	1	1	1	1	162	42	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	22.3125	2004
11.02.2020 07:47:11	1	1	1	1	162	42.25	0	26445.498	610.7526882	16065.28416	30000	0	0	30000	23.125	2004
11.02.2020 07:47:12	1	1	1	1	162	43	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	22.4375	2004
11.02.2020 07:47:13	1	1	1	1	162	42.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	22	2004
11.02.2020 07:47:14	1	1	1	1	162	42	0	25355.45	627.9569892	16061.20729	30000	0	0	30000	21.875	2004
11.02.2020 07:47:15	1	1	1	1	164.8	41.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	22.625	2004
11.02.2020 07:47:16	1	1	1	1	164.8	42.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	21.8125	2004
11.02.2020 07:47:17	1	1	1	1	164.8	41.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	23.0625	2004
11.02.2020 07:47:18	1	1	1	1	164.8	43	0	26492.891	597.8494624	15838.61061	30000	0	0	30000	21.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:47:19	1	1	1	1	164.8	41.75	0	25924.171	610.7526882	15832.903	30000	0	0	30000	21.75	2004
11.02.2020 07:47:20	1	1	1	1	164.8	41.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	22.4375	2004
11.02.2020 07:47:21	1	1	1	1	164.8	42.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:22	1	1	1	1	164.8	42.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	23.25	2004
11.02.2020 07:47:28	1	1	1	1	167	42	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:28	1	1	1	1	167	42	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:28	1	1	1	1	167	42	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:28	1	1	1	1	167	42	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:28	1	1	1	1	167	42	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	22.9375	2004
11.02.2020 07:47:28	1	1	1	1	167	42.75	0	24739.336	653.7634409	15982.93154	30000	0	0	30000	22.125	2004
11.02.2020 07:47:29	1	1	1	1	167	42	0	25497.63	627.9569892	16066.09953	30000	0	0	30000	21.9375	2004
11.02.2020 07:47:30	1	1	1	1	167	41.75	0	24691.943	647.311828	15982.93154	30000	0	0	30000	22.875	2004
11.02.2020 07:47:31	1	1	1	1	167	42.75	0	25497.63	630.1075269	16095.45294	30000	0	0	30000	22.5625	2004
11.02.2020 07:47:32	1	1	1	1	167	42.5	0	24834.123	645.1612903	16044.08447	30000	0	0	30000	23.125	2004
11.02.2020 07:47:33	1	1	1	1	167	43	0	23791.469	660.2150538	15995.16212	30000	0	0	30000	22.375	2004
11.02.2020 07:47:35	1	1	1	1	167	42.25	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	22.125	2004
11.02.2020 07:47:36	1	1	1	1	167.5	42	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	22	2004
11.02.2020 07:47:37	1	1	1	1	167.5	42	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	23.1875	2004
11.02.2020 07:47:38	1	1	1	1	167.5	43	0	23838.863	664.516129	15995.16212	30000	0	0	30000	23.125	2004
11.02.2020 07:47:39	1	1	1	1	167.5	43	0	23222.749	688.172043	15948.68589	30000	0	0	30000	22.375	2004
11.02.2020 07:47:40	1	1	1	1	167.5	42.25	0	23270.142	688.172043	15948.68589	30000	0	0	30000	24.125	2004
11.02.2020 07:47:41	1	1	1	1	167.5	44	0	23554.502	688.172043	16209.60509	30000	0	0	30000	23.8125	2004
11.02.2020 07:47:42	1	1	1	1	167.5	43.75	0	22890.995	701.0752688	16130.51396	30000	0	0	30000	22.8125	2004
11.02.2020 07:47:43	1	1	1	1	167.5	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	23.3125	2004
11.02.2020 07:47:44	1	1	1	1	167.5	42	0	22559.242	709.6774194	16193.29764	30000	0	0	30000	22	2004
11.02.2020 07:47:45	1	1	1	1	166.8	42	0	22322.275	718.2795699	16033.48463	30000	0	0	30000	22.0625	2004
11.02.2020 07:47:46	1	1	1	1	166.8	42	0	23317.536	688.172043	16013.91569	30000	0	0	30000	22.125	2004
11.02.2020 07:47:47	1	1	1	1	166.8	42	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	22.5	2004
11.02.2020 07:47:48	1	1	1	1	166.8	42.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	22.8125	2004
11.02.2020 07:47:49	1	1	1	1	166.8	42.75	0	22559.242	701.0752688	15815.78018	30000	0	0	30000	22.5	2004
11.02.2020 07:47:50	1	1	1	1	166.8	42.5	0	21943.128	729.0322581	16135.40619	30000	0	0	30000	22.625	2004
11.02.2020 07:47:51	1	1	1	1	166.8	42.5	0	22417.062	713.9784946	15923.40934	30000	0	0	30000	22.4375	2004
11.02.2020 07:47:52	1	1	1	1	166.8	42.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	21.9375	2004
11.02.2020 07:47:53	1	1	1	1	166.8	41.75	0	22559.242	713.9784946	16024.51553	30000	0	0	30000	22.0625	2004
11.02.2020 07:47:54	1	1	1	1	166.8	42	0	22132.701	726.8817204	15944.60903	30000	0	0	30000	21.9375	2004
11.02.2020 07:47:55	1	1	1	1	166.5	41.75	0	22559.242	707.5268817	15960.91648	30000	0	0	30000	22.6875	2004
11.02.2020 07:47:56	1	1	1	1	166.5	42.5	0	22938.389	696.7741935	15965.80871	30000	0	0	30000	22.5	2004
11.02.2020 07:47:57	1	1	1	1	166.5	42.5	0	23412.322	677.4193548	15859.81029	30000	0	0	30000	22.0625	2004
11.02.2020 07:47:58	1	1	1	1	166.5	42	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	22.8125	2004
11.02.2020 07:47:59	1	1	1	1	166.5	42.75	0	22748.815	707.5268817	16275.65026	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:00	1	1	1	1	166.5	42	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:01	1	1	1	1	166.5	42	0	22748.815	694.6236559	15981.30079	30000	0	0	30000	22.6875	2004
11.02.2020 07:48:02	1	1	1	1	166.5	42.5	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	22.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:48:03	1	1	1	1	166.5	42.5	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	22.1875	2004
11.02.2020 07:48:04	1	1	1	1	166.5	42	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	21.875	2004
11.02.2020 07:48:05	1	1	1	1	166.8	41.75	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:06	1	1	1	1	166.8	42.25	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	22.625	2004
11.02.2020 07:48:07	1	1	1	1	166.8	42.5	0	22417.062	713.9784946	16072.62251	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:08	1	1	1	1	166.8	42	0	22985.782	701.0752688	16065.28416	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:09	1	1	1	1	166.8	42.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	22	2004
11.02.2020 07:48:10	1	1	1	1	166.8	42	0	23222.749	688.172043	15948.68589	30000	0	0	30000	22	2004
11.02.2020 07:48:11	1	1	1	1	166.8	42	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:12	1	1	1	1	166.8	42.75	0	22843.602	701.0752688	16097.08368	30000	0	0	30000	22.375	2004
11.02.2020 07:48:13	1	1	1	1	166.8	42.25	0	23175.355	688.172043	15981.30079	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:15	1	1	1	1	166.8	42.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	22.375	2004
11.02.2020 07:48:16	1	1	1	1	166.8	42.25	0	22796.209	701.0752688	16014.73106	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:17	1	1	1	1	168.8	42	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	22.4375	2004
11.02.2020 07:48:18	1	1	1	1	168.8	42.25	0	22606.635	707.5268817	15997.60824	30000	0	0	30000	23.4375	2004
11.02.2020 07:48:19	1	1	1	1	168.8	43.25	0	23033.175	694.6236559	16097.89906	30000	0	0	30000	22.6875	2004
11.02.2020 07:48:20	1	1	1	1	168.8	42.5	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	23.5	2004
11.02.2020 07:48:21	1	1	1	1	168.8	43.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	22.6875	2004
11.02.2020 07:48:22	1	1	1	1	168.8	42.5	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	24.375	2004
11.02.2020 07:48:23	1	1	1	1	168.8	44	0	22890.995	698.9247312	16048.16134	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:24	1	1	1	1	168.8	42.25	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	22.25	2004
11.02.2020 07:48:29	1	1	1	1	170	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	22.375	2004
11.02.2020 07:48:29	1	1	1	1	170	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	22.375	2004
11.02.2020 07:48:29	1	1	1	1	170	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	22.375	2004
11.02.2020 07:48:29	1	1	1	1	170	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	22.375	2004
11.02.2020 07:48:29	1	1	1	1	170	42.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	22.375	2004
11.02.2020 07:48:30	1	1	1	1	170	42.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	22.5	2004
11.02.2020 07:48:31	1	1	1	1	170	42.5	0	23175.355	688.172043	15948.68589	30000	0	0	30000	22.6875	2004
11.02.2020 07:48:32	1	1	1	1	170	42.5	0	23175.355	688.172043	15998.42361	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:33	1	1	1	1	170	42.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:34	1	1	1	1	170	42.75	0	23270.142	688.172043	15730.98144	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:35	1	1	1	1	170	42	0	23744.076	688.172043	15867.96401	30000	0	0	30000	22.5625	2004
11.02.2020 07:48:36	1	1	1	1	170	42.5	0	23412.322	688.172043	15827.19539	30000	0	0	30000	23.9375	2004
11.02.2020 07:48:37	1	1	1	1	170	43.75	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	22.125	2004
11.02.2020 07:48:38	1	1	1	1	170	42	0	23554.502	675.2688172	15823.11853	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:39	1	1	1	1	170	42.75	0	23317.536	688.172043	16079.14549	30000	0	0	30000	22.5	2004
11.02.2020 07:48:40	1	1	1	1	170	42.5	0	23601.896	679.5698925	15956.02424	30000	0	0	30000	22.5	2004
11.02.2020 07:48:41	1	1	1	1	170	42.5	0	23791.469	677.4193548	16372.67959	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:42	1	1	1	1	170	42.25	0	23601.896	675.2688172	15905.47115	30000	0	0	30000	22.0625	2004
11.02.2020 07:48:43	1	1	1	1	170	42	0	23364.929	673.1182796	15726.90457	30000	0	0	30000	22.75	2004
11.02.2020 07:48:44	1	1	1	1	170	42.75	0	23933.649	666.6666667	16058.76118	30000	0	0	30000	22.375	2004
11.02.2020 07:48:45	1	1	1	1	169.5	42.25	0	23696.682	675.2688172	16084.03772	30000	0	0	30000	22.4375	2004
11.02.2020 07:48:46	1	1	1	1	169.5	42.25	0	23744.076	679.5698925	16084.03772	30000	0	0	30000	23.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:48:47	1	1	1	1	169.5	43	0	23459.716	688.172043	16176.99019	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:48	1	1	1	1	169.5	42.75	0	23744.076	670.9677419	15613.5678	30000	0	0	30000	22.8125	2004
11.02.2020 07:48:49	1	1	1	1	169.5	42.75	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	23.4375	2004
11.02.2020 07:48:50	1	1	1	1	169.5	43.25	0	23933.649	670.9677419	15955.20887	30000	0	0	30000	22.875	2004
11.02.2020 07:48:51	1	1	1	1	169.5	42.75	0	24218.009	660.2150538	16093.00682	30000	0	0	30000	22.3125	2004
11.02.2020 07:48:52	1	1	1	1	169.5	42.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	23.25	2004
11.02.2020 07:48:53	1	1	1	1	169.5	43.25	0	23933.649	662.3655914	15801.10347	30000	0	0	30000	23.125	2004
11.02.2020 07:48:55	1	1	1	1	169.5	43	0	24123.223	662.3655914	15978.0393	30000	0	0	30000	22.125	2004
11.02.2020 07:48:56	1	1	1	1	170	42	0	24218.009	660.2150538	16082.40698	30000	0	0	30000	22.8125	2004
11.02.2020 07:48:57	1	1	1	1	170	42.75	0	24170.616	658.0645161	15925.85546	30000	0	0	30000	22.9375	2004
11.02.2020 07:48:58	1	1	1	1	170	42.75	0	24360.19	658.0645161	15999.23899	30000	0	0	30000	24.0625	2004
11.02.2020 07:48:59	1	1	1	1	170	44	0	24028.436	666.6666667	16050.60745	30000	0	0	30000	24.25	2004
11.02.2020 07:49:00	1	1	1	1	170	44.25	0	23886.256	666.6666667	15872.85625	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:01	1	1	1	1	170	43	0	24123.223	660.2150538	16030.22314	30000	0	0	30000	22.75	2004
11.02.2020 07:49:02	1	1	1	1	170	43.25	0	23791.469	670.9677419	16405.29449	30000	0	0	30000	22.6875	2004
11.02.2020 07:49:03	1	1	1	1	170	42.5	0	24028.436	660.2150538	15947.05515	30000	0	0	30000	22.6875	2004
11.02.2020 07:49:04	1	1	1	1	170	42.5	0	24123.223	653.7634409	15988.63914	30000	0	0	30000	22.4375	2004
11.02.2020 07:49:05	1	1	1	1	168.8	42.25	0	24170.616	662.3655914	16009.83883	30000	0	0	30000	22.5	2004
11.02.2020 07:49:06	1	1	1	1	168.8	42.5	0	24407.583	645.1612903	15956.83962	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:07	1	1	1	1	168.8	43	0	24170.616	670.9677419	16217.75881	30000	0	0	30000	22.9375	2004
11.02.2020 07:49:08	1	1	1	1	168.8	42.75	0	24170.616	660.2150538	15957.65499	30000	0	0	30000	22.75	2004
11.02.2020 07:49:09	1	1	1	1	168.8	42.75	0	24170.616	666.6666667	16113.39113	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:10	1	1	1	1	168.8	43	0	24218.009	660.2150538	16103.60666	30000	0	0	30000	23.375	2004
11.02.2020 07:49:11	1	1	1	1	168.8	43.25	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	22.9375	2004
11.02.2020 07:49:12	1	1	1	1	168.8	42.75	0	24407.583	655.9139785	16166.39035	30000	0	0	30000	22.375	2004
11.02.2020 07:49:13	1	1	1	1	168.8	42.25	0	24407.583	653.7634409	15676.35148	30000	0	0	30000	22.9375	2004
11.02.2020 07:49:14	1	1	1	1	168.8	42.75	0	24360.19	653.7634409	16009.02346	30000	0	0	30000	22.9375	2004
11.02.2020 07:49:15	1	1	1	1	168.3	42.75	0	24218.009	658.0645161	15884.27146	30000	0	0	30000	22.375	2004
11.02.2020 07:49:18	1	1	1	1	168.3	42.5	0	24028.436	660.2150538	15915.25562	30000	0	0	30000	23.4375	2004
11.02.2020 07:49:18	1	1	1	1	168.3	42.5	0	24028.436	660.2150538	15915.25562	30000	0	0	30000	23.4375	2004
11.02.2020 07:49:18	1	1	1	1	168.3	43.25	0	24218.009	662.3655914	16040.82298	30000	0	0	30000	23.5625	2004
11.02.2020 07:49:19	1	1	1	1	168.3	43.5	0	24218.009	655.9139785	15947.05515	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:20	1	1	1	1	168.3	43	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	22.3125	2004
11.02.2020 07:49:21	1	1	1	1	168.3	42.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.3125	2004
11.02.2020 07:49:22	1	1	1	1	168.3	42.25	0	24312.796	658.0645161	15884.27146	30000	0	0	30000	22.4375	2004
11.02.2020 07:49:23	1	1	1	1	168.3	42.25	0	24312.796	655.9139785	15978.0393	30000	0	0	30000	22.3125	2004
11.02.2020 07:49:24	1	1	1	1	168.3	42.25	0	24170.616	664.516129	16093.00682	30000	0	0	30000	23.375	2004
11.02.2020 07:49:25	1	1	1	1	169	43.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	23.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004
11.02.2020 07:49:31	1	1	1	1	169	42.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	22.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:49:31	1	1	1	1	169	42.5	0	24407.583	655.9139785	16061.20729	30000	0	0	30000	24.375	2004
11.02.2020 07:49:32	1	1	1	1	169	44.25	0	24028.436	660.2150538	15760.33485	30000	0	0	30000	22.625	2004
11.02.2020 07:49:33	1	1	1	1	169	42.5	0	24028.436	664.516129	15935.63993	30000	0	0	30000	22.75	2004
11.02.2020 07:49:35	1	1	1	1	169	42.75	0	24218.009	660.2150538	15884.27146	30000	0	0	30000	23.6875	2004
11.02.2020 07:49:36	1	1	1	1	169.3	43.5	0	24218.009	658.0645161	16051.42282	30000	0	0	30000	22.5625	2004
11.02.2020 07:49:37	1	1	1	1	169.3	42.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.5	2004
11.02.2020 07:49:38	1	1	1	1	169.3	42.5	0	24028.436	660.2150538	15894.87131	30000	0	0	30000	22.6875	2004
11.02.2020 07:49:39	1	1	1	1	169.3	42.5	0	24360.19	662.3655914	16155.7905	30000	0	0	30000	23.625	2004
11.02.2020 07:49:40	1	1	1	1	169.3	43.5	0	24454.976	655.9139785	16009.02346	30000	0	0	30000	23.0625	2004
11.02.2020 07:49:41	1	1	1	1	169.3	43	0	24786.73	647.311828	16044.08447	30000	0	0	30000	22.3125	2004
11.02.2020 07:49:42	1	1	1	1	169.3	42.25	0	24597.156	647.311828	15921.7786	30000	0	0	30000	24.5	2004
11.02.2020 07:49:43	1	1	1	1	169.3	44.5	0	24312.796	660.2150538	15936.4553	30000	0	0	30000	22.875	2004
11.02.2020 07:49:44	1	1	1	1	169.3	42.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	22.5	2004
11.02.2020 07:49:45	1	1	1	1	169	44.75	0	24502.37	653.7634409	16229.17403	30000	0	0	30000	22.4375	2004
11.02.2020 07:49:46	1	1	1	1	169	42.25	0	24407.583	653.7634409	15912.8095	30000	0	0	30000	22.875	2004
11.02.2020 07:49:47	1	1	1	1	169	42.75	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	23.5625	2004
11.02.2020 07:49:48	1	1	1	1	169	43.5	0	24360.19	660.2150538	16082.40698	30000	0	0	30000	22.875	2004
11.02.2020 07:49:49	1	1	1	1	169	42.75	0	24597.156	647.311828	16142.74454	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:50	1	1	1	1	169	43	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	23.25	2004
11.02.2020 07:49:51	1	1	1	1	169	43.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	22.4375	2004
11.02.2020 07:49:52	1	1	1	1	169	42.25	0	24691.943	647.311828	15982.93154	30000	0	0	30000	23.375	2004
11.02.2020 07:49:53	1	1	1	1	169	43.25	0	24597.156	647.311828	15921.7786	30000	0	0	30000	22.4375	2004
11.02.2020 07:49:54	1	1	1	1	169	42.25	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	23.1875	2004
11.02.2020 07:49:55	1	1	1	1	167.3	43	0	24644.55	653.7634409	16142.74454	30000	0	0	30000	22.6875	2004
11.02.2020 07:49:56	1	1	1	1	167.3	42.5	0	24549.763	653.7634409	15860.62566	30000	0	0	30000	22.75	2004
11.02.2020 07:49:57	1	1	1	1	167.3	42.75	0	24454.976	653.7634409	16018.80793	30000	0	0	30000	22.5625	2004
11.02.2020 07:49:58	1	1	1	1	167.3	42.5	0	24691.943	653.7634409	15815.78018	30000	0	0	30000	22.5	2004
11.02.2020 07:49:59	1	1	1	1	167.3	42.5	0	24312.796	653.7634409	15925.85546	30000	0	0	30000	23.3125	2004
11.02.2020 07:50:00	1	1	1	1	167.3	43.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	22.75	2004
11.02.2020 07:50:01	1	1	1	1	167.3	42.75	0	24312.796	660.2150538	15988.63914	30000	0	0	30000	23.1875	2004
11.02.2020 07:50:02	1	1	1	1	167.3	43	0	24312.796	655.9139785	15947.05515	30000	0	0	30000	22.75	2004
11.02.2020 07:50:03	1	1	1	1	167.3	42.75	0	24739.336	653.7634409	15982.93154	30000	0	0	30000	22.6875	2004
11.02.2020 07:50:04	1	1	1	1	167.3	42.5	0	24691.943	653.7634409	15921.7786	30000	0	0	30000	22.5	2004
11.02.2020 07:50:05	1	1	1	1	166.3	42.5	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	23.125	2004
11.02.2020 07:50:06	1	1	1	1	166.3	43	0	24549.763	653.7634409	15890.79444	30000	0	0	30000	23.3125	2004
11.02.2020 07:50:07	1	1	1	1	166.3	43.25	0	24834.123	645.1612903	16106.05278	30000	0	0	30000	23.1875	2004
11.02.2020 07:50:08	1	1	1	1	166.3	43	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	22.9375	2004
11.02.2020 07:50:09	1	1	1	1	166.3	42.75	0	24502.37	653.7634409	15912.8095	30000	0	0	30000	22.5	2004
11.02.2020 07:50:10	1	1	1	1	166.3	42.5	0	24644.55	653.7634409	16080.77623	30000	0	0	30000	24.25	2004
11.02.2020 07:50:11	1	1	1	1	166.3	44.25	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	22.75	2004
11.02.2020 07:50:12	1	1	1	1	166.3	42.75	0	24407.583	645.1612903	15798.65735	30000	0	0	30000	22.8125	2004
11.02.2020 07:50:13	1	1	1	1	166.3	42.75	0	24691.943	638.7096774	15929.93232	30000	0	0	30000	23.25	2004
11.02.2020 07:50:15	1	1	1	1	166.3	43.25	0	24691.943	645.1612903	16044.08447	30000	0	0	30000	23.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:50:16	1	1	1	1	166.3	43.75	0	24691.943	643.0107527	15929.93232	30000	0	0	30000	23.3125	2004
11.02.2020 07:50:17	1	1	1	1	166.3	43.25	0	24786.73	647.311828	16044.08447	30000	0	0	30000	23	2004
11.02.2020 07:50:18	1	1	1	1	166.3	43	0	24691.943	647.311828	15982.93154	30000	0	0	30000	23.1875	2004
11.02.2020 07:50:19	1	1	1	1	166.3	43	0	24691.943	645.1612903	15982.93154	30000	0	0	30000	22.8125	2004
11.02.2020 07:50:20	1	1	1	1	166.3	42.75	0	24549.763	649.4623656	15754.62724	30000	0	0	30000	23	2004
11.02.2020 07:50:21	1	1	1	1	166.3	43	0	24881.517	653.7634409	16106.05278	30000	0	0	30000	25.6875	2004
11.02.2020 07:50:22	1	1	1	1	166.3	45.5	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	24.0625	2004
11.02.2020 07:50:23	1	1	1	1	166.3	44	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	22.625	2004
11.02.2020 07:50:24	1	1	1	1	166.3	42.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	24.8125	2004
11.02.2020 07:50:25	1	1	1	1	166.5	43	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	22.5	2004
11.02.2020 07:50:26	1	1	1	1	166.5	42.5	0	24786.73	643.0107527	15938.08605	30000	0	0	30000	22.9375	2004
11.02.2020 07:50:27	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16142.74454	30000	0	0	30000	22.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16080.77623	30000	0	0	30000	23.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16080.77623	30000	0	0	30000	23.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16080.77623	30000	0	0	30000	23.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16080.77623	30000	0	0	30000	23.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	42.75	0	24597.156	647.311828	16080.77623	30000	0	0	30000	23.625	2004
11.02.2020 07:50:33	1	1	1	1	166.5	43.5	0	24597.156	645.1612903	15815.78018	30000	0	0	30000	24.25	2004
11.02.2020 07:50:34	1	1	1	1	166.5	44.25	0	24597.156	653.7634409	15815.78018	30000	0	0	30000	23.6875	2004
11.02.2020 07:50:35	1	1	1	1	166.3	43.5	0	24549.763	638.7096774	15709.78175	30000	0	0	30000	22.875	2004
11.02.2020 07:50:36	1	1	1	1	166.3	42.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	23.875	2004
11.02.2020 07:50:37	1	1	1	1	166.3	43.75	0	24691.943	647.311828	16142.74454	30000	0	0	30000	22.6875	2004
11.02.2020 07:50:38	1	1	1	1	166.3	42.5	0	24881.517	653.7634409	16106.05278	30000	0	0	30000	23.4375	2004
11.02.2020 07:50:39	1	1	1	1	166.3	43.25	0	24691.943	647.311828	15982.93154	30000	0	0	30000	23.1875	2004
11.02.2020 07:50:40	1	1	1	1	166.3	43	0	24928.91	640.8602151	16059.57655	30000	0	0	30000	23.8125	2004
11.02.2020 07:50:41	1	1	1	1	166.3	43.75	0	24691.943	647.311828	16013.91569	30000	0	0	30000	23.5625	2004
11.02.2020 07:50:42	1	1	1	1	166.3	43.5	0	24786.73	643.0107527	15991.08526	30000	0	0	30000	23.375	2004
11.02.2020 07:50:43	1	1	1	1	166.3	43.25	0	24786.73	645.1612903	15938.08605	30000	0	0	30000	24.875	2004
11.02.2020 07:50:44	1	1	1	1	166.3	44.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	23.25	2004
11.02.2020 07:50:45	1	1	1	1	165.8	43.25	0	24881.517	643.0107527	15968.25483	30000	0	0	30000	23.875	2004
11.02.2020 07:50:46	1	1	1	1	165.8	43.75	0	24928.91	638.7096774	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:50:47	1	1	1	1	165.8	43.25	0	24976.303	640.8602151	16228.35866	30000	0	0	30000	24	2004
11.02.2020 07:50:48	1	1	1	1	165.8	44	0	24976.303	653.7634409	16029.40777	30000	0	0	30000	24.0625	2004
11.02.2020 07:50:49	1	1	1	1	165.8	44	0	25165.877	643.0107527	16181.88242	30000	0	0	30000	23.25	2004
11.02.2020 07:50:50	1	1	1	1	165.8	43.25	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	24	2004
11.02.2020 07:50:51	1	1	1	1	165.8	44	0	25165.877	638.7096774	16127.25247	30000	0	0	30000	24.5	2004
11.02.2020 07:50:53	1	1	1	1	165.8	44.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	24.3125	2004
11.02.2020 07:50:54	1	1	1	1	165.8	44.25	0	24881.517	640.8602151	15945.4244	30000	0	0	30000	22.8125	2004
11.02.2020 07:50:55	1	1	1	1	165.8	42.75	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	22.75	2004
11.02.2020 07:50:56	1	1	1	1	166.5	42.75	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	23.1875	2004
11.02.2020 07:50:57	1	1	1	1	166.5	43	0	25071.09	638.7096774	16066.9149	30000	0	0	30000	23.25	2004
11.02.2020 07:50:58	1	1	1	1	166.5	43.25	0	24928.91	638.7096774	15677.98222	30000	0	0	30000	23.5625	2004
11.02.2020 07:50:59	1	1	1	1	166.5	43.5	0	24786.73	645.1612903	15938.08605	30000	0	0	30000	24.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:51:00	1	1	1	1	166.5	44.25	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	24.8125	2004
11.02.2020 07:51:01	1	1	1	1	166.5	44.75	0	25118.483	638.7096774	16013.10032	30000	0	0	30000	24.3125	2004
11.02.2020 07:51:02	1	1	1	1	166.5	45.5	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	22.875	2004
11.02.2020 07:51:03	1	1	1	1	166.5	42.75	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:04	1	1	1	1	166.5	42.75	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	23.1875	2004
11.02.2020 07:51:05	1	1	1	1	167	43	0	25118.483	636.5591398	15934.82456	30000	0	0	30000	22.75	2004
11.02.2020 07:51:06	1	1	1	1	167	42.75	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	22.8125	2004
11.02.2020 07:51:07	1	1	1	1	167	42.75	0	24928.91	636.5591398	15921.7786	30000	0	0	30000	23.4375	2004
11.02.2020 07:51:08	1	1	1	1	167	43.25	0	24976.303	632.2580645	15982.93154	30000	0	0	30000	23.0625	2004
11.02.2020 07:51:09	1	1	1	1	167	43	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	23.6875	2004
11.02.2020 07:51:10	1	1	1	1	167	43.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:11	1	1	1	1	167	42.75	0	25118.483	640.8602151	16043.2691	30000	0	0	30000	23.3125	2004
11.02.2020 07:51:12	1	1	1	1	167	43.25	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	23.0625	2004
11.02.2020 07:51:13	1	1	1	1	167	43	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:14	1	1	1	1	167	42.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:15	1	1	1	1	166	42.75	0	24786.73	638.7096774	15831.27225	30000	0	0	30000	24.375	2004
11.02.2020 07:51:16	1	1	1	1	166	44.25	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	23.3125	2004
11.02.2020 07:51:17	1	1	1	1	166	43.25	0	24976.303	638.7096774	15845.13359	30000	0	0	30000	23.125	2004
11.02.2020 07:51:18	1	1	1	1	166	43	0	24928.91	632.2580645	15951.94738	30000	0	0	30000	24.25	2004
11.02.2020 07:51:19	1	1	1	1	166	44.25	0	25118.483	640.8602151	16289.51159	30000	0	0	30000	23.4375	2004
11.02.2020 07:51:20	1	1	1	1	166	43.25	0	24928.91	645.1612903	16113.39113	30000	0	0	30000	23.9375	2004
11.02.2020 07:51:21	1	1	1	1	166	43.75	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	23	2004
11.02.2020 07:51:22	1	1	1	1	166	43	0	25355.45	625.8064516	15921.7786	30000	0	0	30000	23.4375	2004
11.02.2020 07:51:23	1	1	1	1	166	43.25	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	23.8125	2004
11.02.2020 07:51:24	1	1	1	1	166	43.75	0	25545.024	627.9569892	15766.04245	30000	0	0	30000	23.625	2004
11.02.2020 07:51:25	1	1	1	1	166	43.5	0	25450.237	632.2580645	16175.35944	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:26	1	1	1	1	166	42.75	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	24.1875	2004
11.02.2020 07:51:27	1	1	1	1	166	44	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	23.1875	2004
11.02.2020 07:51:28	1	1	1	1	166	43	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	23.625	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:35	1	1	1	1	166	43	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23	2004
11.02.2020 07:51:36	1	1	1	1	165.5	43	0	25213.27	636.5591398	15964.99334	30000	0	0	30000	24.0625	2004
11.02.2020 07:51:37	1	1	1	1	165.5	44	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	24.8125	2004
11.02.2020 07:51:38	1	1	1	1	165.5	44.75	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	24.125	2004
11.02.2020 07:51:39	1	1	1	1	165.5	43	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	23.0625	2004
11.02.2020 07:51:40	1	1	1	1	165.5	43	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	22.9375	2004
11.02.2020 07:51:41	1	1	1	1	165.5	42.75	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	24	2004
11.02.2020 07:51:42	1	1	1	1	165.5	44	0	25402.844	634.4086022	16085.66847	30000	0	0	30000	23.875	2004
11.02.2020 07:51:43	1	1	1	1	165.5	43.75	0	25308.057	627.9569892	15946.23977	30000	0	0	30000	23.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:51:44	1	1	1	1	165.5	43.25	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	23.5625	2004
11.02.2020 07:51:45	1	1	1	1	166.3	43.5	0	25355.45	630.1075269	16085.66847	30000	0	0	30000	24.4375	2004
11.02.2020 07:51:46	1	1	1	1	166.3	44.25	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	23.125	2004
11.02.2020 07:51:47	1	1	1	1	166.3	43	0	25450.237	632.2580645	16175.35944	30000	0	0	30000	23.25	2004
11.02.2020 07:51:48	1	1	1	1	166.3	43.25	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	23.4375	2004
11.02.2020 07:51:49	1	1	1	1	166.3	43.25	0	25260.664	634.4086022	16133.77545	30000	0	0	30000	22.875	2004
11.02.2020 07:51:50	1	1	1	1	166.3	42.75	0	25308.057	632.2580645	15946.23977	30000	0	0	30000	23.875	2004
11.02.2020 07:51:51	1	1	1	1	166.3	43.75	0	25355.45	627.9569892	15921.7786	30000	0	0	30000	23.3125	2004
11.02.2020 07:51:52	1	1	1	1	166.3	43.25	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	23.9375	2004
11.02.2020 07:51:53	1	1	1	1	166.3	43.75	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	23.0625	2004
11.02.2020 07:51:54	1	1	1	1	166.3	43	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	23.25	2004
11.02.2020 07:51:55	1	1	1	1	166.3	43.25	0	25165.877	634.4086022	16025.33091	30000	0	0	30000	23.75	2004
11.02.2020 07:51:56	1	1	1	1	166.3	43.75	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	23.75	2004
11.02.2020 07:51:57	1	1	1	1	166.3	43.75	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	23.625	2004
11.02.2020 07:51:58	1	1	1	1	166.3	43.5	0	25165.877	634.4086022	15911.17876	30000	0	0	30000	23.1875	2004
11.02.2020 07:51:59	1	1	1	1	166.3	43	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	23	2004
11.02.2020 07:52:00	1	1	1	1	166.3	43	0	25165.877	625.8064516	16025.33091	30000	0	0	30000	23.25	2004
11.02.2020 07:52:01	1	1	1	1	166.3	43.25	0	25071.09	638.7096774	15951.94738	30000	0	0	30000	23.8125	2004
11.02.2020 07:52:02	1	1	1	1	166.3	43.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23	2004
11.02.2020 07:52:03	1	1	1	1	166.3	43	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	24.5	2004
11.02.2020 07:52:04	1	1	1	1	166.3	44.5	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	23.125	2004
11.02.2020 07:52:05	1	1	1	1	165.8	43	0	25118.483	636.5591398	16043.2691	30000	0	0	30000	23.375	2004
11.02.2020 07:52:06	1	1	1	1	165.8	43.25	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	24.4375	2004
11.02.2020 07:52:08	1	1	1	1	165.8	44.25	0	25071.09	636.5591398	16043.2691	30000	0	0	30000	23.1875	2004
11.02.2020 07:52:09	1	1	1	1	165.8	43	0	24691.943	643.0107527	15991.08526	30000	0	0	30000	23.5	2004
11.02.2020 07:52:10	1	1	1	1	165.8	43.5	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	23.5	2004
11.02.2020 07:52:11	1	1	1	1	165.8	43.5	0	25071.09	634.4086022	16073.43788	30000	0	0	30000	23.5625	2004
11.02.2020 07:52:12	1	1	1	1	165.8	43.5	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	24.25	2004
11.02.2020 07:52:13	1	1	1	1	165.8	44.25	0	25260.664	634.4086022	15911.17876	30000	0	0	30000	24.375	2004
11.02.2020 07:52:14	1	1	1	1	165.8	44.25	0	25118.483	636.5591398	16073.43788	30000	0	0	30000	23.375	2004
11.02.2020 07:52:15	1	1	1	1	165.8	43.25	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	25.5	2004
11.02.2020 07:52:16	1	1	1	1	166	43.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	23.8125	2004
11.02.2020 07:52:17	1	1	1	1	166	43.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	23	2004
11.02.2020 07:52:18	1	1	1	1	166	43	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	23.0625	2004
11.02.2020 07:52:19	1	1	1	1	166	43	0	25213.27	634.4086022	16025.33091	30000	0	0	30000	23.4375	2004
11.02.2020 07:52:20	1	1	1	1	166	43.25	0	25118.483	640.8602151	16013.10032	30000	0	0	30000	24.125	2004
11.02.2020 07:52:21	1	1	1	1	166	44	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	23.1875	2004
11.02.2020 07:52:22	1	1	1	1	166	43	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	23.625	2004
11.02.2020 07:52:23	1	1	1	1	166	43.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	23.5	2004
11.02.2020 07:52:24	1	1	1	1	166	43.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	23.75	2004
11.02.2020 07:52:25	1	1	1	1	165.8	43.75	0	24976.303	643.0107527	16113.39113	30000	0	0	30000	24	2004
11.02.2020 07:52:26	1	1	1	1	165.8	44	0	24928.91	640.8602151	16328.64947	30000	0	0	30000	23.4375	2004
11.02.2020 07:52:27	1	1	1	1	165.8	43.25	0	24928.91	640.8602151	15998.42361	30000	0	0	30000	24.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:52:28	1	1	1	1	165.8	44.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	23.375	2004
11.02.2020 07:52:29	1	1	1	1	165.8	43.25	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	23.3125	2004
11.02.2020 07:52:30	1	1	1	1	165.8	43.25	0	25260.664	632.2580645	16133.77545	30000	0	0	30000	23.625	2004
11.02.2020 07:52:36	1	1	1	1	165	43.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:52:36	1	1	1	1	165	43.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:52:36	1	1	1	1	165	43.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:52:36	1	1	1	1	165	43.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:52:36	1	1	1	1	165	43.5	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	23.375	2004
11.02.2020 07:52:36	1	1	1	1	165	43.25	0	24928.91	640.8602151	15975.59318	30000	0	0	30000	23.5625	2004
11.02.2020 07:52:37	1	1	1	1	165	43.5	0	24739.336	636.5591398	15801.10347	30000	0	0	30000	23.4375	2004
11.02.2020 07:52:38	1	1	1	1	165	43.25	0	24928.91	640.8602151	16029.40777	30000	0	0	30000	23.4375	2004
11.02.2020 07:52:39	1	1	1	1	165	43.25	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	23.25	2004
11.02.2020 07:52:40	1	1	1	1	165	43.25	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	22.8125	2004
11.02.2020 07:52:41	1	1	1	1	165	42.75	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	25.25	2004
11.02.2020 07:52:42	1	1	1	1	165	45.25	0	25118.483	634.4086022	15964.99334	30000	0	0	30000	24.75	2004
11.02.2020 07:52:43	1	1	1	1	165	44.75	0	25213.27	632.2580645	16025.33091	30000	0	0	30000	23.875	2004
11.02.2020 07:52:44	1	1	1	1	165	43.75	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	23.4375	2004
11.02.2020 07:52:46	1	1	1	1	165.8	43.25	0	25213.27	634.4086022	15964.99334	30000	0	0	30000	23.875	2004
11.02.2020 07:52:47	1	1	1	1	165.8	43.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	25	2004
11.02.2020 07:52:48	1	1	1	1	165.8	45	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	24.5	2004
11.02.2020 07:52:49	1	1	1	1	165.8	44.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	24.5625	2004
11.02.2020 07:52:50	1	1	1	1	165.8	44.5	0	25213.27	638.7096774	16103.60666	30000	0	0	30000	24.6875	2004
11.02.2020 07:52:51	1	1	1	1	165.8	44.5	0	25497.63	627.9569892	15926.67083	30000	0	0	30000	24.875	2004
11.02.2020 07:52:52	1	1	1	1	165.8	44.75	0	25355.45	630.1075269	15921.7786	30000	0	0	30000	24.125	2004
11.02.2020 07:52:53	1	1	1	1	165.8	44	0	25308.057	636.5591398	16055.49969	30000	0	0	30000	23.5	2004
11.02.2020 07:52:54	1	1	1	1	165.8	43.5	0	25450.237	634.4086022	15976.40856	30000	0	0	30000	25.875	2004
11.02.2020 07:52:55	1	1	1	1	165.8	45.75	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	24.875	2004
11.02.2020 07:52:56	1	1	1	1	166	44.75	0	24976.303	638.7096774	16059.57655	30000	0	0	30000	24.375	2004
11.02.2020 07:52:57	1	1	1	1	166	44.25	0	25118.483	645.1612903	16120.72949	30000	0	0	30000	23.125	2004
11.02.2020 07:52:58	1	1	1	1	166	43	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	24.25	2004
11.02.2020 07:52:59	1	1	1	1	166	44.25	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	23.75	2004
11.02.2020 07:53:00	1	1	1	1	166	43.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.625	2004
11.02.2020 07:53:01	1	1	1	1	166	43.5	0	24928.91	640.8602151	16059.57655	30000	0	0	30000	24.25	2004
11.02.2020 07:53:02	1	1	1	1	166	44.25	0	25023.697	638.7096774	15982.93154	30000	0	0	30000	24.125	2004
11.02.2020 07:53:03	1	1	1	1	166	44	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	23.9375	2004
11.02.2020 07:53:04	1	1	1	1	166	43.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	24.0625	2004
11.02.2020 07:53:05	1	1	1	1	166	44	0	24881.517	640.8602151	15838.61061	30000	0	0	30000	23.5	2004
11.02.2020 07:53:06	1	1	1	1	166	43.5	0	24834.123	645.1612903	16044.08447	30000	0	0	30000	23.875	2004
11.02.2020 07:53:07	1	1	1	1	166	43.75	0	25260.664	638.7096774	16133.77545	30000	0	0	30000	23.875	2004
11.02.2020 07:53:08	1	1	1	1	166	43.75	0	25165.877	638.7096774	16181.88242	30000	0	0	30000	24.8125	2004
11.02.2020 07:53:09	1	1	1	1	166	44.75	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	24.3125	2004
11.02.2020 07:53:10	1	1	1	1	166	44.25	0	25260.664	640.8602151	15911.17876	30000	0	0	30000	24.0625	2004
11.02.2020 07:53:11	1	1	1	1	166	44	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	23.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:53:12	1	1	1	1	166	43.75	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	24.5	2004
11.02.2020 07:53:13	1	1	1	1	166	44.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	24	2004
11.02.2020 07:53:14	1	1	1	1	166	44	0	24597.156	647.311828	15921.7786	30000	0	0	30000	23.375	2004
11.02.2020 07:53:15	1	1	1	1	166.3	43.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	24.25	2004
11.02.2020 07:53:16	1	1	1	1	166.3	44.25	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	24.625	2004
11.02.2020 07:53:17	1	1	1	1	166.3	44.5	0	24881.517	645.1612903	16106.05278	30000	0	0	30000	23.6875	2004
11.02.2020 07:53:18	1	1	1	1	166.3	43.5	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	24.75	2004
11.02.2020 07:53:19	1	1	1	1	166.3	44.75	0	24691.943	649.4623656	16142.74454	30000	0	0	30000	23.1875	2004
11.02.2020 07:53:20	1	1	1	1	166.3	43	0	24976.303	640.8602151	15975.59318	30000	0	0	30000	24.25	2004
11.02.2020 07:53:21	1	1	1	1	166.3	44.25	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	23.25	2004
11.02.2020 07:53:22	1	1	1	1	166.3	43.25	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	24.6875	2004
11.02.2020 07:53:24	1	1	1	1	166.3	44.5	0	24881.517	638.7096774	15998.42361	30000	0	0	30000	25.4375	2004
11.02.2020 07:53:25	1	1	1	1	166.3	45.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	23.375	2004
11.02.2020 07:53:26	1	1	1	1	166.5	43.25	0	25165.877	627.9569892	16133.77545	30000	0	0	30000	24.5	2004
11.02.2020 07:53:27	1	1	1	1	166.5	44.5	0	24928.91	643.0107527	16029.40777	30000	0	0	30000	23.5	2004
11.02.2020 07:53:28	1	1	1	1	166.5	43.5	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	24.75	2004
11.02.2020 07:53:29	1	1	1	1	166.5	44.75	0	24786.73	653.7634409	16097.89906	30000	0	0	30000	25.0625	2004
11.02.2020 07:53:30	1	1	1	1	166.5	45	0	24928.91	638.7096774	15951.94738	30000	0	0	30000	24.6875	2004
11.02.2020 07:53:31	1	1	1	1	166.5	44.5	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	25.375	2004
11.02.2020 07:53:32	1	1	1	1	166.5	45.25	0	25213.27	636.5591398	15964.99334	30000	0	0	30000	23.5625	2004
11.02.2020 07:53:38	1	1	1	1	166.8	44.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	24.4375	2004
11.02.2020 07:53:38	1	1	1	1	166.8	44.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	24.4375	2004
11.02.2020 07:53:38	1	1	1	1	166.8	44.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	24.4375	2004
11.02.2020 07:53:38	1	1	1	1	166.8	44.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	24.4375	2004
11.02.2020 07:53:38	1	1	1	1	166.8	44.25	0	24928.91	645.1612903	16167.20572	30000	0	0	30000	24.1875	2004
11.02.2020 07:53:39	1	1	1	1	166.8	44	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.125	2004
11.02.2020 07:53:40	1	1	1	1	166.8	44	0	24928.91	645.1612903	16083.22235	30000	0	0	30000	24.625	2004
11.02.2020 07:53:41	1	1	1	1	166.8	44.5	0	24976.303	640.8602151	16120.72949	30000	0	0	30000	24.0625	2004
11.02.2020 07:53:42	1	1	1	1	166.8	44	0	25165.877	640.8602151	16097.08368	30000	0	0	30000	23.5	2004
11.02.2020 07:53:43	1	1	1	1	166.8	43.5	0	25450.237	625.8064516	15986.19303	30000	0	0	30000	23.375	2004
11.02.2020 07:53:44	1	1	1	1	166.8	43.25	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	24.125	2004
11.02.2020 07:53:45	1	1	1	1	166	44	0	25260.664	638.7096774	16025.33091	30000	0	0	30000	23.25	2004
11.02.2020 07:53:46	1	1	1	1	166	43.25	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	23.75	2004
11.02.2020 07:53:47	1	1	1	1	166	43.75	0	24928.91	638.7096774	16328.64947	30000	0	0	30000	23.75	2004
11.02.2020 07:53:48	1	1	1	1	166	43.75	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	23.875	2004
11.02.2020 07:53:49	1	1	1	1	166	43.75	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	24.75	2004
11.02.2020 07:53:50	1	1	1	1	166	44.75	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	24.3125	2004
11.02.2020 07:53:51	1	1	1	1	166	44.25	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	25.4375	2004
11.02.2020 07:53:52	1	1	1	1	166	45.25	0	24881.517	638.7096774	16029.40777	30000	0	0	30000	24.1875	2004
11.02.2020 07:53:53	1	1	1	1	166	44	0	24691.943	640.8602151	15991.08526	30000	0	0	30000	23.6875	2004
11.02.2020 07:53:54	1	1	1	1	166	43.5	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	24.875	2004
11.02.2020 07:53:55	1	1	1	1	167	44.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	23.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:53:56	1	1	1	1	167	43.75	0	24976.303	638.7096774	16005.76197	30000	0	0	30000	25.0625	2004
11.02.2020 07:53:57	1	1	1	1	167	45	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	23.5	2004
11.02.2020 07:53:58	1	1	1	1	167	43.5	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	23.625	2004
11.02.2020 07:53:59	1	1	1	1	167	43.5	0	24834.123	643.0107527	15938.08605	30000	0	0	30000	25.1875	2004
11.02.2020 07:54:00	1	1	1	1	167	45	0	25118.483	638.7096774	16013.10032	30000	0	0	30000	25.375	2004
11.02.2020 07:54:01	1	1	1	1	167	45.25	0	25071.09	640.8602151	16150.89827	30000	0	0	30000	25.6875	2004
11.02.2020 07:54:02	1	1	1	1	167	45.5	0	24928.91	640.8602151	16167.20572	30000	0	0	30000	24	2004
11.02.2020 07:54:04	1	1	1	1	167	44	0	24834.123	647.311828	16044.08447	30000	0	0	30000	23.8125	2004
11.02.2020 07:54:05	1	1	1	1	167	43.75	0	24644.55	640.8602151	15982.93154	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:06	1	1	1	1	166.8	44.25	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	24.3125	2004
11.02.2020 07:54:07	1	1	1	1	166.8	44.25	0	24881.517	638.7096774	16059.57655	30000	0	0	30000	24.6875	2004
11.02.2020 07:54:08	1	1	1	1	166.8	44.5	0	24976.303	636.5591398	15845.13359	30000	0	0	30000	24.0625	2004
11.02.2020 07:54:09	1	1	1	1	166.8	44	0	24881.517	647.311828	16052.2382	30000	0	0	30000	24.25	2004
11.02.2020 07:54:10	1	1	1	1	166.8	44.25	0	24597.156	653.7634409	15679.61297	30000	0	0	30000	23.8125	2004
11.02.2020 07:54:11	1	1	1	1	166.8	43.75	0	24597.156	645.1612903	15815.78018	30000	0	0	30000	25.375	2004
11.02.2020 07:54:12	1	1	1	1	166.8	45.25	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	24.25	2004
11.02.2020 07:54:13	1	1	1	1	166.8	44.25	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	25.25	2004
11.02.2020 07:54:14	1	1	1	1	166.8	45.25	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	24.0625	2004
11.02.2020 07:54:15	1	1	1	1	167.5	44.25	0	24597.156	647.311828	15921.7786	30000	0	0	30000	24.125	2004
11.02.2020 07:54:16	1	1	1	1	167.5	44	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	24.125	2004
11.02.2020 07:54:17	1	1	1	1	167.5	44	0	24786.73	647.311828	16204.71285	30000	0	0	30000	24.75	2004
11.02.2020 07:54:18	1	1	1	1	167.5	44.75	0	24834.123	645.1612903	16022.06942	30000	0	0	30000	24	2004
11.02.2020 07:54:19	1	1	1	1	167.5	44	0	24881.517	645.1612903	15968.25483	30000	0	0	30000	24.5	2004
11.02.2020 07:54:20	1	1	1	1	167.5	44.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	24.3125	2004
11.02.2020 07:54:21	1	1	1	1	167.5	44.25	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	24	2004
11.02.2020 07:54:22	1	1	1	1	167.5	44	0	24928.91	640.8602151	15998.42361	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:23	1	1	1	1	167.5	44.25	0	24834.123	645.1612903	15998.42361	30000	0	0	30000	24.25	2004
11.02.2020 07:54:24	1	1	1	1	167.5	44.25	0	24739.336	645.1612903	16204.71285	30000	0	0	30000	23.625	2004
11.02.2020 07:54:25	1	1	1	1	168.3	43.5	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	25.5	2004
11.02.2020 07:54:26	1	1	1	1	168.3	45.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	25.125	2004
11.02.2020 07:54:27	1	1	1	1	168.3	45	0	24502.37	653.7634409	15956.83962	30000	0	0	30000	23.8125	2004
11.02.2020 07:54:28	1	1	1	1	168.3	43.75	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	24.3125	2004
11.02.2020 07:54:29	1	1	1	1	168.3	44.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	23.5625	2004
11.02.2020 07:54:30	1	1	1	1	168.3	43.5	0	24502.37	653.7634409	16207.97434	30000	0	0	30000	23.9375	2004
11.02.2020 07:54:31	1	1	1	1	168.3	43.75	0	24502.37	647.311828	16049.79208	30000	0	0	30000	24.5	2004
11.02.2020 07:54:32	1	1	1	1	168.3	44.5	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	24.3125	2004
11.02.2020 07:54:33	1	1	1	1	168.3	44.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	25.0625	2004
11.02.2020 07:54:39	1	1	1	1	168	44.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:39	1	1	1	1	168	44.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:39	1	1	1	1	168	44.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:39	1	1	1	1	168	44.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:39	1	1	1	1	168	44.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	24.4375	2004
11.02.2020 07:54:39	1	1	1	1	168	44.25	0	24597.156	647.311828	15921.7786	30000	0	0	30000	24.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:54:41	1	1	1	1	168	44.75	0	24502.37	647.311828	15860.62566	30000	0	0	30000	23.375	2004
11.02.2020 07:54:42	1	1	1	1	168	43.25	0	24597.156	647.311828	16080.77623	30000	0	0	30000	24.9375	2004
11.02.2020 07:54:43	1	1	1	1	168	44.75	0	24218.009	653.7634409	15832.903	30000	0	0	30000	23.6875	2004
11.02.2020 07:54:44	1	1	1	1	168	43.5	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	23.9375	2004
11.02.2020 07:54:45	1	1	1	1	168	43.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	25.5625	2004
11.02.2020 07:54:46	1	1	1	1	168.8	45.5	0	24502.37	653.7634409	16070.99176	30000	0	0	30000	24	2004
11.02.2020 07:54:47	1	1	1	1	168.8	44	0	24786.73	643.0107527	15991.08526	30000	0	0	30000	24.5	2004
11.02.2020 07:54:48	1	1	1	1	168.8	44.5	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	25.375	2004
11.02.2020 07:54:49	1	1	1	1	168.8	45.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	25.625	2004
11.02.2020 07:54:50	1	1	1	1	168.8	45.5	0	24881.517	645.1612903	16083.22235	30000	0	0	30000	26.5	2004
11.02.2020 07:54:51	1	1	1	1	168.8	46.5	0	24597.156	645.1612903	16142.74454	30000	0	0	30000	23.6875	2004
11.02.2020 07:54:52	1	1	1	1	168.8	43.5	0	24312.796	655.9139785	15947.05515	30000	0	0	30000	24.9375	2004
11.02.2020 07:54:53	1	1	1	1	168.8	46	0	24407.583	660.2150538	15956.83962	30000	0	0	30000	25	2004
11.02.2020 07:54:54	1	1	1	1	168.8	45	0	24454.976	655.9139785	16070.99176	30000	0	0	30000	26.3125	2004
11.02.2020 07:54:55	1	1	1	1	169.3	46.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	23.5625	2004
11.02.2020 07:54:56	1	1	1	1	169.3	43.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	24.5625	2004
11.02.2020 07:54:57	1	1	1	1	169.3	44.5	0	24360.19	653.7634409	16009.02346	30000	0	0	30000	25.375	2004
11.02.2020 07:54:58	1	1	1	1	169.3	45.25	0	24360.19	653.7634409	15925.85546	30000	0	0	30000	23.75	2004
11.02.2020 07:54:59	1	1	1	1	169.3	43.75	0	24123.223	660.2150538	15957.65499	30000	0	0	30000	23.625	2004
11.02.2020 07:55:00	1	1	1	1	169.3	43.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	24.8125	2004
11.02.2020 07:55:01	1	1	1	1	169.3	44.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	24.4375	2004
11.02.2020 07:55:02	1	1	1	1	169.3	44.25	0	24312.796	655.9139785	15947.05515	30000	0	0	30000	24.0625	2004
11.02.2020 07:55:03	1	1	1	1	169.3	44	0	24028.436	664.516129	15966.62409	30000	0	0	30000	25.0625	2004
11.02.2020 07:55:04	1	1	1	1	169.3	45	0	24075.829	666.666667	15966.62409	30000	0	0	30000	25	2004
11.02.2020 07:55:05	1	1	1	1	170	45	0	23791.469	675.2688172	16405.29449	30000	0	0	30000	25.0625	2004
11.02.2020 07:55:06	1	1	1	1	170	45	0	24123.223	662.3655914	15925.85546	30000	0	0	30000	24.0625	2004
11.02.2020 07:55:07	1	1	1	1	170	44	0	24360.19	658.0645161	16009.02346	30000	0	0	30000	24.75	2004
11.02.2020 07:55:08	1	1	1	1	170	44.75	0	24028.436	666.666667	16018.80793	30000	0	0	30000	25.4375	2004
11.02.2020 07:55:09	1	1	1	1	170	45.25	0	24218.009	655.9139785	15988.63914	30000	0	0	30000	25.5	2004
11.02.2020 07:55:10	1	1	1	1	170	45.5	0	24360.19	658.0645161	16114.20651	30000	0	0	30000	24.9375	2004
11.02.2020 07:55:11	1	1	1	1	170	44.75	0	24407.583	658.0645161	16030.22314	30000	0	0	30000	23.875	2004
11.02.2020 07:55:12	1	1	1	1	170	43.75	0	24123.223	658.0645161	15822.30316	30000	0	0	30000	25.375	2004
11.02.2020 07:55:13	1	1	1	1	170	45.25	0	24075.829	662.3655914	15925.85546	30000	0	0	30000	24.8125	2004
11.02.2020 07:55:14	1	1	1	1	170	44.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	25.5625	2004
11.02.2020 07:55:15	1	1	1	1	170.3	45.5	0	24028.436	664.516129	15966.62409	30000	0	0	30000	25	2004
11.02.2020 07:55:16	1	1	1	1	170.3	45	0	24218.009	664.516129	15988.63914	30000	0	0	30000	25.125	2004
11.02.2020 07:55:17	1	1	1	1	170.3	45	0	24123.223	660.2150538	15925.85546	30000	0	0	30000	25.3125	2004
11.02.2020 07:55:19	1	1	1	1	170.3	45.25	0	24028.436	662.3655914	15966.62409	30000	0	0	30000	24.125	2004
11.02.2020 07:55:20	1	1	1	1	170.3	44	0	23933.649	660.2150538	15801.10347	30000	0	0	30000	24.6875	2004
11.02.2020 07:55:21	1	1	1	1	170.3	44.5	0	24123.223	664.516129	15998.42361	30000	0	0	30000	23.6875	2004
11.02.2020 07:55:22	1	1	1	1	170.3	43.5	0	24028.436	660.2150538	15863.88715	30000	0	0	30000	25.125	2004
11.02.2020 07:55:23	1	1	1	1	170.3	45	0	24218.009	660.2150538	15957.65499	30000	0	0	30000	25.6875	2004
11.02.2020 07:55:24	1	1	1	1	170.3	45.5	0	24123.223	670.9677419	16081.59161	30000	0	0	30000	25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:55:25	1	1	1	1	170.3	45	0	24218.009	664.516129	16093.00682	30000	0	0	30000	24.9375	2004
11.02.2020 07:55:26	1	1	1	1	169.8	44.75	0	24218.009	658.0645161	16082.40698	30000	0	0	30000	24.8125	2004
11.02.2020 07:55:27	1	1	1	1	169.8	44.75	0	24360.19	660.2150538	15978.0393	30000	0	0	30000	26.25	2004
11.02.2020 07:55:28	1	1	1	1	169.8	46.25	0	24218.009	658.0645161	15884.27146	30000	0	0	30000	25.6875	2004
11.02.2020 07:55:29	1	1	1	1	169.8	45.5	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	25.75	2004
11.02.2020 07:55:30	1	1	1	1	169.8	44.25	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	25.0625	2004
11.02.2020 07:55:31	1	1	1	1	169.8	45	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	24.4375	2004
11.02.2020 07:55:32	1	1	1	1	169.8	44.25	0	24028.436	662.3655914	15935.63993	30000	0	0	30000	26.5625	2004
11.02.2020 07:55:33	1	1	1	1	169.8	46.5	0	24407.583	658.0645161	15978.0393	30000	0	0	30000	25.5625	2004
11.02.2020 07:55:34	1	1	1	1	169.8	45.5	0	23838.863	666.6666667	15841.05672	30000	0	0	30000	24.6875	2004
11.02.2020 07:55:35	1	1	1	1	169.5	44.5	0	24028.436	688.172043	16090.5607	30000	0	0	30000	24.6875	2004
11.02.2020 07:55:41	1	1	1	1	169.5	45	0	23696.682	673.1182796	15969.0702	30000	0	0	30000	24.875	2004
11.02.2020 07:55:41	1	1	1	1	169.5	45	0	23696.682	673.1182796	15969.0702	30000	0	0	30000	24.875	2004
11.02.2020 07:55:41	1	1	1	1	169.5	45	0	23696.682	673.1182796	15969.0702	30000	0	0	30000	24.875	2004
11.02.2020 07:55:41	1	1	1	1	169.5	45	0	23696.682	673.1182796	15969.0702	30000	0	0	30000	24.875	2004
11.02.2020 07:55:41	1	1	1	1	169.5	44.75	0	23886.256	666.6666667	15955.20887	30000	0	0	30000	25.3125	2004
11.02.2020 07:55:42	1	1	1	1	169.5	45.25	0	23886.256	673.1182796	16078.33012	30000	0	0	30000	25.25	2004
11.02.2020 07:55:43	1	1	1	1	169.5	45.25	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	24.4375	2004
11.02.2020 07:55:44	1	1	1	1	169.5	44.25	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	24.5	2004
11.02.2020 07:55:45	1	1	1	1	170	44.5	0	24218.009	653.7634409	15832.903	30000	0	0	30000	24.3125	2004
11.02.2020 07:55:46	1	1	1	1	170	44.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	25.25	2004
11.02.2020 07:55:47	1	1	1	1	170	45.25	0	24218.009	664.516129	16040.82298	30000	0	0	30000	24.6875	2004
11.02.2020 07:55:48	1	1	1	1	170	44.5	0	24075.829	666.6666667	16081.59161	30000	0	0	30000	25.875	2004
11.02.2020 07:55:49	1	1	1	1	170	45.75	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	26.0625	2004
11.02.2020 07:55:50	1	1	1	1	170	46	0	24028.436	664.516129	15966.62409	30000	0	0	30000	24.1875	2004
11.02.2020 07:55:51	1	1	1	1	170	44	0	23933.649	670.9677419	15955.20887	30000	0	0	30000	25.375	2004
11.02.2020 07:55:52	1	1	1	1	170	45.25	0	23933.649	670.9677419	16026.96165	30000	0	0	30000	24.125	2004
11.02.2020 07:55:53	1	1	1	1	170	44	0	23933.649	666.6666667	15903.8404	30000	0	0	30000	24.5625	2004
11.02.2020 07:55:54	1	1	1	1	170	44.5	0	24123.223	670.9677419	16185.95929	30000	0	0	30000	24.1875	2004
11.02.2020 07:55:56	1	1	1	1	169.8	44	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	24.1875	2004
11.02.2020 07:55:57	1	1	1	1	169.8	44	0	23791.469	666.6666667	15860.62566	30000	0	0	30000	24.1875	2004
11.02.2020 07:55:58	1	1	1	1	169.8	44	0	23838.863	666.6666667	15995.16212	30000	0	0	30000	25.375	2004
11.02.2020 07:55:59	1	1	1	1	169.8	45.25	0	24123.223	660.2150538	15894.87131	30000	0	0	30000	25	2004
11.02.2020 07:56:00	1	1	1	1	169.8	45	0	24360.19	664.516129	16040.82298	30000	0	0	30000	23.9375	2004
11.02.2020 07:56:01	1	1	1	1	169.8	43.75	0	24028.436	666.6666667	16018.80793	30000	0	0	30000	25	2004
11.02.2020 07:56:02	1	1	1	1	169.8	45	0	23886.256	670.9677419	15924.22472	30000	0	0	30000	24.5625	2004
11.02.2020 07:56:03	1	1	1	1	169.8	44.5	0	23554.502	673.1182796	16020.43867	30000	0	0	30000	25.5	2004
11.02.2020 07:56:04	1	1	1	1	169.8	45.5	0	23554.502	675.2688172	15854.91806	30000	0	0	30000	24.3125	2004
11.02.2020 07:56:05	1	1	1	1	169.8	44.25	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	25.6875	2004
11.02.2020 07:56:06	1	1	1	1	170	45.5	0	23791.469	670.9677419	16045.71522	30000	0	0	30000	25.3125	2004
11.02.2020 07:56:07	1	1	1	1	170	45.25	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	26.9375	2004
11.02.2020 07:56:08	1	1	1	1	170	46.75	0	23459.716	673.1182796	15891.60982	30000	0	0	30000	23.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:56:09	1	1	1	1	170	43.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	26.125	2004
11.02.2020 07:56:10	1	1	1	1	170	45.5	0	23744.076	670.9677419	16065.28416	30000	0	0	30000	24.625	2004
11.02.2020 07:56:11	1	1	1	1	170	44.5	0	24123.223	662.3655914	15925.85546	30000	0	0	30000	25.4375	2004
11.02.2020 07:56:12	1	1	1	1	170	45.25	0	24312.796	660.2150538	16051.42282	30000	0	0	30000	24.75	2004
11.02.2020 07:56:13	1	1	1	1	170	44.75	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	25.125	2004
11.02.2020 07:56:14	1	1	1	1	170	45	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	25.375	2004
11.02.2020 07:56:15	1	1	1	1	169.3	45.25	0	24123.223	666.6666667	16030.22314	30000	0	0	30000	25.875	2004
11.02.2020 07:56:16	1	1	1	1	169.3	45.75	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	24.625	2004
11.02.2020 07:56:17	1	1	1	1	169.3	44.5	0	23744.076	677.4193548	16340.06469	30000	0	0	30000	23.9375	2004
11.02.2020 07:56:18	1	1	1	1	169.3	43.75	0	23791.469	664.516129	15995.16212	30000	0	0	30000	25.5	2004
11.02.2020 07:56:19	1	1	1	1	169.3	45.5	0	24075.829	660.2150538	15894.87131	30000	0	0	30000	25.5625	2004
11.02.2020 07:56:20	1	1	1	1	169.3	45.5	0	23886.256	670.9677419	15995.16212	30000	0	0	30000	24.75	2004
11.02.2020 07:56:21	1	1	1	1	169.3	44.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	24.1875	2004
11.02.2020 07:56:22	1	1	1	1	169.3	44	0	24075.829	666.6666667	16018.80793	30000	0	0	30000	25.25	2004
11.02.2020 07:56:23	1	1	1	1	169.3	45.25	0	23838.863	666.6666667	15841.05672	30000	0	0	30000	25.5625	2004
11.02.2020 07:56:24	1	1	1	1	169.3	45.5	0	23886.256	664.516129	15903.8404	30000	0	0	30000	24.1875	2004
11.02.2020 07:56:25	1	1	1	1	170.3	44	0	23838.863	670.9677419	15943.79366	30000	0	0	30000	25.375	2004
11.02.2020 07:56:26	1	1	1	1	170.3	45.25	0	24075.829	660.2150538	16030.22314	30000	0	0	30000	24.1875	2004
11.02.2020 07:56:27	1	1	1	1	170.3	44	0	23649.289	675.2688172	15867.96401	30000	0	0	30000	23.875	2004
11.02.2020 07:56:28	1	1	1	1	170.3	43.75	0	23649.289	679.5698925	16020.43867	30000	0	0	30000	25.8125	2004
11.02.2020 07:56:29	1	1	1	1	170.3	45.75	0	23459.716	670.9677419	15956.02424	30000	0	0	30000	25.5	2004
11.02.2020 07:56:30	1	1	1	1	170.3	45.5	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	25.125	2004
11.02.2020 07:56:31	1	1	1	1	170.3	45	0	24170.616	660.2150538	15988.63914	30000	0	0	30000	24.75	2004
11.02.2020 07:56:32	1	1	1	1	170.3	44.75	0	23981.043	670.9677419	16038.37687	30000	0	0	30000	24.4375	2004
11.02.2020 07:56:34	1	1	1	1	170.3	44.25	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	26.4375	2004
11.02.2020 07:56:35	1	1	1	1	170.3	46.25	0	23412.322	675.2688172	15891.60982	30000	0	0	30000	23.875	2004
11.02.2020 07:56:36	1	1	1	1	169.8	43.75	0	23696.682	675.2688172	16084.03772	30000	0	0	30000	25.125	2004
11.02.2020 07:56:37	1	1	1	1	169.8	45	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	24.25	2004
11.02.2020 07:56:41	1	1	1	1	169.8	44.25	0	23744.076	688.172043	16340.06469	30000	0	0	30000	25.375	2004
11.02.2020 07:56:41	1	1	1	1	169.8	44.25	0	23744.076	688.172043	16340.06469	30000	0	0	30000	25.375	2004
11.02.2020 07:56:41	1	1	1	1	169.8	44.25	0	23744.076	688.172043	16340.06469	30000	0	0	30000	25.375	2004
11.02.2020 07:56:41	1	1	1	1	169.8	44.25	0	23744.076	688.172043	16340.06469	30000	0	0	30000	25.375	2004
11.02.2020 07:56:42	1	1	1	1	169.8	45.25	0	23838.863	670.9677419	15943.79366	30000	0	0	30000	25.25	2004
11.02.2020 07:56:43	1	1	1	1	169.8	45.25	0	23317.536	673.1182796	15827.19539	30000	0	0	30000	24.875	2004
11.02.2020 07:56:44	1	1	1	1	169.8	44.75	0	23507.109	675.2688172	15956.02424	30000	0	0	30000	25.3125	2004
11.02.2020 07:56:45	1	1	1	1	169.8	45.25	0	23317.536	664.516129	15726.90457	30000	0	0	30000	25.4375	2004
11.02.2020 07:56:46	1	1	1	1	169.5	45.25	0	23744.076	679.5698925	16340.06469	30000	0	0	30000	26.6875	2004
11.02.2020 07:56:47	1	1	1	1	169.5	46.5	0	23554.502	675.2688172	15854.91806	30000	0	0	30000	26.125	2004
11.02.2020 07:56:48	1	1	1	1	169.5	44.75	0	23554.502	675.2688172	15854.91806	30000	0	0	30000	25.125	2004
11.02.2020 07:56:49	1	1	1	1	169.5	45	0	23412.322	688.172043	16079.14549	30000	0	0	30000	24.9375	2004
11.02.2020 07:56:50	1	1	1	1	169.5	44.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	24.6875	2004
11.02.2020 07:56:51	1	1	1	1	169.5	44.5	0	23412.322	688.172043	16079.14549	30000	0	0	30000	24.8125	2004
11.02.2020 07:56:52	1	1	1	1	169.5	44.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	25.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:56:53	1	1	1	1	169.5	45	0	23222.749	677.4193548	16013.91569	30000	0	0	30000	24.4375	2004
11.02.2020 07:56:54	1	1	1	1	169.5	44.25	0	23317.536	675.2688172	15713.04324	30000	0	0	30000	25	2004
11.02.2020 07:56:55	1	1	1	1	169.5	45	0	23412.322	675.2688172	15891.60982	30000	0	0	30000	24.8125	2004
11.02.2020 07:56:56	1	1	1	1	169.5	44.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	24.6875	2004
11.02.2020 07:56:57	1	1	1	1	169.5	44.5	0	23554.502	675.2688172	15854.91806	30000	0	0	30000	25.125	2004
11.02.2020 07:56:58	1	1	1	1	169.5	45	0	23459.716	688.172043	16144.37529	30000	0	0	30000	24.3125	2004
11.02.2020 07:56:59	1	1	1	1	169.5	44.25	0	23270.142	690.3225806	16013.91569	30000	0	0	30000	25.125	2004
11.02.2020 07:57:00	1	1	1	1	169.5	45	0	23317.536	675.2688172	15795.39586	30000	0	0	30000	24.6875	2004
11.02.2020 07:57:01	1	1	1	1	169.5	44.5	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	25.5	2004
11.02.2020 07:57:02	1	1	1	1	169.5	45.5	0	23317.536	688.172043	16013.91569	30000	0	0	30000	25.6875	2004
11.02.2020 07:57:03	1	1	1	1	169.5	45.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	24.3125	2004
11.02.2020 07:57:04	1	1	1	1	169.5	44.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	27	2004
11.02.2020 07:57:05	1	1	1	1	169	47	0	23033.175	692.4731183	15867.14864	30000	0	0	30000	24.4375	2004
11.02.2020 07:57:06	1	1	1	1	169	44.25	0	23222.749	688.172043	16013.91569	30000	0	0	30000	24.5625	2004
11.02.2020 07:57:07	1	1	1	1	169	44.5	0	23554.502	688.172043	16176.99019	30000	0	0	30000	25.1875	2004
11.02.2020 07:57:08	1	1	1	1	169	45	0	23649.289	688.172043	16274.83489	30000	0	0	30000	25.375	2004
11.02.2020 07:57:09	1	1	1	1	169	45.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	25.0625	2004
11.02.2020 07:57:10	1	1	1	1	169	45	0	23364.929	688.172043	16111.76039	30000	0	0	30000	24.4375	2004
11.02.2020 07:57:11	1	1	1	1	169	44.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	25	2004
11.02.2020 07:57:12	1	1	1	1	169	45	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	24.3125	2004
11.02.2020 07:57:14	1	1	1	1	169	44.25	0	23649.289	688.172043	16020.43867	30000	0	0	30000	26.125	2004
11.02.2020 07:57:15	1	1	1	1	169	46	0	23364.929	675.2688172	15726.90457	30000	0	0	30000	25.75	2004
11.02.2020 07:57:16	1	1	1	1	168.5	45.75	0	23459.716	673.1182796	15823.11853	30000	0	0	30000	24.125	2004
11.02.2020 07:57:17	1	1	1	1	168.5	44	0	23222.749	688.172043	15981.30079	30000	0	0	30000	24.125	2004
11.02.2020 07:57:18	1	1	1	1	168.5	44	0	23270.142	688.172043	16013.91569	30000	0	0	30000	25.8125	2004
11.02.2020 07:57:19	1	1	1	1	168.5	45.75	0	23364.929	675.2688172	15726.90457	30000	0	0	30000	25.375	2004
11.02.2020 07:57:20	1	1	1	1	168.5	45.25	0	23412.322	675.2688172	15809.2572	30000	0	0	30000	25.5	2004
11.02.2020 07:57:21	1	1	1	1	168.5	45.5	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	27	2004
11.02.2020 07:57:22	1	1	1	1	168.5	47	0	23412.322	675.2688172	15891.60982	30000	0	0	30000	25.8125	2004
11.02.2020 07:57:23	1	1	1	1	168.5	45.75	0	23507.109	688.172043	16176.99019	30000	0	0	30000	26.5	2004
11.02.2020 07:57:24	1	1	1	1	168.5	46.5	0	23554.502	688.172043	15956.02424	30000	0	0	30000	25.875	2004
11.02.2020 07:57:25	1	1	1	1	168.5	45.75	0	23838.863	688.172043	16405.29449	30000	0	0	30000	27.3125	2004
11.02.2020 07:57:26	1	1	1	1	168.5	47.25	0	23649.289	670.9677419	15867.96401	30000	0	0	30000	25.375	2004
11.02.2020 07:57:27	1	1	1	1	168.5	45.75	0	23744.076	675.2688172	16116.65262	30000	0	0	30000	25.9375	2004
11.02.2020 07:57:28	1	1	1	1	168.5	45.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	24.875	2004
11.02.2020 07:57:29	1	1	1	1	168.5	44.75	0	23791.469	670.9677419	15931.56307	30000	0	0	30000	25.6875	2004
11.02.2020 07:57:30	1	1	1	1	168.5	45.5	0	23459.716	688.172043	15891.60982	30000	0	0	30000	24.5625	2004
11.02.2020 07:57:31	1	1	1	1	168.5	44.5	0	23175.355	673.1182796	15981.30079	30000	0	0	30000	25.625	2004
11.02.2020 07:57:32	1	1	1	1	168.5	45.5	0	23175.355	688.172043	16031.03851	30000	0	0	30000	25.6875	2004
11.02.2020 07:57:33	1	1	1	1	168.5	45.5	0	23459.716	675.2688172	15823.11853	30000	0	0	30000	25.5	2004
11.02.2020 07:57:34	1	1	1	1	168.5	45.5	0	23649.289	688.172043	16020.43867	30000	0	0	30000	25.375	2004
11.02.2020 07:57:35	1	1	1	1	167.8	45.25	0	23744.076	688.172043	16033.48463	30000	0	0	30000	25.3125	2004
11.02.2020 07:57:36	1	1	1	1	167.8	45.25	0	23507.109	675.2688172	15823.11853	30000	0	0	30000	25.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:57:37	1	1	1	1	167.8	45.5	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	25.8125	2004
11.02.2020 07:57:38	1	1	1	1	167.8	45.75	0	23649.289	673.1182796	15969.0702	30000	0	0	30000	26.375	2004
11.02.2020 07:57:44	1	1	1	1	167.8	45.25	0	23649.289	675.2688172	15886.71758	30000	0	0	30000	25.4375	2004
11.02.2020 07:57:44	1	1	1	1	167.8	45.25	0	23649.289	675.2688172	15886.71758	30000	0	0	30000	25.4375	2004
11.02.2020 07:57:44	1	1	1	1	167.8	45.25	0	23649.289	675.2688172	15886.71758	30000	0	0	30000	25.4375	2004
11.02.2020 07:57:44	1	1	1	1	167.8	45.25	0	23649.289	675.2688172	15886.71758	30000	0	0	30000	25.4375	2004
11.02.2020 07:57:44	1	1	1	1	167.8	45.25	0	23554.502	688.172043	16209.60509	30000	0	0	30000	25.25	2004
11.02.2020 07:57:45	1	1	1	1	168	45.25	0	23649.289	688.172043	16020.43867	30000	0	0	30000	24.5	2004
11.02.2020 07:57:46	1	1	1	1	168	44.5	0	23364.929	688.172043	16013.91569	30000	0	0	30000	26.9375	2004
11.02.2020 07:57:47	1	1	1	1	168	46.75	0	23412.322	670.9677419	15891.60982	30000	0	0	30000	24.8125	2004
11.02.2020 07:57:48	1	1	1	1	168	44.75	0	23317.536	688.172043	16013.91569	30000	0	0	30000	24.9375	2004
11.02.2020 07:57:49	1	1	1	1	168	44.75	0	23270.142	688.172043	15981.30079	30000	0	0	30000	25.8125	2004
11.02.2020 07:57:50	1	1	1	1	168	45.75	0	23459.716	688.172043	15859.81029	30000	0	0	30000	26.375	2004
11.02.2020 07:57:52	1	1	1	1	168	46.25	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	25.375	2004
11.02.2020 07:57:53	1	1	1	1	168	45.25	0	23270.142	688.172043	15981.30079	30000	0	0	30000	24.75	2004
11.02.2020 07:57:54	1	1	1	1	168	44.75	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	25.6875	2004
11.02.2020 07:57:55	1	1	1	1	168	45.5	0	23838.863	670.9677419	16045.71522	30000	0	0	30000	25.875	2004
11.02.2020 07:57:56	1	1	1	1	167.5	45.75	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	24.9375	2004
11.02.2020 07:57:57	1	1	1	1	167.5	44.75	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	25.875	2004
11.02.2020 07:57:58	1	1	1	1	167.5	45.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	26.4375	2004
11.02.2020 07:57:59	1	1	1	1	167.5	46.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	25.125	2004
11.02.2020 07:58:00	1	1	1	1	167.5	45	0	23270.142	688.172043	16013.91569	30000	0	0	30000	25.625	2004
11.02.2020 07:58:01	1	1	1	1	167.5	45.5	0	23364.929	675.2688172	15777.45767	30000	0	0	30000	25.625	2004
11.02.2020 07:58:02	1	1	1	1	167.5	45.5	0	23791.469	670.9677419	15931.56307	30000	0	0	30000	24.9375	2004
11.02.2020 07:58:03	1	1	1	1	167.5	44.75	0	23838.863	670.9677419	16148.45215	30000	0	0	30000	24.625	2004
11.02.2020 07:58:04	1	1	1	1	167.5	44.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	25.5625	2004
11.02.2020 07:58:05	1	1	1	1	167.5	45.5	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	25.1875	2004
11.02.2020 07:58:06	1	1	1	1	168.5	45	0	23317.536	673.1182796	15613.5678	30000	0	0	30000	26.4375	2004
11.02.2020 07:58:07	1	1	1	1	168.5	46.75	0	23791.469	675.2688172	16084.03772	30000	0	0	30000	26.875	2004
11.02.2020 07:58:08	1	1	1	1	168.5	46.75	0	23791.469	675.2688172	16116.65262	30000	0	0	30000	26.25	2004
11.02.2020 07:58:09	1	1	1	1	168.5	46.25	0	23933.649	688.172043	15995.16212	30000	0	0	30000	25.25	2004
11.02.2020 07:58:10	1	1	1	1	168.5	45.25	0	23601.896	673.1182796	15918.51711	30000	0	0	30000	25.1875	2004
11.02.2020 07:58:11	1	1	1	1	168.5	45	0	23554.502	679.5698925	15956.02424	30000	0	0	30000	25.4375	2004
11.02.2020 07:58:12	1	1	1	1	168.5	45.25	0	23696.682	688.172043	16274.83489	30000	0	0	30000	24.8125	2004
11.02.2020 07:58:13	1	1	1	1	168.5	44.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	25.75	2004
11.02.2020 07:58:14	1	1	1	1	168.5	45.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	25.875	2004
11.02.2020 07:58:15	1	1	1	1	169	45.75	0	23507.109	688.172043	15790.50363	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:16	1	1	1	1	169	45.5	0	23838.863	670.9677419	15892.42519	30000	0	0	30000	25.5625	2004
11.02.2020 07:58:17	1	1	1	1	169	45.5	0	24360.19	653.7634409	15956.83962	30000	0	0	30000	24.8125	2004
11.02.2020 07:58:18	1	1	1	1	169	44.75	0	23649.289	666.6666667	15766.04245	30000	0	0	30000	25.25	2004
11.02.2020 07:58:19	1	1	1	1	169	45.25	0	23933.649	666.6666667	15903.8404	30000	0	0	30000	26.0625	2004
11.02.2020 07:58:20	1	1	1	1	169	46	0	24407.583	653.7634409	15925.85546	30000	0	0	30000	25.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:58:21	1	1	1	1	169	45.75	0	23601.896	673.1182796	15987.82377	30000	0	0	30000	25	2004
11.02.2020 07:58:22	1	1	1	1	169	45	0	23791.469	670.9677419	15778.27304	30000	0	0	30000	25.75	2004
11.02.2020 07:58:23	1	1	1	1	169	45.75	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	26.125	2004
11.02.2020 07:58:24	1	1	1	1	169	46	0	23838.863	688.172043	16405.29449	30000	0	0	30000	25.125	2004
11.02.2020 07:58:25	1	1	1	1	168.5	45	0	23744.076	675.2688172	16013.91569	30000	0	0	30000	24.625	2004
11.02.2020 07:58:26	1	1	1	1	168.5	44.5	0	23554.502	675.2688172	15854.91806	30000	0	0	30000	25.1875	2004
11.02.2020 07:58:27	1	1	1	1	168.5	45	0	23364.929	675.2688172	16079.14549	30000	0	0	30000	25.625	2004
11.02.2020 07:58:28	1	1	1	1	168.5	45.5	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	25.875	2004
11.02.2020 07:58:29	1	1	1	1	168.5	45.75	0	23744.076	670.9677419	15963.3626	30000	0	0	30000	24.75	2004
11.02.2020 07:58:30	1	1	1	1	168.5	44.75	0	23933.649	675.2688172	16078.33012	30000	0	0	30000	25.4375	2004
11.02.2020 07:58:32	1	1	1	1	168.5	45.25	0	23601.896	677.4193548	15854.91806	30000	0	0	30000	26.4375	2004
11.02.2020 07:58:33	1	1	1	1	168.5	46.25	0	23507.109	688.172043	16144.37529	30000	0	0	30000	25.625	2004
11.02.2020 07:58:34	1	1	1	1	168.5	45.5	0	24075.829	662.3655914	15863.88715	30000	0	0	30000	25.625	2004
11.02.2020 07:58:35	1	1	1	1	168.5	45.5	0	23838.863	662.3655914	15872.85625	30000	0	0	30000	25.4375	2004
11.02.2020 07:58:36	1	1	1	1	168.8	45.25	0	23649.289	675.2688172	15969.0702	30000	0	0	30000	25.375	2004
11.02.2020 07:58:37	1	1	1	1	168.8	45.25	0	23933.649	655.9139785	15935.63993	30000	0	0	30000	25.125	2004
11.02.2020 07:58:38	1	1	1	1	168.8	45	0	23744.076	673.1182796	16116.65262	30000	0	0	30000	26.5	2004
11.02.2020 07:58:39	1	1	1	1	168.8	46.5	0	23981.043	666.6666667	16018.80793	30000	0	0	30000	24.8125	2004
11.02.2020 07:58:40	1	1	1	1	168.8	44.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	26.375	2004
11.02.2020 07:58:46	1	1	1	1	168.8	47.5	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:46	1	1	1	1	168.8	47.5	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:46	1	1	1	1	168.8	47.5	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:46	1	1	1	1	168.8	47.5	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:46	1	1	1	1	168.8	47.5	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:46	1	1	1	1	169.3	45.5	0	23838.863	673.1182796	15995.16212	30000	0	0	30000	25.375	2004
11.02.2020 07:58:47	1	1	1	1	169.3	45.25	0	24218.009	658.0645161	15832.903	30000	0	0	30000	24.5625	2004
11.02.2020 07:58:48	1	1	1	1	169.3	44.5	0	24170.616	660.2150538	16093.00682	30000	0	0	30000	26.4375	2004
11.02.2020 07:58:49	1	1	1	1	169.3	46.25	0	24123.223	662.3655914	16061.20729	30000	0	0	30000	25.5625	2004
11.02.2020 07:58:50	1	1	1	1	169.3	45.5	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	24.9375	2004
11.02.2020 07:58:51	1	1	1	1	169.3	44.75	0	24218.009	666.6666667	16061.20729	30000	0	0	30000	25.375	2004
11.02.2020 07:58:52	1	1	1	1	169.3	45.25	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	25.0625	2004
11.02.2020 07:58:53	1	1	1	1	169.3	45	0	24123.223	655.9139785	16093.00682	30000	0	0	30000	24.625	2004
11.02.2020 07:58:54	1	1	1	1	169.3	44.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	25.1875	2004
11.02.2020 07:58:55	1	1	1	1	168.3	45	0	24028.436	662.3655914	15915.25562	30000	0	0	30000	25.375	2004
11.02.2020 07:58:56	1	1	1	1	168.3	45.25	0	24312.796	660.2150538	15884.27146	30000	0	0	30000	25.3125	2004
11.02.2020 07:58:57	1	1	1	1	168.3	45.25	0	24502.37	653.7634409	15798.65735	30000	0	0	30000	24.875	2004
11.02.2020 07:58:58	1	1	1	1	168.3	44.75	0	24218.009	658.0645161	16051.42282	30000	0	0	30000	25.6875	2004
11.02.2020 07:58:59	1	1	1	1	168.3	45.5	0	24218.009	660.2150538	15957.65499	30000	0	0	30000	25.5625	2004
11.02.2020 07:59:00	1	1	1	1	168.3	45.5	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	24.625	2004
11.02.2020 07:59:01	1	1	1	1	168.3	44.5	0	24170.616	655.9139785	15957.65499	30000	0	0	30000	25.625	2004
11.02.2020 07:59:02	1	1	1	1	168.3	45.5	0	23886.256	670.9677419	15924.22472	30000	0	0	30000	25.75	2004
11.02.2020 07:59:03	1	1	1	1	168.3	45.75	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	26.0625	2004
11.02.2020 07:59:04	1	1	1	1	168.3	46	0	23744.076	670.9677419	16084.03772	30000	0	0	30000	24.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:59:05	1	1	1	1	168.8	44.75	0	24075.829	666.6666667	15966.62409	30000	0	0	30000	24.75	2004
11.02.2020 07:59:06	1	1	1	1	168.8	44.75	0	24170.616	660.2150538	15957.65499	30000	0	0	30000	25.25	2004
11.02.2020 07:59:07	1	1	1	1	168.8	45.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	25.0625	2004
11.02.2020 07:59:08	1	1	1	1	168.8	45	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	25.25	2004
11.02.2020 07:59:09	1	1	1	1	168.8	45.25	0	24739.336	645.1612903	15770.93469	30000	0	0	30000	27.3125	2004
11.02.2020 07:59:11	1	1	1	1	168.8	47.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	25.6875	2004
11.02.2020 07:59:12	1	1	1	1	168.8	45.5	0	24502.37	647.311828	16018.80793	30000	0	0	30000	25.375	2004
11.02.2020 07:59:13	1	1	1	1	168.8	45.25	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	26.625	2004
11.02.2020 07:59:14	1	1	1	1	168.8	46.5	0	24691.943	634.4086022	15801.10347	30000	0	0	30000	25.5	2004
11.02.2020 07:59:15	1	1	1	1	168.8	45.5	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	25.9375	2004
11.02.2020 07:59:16	1	1	1	1	168.8	45.75	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	27.25	2004
11.02.2020 07:59:17	1	1	1	1	168.8	47.25	0	25260.664	630.1075269	15946.23977	30000	0	0	30000	25.625	2004
11.02.2020 07:59:18	1	1	1	1	168.8	45.5	0	25355.45	625.8064516	16035.93075	30000	0	0	30000	25.625	2004
11.02.2020 07:59:19	1	1	1	1	168.8	45.5	0	25308.057	630.1075269	15916.88636	30000	0	0	30000	26.25	2004
11.02.2020 07:59:20	1	1	1	1	168.8	46.25	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	27.0625	2004
11.02.2020 07:59:21	1	1	1	1	168.8	47	0	25592.417	621.5053763	16155.7905	30000	0	0	30000	26.125	2004
11.02.2020 07:59:22	1	1	1	1	168.8	46	0	25497.63	627.9569892	15817.41092	30000	0	0	30000	26.5	2004
11.02.2020 07:59:23	1	1	1	1	168.8	46.5	0	25402.844	627.9569892	16035.93075	30000	0	0	30000	25.3125	2004
11.02.2020 07:59:24	1	1	1	1	168.8	45.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	26.6875	2004
11.02.2020 07:59:25	1	1	1	1	168.3	47	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	25.9375	2004
11.02.2020 07:59:26	1	1	1	1	168.3	45.75	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	25.0625	2004
11.02.2020 07:59:27	1	1	1	1	168.3	45	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	24.8125	2004
11.02.2020 07:59:28	1	1	1	1	168.3	44.75	0	24928.91	640.8602151	15921.7786	30000	0	0	30000	26	2004
11.02.2020 07:59:29	1	1	1	1	168.3	46	0	25165.877	632.2580645	16296.84994	30000	0	0	30000	25.5625	2004
11.02.2020 07:59:30	1	1	1	1	168.3	45.5	0	24928.91	638.7096774	16029.40777	30000	0	0	30000	24.9375	2004
11.02.2020 07:59:31	1	1	1	1	168.3	44.75	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	25.3125	2004
11.02.2020 07:59:32	1	1	1	1	168.3	45.25	0	24976.303	640.8602151	16174.54407	30000	0	0	30000	25.5	2004
11.02.2020 07:59:33	1	1	1	1	168.3	45.5	0	24834.123	638.7096774	15831.27225	30000	0	0	30000	26.125	2004
11.02.2020 07:59:34	1	1	1	1	168.3	46	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	25.375	2004
11.02.2020 07:59:35	1	1	1	1	167.3	45.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	25.6875	2004
11.02.2020 07:59:36	1	1	1	1	167.3	45.5	0	24739.336	643.0107527	15907.10189	30000	0	0	30000	25.5	2004
11.02.2020 07:59:37	1	1	1	1	167.3	45.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	25.4375	2004
11.02.2020 07:59:38	1	1	1	1	167.3	45.25	0	24502.37	653.7634409	15807.62645	30000	0	0	30000	26.5	2004
11.02.2020 07:59:39	1	1	1	1	167.3	46.5	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	25.8125	2004
11.02.2020 07:59:40	1	1	1	1	167.3	45.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	26.375	2004
11.02.2020 07:59:41	1	1	1	1	167.3	46.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	25.5625	2004
11.02.2020 07:59:47	1	1	1	1	166.3	47	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	26.5	2004
11.02.2020 07:59:47	1	1	1	1	166.3	47	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	26.5	2004
11.02.2020 07:59:47	1	1	1	1	166.3	47	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	26.5	2004
11.02.2020 07:59:47	1	1	1	1	166.3	47	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	26.5	2004
11.02.2020 07:59:47	1	1	1	1	166.3	47	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	26.5	2004
11.02.2020 07:59:47	1	1	1	1	166.3	46.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	25.125	2004
11.02.2020 07:59:48	1	1	1	1	166.3	45	0	24360.19	647.311828	16009.02346	30000	0	0	30000	26.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 07:59:50	1	1	1	1	166.3	46.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	26.625	2004
11.02.2020 07:59:51	1	1	1	1	166.3	46.5	0	24360.19	658.0645161	15978.0393	30000	0	0	30000	26.75	2004
11.02.2020 07:59:52	1	1	1	1	166.3	46.75	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	26.125	2004
11.02.2020 07:59:53	1	1	1	1	166.3	46	0	24549.763	647.311828	16049.79208	30000	0	0	30000	26	2004
11.02.2020 07:59:54	1	1	1	1	166.3	46	0	24928.91	643.0107527	16029.40777	30000	0	0	30000	25.25	2004
11.02.2020 07:59:55	1	1	1	1	166.3	45.25	0	24786.73	647.311828	15991.08526	30000	0	0	30000	26.25	2004
11.02.2020 07:59:56	1	1	1	1	165.3	46.25	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	25.25	2004
11.02.2020 07:59:57	1	1	1	1	165.3	45.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	25.0625	2004
11.02.2020 07:59:58	1	1	1	1	165.3	45	0	24502.37	653.7634409	16009.02346	30000	0	0	30000	27.25	2004
11.02.2020 07:59:59	1	1	1	1	165.3	47.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	25.4375	2004
11.02.2020 08:00:00	1	1	1	1	165.3	45.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	25.5	2004
11.02.2020 08:00:01	1	1	1	1	165.3	45.5	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	27.625	2004
11.02.2020 08:00:02	1	1	1	1	165.3	47.5	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	26.125	2004
11.02.2020 08:00:03	1	1	1	1	165.3	46	0	24549.763	653.7634409	16018.80793	30000	0	0	30000	27.5	2004
11.02.2020 08:00:04	1	1	1	1	165.3	47.5	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	27.25	2004
11.02.2020 08:00:05	1	1	1	1	164.8	45	0	24691.943	645.1612903	15868.77939	30000	0	0	30000	26.375	2004
11.02.2020 08:00:06	1	1	1	1	164.8	46.25	0	24881.517	653.7634409	16106.05278	30000	0	0	30000	27.125	2004
11.02.2020 08:00:07	1	1	1	1	164.8	47	0	24786.73	643.0107527	15938.08605	30000	0	0	30000	26.6875	2004
11.02.2020 08:00:08	1	1	1	1	164.8	46.5	0	24407.583	653.7634409	15851.65657	30000	0	0	30000	26.0625	2004
11.02.2020 08:00:09	1	1	1	1	164.8	46	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	25.5625	2004
11.02.2020 08:00:10	1	1	1	1	164.8	45.5	0	24739.336	653.7634409	16142.74454	30000	0	0	30000	27.125	2004
11.02.2020 08:00:11	1	1	1	1	164.8	47	0	24502.37	653.7634409	15798.65735	30000	0	0	30000	27.5625	2004
11.02.2020 08:00:12	1	1	1	1	164.8	47.5	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	27.3125	2004
11.02.2020 08:00:13	1	1	1	1	164.8	47.25	0	24502.37	643.0107527	15649.44419	30000	0	0	30000	25.625	2004
11.02.2020 08:00:14	1	1	1	1	164.8	45.5	0	25071.09	640.8602151	16013.10032	30000	0	0	30000	26.8125	2004
11.02.2020 08:00:15	1	1	1	1	164.8	46.75	0	25165.877	640.8602151	16235.69701	30000	0	0	30000	26.1875	2004
11.02.2020 08:00:16	1	1	1	1	164.8	46	0	24834.123	645.1612903	16022.06942	30000	0	0	30000	25.875	2004
11.02.2020 08:00:17	1	1	1	1	164.8	45.75	0	24502.37	653.7634409	15694.28967	30000	0	0	30000	27.6875	2004
11.02.2020 08:00:18	1	1	1	1	164.8	47.5	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	26.1875	2004
11.02.2020 08:00:19	1	1	1	1	164.8	46	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	25.375	2004
11.02.2020 08:00:20	1	1	1	1	164.8	45.25	0	24739.336	653.7634409	16204.71285	30000	0	0	30000	27.25	2004
11.02.2020 08:00:21	1	1	1	1	164.8	47.25	0	24407.583	647.311828	15956.83962	30000	0	0	30000	26.5625	2004
11.02.2020 08:00:22	1	1	1	1	164.8	46.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	25.6875	2004
11.02.2020 08:00:23	1	1	1	1	164.8	45.5	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	26.875	2004
11.02.2020 08:00:24	1	1	1	1	164.8	46.75	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	25.5625	2004
11.02.2020 08:00:25	1	1	1	1	163.8	45.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	27.8125	2004
11.02.2020 08:00:27	1	1	1	1	163.8	47.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.125	2004
11.02.2020 08:00:28	1	1	1	1	163.8	47	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	25.5	2004
11.02.2020 08:00:29	1	1	1	1	163.8	45.5	0	25118.483	636.5591398	15964.99334	30000	0	0	30000	27	2004
11.02.2020 08:00:30	1	1	1	1	163.8	47	0	24976.303	643.0107527	16005.76197	30000	0	0	30000	27.4375	2004
11.02.2020 08:00:31	1	1	1	1	163.8	47.25	0	24976.303	634.4086022	15898.94817	30000	0	0	30000	26.75	2004
11.02.2020 08:00:32	1	1	1	1	163.8	46.75	0	24834.123	645.1612903	16106.05278	30000	0	0	30000	26.0625	2004
11.02.2020 08:00:33	1	1	1	1	163.8	46	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	25.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:00:34	1	1	1	1	163.8	45.5	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	26.125	2004
11.02.2020 08:00:35	1	1	1	1	163.8	46	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.4375	2004
11.02.2020 08:00:36	1	1	1	1	163.3	47.25	0	24691.943	643.0107527	15991.08526	30000	0	0	30000	26.25	2004
11.02.2020 08:00:37	1	1	1	1	163.3	46.25	0	24691.943	653.7634409	15868.77939	30000	0	0	30000	26.1875	2004
11.02.2020 08:00:38	1	1	1	1	163.3	46	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	27.125	2004
11.02.2020 08:00:39	1	1	1	1	163.3	47	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	27.25	2004
11.02.2020 08:00:40	1	1	1	1	163.3	47.25	0	24928.91	640.8602151	16059.57655	30000	0	0	30000	27.25	2004
11.02.2020 08:00:41	1	1	1	1	163.3	47.25	0	24834.123	647.311828	16075.06863	30000	0	0	30000	27.1875	2004
11.02.2020 08:00:42	1	1	1	1	163.3	47	0	24454.976	647.311828	16018.80793	30000	0	0	30000	27.8125	2004
11.02.2020 08:00:45	1	1	1	1	163.3	46.75	0	24928.91	638.7096774	15921.7786	30000	0	0	30000	27.6875	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:00:51	1	1	1	1	163.3	47.25	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	25.875	2004
11.02.2020 08:00:52	1	1	1	1	163.3	45.75	0	25071.09	634.4086022	15845.13359	30000	0	0	30000	26.6875	2004
11.02.2020 08:00:53	1	1	1	1	163.3	46.5	0	24976.303	640.8602151	16066.9149	30000	0	0	30000	27.3125	2004
11.02.2020 08:00:54	1	1	1	1	163.3	47.25	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	25.75	2004
11.02.2020 08:00:55	1	1	1	1	161.5	45.75	0	24786.73	647.311828	16044.08447	30000	0	0	30000	26.9375	2004
11.02.2020 08:00:56	1	1	1	1	161.5	46.75	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	27.8125	2004
11.02.2020 08:00:57	1	1	1	1	161.5	47.75	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	26.125	2004
11.02.2020 08:00:58	1	1	1	1	161.5	46	0	24834.123	645.1612903	16106.05278	30000	0	0	30000	27.3125	2004
11.02.2020 08:00:59	1	1	1	1	161.5	47.25	0	25118.483	640.8602151	16120.72949	30000	0	0	30000	25.4375	2004
11.02.2020 08:01:00	1	1	1	1	161.5	45.25	0	24881.517	643.0107527	16022.06942	30000	0	0	30000	26	2004
11.02.2020 08:01:01	1	1	1	1	161.5	46	0	24597.156	653.7634409	16049.79208	30000	0	0	30000	26.125	2004
11.02.2020 08:01:02	1	1	1	1	161.5	46	0	24502.37	653.7634409	15987.82377	30000	0	0	30000	26.8125	2004
11.02.2020 08:01:03	1	1	1	1	161.5	46.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	26.9375	2004
11.02.2020 08:01:04	1	1	1	1	161.5	46.75	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	26.4375	2004
11.02.2020 08:01:05	1	1	1	1	161.8	46.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	26.6875	2004
11.02.2020 08:01:07	1	1	1	1	161.8	46.5	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	26.4375	2004
11.02.2020 08:01:08	1	1	1	1	161.8	46.25	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	25.9375	2004
11.02.2020 08:01:09	1	1	1	1	161.8	45.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	26.875	2004
11.02.2020 08:01:10	1	1	1	1	161.8	46.75	0	25071.09	634.4086022	16043.2691	30000	0	0	30000	25.75	2004
11.02.2020 08:01:11	1	1	1	1	161.8	45.75	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	27.1875	2004
11.02.2020 08:01:12	1	1	1	1	161.8	47	0	25497.63	630.1075269	15926.67083	30000	0	0	30000	26	2004
11.02.2020 08:01:13	1	1	1	1	161.8	46	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	26.25	2004
11.02.2020 08:01:14	1	1	1	1	161.8	46.25	0	25071.09	634.4086022	16013.10032	30000	0	0	30000	26.9375	2004
11.02.2020 08:01:15	1	1	1	1	161.8	46.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	25.75	2004
11.02.2020 08:01:16	1	1	1	1	161	45.75	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	27.125	2004
11.02.2020 08:01:17	1	1	1	1	161	47	0	24881.517	640.8602151	16052.2382	30000	0	0	30000	26.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:01:18	1	1	1	1	161	46	0	24691.943	645.1612903	15982.93154	30000	0	0	30000	27	2004
11.02.2020 08:01:19	1	1	1	1	161	47	0	24881.517	647.311828	16052.2382	30000	0	0	30000	27.375	2004
11.02.2020 08:01:20	1	1	1	1	161	47.25	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	27.25	2004
11.02.2020 08:01:21	1	1	1	1	161	47.25	0	24881.517	653.7634409	16159.05199	30000	0	0	30000	27.6875	2004
11.02.2020 08:01:22	1	1	1	1	161	47.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	27.3125	2004
11.02.2020 08:01:23	1	1	1	1	161	47.25	0	24881.517	643.0107527	16029.40777	30000	0	0	30000	26.9375	2004
11.02.2020 08:01:24	1	1	1	1	161	46.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.5625	2004
11.02.2020 08:01:25	1	1	1	1	161	47.5	0	25165.877	640.8602151	16043.2691	30000	0	0	30000	26.5625	2004
11.02.2020 08:01:26	1	1	1	1	161	46.5	0	25308.057	632.2580645	15946.23977	30000	0	0	30000	26.5625	2004
11.02.2020 08:01:27	1	1	1	1	161	46.5	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	27.9375	2004
11.02.2020 08:01:28	1	1	1	1	161	47.75	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	26.6875	2004
11.02.2020 08:01:29	1	1	1	1	161	46.5	0	24739.336	645.1612903	15907.10189	30000	0	0	30000	26.8125	2004
11.02.2020 08:01:30	1	1	1	1	161	46.75	0	24549.763	645.1612903	15974.77781	30000	0	0	30000	27.5625	2004
11.02.2020 08:01:31	1	1	1	1	161	47.5	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	27.5	2004
11.02.2020 08:01:32	1	1	1	1	161	47.5	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	27.0625	2004
11.02.2020 08:01:33	1	1	1	1	161	47	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	27.5	2004
11.02.2020 08:01:34	1	1	1	1	161	47.5	0	24834.123	647.311828	15938.08605	30000	0	0	30000	26.4375	2004
11.02.2020 08:01:35	1	1	1	1	160.3	46.25	0	25545.024	630.1075269	16095.45294	30000	0	0	30000	26.6875	2004
11.02.2020 08:01:36	1	1	1	1	160.3	46.5	0	25165.877	632.2580645	15970.70095	30000	0	0	30000	26.625	2004
11.02.2020 08:01:37	1	1	1	1	160.3	46.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	26.8125	2004
11.02.2020 08:01:38	1	1	1	1	160.3	46.75	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	27.5	2004
11.02.2020 08:01:39	1	1	1	1	160.3	47.5	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	26.4375	2004
11.02.2020 08:01:40	1	1	1	1	160.3	46.25	0	25450.237	632.2580645	16145.19066	30000	0	0	30000	26.4375	2004
11.02.2020 08:01:41	1	1	1	1	160.3	46.25	0	25213.27	634.4086022	16073.43788	30000	0	0	30000	26.5625	2004
11.02.2020 08:01:42	1	1	1	1	160.3	46.5	0	25118.483	638.7096774	16097.08368	30000	0	0	30000	27.375	2004
11.02.2020 08:01:43	1	1	1	1	160.3	47.25	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	27.125	2004
11.02.2020 08:01:45	1	1	1	1	160.3	47	0	24976.303	638.7096774	16013.10032	30000	0	0	30000	25.9375	2004
11.02.2020 08:01:50	1	1	1	1	159.5	47.75	0	24502.37	647.311828	15807.62645	30000	0	0	30000	25.75	2004
11.02.2020 08:01:50	1	1	1	1	159.5	47.75	0	24502.37	647.311828	15807.62645	30000	0	0	30000	25.75	2004
11.02.2020 08:01:50	1	1	1	1	159.5	47.75	0	24502.37	647.311828	15807.62645	30000	0	0	30000	25.75	2004
11.02.2020 08:01:50	1	1	1	1	159.5	47.75	0	24502.37	647.311828	15807.62645	30000	0	0	30000	25.75	2004
11.02.2020 08:01:50	1	1	1	1	159.5	47.75	0	24502.37	647.311828	15807.62645	30000	0	0	30000	25.75	2004
11.02.2020 08:01:51	1	1	1	1	159.5	45.75	0	24549.763	645.1612903	15921.7786	30000	0	0	30000	26.625	2004
11.02.2020 08:01:52	1	1	1	1	159.5	46.5	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	26.5625	2004
11.02.2020 08:01:53	1	1	1	1	159.5	46.5	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	26.9375	2004
11.02.2020 08:01:54	1	1	1	1	159.5	46.75	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	27.75	2004
11.02.2020 08:01:55	1	1	1	1	159.5	47.75	0	24928.91	645.1612903	16113.39113	30000	0	0	30000	27.0625	2004
11.02.2020 08:01:56	1	1	1	1	159.8	47	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.875	2004
11.02.2020 08:01:57	1	1	1	1	159.8	47.75	0	25071.09	634.4086022	15934.82456	30000	0	0	30000	26.75	2004
11.02.2020 08:01:58	1	1	1	1	159.8	46.75	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	27.5625	2004
11.02.2020 08:01:59	1	1	1	1	159.8	47.5	0	24549.763	645.1612903	16132.96007	30000	0	0	30000	25.3125	2004
11.02.2020 08:02:00	1	1	1	1	159.8	45.5	0	24360.19	655.9139785	15947.05515	30000	0	0	30000	27.1875	2004
11.02.2020 08:02:01	1	1	1	1	159.8	47	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	26	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:02:02	1	1	1	1	159.8	46	0	24834.123	643.0107527	15938.08605	30000	0	0	30000	27.8125	2004
11.02.2020 08:02:03	1	1	1	1	159.8	47.75	0	24976.303	647.311828	16113.39113	30000	0	0	30000	26.875	2004
11.02.2020 08:02:04	1	1	1	1	159.8	46.75	0	24786.73	643.0107527	15991.08526	30000	0	0	30000	25.625	2004
11.02.2020 08:02:05	1	1	1	1	158.8	45.5	0	24928.91	640.8602151	16113.39113	30000	0	0	30000	26.25	2004
11.02.2020 08:02:06	1	1	1	1	158.8	46.25	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	25.375	2004
11.02.2020 08:02:07	1	1	1	1	158.8	45.25	0	24786.73	647.311828	16044.08447	30000	0	0	30000	25.5625	2004
11.02.2020 08:02:08	1	1	1	1	158.8	45.5	0	24597.156	643.0107527	15982.93154	30000	0	0	30000	27.5	2004
11.02.2020 08:02:09	1	1	1	1	158.8	47.5	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	26.6875	2004
11.02.2020 08:02:10	1	1	1	1	158.8	46.5	0	24218.009	658.0645161	15988.63914	30000	0	0	30000	26.625	2004
11.02.2020 08:02:11	1	1	1	1	158.8	46.5	0	24218.009	662.3655914	16040.82298	30000	0	0	30000	26.125	2004
11.02.2020 08:02:12	1	1	1	1	158.8	46	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	27.625	2004
11.02.2020 08:02:13	1	1	1	1	158.8	47.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	25.875	2004
11.02.2020 08:02:14	1	1	1	1	158.8	45.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	26.75	2004
11.02.2020 08:02:15	1	1	1	1	159.5	46.75	0	24786.73	645.1612903	15831.27225	30000	0	0	30000	26.875	2004
11.02.2020 08:02:16	1	1	1	1	159.5	46.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.1875	2004
11.02.2020 08:02:17	1	1	1	1	159.5	47	0	24597.156	647.311828	16080.77623	30000	0	0	30000	27.5	2004
11.02.2020 08:02:18	1	1	1	1	159.5	47.5	0	24881.517	640.8602151	15945.4244	30000	0	0	30000	25.8125	2004
11.02.2020 08:02:19	1	1	1	1	159.5	45.75	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	26.1875	2004
11.02.2020 08:02:20	1	1	1	1	159.5	46	0	25497.63	632.2580645	16205.52823	30000	0	0	30000	27.8125	2004
11.02.2020 08:02:21	1	1	1	1	159.5	47.75	0	24976.303	643.0107527	16113.39113	30000	0	0	30000	27.1875	2004
11.02.2020 08:02:23	1	1	1	1	159.5	47	0	24786.73	638.7096774	15831.27225	30000	0	0	30000	27.4375	2004
11.02.2020 08:02:24	1	1	1	1	159.5	47.25	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.125	2004
11.02.2020 08:02:25	1	1	1	1	159.5	47	0	24549.763	655.9139785	16101.97592	30000	0	0	30000	27.0625	2004
11.02.2020 08:02:26	1	1	1	1	160	47	0	25118.483	638.7096774	15904.65578	30000	0	0	30000	25.875	2004
11.02.2020 08:02:27	1	1	1	1	160	45.75	0	25118.483	636.5591398	16043.2691	30000	0	0	30000	26.0625	2004
11.02.2020 08:02:28	1	1	1	1	160	46	0	24786.73	640.8602151	15938.08605	30000	0	0	30000	26.125	2004
11.02.2020 08:02:29	1	1	1	1	160	46	0	24976.303	630.1075269	16013.10032	30000	0	0	30000	26.1875	2004
11.02.2020 08:02:30	1	1	1	1	160	46	0	25071.09	636.5591398	16066.9149	30000	0	0	30000	26.8125	2004
11.02.2020 08:02:31	1	1	1	1	160	46.75	0	25450.237	627.9569892	15981.30079	30000	0	0	30000	27.6875	2004
11.02.2020 08:02:32	1	1	1	1	160	47.5	0	25402.844	632.2580645	16031.03851	30000	0	0	30000	26.3125	2004
11.02.2020 08:02:33	1	1	1	1	160	46.25	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	27.25	2004
11.02.2020 08:02:34	1	1	1	1	160	47.25	0	25355.45	634.4086022	16085.66847	30000	0	0	30000	26.5	2004
11.02.2020 08:02:35	1	1	1	1	160	46.5	0	25497.63	632.2580645	16095.45294	30000	0	0	30000	25.5	2004
11.02.2020 08:02:36	1	1	1	1	159.5	45.5	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	26.9375	2004
11.02.2020 08:02:37	1	1	1	1	159.5	46.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	26.1875	2004
11.02.2020 08:02:38	1	1	1	1	159.5	46	0	26113.744	612.9032258	16234.06626	30000	0	0	30000	27.625	2004
11.02.2020 08:02:39	1	1	1	1	159.5	47.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	28.1875	2004
11.02.2020 08:02:40	1	1	1	1	159.5	48	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	26.125	2004
11.02.2020 08:02:41	1	1	1	1	159.5	46	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	26.6875	2004
11.02.2020 08:02:42	1	1	1	1	159.5	47	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	27.5	2004
11.02.2020 08:02:43	1	1	1	1	159.5	47.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	27.1875	2004
11.02.2020 08:02:44	1	1	1	1	159.5	47	0	25924.171	615.0537634	16029.40777	30000	0	0	30000	25.8125	2004
11.02.2020 08:02:45	1	1	1	1	160	45.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	26.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:02:46	1	1	1	1	160	46.5	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	26.6875	2004
11.02.2020 08:02:52	1	1	1	1	160	46.5	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	27.9375	2004
11.02.2020 08:02:52	1	1	1	1	160	46.5	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	27.9375	2004
11.02.2020 08:02:52	1	1	1	1	160	46.5	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	27.9375	2004
11.02.2020 08:02:52	1	1	1	1	160	46.5	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	27.9375	2004
11.02.2020 08:02:52	1	1	1	1	160	46.5	0	25734.597	617.2043011	15997.60824	30000	0	0	30000	27.9375	2004
11.02.2020 08:02:52	1	1	1	1	160	47.75	0	25734.597	621.5053763	16104.42204	30000	0	0	30000	25.75	2004
11.02.2020 08:02:53	1	1	1	1	160	45.75	0	25639.81	621.5053763	15964.17797	30000	0	0	30000	27	2004
11.02.2020 08:02:54	1	1	1	1	160	47	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	27.6875	2004
11.02.2020 08:02:55	1	1	1	1	159.8	47.5	0	25545.024	615.0537634	15766.04245	30000	0	0	30000	26.625	2004
11.02.2020 08:02:56	1	1	1	1	159.8	46.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	27.5625	2004
11.02.2020 08:02:57	1	1	1	1	159.8	47.5	0	26540.284	602.1505376	16123.99098	30000	0	0	30000	26.25	2004
11.02.2020 08:02:58	1	1	1	1	159.8	46.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	27.0625	2004
11.02.2020 08:02:59	1	1	1	1	159.8	47	0	26208.531	615.0537634	16006.57734	30000	0	0	30000	26.6875	2004
11.02.2020 08:03:00	1	1	1	1	159.8	46.5	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	26.5625	2004
11.02.2020 08:03:01	1	1	1	1	159.8	46.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	26.625	2004
11.02.2020 08:03:02	1	1	1	1	159.8	46.5	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	27.25	2004
11.02.2020 08:03:04	1	1	1	1	159.8	47.25	0	25213.27	634.4086022	15964.99334	30000	0	0	30000	26.125	2004
11.02.2020 08:03:05	1	1	1	1	159.8	46	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	25.875	2004
11.02.2020 08:03:06	1	1	1	1	158.8	45.75	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	26.25	2004
11.02.2020 08:03:07	1	1	1	1	158.8	46.25	0	25355.45	632.2580645	16061.20729	30000	0	0	30000	26.8125	2004
11.02.2020 08:03:08	1	1	1	1	158.8	46.75	0	25308.057	630.1075269	15976.40856	30000	0	0	30000	26.25	2004
11.02.2020 08:03:09	1	1	1	1	158.8	46.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	26.1875	2004
11.02.2020 08:03:10	1	1	1	1	158.8	46	0	25545.024	630.1075269	16095.45294	30000	0	0	30000	25.75	2004
11.02.2020 08:03:11	1	1	1	1	158.8	45.75	0	25592.417	627.9569892	16155.7905	30000	0	0	30000	25.8125	2004
11.02.2020 08:03:12	1	1	1	1	158.8	45.75	0	25355.45	634.4086022	16085.66847	30000	0	0	30000	26.0625	2004
11.02.2020 08:03:13	1	1	1	1	158.8	46	0	25260.664	640.8602151	16188.4054	30000	0	0	30000	26.375	2004
11.02.2020 08:03:14	1	1	1	1	158.8	46.25	0	24976.303	645.1612903	15845.13359	30000	0	0	30000	25.5625	2004
11.02.2020 08:03:15	1	1	1	1	158.8	45.5	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	27.125	2004
11.02.2020 08:03:16	1	1	1	1	158	47	0	25118.483	636.5591398	15964.99334	30000	0	0	30000	26.125	2004
11.02.2020 08:03:17	1	1	1	1	158	46	0	25213.27	634.4086022	16025.33091	30000	0	0	30000	28.5	2004
11.02.2020 08:03:18	1	1	1	1	158	48.5	0	25071.09	630.1075269	15797.02661	30000	0	0	30000	28	2004
11.02.2020 08:03:19	1	1	1	1	158	48	0	25734.597	621.5053763	16048.97671	30000	0	0	30000	27.1875	2004
11.02.2020 08:03:20	1	1	1	1	158	47	0	25592.417	621.5053763	15766.04245	30000	0	0	30000	27.25	2004
11.02.2020 08:03:21	1	1	1	1	158	47	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	25.8125	2004
11.02.2020 08:03:22	1	1	1	1	158	45.75	0	25639.81	625.8064516	16100.34517	30000	0	0	30000	26.375	2004
11.02.2020 08:03:23	1	1	1	1	158	46.25	0	25118.483	638.7096774	15934.82456	30000	0	0	30000	27.9375	2004
11.02.2020 08:03:24	1	1	1	1	158	47.75	0	24928.91	640.8602151	15921.7786	30000	0	0	30000	27.4375	2004
11.02.2020 08:03:25	1	1	1	1	159.3	47.25	0	24928.91	640.8602151	15951.94738	30000	0	0	30000	26.625	2004
11.02.2020 08:03:26	1	1	1	1	159.3	46.5	0	24881.517	640.8602151	15975.59318	30000	0	0	30000	26.875	2004
11.02.2020 08:03:27	1	1	1	1	159.3	46.75	0	24928.91	638.7096774	15975.59318	30000	0	0	30000	26.125	2004
11.02.2020 08:03:28	1	1	1	1	159.3	46	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	27.5625	2004
11.02.2020 08:03:29	1	1	1	1	159.3	47.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	27.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:03:30	1	1	1	1	159.3	47.25	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	27	2004
11.02.2020 08:03:31	1	1	1	1	159.3	47	0	24928.91	643.0107527	16083.22235	30000	0	0	30000	27.8125	2004
11.02.2020 08:03:32	1	1	1	1	159.3	47.75	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	27	2004
11.02.2020 08:03:33	1	1	1	1	159.3	47	0	24597.156	647.311828	15921.7786	30000	0	0	30000	26.9375	2004
11.02.2020 08:03:34	1	1	1	1	159.3	46.75	0	24786.73	643.0107527	15938.08605	30000	0	0	30000	27.4375	2004
11.02.2020 08:03:35	1	1	1	1	159	47.25	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	27.75	2004
11.02.2020 08:03:36	1	1	1	1	159	47.75	0	25260.664	634.4086022	16055.49969	30000	0	0	30000	28	2004
11.02.2020 08:03:37	1	1	1	1	159	48	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	28.375	2004
11.02.2020 08:03:38	1	1	1	1	159	48.25	0	24786.73	645.1612903	15968.25483	30000	0	0	30000	27.1875	2004
11.02.2020 08:03:39	1	1	1	1	159	47	0	24739.336	647.311828	16204.71285	30000	0	0	30000	26.8125	2004
11.02.2020 08:03:40	1	1	1	1	159	46.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	27.8125	2004
11.02.2020 08:03:42	1	1	1	1	159	47.75	0	24739.336	645.1612903	16044.08447	30000	0	0	30000	26.75	2004
11.02.2020 08:03:43	1	1	1	1	159	46.75	0	24597.156	647.311828	15921.7786	30000	0	0	30000	27.25	2004
11.02.2020 08:03:44	1	1	1	1	159	47.25	0	24928.91	640.8602151	15951.94738	30000	0	0	30000	27.0625	2004
11.02.2020 08:03:45	1	1	1	1	159	47	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	28.125	2004
11.02.2020 08:03:46	1	1	1	1	158.5	48	0	24786.73	653.7634409	15801.10347	30000	0	0	30000	27.6875	2004
11.02.2020 08:03:47	1	1	1	1	158.5	47.5	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	28.125	2004
11.02.2020 08:03:48	1	1	1	1	158.5	48	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	27.625	2004
11.02.2020 08:03:54	1	1	1	1	158.5	46.5	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	27.5	2004
11.02.2020 08:03:54	1	1	1	1	158.5	46.5	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	27.5	2004
11.02.2020 08:03:54	1	1	1	1	158.5	46.5	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	27.5	2004
11.02.2020 08:03:54	1	1	1	1	158.5	46.5	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	27.5	2004
11.02.2020 08:03:54	1	1	1	1	158.5	46.5	0	25402.844	627.9569892	15981.30079	30000	0	0	30000	27.5	2004
11.02.2020 08:03:54	1	1	1	1	158.5	47.5	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	26.125	2004
11.02.2020 08:03:55	1	1	1	1	158.5	46	0	24928.91	640.8602151	15921.7786	30000	0	0	30000	27.9375	2004
11.02.2020 08:03:56	1	1	1	1	158.3	47.75	0	24597.156	645.1612903	16080.77623	30000	0	0	30000	27.3125	2004
11.02.2020 08:03:57	1	1	1	1	158.3	47.25	0	24407.583	655.9139785	15956.83962	30000	0	0	30000	28.4375	2004
11.02.2020 08:03:58	1	1	1	1	158.3	48.25	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	27.0625	2004
11.02.2020 08:03:59	1	1	1	1	158.3	47	0	24123.223	660.2150538	15894.87131	30000	0	0	30000	27.375	2004
11.02.2020 08:04:00	1	1	1	1	158.3	48	0	24218.009	658.0645161	15884.27146	30000	0	0	30000	27.125	2004
11.02.2020 08:04:01	1	1	1	1	158.3	47	0	24454.976	653.7634409	16018.80793	30000	0	0	30000	27.5	2004
11.02.2020 08:04:02	1	1	1	1	158.3	47.5	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	28	2004
11.02.2020 08:04:03	1	1	1	1	158.3	48	0	24834.123	645.1612903	15991.08526	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:04	1	1	1	1	158.3	47.75	0	24549.763	643.0107527	15785.61139	30000	0	0	30000	28	2004
11.02.2020 08:04:05	1	1	1	1	158.5	48	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	26.875	2004
11.02.2020 08:04:06	1	1	1	1	158.5	46.75	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	28.0625	2004
11.02.2020 08:04:07	1	1	1	1	158.5	48	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	26.875	2004
11.02.2020 08:04:08	1	1	1	1	158.5	46.75	0	24549.763	653.7634409	15807.62645	30000	0	0	30000	27.5	2004
11.02.2020 08:04:09	1	1	1	1	158.5	47.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	27.9375	2004
11.02.2020 08:04:10	1	1	1	1	158.5	47.75	0	24691.943	653.7634409	16080.77623	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:11	1	1	1	1	158.5	47.75	0	24218.009	655.9139785	16051.42282	30000	0	0	30000	27.5	2004
11.02.2020 08:04:12	1	1	1	1	158.5	47.5	0	24170.616	662.3655914	16030.22314	30000	0	0	30000	27.3125	2004
11.02.2020 08:04:13	1	1	1	1	158.5	47.25	0	24407.583	660.2150538	15978.0393	30000	0	0	30000	27.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:04:14	1	1	1	1	158.5	47	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.875	2004
11.02.2020 08:04:15	1	1	1	1	158.3	47.75	0	24502.37	647.311828	15860.62566	30000	0	0	30000	27.75	2004
11.02.2020 08:04:16	1	1	1	1	158.3	47.75	0	24834.123	653.7634409	16204.71285	30000	0	0	30000	26.25	2004
11.02.2020 08:04:17	1	1	1	1	158.3	46.25	0	24597.156	645.1612903	16142.74454	30000	0	0	30000	28	2004
11.02.2020 08:04:18	1	1	1	1	158.3	48	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.375	2004
11.02.2020 08:04:20	1	1	1	1	158.3	47.25	0	24123.223	666.6666667	16081.59161	30000	0	0	30000	26.375	2004
11.02.2020 08:04:21	1	1	1	1	158.3	46.25	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	27.125	2004
11.02.2020 08:04:22	1	1	1	1	158.3	47	0	24739.336	653.7634409	16142.74454	30000	0	0	30000	28	2004
11.02.2020 08:04:23	1	1	1	1	158.3	48	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	27.3125	2004
11.02.2020 08:04:24	1	1	1	1	158.3	47.25	0	24502.37	647.311828	16049.79208	30000	0	0	30000	27.75	2004
11.02.2020 08:04:25	1	1	1	1	158.3	47.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:26	1	1	1	1	157.3	47.75	0	25213.27	634.4086022	15964.99334	30000	0	0	30000	28.25	2004
11.02.2020 08:04:27	1	1	1	1	157.3	48.25	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	28.5	2004
11.02.2020 08:04:28	1	1	1	1	157.3	48.5	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	28.25	2004
11.02.2020 08:04:29	1	1	1	1	157.3	48.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	28.5	2004
11.02.2020 08:04:30	1	1	1	1	157.3	48.5	0	24218.009	670.9677419	15988.63914	30000	0	0	30000	27	2004
11.02.2020 08:04:31	1	1	1	1	157.3	47	0	24312.796	660.2150538	16082.40698	30000	0	0	30000	27.5	2004
11.02.2020 08:04:32	1	1	1	1	157.3	47.5	0	24170.616	660.2150538	15822.30316	30000	0	0	30000	26.0625	2004
11.02.2020 08:04:33	1	1	1	1	157.3	46	0	24218.009	660.2150538	16239.77387	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:34	1	1	1	1	157.3	47.75	0	24360.19	658.0645161	16030.22314	30000	0	0	30000	28.625	2004
11.02.2020 08:04:35	1	1	1	1	157.3	48.5	0	24502.37	655.9139785	15956.83962	30000	0	0	30000	27.5625	2004
11.02.2020 08:04:36	1	1	1	1	157.5	47.5	0	24170.616	660.2150538	15925.85546	30000	0	0	30000	27.6875	2004
11.02.2020 08:04:37	1	1	1	1	157.5	47.25	0	24218.009	660.2150538	16082.40698	30000	0	0	30000	27.5625	2004
11.02.2020 08:04:38	1	1	1	1	157.5	47.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	27.1875	2004
11.02.2020 08:04:39	1	1	1	1	157.5	47	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	28.375	2004
11.02.2020 08:04:40	1	1	1	1	157.5	48.25	0	24502.37	653.7634409	16101.97592	30000	0	0	30000	27.25	2004
11.02.2020 08:04:41	1	1	1	1	157.5	47.25	0	24786.73	655.9139785	16173.7287	30000	0	0	30000	26.5	2004
11.02.2020 08:04:42	1	1	1	1	157.5	46.5	0	24644.55	647.311828	16080.77623	30000	0	0	30000	26.4375	2004
11.02.2020 08:04:43	1	1	1	1	157.5	46.25	0	24691.943	647.311828	15982.93154	30000	0	0	30000	28.125	2004
11.02.2020 08:04:44	1	1	1	1	157.5	48	0	24786.73	653.7634409	16173.7287	30000	0	0	30000	26.3125	2004
11.02.2020 08:04:45	1	1	1	1	157.3	46.25	0	24644.55	653.7634409	16080.77623	30000	0	0	30000	28.1875	2004
11.02.2020 08:04:46	1	1	1	1	157.3	48	0	24739.336	653.7634409	16013.91569	30000	0	0	30000	27.375	2004
11.02.2020 08:04:47	1	1	1	1	157.3	47.25	0	24928.91	640.8602151	15921.7786	30000	0	0	30000	26.3125	2004
11.02.2020 08:04:48	1	1	1	1	157.3	46.25	0	24881.517	645.1612903	16106.05278	30000	0	0	30000	28	2004
11.02.2020 08:04:49	1	1	1	1	157.3	48	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	27.4375	2004
11.02.2020 08:04:56	1	1	1	1	157	48	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:56	1	1	1	1	157	48	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:56	1	1	1	1	157	48	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:56	1	1	1	1	157	48	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:56	1	1	1	1	157	48	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:04:56	1	1	1	1	157	47.75	0	24407.583	645.1612903	15860.62566	30000	0	0	30000	27.1875	2004
11.02.2020 08:04:57	1	1	1	1	157	47	0	24881.517	638.7096774	15998.42361	30000	0	0	30000	27	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:04:59	1	1	1	1	157	47	0	24834.123	640.8602151	15724.45846	30000	0	0	30000	27.1875	2004
11.02.2020 08:05:00	1	1	1	1	157	47	0	24834.123	636.5591398	15998.42361	30000	0	0	30000	26.5625	2004
11.02.2020 08:05:01	1	1	1	1	157	46.5	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	26.375	2004
11.02.2020 08:05:02	1	1	1	1	157	46.25	0	24597.156	643.0107527	15876.93311	30000	0	0	30000	27.1875	2004
11.02.2020 08:05:03	1	1	1	1	157	47	0	24834.123	647.311828	16106.05278	30000	0	0	30000	27.75	2004
11.02.2020 08:05:04	1	1	1	1	157	47.75	0	24928.91	638.7096774	16005.76197	30000	0	0	30000	27.25	2004
11.02.2020 08:05:05	1	1	1	1	157	47.25	0	24881.517	640.8602151	15945.4244	30000	0	0	30000	28.0625	2004
11.02.2020 08:05:06	1	1	1	1	156	48	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	26.3125	2004
11.02.2020 08:05:07	1	1	1	1	156	46.25	0	24597.156	653.7634409	16195.74376	30000	0	0	30000	27.6875	2004
11.02.2020 08:05:08	1	1	1	1	156	47.5	0	24691.943	653.7634409	16035.93075	30000	0	0	30000	27.25	2004
11.02.2020 08:05:09	1	1	1	1	156	47.25	0	24691.943	647.311828	16142.74454	30000	0	0	30000	26.4375	2004
11.02.2020 08:05:10	1	1	1	1	156	46.25	0	24549.763	653.7634409	15943.79366	30000	0	0	30000	26.625	2004
11.02.2020 08:05:11	1	1	1	1	156	46.5	0	24549.763	653.7634409	15890.79444	30000	0	0	30000	28.1875	2004
11.02.2020 08:05:12	1	1	1	1	156	48	0	24691.943	647.311828	15921.7786	30000	0	0	30000	26.8125	2004
11.02.2020 08:05:13	1	1	1	1	156	46.75	0	24549.763	653.7634409	15860.62566	30000	0	0	30000	27.9375	2004
11.02.2020 08:05:14	1	1	1	1	156	47.5	0	24739.336	638.7096774	15907.10189	30000	0	0	30000	27.3125	2004
11.02.2020 08:05:15	1	1	1	1	156.8	47.25	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	28.3125	2004
11.02.2020 08:05:16	1	1	1	1	156.8	48.25	0	24739.336	653.7634409	16204.71285	30000	0	0	30000	27.5	2004
11.02.2020 08:05:17	1	1	1	1	156.8	47.5	0	24786.73	643.0107527	15991.08526	30000	0	0	30000	26.125	2004
11.02.2020 08:05:18	1	1	1	1	156.8	46	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	28.5	2004
11.02.2020 08:05:19	1	1	1	1	156.8	48.5	0	24691.943	653.7634409	16080.77623	30000	0	0	30000	26.0625	2004
11.02.2020 08:05:20	1	1	1	1	156.8	46	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	28.25	2004
11.02.2020 08:05:21	1	1	1	1	156.8	48.25	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.8125	2004
11.02.2020 08:05:22	1	1	1	1	156.8	47.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.3125	2004
11.02.2020 08:05:23	1	1	1	1	156.8	47.25	0	24786.73	640.8602151	15854.10268	30000	0	0	30000	27.25	2004
11.02.2020 08:05:24	1	1	1	1	156.8	47.25	0	24976.303	638.7096774	16066.9149	30000	0	0	30000	27.6875	2004
11.02.2020 08:05:25	1	1	1	1	156	47.5	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	27.375	2004
11.02.2020 08:05:26	1	1	1	1	156	47.25	0	25165.877	640.8602151	16181.88242	30000	0	0	30000	27.4375	2004
11.02.2020 08:05:27	1	1	1	1	156	47.25	0	25165.877	643.0107527	16181.88242	30000	0	0	30000	27.25	2004
11.02.2020 08:05:28	1	1	1	1	156	47.25	0	25118.483	634.4086022	15904.65578	30000	0	0	30000	27.3125	2004
11.02.2020 08:05:29	1	1	1	1	156	47.25	0	24976.303	638.7096774	16013.10032	30000	0	0	30000	26.3125	2004
11.02.2020 08:05:30	1	1	1	1	156	46.25	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	27.5625	2004
11.02.2020 08:05:31	1	1	1	1	156	47.5	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	26.875	2004
11.02.2020 08:05:32	1	1	1	1	156	46.75	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	28.0625	2004
11.02.2020 08:05:34	1	1	1	1	156	48	0	24739.336	647.311828	16142.74454	30000	0	0	30000	28.375	2004
11.02.2020 08:05:35	1	1	1	1	156	48.25	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	27.375	2004
11.02.2020 08:05:36	1	1	1	1	155.8	47.25	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	27.4375	2004
11.02.2020 08:05:37	1	1	1	1	155.8	47.25	0	24739.336	653.7634409	16044.08447	30000	0	0	30000	27.9375	2004
11.02.2020 08:05:38	1	1	1	1	155.8	47.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.25	2004
11.02.2020 08:05:39	1	1	1	1	155.8	47.25	0	24976.303	636.5591398	15845.13359	30000	0	0	30000	28.125	2004
11.02.2020 08:05:40	1	1	1	1	155.8	48	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	27.875	2004
11.02.2020 08:05:41	1	1	1	1	155.8	47.75	0	25118.483	638.7096774	16066.9149	30000	0	0	30000	27.3125	2004
11.02.2020 08:05:42	1	1	1	1	155.8	47.25	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	28.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:05:43	1	1	1	1	155.8	48.75	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	28.25	2004
11.02.2020 08:05:44	1	1	1	1	155.8	48.25	0	24928.91	632.2580645	15791.319	30000	0	0	30000	28.1875	2004
11.02.2020 08:05:45	1	1	1	1	155.8	48	0	24928.91	640.8602151	16059.57655	30000	0	0	30000	28	2004
11.02.2020 08:05:46	1	1	1	1	156.5	48	0	24928.91	638.7096774	15891.60982	30000	0	0	30000	28.6875	2004
11.02.2020 08:05:47	1	1	1	1	156.5	48.5	0	24976.303	643.0107527	15814.9648	30000	0	0	30000	28.4375	2004
11.02.2020 08:05:48	1	1	1	1	156.5	48.25	0	24928.91	640.8602151	15951.94738	30000	0	0	30000	28.5	2004
11.02.2020 08:05:49	1	1	1	1	156.5	48.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	28.9375	2004
11.02.2020 08:05:50	1	1	1	1	156.5	48.75	0	24739.336	645.1612903	16044.08447	30000	0	0	30000	27.375	2004
11.02.2020 08:05:51	1	1	1	1	156.5	47.5	0	24976.303	645.1612903	16167.20572	30000	0	0	30000	26.875	2004
11.02.2020 08:05:57	1	1	1	1	155	46.75	0	25402.844	632.2580645	16090.5607	30000	0	0	30000	27.875	2004
11.02.2020 08:05:57	1	1	1	1	155	46.75	0	25402.844	632.2580645	16090.5607	30000	0	0	30000	27.875	2004
11.02.2020 08:05:57	1	1	1	1	155	46.75	0	25402.844	632.2580645	16090.5607	30000	0	0	30000	27.875	2004
11.02.2020 08:05:57	1	1	1	1	155	46.75	0	25402.844	632.2580645	16090.5607	30000	0	0	30000	27.875	2004
11.02.2020 08:05:57	1	1	1	1	155	47.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	28.375	2004
11.02.2020 08:05:58	1	1	1	1	155	48.25	0	25402.844	627.9569892	16006.57734	30000	0	0	30000	27.75	2004
11.02.2020 08:05:59	1	1	1	1	155	47.75	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	28.125	2004
11.02.2020 08:06:00	1	1	1	1	155	48	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	27.875	2004
11.02.2020 08:06:01	1	1	1	1	155	47.75	0	24786.73	634.4086022	15831.27225	30000	0	0	30000	27.25	2004
11.02.2020 08:06:02	1	1	1	1	155	47.25	0	24928.91	640.8602151	16052.2382	30000	0	0	30000	26.875	2004
11.02.2020 08:06:03	1	1	1	1	155	46.75	0	25260.664	640.8602151	16158.23662	30000	0	0	30000	28.3125	2004
11.02.2020 08:06:04	1	1	1	1	155	48.25	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	27	2004
11.02.2020 08:06:05	1	1	1	1	155	47	0	24976.303	638.7096774	15845.13359	30000	0	0	30000	27	2004
11.02.2020 08:06:06	1	1	1	1	155	47	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	27.25	2004
11.02.2020 08:06:07	1	1	1	1	155	47.25	0	25545.024	632.2580645	16095.45294	30000	0	0	30000	26.6875	2004
11.02.2020 08:06:08	1	1	1	1	155	46.5	0	25260.664	632.2580645	16055.49969	30000	0	0	30000	28.5625	2004
11.02.2020 08:06:09	1	1	1	1	155	48.5	0	24976.303	643.0107527	16066.9149	30000	0	0	30000	28.3125	2004
11.02.2020 08:06:10	1	1	1	1	155	48.25	0	24739.336	630.1075269	15671.45924	30000	0	0	30000	28.1875	2004
11.02.2020 08:06:11	1	1	1	1	155	48	0	25165.877	640.8602151	16043.2691	30000	0	0	30000	27.5625	2004
11.02.2020 08:06:13	1	1	1	1	155	47.5	0	25071.09	638.7096774	15951.94738	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:14	1	1	1	1	155	47.75	0	25165.877	632.2580645	15970.70095	30000	0	0	30000	27.4375	2004
11.02.2020 08:06:15	1	1	1	1	155	47.25	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	27.0625	2004
11.02.2020 08:06:16	1	1	1	1	154.8	47	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	27	2004
11.02.2020 08:06:17	1	1	1	1	154.8	47	0	24976.303	638.7096774	16066.9149	30000	0	0	30000	27.875	2004
11.02.2020 08:06:18	1	1	1	1	154.8	47.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	28.5625	2004
11.02.2020 08:06:19	1	1	1	1	154.8	48.5	0	24739.336	643.0107527	15907.10189	30000	0	0	30000	26.75	2004
11.02.2020 08:06:20	1	1	1	1	154.8	46.75	0	25071.09	638.7096774	15951.94738	30000	0	0	30000	28.125	2004
11.02.2020 08:06:21	1	1	1	1	154.8	48	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	28.3125	2004
11.02.2020 08:06:22	1	1	1	1	154.8	48.25	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:23	1	1	1	1	154.8	47.75	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	27.875	2004
11.02.2020 08:06:24	1	1	1	1	154.8	47.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:25	1	1	1	1	154.8	47.75	0	24312.796	658.0645161	16051.42282	30000	0	0	30000	27.0625	2004
11.02.2020 08:06:26	1	1	1	1	155	47	0	24218.009	655.9139785	16009.02346	30000	0	0	30000	27.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:06:27	1	1	1	1	155	47.5	0	24881.517	636.5591398	16029.40777	30000	0	0	30000	29.125	2004
11.02.2020 08:06:28	1	1	1	1	155	49	0	24739.336	645.1612903	15991.08526	30000	0	0	30000	28.125	2004
11.02.2020 08:06:29	1	1	1	1	155	48	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	27.5625	2004
11.02.2020 08:06:30	1	1	1	1	155	47.5	0	24786.73	640.8602151	15998.42361	30000	0	0	30000	28.125	2004
11.02.2020 08:06:31	1	1	1	1	155	48	0	24739.336	645.1612903	15907.10189	30000	0	0	30000	28.25	2004
11.02.2020 08:06:32	1	1	1	1	155	48.25	0	24597.156	647.311828	16080.77623	30000	0	0	30000	27.1875	2004
11.02.2020 08:06:33	1	1	1	1	155	47	0	24597.156	647.311828	16080.77623	30000	0	0	30000	27.1875	2004
11.02.2020 08:06:34	1	1	1	1	155	47	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	27	2004
11.02.2020 08:06:35	1	1	1	1	153.8	47	0	25071.09	645.1612903	16120.72949	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:36	1	1	1	1	153.8	47.75	0	24881.517	643.0107527	15945.4244	30000	0	0	30000	27.5	2004
11.02.2020 08:06:37	1	1	1	1	153.8	47.5	0	25071.09	636.5591398	15845.13359	30000	0	0	30000	27.125	2004
11.02.2020 08:06:38	1	1	1	1	153.8	47	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	28.375	2004
11.02.2020 08:06:39	1	1	1	1	153.8	48.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	27.6875	2004
11.02.2020 08:06:40	1	1	1	1	153.8	47.5	0	24976.303	638.7096774	16013.10032	30000	0	0	30000	26.8125	2004
11.02.2020 08:06:41	1	1	1	1	153.8	46.75	0	24739.336	645.1612903	16013.91569	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:42	1	1	1	1	153.8	47.75	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	27.75	2004
11.02.2020 08:06:43	1	1	1	1	153.8	47.75	0	24691.943	647.311828	15982.93154	30000	0	0	30000	27.3125	2004
11.02.2020 08:06:44	1	1	1	1	153.8	47.25	0	25071.09	640.8602151	16120.72949	30000	0	0	30000	27.0625	2004
11.02.2020 08:06:45	1	1	1	1	154	47	0	25071.09	640.8602151	16097.08368	30000	0	0	30000	28.125	2004
11.02.2020 08:06:46	1	1	1	1	154	48	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	28.125	2004
11.02.2020 08:06:47	1	1	1	1	154	48	0	25308.057	634.4086022	16025.33091	30000	0	0	30000	27.5	2004
11.02.2020 08:06:48	1	1	1	1	154	47.5	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	27.1875	2004
11.02.2020 08:06:50	1	1	1	1	154	47	0	24834.123	645.1612903	16106.05278	30000	0	0	30000	27.875	2004
11.02.2020 08:06:51	1	1	1	1	154	47.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	27.8125	2004
11.02.2020 08:06:52	1	1	1	1	154	47.75	0	24407.583	647.311828	15798.65735	30000	0	0	30000	27.1875	2004
11.02.2020 08:06:53	1	1	1	1	154	47	0	25023.697	638.7096774	16066.9149	30000	0	0	30000	28.5	2004
11.02.2020 08:06:59	1	1	1	1	153.8	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	26.1875	2004
11.02.2020 08:06:59	1	1	1	1	153.8	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	26.1875	2004
11.02.2020 08:06:59	1	1	1	1	153.8	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	26.1875	2004
11.02.2020 08:06:59	1	1	1	1	153.8	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	26.1875	2004
11.02.2020 08:06:59	1	1	1	1	153.8	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	26.1875	2004
11.02.2020 08:06:59	1	1	1	1	153.8	46	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	27.125	2004
11.02.2020 08:07:00	1	1	1	1	153.8	47	0	23933.649	664.516129	15987.0084	30000	0	0	30000	28.4375	2004
11.02.2020 08:07:01	1	1	1	1	153.8	48.25	0	24028.436	670.9677419	16070.17639	30000	0	0	30000	27.375	2004
11.02.2020 08:07:02	1	1	1	1	153.8	47.25	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	28.625	2004
11.02.2020 08:07:03	1	1	1	1	153.8	48.5	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	27.25	2004
11.02.2020 08:07:04	1	1	1	1	153.8	47.25	0	23649.289	670.9677419	15918.51711	30000	0	0	30000	28	2004
11.02.2020 08:07:05	1	1	1	1	153.8	48	0	23744.076	673.1182796	16013.91569	30000	0	0	30000	28.375	2004
11.02.2020 08:07:06	1	1	1	1	154.8	48.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27.8125	2004
11.02.2020 08:07:07	1	1	1	1	154.8	47.75	0	23649.289	670.9677419	16033.48463	30000	0	0	30000	28.125	2004
11.02.2020 08:07:08	1	1	1	1	154.8	48	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	28.5	2004
11.02.2020 08:07:09	1	1	1	1	154.8	48.5	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	28.125	2004
11.02.2020 08:07:10	1	1	1	1	154.8	48.25	0	24123.223	666.6666667	16081.59161	30000	0	0	30000	28.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:07:11	1	1	1	1	154.8	48	0	24075.829	658.0645161	16217.75881	30000	0	0	30000	26.8125	2004
11.02.2020 08:07:12	1	1	1	1	154.8	46.75	0	24028.436	662.3655914	15646.99807	30000	0	0	30000	27.5625	2004
11.02.2020 08:07:13	1	1	1	1	154.8	47.5	0	24218.009	666.6666667	16093.00682	30000	0	0	30000	28.125	2004
11.02.2020 08:07:14	1	1	1	1	154.8	48	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	27.8125	2004
11.02.2020 08:07:15	1	1	1	1	154.8	47.75	0	24502.37	653.7634409	15798.65735	30000	0	0	30000	28.1875	2004
11.02.2020 08:07:16	1	1	1	1	154.8	48	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	28.0625	2004
11.02.2020 08:07:17	1	1	1	1	154.8	48	0	25165.877	636.5591398	16019.6233	30000	0	0	30000	28	2004
11.02.2020 08:07:18	1	1	1	1	154.8	48	0	25071.09	645.1612903	16120.72949	30000	0	0	30000	28.0625	2004
11.02.2020 08:07:19	1	1	1	1	154.8	48	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	27.8125	2004
11.02.2020 08:07:20	1	1	1	1	154.8	47.75	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	28.0625	2004
11.02.2020 08:07:21	1	1	1	1	154.8	48	0	25165.877	640.8602151	16127.25247	30000	0	0	30000	27.1875	2004
11.02.2020 08:07:22	1	1	1	1	154.8	47	0	24691.943	645.1612903	15876.93311	30000	0	0	30000	27.4375	2004
11.02.2020 08:07:23	1	1	1	1	154.8	47.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	28.125	2004
11.02.2020 08:07:24	1	1	1	1	154.8	48	0	24691.943	647.311828	15890.79444	30000	0	0	30000	28.0625	2004
11.02.2020 08:07:25	1	1	1	1	154.5	48	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	28.9375	2004
11.02.2020 08:07:26	1	1	1	1	154.5	48.75	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	28.8125	2004
11.02.2020 08:07:28	1	1	1	1	154.5	48.75	0	24739.336	645.1612903	16044.08447	30000	0	0	30000	27.5	2004
11.02.2020 08:07:29	1	1	1	1	154.5	47.5	0	24597.156	647.311828	15921.7786	30000	0	0	30000	29.0625	2004
11.02.2020 08:07:30	1	1	1	1	154.5	49	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	27.8125	2004
11.02.2020 08:07:31	1	1	1	1	154.5	47.75	0	24834.123	647.311828	16075.06863	30000	0	0	30000	26.5625	2004
11.02.2020 08:07:32	1	1	1	1	154.5	46.5	0	24597.156	645.1612903	15815.78018	30000	0	0	30000	27.8125	2004
11.02.2020 08:07:33	1	1	1	1	154.5	47.75	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	27.25	2004
11.02.2020 08:07:34	1	1	1	1	154.5	47.25	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	28.1875	2004
11.02.2020 08:07:35	1	1	1	1	154.5	48	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	27.25	2004
11.02.2020 08:07:36	1	1	1	1	153.5	47.25	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	28.375	2004
11.02.2020 08:07:37	1	1	1	1	153.5	48.25	0	24928.91	645.1612903	16052.2382	30000	0	0	30000	27.125	2004
11.02.2020 08:07:38	1	1	1	1	153.5	47	0	24691.943	647.311828	15982.93154	30000	0	0	30000	26.75	2004
11.02.2020 08:07:39	1	1	1	1	153.5	46.75	0	24691.943	647.311828	15921.7786	30000	0	0	30000	28.875	2004
11.02.2020 08:07:40	1	1	1	1	153.5	48.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	28.8125	2004
11.02.2020 08:07:41	1	1	1	1	153.5	48.75	0	24834.123	640.8602151	15724.45846	30000	0	0	30000	28.5625	2004
11.02.2020 08:07:42	1	1	1	1	153.5	48.5	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	28	2004
11.02.2020 08:07:43	1	1	1	1	153.5	48	0	25071.09	638.7096774	15982.93154	30000	0	0	30000	27.0625	2004
11.02.2020 08:07:44	1	1	1	1	153.5	47	0	24881.517	636.5591398	15998.42361	30000	0	0	30000	28.1875	2004
11.02.2020 08:07:45	1	1	1	1	153.5	48	0	24597.156	653.7634409	16142.74454	30000	0	0	30000	28.125	2004
11.02.2020 08:07:46	1	1	1	1	152.8	48	0	24597.156	645.1612903	15868.77939	30000	0	0	30000	28.9375	2004
11.02.2020 08:07:47	1	1	1	1	152.8	48.75	0	24786.73	640.8602151	15938.08605	30000	0	0	30000	27.875	2004
11.02.2020 08:07:48	1	1	1	1	152.8	49.5	0	24739.336	645.1612903	15876.93311	30000	0	0	30000	28	2004
11.02.2020 08:07:49	1	1	1	1	152.8	48	0	24881.517	645.1612903	15945.4244	30000	0	0	30000	28.3125	2004
11.02.2020 08:07:50	1	1	1	1	152.8	48.25	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	28	2004
11.02.2020 08:07:51	1	1	1	1	152.8	48	0	25118.483	634.4086022	15964.99334	30000	0	0	30000	27	2004
11.02.2020 08:07:52	1	1	1	1	152.8	47	0	25497.63	627.9569892	16095.45294	30000	0	0	30000	28.3125	2004
11.02.2020 08:07:53	1	1	1	1	152.8	48.25	0	25402.844	625.8064516	15867.14864	30000	0	0	30000	27.625	2004
11.02.2020 08:07:54	1	1	1	1	152.8	47.5	0	25213.27	634.4086022	15911.17876	30000	0	0	30000	27.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:08:00	1	1	1	1	152.5	49	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	28.5625	2004
11.02.2020 08:08:00	1	1	1	1	152.5	49	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	28.5625	2004
11.02.2020 08:08:00	1	1	1	1	152.5	49	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	28.5625	2004
11.02.2020 08:08:00	1	1	1	1	152.5	49	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	28.5625	2004
11.02.2020 08:08:00	1	1	1	1	152.5	48.5	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	27.8125	2004
11.02.2020 08:08:01	1	1	1	1	152.5	47.75	0	25545.024	627.9569892	16265.86579	30000	0	0	30000	27.25	2004
11.02.2020 08:08:02	1	1	1	1	152.5	47.25	0	25829.384	619.3548387	16082.40698	30000	0	0	30000	28.1875	2004
11.02.2020 08:08:03	1	1	1	1	152.5	48	0	25829.384	619.3548387	16026.96165	30000	0	0	30000	29.125	2004
11.02.2020 08:08:04	1	1	1	1	152.5	49	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	28.9375	2004
11.02.2020 08:08:05	1	1	1	1	151.3	48.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	28.125	2004
11.02.2020 08:08:06	1	1	1	1	151.3	48	0	25734.597	621.5053763	16215.3127	30000	0	0	30000	27.625	2004
11.02.2020 08:08:08	1	1	1	1	151.3	47.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	27.6875	2004
11.02.2020 08:08:09	1	1	1	1	151.3	47.5	0	25971.564	621.5053763	16111.76039	30000	0	0	30000	28.25	2004
11.02.2020 08:08:10	1	1	1	1	151.3	48.25	0	25734.597	623.655914	15938.90142	30000	0	0	30000	27.875	2004
11.02.2020 08:08:11	1	1	1	1	151.3	47.75	0	26255.924	602.1505376	16036.74612	30000	0	0	30000	28.4375	2004
11.02.2020 08:08:12	1	1	1	1	151.3	48.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	28.4375	2004
11.02.2020 08:08:13	1	1	1	1	151.3	48.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	28.3125	2004
11.02.2020 08:08:14	1	1	1	1	151.3	48.25	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	27.9375	2004
11.02.2020 08:08:15	1	1	1	1	151.3	47.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	27.375	2004
11.02.2020 08:08:16	1	1	1	1	150.3	47.25	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	26.9375	2004
11.02.2020 08:08:17	1	1	1	1	150.3	46.75	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	28.6875	2004
11.02.2020 08:08:18	1	1	1	1	150.3	48.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	28	2004
11.02.2020 08:08:19	1	1	1	1	150.3	48	0	25876.777	623.655914	16108.4989	30000	0	0	30000	28.3125	2004
11.02.2020 08:08:20	1	1	1	1	150.3	48.25	0	28388.626	556.9892473	15872.85625	30000	0	0	30000	27.5	2004
11.02.2020 08:08:21	1	1	1	1	150.3	47.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	27.125	2004
11.02.2020 08:08:22	1	1	1	1	150.3	47	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	27.3125	2004
11.02.2020 08:08:23	1	1	1	1	150.3	47.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	28.625	2004
11.02.2020 08:08:24	1	1	1	1	150.3	48.5	0	29004.739	554.8387097	16119.09874	30000	0	0	30000	28.25	2004
11.02.2020 08:08:25	1	1	1	1	150.3	48.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.3125	2004
11.02.2020 08:08:26	1	1	1	1	150.8	49.25	0	27962.085	569.8924731	15814.9648	30000	0	0	30000	29.625	2004
11.02.2020 08:08:27	1	1	1	1	150.8	49.5	0	27345.972	576.344086	15933.19381	30000	0	0	30000	28.875	2004
11.02.2020 08:08:28	1	1	1	1	150.8	49	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	28.625	2004
11.02.2020 08:08:29	1	1	1	1	150.8	48.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	29	2004
11.02.2020 08:08:30	1	1	1	1	150.8	49	0	26824.645	595.6989247	16008.20808	30000	0	0	30000	27.6875	2004
11.02.2020 08:08:31	1	1	1	1	150.8	47.5	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	28.9375	2004
11.02.2020 08:08:32	1	1	1	1	150.8	48.75	0	25118.483	634.4086022	15964.99334	30000	0	0	30000	29.0625	2004
11.02.2020 08:08:33	1	1	1	1	150.8	49	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	27.5	2004
11.02.2020 08:08:34	1	1	1	1	150.8	47.5	0	26113.744	608.6021505	16175.35944	30000	0	0	30000	28.3125	2004
11.02.2020 08:08:35	1	1	1	1	150	48.25	0	25734.597	621.5053763	16104.42204	30000	0	0	30000	27.9375	2004
11.02.2020 08:08:36	1	1	1	1	150	47.75	0	26350.711	610.7526882	16008.20808	30000	0	0	30000	27.9375	2004
11.02.2020 08:08:37	1	1	1	1	150	47.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	27.1875	2004
11.02.2020 08:08:38	1	1	1	1	150	47	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	27.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:08:39	1	1	1	1	150	47.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	28.875	2004
11.02.2020 08:08:40	1	1	1	1	150	48.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	28.0625	2004
11.02.2020 08:08:41	1	1	1	1	150	48	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	28.4375	2004
11.02.2020 08:08:42	1	1	1	1	150	48.25	0	25450.237	625.8064516	16035.93075	30000	0	0	30000	27.6875	2004
11.02.2020 08:08:43	1	1	1	1	150	47.5	0	24218.009	660.2150538	16093.00682	30000	0	0	30000	26.9375	2004
11.02.2020 08:08:44	1	1	1	1	150	46.75	0	24597.156	647.311828	15921.7786	30000	0	0	30000	28.25	2004
11.02.2020 08:08:46	1	1	1	1	155	48.25	0	24691.943	653.7634409	16035.93075	30000	0	0	30000	27.4375	2004
11.02.2020 08:08:47	1	1	1	1	155	47.25	0	23981.043	666.6666667	15987.0084	30000	0	0	30000	29	2004
11.02.2020 08:08:48	1	1	1	1	155	49	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	28	2004
11.02.2020 08:08:49	1	1	1	1	155	48	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	26.875	2004
11.02.2020 08:08:50	1	1	1	1	155	46.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	29.1875	2004
11.02.2020 08:08:51	1	1	1	1	155	49	0	25639.81	615.0537634	15934.82456	30000	0	0	30000	28.875	2004
11.02.2020 08:08:52	1	1	1	1	155	48.75	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	28.5625	2004
11.02.2020 08:08:53	1	1	1	1	155	48.5	0	24834.123	645.1612903	15991.08526	30000	0	0	30000	28.125	2004
11.02.2020 08:08:54	1	1	1	1	155	48	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	28.625	2004
11.02.2020 08:08:55	1	1	1	1	155	48.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	28.25	2004
11.02.2020 08:08:56	1	1	1	1	155	48.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.9375	2004
11.02.2020 08:09:02	1	1	1	1	155	48.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:02	1	1	1	1	155	48.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:02	1	1	1	1	155	48.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:02	1	1	1	1	155	48.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:02	1	1	1	1	155	49.5	0	26445.498	602.1505376	15810.07257	30000	0	0	30000	28.625	2004
11.02.2020 08:09:03	1	1	1	1	155	48.5	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	29.3125	2004
11.02.2020 08:09:04	1	1	1	1	155	49.25	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	28.625	2004
11.02.2020 08:09:05	1	1	1	1	152.5	49	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	28.9375	2004
11.02.2020 08:09:06	1	1	1	1	152.5	48.75	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	28.0625	2004
11.02.2020 08:09:07	1	1	1	1	152.5	48	0	26777.251	595.6989247	15778.27304	30000	0	0	30000	28.375	2004
11.02.2020 08:09:08	1	1	1	1	152.5	48.25	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	28.75	2004
11.02.2020 08:09:09	1	1	1	1	152.5	48.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	28.5625	2004
11.02.2020 08:09:10	1	1	1	1	152.5	48.5	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	27.9375	2004
11.02.2020 08:09:11	1	1	1	1	152.5	47.75	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	28.8125	2004
11.02.2020 08:09:12	1	1	1	1	152.5	48.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	27.375	2004
11.02.2020 08:09:13	1	1	1	1	152.5	47.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	28.0625	2004
11.02.2020 08:09:14	1	1	1	1	152.5	48	0	30000	359.1397849	10903.16093	30000	0	0	30000	29.3125	2004
11.02.2020 08:09:15	1	1	1	1	146.8	49.25	0	28957.346	554.8387097	16013.91569	30000	0	0	30000	28.625	2004
11.02.2020 08:09:16	1	1	1	1	146.8	48.5	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	27.8125	2004
11.02.2020 08:09:17	1	1	1	1	146.8	47.75	0	26445.498	604.3010753	15895.68668	30000	0	0	30000	28.0625	2004
11.02.2020 08:09:18	1	1	1	1	146.8	48	0	26018.957	604.3010753	16004.94659	30000	0	0	30000	27.875	2004
11.02.2020 08:09:19	1	1	1	1	146.8	47.75	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	29.25	2004
11.02.2020 08:09:20	1	1	1	1	146.8	49.25	0	24881.517	653.7634409	15998.42361	30000	0	0	30000	28.75	2004
11.02.2020 08:09:21	1	1	1	1	146.8	48.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	29.0625	2004
11.02.2020 08:09:22	1	1	1	1	146.8	49	0	24739.336	645.1612903	15991.08526	30000	0	0	30000	28.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:09:24	1	1	1	1	146.8	48.5	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	29.25	2004
11.02.2020 08:09:25	1	1	1	1	146.8	49.25	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	29.125	2004
11.02.2020 08:09:26	1	1	1	1	144.5	49	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	27.9375	2004
11.02.2020 08:09:27	1	1	1	1	144.5	47.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	28.3125	2004
11.02.2020 08:09:28	1	1	1	1	144.5	48.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	27	2004
11.02.2020 08:09:29	1	1	1	1	144.5	47	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	28.5625	2004
11.02.2020 08:09:30	1	1	1	1	144.5	48.5	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	29.1875	2004
11.02.2020 08:09:31	1	1	1	1	144.5	49	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	29.625	2004
11.02.2020 08:09:32	1	1	1	1	144.5	49.5	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	29.1875	2004
11.02.2020 08:09:33	1	1	1	1	144.5	49	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	29.3125	2004
11.02.2020 08:09:34	1	1	1	1	144.5	49.25	0	26919.431	595.6989247	15748.10426	30000	0	0	30000	28.625	2004
11.02.2020 08:09:35	1	1	1	1	144.5	48.5	0	26824.645	600	16066.09953	30000	0	0	30000	29.1875	2004
11.02.2020 08:09:36	1	1	1	1	146.5	49	0	26682.464	597.8494624	15836.97986	30000	0	0	30000	29	2004
11.02.2020 08:09:37	1	1	1	1	146.5	49	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	28.5625	2004
11.02.2020 08:09:38	1	1	1	1	146.5	48.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	28.625	2004
11.02.2020 08:09:39	1	1	1	1	146.5	48.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	28.0625	2004
11.02.2020 08:09:40	1	1	1	1	146.5	48	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	28.5	2004
11.02.2020 08:09:41	1	1	1	1	146.5	48.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.5625	2004
11.02.2020 08:09:42	1	1	1	1	146.5	48.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:43	1	1	1	1	146.5	48.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	28.3125	2004
11.02.2020 08:09:44	1	1	1	1	146.5	48.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	29.4375	2004
11.02.2020 08:09:45	1	1	1	1	145.5	49.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	28.8125	2004
11.02.2020 08:09:46	1	1	1	1	145.5	48.75	0	27061.611	591.3978495	15945.4244	30000	0	0	30000	29.6875	2004
11.02.2020 08:09:47	1	1	1	1	145.5	49.5	0	28199.052	565.5913978	15721.19697	30000	0	0	30000	28.875	2004
11.02.2020 08:09:48	1	1	1	1	145.5	48.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	29.625	2004
11.02.2020 08:09:49	1	1	1	1	145.5	49.5	0	28672.986	554.8387097	15846.76433	30000	0	0	30000	29.5625	2004
11.02.2020 08:09:50	1	1	1	1	145.5	49.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	29.4375	2004
11.02.2020 08:09:51	1	1	1	1	145.5	49.25	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	28.125	2004
11.02.2020 08:09:52	1	1	1	1	145.5	48	0	28862.559	554.8387097	16075.884	30000	0	0	30000	29.4375	2004
11.02.2020 08:09:53	1	1	1	1	145.5	49.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	27.8125	2004
11.02.2020 08:09:54	1	1	1	1	145.5	47.75	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	28.4375	2004
11.02.2020 08:09:55	1	1	1	1	144.5	48.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	28.3125	2004
11.02.2020 08:09:56	1	1	1	1	144.5	48.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	29.5	2004
11.02.2020 08:09:57	1	1	1	1	144.5	49.5	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	28.6875	2004
11.02.2020 08:10:03	1	1	1	1	144.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:03	1	1	1	1	144.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:03	1	1	1	1	144.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:03	1	1	1	1	144.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:03	1	1	1	1	144.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:04	1	1	1	1	144.5	49	0	28862.559	556.9892473	16075.884	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:05	1	1	1	1	144.5	49	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	28.8125	2004
11.02.2020 08:10:06	1	1	1	1	141.3	48.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	28.9375	2004
11.02.2020 08:10:07	1	1	1	1	141.3	48.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	28.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:10:08	1	1	1	1	141.3	48	0	28862.559	556.9892473	16075.884	30000	0	0	30000	27.5625	2004
11.02.2020 08:10:09	1	1	1	1	141.3	47.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	29.6875	2004
11.02.2020 08:10:10	1	1	1	1	141.3	49.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	28.375	2004
11.02.2020 08:10:11	1	1	1	1	141.3	48.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27	2004
11.02.2020 08:10:12	1	1	1	1	141.3	47	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:13	1	1	1	1	141.3	49	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	29.625	2004
11.02.2020 08:10:14	1	1	1	1	141.3	49.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:15	1	1	1	1	141.3	49	0	28815.166	552.688172	15987.82377	30000	0	0	30000	28.9375	2004
11.02.2020 08:10:16	1	1	1	1	140.8	48.75	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	28.6875	2004
11.02.2020 08:10:17	1	1	1	1	140.8	48.5	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	28.875	2004
11.02.2020 08:10:18	1	1	1	1	140.8	48.75	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	29.0625	2004
11.02.2020 08:10:19	1	1	1	1	140.8	49	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	28.75	2004
11.02.2020 08:10:20	1	1	1	1	140.8	48.75	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	29.5625	2004
11.02.2020 08:10:21	1	1	1	1	140.8	49.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.25	2004
11.02.2020 08:10:22	1	1	1	1	140.8	48.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	29.5625	2004
11.02.2020 08:10:23	1	1	1	1	140.8	49.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	30.0625	2004
11.02.2020 08:10:24	1	1	1	1	140.8	49.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.5	2004
11.02.2020 08:10:25	1	1	1	1	139.8	48.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28.5625	2004
11.02.2020 08:10:26	1	1	1	1	139.8	48.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	28.1875	2004
11.02.2020 08:10:27	1	1	1	1	139.8	48	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.6875	2004
11.02.2020 08:10:28	1	1	1	1	139.8	48.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	27.9375	2004
11.02.2020 08:10:29	1	1	1	1	139.8	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.5	2004
11.02.2020 08:10:30	1	1	1	1	139.8	48.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	29.375	2004
11.02.2020 08:10:31	1	1	1	1	139.8	49.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	29.4375	2004
11.02.2020 08:10:32	1	1	1	1	139.8	49.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	29.4375	2004
11.02.2020 08:10:33	1	1	1	1	139.8	49.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.25	2004
11.02.2020 08:10:34	1	1	1	1	139.8	49.25	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	28.5625	2004
11.02.2020 08:10:35	1	1	1	1	138.8	48.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	29.875	2004
11.02.2020 08:10:36	1	1	1	1	138.8	49.75	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	29.8125	2004
11.02.2020 08:10:37	1	1	1	1	138.8	49.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	28.1875	2004
11.02.2020 08:10:38	1	1	1	1	138.8	48	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	29.125	2004
11.02.2020 08:10:39	1	1	1	1	138.8	49	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	28.6875	2004
11.02.2020 08:10:40	1	1	1	1	138.8	48.5	0	28957.346	556.9892473	16101.97592	30000	0	0	30000	29.625	2004
11.02.2020 08:10:41	1	1	1	1	138.8	49.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	29.5625	2004
11.02.2020 08:10:43	1	1	1	1	138.8	49.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	28.625	2004
11.02.2020 08:10:44	1	1	1	1	138.8	48.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	27.8125	2004
11.02.2020 08:10:45	1	1	1	1	138.8	47.75	0	29052.133	552.688172	15942.16291	30000	0	0	30000	29.625	2004
11.02.2020 08:10:46	1	1	1	1	137.8	49.5	0	28957.346	546.2365591	16056.31506	30000	0	0	30000	28.25	2004
11.02.2020 08:10:47	1	1	1	1	137.8	48.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	28.125	2004
11.02.2020 08:10:48	1	1	1	1	137.8	48	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	29.1875	2004
11.02.2020 08:10:49	1	1	1	1	137.8	49	0	28815.166	561.2903226	15987.82377	30000	0	0	30000	29.25	2004
11.02.2020 08:10:50	1	1	1	1	137.8	49.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	29.25	2004
11.02.2020 08:10:51	1	1	1	1	137.8	49.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:10:52	1	1	1	1	137.8	49.5	0	28672.986	554.8387097	16173.7287	30000	0	0	30000	28.6875	2004
11.02.2020 08:10:53	1	1	1	1	137.8	48.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	28.5	2004
11.02.2020 08:10:54	1	1	1	1	137.8	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	28.875	2004
11.02.2020 08:10:55	1	1	1	1	137.8	48.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	29	2004
11.02.2020 08:10:56	1	1	1	1	136.5	49	0	28625.592	552.688172	15846.76433	30000	0	0	30000	29.875	2004
11.02.2020 08:10:57	1	1	1	1	136.5	49.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	28.5	2004
11.02.2020 08:10:58	1	1	1	1	136.5	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.25	2004
11.02.2020 08:10:59	1	1	1	1	136.5	49.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	29	2004
11.02.2020 08:11:05	1	1	1	1	136.5	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.6875	2004
11.02.2020 08:11:05	1	1	1	1	136.5	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.6875	2004
11.02.2020 08:11:05	1	1	1	1	136.5	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.6875	2004
11.02.2020 08:11:05	1	1	1	1	136.5	48.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.6875	2004
11.02.2020 08:11:05	1	1	1	1	136	49.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.1875	2004
11.02.2020 08:11:06	1	1	1	1	136	48	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	28.4375	2004
11.02.2020 08:11:07	1	1	1	1	136	48.25	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	28.5	2004
11.02.2020 08:11:08	1	1	1	1	136	48.5	0	28815.166	559.1397849	15863.88715	30000	0	0	30000	29.4375	2004
11.02.2020 08:11:09	1	1	1	1	136	49.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	29.125	2004
11.02.2020 08:11:10	1	1	1	1	136	49	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	28.125	2004
11.02.2020 08:11:11	1	1	1	1	136	48	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	29.1875	2004
11.02.2020 08:11:12	1	1	1	1	136	49	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	29.3125	2004
11.02.2020 08:11:13	1	1	1	1	136	49.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.0625	2004
11.02.2020 08:11:14	1	1	1	1	136	49	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	29.0625	2004
11.02.2020 08:11:15	1	1	1	1	135.3	49	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.25	2004
11.02.2020 08:11:16	1	1	1	1	135.3	47.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	29.8125	2004
11.02.2020 08:11:17	1	1	1	1	135.3	49.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	28.25	2004
11.02.2020 08:11:18	1	1	1	1	135.3	48.25	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	29.25	2004
11.02.2020 08:11:19	1	1	1	1	135.3	49.25	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	28.625	2004
11.02.2020 08:11:21	1	1	1	1	135.3	48.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	29.125	2004
11.02.2020 08:11:22	1	1	1	1	135.3	49	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.875	2004
11.02.2020 08:11:23	1	1	1	1	135.3	49.75	0	28672.986	561.2903226	16005.76197	30000	0	0	30000	28.875	2004
11.02.2020 08:11:24	1	1	1	1	135.3	48.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	29.0625	2004
11.02.2020 08:11:25	1	1	1	1	135.3	49	0	28436.019	554.8387097	16171.28258	30000	0	0	30000	27.75	2004
11.02.2020 08:11:26	1	1	1	1	135	47.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.5625	2004
11.02.2020 08:11:27	1	1	1	1	135	49.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	28.625	2004
11.02.2020 08:11:28	1	1	1	1	135	48.5	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	29.4375	2004
11.02.2020 08:11:29	1	1	1	1	135	49.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	28.875	2004
11.02.2020 08:11:30	1	1	1	1	135	48.75	0	28009.479	563.4408602	15888.34833	30000	0	0	30000	29.0625	2004
11.02.2020 08:11:31	1	1	1	1	135	49	0	28246.445	563.4408602	15888.34833	30000	0	0	30000	28.5	2004
11.02.2020 08:11:32	1	1	1	1	135	48.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	29	2004
11.02.2020 08:11:33	1	1	1	1	135	49	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	29.3125	2004
11.02.2020 08:11:34	1	1	1	1	135	49.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	29.125	2004
11.02.2020 08:11:35	1	1	1	1	135	49	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	29.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:11:36	1	1	1	1	134	49.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	29.3125	2004
11.02.2020 08:11:37	1	1	1	1	134	49.25	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	27.9375	2004
11.02.2020 08:11:38	1	1	1	1	134	47.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	30.125	2004
11.02.2020 08:11:39	1	1	1	1	134	50	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.9375	2004
11.02.2020 08:11:40	1	1	1	1	134	48.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.8125	2004
11.02.2020 08:11:41	1	1	1	1	134	49.75	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	28.5625	2004
11.02.2020 08:11:42	1	1	1	1	134	48.5	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	28.8125	2004
11.02.2020 08:11:43	1	1	1	1	134	48.75	0	28625.592	552.688172	15969.88558	30000	0	0	30000	28.625	2004
11.02.2020 08:11:44	1	1	1	1	134	48.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	28.75	2004
11.02.2020 08:11:45	1	1	1	1	134	48.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	29.4375	2004
11.02.2020 08:11:46	1	1	1	1	134	49.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	28.8125	2004
11.02.2020 08:11:47	1	1	1	1	134	48.75	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	29.25	2004
11.02.2020 08:11:48	1	1	1	1	134	49.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.1875	2004
11.02.2020 08:11:49	1	1	1	1	134	48	0	28672.986	552.688172	16049.79208	30000	0	0	30000	29.75	2004
11.02.2020 08:11:50	1	1	1	1	134	49.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	29.25	2004
11.02.2020 08:11:51	1	1	1	1	134	49.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.8125	2004
11.02.2020 08:11:52	1	1	1	1	134	48.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	29.625	2004
11.02.2020 08:11:53	1	1	1	1	134	49.5	0	28957.346	556.9892473	16075.884	30000	0	0	30000	29.6875	2004
11.02.2020 08:11:54	1	1	1	1	134	49.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	29.375	2004
11.02.2020 08:11:55	1	1	1	1	133.3	49.25	0	28625.592	559.1397849	16297.66532	30000	0	0	30000	29.625	2004
11.02.2020 08:11:56	1	1	1	1	133.3	49.5	0	28625.592	563.4408602	15917.70174	30000	0	0	30000	28.9375	2004
11.02.2020 08:11:58	1	1	1	1	133.3	48.75	0	28815.166	563.4408602	15908.73264	30000	0	0	30000	29.8125	2004
11.02.2020 08:11:59	1	1	1	1	133.3	49.75	0	28672.986	561.2903226	15794.58049	30000	0	0	30000	29.1875	2004
11.02.2020 08:12:00	1	1	1	1	133.3	49	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	28.75	2004
11.02.2020 08:12:01	1	1	1	1	133.3	48.75	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	28.0625	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:06	1	1	1	1	133.8	49.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:07	1	1	1	1	133.8	48.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	29.0625	2004
11.02.2020 08:12:08	1	1	1	1	133.8	49	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.9375	2004
11.02.2020 08:12:09	1	1	1	1	133.8	49.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	29.375	2004
11.02.2020 08:12:12	1	1	1	1	133.8	49	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29	2004
11.02.2020 08:12:12	1	1	1	1	133.8	49	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29	2004
11.02.2020 08:12:12	1	1	1	1	133.8	49	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29	2004
11.02.2020 08:12:12	1	1	1	1	133.8	49	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29	2004
11.02.2020 08:12:13	1	1	1	1	133.8	49	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	28.3125	2004
11.02.2020 08:12:14	1	1	1	1	133.8	48.25	0	27914.692	576.344086	15968.25483	30000	0	0	30000	29.375	2004
11.02.2020 08:12:15	1	1	1	1	133.8	49.25	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	29.625	2004
11.02.2020 08:12:16	1	1	1	1	133.3	49.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	29.6875	2004
11.02.2020 08:12:17	1	1	1	1	133.3	49.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	28.4375	2004
11.02.2020 08:12:18	1	1	1	1	133.3	48.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	29.5	2004
11.02.2020 08:12:19	1	1	1	1	133.3	49	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	29.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:12:20	1	1	1	1	133.3	49.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	30.125	2004
11.02.2020 08:12:21	1	1	1	1	133.3	50	0	27582.938	576.344086	15897.31742	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:22	1	1	1	1	133.3	48.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.9375	2004
11.02.2020 08:12:23	1	1	1	1	133.3	48.75	0	27535.545	576.344086	16102.79129	30000	0	0	30000	30.1875	2004
11.02.2020 08:12:24	1	1	1	1	133.3	50	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.5625	2004
11.02.2020 08:12:25	1	1	1	1	133.8	48.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.5625	2004
11.02.2020 08:12:26	1	1	1	1	133.8	48.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	29.3125	2004
11.02.2020 08:12:27	1	1	1	1	133.8	49.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.875	2004
11.02.2020 08:12:28	1	1	1	1	133.8	48.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	28.6875	2004
11.02.2020 08:12:29	1	1	1	1	133.8	48.5	0	27440.758	572.0430108	16015.54644	30000	0	0	30000	29.5625	2004
11.02.2020 08:12:30	1	1	1	1	133.8	49.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.375	2004
11.02.2020 08:12:31	1	1	1	1	133.8	49.25	0	27867.299	576.344086	16093.00682	30000	0	0	30000	29.5	2004
11.02.2020 08:12:32	1	1	1	1	133.8	49.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.25	2004
11.02.2020 08:12:34	1	1	1	1	133.8	49.25	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:35	1	1	1	1	133.8	48.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.4375	2004
11.02.2020 08:12:36	1	1	1	1	134.3	47.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	28.9375	2004
11.02.2020 08:12:37	1	1	1	1	134.3	48.75	0	27867.299	576.344086	15941.34754	30000	0	0	30000	30.1875	2004
11.02.2020 08:12:38	1	1	1	1	134.3	50	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	29.125	2004
11.02.2020 08:12:39	1	1	1	1	134.3	49	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	29.875	2004
11.02.2020 08:12:40	1	1	1	1	134.3	49.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	28.25	2004
11.02.2020 08:12:41	1	1	1	1	134.3	48.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	29.625	2004
11.02.2020 08:12:42	1	1	1	1	134.3	49.5	0	27867.299	582.7956989	16153.34439	30000	0	0	30000	29.9375	2004
11.02.2020 08:12:43	1	1	1	1	134.3	49.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	29.625	2004
11.02.2020 08:12:44	1	1	1	1	134.3	49.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	29.25	2004
11.02.2020 08:12:45	1	1	1	1	134.3	49.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	28.75	2004
11.02.2020 08:12:46	1	1	1	1	134.8	48.75	0	27630.332	580.6451613	16332.72633	30000	0	0	30000	28.5	2004
11.02.2020 08:12:47	1	1	1	1	134.8	48.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	29.25	2004
11.02.2020 08:12:48	1	1	1	1	134.8	49.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	27.875	2004
11.02.2020 08:12:49	1	1	1	1	134.8	47.75	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	29.8125	2004
11.02.2020 08:12:50	1	1	1	1	134.8	49.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	28.25	2004
11.02.2020 08:12:51	1	1	1	1	134.8	48.25	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	29.1875	2004
11.02.2020 08:12:52	1	1	1	1	134.8	49	0	27725.118	576.344086	16033.48463	30000	0	0	30000	28.8125	2004
11.02.2020 08:12:53	1	1	1	1	134.8	48.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	28.25	2004
11.02.2020 08:12:54	1	1	1	1	134.8	48.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	29.4375	2004
11.02.2020 08:12:55	1	1	1	1	134.8	49.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	29.3125	2004
11.02.2020 08:12:56	1	1	1	1	134.5	49.25	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	29.0625	2004
11.02.2020 08:12:57	1	1	1	1	134.5	49	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	29.75	2004
11.02.2020 08:12:58	1	1	1	1	134.5	49.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	29.1875	2004
11.02.2020 08:12:59	1	1	1	1	134.5	49	0	27772.512	580.6451613	16043.2691	30000	0	0	30000	28.3125	2004
11.02.2020 08:13:00	1	1	1	1	134.5	48.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	28.625	2004
11.02.2020 08:13:01	1	1	1	1	134.5	48.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	29.8125	2004
11.02.2020 08:13:02	1	1	1	1	134.5	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	29.1875	2004
11.02.2020 08:13:08	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:13:08	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.4375	2004
11.02.2020 08:13:08	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.4375	2004
11.02.2020 08:13:08	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.4375	2004
11.02.2020 08:13:08	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.4375	2004
11.02.2020 08:13:08	1	1	1	1	134.8	49.25	0	27819.905	576.344086	15983.74691	30000	0	0	30000	29.8125	2004
11.02.2020 08:13:09	1	1	1	1	134.8	49.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	29.5625	2004
11.02.2020 08:13:10	1	1	1	1	134.8	49.5	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	28.375	2004
11.02.2020 08:13:11	1	1	1	1	134.8	48.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	29.9375	2004
11.02.2020 08:13:12	1	1	1	1	134.8	49.75	0	27772.512	576.344086	15924.22472	30000	0	0	30000	29	2004
11.02.2020 08:13:13	1	1	1	1	134.8	49	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	29.25	2004
11.02.2020 08:13:15	1	1	1	1	134.8	49.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	28.6875	2004
11.02.2020 08:13:16	1	1	1	1	134.8	48.5	0	27772.512	580.6451613	16153.34439	30000	0	0	30000	29	2004
11.02.2020 08:13:17	1	1	1	1	134.8	49	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	30.1875	2004
11.02.2020 08:13:18	1	1	1	1	134.8	50	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.6875	2004
11.02.2020 08:13:19	1	1	1	1	134.8	49.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	29.6875	2004
11.02.2020 08:13:20	1	1	1	1	134.8	49.5	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	30.25	2004
11.02.2020 08:13:21	1	1	1	1	134.8	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.4375	2004
11.02.2020 08:13:22	1	1	1	1	134.8	48.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.8125	2004
11.02.2020 08:13:23	1	1	1	1	134.8	48.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	28.5	2004
11.02.2020 08:13:24	1	1	1	1	134.8	48.5	0	27630.332	580.6451613	16097.89906	30000	0	0	30000	28.9375	2004
11.02.2020 08:13:25	1	1	1	1	134.8	48.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	29.125	2004
11.02.2020 08:13:26	1	1	1	1	135.3	49	0	27772.512	580.6451613	16093.00682	30000	0	0	30000	28.625	2004
11.02.2020 08:13:27	1	1	1	1	135.3	48.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	29.4375	2004
11.02.2020 08:13:28	1	1	1	1	135.3	49.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.9375	2004
11.02.2020 08:13:29	1	1	1	1	135.3	49.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.5625	2004
11.02.2020 08:13:30	1	1	1	1	135.3	48.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.0625	2004
11.02.2020 08:13:31	1	1	1	1	135.3	50	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.0625	2004
11.02.2020 08:13:32	1	1	1	1	135.3	50	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	29.875	2004
11.02.2020 08:13:33	1	1	1	1	135.3	49.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	29.5625	2004
11.02.2020 08:13:34	1	1	1	1	135.3	49.5	0	27914.692	578.4946237	16268.31191	30000	0	0	30000	30.1875	2004
11.02.2020 08:13:35	1	1	1	1	135.8	49	0	27725.118	576.344086	16093.00682	30000	0	0	30000	29.625	2004
11.02.2020 08:13:36	1	1	1	1	135.8	49.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	28.125	2004
11.02.2020 08:13:37	1	1	1	1	135.8	48	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	29.125	2004
11.02.2020 08:13:38	1	1	1	1	135.8	49	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	28.5	2004
11.02.2020 08:13:39	1	1	1	1	135.8	48.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	28.4375	2004
11.02.2020 08:13:40	1	1	1	1	135.8	48.25	0	27867.299	580.6451613	16120.72949	30000	0	0	30000	28.875	2004
11.02.2020 08:13:41	1	1	1	1	135.8	48.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	29.125	2004
11.02.2020 08:13:42	1	1	1	1	135.8	49	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	29.3125	2004
11.02.2020 08:13:43	1	1	1	1	135.8	49.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	29.6875	2004
11.02.2020 08:13:44	1	1	1	1	135.8	49.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.25	2004
11.02.2020 08:13:45	1	1	1	1	136	50.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	29.75	2004
11.02.2020 08:13:46	1	1	1	1	136	49.75	0	27772.512	580.6451613	16093.00682	30000	0	0	30000	28.8125	2004
11.02.2020 08:13:47	1	1	1	1	136	48.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	29.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:13:48	1	1	1	1	136	49.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	29.625	2004
11.02.2020 08:13:49	1	1	1	1	136	49.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	29.9375	2004
11.02.2020 08:13:50	1	1	1	1	136	49.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	28.375	2004
11.02.2020 08:13:52	1	1	1	1	136	48.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	28.625	2004
11.02.2020 08:13:53	1	1	1	1	136	48.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	29.3125	2004
11.02.2020 08:13:54	1	1	1	1	136	49.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	29.625	2004
11.02.2020 08:13:55	1	1	1	1	136	49.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	28.8125	2004
11.02.2020 08:13:56	1	1	1	1	136.5	48.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	30.375	2004
11.02.2020 08:13:57	1	1	1	1	136.5	50.25	0	27582.938	582.7956989	16051.42282	30000	0	0	30000	28.1875	2004
11.02.2020 08:13:58	1	1	1	1	136.5	48	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.5625	2004
11.02.2020 08:13:59	1	1	1	1	136.5	49.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	29.1875	2004
11.02.2020 08:14:00	1	1	1	1	136.5	49	0	27582.938	576.344086	16043.2691	30000	0	0	30000	29.1875	2004
11.02.2020 08:14:01	1	1	1	1	136.5	49	0	27535.545	576.344086	16134.59082	30000	0	0	30000	29.875	2004
11.02.2020 08:14:02	1	1	1	1	136.5	49.75	0	27440.758	576.344086	16051.42282	30000	0	0	30000	30.25	2004
11.02.2020 08:14:03	1	1	1	1	136.5	50.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	28.125	2004
11.02.2020 08:14:04	1	1	1	1	136.5	48	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.25	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.75	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.75	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.75	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.75	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.75	2004
11.02.2020 08:14:10	1	1	1	1	137.3	49.75	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	29.125	2004
11.02.2020 08:14:11	1	1	1	1	137.3	49	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.1875	2004
11.02.2020 08:14:12	1	1	1	1	137.3	49	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	29.6875	2004
11.02.2020 08:14:13	1	1	1	1	137.3	49.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	30.375	2004
11.02.2020 08:14:14	1	1	1	1	137.3	50.25	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	29.9375	2004
11.02.2020 08:14:15	1	1	1	1	138.5	49.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.25	2004
11.02.2020 08:14:16	1	1	1	1	138.5	49.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	30.1875	2004
11.02.2020 08:14:17	1	1	1	1	138.5	50	0	27345.972	582.7956989	15792.13437	30000	0	0	30000	28.875	2004
11.02.2020 08:14:18	1	1	1	1	138.5	48.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	28.5	2004
11.02.2020 08:14:19	1	1	1	1	138.5	48.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	30.1875	2004
11.02.2020 08:14:20	1	1	1	1	138.5	50	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.5	2004
11.02.2020 08:14:21	1	1	1	1	138.5	48.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	28.6875	2004
11.02.2020 08:14:22	1	1	1	1	138.5	48.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	27.6875	2004
11.02.2020 08:14:23	1	1	1	1	138.5	47.5	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	28.8125	2004
11.02.2020 08:14:24	1	1	1	1	138.5	48.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	29.8125	2004
11.02.2020 08:14:25	1	1	1	1	137.8	49.75	0	27298.578	572.0430108	15936.4553	30000	0	0	30000	29.625	2004
11.02.2020 08:14:26	1	1	1	1	137.8	49.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	30.375	2004
11.02.2020 08:14:27	1	1	1	1	137.8	50.25	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	29.25	2004
11.02.2020 08:14:28	1	1	1	1	137.8	49.25	0	27440.758	582.7956989	15701.62803	30000	0	0	30000	29.75	2004
11.02.2020 08:14:29	1	1	1	1	137.8	49.75	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	28.875	2004
11.02.2020 08:14:30	1	1	1	1	137.8	48.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	29.625	2004
11.02.2020 08:14:31	1	1	1	1	137.8	49.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:14:33	1	1	1	1	137.8	50	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	29.0625	2004
11.02.2020 08:14:34	1	1	1	1	137.8	49	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.6875	2004
11.02.2020 08:14:35	1	1	1	1	137.8	48.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.0625	2004
11.02.2020 08:14:36	1	1	1	1	138	49	0	27488.152	582.7956989	16051.42282	30000	0	0	30000	29.9375	2004
11.02.2020 08:14:37	1	1	1	1	138	49.75	0	27630.332	580.6451613	16221.0203	30000	0	0	30000	29.5	2004
11.02.2020 08:14:38	1	1	1	1	138	49.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.9375	2004
11.02.2020 08:14:39	1	1	1	1	138	49.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	28.8125	2004
11.02.2020 08:14:40	1	1	1	1	138	48.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	29.8125	2004
11.02.2020 08:14:41	1	1	1	1	138	49.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	29.8125	2004
11.02.2020 08:14:42	1	1	1	1	138	49.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	28.5	2004
11.02.2020 08:14:43	1	1	1	1	138	48.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.125	2004
11.02.2020 08:14:44	1	1	1	1	138	49	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	30.4375	2004
11.02.2020 08:14:45	1	1	1	1	138	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.5	2004
11.02.2020 08:14:46	1	1	1	1	138.8	50.5	0	27440.758	582.7956989	15760.33485	30000	0	0	30000	29.6875	2004
11.02.2020 08:14:47	1	1	1	1	138.8	49.5	0	27393.365	580.6451613	15877.74848	30000	0	0	30000	30.25	2004
11.02.2020 08:14:48	1	1	1	1	138.8	50.25	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	28	2004
11.02.2020 08:14:49	1	1	1	1	138.8	48	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	28.8125	2004
11.02.2020 08:14:50	1	1	1	1	138.8	48.75	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	29.25	2004
11.02.2020 08:14:51	1	1	1	1	138.8	49.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	28.5625	2004
11.02.2020 08:14:52	1	1	1	1	138.8	48.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.25	2004
11.02.2020 08:14:53	1	1	1	1	138.8	49.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.4375	2004
11.02.2020 08:14:54	1	1	1	1	138.8	49.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	28.4375	2004
11.02.2020 08:14:55	1	1	1	1	138.8	48.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	29.6875	2004
11.02.2020 08:14:56	1	1	1	1	138	49.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	29.5625	2004
11.02.2020 08:14:57	1	1	1	1	138	49.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.0625	2004
11.02.2020 08:14:58	1	1	1	1	138	49	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.125	2004
11.02.2020 08:14:59	1	1	1	1	138	50	0	27109.005	589.2473118	16118.28337	30000	0	0	30000	30.0625	2004
11.02.2020 08:15:00	1	1	1	1	138	50	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	29.4375	2004
11.02.2020 08:15:01	1	1	1	1	138	49.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	29.125	2004
11.02.2020 08:15:02	1	1	1	1	138	49	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	28.6875	2004
11.02.2020 08:15:03	1	1	1	1	138	48.5	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	29.5625	2004
11.02.2020 08:15:04	1	1	1	1	138	49.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	28.625	2004
11.02.2020 08:15:05	1	1	1	1	139.3	48.5	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	29.9375	2004
11.02.2020 08:15:11	1	1	1	1	139.3	50	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	28.875	2004
11.02.2020 08:15:11	1	1	1	1	139.3	50	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	28.875	2004
11.02.2020 08:15:11	1	1	1	1	139.3	50	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	28.875	2004
11.02.2020 08:15:11	1	1	1	1	139.3	50	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	28.875	2004
11.02.2020 08:15:11	1	1	1	1	139.3	50	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	28.875	2004
11.02.2020 08:15:12	1	1	1	1	139.3	48.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	29.375	2004
11.02.2020 08:15:13	1	1	1	1	139.3	49.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	30.125	2004
11.02.2020 08:15:14	1	1	1	1	139.3	50	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	29.375	2004
11.02.2020 08:15:15	1	1	1	1	139.3	49.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	30.25	2004
11.02.2020 08:15:16	1	1	1	1	140.5	50.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:15:17	1	1	1	1	140.5	49.25	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	28.75	2004
11.02.2020 08:15:18	1	1	1	1	140.5	48.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	28.6875	2004
11.02.2020 08:15:19	1	1	1	1	140.5	48.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	29.375	2004
11.02.2020 08:15:20	1	1	1	1	140.5	49.25	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	30.375	2004
11.02.2020 08:15:21	1	1	1	1	140.5	50.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	29.8125	2004
11.02.2020 08:15:22	1	1	1	1	140.5	49.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30	2004
11.02.2020 08:15:23	1	1	1	1	140.5	50	0	26682.464	602.1505376	16296.03457	30000	0	0	30000	30	2004
11.02.2020 08:15:24	1	1	1	1	140.5	50	0	26445.498	597.8494624	15895.68668	30000	0	0	30000	29.3125	2004
11.02.2020 08:15:25	1	1	1	1	140.5	49.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	28.5625	2004
11.02.2020 08:15:26	1	1	1	1	142	48.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30.4375	2004
11.02.2020 08:15:27	1	1	1	1	142	50.25	0	26587.678	600	16038.37687	30000	0	0	30000	29.25	2004
11.02.2020 08:15:28	1	1	1	1	142	49.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30	2004
11.02.2020 08:15:29	1	1	1	1	142	50	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	28.8125	2004
11.02.2020 08:15:30	1	1	1	1	142	48.75	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	30.5	2004
11.02.2020 08:15:31	1	1	1	1	142	50.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	28.875	2004
11.02.2020 08:15:32	1	1	1	1	142	48.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	30.5	2004
11.02.2020 08:15:33	1	1	1	1	142	50.5	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	30.875	2004
11.02.2020 08:15:34	1	1	1	1	142	50.75	0	26445.498	608.6021505	16323.75724	30000	0	0	30000	29.6875	2004
11.02.2020 08:15:35	1	1	1	1	142	49.5	0	26445.498	610.7526882	16009.02346	30000	0	0	30000	30	2004
11.02.2020 08:15:36	1	1	1	1	143	50.25	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	29.5625	2004
11.02.2020 08:15:37	1	1	1	1	143	49.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	29.4375	2004
11.02.2020 08:15:38	1	1	1	1	143	49.25	0	26303.318	604.3010753	15866.33327	30000	0	0	30000	29	2004
11.02.2020 08:15:39	1	1	1	1	143	49	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	29.4375	2004
11.02.2020 08:15:40	1	1	1	1	143	49.25	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	29.625	2004
11.02.2020 08:15:41	1	1	1	1	143	49.5	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	28.1875	2004
11.02.2020 08:15:42	1	1	1	1	143	48	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	30.0625	2004
11.02.2020 08:15:43	1	1	1	1	143	50	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	29.4375	2004
11.02.2020 08:15:44	1	1	1	1	143	49.25	0	26587.678	610.7526882	15810.07257	30000	0	0	30000	29.8125	2004
11.02.2020 08:15:45	1	1	1	1	144	49.75	0	26208.531	606.4516129	16064.46878	30000	0	0	30000	29.9375	2004
11.02.2020 08:15:46	1	1	1	1	144	49.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	28.9375	2004
11.02.2020 08:15:47	1	1	1	1	144	48.75	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	30.75	2004
11.02.2020 08:15:48	1	1	1	1	144	50.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	29.375	2004
11.02.2020 08:15:49	1	1	1	1	144	49.25	0	26398.104	604.3010753	16065.28416	30000	0	0	30000	30.25	2004
11.02.2020 08:15:51	1	1	1	1	144	50.25	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	30.4375	2004
11.02.2020 08:15:52	1	1	1	1	144	50.25	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	28.0625	2004
11.02.2020 08:15:53	1	1	1	1	144	48	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	28.875	2004
11.02.2020 08:15:54	1	1	1	1	144	48.75	0	26350.711	610.7526882	16150.0829	30000	0	0	30000	30.6875	2004
11.02.2020 08:15:55	1	1	1	1	144	50.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	28.5625	2004
11.02.2020 08:15:56	1	1	1	1	145.3	48.5	0	26113.744	606.4516129	15836.16449	30000	0	0	30000	28.75	2004
11.02.2020 08:15:57	1	1	1	1	145.3	48.75	0	26255.924	608.6021505	15950.31664	30000	0	0	30000	30.5625	2004
11.02.2020 08:15:58	1	1	1	1	145.3	50.5	0	26113.744	604.3010753	16234.06626	30000	0	0	30000	28.625	2004
11.02.2020 08:15:59	1	1	1	1	145.3	48.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.5	2004
11.02.2020 08:16:00	1	1	1	1	145.3	49.5	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	29.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:16:01	1	1	1	1	145.3	49.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	30.75	2004
11.02.2020 08:16:02	1	1	1	1	145.3	50.75	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	29	2004
11.02.2020 08:16:03	1	1	1	1	145.3	49	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	29.125	2004
11.02.2020 08:16:04	1	1	1	1	145.3	49	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	29.5625	2004
11.02.2020 08:16:05	1	1	1	1	145.3	49.5	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	30.75	2004
11.02.2020 08:16:06	1	1	1	1	147	50.75	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	30.1875	2004
11.02.2020 08:16:07	1	1	1	1	147	50	0	26208.531	606.4516129	16008.20808	30000	0	0	30000	30.6875	2004
11.02.2020 08:16:13	1	1	1	1	147	50.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.125	2004
11.02.2020 08:16:13	1	1	1	1	147	50.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.125	2004
11.02.2020 08:16:13	1	1	1	1	147	50.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.125	2004
11.02.2020 08:16:13	1	1	1	1	147	50.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.125	2004
11.02.2020 08:16:13	1	1	1	1	147	50	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	29.875	2004
11.02.2020 08:16:14	1	1	1	1	147	49.75	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	30.9375	2004
11.02.2020 08:16:15	1	1	1	1	147	50.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	29.375	2004
11.02.2020 08:16:16	1	1	1	1	147.8	49.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	29.8125	2004
11.02.2020 08:16:17	1	1	1	1	147.8	49.75	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	30.625	2004
11.02.2020 08:16:18	1	1	1	1	147.8	50	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	29.25	2004
11.02.2020 08:16:19	1	1	1	1	147.8	49.25	0	26303.318	608.6021505	15951.13201	30000	0	0	30000	29.875	2004
11.02.2020 08:16:20	1	1	1	1	147.8	49.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	28.1875	2004
11.02.2020 08:16:21	1	1	1	1	147.8	48	0	26350.711	595.6989247	15951.94738	30000	0	0	30000	30.375	2004
11.02.2020 08:16:22	1	1	1	1	147.8	50.25	0	26540.284	606.4516129	16009.02346	30000	0	0	30000	29.75	2004
11.02.2020 08:16:23	1	1	1	1	147.8	49.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	29.4375	2004
11.02.2020 08:16:24	1	1	1	1	147.8	49.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	30.6875	2004
11.02.2020 08:16:25	1	1	1	1	148.8	50.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	30.25	2004
11.02.2020 08:16:26	1	1	1	1	148.8	50.25	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	30.25	2004
11.02.2020 08:16:27	1	1	1	1	148.8	50.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	30.0625	2004
11.02.2020 08:16:28	1	1	1	1	148.8	50	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	29.3125	2004
11.02.2020 08:16:29	1	1	1	1	148.8	49.25	0	26113.744	597.8494624	15611.93705	30000	0	0	30000	30.5	2004
11.02.2020 08:16:31	1	1	1	1	148.8	50.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	30.4375	2004
11.02.2020 08:16:32	1	1	1	1	148.8	50.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	30.25	2004
11.02.2020 08:16:33	1	1	1	1	148.8	50.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	30.125	2004
11.02.2020 08:16:34	1	1	1	1	148.8	50	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	30.625	2004
11.02.2020 08:16:35	1	1	1	1	148.8	50.5	0	26729.858	597.8494624	15779.90379	30000	0	0	30000	30	2004
11.02.2020 08:16:36	1	1	1	1	149.5	50	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	29.9375	2004
11.02.2020 08:16:37	1	1	1	1	149.5	49.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	29.625	2004
11.02.2020 08:16:38	1	1	1	1	149.5	49.5	0	26777.251	595.6989247	16152.52901	30000	0	0	30000	29.5625	2004
11.02.2020 08:16:39	1	1	1	1	149.5	49.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	30.375	2004
11.02.2020 08:16:40	1	1	1	1	149.5	50.25	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	30.1875	2004
11.02.2020 08:16:41	1	1	1	1	149.5	50	0	26492.891	597.8494624	15952.76275	30000	0	0	30000	29.75	2004
11.02.2020 08:16:42	1	1	1	1	149.5	49.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	29.375	2004
11.02.2020 08:16:43	1	1	1	1	149.5	49.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	30.6875	2004
11.02.2020 08:16:44	1	1	1	1	149.5	50.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	29.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:16:45	1	1	1	1	149.5	49.5	0	26587.678	600	16123.99098	30000	0	0	30000	29	2004
11.02.2020 08:16:46	1	1	1	1	150	49	0	26777.251	597.8494624	15836.97986	30000	0	0	30000	30.1875	2004
11.02.2020 08:16:47	1	1	1	1	150	50	0	26492.891	591.3978495	15837.79523	30000	0	0	30000	28.0625	2004
11.02.2020 08:16:48	1	1	1	1	150	48	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	28.5625	2004
11.02.2020 08:16:49	1	1	1	1	150	48.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	29.9375	2004
11.02.2020 08:16:50	1	1	1	1	150	49.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	29.9375	2004
11.02.2020 08:16:51	1	1	1	1	150	49.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	29.8125	2004
11.02.2020 08:16:52	1	1	1	1	150	49.75	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	30.6875	2004
11.02.2020 08:16:53	1	1	1	1	150	50.5	0	26966.825	593.5483871	16179.43631	30000	0	0	30000	30.25	2004
11.02.2020 08:16:54	1	1	1	1	150	50.25	0	26635.071	602.1505376	16095.45294	30000	0	0	30000	30.4375	2004
11.02.2020 08:16:55	1	1	1	1	150	50.25	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	31.0625	2004
11.02.2020 08:16:56	1	1	1	1	150.3	50.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	30.875	2004
11.02.2020 08:16:57	1	1	1	1	150.3	50.75	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	28.6875	2004
11.02.2020 08:16:58	1	1	1	1	150.3	48.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	30.875	2004
11.02.2020 08:16:59	1	1	1	1	150.3	50.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	29.5625	2004
11.02.2020 08:17:00	1	1	1	1	150.3	49.5	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	30.625	2004
11.02.2020 08:17:01	1	1	1	1	150.3	50.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	29.5	2004
11.02.2020 08:17:02	1	1	1	1	150.3	49.5	0	26729.858	600	16066.9149	30000	0	0	30000	30.0625	2004
11.02.2020 08:17:03	1	1	1	1	150.3	50	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	29.5	2004
11.02.2020 08:17:04	1	1	1	1	150.3	49.5	0	26824.645	600	15951.13201	30000	0	0	30000	31	2004
11.02.2020 08:17:05	1	1	1	1	151.3	51	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	30.25	2004
11.02.2020 08:17:06	1	1	1	1	151.3	50.25	0	26872.038	597.8494624	16181.06705	30000	0	0	30000	29.25	2004
11.02.2020 08:17:07	1	1	1	1	151.3	49.25	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	29.625	2004
11.02.2020 08:17:09	1	1	1	1	151.3	49.5	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	29.875	2004
11.02.2020 08:17:15	1	1	1	1	151.3	49.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	28.8125	2004
11.02.2020 08:17:15	1	1	1	1	151.3	49.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	28.8125	2004
11.02.2020 08:17:15	1	1	1	1	151.3	49.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	28.8125	2004
11.02.2020 08:17:15	1	1	1	1	151.3	49.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	28.8125	2004
11.02.2020 08:17:15	1	1	1	1	151.3	48.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	29.375	2004
11.02.2020 08:17:16	1	1	1	1	152	49.25	0	26824.645	602.1505376	15894.05593	30000	0	0	30000	29.9375	2004
11.02.2020 08:17:17	1	1	1	1	152	49.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	30.625	2004
11.02.2020 08:17:18	1	1	1	1	152	50.5	0	26635.071	595.6989247	15837.79523	30000	0	0	30000	30.625	2004
11.02.2020 08:17:19	1	1	1	1	152	50.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	29.5625	2004
11.02.2020 08:17:20	1	1	1	1	152	49.5	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	29.375	2004
11.02.2020 08:17:21	1	1	1	1	152	49.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	30.625	2004
11.02.2020 08:17:22	1	1	1	1	152	50.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	28.8125	2004
11.02.2020 08:17:23	1	1	1	1	152	48.75	0	26682.464	597.8494624	16066.09953	30000	0	0	30000	30.25	2004
11.02.2020 08:17:24	1	1	1	1	152	50.25	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	29.0625	2004
11.02.2020 08:17:25	1	1	1	1	152	49	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	30.625	2004
11.02.2020 08:17:26	1	1	1	1	153.5	50.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	30.3125	2004
11.02.2020 08:17:27	1	1	1	1	153.5	50.25	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	30.3125	2004
11.02.2020 08:17:28	1	1	1	1	153.5	50.25	0	26492.891	597.8494624	16009.02346	30000	0	0	30000	29.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:17:29	1	1	1	1	153.5	49.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	29.625	2004
11.02.2020 08:17:30	1	1	1	1	153.5	49.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	30.125	2004
11.02.2020 08:17:31	1	1	1	1	153.5	50	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	30.875	2004
11.02.2020 08:17:32	1	1	1	1	153.5	50.75	0	26398.104	597.8494624	16038.37687	30000	0	0	30000	30.875	2004
11.02.2020 08:17:33	1	1	1	1	153.5	50.75	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	30.25	2004
11.02.2020 08:17:34	1	1	1	1	153.5	51	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	30.1875	2004
11.02.2020 08:17:35	1	1	1	1	154	50	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	30.25	2004
11.02.2020 08:17:36	1	1	1	1	154	50.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	30.25	2004
11.02.2020 08:17:37	1	1	1	1	154	50.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	30.9375	2004
11.02.2020 08:17:38	1	1	1	1	154	50.75	0	26398.104	606.4516129	16036.74612	30000	0	0	30000	30.3125	2004
11.02.2020 08:17:39	1	1	1	1	154	50.25	0	26066.351	610.7526882	15863.88715	30000	0	0	30000	29.6875	2004
11.02.2020 08:17:40	1	1	1	1	154	49.5	0	26255.924	612.9032258	16177.80556	30000	0	0	30000	29.625	2004
11.02.2020 08:17:41	1	1	1	1	154	49.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30	2004
11.02.2020 08:17:42	1	1	1	1	154	50	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	30.9375	2004
11.02.2020 08:17:43	1	1	1	1	154	50.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	29.625	2004
11.02.2020 08:17:44	1	1	1	1	154	49.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	30.625	2004
11.02.2020 08:17:45	1	1	1	1	155.5	50.5	0	26587.678	600	16238.9585	30000	0	0	30000	30.3125	2004
11.02.2020 08:17:46	1	1	1	1	155.5	50.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	30.25	2004
11.02.2020 08:17:47	1	1	1	1	155.5	50.25	0	26492.891	604.3010753	15924.22472	30000	0	0	30000	29.9375	2004
11.02.2020 08:17:49	1	1	1	1	155.5	49.75	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	30.0625	2004
11.02.2020 08:17:50	1	1	1	1	155.5	50	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	29.1875	2004
11.02.2020 08:17:51	1	1	1	1	155.5	49	0	26445.498	610.7526882	16094.63757	30000	0	0	30000	30.375	2004
11.02.2020 08:17:52	1	1	1	1	155.5	50.25	0	26208.531	606.4516129	15892.42519	30000	0	0	30000	30.1875	2004
11.02.2020 08:17:53	1	1	1	1	155.5	50	0	26398.104	608.6021505	16036.74612	30000	0	0	30000	30.4375	2004
11.02.2020 08:17:54	1	1	1	1	155.5	50.25	0	26398.104	610.7526882	15838.61061	30000	0	0	30000	29.3125	2004
11.02.2020 08:17:55	1	1	1	1	155.5	49.25	0	26255.924	606.4516129	15894.05593	30000	0	0	30000	30	2004
11.02.2020 08:17:56	1	1	1	1	156	50	0	26303.318	610.7526882	16120.72949	30000	0	0	30000	29.5625	2004
11.02.2020 08:17:57	1	1	1	1	156	49.5	0	26255.924	608.6021505	15950.31664	30000	0	0	30000	28.875	2004
11.02.2020 08:17:58	1	1	1	1	156	48.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	29.875	2004
11.02.2020 08:17:59	1	1	1	1	156	49.75	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	30.375	2004
11.02.2020 08:18:00	1	1	1	1	156	50.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	29.125	2004
11.02.2020 08:18:01	1	1	1	1	156	49	0	26018.957	617.2043011	15947.05515	30000	0	0	30000	29.3125	2004
11.02.2020 08:18:02	1	1	1	1	156	49.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	29.375	2004
11.02.2020 08:18:03	1	1	1	1	156	49.25	0	26113.744	617.2043011	16004.94659	30000	0	0	30000	30.625	2004
11.02.2020 08:18:04	1	1	1	1	156	50.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	30.25	2004
11.02.2020 08:18:05	1	1	1	1	156	50.25	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	30.6875	2004
11.02.2020 08:18:06	1	1	1	1	157.5	50.5	0	26303.318	604.3010753	16064.46878	30000	0	0	30000	29.4375	2004
11.02.2020 08:18:07	1	1	1	1	157.5	49.25	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	30.4375	2004
11.02.2020 08:18:08	1	1	1	1	157.5	50.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	30.25	2004
11.02.2020 08:18:09	1	1	1	1	157.5	50.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	29.875	2004
11.02.2020 08:18:10	1	1	1	1	157.5	49.75	0	26066.351	612.9032258	16061.20729	30000	0	0	30000	30.5	2004
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.875	2004
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.875	2004
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.875	2004
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	30.875	2004
11.02.2020 08:18:16	1	1	1	1	158.5	50.75	0	26113.744	615.0537634	16119.09874	30000	0	0	30000	30.375	2004
11.02.2020 08:18:17	1	1	1	1	158.5	50.25	0	25734.597	612.9032258	15830.45688	30000	0	0	30000	29.875	2004
11.02.2020 08:18:18	1	1	1	1	158.5	49.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	28.375	2004
11.02.2020 08:18:19	1	1	1	1	158.5	48.25	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	30.125	2004
11.02.2020 08:18:20	1	1	1	1	158.5	50	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	30.6875	2004
11.02.2020 08:18:21	1	1	1	1	158.5	50.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	30.5625	2004
11.02.2020 08:18:22	1	1	1	1	158.5	50.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	30.875	2004
11.02.2020 08:18:23	1	1	1	1	158.5	50.75	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	30.1875	2004
11.02.2020 08:18:24	1	1	1	1	158.5	50	0	26113.744	606.4516129	16117.468	30000	0	0	30000	31.0625	2004
11.02.2020 08:18:25	1	1	1	1	157.8	51	0	26208.531	610.7526882	16120.72949	30000	0	0	30000	30.875	2004
11.02.2020 08:18:26	1	1	1	1	157.8	50.75	0	26303.318	612.9032258	15894.05593	30000	0	0	30000	29.625	2004
11.02.2020 08:18:27	1	1	1	1	157.8	49.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	30.5	2004
11.02.2020 08:18:28	1	1	1	1	157.8	50.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	29.125	2004
11.02.2020 08:18:30	1	1	1	1	157.8	49	0	26208.531	606.4516129	16006.57734	30000	0	0	30000	30.375	2004
11.02.2020 08:18:31	1	1	1	1	157.8	50.25	0	26398.104	608.6021505	15951.94738	30000	0	0	30000	30.5625	2004
11.02.2020 08:18:32	1	1	1	1	157.8	50.5	0	26208.531	608.6021505	16064.46878	30000	0	0	30000	29.875	2004
11.02.2020 08:18:33	1	1	1	1	157.8	49.75	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	29.6875	2004
11.02.2020 08:18:34	1	1	1	1	157.8	49.5	0	26492.891	608.6021505	16180.25168	30000	0	0	30000	30.0625	2004
11.02.2020 08:18:35	1	1	1	1	157.8	50	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	30.125	2004
11.02.2020 08:18:36	1	1	1	1	158.5	50	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	29.9375	2004
11.02.2020 08:18:37	1	1	1	1	158.5	49.75	0	26350.711	608.6021505	16093.82219	30000	0	0	30000	31.25	2004
11.02.2020 08:18:38	1	1	1	1	158.5	51.25	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	30.625	2004
11.02.2020 08:18:39	1	1	1	1	158.5	50.5	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	30.8125	2004
11.02.2020 08:18:40	1	1	1	1	158.5	50.75	0	26303.318	608.6021505	16093.82219	30000	0	0	30000	30.6875	2004
11.02.2020 08:18:41	1	1	1	1	158.5	50.5	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	29.5	2004
11.02.2020 08:18:42	1	1	1	1	158.5	49.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	30.375	2004
11.02.2020 08:18:43	1	1	1	1	158.5	50.25	0	26445.498	604.3010753	16066.09953	30000	0	0	30000	29.625	2004
11.02.2020 08:18:44	1	1	1	1	158.5	49.5	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	29.625	2004
11.02.2020 08:18:45	1	1	1	1	158.5	49.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	28.625	2004
11.02.2020 08:18:46	1	1	1	1	159.8	48.5	0	26255.924	606.4516129	15894.87131	30000	0	0	30000	30.8125	2004
11.02.2020 08:18:47	1	1	1	1	159.8	50.75	0	26350.711	608.6021505	16093.82219	30000	0	0	30000	31.0625	2004
11.02.2020 08:18:48	1	1	1	1	159.8	51	0	26350.711	610.7526882	16008.20808	30000	0	0	30000	29.8125	2004
11.02.2020 08:18:49	1	1	1	1	159.8	49.75	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	29.875	2004
11.02.2020 08:18:50	1	1	1	1	159.8	49.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	30.375	2004
11.02.2020 08:18:51	1	1	1	1	159.8	50.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	31.125	2004
11.02.2020 08:18:52	1	1	1	1	159.8	51	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	31.1875	2004
11.02.2020 08:18:53	1	1	1	1	159.8	51	0	26682.464	600	16009.02346	30000	0	0	30000	31.25	2004
11.02.2020 08:18:54	1	1	1	1	159.8	51.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	30.625	2004
11.02.2020 08:18:55	1	1	1	1	159.8	50.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	30.625	2004
11.02.2020 08:18:56	1	1	1	1	160.3	51	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:18:57	1	1	1	1	160.3	50	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	30.8125	2004
11.02.2020 08:18:58	1	1	1	1	160.3	50.75	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	30.25	2004
11.02.2020 08:18:59	1	1	1	1	160.3	50.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.25	2004
11.02.2020 08:19:00	1	1	1	1	160.3	51.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	31.25	2004
11.02.2020 08:19:01	1	1	1	1	160.3	51.25	0	26587.678	600	15837.79523	30000	0	0	30000	29.125	2004
11.02.2020 08:19:02	1	1	1	1	160.3	49	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	30.4375	2004
11.02.2020 08:19:03	1	1	1	1	160.3	50.25	0	26492.891	593.5483871	15781.53453	30000	0	0	30000	30.5	2004
11.02.2020 08:19:04	1	1	1	1	160.3	50.5	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	29.9375	2004
11.02.2020 08:19:05	1	1	1	1	160.8	49.75	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	30	2004
11.02.2020 08:19:07	1	1	1	1	160.8	50	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	30.4375	2004
11.02.2020 08:19:08	1	1	1	1	160.8	50.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	31.3125	2004
11.02.2020 08:19:09	1	1	1	1	160.8	51.25	0	26919.431	595.6989247	16179.43631	30000	0	0	30000	30.8125	2004
11.02.2020 08:19:10	1	1	1	1	160.8	50.75	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	31.125	2004
11.02.2020 08:19:11	1	1	1	1	160.8	51	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	30.8125	2004
11.02.2020 08:19:12	1	1	1	1	160.8	50.75	0	26682.464	600	16009.02346	30000	0	0	30000	29.3125	2004
11.02.2020 08:19:18	1	1	1	1	161	50.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	29.125	2004
11.02.2020 08:19:18	1	1	1	1	161	50.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	29.125	2004
11.02.2020 08:19:18	1	1	1	1	161	50.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	29.125	2004
11.02.2020 08:19:18	1	1	1	1	161	50.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	29.125	2004
11.02.2020 08:19:18	1	1	1	1	161	50.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	29.125	2004
11.02.2020 08:19:18	1	1	1	1	161	49	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	30.5625	2004
11.02.2020 08:19:19	1	1	1	1	161	50.5	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	30.0625	2004
11.02.2020 08:19:20	1	1	1	1	161	50	0	26729.858	597.8494624	15894.05593	30000	0	0	30000	30.4375	2004
11.02.2020 08:19:21	1	1	1	1	161	50.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	29.25	2004
11.02.2020 08:19:22	1	1	1	1	161	49.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	30.5625	2004
11.02.2020 08:19:23	1	1	1	1	161	50.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	29.5625	2004
11.02.2020 08:19:24	1	1	1	1	161	49.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	30.6875	2004
11.02.2020 08:19:25	1	1	1	1	161	50.5	0	26919.431	593.5483871	15862.25641	30000	0	0	30000	31.0625	2004
11.02.2020 08:19:26	1	1	1	1	161	51	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	28.6875	2004
11.02.2020 08:19:27	1	1	1	1	161	48.5	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	30.9375	2004
11.02.2020 08:19:28	1	1	1	1	161	50.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	29.625	2004
11.02.2020 08:19:29	1	1	1	1	161	49.5	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	30.3125	2004
11.02.2020 08:19:30	1	1	1	1	161	50.25	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	29.8125	2004
11.02.2020 08:19:31	1	1	1	1	161	49.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	29.625	2004
11.02.2020 08:19:32	1	1	1	1	161	49.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	30.5625	2004
11.02.2020 08:19:33	1	1	1	1	161	50.5	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	31.1875	2004
11.02.2020 08:19:34	1	1	1	1	161	51.5	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	30.25	2004
11.02.2020 08:19:35	1	1	1	1	161	50.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	31	2004
11.02.2020 08:19:36	1	1	1	1	161	51	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	30.5	2004
11.02.2020 08:19:37	1	1	1	1	161	50.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	30.4375	2004
11.02.2020 08:19:38	1	1	1	1	161	50.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	30.5	2004
11.02.2020 08:19:39	1	1	1	1	161	50.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	29.375	2004
11.02.2020 08:19:40	1	1	1	1	161	49.25	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	30.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:19:41	1	1	1	1	161	50.25	0	27061.611	591.3978495	15917.70174	30000	0	0	30000	31.3125	2004
11.02.2020 08:19:42	1	1	1	1	161	51.25	0	26966.825	591.3978495	16034.3	30000	0	0	30000	30.5625	2004
11.02.2020 08:19:43	1	1	1	1	161	50.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	30.3125	2004
11.02.2020 08:19:44	1	1	1	1	161	50.25	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	30.3125	2004
11.02.2020 08:19:46	1	1	1	1	161	50.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	30.9375	2004
11.02.2020 08:19:47	1	1	1	1	161	50.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	30	2004
11.02.2020 08:19:48	1	1	1	1	161	50	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31	2004
11.02.2020 08:19:49	1	1	1	1	161	51	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	30.5	2004
11.02.2020 08:19:50	1	1	1	1	161	50.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	30.3125	2004
11.02.2020 08:19:51	1	1	1	1	161	50.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	30.625	2004
11.02.2020 08:19:52	1	1	1	1	161	50.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	30	2004
11.02.2020 08:19:53	1	1	1	1	161	50	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	30.3125	2004
11.02.2020 08:19:54	1	1	1	1	161	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.6875	2004
11.02.2020 08:19:55	1	1	1	1	161	49.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	29.75	2004
11.02.2020 08:19:56	1	1	1	1	161.8	49.75	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	30.75	2004
11.02.2020 08:19:57	1	1	1	1	161.8	50.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	30.375	2004
11.02.2020 08:19:58	1	1	1	1	161.8	50.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	31.3125	2004
11.02.2020 08:19:59	1	1	1	1	161.8	51.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.4375	2004
11.02.2020 08:20:00	1	1	1	1	161.8	50.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	30.8125	2004
11.02.2020 08:20:01	1	1	1	1	161.8	50.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:02	1	1	1	1	161.8	49.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.5	2004
11.02.2020 08:20:03	1	1	1	1	161.8	50.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.5625	2004
11.02.2020 08:20:04	1	1	1	1	161.8	50.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:05	1	1	1	1	161.8	49.75	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	30.3125	2004
11.02.2020 08:20:06	1	1	1	1	161.8	50.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	30.5	2004
11.02.2020 08:20:07	1	1	1	1	161.8	50.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	31.625	2004
11.02.2020 08:20:08	1	1	1	1	161.8	51.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.75	2004
11.02.2020 08:20:09	1	1	1	1	161.8	50.75	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	31.5625	2004
11.02.2020 08:20:10	1	1	1	1	161.8	51.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	30.125	2004
11.02.2020 08:20:11	1	1	1	1	161.8	50	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.5625	2004
11.02.2020 08:20:12	1	1	1	1	161.8	51	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	30.5	2004
11.02.2020 08:20:13	1	1	1	1	161.8	50.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.125	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:19	1	1	1	1	162.5	51.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.0625	2004
11.02.2020 08:20:20	1	1	1	1	162.5	51	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	31.4375	2004
11.02.2020 08:20:21	1	1	1	1	162.5	51.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	30.6875	2004
11.02.2020 08:20:22	1	1	1	1	162.5	50.5	0	27109.005	582.7956989	15942.97828	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:24	1	1	1	1	162.5	49.75	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	29.875	2004
11.02.2020 08:20:25	1	1	1	1	162.5	49.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	31.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:20:26	1	1	1	1	162.3	51.5	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	30	2004
11.02.2020 08:20:27	1	1	1	1	162.3	50	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	30.875	2004
11.02.2020 08:20:28	1	1	1	1	162.3	50.75	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	30.375	2004
11.02.2020 08:20:29	1	1	1	1	162.3	50.25	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	29.3125	2004
11.02.2020 08:20:30	1	1	1	1	162.3	49.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	30.6875	2004
11.02.2020 08:20:31	1	1	1	1	162.3	50.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	30.375	2004
11.02.2020 08:20:32	1	1	1	1	162.3	50.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:33	1	1	1	1	162.3	49.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.5	2004
11.02.2020 08:20:34	1	1	1	1	162.3	51.5	0	27014.218	589.2473118	15832.08763	30000	0	0	30000	28.8125	2004
11.02.2020 08:20:35	1	1	1	1	162.3	48.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	30.4375	2004
11.02.2020 08:20:36	1	1	1	1	163	50.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	30.875	2004
11.02.2020 08:20:37	1	1	1	1	163	50.75	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	30.0625	2004
11.02.2020 08:20:38	1	1	1	1	163	50	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	30.5625	2004
11.02.2020 08:20:39	1	1	1	1	163	50.5	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	30.5	2004
11.02.2020 08:20:40	1	1	1	1	163	50.5	0	26919.431	593.5483871	16005.76197	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:41	1	1	1	1	163	49.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	29.375	2004
11.02.2020 08:20:42	1	1	1	1	163	49.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	30.25	2004
11.02.2020 08:20:43	1	1	1	1	163	50.25	0	26729.858	593.5483871	15978.85467	30000	0	0	30000	30.875	2004
11.02.2020 08:20:44	1	1	1	1	163	50.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	30.5	2004
11.02.2020 08:20:45	1	1	1	1	163	50.5	0	26872.038	589.2473118	15833.71837	30000	0	0	30000	31.5	2004
11.02.2020 08:20:46	1	1	1	1	164	51.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	31.5	2004
11.02.2020 08:20:47	1	1	1	1	164	51.5	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	31.25	2004
11.02.2020 08:20:48	1	1	1	1	164	51.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	31.75	2004
11.02.2020 08:20:49	1	1	1	1	164	51.75	0	27061.611	593.5483871	15889.97907	30000	0	0	30000	30.1875	2004
11.02.2020 08:20:50	1	1	1	1	164	51.75	0	27014.218	591.3978495	16005.76197	30000	0	0	30000	30.625	2004
11.02.2020 08:20:51	1	1	1	1	164	50.5	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	29.625	2004
11.02.2020 08:20:52	1	1	1	1	164	49.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	31	2004
11.02.2020 08:20:53	1	1	1	1	164	51	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	31.375	2004
11.02.2020 08:20:54	1	1	1	1	164	51.25	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	29.9375	2004
11.02.2020 08:20:55	1	1	1	1	164.5	49.75	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	30.625	2004
11.02.2020 08:20:56	1	1	1	1	164.5	50.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	30.8125	2004
11.02.2020 08:20:57	1	1	1	1	164.5	50.75	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	30.6875	2004
11.02.2020 08:20:58	1	1	1	1	164.5	50.5	0	26919.431	591.3978495	16151.71364	30000	0	0	30000	29.5625	2004
11.02.2020 08:20:59	1	1	1	1	164.5	49.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	30.3125	2004
11.02.2020 08:21:01	1	1	1	1	164.5	50.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	30.5625	2004
11.02.2020 08:21:02	1	1	1	1	164.5	50.5	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	31.5	2004
11.02.2020 08:21:03	1	1	1	1	164.5	51.5	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	30.8125	2004
11.02.2020 08:21:04	1	1	1	1	164.5	50.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	30.1875	2004
11.02.2020 08:21:05	1	1	1	1	164.5	50	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	30.25	2004
11.02.2020 08:21:06	1	1	1	1	164.8	50.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	31.6875	2004
11.02.2020 08:21:07	1	1	1	1	164.8	51.5	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	30.25	2004
11.02.2020 08:21:08	1	1	1	1	164.8	50.25	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	30.0625	2004
11.02.2020 08:21:09	1	1	1	1	164.8	50	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:21:10	1	1	1	1	164.8	50	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	29.3125	2004
11.02.2020 08:21:11	1	1	1	1	164.8	49.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	31.625	2004
11.02.2020 08:21:12	1	1	1	1	164.8	51.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	30.625	2004
11.02.2020 08:21:13	1	1	1	1	164.8	50.5	0	26587.678	595.6989247	16066.9149	30000	0	0	30000	31.1875	2004
11.02.2020 08:21:14	1	1	1	1	164.8	51	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	30.25	2004
11.02.2020 08:21:15	1	1	1	1	164.8	50.25	0	26445.498	597.8494624	15781.53453	30000	0	0	30000	30.9375	2004
11.02.2020 08:21:21	1	1	1	1	165	50.5	0	26682.464	600	16009.02346	30000	0	0	30000	30.875	2004
11.02.2020 08:21:21	1	1	1	1	165	50.5	0	26682.464	600	16009.02346	30000	0	0	30000	30.875	2004
11.02.2020 08:21:21	1	1	1	1	165	50.5	0	26682.464	600	16009.02346	30000	0	0	30000	30.875	2004
11.02.2020 08:21:21	1	1	1	1	165	50.5	0	26682.464	600	16009.02346	30000	0	0	30000	30.875	2004
11.02.2020 08:21:21	1	1	1	1	165	50.75	0	26682.464	593.5483871	16009.02346	30000	0	0	30000	31.25	2004
11.02.2020 08:21:22	1	1	1	1	165	51.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	31.125	2004
11.02.2020 08:21:23	1	1	1	1	165	51	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	31.25	2004
11.02.2020 08:21:24	1	1	1	1	165	51.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	30.4375	2004
11.02.2020 08:21:25	1	1	1	1	165	50.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	31.0625	2004
11.02.2020 08:21:26	1	1	1	1	166	51	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	31.125	2004
11.02.2020 08:21:27	1	1	1	1	166	51	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	31.3125	2004
11.02.2020 08:21:28	1	1	1	1	166	51.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	31.125	2004
11.02.2020 08:21:29	1	1	1	1	166	51	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	31.375	2004
11.02.2020 08:21:30	1	1	1	1	166	51.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.375	2004
11.02.2020 08:21:31	1	1	1	1	166	51.25	0	26682.464	600	16009.02346	30000	0	0	30000	31.375	2004
11.02.2020 08:21:32	1	1	1	1	166	51.25	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	30.8125	2004
11.02.2020 08:21:33	1	1	1	1	166	50.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	31.375	2004
11.02.2020 08:21:34	1	1	1	1	166	51.25	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	30.0625	2004
11.02.2020 08:21:35	1	1	1	1	166.5	50	0	26445.498	606.4516129	16152.52901	30000	0	0	30000	31.125	2004
11.02.2020 08:21:36	1	1	1	1	166.5	51	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	30.3125	2004
11.02.2020 08:21:37	1	1	1	1	166.5	50.25	0	26824.645	597.8494624	16007.39271	30000	0	0	30000	29.5625	2004
11.02.2020 08:21:38	1	1	1	1	166.5	49.5	0	26966.825	591.3978495	16034.3	30000	0	0	30000	31.5625	2004
11.02.2020 08:21:40	1	1	1	1	166.5	51.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	30.875	2004
11.02.2020 08:21:41	1	1	1	1	166.5	50.75	0	26635.071	595.6989247	15951.94738	30000	0	0	30000	30.75	2004
11.02.2020 08:21:42	1	1	1	1	166.5	50.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	30.125	2004
11.02.2020 08:21:43	1	1	1	1	166.5	50	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	31.4375	2004
11.02.2020 08:21:44	1	1	1	1	166.5	51.25	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	31.125	2004
11.02.2020 08:21:45	1	1	1	1	166.5	51	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	30.8125	2004
11.02.2020 08:21:46	1	1	1	1	166.3	50.75	0	26398.104	612.9032258	15951.94738	30000	0	0	30000	31.1875	2004
11.02.2020 08:21:47	1	1	1	1	166.3	51	0	26208.531	602.1505376	15978.85467	30000	0	0	30000	31.3125	2004
11.02.2020 08:21:48	1	1	1	1	166.3	51.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	29.75	2004
11.02.2020 08:21:49	1	1	1	1	166.3	49.75	0	25876.777	612.9032258	15888.34833	30000	0	0	30000	30.3125	2004
11.02.2020 08:21:50	1	1	1	1	166.3	50.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	30.6875	2004
11.02.2020 08:21:51	1	1	1	1	166.3	50.5	0	26066.351	612.9032258	16061.20729	30000	0	0	30000	31.3125	2004
11.02.2020 08:21:52	1	1	1	1	166.3	51.25	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	30.5625	2004
11.02.2020 08:21:53	1	1	1	1	166.3	50.5	0	26113.744	621.5053763	16004.94659	30000	0	0	30000	29.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:21:54	1	1	1	1	166.3	49.25	0	26208.531	615.0537634	15948.68589	30000	0	0	30000	29.5	2004
11.02.2020 08:21:55	1	1	1	1	166.3	49.5	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	30.875	2004
11.02.2020 08:21:56	1	1	1	1	167	50.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	30.8125	2004
11.02.2020 08:21:57	1	1	1	1	167	50.75	0	26350.711	597.8494624	15951.94738	30000	0	0	30000	31.125	2004
11.02.2020 08:21:58	1	1	1	1	167	51	0	26492.891	602.1505376	15696.73579	30000	0	0	30000	30.125	2004
11.02.2020 08:21:59	1	1	1	1	167	50	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	30.75	2004
11.02.2020 08:22:00	1	1	1	1	167	50.75	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:01	1	1	1	1	167	50.5	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	31.0625	2004
11.02.2020 08:22:02	1	1	1	1	167	51	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	31.1875	2004
11.02.2020 08:22:03	1	1	1	1	167	51	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	29.8125	2004
11.02.2020 08:22:04	1	1	1	1	167	49.75	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	31.6875	2004
11.02.2020 08:22:05	1	1	1	1	167	51.5	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	30.5625	2004
11.02.2020 08:22:06	1	1	1	1	168.8	50.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	31.3125	2004
11.02.2020 08:22:07	1	1	1	1	168.8	50.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	30.4375	2004
11.02.2020 08:22:08	1	1	1	1	168.8	50.25	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:09	1	1	1	1	168.8	50.5	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	30.8125	2004
11.02.2020 08:22:10	1	1	1	1	168.8	50.75	0	26350.711	608.6021505	15951.13201	30000	0	0	30000	30	2004
11.02.2020 08:22:11	1	1	1	1	168.8	50	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	29.9375	2004
11.02.2020 08:22:12	1	1	1	1	168.8	49.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	30.3125	2004
11.02.2020 08:22:13	1	1	1	1	168.8	50.25	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:14	1	1	1	1	168.8	50.5	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	29.5625	2004
11.02.2020 08:22:15	1	1	1	1	169.8	49.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	29.1875	2004
11.02.2020 08:22:17	1	1	1	1	169.8	49	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	30.25	2004
11.02.2020 08:22:22	1	1	1	1	169.8	49.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.0625	2004
11.02.2020 08:22:22	1	1	1	1	169.8	49.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.0625	2004
11.02.2020 08:22:22	1	1	1	1	169.8	49.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.0625	2004
11.02.2020 08:22:22	1	1	1	1	169.8	49.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	30.0625	2004
11.02.2020 08:22:23	1	1	1	1	169.8	50	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31.625	2004
11.02.2020 08:22:24	1	1	1	1	169.8	51.5	0	26066.351	617.2043011	16117.468	30000	0	0	30000	30.8125	2004
11.02.2020 08:22:25	1	1	1	1	169.8	50.75	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	31.625	2004
11.02.2020 08:22:26	1	1	1	1	171.5	51.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	30.5625	2004
11.02.2020 08:22:27	1	1	1	1	171.5	50.5	0	25734.597	621.5053763	15964.17797	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:28	1	1	1	1	171.5	50.5	0	25734.597	612.9032258	15883.45609	30000	0	0	30000	31.125	2004
11.02.2020 08:22:29	1	1	1	1	171.5	51	0	25924.171	617.2043011	16282.17324	30000	0	0	30000	31.1875	2004
11.02.2020 08:22:30	1	1	1	1	171.5	51	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	30.5	2004
11.02.2020 08:22:31	1	1	1	1	171.5	50.5	0	25734.597	623.655914	16048.97671	30000	0	0	30000	31.6875	2004
11.02.2020 08:22:32	1	1	1	1	171.5	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	29.9375	2004
11.02.2020 08:22:33	1	1	1	1	171.5	49.75	0	25545.024	619.3548387	15876.11774	30000	0	0	30000	29.9375	2004
11.02.2020 08:22:34	1	1	1	1	171.5	49.75	0	25497.63	623.655914	15986.19303	30000	0	0	30000	30.8125	2004
11.02.2020 08:22:35	1	1	1	1	171.5	50.75	0	25592.417	623.655914	15905.47115	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:36	1	1	1	1	173.3	50.5	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	31.0625	2004
11.02.2020 08:22:37	1	1	1	1	173.3	51	0	25545.024	619.3548387	15821.48778	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:22:38	1	1	1	1	173.3	51.25	0	25592.417	623.655914	15960.91648	30000	0	0	30000	31.1875	2004
11.02.2020 08:22:39	1	1	1	1	173.3	51	0	25639.81	623.655914	16044.89985	30000	0	0	30000	30.625	2004
11.02.2020 08:22:40	1	1	1	1	173.3	50.5	0	25639.81	621.5053763	15905.47115	30000	0	0	30000	31.125	2004
11.02.2020 08:22:41	1	1	1	1	173.3	51	0	25545.024	625.8064516	16095.45294	30000	0	0	30000	32.0625	2004
11.02.2020 08:22:42	1	1	1	1	173.3	52	0	25450.237	623.655914	15926.67083	30000	0	0	30000	32	2004
11.02.2020 08:22:43	1	1	1	1	173.3	52	0	25639.81	625.8064516	15934.82456	30000	0	0	30000	31.3125	2004
11.02.2020 08:22:44	1	1	1	1	173.3	51.75	0	25450.237	625.8064516	16035.93075	30000	0	0	30000	31.8125	2004
11.02.2020 08:22:45	1	1	1	1	175	51.75	0	25545.024	625.8064516	15901.39429	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:46	1	1	1	1	175	50.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	31.25	2004
11.02.2020 08:22:47	1	1	1	1	175	51.25	0	25924.171	621.5053763	16167.20572	30000	0	0	30000	30.4375	2004
11.02.2020 08:22:48	1	1	1	1	175	50.25	0	25687.204	623.655914	15964.17797	30000	0	0	30000	31	2004
11.02.2020 08:22:49	1	1	1	1	175	51	0	25639.81	625.8064516	16155.7905	30000	0	0	30000	30.875	2004
11.02.2020 08:22:50	1	1	1	1	175	50.75	0	25592.417	625.8064516	16015.54644	30000	0	0	30000	31.8125	2004
11.02.2020 08:22:51	1	1	1	1	175	51.75	0	25734.597	617.2043011	16053.05357	30000	0	0	30000	30.75	2004
11.02.2020 08:22:52	1	1	1	1	175	50.75	0	25497.63	625.8064516	16095.45294	30000	0	0	30000	30.6875	2004
11.02.2020 08:22:53	1	1	1	1	175	50.5	0	25545.024	621.5053763	16015.54644	30000	0	0	30000	30.75	2004
11.02.2020 08:22:55	1	1	1	1	175	50.75	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31.8125	2004
11.02.2020 08:22:56	1	1	1	1	176.5	51.75	0	25308.057	625.8064516	15867.14864	30000	0	0	30000	31.375	2004
11.02.2020 08:22:57	1	1	1	1	176.5	51.25	0	25260.664	630.1075269	16031.03851	30000	0	0	30000	30.8125	2004
11.02.2020 08:22:58	1	1	1	1	176.5	50.75	0	25639.81	632.2580645	16125.62172	30000	0	0	30000	30.75	2004
11.02.2020 08:22:59	1	1	1	1	176.5	50.75	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	30.125	2004
11.02.2020 08:23:00	1	1	1	1	176.5	50	0	25639.81	617.2043011	15824.74927	30000	0	0	30000	31.625	2004
11.02.2020 08:23:01	1	1	1	1	176.5	51.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.875	2004
11.02.2020 08:23:02	1	1	1	1	176.5	51.75	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	31.125	2004
11.02.2020 08:23:03	1	1	1	1	176.5	51	0	25497.63	627.9569892	16095.45294	30000	0	0	30000	31.3125	2004
11.02.2020 08:23:04	1	1	1	1	176.5	51.25	0	25497.63	627.9569892	15956.02424	30000	0	0	30000	30.375	2004
11.02.2020 08:23:05	1	1	1	1	176.5	50.25	0	25592.417	625.8064516	16095.45294	30000	0	0	30000	31.625	2004
11.02.2020 08:23:06	1	1	1	1	177	51.5	0	25450.237	625.8064516	15956.02424	30000	0	0	30000	31.75	2004
11.02.2020 08:23:07	1	1	1	1	177	51.75	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	30.4375	2004
11.02.2020 08:23:08	1	1	1	1	177	50.25	0	25450.237	630.1075269	16066.09953	30000	0	0	30000	30.5625	2004
11.02.2020 08:23:09	1	1	1	1	177	50.5	0	25592.417	625.8064516	15766.04245	30000	0	0	30000	29.8125	2004
11.02.2020 08:23:10	1	1	1	1	177	49.75	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	31.6875	2004
11.02.2020 08:23:11	1	1	1	1	177	51.5	0	25308.057	625.8064516	15867.14864	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:12	1	1	1	1	177	51.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	31.75	2004
11.02.2020 08:23:13	1	1	1	1	177	51.75	0	25260.664	636.5591398	15964.99334	30000	0	0	30000	31.125	2004
11.02.2020 08:23:14	1	1	1	1	177	51	0	25497.63	623.655914	16095.45294	30000	0	0	30000	31.75	2004
11.02.2020 08:23:15	1	1	1	1	177	51.75	0	25497.63	625.8064516	15956.02424	30000	0	0	30000	29.75	2004
11.02.2020 08:23:16	1	1	1	1	178.3	49.75	0	25450.237	632.2580645	16006.57734	30000	0	0	30000	30.75	2004
11.02.2020 08:23:17	1	1	1	1	178.3	50.75	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	29.9375	2004
11.02.2020 08:23:18	1	1	1	1	178.3	49.75	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	31.6875	2004
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:25	1	1	1	1	178.3	51.75	0	25308.057	625.8064516	15837.79523	30000	0	0	30000	31.5625	2004
11.02.2020 08:23:25	1	1	1	1	179.5	51.5	0	25260.664	623.655914	15916.88636	30000	0	0	30000	31.4375	2004
11.02.2020 08:23:26	1	1	1	1	179.5	51.25	0	25402.844	632.2580645	16085.66847	30000	0	0	30000	31.3125	2004
11.02.2020 08:23:27	1	1	1	1	179.5	51.25	0	25118.483	634.4086022	16073.43788	30000	0	0	30000	30.125	2004
11.02.2020 08:23:28	1	1	1	1	179.5	50	0	25450.237	627.9569892	15981.30079	30000	0	0	30000	31	2004
11.02.2020 08:23:29	1	1	1	1	179.5	51	0	25402.844	627.9569892	15976.40856	30000	0	0	30000	30.6875	2004
11.02.2020 08:23:30	1	1	1	1	179.5	50.5	0	25260.664	636.5591398	15964.99334	30000	0	0	30000	31.0625	2004
11.02.2020 08:23:31	1	1	1	1	179.5	51	0	25308.057	630.1075269	15946.23977	30000	0	0	30000	30.25	2004
11.02.2020 08:23:32	1	1	1	1	179.5	50.25	0	25308.057	632.2580645	15946.23977	30000	0	0	30000	31.5	2004
11.02.2020 08:23:33	1	1	1	1	179.5	51.5	0	25260.664	625.8064516	15862.25641	30000	0	0	30000	30.6875	2004
11.02.2020 08:23:35	1	1	1	1	179.5	50.5	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	31.375	2004
11.02.2020 08:23:36	1	1	1	1	179.5	51.25	0	25402.844	627.9569892	15897.31742	30000	0	0	30000	31.75	2004
11.02.2020 08:23:37	1	1	1	1	179.5	51.75	0	25308.057	630.1075269	15976.40856	30000	0	0	30000	30.0625	2004
11.02.2020 08:23:39	1	1	1	1	179.5	50.75	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	31.5	2004
11.02.2020 08:23:39	1	1	1	1	179.5	50.75	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	31.5	2004
11.02.2020 08:23:40	1	1	1	1	179.5	51.5	0	25260.664	632.2580645	16055.49969	30000	0	0	30000	30.625	2004
11.02.2020 08:23:41	1	1	1	1	179.5	50.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	30.25	2004
11.02.2020 08:23:42	1	1	1	1	179.5	50.25	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	30.25	2004
11.02.2020 08:23:43	1	1	1	1	179.5	50.25	0	25071.09	638.7096774	15904.65578	30000	0	0	30000	30.875	2004
11.02.2020 08:23:44	1	1	1	1	179.5	50.75	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	31.875	2004
11.02.2020 08:23:45	1	1	1	1	179.5	51.75	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	31.4375	2004
11.02.2020 08:23:46	1	1	1	1	180.5	51.25	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	31.8125	2004
11.02.2020 08:23:47	1	1	1	1	180.5	51.75	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	32.0625	2004
11.02.2020 08:23:48	1	1	1	1	180.5	52	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	29.25	2004
11.02.2020 08:23:49	1	1	1	1	180.5	49.25	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	31.9375	2004
11.02.2020 08:23:50	1	1	1	1	180.5	51.75	0	25260.664	634.4086022	15964.99334	30000	0	0	30000	31.5	2004
11.02.2020 08:23:51	1	1	1	1	180.5	51.5	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	30.8125	2004
11.02.2020 08:23:52	1	1	1	1	180.5	50.75	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	31	2004
11.02.2020 08:23:53	1	1	1	1	180.5	51	0	24881.517	636.5591398	16029.40777	30000	0	0	30000	31.3125	2004
11.02.2020 08:23:54	1	1	1	1	180.5	51.25	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	30.6875	2004
11.02.2020 08:23:55	1	1	1	1	180.5	50.5	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	31.375	2004
11.02.2020 08:23:56	1	1	1	1	181.8	51.25	0	25260.664	638.7096774	15964.99334	30000	0	0	30000	31.6875	2004
11.02.2020 08:23:57	1	1	1	1	181.8	51.5	0	24786.73	636.5591398	15831.27225	30000	0	0	30000	30.1875	2004
11.02.2020 08:23:58	1	1	1	1	181.8	50	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	31.3125	2004
11.02.2020 08:23:59	1	1	1	1	181.8	51.25	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	31.3125	2004
11.02.2020 08:24:00	1	1	1	1	181.8	51.25	0	24976.303	636.5591398	16005.76197	30000	0	0	30000	32.4375	2004
11.02.2020 08:24:01	1	1	1	1	181.8	52.25	0	24928.91	632.2580645	16113.39113	30000	0	0	30000	30.75	2004
11.02.2020 08:24:02	1	1	1	1	181.8	50.75	0	25165.877	640.8602151	16181.88242	30000	0	0	30000	31.625	2004
11.02.2020 08:24:03	1	1	1	1	181.8	51.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	31.875	2004
11.02.2020 08:24:04	1	1	1	1	181.8	51	0	24928.91	632.2580645	15814.9648	30000	0	0	30000	31.75	2004
11.02.2020 08:24:05	1	1	1	1	183.5	51.75	0	24928.91	640.8602151	15951.94738	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:24:06	1	1	1	1	183.5	50.5	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	30.75	2004
11.02.2020 08:24:07	1	1	1	1	183.5	50.75	0	24976.303	643.0107527	16120.72949	30000	0	0	30000	31.25	2004
11.02.2020 08:24:08	1	1	1	1	183.5	51.25	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	30.125	2004
11.02.2020 08:24:09	1	1	1	1	183.5	50	0	25118.483	640.8602151	16043.2691	30000	0	0	30000	30.0625	2004
11.02.2020 08:24:10	1	1	1	1	183.5	50	0	24739.336	645.1612903	16044.08447	30000	0	0	30000	30.3125	2004
11.02.2020 08:24:11	1	1	1	1	183.5	50.25	0	24834.123	640.8602151	15998.42361	30000	0	0	30000	31.5625	2004
11.02.2020 08:24:12	1	1	1	1	183.5	51.5	0	24834.123	645.1612903	16266.68116	30000	0	0	30000	32.0625	2004
11.02.2020 08:24:14	1	1	1	1	183.5	52	0	24881.517	640.8602151	15891.60982	30000	0	0	30000	31.625	2004
11.02.2020 08:24:15	1	1	1	1	183.5	51.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	31.3125	2004
11.02.2020 08:24:16	1	1	1	1	184.8	51.25	0	24834.123	645.1612903	16022.06942	30000	0	0	30000	31.8125	2004
11.02.2020 08:24:17	1	1	1	1	184.8	51.75	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	30.25	2004
11.02.2020 08:24:18	1	1	1	1	184.8	50.25	0	25071.09	640.8602151	16066.9149	30000	0	0	30000	31.25	2004
11.02.2020 08:24:19	1	1	1	1	184.8	51.25	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	31.75	2004
11.02.2020 08:24:20	1	1	1	1	184.8	51.75	0	24976.303	640.8602151	16120.72949	30000	0	0	30000	30.8125	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	184.8	51.75	0	24881.517	645.1612903	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:26	1	1	1	1	185.8	51.5	0	25071.09	640.8602151	16036.74612	30000	0	0	30000	31.1875	2004
11.02.2020 08:24:27	1	1	1	1	185.8	51	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:28	1	1	1	1	185.8	51.5	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	30.9375	2004
11.02.2020 08:24:29	1	1	1	1	185.8	50.75	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	30.875	2004
11.02.2020 08:24:30	1	1	1	1	185.8	50.75	0	24976.303	645.1612903	16390.61778	30000	0	0	30000	31.3125	2004
11.02.2020 08:24:31	1	1	1	1	185.8	51.25	0	25071.09	640.8602151	15951.94738	30000	0	0	30000	31.25	2004
11.02.2020 08:24:32	1	1	1	1	185.8	51.25	0	24739.336	645.1612903	15907.10189	30000	0	0	30000	31.375	2004
11.02.2020 08:24:33	1	1	1	1	185.8	51.25	0	24928.91	638.7096774	15921.7786	30000	0	0	30000	31.5625	2004
11.02.2020 08:24:34	1	1	1	1	185.8	51.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	31.3125	2004
11.02.2020 08:24:35	1	1	1	1	185.8	51.25	0	24407.583	653.7634409	15798.65735	30000	0	0	30000	31.1875	2004
11.02.2020 08:24:36	1	1	1	1	186.5	51	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	30.125	2004
11.02.2020 08:24:37	1	1	1	1	186.5	50	0	24549.763	653.7634409	16018.80793	30000	0	0	30000	30.4375	2004
11.02.2020 08:24:38	1	1	1	1	186.5	50.25	0	24881.517	640.8602151	15998.42361	30000	0	0	30000	31.6875	2004
11.02.2020 08:24:39	1	1	1	1	186.5	51.5	0	24786.73	638.7096774	15938.08605	30000	0	0	30000	31.25	2004
11.02.2020 08:24:40	1	1	1	1	186.5	51.25	0	24739.336	653.7634409	16044.08447	30000	0	0	30000	29.9375	2004
11.02.2020 08:24:41	1	1	1	1	186.5	49.75	0	24597.156	645.1612903	15868.77939	30000	0	0	30000	31.375	2004
11.02.2020 08:24:42	1	1	1	1	186.5	51.25	0	24786.73	649.4623656	16204.71285	30000	0	0	30000	32.1875	2004
11.02.2020 08:24:43	1	1	1	1	186.5	52	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	32.1875	2004
11.02.2020 08:24:44	1	1	1	1	186.5	52.25	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	30.875	2004
11.02.2020 08:24:45	1	1	1	1	187	50.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.375	2004
11.02.2020 08:24:46	1	1	1	1	187	51.25	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	30.5	2004
11.02.2020 08:24:47	1	1	1	1	187	50.5	0	24881.517	645.1612903	15968.25483	30000	0	0	30000	31.8125	2004
11.02.2020 08:24:48	1	1	1	1	187	51.75	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	31.875	2004
11.02.2020 08:24:49	1	1	1	1	187	51.75	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	31.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:24:50	1	1	1	1	187	51.25	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	30.6875	2004
11.02.2020 08:24:51	1	1	1	1	187	50.5	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	30.875	2004
11.02.2020 08:24:53	1	1	1	1	187	50.75	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	30.75	2004
11.02.2020 08:24:54	1	1	1	1	187	50.75	0	24218.009	653.7634409	16218.57419	30000	0	0	30000	32.1875	2004
11.02.2020 08:24:55	1	1	1	1	187	52	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	29.5625	2004
11.02.2020 08:24:56	1	1	1	1	187	49.5	0	24691.943	647.311828	15868.77939	30000	0	0	30000	31.5625	2004
11.02.2020 08:24:57	1	1	1	1	187	51.5	0	24502.37	647.311828	15912.8095	30000	0	0	30000	30.25	2004
11.02.2020 08:24:58	1	1	1	1	187	50.25	0	24834.123	645.1612903	16044.08447	30000	0	0	30000	31.0625	2004
11.02.2020 08:24:59	1	1	1	1	187	51	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	31.8125	2004
11.02.2020 08:25:00	1	1	1	1	187	51.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	30.375	2004
11.02.2020 08:25:01	1	1	1	1	187	50.25	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	32.125	2004
11.02.2020 08:25:02	1	1	1	1	187	52	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	30.6875	2004
11.02.2020 08:25:03	1	1	1	1	187	50.5	0	24218.009	653.7634409	15978.0393	30000	0	0	30000	30.625	2004
11.02.2020 08:25:04	1	1	1	1	187	50.5	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	32.3125	2004
11.02.2020 08:25:05	1	1	1	1	187	52.25	0	24218.009	664.516129	16093.00682	30000	0	0	30000	30.0625	2004
11.02.2020 08:25:06	1	1	1	1	188.5	50	0	24502.37	655.9139785	16070.99176	30000	0	0	30000	31.1875	2004
11.02.2020 08:25:07	1	1	1	1	188.5	51	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	32.25	2004
11.02.2020 08:25:08	1	1	1	1	188.5	52.25	0	24218.009	655.9139785	15936.4553	30000	0	0	30000	31.625	2004
11.02.2020 08:25:09	1	1	1	1	188.5	51.5	0	24502.37	653.7634409	15956.83962	30000	0	0	30000	31.5625	2004
11.02.2020 08:25:10	1	1	1	1	188.5	51.5	0	24549.763	640.8602151	16080.77623	30000	0	0	30000	30.875	2004
11.02.2020 08:25:11	1	1	1	1	188.5	50.75	0	24549.763	645.1612903	15921.7786	30000	0	0	30000	31.625	2004
11.02.2020 08:25:12	1	1	1	1	188.5	51.5	0	24218.009	660.2150538	16187.59003	30000	0	0	30000	30.3125	2004
11.02.2020 08:25:13	1	1	1	1	188.5	50.25	0	24549.763	653.7634409	16080.77623	30000	0	0	30000	30.8125	2004
11.02.2020 08:25:14	1	1	1	1	188.5	50.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.5	2004
11.02.2020 08:25:15	1	1	1	1	188.5	51.5	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	31.625	2004
11.02.2020 08:25:16	1	1	1	1	189.3	51.5	0	24360.19	662.3655914	16082.40698	30000	0	0	30000	31.6875	2004
11.02.2020 08:25:17	1	1	1	1	189.3	51.5	0	24312.796	658.0645161	16218.57419	30000	0	0	30000	30.875	2004
11.02.2020 08:25:18	1	1	1	1	189.3	50.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.75	2004
11.02.2020 08:25:19	1	1	1	1	189.3	51.75	0	24407.583	653.7634409	16018.80793	30000	0	0	30000	31.625	2004
11.02.2020 08:25:20	1	1	1	1	189.3	51.5	0	24360.19	655.9139785	15978.0393	30000	0	0	30000	32.1875	2004
11.02.2020 08:25:21	1	1	1	1	189.3	52	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	32.375	2004
11.02.2020 08:25:27	1	1	1	1	190.8	50.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	31.1875	2004
11.02.2020 08:25:27	1	1	1	1	190.8	50.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	31.1875	2004
11.02.2020 08:25:27	1	1	1	1	190.8	50.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	31.1875	2004
11.02.2020 08:25:27	1	1	1	1	190.8	50.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	31.1875	2004
11.02.2020 08:25:27	1	1	1	1	190.8	51	0	24218.009	658.0645161	15988.63914	30000	0	0	30000	31.5	2004
11.02.2020 08:25:28	1	1	1	1	190.8	51.5	0	24502.37	655.9139785	16101.97592	30000	0	0	30000	31.75	2004
11.02.2020 08:25:29	1	1	1	1	190.8	51.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	31.6875	2004
11.02.2020 08:25:30	1	1	1	1	190.8	51.5	0	24597.156	647.311828	15921.7786	30000	0	0	30000	31.0625	2004
11.02.2020 08:25:32	1	1	1	1	190.8	51	0	24502.37	653.7634409	16101.97592	30000	0	0	30000	31.9375	2004
11.02.2020 08:25:33	1	1	1	1	190.8	51.75	0	24312.796	660.2150538	15988.63914	30000	0	0	30000	31.5625	2004
11.02.2020 08:25:34	1	1	1	1	190.8	51.5	0	24407.583	645.1612903	16101.97592	30000	0	0	30000	31.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:25:35	1	1	1	1	190.8	51.5	0	24123.223	664.516129	15925.85546	30000	0	0	30000	30.3125	2004
11.02.2020 08:25:36	1	1	1	1	191.8	50.25	0	24597.156	653.7634409	15982.93154	30000	0	0	30000	32.25	2004
11.02.2020 08:25:37	1	1	1	1	191.8	52.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.9375	2004
11.02.2020 08:25:38	1	1	1	1	191.8	51.75	0	24218.009	662.3655914	15884.27146	30000	0	0	30000	31.625	2004
11.02.2020 08:25:39	1	1	1	1	191.8	51.5	0	24218.009	653.7634409	15988.63914	30000	0	0	30000	32.125	2004
11.02.2020 08:25:40	1	1	1	1	191.8	52	0	24218.009	664.516129	16093.00682	30000	0	0	30000	30.6875	2004
11.02.2020 08:25:41	1	1	1	1	191.8	50.5	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	31.625	2004
11.02.2020 08:25:42	1	1	1	1	191.8	51.5	0	24075.829	670.9677419	16154.15976	30000	0	0	30000	31.75	2004
11.02.2020 08:25:43	1	1	1	1	191.8	51.75	0	24407.583	658.0645161	16061.20729	30000	0	0	30000	31.875	2004
11.02.2020 08:25:44	1	1	1	1	191.8	51.75	0	24360.19	653.7634409	15978.0393	30000	0	0	30000	32.125	2004
11.02.2020 08:25:45	1	1	1	1	191.8	52	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	30.6875	2004
11.02.2020 08:25:46	1	1	1	1	192.5	50.5	0	24123.223	664.516129	16030.22314	30000	0	0	30000	31.9375	2004
11.02.2020 08:25:47	1	1	1	1	192.5	51.75	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	32.25	2004
11.02.2020 08:25:48	1	1	1	1	192.5	52.25	0	24502.37	653.7634409	15956.83962	30000	0	0	30000	31.25	2004
11.02.2020 08:25:49	1	1	1	1	192.5	51.25	0	24075.829	655.9139785	15978.0393	30000	0	0	30000	30.5625	2004
11.02.2020 08:25:50	1	1	1	1	192.5	50.5	0	24170.616	666.6666667	16061.20729	30000	0	0	30000	30.6875	2004
11.02.2020 08:25:51	1	1	1	1	192.5	50.5	0	24218.009	658.0645161	15884.27146	30000	0	0	30000	31.875	2004
11.02.2020 08:25:52	1	1	1	1	192.5	51.75	0	24028.436	658.0645161	15863.88715	30000	0	0	30000	31.9375	2004
11.02.2020 08:25:53	1	1	1	1	192.5	51.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	32.375	2004
11.02.2020 08:25:54	1	1	1	1	192.5	52.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.9375	2004
11.02.2020 08:25:55	1	1	1	1	192.5	51.75	0	24170.616	662.3655914	16030.22314	30000	0	0	30000	32.3125	2004
11.02.2020 08:25:56	1	1	1	1	192.8	52.25	0	23933.649	664.516129	15955.20887	30000	0	0	30000	31.6875	2004
11.02.2020 08:25:57	1	1	1	1	192.8	51.5	0	23744.076	675.2688172	16033.48463	30000	0	0	30000	32.625	2004
11.02.2020 08:25:58	1	1	1	1	192.8	52.5	0	24028.436	670.9677419	16090.5607	30000	0	0	30000	32.1875	2004
11.02.2020 08:25:59	1	1	1	1	192.8	52	0	24075.829	655.9139785	15925.85546	30000	0	0	30000	31.125	2004
11.02.2020 08:26:00	1	1	1	1	192.8	52	0	24218.009	662.3655914	16040.82298	30000	0	0	30000	32.3125	2004
11.02.2020 08:26:01	1	1	1	1	192.8	52.25	0	23886.256	670.9677419	16006.57734	30000	0	0	30000	31.3125	2004
11.02.2020 08:26:02	1	1	1	1	192.8	51.25	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	31.25	2004
11.02.2020 08:26:03	1	1	1	1	192.8	51.25	0	24028.436	662.3655914	15966.62409	30000	0	0	30000	30.625	2004
11.02.2020 08:26:04	1	1	1	1	192.8	50.5	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	31.3125	2004
11.02.2020 08:26:05	1	1	1	1	192.5	51.25	0	24123.223	662.3655914	16030.22314	30000	0	0	30000	31.6875	2004
11.02.2020 08:26:06	1	1	1	1	192.5	51.5	0	24075.829	662.3655914	16185.95929	30000	0	0	30000	32.3125	2004
11.02.2020 08:26:07	1	1	1	1	192.5	52.25	0	24123.223	666.6666667	16030.22314	30000	0	0	30000	30.8125	2004
11.02.2020 08:26:08	1	1	1	1	192.5	50.75	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	31.5625	2004
11.02.2020 08:26:10	1	1	1	1	192.5	51.5	0	23554.502	670.9677419	15918.51711	30000	0	0	30000	31.5	2004
11.02.2020 08:26:11	1	1	1	1	192.5	51.5	0	23838.863	673.1182796	16013.91569	30000	0	0	30000	32	2004
11.02.2020 08:26:12	1	1	1	1	192.5	52	0	24123.223	662.3655914	16030.22314	30000	0	0	30000	31.375	2004
11.02.2020 08:26:13	1	1	1	1	192.5	51.25	0	24170.616	662.3655914	15925.85546	30000	0	0	30000	31.125	2004
11.02.2020 08:26:14	1	1	1	1	192.5	51	0	23933.649	666.6666667	15903.8404	30000	0	0	30000	31.5	2004
11.02.2020 08:26:15	1	1	1	1	192.5	51.5	0	24028.436	670.9677419	16154.15976	30000	0	0	30000	30.125	2004
11.02.2020 08:26:16	1	1	1	1	194	50	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	31.375	2004
11.02.2020 08:26:17	1	1	1	1	194	51.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	31.5	2004
11.02.2020 08:26:18	1	1	1	1	194	51.5	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	31.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:26:19	1	1	1	1	194	51.25	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	32.1875	2004
11.02.2020 08:26:20	1	1	1	1	194	52	0	23933.649	666.6666667	15955.20887	30000	0	0	30000	31.4375	2004
11.02.2020 08:26:21	1	1	1	1	194	51.25	0	23981.043	666.6666667	16070.17639	30000	0	0	30000	31.875	2004
11.02.2020 08:26:22	1	1	1	1	194	51.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	32.1875	2004
11.02.2020 08:26:23	1	1	1	1	194	52	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	30.3125	2004
11.02.2020 08:26:29	1	1	1	1	194	50	0	24218.009	670.9677419	16093.00682	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:29	1	1	1	1	194	50	0	24218.009	670.9677419	16093.00682	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:29	1	1	1	1	194	50	0	24218.009	670.9677419	16093.00682	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:29	1	1	1	1	194	50	0	24218.009	670.9677419	16093.00682	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:29	1	1	1	1	194	50	0	24218.009	670.9677419	16093.00682	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:30	1	1	1	1	194	51	0	24075.829	670.9677419	16122.36023	30000	0	0	30000	32.125	2004
11.02.2020 08:26:31	1	1	1	1	194	52	0	24170.616	664.516129	15925.85546	30000	0	0	30000	31.5625	2004
11.02.2020 08:26:32	1	1	1	1	194	51.5	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	30.625	2004
11.02.2020 08:26:33	1	1	1	1	194	50.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	30.875	2004
11.02.2020 08:26:34	1	1	1	1	194	50.75	0	23933.649	670.9677419	15955.20887	30000	0	0	30000	30.75	2004
11.02.2020 08:26:35	1	1	1	1	194	50.75	0	24075.829	660.2150538	15863.88715	30000	0	0	30000	31.625	2004
11.02.2020 08:26:36	1	1	1	1	196.3	51.5	0	24075.829	670.9677419	16185.95929	30000	0	0	30000	32.125	2004
11.02.2020 08:26:37	1	1	1	1	196.3	52	0	23791.469	675.2688172	16116.65262	30000	0	0	30000	31.9375	2004
11.02.2020 08:26:38	1	1	1	1	196.3	51.75	0	24075.829	664.516129	15998.42361	30000	0	0	30000	32.1875	2004
11.02.2020 08:26:39	1	1	1	1	196.3	52.75	0	23933.649	670.9677419	16110.12964	30000	0	0	30000	32.25	2004
11.02.2020 08:26:40	1	1	1	1	196.3	52.25	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	32.1875	2004
11.02.2020 08:26:41	1	1	1	1	196.3	52	0	23886.256	670.9677419	15995.16212	30000	0	0	30000	31.0625	2004
11.02.2020 08:26:42	1	1	1	1	196.3	51	0	23744.076	688.172043	16020.43867	30000	0	0	30000	30.5	2004
11.02.2020 08:26:43	1	1	1	1	196.3	50.5	0	23933.649	666.6666667	15841.05672	30000	0	0	30000	31.375	2004
11.02.2020 08:26:44	1	1	1	1	196.3	51.25	0	23696.682	670.9677419	15982.11616	30000	0	0	30000	31.625	2004
11.02.2020 08:26:45	1	1	1	1	197.8	51.5	0	23791.469	673.1182796	16045.71522	30000	0	0	30000	32	2004
11.02.2020 08:26:46	1	1	1	1	197.8	52	0	23838.863	688.172043	15963.3626	30000	0	0	30000	32.1875	2004
11.02.2020 08:26:48	1	1	1	1	197.8	52	0	23838.863	670.9677419	16045.71522	30000	0	0	30000	32.0625	2004
11.02.2020 08:26:49	1	1	1	1	197.8	52	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	30.5625	2004
11.02.2020 08:26:50	1	1	1	1	197.8	50.5	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	30.8125	2004
11.02.2020 08:26:51	1	1	1	1	197.8	50.75	0	23412.322	688.172043	16176.99019	30000	0	0	30000	31.8125	2004
11.02.2020 08:26:52	1	1	1	1	197.8	51.75	0	23412.322	675.2688172	16144.37529	30000	0	0	30000	30.6875	2004
11.02.2020 08:26:53	1	1	1	1	197.8	50.5	0	23744.076	675.2688172	15918.51711	30000	0	0	30000	32.0625	2004
11.02.2020 08:26:54	1	1	1	1	197.8	52	0	23744.076	688.172043	16307.44979	30000	0	0	30000	29.8125	2004
11.02.2020 08:26:55	1	1	1	1	197.8	49.75	0	23791.469	688.172043	16372.67959	30000	0	0	30000	31.5	2004
11.02.2020 08:26:56	1	1	1	1	198	51.5	0	23744.076	675.2688172	15931.56307	30000	0	0	30000	31.75	2004
11.02.2020 08:26:57	1	1	1	1	198	51.75	0	23649.289	670.9677419	15982.11616	30000	0	0	30000	32.125	2004
11.02.2020 08:26:58	1	1	1	1	198	52	0	23838.863	670.9677419	16110.12964	30000	0	0	30000	31.125	2004
11.02.2020 08:26:59	1	1	1	1	198	51	0	23981.043	670.9677419	16122.36023	30000	0	0	30000	30.8125	2004
11.02.2020 08:27:00	1	1	1	1	198	50.75	0	23838.863	670.9677419	15707.33563	30000	0	0	30000	32	2004
11.02.2020 08:27:01	1	1	1	1	198	52	0	23791.469	670.9677419	16045.71522	30000	0	0	30000	31.5625	2004
11.02.2020 08:27:02	1	1	1	1	198	51.5	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:27:03	1	1	1	1	198	51.25	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	31.75	2004
11.02.2020 08:27:04	1	1	1	1	198	51.75	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	32.25	2004
11.02.2020 08:27:05	1	1	1	1	198	52.25	0	23838.863	670.9677419	16058.76118	30000	0	0	30000	32.0625	2004
11.02.2020 08:27:06	1	1	1	1	198	52	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	31.5625	2004
11.02.2020 08:27:07	1	1	1	1	198	51.5	0	23696.682	670.9677419	15867.96401	30000	0	0	30000	32.0625	2004
11.02.2020 08:27:08	1	1	1	1	198	52	0	23317.536	688.172043	15763.59634	30000	0	0	30000	32.5625	2004
11.02.2020 08:27:09	1	1	1	1	198	52.5	0	23886.256	670.9677419	15995.16212	30000	0	0	30000	31.75	2004
11.02.2020 08:27:10	1	1	1	1	198	51.75	0	23459.716	677.4193548	15891.60982	30000	0	0	30000	32.5625	2004
11.02.2020 08:27:11	1	1	1	1	198	52.5	0	23838.863	666.6666667	15841.05672	30000	0	0	30000	31.125	2004
11.02.2020 08:27:12	1	1	1	1	198	51	0	23744.076	673.1182796	16033.48463	30000	0	0	30000	32.0625	2004
11.02.2020 08:27:13	1	1	1	1	198	52	0	23838.863	688.172043	16013.91569	30000	0	0	30000	31.875	2004
11.02.2020 08:27:14	1	1	1	1	198	51.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	31.0625	2004
11.02.2020 08:27:15	1	1	1	1	198	51	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	32.0625	2004
11.02.2020 08:27:16	1	1	1	1	200.5	52	0	23886.256	670.9677419	15995.16212	30000	0	0	30000	32.1875	2004
11.02.2020 08:27:17	1	1	1	1	200.5	52	0	23744.076	675.2688172	15969.0702	30000	0	0	30000	32.75	2004
11.02.2020 08:27:18	1	1	1	1	200.5	52.75	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	32.25	2004
11.02.2020 08:27:19	1	1	1	1	200.5	52.25	0	23412.322	679.5698925	15942.16291	30000	0	0	30000	32.4375	2004
11.02.2020 08:27:20	1	1	1	1	200.5	51.25	0	23696.682	675.2688172	15918.51711	30000	0	0	30000	31.5	2004
11.02.2020 08:27:21	1	1	1	1	200.5	51.5	0	23601.896	677.4193548	16070.99176	30000	0	0	30000	32	2004
11.02.2020 08:27:22	1	1	1	1	200.5	52	0	23601.896	688.172043	16242.21999	30000	0	0	30000	31.4375	2004
11.02.2020 08:27:23	1	1	1	1	200.5	51.25	0	23080.569	688.172043	16097.89906	30000	0	0	30000	32	2004
11.02.2020 08:27:24	1	1	1	1	200.5	52	0	23080.569	692.4731183	16097.89906	30000	0	0	30000	31.75	2004
11.02.2020 08:27:31	1	1	1	1	200.3	51.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	31.125	2004
11.02.2020 08:27:31	1	1	1	1	200.3	51.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	31.125	2004
11.02.2020 08:27:31	1	1	1	1	200.3	51.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	31.125	2004
11.02.2020 08:27:31	1	1	1	1	200.3	51.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	31.125	2004
11.02.2020 08:27:31	1	1	1	1	200.3	51.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	31.125	2004
11.02.2020 08:27:32	1	1	1	1	200.3	51	0	22369.668	713.9784946	16053.05357	30000	0	0	30000	30.75	2004
11.02.2020 08:27:33	1	1	1	1	200.3	50.75	0	22369.668	718.2795699	15985.37765	30000	0	0	30000	31.9375	2004
11.02.2020 08:27:34	1	1	1	1	200.3	51.75	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	31.4375	2004
11.02.2020 08:27:35	1	1	1	1	200.3	51.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	31.25	2004
11.02.2020 08:27:36	1	1	1	1	200.3	51.25	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	31.25	2004
11.02.2020 08:27:37	1	1	1	1	200.3	51.25	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	31.625	2004
11.02.2020 08:27:38	1	1	1	1	200.3	51.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	31.875	2004
11.02.2020 08:27:39	1	1	1	1	200.3	51.75	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	32.1875	2004
11.02.2020 08:27:40	1	1	1	1	200.3	52	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	32.0625	2004
11.02.2020 08:27:41	1	1	1	1	200.3	52	0	21943.128	729.0322581	16135.40619	30000	0	0	30000	30.9375	2004
11.02.2020 08:27:42	1	1	1	1	200.3	50.75	0	22132.701	726.8817204	15944.60903	30000	0	0	30000	30.1875	2004
11.02.2020 08:27:43	1	1	1	1	200.3	50	0	22322.275	718.2795699	16033.48463	30000	0	0	30000	31.8125	2004
11.02.2020 08:27:44	1	1	1	1	200.3	51.75	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	32.3125	2004
11.02.2020 08:27:45	1	1	1	1	200.3	52.25	0	21943.128	724.7311828	16040.00761	30000	0	0	30000	32.5625	2004
11.02.2020 08:27:46	1	1	1	1	201.3	52.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:27:47	1	1	1	1	201.3	50.5	0	22132.701	720.4301075	16013.10032	30000	0	0	30000	30.125	2004
11.02.2020 08:27:48	1	1	1	1	201.3	50	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	31.75	2004
11.02.2020 08:27:49	1	1	1	1	201.3	51.75	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	30.6875	2004
11.02.2020 08:27:50	1	1	1	1	201.3	50.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	30.5625	2004
11.02.2020 08:27:51	1	1	1	1	201.3	50.5	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	30.5	2004
11.02.2020 08:27:52	1	1	1	1	201.3	50.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	32.4375	2004
11.02.2020 08:27:53	1	1	1	1	201.3	52.25	0	22559.242	711.827957	15830.45688	30000	0	0	30000	32.6875	2004
11.02.2020 08:27:54	1	1	1	1	201.3	52.5	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	31.3125	2004
11.02.2020 08:27:55	1	1	1	1	201.3	51.25	0	22748.815	713.9784946	15997.60824	30000	0	0	30000	31.375	2004
11.02.2020 08:27:56	1	1	1	1	200.8	51.25	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	32.6875	2004
11.02.2020 08:27:57	1	1	1	1	200.8	52.5	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	31.8125	2004
11.02.2020 08:27:58	1	1	1	1	200.8	52.75	0	23649.289	677.4193548	16274.83489	30000	0	0	30000	31.875	2004
11.02.2020 08:27:59	1	1	1	1	200.8	51.75	0	23554.502	688.172043	16209.60509	30000	0	0	30000	31.5	2004
11.02.2020 08:28:00	1	1	1	1	200.8	51.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	31.25	2004
11.02.2020 08:28:01	1	1	1	1	200.8	51.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	31.5	2004
11.02.2020 08:28:02	1	1	1	1	200.8	51.5	0	24218.009	666.6666667	16093.00682	30000	0	0	30000	32.0625	2004
11.02.2020 08:28:03	1	1	1	1	200.8	52	0	24123.223	670.9677419	15998.42361	30000	0	0	30000	32.375	2004
11.02.2020 08:28:04	1	1	1	1	200.8	52.25	0	24454.976	655.9139785	16070.99176	30000	0	0	30000	31.75	2004
11.02.2020 08:28:05	1	1	1	1	204.5	51.75	0	24786.73	640.8602151	15998.42361	30000	0	0	30000	32.25	2004
11.02.2020 08:28:07	1	1	1	1	204.5	52.25	0	24976.303	640.8602151	16120.72949	30000	0	0	30000	31.625	2004
11.02.2020 08:28:08	1	1	1	1	204.5	51.5	0	24976.303	634.4086022	15904.65578	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:09	1	1	1	1	204.5	52	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.4375	2004
11.02.2020 08:28:10	1	1	1	1	204.5	52.25	0	25450.237	625.8064516	15897.31742	30000	0	0	30000	32.5	2004
11.02.2020 08:28:11	1	1	1	1	204.5	52.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	32.5	2004
11.02.2020 08:28:12	1	1	1	1	204.5	52.5	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:13	1	1	1	1	204.5	52	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	31.9375	2004
11.02.2020 08:28:14	1	1	1	1	204.5	51.75	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	32	2004
11.02.2020 08:28:15	1	1	1	1	204.5	52	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	30.625	2004
11.02.2020 08:28:16	1	1	1	1	206	50.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:17	1	1	1	1	206	52	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	32.4375	2004
11.02.2020 08:28:18	1	1	1	1	206	52.25	0	26208.531	608.6021505	15948.68589	30000	0	0	30000	32.5625	2004
11.02.2020 08:28:19	1	1	1	1	206	52.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	32.25	2004
11.02.2020 08:28:20	1	1	1	1	206	52.25	0	26587.678	589.2473118	15837.79523	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:21	1	1	1	1	206	52	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:22	1	1	1	1	206	52	0	26303.318	602.1505376	15894.87131	30000	0	0	30000	31.5	2004
11.02.2020 08:28:23	1	1	1	1	206	51.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	30.6875	2004
11.02.2020 08:28:24	1	1	1	1	206	50.5	0	26303.318	608.6021505	15894.87131	30000	0	0	30000	31.75	2004
11.02.2020 08:28:25	1	1	1	1	206	51.75	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	31.875	2004
11.02.2020 08:28:26	1	1	1	1	208.5	51.75	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	31.25	2004
11.02.2020 08:28:32	1	1	1	1	208.5	52	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	32.625	2004
11.02.2020 08:28:32	1	1	1	1	208.5	52	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	32.625	2004
11.02.2020 08:28:32	1	1	1	1	208.5	52	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	32.625	2004
11.02.2020 08:28:32	1	1	1	1	208.5	52	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	32.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:28:32	1	1	1	1	208.5	52	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	32.625	2004
11.02.2020 08:28:32	1	1	1	1	208.5	52.5	0	26682.464	591.3978495	15951.13201	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:33	1	1	1	1	208.5	52	0	26445.498	610.7526882	16237.32775	30000	0	0	30000	32.6875	2004
11.02.2020 08:28:34	1	1	1	1	208.5	52.5	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	31.9375	2004
11.02.2020 08:28:35	1	1	1	1	208.5	51.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	32.25	2004
11.02.2020 08:28:36	1	1	1	1	208	52.25	0	24976.303	645.1612903	16120.72949	30000	0	0	30000	32.25	2004
11.02.2020 08:28:37	1	1	1	1	208	52.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	31.4375	2004
11.02.2020 08:28:38	1	1	1	1	208	51.25	0	26018.957	617.2043011	15888.34833	30000	0	0	30000	32.9375	2004
11.02.2020 08:28:39	1	1	1	1	208	52.75	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:40	1	1	1	1	208	52	0	25450.237	625.8064516	15981.30079	30000	0	0	30000	32.4375	2004
11.02.2020 08:28:41	1	1	1	1	208	52.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.25	2004
11.02.2020 08:28:42	1	1	1	1	208	52.25	0	26208.531	610.7526882	16004.94659	30000	0	0	30000	32.25	2004
11.02.2020 08:28:43	1	1	1	1	208	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.6875	2004
11.02.2020 08:28:44	1	1	1	1	208	52.5	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	31.375	2004
11.02.2020 08:28:46	1	1	1	1	209.3	51.25	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	31.1875	2004
11.02.2020 08:28:47	1	1	1	1	209.3	51	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	32.4375	2004
11.02.2020 08:28:48	1	1	1	1	209.3	52.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	32.75	2004
11.02.2020 08:28:49	1	1	1	1	209.3	52.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	32.1875	2004
11.02.2020 08:28:50	1	1	1	1	209.3	52	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	30.5	2004
11.02.2020 08:28:51	1	1	1	1	209.3	50.5	0	25687.204	621.5053763	15964.17797	30000	0	0	30000	32.6875	2004
11.02.2020 08:28:52	1	1	1	1	209.3	52.5	0	24976.303	645.1612903	15921.77786	30000	0	0	30000	32.25	2004
11.02.2020 08:28:53	1	1	1	1	209.3	52.25	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	31.4375	2004
11.02.2020 08:28:54	1	1	1	1	209.3	51.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	30.875	2004
11.02.2020 08:28:55	1	1	1	1	209.3	50.75	0	24739.336	645.1612903	16013.91569	30000	0	0	30000	31	2004
11.02.2020 08:28:56	1	1	1	1	210.5	51	0	25450.237	625.8064516	16066.09953	30000	0	0	30000	32.5625	2004
11.02.2020 08:28:57	1	1	1	1	210.5	52.5	0	24597.156	653.7634409	15921.77786	30000	0	0	30000	31.5	2004
11.02.2020 08:28:58	1	1	1	1	210.5	51.5	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	31.875	2004
11.02.2020 08:28:59	1	1	1	1	210.5	51.75	0	25165.877	634.4086022	16073.43788	30000	0	0	30000	31.5	2004
11.02.2020 08:29:00	1	1	1	1	210.5	51.5	0	25165.877	636.5591398	15934.82456	30000	0	0	30000	31.5	2004
11.02.2020 08:29:01	1	1	1	1	210.5	51.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	32.6875	2004
11.02.2020 08:29:02	1	1	1	1	210.5	52.5	0	24928.91	643.0107527	16083.22235	30000	0	0	30000	32.625	2004
11.02.2020 08:29:03	1	1	1	1	210.5	52.5	0	24123.223	664.516129	15925.85546	30000	0	0	30000	31.875	2004
11.02.2020 08:29:04	1	1	1	1	210.5	51.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	31.8125	2004
11.02.2020 08:29:05	1	1	1	1	210.5	51.75	0	24123.223	664.516129	16030.22314	30000	0	0	30000	31.625	2004
11.02.2020 08:29:06	1	1	1	1	212.3	51.5	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	32.9375	2004
11.02.2020 08:29:07	1	1	1	1	212.3	52.75	0	24360.19	658.0645161	16009.02346	30000	0	0	30000	32.4375	2004
11.02.2020 08:29:08	1	1	1	1	212.3	52.25	0	24218.009	655.9139785	15978.0393	30000	0	0	30000	32.25	2004
11.02.2020 08:29:09	1	1	1	1	212.3	52.25	0	23791.469	670.9677419	16013.91569	30000	0	0	30000	31.3125	2004
11.02.2020 08:29:10	1	1	1	1	212.3	51.25	0	24218.009	664.516129	16187.59003	30000	0	0	30000	31.875	2004
11.02.2020 08:29:11	1	1	1	1	212.3	51.75	0	23317.536	688.172043	16079.14549	30000	0	0	30000	32.3125	2004
11.02.2020 08:29:12	1	1	1	1	212.3	52.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	32.375	2004
11.02.2020 08:29:13	1	1	1	1	212.3	52.25	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	33.125	2004
11.02.2020 08:29:14	1	1	1	1	212.3	53	0	23175.355	688.172043	15981.30079	30000	0	0	30000	31.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:29:15	1	1	1	1	212.3	51.75	0	23175.355	690.3225806	15948.68589	30000	0	0	30000	31.8125	2004
11.02.2020 08:29:16	1	1	1	1	213	51.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	33.0625	2004
11.02.2020 08:29:17	1	1	1	1	213	52.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	31.75	2004
11.02.2020 08:29:18	1	1	1	1	213	51.75	0	22796.209	698.9247312	16097.08368	30000	0	0	30000	32.8125	2004
11.02.2020 08:29:19	1	1	1	1	213	52.75	0	23080.569	701.0752688	16031.85389	30000	0	0	30000	32.5	2004
11.02.2020 08:29:20	1	1	1	1	213	52.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	31.9375	2004
11.02.2020 08:29:21	1	1	1	1	213	51.75	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	32.75	2004
11.02.2020 08:29:22	1	1	1	1	213	52.75	0	22748.815	707.5268817	15863.88715	30000	0	0	30000	31.9375	2004
11.02.2020 08:29:23	1	1	1	1	213	51.75	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	32.875	2004
11.02.2020 08:29:25	1	1	1	1	213	52.75	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	32.625	2004
11.02.2020 08:29:26	1	1	1	1	212.5	52.5	0	23222.749	690.3225806	15948.68589	30000	0	0	30000	32.125	2004
11.02.2020 08:29:27	1	1	1	1	212.5	52	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	32.5	2004
11.02.2020 08:29:28	1	1	1	1	212.5	52.5	0	22511.848	703.2258065	15830.45688	30000	0	0	30000	31.75	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	32.5625	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	32.5625	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	32.5625	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	32.5625	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	32.5625	2004
11.02.2020 08:29:34	1	1	1	1	212.5	52.5	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	30.9375	2004
11.02.2020 08:29:35	1	1	1	1	212.5	50.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	32.1875	2004
11.02.2020 08:29:36	1	1	1	1	213.5	52	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	32.375	2004
11.02.2020 08:29:37	1	1	1	1	213.5	52.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	31.9375	2004
11.02.2020 08:29:38	1	1	1	1	213.5	51.75	0	22559.242	709.6774194	15927.48621	30000	0	0	30000	32.125	2004
11.02.2020 08:29:39	1	1	1	1	213.5	52	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.5	2004
11.02.2020 08:29:40	1	1	1	1	213.5	50.5	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	32.75	2004
11.02.2020 08:29:41	1	1	1	1	213.5	52.75	0	22796.209	709.6774194	16128.88321	30000	0	0	30000	31.3125	2004
11.02.2020 08:29:42	1	1	1	1	213.5	51.25	0	22559.242	709.6774194	15927.48621	30000	0	0	30000	31.75	2004
11.02.2020 08:29:43	1	1	1	1	213.5	51.75	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.125	2004
11.02.2020 08:29:44	1	1	1	1	213.5	51	0	23033.175	698.9247312	15965.80871	30000	0	0	30000	32.9375	2004
11.02.2020 08:29:45	1	1	1	1	213.5	52.75	0	22369.668	718.2795699	16019.6233	30000	0	0	30000	32.25	2004
11.02.2020 08:29:46	1	1	1	1	212	52.25	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	31.25	2004
11.02.2020 08:29:47	1	1	1	1	212	51.25	0	22511.848	709.6774194	15894.05593	30000	0	0	30000	32.125	2004
11.02.2020 08:29:48	1	1	1	1	212	52	0	22559.242	709.6774194	16024.51553	30000	0	0	30000	32.125	2004
11.02.2020 08:29:49	1	1	1	1	212	52	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	31.5	2004
11.02.2020 08:29:50	1	1	1	1	212	51.5	0	22322.275	718.2795699	16033.48463	30000	0	0	30000	32.0625	2004
11.02.2020 08:29:51	1	1	1	1	212	52	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	32.0625	2004
11.02.2020 08:29:52	1	1	1	1	212	52	0	22274.882	716.1290323	15903.8404	30000	0	0	30000	32.8125	2004
11.02.2020 08:29:53	1	1	1	1	212	52.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	32.625	2004
11.02.2020 08:29:54	1	1	1	1	212	52.5	0	22369.668	709.6774194	16053.05357	30000	0	0	30000	33.0625	2004
11.02.2020 08:29:55	1	1	1	1	213.8	51.75	0	22464.455	713.9784946	16120.72949	30000	0	0	30000	32.8125	2004
11.02.2020 08:29:56	1	1	1	1	213.8	52.75	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	32.6875	2004
11.02.2020 08:29:57	1	1	1	1	213.8	52.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	32.875	2004
11.02.2020 08:29:58	1	1	1	1	213.8	52.75	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	31.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:29:59	1	1	1	1	213.8	51.25	0	25450.237	632.2580645	16145.19066	30000	0	0	30000	32.125	2004
11.02.2020 08:30:00	1	1	1	1	213.8	52	0	25260.664	625.8064516	15837.79523	30000	0	0	30000	32	2004
11.02.2020 08:30:02	1	1	1	1	213.8	52	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	31.5	2004
11.02.2020 08:30:03	1	1	1	1	213.8	51.5	0	25687.204	621.5053763	15934.82456	30000	0	0	30000	31.5	2004
11.02.2020 08:30:04	1	1	1	1	213.8	51.5	0	25260.664	632.2580645	15916.88636	30000	0	0	30000	32.8125	2004
11.02.2020 08:30:05	1	1	1	1	213.8	52.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:06	1	1	1	1	214.3	51.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	32.8125	2004
11.02.2020 08:30:07	1	1	1	1	214.3	52.75	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	32.8125	2004
11.02.2020 08:30:08	1	1	1	1	214.3	52.75	0	26113.744	615.0537634	15948.68589	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:09	1	1	1	1	214.3	51.75	0	24360.19	653.7634409	15956.83962	30000	0	0	30000	32.4375	2004
11.02.2020 08:30:10	1	1	1	1	214.3	52.25	0	24502.37	658.0645161	15956.83962	30000	0	0	30000	32.625	2004
11.02.2020 08:30:11	1	1	1	1	214.3	52.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	32.875	2004
11.02.2020 08:30:12	1	1	1	1	214.3	52.75	0	24549.763	653.7634409	16049.79208	30000	0	0	30000	32.1875	2004
11.02.2020 08:30:13	1	1	1	1	214.3	52	0	24312.796	658.0645161	15988.63914	30000	0	0	30000	32.625	2004
11.02.2020 08:30:14	1	1	1	1	214.3	52.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	32.375	2004
11.02.2020 08:30:15	1	1	1	1	214.3	52.25	0	24075.829	664.516129	16030.22314	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:16	1	1	1	1	214.5	51.75	0	24360.19	660.2150538	16114.20651	30000	0	0	30000	31.625	2004
11.02.2020 08:30:17	1	1	1	1	214.5	51.5	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	32.4375	2004
11.02.2020 08:30:18	1	1	1	1	214.5	52.25	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	32.3125	2004
11.02.2020 08:30:19	1	1	1	1	214.5	52.25	0	24218.009	655.9139785	15978.0393	30000	0	0	30000	32.5	2004
11.02.2020 08:30:20	1	1	1	1	214.5	52.5	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	33	2004
11.02.2020 08:30:21	1	1	1	1	214.5	53	0	23364.929	688.172043	16079.14549	30000	0	0	30000	31.375	2004
11.02.2020 08:30:22	1	1	1	1	214.5	51.25	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	32.1875	2004
11.02.2020 08:30:23	1	1	1	1	214.5	52	0	23933.649	666.6666667	15955.20887	30000	0	0	30000	32.1875	2004
11.02.2020 08:30:24	1	1	1	1	214.5	52	0	23412.322	688.172043	16111.76039	30000	0	0	30000	31.875	2004
11.02.2020 08:30:25	1	1	1	1	214.5	51.75	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	31.625	2004
11.02.2020 08:30:26	1	1	1	1	213.8	51.5	0	23507.109	688.172043	16209.60509	30000	0	0	30000	32	2004
11.02.2020 08:30:27	1	1	1	1	213.8	52	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	32.4375	2004
11.02.2020 08:30:28	1	1	1	1	213.8	52.25	0	22890.995	698.9247312	16048.16134	30000	0	0	30000	31.5625	2004
11.02.2020 08:30:29	1	1	1	1	213.8	51.5	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	33.0625	2004
11.02.2020 08:30:35	1	1	1	1	213.8	52.5	0	22748.815	698.9247312	15948.68589	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:35	1	1	1	1	213.8	52.5	0	22748.815	698.9247312	15948.68589	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:35	1	1	1	1	213.8	52.5	0	22748.815	698.9247312	15948.68589	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:35	1	1	1	1	213.8	52.5	0	22748.815	698.9247312	15948.68589	30000	0	0	30000	31.9375	2004
11.02.2020 08:30:35	1	1	1	1	214.5	51.75	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	32.3125	2004
11.02.2020 08:30:37	1	1	1	1	214.5	52.25	0	22559.242	707.5268817	15994.34675	30000	0	0	30000	32.0625	2004
11.02.2020 08:30:38	1	1	1	1	214.5	52	0	22417.062	703.2258065	16072.62251	30000	0	0	30000	32.4375	2004
11.02.2020 08:30:39	1	1	1	1	214.5	52.25	0	22559.242	709.6774194	16024.51553	30000	0	0	30000	31.6875	2004
11.02.2020 08:30:40	1	1	1	1	214.5	51.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	31.375	2004
11.02.2020 08:30:41	1	1	1	1	214.5	51.25	0	22464.455	709.6774194	15990.26989	30000	0	0	30000	32.875	2004
11.02.2020 08:30:42	1	1	1	1	214.5	52.75	0	22417.062	709.6774194	15956.83962	30000	0	0	30000	33	2004
11.02.2020 08:30:43	1	1	1	1	214.5	53	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:30:44	1	1	1	1	214.5	52.25	0	22748.815	709.6774194	15997.60824	30000	0	0	30000	31.875	2004
11.02.2020 08:30:45	1	1	1	1	214.5	51.75	0	22464.455	711.827957	16024.51553	30000	0	0	30000	31.75	2004
11.02.2020 08:30:46	1	1	1	1	214.5	51.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	31.4375	2004
11.02.2020 08:30:47	1	1	1	1	214.5	51.25	0	22511.848	713.9784946	15956.83962	30000	0	0	30000	33.0625	2004
11.02.2020 08:30:48	1	1	1	1	214.5	53	0	22464.455	713.9784946	16072.62251	30000	0	0	30000	33	2004
11.02.2020 08:30:49	1	1	1	1	214.5	53	0	22559.242	709.6774194	15830.45688	30000	0	0	30000	32.125	2004
11.02.2020 08:30:50	1	1	1	1	214.5	52	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	32.625	2004
11.02.2020 08:30:51	1	1	1	1	214.5	52.5	0	22748.815	709.6774194	16095.45294	30000	0	0	30000	32.5	2004
11.02.2020 08:30:52	1	1	1	1	214.5	52.5	0	22559.242	707.5268817	16193.29764	30000	0	0	30000	32.125	2004
11.02.2020 08:30:53	1	1	1	1	214.5	52	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	32.0625	2004
11.02.2020 08:30:54	1	1	1	1	214.5	52	0	22464.455	709.6774194	15942.16291	30000	0	0	30000	32.1875	2004
11.02.2020 08:30:55	1	1	1	1	214.5	52	0	22464.455	713.9784946	16072.62251	30000	0	0	30000	32.1875	2004
11.02.2020 08:30:56	1	1	1	1	214	52	0	22417.062	713.9784946	16024.51553	30000	0	0	30000	32.0625	2004
11.02.2020 08:30:57	1	1	1	1	214	52	0	22417.062	709.6774194	16072.62251	30000	0	0	30000	32.5625	2004
11.02.2020 08:30:58	1	1	1	1	214	52.5	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	31.8125	2004
11.02.2020 08:30:59	1	1	1	1	214	51.75	0	22417.062	703.2258065	15927.48621	30000	0	0	30000	32.25	2004
11.02.2020 08:31:00	1	1	1	1	214	52.25	0	22559.242	709.6774194	16144.37529	30000	0	0	30000	32.0625	2004
11.02.2020 08:31:01	1	1	1	1	214	52	0	22748.815	707.5268817	16193.29764	30000	0	0	30000	30.4375	2004
11.02.2020 08:31:02	1	1	1	1	214	50.25	0	22464.455	713.9784946	15763.59634	30000	0	0	30000	32.0625	2004
11.02.2020 08:31:03	1	1	1	1	214	52	0	22417.062	703.2258065	16004.94659	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:04	1	1	1	1	214	53	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	32.4375	2004
11.02.2020 08:31:05	1	1	1	1	214	52.25	0	22417.062	707.5268817	15860.62566	30000	0	0	30000	32.875	2004
11.02.2020 08:31:06	1	1	1	1	212.8	52.75	0	22748.815	707.5268817	16091.37608	30000	0	0	30000	30.3125	2004
11.02.2020 08:31:07	1	1	1	1	212.8	50.25	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	33	2004
11.02.2020 08:31:08	1	1	1	1	212.8	53	0	22511.848	711.827957	16072.62251	30000	0	0	30000	32.5625	2004
11.02.2020 08:31:09	1	1	1	1	212.8	52.5	0	22559.242	713.9784946	16106.86815	30000	0	0	30000	32.3125	2004
11.02.2020 08:31:10	1	1	1	1	212.8	52.25	0	22369.668	709.6774194	15827.19539	30000	0	0	30000	32.25	2004
11.02.2020 08:31:11	1	1	1	1	212.8	53.25	0	22796.209	707.5268817	16128.88321	30000	0	0	30000	32.3125	2004
11.02.2020 08:31:12	1	1	1	1	212.8	52.25	0	22748.815	703.2258065	15960.91648	30000	0	0	30000	32.625	2004
11.02.2020 08:31:13	1	1	1	1	212.8	52.5	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	31.6875	2004
11.02.2020 08:31:14	1	1	1	1	212.8	51.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	32.9375	2004
11.02.2020 08:31:15	1	1	1	1	213	52.75	0	22559.242	707.5268817	16144.37529	30000	0	0	30000	32	2004
11.02.2020 08:31:17	1	1	1	1	213	52	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	32.4375	2004
11.02.2020 08:31:18	1	1	1	1	213	52.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	31.5	2004
11.02.2020 08:31:19	1	1	1	1	213	51.5	0	22511.848	709.6774194	16072.62251	30000	0	0	30000	32.625	2004
11.02.2020 08:31:20	1	1	1	1	213	52.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	32.9375	2004
11.02.2020 08:31:21	1	1	1	1	213	52.75	0	22890.995	698.9247312	16048.16134	30000	0	0	30000	31.375	2004
11.02.2020 08:31:22	1	1	1	1	213	51.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	31.0625	2004
11.02.2020 08:31:23	1	1	1	1	213	51	0	22796.209	701.0752688	15834.53374	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:24	1	1	1	1	213	53	0	23175.355	694.6236559	15883.45609	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:25	1	1	1	1	213	53	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	32.75	2004
11.02.2020 08:31:26	1	1	1	1	213.5	52.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	32.4375	2004
11.02.2020 08:31:27	1	1	1	1	213.5	52.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	31.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:31:28	1	1	1	1	213.5	51	0	22890.995	701.0752688	16114.20651	30000	0	0	30000	32	2004
11.02.2020 08:31:29	1	1	1	1	213.5	52	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	32.375	2004
11.02.2020 08:31:30	1	1	1	1	213.5	52.25	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	32.625	2004
11.02.2020 08:31:31	1	1	1	1	213.5	52.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	32.875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	52.75	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	33.1875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	52.75	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	33.1875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	52.75	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	33.1875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	52.75	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	33.1875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	52.75	0	23838.863	675.2688172	16045.71522	30000	0	0	30000	33.1875	2004
11.02.2020 08:31:37	1	1	1	1	213.5	53	0	23459.716	675.2688172	16176.99019	30000	0	0	30000	33.125	2004
11.02.2020 08:31:38	1	1	1	1	213.5	53	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	32.125	2004
11.02.2020 08:31:39	1	1	1	1	213.5	52	0	22985.782	698.9247312	15999.23899	30000	0	0	30000	32.4375	2004
11.02.2020 08:31:40	1	1	1	1	213.5	52.25	0	23270.142	688.172043	15763.59634	30000	0	0	30000	31.875	2004
11.02.2020 08:31:41	1	1	1	1	213.5	51	0	24028.436	666.6666667	16154.15976	30000	0	0	30000	32.5	2004
11.02.2020 08:31:42	1	1	1	1	213.5	52.5	0	23317.536	688.172043	16079.14549	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:43	1	1	1	1	213.5	53	0	23270.142	688.172043	16013.91569	30000	0	0	30000	32.6875	2004
11.02.2020 08:31:44	1	1	1	1	213.5	52.5	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	32.8125	2004
11.02.2020 08:31:45	1	1	1	1	213.5	52.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.25	2004
11.02.2020 08:31:46	1	1	1	1	212.5	53.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	32.4375	2004
11.02.2020 08:31:47	1	1	1	1	212.5	52.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	32.9375	2004
11.02.2020 08:31:48	1	1	1	1	212.5	52.75	0	23649.289	688.172043	16274.83489	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:49	1	1	1	1	212.5	52	0	23886.256	664.516129	16058.76118	30000	0	0	30000	32.0625	2004
11.02.2020 08:31:50	1	1	1	1	212.5	52	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	31.9375	2004
11.02.2020 08:31:51	1	1	1	1	212.5	51.75	0	23459.716	673.1182796	16176.99019	30000	0	0	30000	32.875	2004
11.02.2020 08:31:52	1	1	1	1	212.5	52.75	0	23744.076	675.2688172	16084.03772	30000	0	0	30000	33.125	2004
11.02.2020 08:31:53	1	1	1	1	212.5	53	0	24028.436	670.9677419	15987.0084	30000	0	0	30000	33.0625	2004
11.02.2020 08:31:54	1	1	1	1	212.5	53	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	32.3125	2004
11.02.2020 08:31:56	1	1	1	1	210.8	52.25	0	23554.502	688.172043	16209.60509	30000	0	0	30000	32.3125	2004
11.02.2020 08:31:57	1	1	1	1	210.8	52.25	0	24028.436	670.9677419	16058.76118	30000	0	0	30000	32.25	2004
11.02.2020 08:31:58	1	1	1	1	210.8	52.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	32.5625	2004
11.02.2020 08:31:59	1	1	1	1	210.8	52.5	0	23981.043	660.2150538	15966.62409	30000	0	0	30000	32.625	2004
11.02.2020 08:32:00	1	1	1	1	210.8	52.5	0	23744.076	673.1182796	15918.51711	30000	0	0	30000	33.125	2004
11.02.2020 08:32:01	1	1	1	1	210.8	53	0	23744.076	666.6666667	15828.82614	30000	0	0	30000	32.3125	2004
11.02.2020 08:32:02	1	1	1	1	210.8	52.25	0	23744.076	688.172043	16020.43867	30000	0	0	30000	32.8125	2004
11.02.2020 08:32:03	1	1	1	1	210.8	52.75	0	23886.256	666.6666667	15955.20887	30000	0	0	30000	31.5625	2004
11.02.2020 08:32:04	1	1	1	1	210.8	51.5	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	32.5	2004
11.02.2020 08:32:05	1	1	1	1	210.8	52.5	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	31.375	2004
11.02.2020 08:32:06	1	1	1	1	210	51.25	0	23838.863	666.6666667	15738.31979	30000	0	0	30000	32.8125	2004
11.02.2020 08:32:07	1	1	1	1	210	52.75	0	24075.829	660.2150538	15925.85546	30000	0	0	30000	33.375	2004
11.02.2020 08:32:08	1	1	1	1	210	53.25	0	24075.829	664.516129	15966.62409	30000	0	0	30000	32.125	2004
11.02.2020 08:32:09	1	1	1	1	210	52	0	24123.223	660.2150538	15925.85546	30000	0	0	30000	33.0625	2004
11.02.2020 08:32:10	1	1	1	1	210	53	0	23744.076	673.1182796	16084.03772	30000	0	0	30000	31.8125	2004
11.02.2020 08:32:11	1	1	1	1	210	51.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	32.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:32:12	1	1	1	1	210	52.75	0	24028.436	666.6666667	16122.36023	30000	0	0	30000	31.5625	2004
11.02.2020 08:32:13	1	1	1	1	210	51.5	0	24075.829	670.9677419	16050.60745	30000	0	0	30000	32.875	2004
11.02.2020 08:32:14	1	1	1	1	210	52.75	0	24218.009	662.3655914	15884.27146	30000	0	0	30000	31.0625	2004
11.02.2020 08:32:15	1	1	1	1	210	51	0	24218.009	655.9139785	16051.42282	30000	0	0	30000	33.0625	2004
11.02.2020 08:32:16	1	1	1	1	210	53	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	32	2004
11.02.2020 08:32:17	1	1	1	1	210	52	0	24075.829	666.6666667	16050.60745	30000	0	0	30000	32.25	2004
11.02.2020 08:32:18	1	1	1	1	210	52.25	0	24170.616	660.2150538	15957.65499	30000	0	0	30000	33.1875	2004
11.02.2020 08:32:19	1	1	1	1	210	53	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	33.125	2004
11.02.2020 08:32:20	1	1	1	1	210	53	0	24218.009	653.7634409	16114.20651	30000	0	0	30000	32.9375	2004
11.02.2020 08:32:21	1	1	1	1	210	52.75	0	24218.009	664.516129	16093.00682	30000	0	0	30000	32.9375	2004
11.02.2020 08:32:22	1	1	1	1	210	52.75	0	24218.009	660.2150538	16218.57419	30000	0	0	30000	32	2004
11.02.2020 08:32:23	1	1	1	1	210	52	0	24028.436	664.516129	15966.62409	30000	0	0	30000	33.25	2004
11.02.2020 08:32:24	1	1	1	1	210	53.25	0	24407.583	660.2150538	16082.40698	30000	0	0	30000	31.75	2004
11.02.2020 08:32:25	1	1	1	1	210	51.75	0	24360.19	655.9139785	16061.20729	30000	0	0	30000	32.6875	2004
11.02.2020 08:32:26	1	1	1	1	208.8	52.5	0	24218.009	660.2150538	16040.82298	30000	0	0	30000	32.5625	2004
11.02.2020 08:32:27	1	1	1	1	208.8	52.5	0	24407.583	655.9139785	15832.903	30000	0	0	30000	32.875	2004
11.02.2020 08:32:28	1	1	1	1	208.8	52.75	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	32.75	2004
11.02.2020 08:32:29	1	1	1	1	208.8	52.75	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	32.9375	2004
11.02.2020 08:32:30	1	1	1	1	208.8	52.25	0	24691.943	647.311828	15929.93232	30000	0	0	30000	32.4375	2004
11.02.2020 08:32:31	1	1	1	1	208.8	52.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	31.8125	2004
11.02.2020 08:32:32	1	1	1	1	208.8	51.75	0	24312.796	660.2150538	15999.23899	30000	0	0	30000	32.625	2004
11.02.2020 08:32:38	1	1	1	1	207.5	51.75	0	24407.583	653.7634409	15987.82377	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:39	1	1	1	1	207.5	51.75	0	24407.583	653.7634409	15987.82377	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:39	1	1	1	1	207.5	51.75	0	24407.583	653.7634409	15987.82377	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:39	1	1	1	1	207.5	51.75	0	24407.583	653.7634409	15987.82377	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:39	1	1	1	1	207.5	51.75	0	24407.583	653.7634409	15987.82377	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:39	1	1	1	1	207.5	52	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	33.1875	2004
11.02.2020 08:32:40	1	1	1	1	207.5	53	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	33.3125	2004
11.02.2020 08:32:41	1	1	1	1	207.5	53.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	32.5	2004
11.02.2020 08:32:42	1	1	1	1	207.5	52.5	0	24597.156	653.7634409	16049.79208	30000	0	0	30000	32.8125	2004
11.02.2020 08:32:43	1	1	1	1	207.5	52.75	0	24739.336	649.4623656	15823.9339	30000	0	0	30000	32.5625	2004
11.02.2020 08:32:44	1	1	1	1	207.5	52.5	0	24597.156	647.311828	15921.7786	30000	0	0	30000	32.4375	2004
11.02.2020 08:32:45	1	1	1	1	207.5	52.25	0	24360.19	655.9139785	16051.42282	30000	0	0	30000	32.0625	2004
11.02.2020 08:32:46	1	1	1	1	205.3	52	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	32.875	2004
11.02.2020 08:32:47	1	1	1	1	205.3	52.75	0	24454.976	653.7634409	16018.80793	30000	0	0	30000	32.5	2004
11.02.2020 08:32:48	1	1	1	1	205.3	52.5	0	24691.943	647.311828	15982.93154	30000	0	0	30000	31.9375	2004
11.02.2020 08:32:49	1	1	1	1	205.3	51.75	0	24834.123	645.1612903	15991.08526	30000	0	0	30000	33.0625	2004
11.02.2020 08:32:50	1	1	1	1	205.3	53	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	31.9375	2004
11.02.2020 08:32:51	1	1	1	1	205.3	51.75	0	24502.37	653.7634409	15860.62566	30000	0	0	30000	32.6875	2004
11.02.2020 08:32:52	1	1	1	1	205.3	52.5	0	24407.583	643.0107527	15694.28967	30000	0	0	30000	32.4375	2004
11.02.2020 08:32:53	1	1	1	1	205.3	52.25	0	24691.943	647.311828	16142.74454	30000	0	0	30000	32.75	2004
11.02.2020 08:32:54	1	1	1	1	205.3	52.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	32.1875	2004
11.02.2020 08:32:55	1	1	1	1	205.3	52	0	24834.123	643.0107527	15938.08605	30000	0	0	30000	31	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:32:56	1	1	1	1	203	51	0	25165.877	643.0107527	16127.25247	30000	0	0	30000	32.6875	2004
11.02.2020 08:32:57	1	1	1	1	203	52.5	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	31.625	2004
11.02.2020 08:32:58	1	1	1	1	203	51.5	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	33.1875	2004
11.02.2020 08:32:59	1	1	1	1	203	53	0	24691.943	653.7634409	16080.77623	30000	0	0	30000	32.125	2004
11.02.2020 08:33:00	1	1	1	1	203	52	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	32.6875	2004
11.02.2020 08:33:01	1	1	1	1	203	52.5	0	24786.73	640.8602151	15991.08526	30000	0	0	30000	32.0625	2004
11.02.2020 08:33:02	1	1	1	1	203	52	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	31.75	2004
11.02.2020 08:33:03	1	1	1	1	203	51.75	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	33.3125	2004
11.02.2020 08:33:04	1	1	1	1	203	53.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	33.3125	2004
11.02.2020 08:33:05	1	1	1	1	203	53.25	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	32.1875	2004
11.02.2020 08:33:06	1	1	1	1	201	52	0	25165.877	638.7096774	16127.25247	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:07	1	1	1	1	201	52.25	0	24834.123	640.8602151	15968.25483	30000	0	0	30000	31.875	2004
11.02.2020 08:33:08	1	1	1	1	201	51.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	33.25	2004
11.02.2020 08:33:09	1	1	1	1	201	53.25	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:10	1	1	1	1	201	52.25	0	24928.91	647.311828	15998.42361	30000	0	0	30000	32.125	2004
11.02.2020 08:33:11	1	1	1	1	201	52	0	25071.09	634.4086022	15904.65578	30000	0	0	30000	32.8125	2004
11.02.2020 08:33:12	1	1	1	1	201	52.75	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	32.3125	2004
11.02.2020 08:33:14	1	1	1	1	201	52.25	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:15	1	1	1	1	201	52.25	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	33.4375	2004
11.02.2020 08:33:16	1	1	1	1	199.5	53.25	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:17	1	1	1	1	199.5	52.25	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	33.25	2004
11.02.2020 08:33:18	1	1	1	1	199.5	53.25	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	30.8125	2004
11.02.2020 08:33:19	1	1	1	1	199.5	50.75	0	24976.303	636.5591398	15814.9648	30000	0	0	30000	32.75	2004
11.02.2020 08:33:20	1	1	1	1	199.5	52.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	33.3125	2004
11.02.2020 08:33:21	1	1	1	1	199.5	53.25	0	25545.024	630.1075269	16095.45294	30000	0	0	30000	33.25	2004
11.02.2020 08:33:22	1	1	1	1	199.5	53.25	0	25260.664	634.4086022	15995.16212	30000	0	0	30000	32.9375	2004
11.02.2020 08:33:23	1	1	1	1	199.5	52.75	0	25592.417	634.4086022	16095.45294	30000	0	0	30000	31.125	2004
11.02.2020 08:33:24	1	1	1	1	199.5	51	0	25545.024	623.655914	16095.45294	30000	0	0	30000	32.8125	2004
11.02.2020 08:33:25	1	1	1	1	199.5	52.75	0	25402.844	630.1075269	16006.57734	30000	0	0	30000	33.125	2004
11.02.2020 08:33:26	1	1	1	1	197.3	53	0	25355.45	630.1075269	16031.03851	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:27	1	1	1	1	197.3	52.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	32.6875	2004
11.02.2020 08:33:28	1	1	1	1	197.3	52.5	0	25260.664	627.9569892	16031.03851	30000	0	0	30000	33.5	2004
11.02.2020 08:33:29	1	1	1	1	197.3	53.5	0	25545.024	621.5053763	15846.76433	30000	0	0	30000	32.375	2004
11.02.2020 08:33:30	1	1	1	1	197.3	52.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	31.8125	2004
11.02.2020 08:33:31	1	1	1	1	197.3	51.75	0	25402.844	627.9569892	15926.67083	30000	0	0	30000	31.6875	2004
11.02.2020 08:33:32	1	1	1	1	197.3	51.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	33.125	2004
11.02.2020 08:33:33	1	1	1	1	197.3	53	0	25545.024	630.1075269	16066.09953	30000	0	0	30000	32.5	2004
11.02.2020 08:33:34	1	1	1	1	197.3	52.5	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	32.4375	2004
11.02.2020 08:33:40	1	1	1	1	195.5	53.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	32.5625	2004
11.02.2020 08:33:40	1	1	1	1	195.5	53.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	32.5625	2004
11.02.2020 08:33:40	1	1	1	1	195.5	53.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	32.5625	2004
11.02.2020 08:33:40	1	1	1	1	195.5	53.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	32.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:33:40	1	1	1	1	195.5	53.25	0	25592.417	630.1075269	16125.62172	30000	0	0	30000	32.5625	2004
11.02.2020 08:33:41	1	1	1	1	195.5	52.5	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	31.875	2004
11.02.2020 08:33:42	1	1	1	1	195.5	51.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	32.625	2004
11.02.2020 08:33:43	1	1	1	1	195.5	52.5	0	25592.417	627.9569892	15986.19303	30000	0	0	30000	32.8125	2004
11.02.2020 08:33:44	1	1	1	1	195.5	52.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	32.0625	2004
11.02.2020 08:33:45	1	1	1	1	195.5	52	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	32.5	2004
11.02.2020 08:33:46	1	1	1	1	194.5	52.5	0	25402.844	625.8064516	15926.67083	30000	0	0	30000	31.875	2004
11.02.2020 08:33:47	1	1	1	1	194.5	51.75	0	25734.597	623.655914	16104.42204	30000	0	0	30000	33.875	2004
11.02.2020 08:33:48	1	1	1	1	194.5	53.75	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	32.0625	2004
11.02.2020 08:33:49	1	1	1	1	194.5	52	0	25545.024	625.8064516	16095.45294	30000	0	0	30000	33.5	2004
11.02.2020 08:33:50	1	1	1	1	194.5	53.5	0	25734.597	619.3548387	16082.40698	30000	0	0	30000	33.1875	2004
11.02.2020 08:33:51	1	1	1	1	194.5	53	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	32.25	2004
11.02.2020 08:33:52	1	1	1	1	194.5	53	0	25734.597	623.655914	16048.97671	30000	0	0	30000	32.25	2004
11.02.2020 08:33:53	1	1	1	1	194.5	52.25	0	25450.237	625.8064516	15872.04088	30000	0	0	30000	31.375	2004
11.02.2020 08:33:54	1	1	1	1	194.5	51.25	0	25639.81	621.5053763	15905.47115	30000	0	0	30000	30.5625	2004
11.02.2020 08:33:55	1	1	1	1	194.8	50.5	0	25639.81	627.9569892	16155.7905	30000	0	0	30000	31.375	2004
11.02.2020 08:33:57	1	1	1	1	194.8	51.25	0	25687.204	619.3548387	16159.86737	30000	0	0	30000	31.25	2004
11.02.2020 08:33:58	1	1	1	1	194.8	51.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	32.0625	2004
11.02.2020 08:33:59	1	1	1	1	194.8	52	0	25734.597	625.8064516	16163.94423	30000	0	0	30000	31.625	2004
11.02.2020 08:34:00	1	1	1	1	194.8	51.5	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	32	2004
11.02.2020 08:34:01	1	1	1	1	194.8	52	0	25734.597	623.655914	15993.53138	30000	0	0	30000	31.875	2004
11.02.2020 08:34:02	1	1	1	1	194.8	51.75	0	25639.81	623.655914	16155.7905	30000	0	0	30000	31.5	2004
11.02.2020 08:34:03	1	1	1	1	194.8	51.5	0	25734.597	623.655914	16163.94423	30000	0	0	30000	32.4375	2004
11.02.2020 08:34:04	1	1	1	1	194.8	52.25	0	25924.171	621.5053763	16334.35708	30000	0	0	30000	31.8125	2004
11.02.2020 08:34:05	1	1	1	1	194.8	51.75	0	25639.81	619.3548387	15824.74927	30000	0	0	30000	33.125	2004
11.02.2020 08:34:06	1	1	1	1	193	53	0	25734.597	619.3548387	16048.97671	30000	0	0	30000	32.8125	2004
11.02.2020 08:34:07	1	1	1	1	193	52.75	0	25592.417	623.655914	15876.11774	30000	0	0	30000	32.6875	2004
11.02.2020 08:34:08	1	1	1	1	193	52.5	0	25829.384	632.2580645	16104.42204	30000	0	0	30000	33.0625	2004
11.02.2020 08:34:09	1	1	1	1	193	53	0	25734.597	625.8064516	16048.97671	30000	0	0	30000	33.3125	2004
11.02.2020 08:34:10	1	1	1	1	193	53.25	0	25545.024	615.0537634	15766.04245	30000	0	0	30000	33.25	2004
11.02.2020 08:34:11	1	1	1	1	193	53.25	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	33.1875	2004
11.02.2020 08:34:12	1	1	1	1	193	53	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	32.0625	2004
11.02.2020 08:34:13	1	1	1	1	193	52	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	33.25	2004
11.02.2020 08:34:14	1	1	1	1	193	53.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.1875	2004
11.02.2020 08:34:15	1	1	1	1	193	53	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	32.4375	2004
11.02.2020 08:34:16	1	1	1	1	192.8	52.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	31.5	2004
11.02.2020 08:34:17	1	1	1	1	192.8	51.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.5	2004
11.02.2020 08:34:18	1	1	1	1	192.8	53.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	33.5625	2004
11.02.2020 08:34:19	1	1	1	1	192.8	53.5	0	26208.531	615.0537634	16061.20729	30000	0	0	30000	32.5625	2004
11.02.2020 08:34:20	1	1	1	1	192.8	52.5	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	33.0625	2004
11.02.2020 08:34:21	1	1	1	1	192.8	53	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	33.5625	2004
11.02.2020 08:34:22	1	1	1	1	192.8	53.5	0	26208.531	615.0537634	16117.468	30000	0	0	30000	31.1875	2004
11.02.2020 08:34:23	1	1	1	1	192.8	51	0	26066.351	612.9032258	15834.53374	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:34:24	1	1	1	1	192.8	53	0	26113.744	610.7526882	16117.468	30000	0	0	30000	33.4375	2004
11.02.2020 08:34:25	1	1	1	1	192.8	53.25	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	33.5	2004
11.02.2020 08:34:26	1	1	1	1	190.8	53.5	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	32.4375	2004
11.02.2020 08:34:27	1	1	1	1	190.8	52.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	31.625	2004
11.02.2020 08:34:28	1	1	1	1	190.8	51.5	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	33.1875	2004
11.02.2020 08:34:29	1	1	1	1	190.8	53	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	31	2004
11.02.2020 08:34:30	1	1	1	1	190.8	51.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	33.3125	2004
11.02.2020 08:34:31	1	1	1	1	190.8	53.25	0	26303.318	621.5053763	15948.68589	30000	0	0	30000	32.3125	2004
11.02.2020 08:34:32	1	1	1	1	190.8	52.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	33.0625	2004
11.02.2020 08:34:34	1	1	1	1	190.8	53	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	32.9375	2004
11.02.2020 08:34:35	1	1	1	1	190.8	52.75	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	32.4375	2004
11.02.2020 08:34:36	1	1	1	1	189.5	52.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	33	2004
11.02.2020 08:34:42	1	1	1	1	189.5	53	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	32.75	2004
11.02.2020 08:34:42	1	1	1	1	189.5	53	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	32.75	2004
11.02.2020 08:34:42	1	1	1	1	189.5	53	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	32.75	2004
11.02.2020 08:34:42	1	1	1	1	189.5	53	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	32.75	2004
11.02.2020 08:34:42	1	1	1	1	189.5	53	0	26255.924	612.9032258	16120.72949	30000	0	0	30000	32.75	2004
11.02.2020 08:34:42	1	1	1	1	189.5	52.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	33.625	2004
11.02.2020 08:34:43	1	1	1	1	189.5	53.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	31.4375	2004
11.02.2020 08:34:44	1	1	1	1	189.5	51.25	0	26255.924	612.9032258	16092.19145	30000	0	0	30000	31.9375	2004
11.02.2020 08:34:45	1	1	1	1	189.5	51.75	0	26113.744	602.1505376	16006.57734	30000	0	0	30000	32.1875	2004
11.02.2020 08:34:46	1	1	1	1	187.8	52	0	26255.924	610.7526882	16092.19145	30000	0	0	30000	33.625	2004
11.02.2020 08:34:47	1	1	1	1	187.8	53.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	33.25	2004
11.02.2020 08:34:48	1	1	1	1	187.8	53.25	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	32.25	2004
11.02.2020 08:34:49	1	1	1	1	187.8	52.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	31.9375	2004
11.02.2020 08:34:50	1	1	1	1	187.8	51.75	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	32.5	2004
11.02.2020 08:34:51	1	1	1	1	187.8	52.5	0	26208.531	615.0537634	16347.40304	30000	0	0	30000	32.0625	2004
11.02.2020 08:34:52	1	1	1	1	187.8	52	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	32.4375	2004
11.02.2020 08:34:53	1	1	1	1	187.8	52.25	0	26255.924	610.7526882	16062.83804	30000	0	0	30000	32.625	2004
11.02.2020 08:34:54	1	1	1	1	187.8	52.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	32.6875	2004
11.02.2020 08:34:55	1	1	1	1	187.8	52.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.625	2004
11.02.2020 08:34:56	1	1	1	1	186.5	53.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	33.1875	2004
11.02.2020 08:34:57	1	1	1	1	186.5	53	0	26113.744	615.0537634	16062.83804	30000	0	0	30000	33.5	2004
11.02.2020 08:34:58	1	1	1	1	186.5	53.5	0	26113.744	606.4516129	15779.90379	30000	0	0	30000	33.625	2004
11.02.2020 08:34:59	1	1	1	1	186.5	53.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	32.4375	2004
11.02.2020 08:35:00	1	1	1	1	186.5	52.25	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	33.5	2004
11.02.2020 08:35:01	1	1	1	1	186.5	53.5	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	33.3125	2004
11.02.2020 08:35:02	1	1	1	1	186.5	53.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	32.125	2004
11.02.2020 08:35:03	1	1	1	1	186.5	52	0	26303.318	608.6021505	15894.87131	30000	0	0	30000	32.75	2004
11.02.2020 08:35:06	1	1	1	1	186.5	51	0	26303.318	608.6021505	15978.85467	30000	0	0	30000	33.1875	2004
11.02.2020 08:35:06	1	1	1	1	186.5	51	0	26303.318	608.6021505	15978.85467	30000	0	0	30000	33.1875	2004
11.02.2020 08:35:06	1	1	1	1	184.8	53	0	26208.531	612.9032258	16006.57734	30000	0	0	30000	31.5	2004
11.02.2020 08:35:07	1	1	1	1	184.8	51.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	33.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:35:08	1	1	1	1	184.8	53	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	30.875	2004
11.02.2020 08:35:09	1	1	1	1	184.8	53.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	32	2004
11.02.2020 08:35:10	1	1	1	1	184.8	52	0	26208.531	608.6021505	16006.57734	30000	0	0	30000	31.75	2004
11.02.2020 08:35:11	1	1	1	1	184.8	51.75	0	26492.891	606.4516129	15951.94738	30000	0	0	30000	32.875	2004
11.02.2020 08:35:13	1	1	1	1	184.8	52.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	32.625	2004
11.02.2020 08:35:14	1	1	1	1	184.8	52.5	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	33.375	2004
11.02.2020 08:35:15	1	1	1	1	184.8	53.25	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	31	2004
11.02.2020 08:35:16	1	1	1	1	183.5	51	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	33.6875	2004
11.02.2020 08:35:17	1	1	1	1	183.5	53.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	33.3125	2004
11.02.2020 08:35:18	1	1	1	1	183.5	53.25	0	26492.891	600	16038.37687	30000	0	0	30000	32.0625	2004
11.02.2020 08:35:19	1	1	1	1	183.5	52	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	33.3125	2004
11.02.2020 08:35:20	1	1	1	1	183.5	53.25	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	32.75	2004
11.02.2020 08:35:21	1	1	1	1	183.5	52.75	0	26208.531	602.1505376	15950.31664	30000	0	0	30000	32.0625	2004
11.02.2020 08:35:22	1	1	1	1	183.5	52	0	26303.318	610.7526882	15951.13201	30000	0	0	30000	33.4375	2004
11.02.2020 08:35:23	1	1	1	1	183.5	53.25	0	26350.711	610.7526882	15894.87131	30000	0	0	30000	31.375	2004
11.02.2020 08:35:24	1	1	1	1	183.5	51.25	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	33.1875	2004
11.02.2020 08:35:25	1	1	1	1	183.5	53	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	32.8125	2004
11.02.2020 08:35:26	1	1	1	1	182.8	52.75	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	30.9375	2004
11.02.2020 08:35:27	1	1	1	1	182.8	50.75	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:28	1	1	1	1	182.8	51.75	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	33.125	2004
11.02.2020 08:35:29	1	1	1	1	182.8	53	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	32.5625	2004
11.02.2020 08:35:30	1	1	1	1	182.8	52.5	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	32.125	2004
11.02.2020 08:35:31	1	1	1	1	182.8	52	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	31.625	2004
11.02.2020 08:35:32	1	1	1	1	182.8	51.5	0	26350.711	606.4516129	15951.94738	30000	0	0	30000	32.8125	2004
11.02.2020 08:35:33	1	1	1	1	182.8	52.75	0	26587.678	602.1505376	15837.79523	30000	0	0	30000	32.1875	2004
11.02.2020 08:35:34	1	1	1	1	182.8	52	0	26540.284	610.7526882	15838.61061	30000	0	0	30000	31.625	2004
11.02.2020 08:35:35	1	1	1	1	182.8	51.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.6875	2004
11.02.2020 08:35:36	1	1	1	1	180.8	51.5	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	31.8125	2004
11.02.2020 08:35:37	1	1	1	1	180.8	51.75	0	26540.284	602.1505376	15781.53453	30000	0	0	30000	32.1875	2004
11.02.2020 08:35:43	1	1	1	1	180.8	53.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:43	1	1	1	1	180.8	53.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:43	1	1	1	1	180.8	53.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:43	1	1	1	1	180.8	53.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:43	1	1	1	1	180.8	53.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.9375	2004
11.02.2020 08:35:43	1	1	1	1	180.8	51.75	0	26445.498	602.1505376	16209.60509	30000	0	0	30000	33.375	2004
11.02.2020 08:35:44	1	1	1	1	180.8	53.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	31.75	2004
11.02.2020 08:35:45	1	1	1	1	180.8	51.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	31.875	2004
11.02.2020 08:35:46	1	1	1	1	180	51.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	33.25	2004
11.02.2020 08:35:47	1	1	1	1	180	53.25	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	33	2004
11.02.2020 08:35:48	1	1	1	1	180	53	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	32.9375	2004
11.02.2020 08:35:49	1	1	1	1	180	52.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	33.4375	2004
11.02.2020 08:35:50	1	1	1	1	180	53.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	33.5	2004
11.02.2020 08:35:51	1	1	1	1	180	52.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	30.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:35:52	1	1	1	1	180	50.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	32	2004
11.02.2020 08:35:54	1	1	1	1	180	52	0	26398.104	597.8494624	15895.68668	30000	0	0	30000	32.5625	2004
11.02.2020 08:35:55	1	1	1	1	180	52.5	0	26587.678	602.1505376	16296.03457	30000	0	0	30000	33.75	2004
11.02.2020 08:35:56	1	1	1	1	179	53.75	0	26492.891	597.8494624	15838.61061	30000	0	0	30000	31.1875	2004
11.02.2020 08:35:57	1	1	1	1	179	51	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	33.5625	2004
11.02.2020 08:35:58	1	1	1	1	179	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	32.625	2004
11.02.2020 08:35:59	1	1	1	1	179	52.5	0	26587.678	602.1505376	16181.06705	30000	0	0	30000	33.625	2004
11.02.2020 08:36:00	1	1	1	1	179	53.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	32.4375	2004
11.02.2020 08:36:01	1	1	1	1	179	52.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	33.125	2004
11.02.2020 08:36:02	1	1	1	1	179	53	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	33.375	2004
11.02.2020 08:36:03	1	1	1	1	179	53.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	31.1875	2004
11.02.2020 08:36:04	1	1	1	1	179	51	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	32.8125	2004
11.02.2020 08:36:05	1	1	1	1	179	52.75	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	33.125	2004
11.02.2020 08:36:06	1	1	1	1	178	53	0	26350.711	602.1505376	15838.61061	30000	0	0	30000	32.125	2004
11.02.2020 08:36:07	1	1	1	1	178	52	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	31.75	2004
11.02.2020 08:36:08	1	1	1	1	178	51.75	0	26587.678	600	15951.94738	30000	0	0	30000	32.875	2004
11.02.2020 08:36:09	1	1	1	1	178	52.75	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	32.1875	2004
11.02.2020 08:36:10	1	1	1	1	178	52	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	32.875	2004
11.02.2020 08:36:11	1	1	1	1	178	52.75	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	32.125	2004
11.02.2020 08:36:12	1	1	1	1	178	52	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	31.5	2004
11.02.2020 08:36:13	1	1	1	1	178	51.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	31.5	2004
11.02.2020 08:36:14	1	1	1	1	178	51.5	0	26682.464	600	15951.94738	30000	0	0	30000	33.5625	2004
11.02.2020 08:36:15	1	1	1	1	178	53.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	33.1875	2004
11.02.2020 08:36:16	1	1	1	1	177.3	53	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	33.3125	2004
11.02.2020 08:36:17	1	1	1	1	177.3	53.25	0	26540.284	600	15981.30079	30000	0	0	30000	32	2004
11.02.2020 08:36:18	1	1	1	1	177.3	52	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	33.4375	2004
11.02.2020 08:36:19	1	1	1	1	177.3	53.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	32.4375	2004
11.02.2020 08:36:20	1	1	1	1	177.3	52.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	33.6875	2004
11.02.2020 08:36:21	1	1	1	1	177.3	53.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	32.9375	2004
11.02.2020 08:36:22	1	1	1	1	177.3	52.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	33.25	2004
11.02.2020 08:36:23	1	1	1	1	177.3	53.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	32.3125	2004
11.02.2020 08:36:24	1	1	1	1	177.3	52.25	0	26587.678	600	15951.94738	30000	0	0	30000	32	2004
11.02.2020 08:36:25	1	1	1	1	177.3	52	0	26919.431	602.1505376	15978.85467	30000	0	0	30000	33.9375	2004
11.02.2020 08:36:26	1	1	1	1	177	53.75	0	26587.678	604.3010753	15810.07257	30000	0	0	30000	33.4375	2004
11.02.2020 08:36:27	1	1	1	1	177	53.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	33.75	2004
11.02.2020 08:36:28	1	1	1	1	177	53.25	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	32.3125	2004
11.02.2020 08:36:29	1	1	1	1	177	52.25	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	33.8125	2004
11.02.2020 08:36:31	1	1	1	1	177	53.75	0	26729.858	597.8494624	16008.20808	30000	0	0	30000	33.0625	2004
11.02.2020 08:36:32	1	1	1	1	177	53	0	26919.431	606.4516129	16209.60509	30000	0	0	30000	32.125	2004
11.02.2020 08:36:33	1	1	1	1	177	52	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	31.75	2004
11.02.2020 08:36:34	1	1	1	1	177	51.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	33.0625	2004
11.02.2020 08:36:35	1	1	1	1	177	53	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	33.6875	2004
11.02.2020 08:36:36	1	1	1	1	176	53.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:36:37	1	1	1	1	176	53	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	33.375	2004
11.02.2020 08:36:38	1	1	1	1	176	53.25	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	31.875	2004
11.02.2020 08:36:39	1	1	1	1	176	51.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	31.9375	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:45	1	1	1	1	176	53.75	0	27014.218	602.1505376	16353.11065	30000	0	0	30000	32.125	2004
11.02.2020 08:36:46	1	1	1	1	175.3	52	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	32	2004
11.02.2020 08:36:47	1	1	1	1	175.3	52	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	32.875	2004
11.02.2020 08:36:48	1	1	1	1	175.3	52.75	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	33.625	2004
11.02.2020 08:36:49	1	1	1	1	175.3	53.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	33.75	2004
11.02.2020 08:36:50	1	1	1	1	175.3	53.75	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	32.5625	2004
11.02.2020 08:36:51	1	1	1	1	175.3	52.5	0	26777.251	600	16066.09953	30000	0	0	30000	32.3125	2004
11.02.2020 08:36:52	1	1	1	1	175.3	52.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	31.75	2004
11.02.2020 08:36:53	1	1	1	1	175.3	51.75	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	32.625	2004
11.02.2020 08:36:54	1	1	1	1	175.3	52.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	32.3125	2004
11.02.2020 08:36:55	1	1	1	1	175.3	52.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	32.6875	2004
11.02.2020 08:36:56	1	1	1	1	174.3	52.5	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	33.875	2004
11.02.2020 08:36:57	1	1	1	1	174.3	53.75	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	31.375	2004
11.02.2020 08:36:58	1	1	1	1	174.3	51.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	33.8125	2004
11.02.2020 08:36:59	1	1	1	1	174.3	53.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	32.6875	2004
11.02.2020 08:37:00	1	1	1	1	174.3	52.5	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	31.8125	2004
11.02.2020 08:37:01	1	1	1	1	174.3	51.75	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	31.9375	2004
11.02.2020 08:37:02	1	1	1	1	174.3	51.75	0	26682.464	600	16009.02346	30000	0	0	30000	33.75	2004
11.02.2020 08:37:03	1	1	1	1	174.3	53.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	33.75	2004
11.02.2020 08:37:04	1	1	1	1	174.3	53.75	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	33.5625	2004
11.02.2020 08:37:05	1	1	1	1	174.3	53.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	34.125	2004
11.02.2020 08:37:06	1	1	1	1	173.5	54	0	26587.678	593.5483871	15780.71916	30000	0	0	30000	32.5	2004
11.02.2020 08:37:07	1	1	1	1	173.5	52.5	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	34	2004
11.02.2020 08:37:08	1	1	1	1	173.5	52.5	0	26824.645	604.3010753	15951.13201	30000	0	0	30000	33.125	2004
11.02.2020 08:37:10	1	1	1	1	173.5	53	0	26682.464	593.5483871	15951.13201	30000	0	0	30000	32.1875	2004
11.02.2020 08:37:11	1	1	1	1	173.5	52	0	26682.464	593.5483871	15779.90379	30000	0	0	30000	32.125	2004
11.02.2020 08:37:12	1	1	1	1	173.5	52	0	26919.431	595.6989247	16121.54486	30000	0	0	30000	32.625	2004
11.02.2020 08:37:13	1	1	1	1	173.5	52.5	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	32.6875	2004
11.02.2020 08:37:14	1	1	1	1	173.5	52.5	0	26682.464	595.6989247	16123.99098	30000	0	0	30000	33.5	2004
11.02.2020 08:37:15	1	1	1	1	173.5	53.5	0	26966.825	602.1505376	16179.43631	30000	0	0	30000	32	2004
11.02.2020 08:37:16	1	1	1	1	172.3	52	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	32.6875	2004
11.02.2020 08:37:17	1	1	1	1	172.3	52.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	32.9375	2004
11.02.2020 08:37:18	1	1	1	1	172.3	52.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	31.125	2004
11.02.2020 08:37:19	1	1	1	1	172.3	51	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	32.6875	2004
11.02.2020 08:37:20	1	1	1	1	172.3	52.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	33.875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 08:37:21	1	1	1	1	172.3	53.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	33.25	2004
11.02.2020 08:37:22	1	1	1	1	172.3	53.25	0	26587.678	595.6989247	15894.05593	30000	0	0	30000	32.4375	2004
11.02.2020 08:37:23	1	1	1	1	172.3	52.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	32	2004
11.02.2020 08:37:24	1	1	1	1	172.3	52	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	32	2004
11.02.2020 08:37:25	1	1	1	1	172.3	52	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	33.875	2004
11.02.2020 08:37:26	1	1	1	1	171.3	53.75	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	31.9375	2004
11.02.2020 08:37:27	1	1	1	1	171.3	51.75	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	31.6875	2004
11.02.2020 08:37:28	1	1	1	1	171.3	51.5	0	27061.611	595.6989247	16034.3	30000	0	0	30000	33.8125	2004
11.02.2020 08:37:29	1	1	1	1	171.3	53.75	0	27061.611	593.5483871	15889.97907	30000	0	0	30000	32.5625	2004
11.02.2020 08:37:30	1	1	1	1	171.3	52.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	33.5	2004
11.02.2020 08:37:31	1	1	1	1	171.3	53.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	32.1875	2004
11.02.2020 08:37:32	1	1	1	1	171.3	52	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	32.0625	2004
11.02.2020 08:37:33	1	1	1	1	171.3	52	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	33.1875	2004
11.02.2020 08:37:34	1	1	1	1	171.3	53	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	31.3125	2004
11.02.2020 08:37:35	1	1	1	1	171.3	51.25	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	33.8125	2004
11.02.2020 08:37:36	1	1	1	1	171	53.75	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	31.375	2004
11.02.2020 08:37:37	1	1	1	1	171	51.25	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	32.125	2004
11.02.2020 08:37:38	1	1	1	1	171	52	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	33.375	2004
11.02.2020 08:37:39	1	1	1	1	171	53.25	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	33.875	2004
11.02.2020 08:37:40	1	1	1	1	171	53.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	33.8125	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	54	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	31.75	2004
11.02.2020 08:37:47	1	1	1	1	170	52	0	27109.005	593.5483871	16119.91411	30000	0	0	30000	32.8125	2004
11.02.2020 08:37:49	1	1	1	1	170	52.75	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	32.5625	2004
11.02.2020 08:37:50	1	1	1	1	170	52.5	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	32.125	2004
11.02.2020 08:37:51	1	1	1	1	170	52	0	26919.431	589.2473118	15978.0393	30000	0	0	30000	33.75	2004
11.02.2020 08:37:52	1	1	1	1	170	53.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	32.3125	2004
11.02.2020 08:37:53	1	1	1	1	170	52.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.0625	2004
11.02.2020 08:37:54	1	1	1	1	170	53	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.4375	2004
11.02.2020 08:37:55	1	1	1	1	170	52.25	0	26919.431	589.2473118	16035.93075	30000	0	0	30000	32.75	2004
11.02.2020 08:37:56	1	1	1	1	169.3	52.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	33.25	2004
11.02.2020 08:37:57	1	1	1	1	169.3	53.25	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	33.125	2004
11.02.2020 08:37:58	1	1	1	1	169.3	53	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	32.125	2004
11.02.2020 08:37:59	1	1	1	1	169.3	52	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	33.75	2004
11.02.2020 08:38:00	1	1	1	1	169.3	53.75	0	27061.611	593.5483871	16005.76197	30000	0	0	30000	32.6875	2004
11.02.2020 08:38:01	1	1	1	1	169.3	52.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	32.4375	2004
11.02.2020 08:38:02	1	1	1	1	169.3	52.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	32.4375	2004
11.02.2020 08:38:03	1	1	1	1	169.3	52.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	31.625	2004
11.02.2020 08:38:04	1	1	1	1	169.3	51.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	33.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:38:05	1	1	1	1	169.3	53.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	33.5	2004
11.02.2020 08:38:06	1	1	1	1	168.3	53.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.3125	2004
11.02.2020 08:38:07	1	1	1	1	168.3	51.25	0	27061.611	580.6451613	16001.6851	30000	0	0	30000	31.625	2004
11.02.2020 08:38:08	1	1	1	1	168.3	51.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.9375	2004
11.02.2020 08:38:09	1	1	1	1	168.3	53.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.0625	2004
11.02.2020 08:38:10	1	1	1	1	168.3	54	0	27014.218	593.5483871	16004.13122	30000	0	0	30000	33.125	2004
11.02.2020 08:38:11	1	1	1	1	168.3	53	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	34	2004
11.02.2020 08:38:12	1	1	1	1	168.3	54	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	33.375	2004
11.02.2020 08:38:13	1	1	1	1	168.3	53.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	33.8125	2004
11.02.2020 08:38:14	1	1	1	1	168.3	53.75	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	34	2004
11.02.2020 08:38:15	1	1	1	1	168.3	54	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	33.1875	2004
11.02.2020 08:38:16	1	1	1	1	168.5	53	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	32.25	2004
11.02.2020 08:38:17	1	1	1	1	168.5	52.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	33.5	2004
11.02.2020 08:38:18	1	1	1	1	168.5	53.5	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	32.0625	2004
11.02.2020 08:38:19	1	1	1	1	168.5	52	0	27156.398	591.3978495	16026.96165	30000	0	0	30000	32.8125	2004
11.02.2020 08:38:20	1	1	1	1	168.5	52.75	0	27061.611	587.0967742	15947.87052	30000	0	0	30000	32.4375	2004
11.02.2020 08:38:21	1	1	1	1	168.5	52.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	32.75	2004
11.02.2020 08:38:22	1	1	1	1	168.5	52.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:23	1	1	1	1	168.5	52.75	0	27014.218	591.3978495	16236.51238	30000	0	0	30000	33.125	2004
11.02.2020 08:38:24	1	1	1	1	168.5	53	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:26	1	1	1	1	167.3	52.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.3125	2004
11.02.2020 08:38:27	1	1	1	1	167.3	52.25	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	33.125	2004
11.02.2020 08:38:28	1	1	1	1	167.3	53	0	27156.398	595.6989247	16148.45215	30000	0	0	30000	32.8125	2004
11.02.2020 08:38:29	1	1	1	1	167.3	52.75	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	33.625	2004
11.02.2020 08:38:30	1	1	1	1	167.3	53.5	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	31.75	2004
11.02.2020 08:38:31	1	1	1	1	167.3	51.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34	2004
11.02.2020 08:38:32	1	1	1	1	167.3	54	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34	2004
11.02.2020 08:38:33	1	1	1	1	167.3	54	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	33.1875	2004
11.02.2020 08:38:34	1	1	1	1	167.3	53	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	31.3125	2004
11.02.2020 08:38:35	1	1	1	1	167.3	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.1875	2004
11.02.2020 08:38:36	1	1	1	1	167	52	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	31.8125	2004
11.02.2020 08:38:37	1	1	1	1	167	51.75	0	27298.578	593.5483871	16203.08211	30000	0	0	30000	33.9375	2004
11.02.2020 08:38:38	1	1	1	1	167	53.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	33.4375	2004
11.02.2020 08:38:39	1	1	1	1	167	53.25	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	33.75	2004
11.02.2020 08:38:40	1	1	1	1	167	53.75	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	33.8125	2004
11.02.2020 08:38:41	1	1	1	1	167	53.75	0	27298.578	591.3978495	15915.25562	30000	0	0	30000	31.8125	2004
11.02.2020 08:38:42	1	1	1	1	167	51.75	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	31.25	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004
11.02.2020 08:38:48	1	1	1	1	167	52.5	0	27156.398	591.3978495	15915.25562	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:38:49	1	1	1	1	167	52.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	32.875	2004
11.02.2020 08:38:50	1	1	1	1	167	52.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.5	2004
11.02.2020 08:38:51	1	1	1	1	167	53.5	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	31.1875	2004
11.02.2020 08:38:52	1	1	1	1	167	51	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	33.1875	2004
11.02.2020 08:38:53	1	1	1	1	167	53	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.5625	2004
11.02.2020 08:38:54	1	1	1	1	167	52.5	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	31.6875	2004
11.02.2020 08:38:55	1	1	1	1	167	51.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	33.125	2004
11.02.2020 08:38:56	1	1	1	1	166	53	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	33.25	2004
11.02.2020 08:38:57	1	1	1	1	166	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
11.02.2020 08:38:58	1	1	1	1	166	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.5	2004
11.02.2020 08:38:59	1	1	1	1	166	52.5	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	33.8125	2004
11.02.2020 08:39:00	1	1	1	1	166	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.125	2004
11.02.2020 08:39:01	1	1	1	1	166	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.9375	2004
11.02.2020 08:39:02	1	1	1	1	166	53.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.6875	2004
11.02.2020 08:39:03	1	1	1	1	166	53.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	34.125	2004
11.02.2020 08:39:04	1	1	1	1	166	54	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	34.25	2004
11.02.2020 08:39:05	1	1	1	1	166	54.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	33.75	2004
11.02.2020 08:39:07	1	1	1	1	167	53.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.75	2004
11.02.2020 08:39:08	1	1	1	1	167	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
11.02.2020 08:39:09	1	1	1	1	167	53.75	0	27298.578	584.9462366	16172.09795	30000	0	0	30000	33.1875	2004
11.02.2020 08:39:10	1	1	1	1	167	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34	2004
11.02.2020 08:39:11	1	1	1	1	167	54	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	34.0625	2004
11.02.2020 08:39:12	1	1	1	1	167	54	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	31.75	2004
11.02.2020 08:39:13	1	1	1	1	167	51.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	33.5625	2004
11.02.2020 08:39:14	1	1	1	1	167	53.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.0625	2004
11.02.2020 08:39:15	1	1	1	1	167	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
11.02.2020 08:39:16	1	1	1	1	166.3	52.5	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	32.4375	2004
11.02.2020 08:39:17	1	1	1	1	166.3	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.9375	2004
11.02.2020 08:39:18	1	1	1	1	166.3	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.6875	2004
11.02.2020 08:39:19	1	1	1	1	166.3	53.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
11.02.2020 08:39:20	1	1	1	1	166.3	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.6875	2004
11.02.2020 08:39:21	1	1	1	1	166.3	51.5	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	33.1875	2004
11.02.2020 08:39:22	1	1	1	1	166.3	53	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.1875	2004
11.02.2020 08:39:23	1	1	1	1	166.3	53	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	33.625	2004
11.02.2020 08:39:24	1	1	1	1	166.3	53.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.4375	2004
11.02.2020 08:39:25	1	1	1	1	166.3	52.25	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	33.9375	2004
11.02.2020 08:39:26	1	1	1	1	164.5	53.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.125	2004
11.02.2020 08:39:27	1	1	1	1	164.5	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33	2004
11.02.2020 08:39:28	1	1	1	1	164.5	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.875	2004
11.02.2020 08:39:29	1	1	1	1	164.5	53.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	31.3125	2004
11.02.2020 08:39:30	1	1	1	1	164.5	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
11.02.2020 08:39:31	1	1	1	1	164.5	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
11.02.2020 08:39:32	1	1	1	1	164.5	52.75	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	32.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:39:33	1	1	1	1	164.5	52.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	32.1875	2004
11.02.2020 08:39:34	1	1	1	1	164.5	52	0	27440.758	591.3978495	16110.12964	30000	0	0	30000	31.9375	2004
11.02.2020 08:39:35	1	1	1	1	164.5	51.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.9375	2004
11.02.2020 08:39:36	1	1	1	1	164	53.75	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	34.25	2004
11.02.2020 08:39:37	1	1	1	1	164	54.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34	2004
11.02.2020 08:39:38	1	1	1	1	164	54	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.375	2004
11.02.2020 08:39:39	1	1	1	1	164	54.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	33.1875	2004
11.02.2020 08:39:40	1	1	1	1	164	53	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	33.375	2004
11.02.2020 08:39:41	1	1	1	1	164	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34	2004
11.02.2020 08:39:42	1	1	1	1	164	54	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	33.4375	2004
11.02.2020 08:39:43	1	1	1	1	164	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.4375	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:50	1	1	1	1	163	54	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	34	2004
11.02.2020 08:39:51	1	1	1	1	163	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.5	2004
11.02.2020 08:39:52	1	1	1	1	163	53.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
11.02.2020 08:39:53	1	1	1	1	163	53	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33	2004
11.02.2020 08:39:54	1	1	1	1	163	53	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.8125	2004
11.02.2020 08:39:55	1	1	1	1	163	52.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	34	2004
11.02.2020 08:39:56	1	1	1	1	162.5	54	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.375	2004
11.02.2020 08:39:57	1	1	1	1	162.5	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.75	2004
11.02.2020 08:39:58	1	1	1	1	162.5	52.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.25	2004
11.02.2020 08:39:59	1	1	1	1	162.5	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33	2004
11.02.2020 08:40:00	1	1	1	1	162.5	53	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	32.875	2004
11.02.2020 08:40:01	1	1	1	1	162.5	52.75	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	33.6875	2004
11.02.2020 08:40:02	1	1	1	1	162.5	53.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.6875	2004
11.02.2020 08:40:03	1	1	1	1	162.5	53.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.375	2004
11.02.2020 08:40:04	1	1	1	1	162.5	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.5625	2004
11.02.2020 08:40:05	1	1	1	1	162.5	52.5	0	27156.398	582.7956989	15885.08684	30000	0	0	30000	31.9375	2004
11.02.2020 08:40:06	1	1	1	1	161	51.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.625	2004
11.02.2020 08:40:07	1	1	1	1	161	53.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	32.75	2004
11.02.2020 08:40:08	1	1	1	1	161	52.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.3125	2004
11.02.2020 08:40:09	1	1	1	1	161	53.25	0	27345.972	578.4946237	15792.13437	30000	0	0	30000	33	2004
11.02.2020 08:40:10	1	1	1	1	161	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.1875	2004
11.02.2020 08:40:11	1	1	1	1	161	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34	2004
11.02.2020 08:40:12	1	1	1	1	161	54	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	31.6875	2004
11.02.2020 08:40:13	1	1	1	1	161	51.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	33.625	2004
11.02.2020 08:40:14	1	1	1	1	161	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.5625	2004
11.02.2020 08:40:15	1	1	1	1	161	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.25	2004
11.02.2020 08:40:16	1	1	1	1	161.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:40:17	1	1	1	1	161.8	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.875	2004
11.02.2020 08:40:18	1	1	1	1	161.8	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.8125	2004
11.02.2020 08:40:19	1	1	1	1	161.8	51.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.0625	2004
11.02.2020 08:40:20	1	1	1	1	161.8	54	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.4375	2004
11.02.2020 08:40:21	1	1	1	1	161.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.375	2004
11.02.2020 08:40:23	1	1	1	1	161.8	53.75	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	34.1875	2004
11.02.2020 08:40:24	1	1	1	1	161.8	54	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	32.6875	2004
11.02.2020 08:40:25	1	1	1	1	161.8	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32	2004
11.02.2020 08:40:26	1	1	1	1	161.3	52	0	27156.398	584.9462366	16144.37529	30000	0	0	30000	34	2004
11.02.2020 08:40:27	1	1	1	1	161.3	54	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.4375	2004
11.02.2020 08:40:28	1	1	1	1	161.3	54.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.5	2004
11.02.2020 08:40:29	1	1	1	1	161.3	53.5	0	27156.398	574.1935484	15968.25483	30000	0	0	30000	34.1875	2004
11.02.2020 08:40:30	1	1	1	1	161.3	54	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.9375	2004
11.02.2020 08:40:31	1	1	1	1	161.3	53.75	0	27345.972	589.2473118	15995.9775	30000	0	0	30000	33.4375	2004
11.02.2020 08:40:32	1	1	1	1	161.3	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.9375	2004
11.02.2020 08:40:33	1	1	1	1	161.3	53.75	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	33.6875	2004
11.02.2020 08:40:34	1	1	1	1	161.3	53.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.875	2004
11.02.2020 08:40:35	1	1	1	1	161.3	53.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	34.1875	2004
11.02.2020 08:40:36	1	1	1	1	162.3	54	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.3125	2004
11.02.2020 08:40:37	1	1	1	1	162.3	54.25	0	27109.005	580.6451613	15826.38002	30000	0	0	30000	33.0625	2004
11.02.2020 08:40:38	1	1	1	1	162.3	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	34.3125	2004
11.02.2020 08:40:39	1	1	1	1	162.3	54.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.3125	2004
11.02.2020 08:40:40	1	1	1	1	162.3	54.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.375	2004
11.02.2020 08:40:41	1	1	1	1	162.3	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.375	2004
11.02.2020 08:40:42	1	1	1	1	162.3	54.25	0	27630.332	587.0967742	16193.29764	30000	0	0	30000	33.0625	2004
11.02.2020 08:40:43	1	1	1	1	162.3	53	0	27440.758	576.344086	16134.59082	30000	0	0	30000	34.375	2004
11.02.2020 08:40:44	1	1	1	1	162.3	54.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.6875	2004
11.02.2020 08:40:45	1	1	1	1	162.3	53.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	32.8125	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5625	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5625	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5625	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5625	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	33.5625	2004
11.02.2020 08:40:51	1	1	1	1	161.5	53.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	34.3125	2004
11.02.2020 08:40:52	1	1	1	1	161.5	54.25	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	32.9375	2004
11.02.2020 08:40:53	1	1	1	1	161.5	52.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.375	2004
11.02.2020 08:40:54	1	1	1	1	161.5	54.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	33.4375	2004
11.02.2020 08:40:55	1	1	1	1	161.5	53.25	0	27440.758	576.344086	16051.42282	30000	0	0	30000	34.375	2004
11.02.2020 08:40:56	1	1	1	1	161	54.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	32.625	2004
11.02.2020 08:40:57	1	1	1	1	161	52.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	33.0625	2004
11.02.2020 08:40:58	1	1	1	1	161	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.0625	2004
11.02.2020 08:40:59	1	1	1	1	161	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.8125	2004
11.02.2020 08:41:00	1	1	1	1	161	53.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:41:01	1	1	1	1	161	53.75	0	27440.758	593.5483871	16051.42282	30000	0	0	30000	33	2004
11.02.2020 08:41:02	1	1	1	1	161	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.375	2004
11.02.2020 08:41:04	1	1	1	1	161	53.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	33.8125	2004
11.02.2020 08:41:05	1	1	1	1	161	53.5	0	27061.611	578.4946237	15798.65735	30000	0	0	30000	34.3125	2004
11.02.2020 08:41:06	1	1	1	1	160.5	54.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
11.02.2020 08:41:07	1	1	1	1	160.5	53.5	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	32.1875	2004
11.02.2020 08:41:08	1	1	1	1	160.5	52	0	27298.578	584.9462366	15912.8095	30000	0	0	30000	34.125	2004
11.02.2020 08:41:09	1	1	1	1	160.5	54	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.3125	2004
11.02.2020 08:41:10	1	1	1	1	160.5	54.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	34.25	2004
11.02.2020 08:41:11	1	1	1	1	160.5	54.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	34.5625	2004
11.02.2020 08:41:12	1	1	1	1	160.5	54.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.625	2004
11.02.2020 08:41:13	1	1	1	1	160.5	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:14	1	1	1	1	160.5	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.75	2004
11.02.2020 08:41:15	1	1	1	1	160.5	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.8125	2004
11.02.2020 08:41:16	1	1	1	1	160.5	53.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	33.625	2004
11.02.2020 08:41:17	1	1	1	1	160.5	53.5	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	34.3125	2004
11.02.2020 08:41:18	1	1	1	1	160.5	54.25	0	27345.972	584.9462366	16023.70016	30000	0	0	30000	32.25	2004
11.02.2020 08:41:19	1	1	1	1	160.5	52.25	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	34.5625	2004
11.02.2020 08:41:20	1	1	1	1	160.5	54.5	0	27061.611	584.9462366	15915.25562	30000	0	0	30000	34.375	2004
11.02.2020 08:41:21	1	1	1	1	160.5	54.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	32.6875	2004
11.02.2020 08:41:22	1	1	1	1	160.5	52.5	0	27061.611	589.2473118	15829.64151	30000	0	0	30000	34.3125	2004
11.02.2020 08:41:23	1	1	1	1	160.5	54.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.0625	2004
11.02.2020 08:41:24	1	1	1	1	160.5	54	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	33.4375	2004
11.02.2020 08:41:25	1	1	1	1	160.5	53.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	33.625	2004
11.02.2020 08:41:26	1	1	1	1	159.8	53.5	0	26919.431	595.6989247	16005.76197	30000	0	0	30000	32.5	2004
11.02.2020 08:41:27	1	1	1	1	159.8	52.5	0	26966.825	595.6989247	15804.36496	30000	0	0	30000	34.4375	2004
11.02.2020 08:41:28	1	1	1	1	159.8	54.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.3125	2004
11.02.2020 08:41:29	1	1	1	1	159.8	54.25	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	33.625	2004
11.02.2020 08:41:30	1	1	1	1	159.8	53.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	34.4375	2004
11.02.2020 08:41:31	1	1	1	1	159.8	54.25	0	27061.611	587.0967742	15973.96244	30000	0	0	30000	34.375	2004
11.02.2020 08:41:32	1	1	1	1	159.8	54.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.25	2004
11.02.2020 08:41:33	1	1	1	1	159.8	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.25	2004
11.02.2020 08:41:34	1	1	1	1	159.8	54.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	33.3125	2004
11.02.2020 08:41:35	1	1	1	1	159.8	53.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.8125	2004
11.02.2020 08:41:36	1	1	1	1	160.3	52.75	0	27109.005	591.3978495	15915.25562	30000	0	0	30000	34.375	2004
11.02.2020 08:41:37	1	1	1	1	160.3	54.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	34.4375	2004
11.02.2020 08:41:38	1	1	1	1	160.3	54.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	34.25	2004
11.02.2020 08:41:39	1	1	1	1	160.3	54.25	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	33.875	2004
11.02.2020 08:41:40	1	1	1	1	160.3	53.75	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	34.625	2004
11.02.2020 08:41:42	1	1	1	1	160.3	54.5	0	26777.251	584.9462366	15778.27304	30000	0	0	30000	34.5625	2004
11.02.2020 08:41:43	1	1	1	1	160.3	54.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	33.1875	2004
11.02.2020 08:41:44	1	1	1	1	160.3	53	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	34.375	2004
11.02.2020 08:41:45	1	1	1	1	160.3	54.25	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:41:46	1	1	1	1	160.8	54	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.875	2004
11.02.2020 08:41:47	1	1	1	1	160.8	53.75	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:53	1	1	1	1	160.8	54.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:53	1	1	1	1	160.8	54.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:53	1	1	1	1	160.8	54.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:53	1	1	1	1	160.8	54.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.6875	2004
11.02.2020 08:41:53	1	1	1	1	160.8	53.5	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	33.375	2004
11.02.2020 08:41:54	1	1	1	1	160.8	53.25	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	34.25	2004
11.02.2020 08:41:55	1	1	1	1	160.8	54.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	34.375	2004
11.02.2020 08:41:56	1	1	1	1	160	54.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.375	2004
11.02.2020 08:41:57	1	1	1	1	160	53.25	0	26777.251	593.5483871	15836.97986	30000	0	0	30000	34.5625	2004
11.02.2020 08:41:58	1	1	1	1	160	54.5	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	32.75	2004
11.02.2020 08:41:59	1	1	1	1	160	52.75	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	33.6875	2004
11.02.2020 08:42:00	1	1	1	1	160	53.5	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	34.375	2004
11.02.2020 08:42:01	1	1	1	1	160	54.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.4375	2004
11.02.2020 08:42:02	1	1	1	1	160	54.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	32.5625	2004
11.02.2020 08:42:03	1	1	1	1	160	52.5	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	33.0625	2004
11.02.2020 08:42:04	1	1	1	1	160	53	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	34.5	2004
11.02.2020 08:42:05	1	1	1	1	160	54.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.6875	2004
11.02.2020 08:42:06	1	1	1	1	160.5	53.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	34.375	2004
11.02.2020 08:42:07	1	1	1	1	160.5	54.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	32.9375	2004
11.02.2020 08:42:08	1	1	1	1	160.5	52.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	34.0625	2004
11.02.2020 08:42:09	1	1	1	1	160.5	54	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	34.0625	2004
11.02.2020 08:42:10	1	1	1	1	160.5	54	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	33.75	2004
11.02.2020 08:42:11	1	1	1	1	160.5	53.75	0	26587.678	597.8494624	15780.71916	30000	0	0	30000	33.375	2004
11.02.2020 08:42:12	1	1	1	1	160.5	53.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	33.5	2004
11.02.2020 08:42:13	1	1	1	1	160.5	53.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:14	1	1	1	1	160.5	54	0	26729.858	602.1505376	16123.99098	30000	0	0	30000	34.3125	2004
11.02.2020 08:42:15	1	1	1	1	160.5	54.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	33.625	2004
11.02.2020 08:42:16	1	1	1	1	160	53.5	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	34	2004
11.02.2020 08:42:17	1	1	1	1	160	54	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	34	2004
11.02.2020 08:42:18	1	1	1	1	160	54	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	33.375	2004
11.02.2020 08:42:19	1	1	1	1	160	53.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	33.4375	2004
11.02.2020 08:42:20	1	1	1	1	160	53.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	33.9375	2004
11.02.2020 08:42:21	1	1	1	1	160	53.75	0	26824.645	602.1505376	16008.20808	30000	0	0	30000	34.5	2004
11.02.2020 08:42:22	1	1	1	1	160	54.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	33.75	2004
11.02.2020 08:42:24	1	1	1	1	160	53.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	33.9375	2004
11.02.2020 08:42:25	1	1	1	1	160	53.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	34.625	2004
11.02.2020 08:42:26	1	1	1	1	160.8	54.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	33.8125	2004
11.02.2020 08:42:27	1	1	1	1	160.8	53.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	34.625	2004
11.02.2020 08:42:28	1	1	1	1	160.8	54.5	0	26777.251	600	16008.20808	30000	0	0	30000	33.625	2004
11.02.2020 08:42:29	1	1	1	1	160.8	53.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	33.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:42:30	1	1	1	1	160.8	53.5	0	26777.251	602.1505376	16008.20808	30000	0	0	30000	34.625	2004
11.02.2020 08:42:31	1	1	1	1	160.8	54.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	34.0625	2004
11.02.2020 08:42:32	1	1	1	1	160.8	54	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	34.3125	2004
11.02.2020 08:42:33	1	1	1	1	160.8	54.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.375	2004
11.02.2020 08:42:34	1	1	1	1	160.8	54.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	34.5625	2004
11.02.2020 08:42:35	1	1	1	1	160.8	54.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	34	2004
11.02.2020 08:42:36	1	1	1	1	160.5	54	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	34.375	2004
11.02.2020 08:42:37	1	1	1	1	160.5	54.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	34.5625	2004
11.02.2020 08:42:38	1	1	1	1	160.5	54.5	0	26635.071	591.3978495	16123.99098	30000	0	0	30000	34.5625	2004
11.02.2020 08:42:39	1	1	1	1	160.5	54.5	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	33.875	2004
11.02.2020 08:42:40	1	1	1	1	160.5	53.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:41	1	1	1	1	160.5	54	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	33.75	2004
11.02.2020 08:42:42	1	1	1	1	160.5	53.75	0	26682.464	597.8494624	16181.06705	30000	0	0	30000	33.75	2004
11.02.2020 08:42:43	1	1	1	1	160.5	53.75	0	26729.858	597.8494624	16123.99098	30000	0	0	30000	33.8125	2004
11.02.2020 08:42:44	1	1	1	1	160.5	53.75	0	26492.891	597.8494624	15952.76275	30000	0	0	30000	34.125	2004
11.02.2020 08:42:45	1	1	1	1	160.5	54	0	26682.464	597.8494624	15836.97986	30000	0	0	30000	33.75	2004
11.02.2020 08:42:46	1	1	1	1	161.3	53.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.6875	2004
11.02.2020 08:42:47	1	1	1	1	161.3	54.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	34.625	2004
11.02.2020 08:42:48	1	1	1	1	161.3	54.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	34.5	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:54	1	1	1	1	161.3	53.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:42:55	1	1	1	1	161.3	54	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	33.6875	2004
11.02.2020 08:42:56	1	1	1	1	161.5	53.5	0	26540.284	600	16038.37687	30000	0	0	30000	34	2004
11.02.2020 08:42:57	1	1	1	1	161.5	54	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	34.5625	2004
11.02.2020 08:42:58	1	1	1	1	161.5	54.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	34.3125	2004
11.02.2020 08:42:59	1	1	1	1	161.5	54.25	0	26587.678	604.3010753	16123.99098	30000	0	0	30000	34.375	2004
11.02.2020 08:43:00	1	1	1	1	161.5	54.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	33.8125	2004
11.02.2020 08:43:01	1	1	1	1	161.5	53.75	0	26824.645	593.5483871	16065.28416	30000	0	0	30000	34.625	2004
11.02.2020 08:43:03	1	1	1	1	161.5	54.5	0	26540.284	597.8494624	15752.99649	30000	0	0	30000	34.1875	2004
11.02.2020 08:43:04	1	1	1	1	161.5	54	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	34.25	2004
11.02.2020 08:43:05	1	1	1	1	161.5	53.5	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	34.5	2004
11.02.2020 08:43:06	1	1	1	1	161.3	54.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.1875	2004
11.02.2020 08:43:07	1	1	1	1	161.3	54	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	34.3125	2004
11.02.2020 08:43:08	1	1	1	1	161.3	54.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	34.375	2004
11.02.2020 08:43:09	1	1	1	1	161.3	54.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.1875	2004
11.02.2020 08:43:10	1	1	1	1	161.3	54	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.1875	2004
11.02.2020 08:43:11	1	1	1	1	161.3	54	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	34.625	2004
11.02.2020 08:43:12	1	1	1	1	161.3	54.5	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	33.8125	2004
11.02.2020 08:43:13	1	1	1	1	161.3	53.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	33.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:43:14	1	1	1	1	161.3	53	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	34	2004
11.02.2020 08:43:15	1	1	1	1	161.3	54	0	26492.891	604.3010753	16209.60509	30000	0	0	30000	33.3125	2004
11.02.2020 08:43:16	1	1	1	1	161.3	53.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	33.6875	2004
11.02.2020 08:43:17	1	1	1	1	161.3	53.5	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	34.0625	2004
11.02.2020 08:43:18	1	1	1	1	161.3	54	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	33.6875	2004
11.02.2020 08:43:19	1	1	1	1	161.3	53.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	32.9375	2004
11.02.2020 08:43:20	1	1	1	1	161.3	52.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	34.4375	2004
11.02.2020 08:43:21	1	1	1	1	161.3	54.25	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	34.5625	2004
11.02.2020 08:43:22	1	1	1	1	161.3	54.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	33.1875	2004
11.02.2020 08:43:23	1	1	1	1	161.3	53	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	34.25	2004
11.02.2020 08:43:24	1	1	1	1	161.3	54.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	34.4375	2004
11.02.2020 08:43:25	1	1	1	1	161.3	54.25	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	34.6875	2004
11.02.2020 08:43:26	1	1	1	1	162	54.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.25	2004
11.02.2020 08:43:27	1	1	1	1	162	54.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	34.125	2004
11.02.2020 08:43:28	1	1	1	1	162	54	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.5625	2004
11.02.2020 08:43:29	1	1	1	1	162	54.5	0	26777.251	604.3010753	16066.9149	30000	0	0	30000	34.5625	2004
11.02.2020 08:43:30	1	1	1	1	162	54.5	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	33.9375	2004
11.02.2020 08:43:31	1	1	1	1	162	53.75	0	26208.531	604.3010753	15866.33327	30000	0	0	30000	32.625	2004
11.02.2020 08:43:32	1	1	1	1	162	52.5	0	26398.104	602.1505376	15923.40934	30000	0	0	30000	33.5	2004
11.02.2020 08:43:33	1	1	1	1	162	53.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	34.1875	2004
11.02.2020 08:43:34	1	1	1	1	162	54	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	34.125	2004
11.02.2020 08:43:35	1	1	1	1	162	54	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	34.3125	2004
11.02.2020 08:43:36	1	1	1	1	161.8	54.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	34.375	2004
11.02.2020 08:43:37	1	1	1	1	161.8	54.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	34.6875	2004
11.02.2020 08:43:38	1	1	1	1	161.8	54.5	0	26777.251	602.1505376	16209.60509	30000	0	0	30000	34.9375	2004
11.02.2020 08:43:40	1	1	1	1	161.8	54.75	0	26492.891	604.3010753	15981.30079	30000	0	0	30000	34.5625	2004
11.02.2020 08:43:41	1	1	1	1	161.8	54.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	34.625	2004
11.02.2020 08:43:42	1	1	1	1	161.8	54	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	34.0625	2004
11.02.2020 08:43:43	1	1	1	1	161.8	54	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	34.625	2004
11.02.2020 08:43:44	1	1	1	1	161.8	54.5	0	26540.284	602.1505376	16095.45294	30000	0	0	30000	34.75	2004
11.02.2020 08:43:45	1	1	1	1	161.8	54.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.0625	2004
11.02.2020 08:43:46	1	1	1	1	162.3	54	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	33.5	2004
11.02.2020 08:43:47	1	1	1	1	162.3	53.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	34.25	2004
11.02.2020 08:43:48	1	1	1	1	162.3	54.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.75	2004
11.02.2020 08:43:49	1	1	1	1	162.3	54.75	0	26682.464	602.1505376	16238.9585	30000	0	0	30000	33.875	2004
11.02.2020 08:43:50	1	1	1	1	162.3	53.75	0	26682.464	600	16066.9149	30000	0	0	30000	34.75	2004
11.02.2020 08:43:56	1	1	1	1	162.3	54	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	33.5	2004
11.02.2020 08:43:56	1	1	1	1	162.3	53.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	34.5	2004
11.02.2020 08:43:56	1	1	1	1	162.3	53.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	34.5	2004
11.02.2020 08:43:56	1	1	1	1	162.3	53.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	34.5	2004
11.02.2020 08:43:56	1	1	1	1	162.3	53.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	34.5	2004
11.02.2020 08:43:56	1	1	1	1	162.3	53.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	34.5	2004
11.02.2020 08:43:57	1	1	1	1	162.3	54.5	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	34.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:43:58	1	1	1	1	162.3	54.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	34.8125	2004
11.02.2020 08:43:59	1	1	1	1	162.3	54.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	34.25	2004
11.02.2020 08:44:00	1	1	1	1	162.3	54.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	33.9375	2004
11.02.2020 08:44:01	1	1	1	1	162.3	53.75	0	26350.711	608.6021505	16093.82219	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:02	1	1	1	1	162.3	54.5	0	26398.104	608.6021505	15894.87131	30000	0	0	30000	34.0625	2004
11.02.2020 08:44:03	1	1	1	1	162.3	54	0	26350.711	604.3010753	15980.48542	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:04	1	1	1	1	162.3	54.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:05	1	1	1	1	162.3	54.5	0	26540.284	597.8494624	15981.30079	30000	0	0	30000	34.625	2004
11.02.2020 08:44:06	1	1	1	1	162.3	54.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	34.375	2004
11.02.2020 08:44:07	1	1	1	1	162.3	54.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	33.25	2004
11.02.2020 08:44:08	1	1	1	1	162.3	53.25	0	26350.711	597.8494624	16122.36023	30000	0	0	30000	33.125	2004
11.02.2020 08:44:09	1	1	1	1	162.3	53	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	34.5	2004
11.02.2020 08:44:10	1	1	1	1	162.3	54.5	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	34.125	2004
11.02.2020 08:44:11	1	1	1	1	162.3	54	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	34.1875	2004
11.02.2020 08:44:12	1	1	1	1	162.3	54	0	26492.891	604.3010753	15952.76275	30000	0	0	30000	34.625	2004
11.02.2020 08:44:13	1	1	1	1	162.3	54.5	0	26540.284	608.6021505	15981.30079	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:14	1	1	1	1	162.3	54.25	0	26492.891	604.3010753	15924.22472	30000	0	0	30000	34.625	2004
11.02.2020 08:44:15	1	1	1	1	162.3	54.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:16	1	1	1	1	162.5	54.5	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	34.0625	2004
11.02.2020 08:44:17	1	1	1	1	162.5	54	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	34.25	2004
11.02.2020 08:44:19	1	1	1	1	162.5	54.25	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	33.3125	2004
11.02.2020 08:44:20	1	1	1	1	162.5	53.25	0	26492.891	604.3010753	15981.30079	30000	0	0	30000	34.875	2004
11.02.2020 08:44:21	1	1	1	1	162.5	54.75	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:22	1	1	1	1	162.5	54	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:23	1	1	1	1	162.5	54.5	0	26540.284	612.9032258	16009.02346	30000	0	0	30000	34.75	2004
11.02.2020 08:44:24	1	1	1	1	162.5	54.75	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	34.5625	2004
11.02.2020 08:44:25	1	1	1	1	162.5	54.5	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	33.8125	2004
11.02.2020 08:44:26	1	1	1	1	162.5	53.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	34.8125	2004
11.02.2020 08:44:27	1	1	1	1	162.5	54.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	34.75	2004
11.02.2020 08:44:28	1	1	1	1	162.5	54.75	0	26445.498	615.0537634	16036.74612	30000	0	0	30000	34.5625	2004
11.02.2020 08:44:29	1	1	1	1	162.5	54.5	0	26255.924	597.8494624	15894.87131	30000	0	0	30000	34.625	2004
11.02.2020 08:44:30	1	1	1	1	162.5	54.5	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	34.5	2004
11.02.2020 08:44:31	1	1	1	1	162.5	54.5	0	26540.284	604.3010753	16009.02346	30000	0	0	30000	33.3125	2004
11.02.2020 08:44:32	1	1	1	1	162.5	53.25	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	33.875	2004
11.02.2020 08:44:33	1	1	1	1	162.5	53.75	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	34.5625	2004
11.02.2020 08:44:34	1	1	1	1	162.5	54.5	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	34.5625	2004
11.02.2020 08:44:35	1	1	1	1	162.5	54.5	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	34.125	2004
11.02.2020 08:44:36	1	1	1	1	163.3	54	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	33.75	2004
11.02.2020 08:44:37	1	1	1	1	163.3	53.75	0	26208.531	608.6021505	15950.31664	30000	0	0	30000	34.75	2004
11.02.2020 08:44:38	1	1	1	1	163.3	54.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	33.75	2004
11.02.2020 08:44:39	1	1	1	1	163.3	53.75	0	26208.531	610.7526882	15892.42519	30000	0	0	30000	34.5	2004
11.02.2020 08:44:40	1	1	1	1	163.3	54.5	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	33.875	2004
11.02.2020 08:44:41	1	1	1	1	163.3	53.75	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:44:42	1	1	1	1	163.3	54.75	0	26350.711	608.6021505	16122.36023	30000	0	0	30000	34.3125	2004
11.02.2020 08:44:43	1	1	1	1	163.3	54.25	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	34.125	2004
11.02.2020 08:44:44	1	1	1	1	163.3	54	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:45	1	1	1	1	163.3	54.25	0	26492.891	608.6021505	16094.63757	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:46	1	1	1	1	163	54.5	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	34	2004
11.02.2020 08:44:47	1	1	1	1	163	54	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	34.125	2004
11.02.2020 08:44:48	1	1	1	1	163	54	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	34.875	2004
11.02.2020 08:44:49	1	1	1	1	163	54.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	32.8125	2004
11.02.2020 08:44:50	1	1	1	1	163	52.75	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	34.6875	2004
11.02.2020 08:44:51	1	1	1	1	163	54.5	0	26303.318	606.4516129	16036.74612	30000	0	0	30000	33.3125	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:58	1	1	1	1	163	54.5	0	26113.744	604.3010753	15892.42519	30000	0	0	30000	34.4375	2004
11.02.2020 08:44:59	1	1	1	1	163	54.25	0	26303.318	608.6021505	15951.13201	30000	0	0	30000	34.375	2004
11.02.2020 08:45:00	1	1	1	1	163	54.25	0	26303.318	602.1505376	15951.13201	30000	0	0	30000	33.75	2004
11.02.2020 08:45:01	1	1	1	1	163	53.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.5625	2004
11.02.2020 08:45:02	1	1	1	1	163	54.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	34.5	2004
11.02.2020 08:45:03	1	1	1	1	163	54.5	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	34.5	2004
11.02.2020 08:45:04	1	1	1	1	163	54.5	0	26208.531	610.7526882	16092.19145	30000	0	0	30000	34.0625	2004
11.02.2020 08:45:05	1	1	1	1	163	54	0	26066.351	615.0537634	16058.76118	30000	0	0	30000	34.75	2004
11.02.2020 08:45:06	1	1	1	1	163.5	54.75	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	33.6875	2004
11.02.2020 08:45:07	1	1	1	1	163.5	53.5	0	25687.204	623.655914	15993.53138	30000	0	0	30000	34.875	2004
11.02.2020 08:45:08	1	1	1	1	163.5	54.75	0	25592.417	621.5053763	15934.82456	30000	0	0	30000	34.5	2004
11.02.2020 08:45:09	1	1	1	1	163.5	54.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	34.875	2004
11.02.2020 08:45:10	1	1	1	1	163.5	54.75	0	25497.63	632.2580645	15926.67083	30000	0	0	30000	34.75	2004
11.02.2020 08:45:11	1	1	1	1	163.5	54.75	0	25260.664	630.1075269	16000.86973	30000	0	0	30000	33.625	2004
11.02.2020 08:45:12	1	1	1	1	163.5	53.5	0	25497.63	638.7096774	16035.93075	30000	0	0	30000	34.75	2004
11.02.2020 08:45:13	1	1	1	1	163.5	54.75	0	25734.597	621.5053763	16053.05357	30000	0	0	30000	33.8125	2004
11.02.2020 08:45:14	1	1	1	1	163.5	53.75	0	25829.384	619.3548387	15941.34754	30000	0	0	30000	32.9375	2004
11.02.2020 08:45:15	1	1	1	1	163.5	52.75	0	25355.45	625.8064516	15976.40856	30000	0	0	30000	34.6875	2004
11.02.2020 08:45:16	1	1	1	1	164.3	54.5	0	25402.844	632.2580645	16115.83725	30000	0	0	30000	32.6875	2004
11.02.2020 08:45:17	1	1	1	1	164.3	52.5	0	25639.81	630.1075269	16155.7905	30000	0	0	30000	35	2004
11.02.2020 08:45:18	1	1	1	1	164.3	55	0	25592.417	610.7526882	15934.82456	30000	0	0	30000	34.8125	2004
11.02.2020 08:45:19	1	1	1	1	164.3	54.75	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	34.0625	2004
11.02.2020 08:45:20	1	1	1	1	164.3	54	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	34.6875	2004
11.02.2020 08:45:21	1	1	1	1	164.3	54.5	0	25450.237	632.2580645	16145.19066	30000	0	0	30000	34.6875	2004
11.02.2020 08:45:22	1	1	1	1	164.3	54.5	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	33.3125	2004
11.02.2020 08:45:23	1	1	1	1	164.3	53.25	0	25734.597	623.655914	15964.17797	30000	0	0	30000	34.1875	2004
11.02.2020 08:45:24	1	1	1	1	164.3	54	0	25639.81	625.8064516	16044.89985	30000	0	0	30000	33.6875	2004
11.02.2020 08:45:25	1	1	1	1	164.3	53.5	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:45:26	1	1	1	1	164	54.25	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	34.875	2004
11.02.2020 08:45:27	1	1	1	1	164	54.75	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	34.75	2004
11.02.2020 08:45:28	1	1	1	1	164	54.75	0	25355.45	630.1075269	16031.03851	30000	0	0	30000	34.8125	2004
11.02.2020 08:45:29	1	1	1	1	164	54.75	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	34.3125	2004
11.02.2020 08:45:30	1	1	1	1	164	54.25	0	25260.664	634.4086022	16242.21999	30000	0	0	30000	34.4375	2004
11.02.2020 08:45:31	1	1	1	1	164	54.25	0	25355.45	638.7096774	16334.35708	30000	0	0	30000	34.5625	2004
11.02.2020 08:45:32	1	1	1	1	164	54.5	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	34.4375	2004
11.02.2020 08:45:33	1	1	1	1	164	54.25	0	25402.844	634.4086022	16115.83725	30000	0	0	30000	34.6875	2004
11.02.2020 08:45:34	1	1	1	1	164	54.5	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	34.125	2004
11.02.2020 08:45:35	1	1	1	1	164	54	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	34.3125	2004
11.02.2020 08:45:37	1	1	1	1	165	54.25	0	25308.057	638.7096774	16055.49969	30000	0	0	30000	34.9375	2004
11.02.2020 08:45:38	1	1	1	1	165	54.75	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	34.3125	2004
11.02.2020 08:45:39	1	1	1	1	165	54.25	0	25165.877	634.4086022	15904.65578	30000	0	0	30000	34.5625	2004
11.02.2020 08:45:40	1	1	1	1	165	54.5	0	24928.91	645.1612903	16083.22235	30000	0	0	30000	35.0625	2004
11.02.2020 08:45:41	1	1	1	1	165	52.5	0	24739.336	643.0107527	15960.91648	30000	0	0	30000	34.3125	2004
11.02.2020 08:45:42	1	1	1	1	165	54.25	0	24691.943	653.7634409	16035.93075	30000	0	0	30000	34.8125	2004
11.02.2020 08:45:43	1	1	1	1	165	54.75	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	33.5	2004
11.02.2020 08:45:44	1	1	1	1	165	53.5	0	24597.156	645.1612903	15982.93154	30000	0	0	30000	34.875	2004
11.02.2020 08:45:45	1	1	1	1	165	54.75	0	24549.763	655.9139785	16070.99176	30000	0	0	30000	34.375	2004
11.02.2020 08:45:46	1	1	1	1	165.8	54.25	0	24407.583	660.2150538	15832.903	30000	0	0	30000	33.5	2004
11.02.2020 08:45:47	1	1	1	1	165.8	53.5	0	24691.943	653.7634409	15868.77939	30000	0	0	30000	34.5	2004
11.02.2020 08:45:48	1	1	1	1	165.8	54.5	0	24597.156	647.311828	15921.7786	30000	0	0	30000	34.8125	2004
11.02.2020 08:45:49	1	1	1	1	165.8	54.75	0	24407.583	655.9139785	16114.20651	30000	0	0	30000	34.9375	2004
11.02.2020 08:45:50	1	1	1	1	165.8	54.75	0	24407.583	655.9139785	15956.83962	30000	0	0	30000	34.9375	2004
11.02.2020 08:45:51	1	1	1	1	165.8	54.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	34.1875	2004
11.02.2020 08:45:52	1	1	1	1	165.8	54	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	34.875	2004
11.02.2020 08:45:53	1	1	1	1	165.8	54.75	0	24407.583	655.9139785	15978.0393	30000	0	0	30000	34.5	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:45:59	1	1	1	1	165.8	54.75	0	24123.223	658.0645161	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:46:00	1	1	1	1	165.8	54.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	34.6875	2004
11.02.2020 08:46:01	1	1	1	1	165.8	54.5	0	24170.616	658.0645161	15988.63914	30000	0	0	30000	34.8125	2004
11.02.2020 08:46:02	1	1	1	1	165.8	54.75	0	23981.043	666.6666667	16018.80793	30000	0	0	30000	34.4375	2004
11.02.2020 08:46:03	1	1	1	1	165.8	54.25	0	23981.043	670.9677419	15955.20887	30000	0	0	30000	34.875	2004
11.02.2020 08:46:04	1	1	1	1	165.8	54.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	35	2004
11.02.2020 08:46:05	1	1	1	1	165.8	55	0	24218.009	666.6666667	16093.00682	30000	0	0	30000	34	2004
11.02.2020 08:46:06	1	1	1	1	166	54	0	24075.829	670.9677419	16018.80793	30000	0	0	30000	34.1875	2004
11.02.2020 08:46:07	1	1	1	1	166	54	0	24028.436	666.6666667	16050.60745	30000	0	0	30000	34.3125	2004
11.02.2020 08:46:08	1	1	1	1	166	54.25	0	23933.649	664.516129	15903.8404	30000	0	0	30000	34.125	2004
11.02.2020 08:46:09	1	1	1	1	166	54	0	23838.863	666.6666667	15892.42519	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:46:10	1	1	1	1	166	54.5	0	24123.223	662.3655914	16145.19066	30000	0	0	30000	34.875	2004
11.02.2020 08:46:11	1	1	1	1	166	54.75	0	24218.009	662.3655914	16040.82298	30000	0	0	30000	34.875	2004
11.02.2020 08:46:12	1	1	1	1	166	54.75	0	24502.37	655.9139785	16070.99176	30000	0	0	30000	34.625	2004
11.02.2020 08:46:13	1	1	1	1	166	54.5	0	23981.043	670.9677419	16018.80793	30000	0	0	30000	34.375	2004
11.02.2020 08:46:14	1	1	1	1	166	54.25	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	34.125	2004
11.02.2020 08:46:16	1	1	1	1	166	54	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	33.8125	2004
11.02.2020 08:46:17	1	1	1	1	166	53.75	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	35.25	2004
11.02.2020 08:46:18	1	1	1	1	166	55.25	0	23933.649	666.6666667	15903.8404	30000	0	0	30000	33.625	2004
11.02.2020 08:46:19	1	1	1	1	166	53.5	0	24028.436	666.6666667	16018.80793	30000	0	0	30000	33.25	2004
11.02.2020 08:46:20	1	1	1	1	166	54.5	0	23981.043	670.9677419	16090.5607	30000	0	0	30000	34.25	2004
11.02.2020 08:46:21	1	1	1	1	166	54.25	0	23933.649	664.516129	15903.8404	30000	0	0	30000	34.75	2004
11.02.2020 08:46:22	1	1	1	1	166	54.75	0	23791.469	664.516129	15860.62566	30000	0	0	30000	33.5	2004
11.02.2020 08:46:23	1	1	1	1	166	53.5	0	23933.649	670.9677419	15903.8404	30000	0	0	30000	33.875	2004
11.02.2020 08:46:24	1	1	1	1	166	53	0	23791.469	673.1182796	16045.71522	30000	0	0	30000	34.125	2004
11.02.2020 08:46:25	1	1	1	1	166	54	0	23838.863	670.9677419	15911.99413	30000	0	0	30000	34.125	2004
11.02.2020 08:46:26	1	1	1	1	165.8	54	0	23554.502	670.9677419	15804.36496	30000	0	0	30000	34.8125	2004
11.02.2020 08:46:27	1	1	1	1	165.8	54.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	34.875	2004
11.02.2020 08:46:28	1	1	1	1	165.8	54.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	34.25	2004
11.02.2020 08:46:29	1	1	1	1	165.8	54.25	0	23744.076	666.6666667	15963.3626	30000	0	0	30000	34.125	2004
11.02.2020 08:46:30	1	1	1	1	165.8	54	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	34.875	2004
11.02.2020 08:46:33	1	1	1	1	165.8	55	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	34	2004
11.02.2020 08:46:33	1	1	1	1	165.8	55	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	34	2004
11.02.2020 08:46:33	1	1	1	1	165.8	55	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	34	2004
11.02.2020 08:46:34	1	1	1	1	165.8	54	0	23601.896	677.4193548	16274.83489	30000	0	0	30000	34.4375	2004
11.02.2020 08:46:35	1	1	1	1	165.8	54.25	0	23744.076	673.1182796	15931.56307	30000	0	0	30000	33.375	2004
11.02.2020 08:46:36	1	1	1	1	166	53.25	0	23886.256	670.9677419	16078.33012	30000	0	0	30000	33.6875	2004
11.02.2020 08:46:37	1	1	1	1	166	53.5	0	23601.896	673.1182796	15854.91806	30000	0	0	30000	35	2004
11.02.2020 08:46:38	1	1	1	1	166	55	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	34.6875	2004
11.02.2020 08:46:39	1	1	1	1	166	54.5	0	23649.289	679.5698925	16020.43867	30000	0	0	30000	34.875	2004
11.02.2020 08:46:40	1	1	1	1	166	54.75	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	34.75	2004
11.02.2020 08:46:41	1	1	1	1	166	54.75	0	23791.469	679.5698925	16084.03772	30000	0	0	30000	34.9375	2004
11.02.2020 08:46:42	1	1	1	1	166	54.75	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	34.8125	2004
11.02.2020 08:46:43	1	1	1	1	166	54.75	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	34.3125	2004
11.02.2020 08:46:44	1	1	1	1	166	54.25	0	23791.469	688.172043	16116.65262	30000	0	0	30000	34.375	2004
11.02.2020 08:46:45	1	1	1	1	166	54.25	0	23554.502	670.9677419	16039.19224	30000	0	0	30000	34.875	2004
11.02.2020 08:46:46	1	1	1	1	167.3	54.75	0	23554.502	688.172043	16209.60509	30000	0	0	30000	34.5	2004
11.02.2020 08:46:47	1	1	1	1	167.3	54.5	0	23649.289	670.9677419	16033.48463	30000	0	0	30000	34.0625	2004
11.02.2020 08:46:48	1	1	1	1	167.3	54	0	23364.929	666.6666667	15758.7041	30000	0	0	30000	34.875	2004
11.02.2020 08:46:49	1	1	1	1	167.3	54.75	0	23459.716	675.2688172	15790.50363	30000	0	0	30000	34.875	2004
11.02.2020 08:46:50	1	1	1	1	167.3	54.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	34.875	2004
11.02.2020 08:46:51	1	1	1	1	167.3	54.75	0	23412.322	675.2688172	15859.81029	30000	0	0	30000	34.5	2004
11.02.2020 08:46:52	1	1	1	1	167.3	54.5	0	23412.322	688.172043	15859.81029	30000	0	0	30000	33.3125	2004
11.02.2020 08:46:53	1	1	1	1	167.3	53.25	0	23649.289	688.172043	16070.99176	30000	0	0	30000	34.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:46:55	1	1	1	1	167.3	54.5	0	23412.322	675.2688172	15891.60982	30000	0	0	30000	34.125	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:01	1	1	1	1	167.8	53.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:47:02	1	1	1	1	167.8	54	0	23412.322	675.2688172	15841.05672	30000	0	0	30000	34.8125	2004
11.02.2020 08:47:03	1	1	1	1	167.8	54.75	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.4375	2004
11.02.2020 08:47:04	1	1	1	1	167.8	54.25	0	23270.142	670.9677419	15827.19539	30000	0	0	30000	34.375	2004
11.02.2020 08:47:05	1	1	1	1	167.8	54.25	0	23744.076	675.2688172	16084.03772	30000	0	0	30000	34.25	2004
11.02.2020 08:47:06	1	1	1	1	168.5	54.25	0	23554.502	688.172043	16209.60509	30000	0	0	30000	34.125	2004
11.02.2020 08:47:07	1	1	1	1	168.5	54	0	23507.109	688.172043	15924.22472	30000	0	0	30000	35	2004
11.02.2020 08:47:08	1	1	1	1	168.5	55	0	23507.109	688.172043	16209.60509	30000	0	0	30000	34.9375	2004
11.02.2020 08:47:09	1	1	1	1	168.5	54.75	0	23459.716	688.172043	15859.81029	30000	0	0	30000	34.75	2004
11.02.2020 08:47:10	1	1	1	1	168.5	54.75	0	23364.929	675.2688172	15726.90457	30000	0	0	30000	34.5625	2004
11.02.2020 08:47:11	1	1	1	1	168.5	54.5	0	23412.322	673.1182796	16144.37529	30000	0	0	30000	34	2004
11.02.2020 08:47:12	1	1	1	1	168.5	54	0	23412.322	688.172043	16079.14549	30000	0	0	30000	35	2004
11.02.2020 08:47:13	1	1	1	1	168.5	55	0	23364.929	688.172043	16079.14549	30000	0	0	30000	32.9375	2004
11.02.2020 08:47:14	1	1	1	1	168.5	52.75	0	23270.142	675.2688172	15663.30552	30000	0	0	30000	34.9375	2004
11.02.2020 08:47:15	1	1	1	1	168.5	54.75	0	23412.322	675.2688172	15758.7041	30000	0	0	30000	34.1875	2004
11.02.2020 08:47:16	1	1	1	1	170	54	0	23412.322	688.172043	15726.90457	30000	0	0	30000	35	2004
11.02.2020 08:47:17	1	1	1	1	170	55	0	23364.929	673.1182796	15827.19539	30000	0	0	30000	33.75	2004
11.02.2020 08:47:18	1	1	1	1	170	53.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	34.875	2004
11.02.2020 08:47:19	1	1	1	1	170	54.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	34.25	2004
11.02.2020 08:47:20	1	1	1	1	170	54.25	0	23364.929	688.172043	16111.76039	30000	0	0	30000	34.875	2004
11.02.2020 08:47:21	1	1	1	1	170	54.75	0	23364.929	679.5698925	15613.5678	30000	0	0	30000	34.375	2004
11.02.2020 08:47:22	1	1	1	1	170	54.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.875	2004
11.02.2020 08:47:23	1	1	1	1	170	54.75	0	23554.502	679.5698925	16242.21999	30000	0	0	30000	34.125	2004
11.02.2020 08:47:24	1	1	1	1	170	54	0	23507.109	688.172043	15974.77781	30000	0	0	30000	34.375	2004
11.02.2020 08:47:25	1	1	1	1	170	54.25	0	23317.536	675.2688172	16079.14549	30000	0	0	30000	34.4375	2004
11.02.2020 08:47:26	1	1	1	1	169.5	54.25	0	23459.716	675.2688172	15809.2572	30000	0	0	30000	34.125	2004
11.02.2020 08:47:27	1	1	1	1	169.5	54	0	23317.536	675.2688172	15827.19539	30000	0	0	30000	34.5	2004
11.02.2020 08:47:28	1	1	1	1	169.5	54.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	33.625	2004
11.02.2020 08:47:29	1	1	1	1	169.5	53.5	0	23649.289	675.2688172	15969.0702	30000	0	0	30000	34.6875	2004
11.02.2020 08:47:30	1	1	1	1	169.5	54.5	0	23459.716	673.1182796	15823.11853	30000	0	0	30000	34.5	2004
11.02.2020 08:47:31	1	1	1	1	169.5	54.5	0	23554.502	677.4193548	15873.67162	30000	0	0	30000	34.875	2004
11.02.2020 08:47:33	1	1	1	1	169.5	54.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	35	2004
11.02.2020 08:47:34	1	1	1	1	169.5	55	0	23459.716	688.172043	16209.60509	30000	0	0	30000	34.3125	2004
11.02.2020 08:47:35	1	1	1	1	169.5	54.25	0	23412.322	688.172043	16111.76039	30000	0	0	30000	35.4375	2004
11.02.2020 08:47:36	1	1	1	1	169.5	55.25	0	23175.355	673.1182796	15981.30079	30000	0	0	30000	34.625	2004
11.02.2020 08:47:37	1	1	1	1	170.8	54.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.875	2004
11.02.2020 08:47:38	1	1	1	1	170.8	55.25	0	23412.322	688.172043	15827.19539	30000	0	0	30000	34.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:47:39	1	1	1	1	170.8	54.75	0	23507.109	688.172043	16176.99019	30000	0	0	30000	33.75	2004
11.02.2020 08:47:40	1	1	1	1	170.8	53.75	0	23554.502	688.172043	15956.02424	30000	0	0	30000	34.6875	2004
11.02.2020 08:47:41	1	1	1	1	170.8	54.5	0	23459.716	677.4193548	16176.99019	30000	0	0	30000	35.125	2004
11.02.2020 08:47:42	1	1	1	1	170.8	55	0	23554.502	673.1182796	16242.21999	30000	0	0	30000	34.75	2004
11.02.2020 08:47:43	1	1	1	1	170.8	54.75	0	23507.109	688.172043	15873.67162	30000	0	0	30000	34.125	2004
11.02.2020 08:47:44	1	1	1	1	170.8	54	0	23317.536	670.9677419	15645.36733	30000	0	0	30000	34.625	2004
11.02.2020 08:47:45	1	1	1	1	170.8	54.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.0625	2004
11.02.2020 08:47:46	1	1	1	1	171.3	54	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.75	2004
11.02.2020 08:47:47	1	1	1	1	171.3	53.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	35.1875	2004
11.02.2020 08:47:48	1	1	1	1	171.3	55	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	33.875	2004
11.02.2020 08:47:49	1	1	1	1	171.3	53.75	0	23270.142	688.172043	15981.30079	30000	0	0	30000	33.5	2004
11.02.2020 08:47:50	1	1	1	1	171.3	53.5	0	23601.896	688.172043	15956.02424	30000	0	0	30000	33.4375	2004
11.02.2020 08:47:51	1	1	1	1	171.3	53.25	0	23412.322	688.172043	15827.19539	30000	0	0	30000	34.25	2004
11.02.2020 08:47:52	1	1	1	1	171.3	54.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	34.6875	2004
11.02.2020 08:47:53	1	1	1	1	171.3	54.5	0	23412.322	688.172043	15827.19539	30000	0	0	30000	34.875	2004
11.02.2020 08:47:54	1	1	1	1	171.3	54.75	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.1875	2004
11.02.2020 08:47:55	1	1	1	1	171.3	54	0	23222.749	688.172043	15981.30079	30000	0	0	30000	35	2004
11.02.2020 08:47:56	1	1	1	1	173.3	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.375	2004
11.02.2020 08:48:02	1	1	1	1	173.3	55	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35	2004
11.02.2020 08:48:02	1	1	1	1	173.3	55	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35	2004
11.02.2020 08:48:02	1	1	1	1	173.3	55	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35	2004
11.02.2020 08:48:02	1	1	1	1	173.3	55	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35	2004
11.02.2020 08:48:02	1	1	1	1	173.3	55	0	23459.716	677.4193548	16144.37529	30000	0	0	30000	34.875	2004
11.02.2020 08:48:03	1	1	1	1	173.3	54.75	0	23554.502	688.172043	16176.99019	30000	0	0	30000	34.4375	2004
11.02.2020 08:48:04	1	1	1	1	173.3	54.25	0	23270.142	677.4193548	15763.59634	30000	0	0	30000	35	2004
11.02.2020 08:48:05	1	1	1	1	173.3	55	0	23412.322	688.172043	16144.37529	30000	0	0	30000	35.1875	2004
11.02.2020 08:48:06	1	1	1	1	174	55	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35	2004
11.02.2020 08:48:07	1	1	1	1	174	55	0	23412.322	675.2688172	15891.60982	30000	0	0	30000	34.5625	2004
11.02.2020 08:48:08	1	1	1	1	174	54.5	0	23412.322	688.172043	16111.76039	30000	0	0	30000	34.375	2004
11.02.2020 08:48:10	1	1	1	1	174	54.25	0	23270.142	688.172043	16063.65341	30000	0	0	30000	35.125	2004
11.02.2020 08:48:11	1	1	1	1	174	55	0	23080.569	688.172043	15981.30079	30000	0	0	30000	34.3125	2004
11.02.2020 08:48:12	1	1	1	1	174	54.25	0	23222.749	688.172043	16063.65341	30000	0	0	30000	34.875	2004
11.02.2020 08:48:13	1	1	1	1	174	54.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:14	1	1	1	1	174	55	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.625	2004
11.02.2020 08:48:15	1	1	1	1	174	54.5	0	23222.749	690.3225806	16063.65341	30000	0	0	30000	34.4375	2004
11.02.2020 08:48:16	1	1	1	1	174	55	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:17	1	1	1	1	174	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:18	1	1	1	1	174	55	0	23270.142	679.5698925	15763.59634	30000	0	0	30000	34.5625	2004
11.02.2020 08:48:19	1	1	1	1	174	54.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.3125	2004
11.02.2020 08:48:20	1	1	1	1	174	54.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	34.9375	2004
11.02.2020 08:48:21	1	1	1	1	174	54.75	0	23222.749	688.172043	15948.68589	30000	0	0	30000	34.875	2004
11.02.2020 08:48:22	1	1	1	1	174	54.75	0	23222.749	688.172043	16031.03851	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:48:23	1	1	1	1	174	54.25	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:24	1	1	1	1	174	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.8125	2004
11.02.2020 08:48:25	1	1	1	1	174	53.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.75	2004
11.02.2020 08:48:26	1	1	1	1	174.8	53.75	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35	2004
11.02.2020 08:48:27	1	1	1	1	174.8	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.5	2004
11.02.2020 08:48:28	1	1	1	1	174.8	54.5	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	34.875	2004
11.02.2020 08:48:29	1	1	1	1	174.8	54.75	0	23364.929	688.172043	16046.53059	30000	0	0	30000	33.5	2004
11.02.2020 08:48:30	1	1	1	1	174.8	53.5	0	23175.355	688.172043	16031.03851	30000	0	0	30000	35.25	2004
11.02.2020 08:48:31	1	1	1	1	174.8	55.25	0	23364.929	688.172043	15663.30552	30000	0	0	30000	34.625	2004
11.02.2020 08:48:32	1	1	1	1	174.8	54.5	0	23364.929	688.172043	16046.53059	30000	0	0	30000	34.375	2004
11.02.2020 08:48:33	1	1	1	1	174.8	54.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	35.125	2004
11.02.2020 08:48:34	1	1	1	1	174.8	55	0	23033.175	688.172043	15883.45609	30000	0	0	30000	34.875	2004
11.02.2020 08:48:35	1	1	1	1	174.8	54.75	0	23317.536	677.4193548	16079.14549	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:36	1	1	1	1	175	55	0	23222.749	675.2688172	15781.53453	30000	0	0	30000	35	2004
11.02.2020 08:48:37	1	1	1	1	175	55	0	23317.536	675.2688172	15795.39586	30000	0	0	30000	34.9375	2004
11.02.2020 08:48:38	1	1	1	1	175	54.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	33.875	2004
11.02.2020 08:48:39	1	1	1	1	175	53.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.3125	2004
11.02.2020 08:48:40	1	1	1	1	175	54.25	0	23364.929	679.5698925	15795.39586	30000	0	0	30000	34.25	2004
11.02.2020 08:48:41	1	1	1	1	175	54.25	0	23364.929	688.172043	15726.90457	30000	0	0	30000	35	2004
11.02.2020 08:48:42	1	1	1	1	175	55	0	23364.929	675.2688172	16079.14549	30000	0	0	30000	35.0625	2004
11.02.2020 08:48:43	1	1	1	1	175	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.6875	2004
11.02.2020 08:48:44	1	1	1	1	175	54.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.5	2004
11.02.2020 08:48:45	1	1	1	1	175	54.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.25	2004
11.02.2020 08:48:46	1	1	1	1	175.8	55.25	0	23222.749	688.172043	15948.68589	30000	0	0	30000	33.8125	2004
11.02.2020 08:48:48	1	1	1	1	175.8	53.75	0	23364.929	673.1182796	15677.16685	30000	0	0	30000	35.125	2004
11.02.2020 08:48:49	1	1	1	1	175.8	55	0	23175.355	688.172043	15981.30079	30000	0	0	30000	34.9375	2004
11.02.2020 08:48:50	1	1	1	1	175.8	54.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	34.3125	2004
11.02.2020 08:48:51	1	1	1	1	175.8	54.25	0	23222.749	690.3225806	16063.65341	30000	0	0	30000	34.9375	2004
11.02.2020 08:48:52	1	1	1	1	175.8	54.75	0	23507.109	677.4193548	15924.22472	30000	0	0	30000	34.0625	2004
11.02.2020 08:48:53	1	1	1	1	175.8	54.5	0	23459.716	675.2688172	16111.76039	30000	0	0	30000	34	2004
11.02.2020 08:48:54	1	1	1	1	175.8	54	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.25	2004
11.02.2020 08:48:55	1	1	1	1	175.8	54.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.875	2004
11.02.2020 08:48:56	1	1	1	1	176	54.75	0	23175.355	690.3225806	16063.65341	30000	0	0	30000	35.125	2004
11.02.2020 08:48:57	1	1	1	1	176	55	0	23459.716	688.172043	15942.16291	30000	0	0	30000	35.25	2004
11.02.2020 08:48:58	1	1	1	1	176	55.25	0	23222.749	688.172043	16063.65341	30000	0	0	30000	34.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:04	1	1	1	1	176	55	0	23364.929	688.172043	16046.53059	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:05	1	1	1	1	176	55	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.25	2004
11.02.2020 08:49:06	1	1	1	1	176.3	54.25	0	23412.322	688.172043	16079.14549	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:49:07	1	1	1	1	176.3	54	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.5625	2004
11.02.2020 08:49:08	1	1	1	1	176.3	54.5	0	23270.142	688.172043	15981.30079	30000	0	0	30000	33.875	2004
11.02.2020 08:49:09	1	1	1	1	176.3	53.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.4375	2004
11.02.2020 08:49:10	1	1	1	1	176.3	54.25	0	23222.749	673.1182796	15631.50599	30000	0	0	30000	34	2004
11.02.2020 08:49:11	1	1	1	1	176.3	54	0	23459.716	688.172043	16111.76039	30000	0	0	30000	35.125	2004
11.02.2020 08:49:12	1	1	1	1	176.3	55	0	23364.929	688.172043	16079.14549	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:13	1	1	1	1	176.3	55	0	23317.536	675.2688172	15795.39586	30000	0	0	30000	34.1875	2004
11.02.2020 08:49:14	1	1	1	1	176.3	54	0	23412.322	688.172043	16144.37529	30000	0	0	30000	34.5	2004
11.02.2020 08:49:15	1	1	1	1	176.3	54.5	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:16	1	1	1	1	176.8	55	0	23364.929	675.2688172	16111.76039	30000	0	0	30000	33.75	2004
11.02.2020 08:49:17	1	1	1	1	176.8	53.75	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	35.125	2004
11.02.2020 08:49:18	1	1	1	1	176.8	55	0	23222.749	688.172043	15981.30079	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:19	1	1	1	1	176.8	55	0	23317.536	670.9677419	16079.14549	30000	0	0	30000	35.0625	2004
11.02.2020 08:49:20	1	1	1	1	176.8	55	0	23222.749	688.172043	16013.91569	30000	0	0	30000	34.375	2004
11.02.2020 08:49:21	1	1	1	1	176.8	54.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:49:22	1	1	1	1	176.8	54.5	0	23222.749	688.172043	15981.30079	30000	0	0	30000	35.125	2004
11.02.2020 08:49:23	1	1	1	1	176.8	55	0	23175.355	688.172043	15998.42361	30000	0	0	30000	33.8125	2004
11.02.2020 08:49:25	1	1	1	1	176.8	53.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.8125	2004
11.02.2020 08:49:26	1	1	1	1	176.8	54.75	0	23175.355	688.172043	15998.42361	30000	0	0	30000	35.25	2004
11.02.2020 08:49:27	1	1	1	1	177.5	55.25	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.5	2004
11.02.2020 08:49:28	1	1	1	1	177.5	54.5	0	23317.536	688.172043	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:49:29	1	1	1	1	177.5	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.125	2004
11.02.2020 08:49:30	1	1	1	1	177.5	53.5	0	23222.749	670.9677419	15663.30552	30000	0	0	30000	35.25	2004
11.02.2020 08:49:31	1	1	1	1	177.5	55.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.9375	2004
11.02.2020 08:49:32	1	1	1	1	177.5	54.75	0	23364.929	688.172043	15827.19539	30000	0	0	30000	35.0625	2004
11.02.2020 08:49:33	1	1	1	1	177.5	55	0	23364.929	673.1182796	15726.90457	30000	0	0	30000	34.5625	2004
11.02.2020 08:49:34	1	1	1	1	177.5	54.5	0	23175.355	677.4193548	15699.18191	30000	0	0	30000	33.9375	2004
11.02.2020 08:49:35	1	1	1	1	177.5	53.75	0	23459.716	675.2688172	16144.37529	30000	0	0	30000	34.625	2004
11.02.2020 08:49:36	1	1	1	1	178.3	54.5	0	23364.929	675.2688172	15777.45767	30000	0	0	30000	34.5625	2004
11.02.2020 08:49:37	1	1	1	1	178.3	54.5	0	23317.536	688.172043	16046.53059	30000	0	0	30000	34.8125	2004
11.02.2020 08:49:38	1	1	1	1	178.3	54.75	0	23175.355	673.1182796	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:49:39	1	1	1	1	178.3	54.5	0	23175.355	675.2688172	15730.98144	30000	0	0	30000	33	2004
11.02.2020 08:49:40	1	1	1	1	178.3	53	0	23317.536	688.172043	16013.91569	30000	0	0	30000	34.875	2004
11.02.2020 08:49:41	1	1	1	1	178.3	54.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35	2004
11.02.2020 08:49:42	1	1	1	1	178.3	55	0	23459.716	688.172043	15891.60982	30000	0	0	30000	33.5625	2004
11.02.2020 08:49:43	1	1	1	1	178.3	53.5	0	23270.142	688.172043	15981.30079	30000	0	0	30000	34.1875	2004
11.02.2020 08:49:44	1	1	1	1	178.3	54	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.8125	2004
11.02.2020 08:49:45	1	1	1	1	178.3	54.75	0	23459.716	688.172043	15974.77781	30000	0	0	30000	34.8125	2004
11.02.2020 08:49:46	1	1	1	1	179	54.75	0	23459.716	675.2688172	16144.37529	30000	0	0	30000	34.1875	2004
11.02.2020 08:49:47	1	1	1	1	179	54	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.1875	2004
11.02.2020 08:49:48	1	1	1	1	179	55	0	23222.749	688.172043	15981.30079	30000	0	0	30000	34.75	2004
11.02.2020 08:49:49	1	1	1	1	179	54.75	0	23459.716	675.2688172	15891.60982	30000	0	0	30000	34.25	2004
11.02.2020 08:49:50	1	1	1	1	179	54.25	0	23317.536	677.4193548	15726.90457	30000	0	0	30000	34.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:49:51	1	1	1	1	179	54.75	0	23412.322	688.172043	16111.76039	30000	0	0	30000	34.625	2004
11.02.2020 08:49:52	1	1	1	1	179	54.5	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	34.8125	2004
11.02.2020 08:49:53	1	1	1	1	179	54.75	0	23317.536	688.172043	16079.14549	30000	0	0	30000	35	2004
11.02.2020 08:49:54	1	1	1	1	179	55	0	23270.142	688.172043	15699.18191	30000	0	0	30000	35	2004
11.02.2020 08:49:55	1	1	1	1	179	55	0	23554.502	688.172043	16209.60509	30000	0	0	30000	34.5	2004
11.02.2020 08:49:56	1	1	1	1	179.5	54.5	0	23459.716	673.1182796	15823.11853	30000	0	0	30000	35.25	2004
11.02.2020 08:49:57	1	1	1	1	179.5	55.25	0	23649.289	677.4193548	16274.83489	30000	0	0	30000	34.6875	2004
11.02.2020 08:49:58	1	1	1	1	179.5	54.5	0	23459.716	688.172043	15790.50363	30000	0	0	30000	35.0625	2004
11.02.2020 08:49:59	1	1	1	1	179.5	55	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	33.875	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:07	1	1	1	1	180	55.25	0	23270.142	679.5698925	16013.91569	30000	0	0	30000	35.375	2004
11.02.2020 08:50:08	1	1	1	1	180	55.25	0	23412.322	673.1182796	15809.2572	30000	0	0	30000	34.625	2004
11.02.2020 08:50:09	1	1	1	1	180	54.5	0	23459.716	675.2688172	15790.50363	30000	0	0	30000	35.4375	2004
11.02.2020 08:50:10	1	1	1	1	180	54.75	0	23459.716	675.2688172	16144.37529	30000	0	0	30000	34.5	2004
11.02.2020 08:50:11	1	1	1	1	180	54.5	0	23507.109	675.2688172	16209.60509	30000	0	0	30000	34.6875	2004
11.02.2020 08:50:12	1	1	1	1	180	54.5	0	23459.716	688.172043	16176.99019	30000	0	0	30000	33.8125	2004
11.02.2020 08:50:13	1	1	1	1	180	53.75	0	23554.502	688.172043	16209.60509	30000	0	0	30000	34.4375	2004
11.02.2020 08:50:14	1	1	1	1	180	54.25	0	23412.322	677.4193548	15859.81029	30000	0	0	30000	34.9375	2004
11.02.2020 08:50:15	1	1	1	1	180	54.75	0	23554.502	681.7204301	16144.37529	30000	0	0	30000	35.1875	2004
11.02.2020 08:50:16	1	1	1	1	180.5	55	0	23364.929	688.172043	16079.14549	30000	0	0	30000	35.375	2004
11.02.2020 08:50:17	1	1	1	1	180.5	55.25	0	23459.716	675.2688172	15790.50363	30000	0	0	30000	34.9375	2004
11.02.2020 08:50:18	1	1	1	1	180.5	54.75	0	23270.142	688.172043	15981.30079	30000	0	0	30000	34.3125	2004
11.02.2020 08:50:19	1	1	1	1	180.5	54.25	0	23507.109	688.172043	15740.76591	30000	0	0	30000	34.8125	2004
11.02.2020 08:50:20	1	1	1	1	180.5	54.75	0	23459.716	688.172043	16111.76039	30000	0	0	30000	33.25	2004
11.02.2020 08:50:21	1	1	1	1	180.5	53.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	33.6875	2004
11.02.2020 08:50:22	1	1	1	1	180.5	53.5	0	23459.716	688.172043	16176.99019	30000	0	0	30000	34.75	2004
11.02.2020 08:50:23	1	1	1	1	180.5	54.75	0	23412.322	688.172043	16079.14549	30000	0	0	30000	35.125	2004
11.02.2020 08:50:24	1	1	1	1	180.5	55	0	23507.109	688.172043	16176.99019	30000	0	0	30000	35.1875	2004
11.02.2020 08:50:25	1	1	1	1	180.5	55	0	23364.929	688.172043	15777.45767	30000	0	0	30000	35.4375	2004
11.02.2020 08:50:26	1	1	1	1	180.3	55.25	0	23412.322	688.172043	16111.76039	30000	0	0	30000	34.25	2004
11.02.2020 08:50:27	1	1	1	1	180.3	54.25	0	23317.536	675.2688172	16079.14549	30000	0	0	30000	34.875	2004
11.02.2020 08:50:28	1	1	1	1	180.3	54.75	0	23554.502	688.172043	16209.60509	30000	0	0	30000	34.6875	2004
11.02.2020 08:50:29	1	1	1	1	180.3	54.5	0	23554.502	688.172043	16176.99019	30000	0	0	30000	34	2004
11.02.2020 08:50:30	1	1	1	1	180.3	54	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.25	2004
11.02.2020 08:50:31	1	1	1	1	180.3	55.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.5625	2004
11.02.2020 08:50:32	1	1	1	1	180.3	54.5	0	23364.929	688.172043	15827.19539	30000	0	0	30000	33.4375	2004
11.02.2020 08:50:33	1	1	1	1	180.3	53.25	0	23696.682	677.4193548	16340.06469	30000	0	0	30000	34.8125	2004
11.02.2020 08:50:34	1	1	1	1	180.3	54.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:50:35	1	1	1	1	180.3	55.25	0	23412.322	688.172043	16111.76039	30000	0	0	30000	34.25	2004
11.02.2020 08:50:36	1	1	1	1	181.5	54.25	0	23554.502	670.9677419	15854.91806	30000	0	0	30000	34.0625	2004
11.02.2020 08:50:37	1	1	1	1	181.5	54	0	23459.716	688.172043	16144.37529	30000	0	0	30000	35.3125	2004
11.02.2020 08:50:38	1	1	1	1	181.5	55.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	34.875	2004
11.02.2020 08:50:39	1	1	1	1	181.5	54.75	0	23317.536	688.172043	16079.14549	30000	0	0	30000	32.875	2004
11.02.2020 08:50:40	1	1	1	1	181.5	52.75	0	23649.289	673.1182796	16020.43867	30000	0	0	30000	33.75	2004
11.02.2020 08:50:41	1	1	1	1	181.5	53.75	0	23649.289	675.2688172	16340.06469	30000	0	0	30000	35.3125	2004
11.02.2020 08:50:43	1	1	1	1	181.5	55.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	34.4375	2004
11.02.2020 08:50:44	1	1	1	1	181.5	54.25	0	23696.682	688.172043	16103.60666	30000	0	0	30000	34.625	2004
11.02.2020 08:50:45	1	1	1	1	181.5	54.5	0	23601.896	688.172043	16242.21999	30000	0	0	30000	35	2004
11.02.2020 08:50:46	1	1	1	1	181.5	55	0	23317.536	675.2688172	15827.19539	30000	0	0	30000	35.4375	2004
11.02.2020 08:50:47	1	1	1	1	182.5	55.25	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	34	2004
11.02.2020 08:50:48	1	1	1	1	182.5	54.75	0	23554.502	670.9677419	15937.27068	30000	0	0	30000	33.5625	2004
11.02.2020 08:50:49	1	1	1	1	182.5	53.5	0	23364.929	673.1182796	15777.45767	30000	0	0	30000	33.625	2004
11.02.2020 08:50:50	1	1	1	1	182.5	53.5	0	23696.682	675.2688172	15918.51711	30000	0	0	30000	35.1875	2004
11.02.2020 08:50:51	1	1	1	1	182.5	55	0	23791.469	670.9677419	16045.71522	30000	0	0	30000	34.9375	2004
11.02.2020 08:50:52	1	1	1	1	182.5	54.75	0	23459.716	673.1182796	15841.05672	30000	0	0	30000	34.6875	2004
11.02.2020 08:50:53	1	1	1	1	182.5	54.5	0	23649.289	688.172043	16070.99176	30000	0	0	30000	34.5	2004
11.02.2020 08:50:54	1	1	1	1	182.5	54.5	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	35.5	2004
11.02.2020 08:50:55	1	1	1	1	182.5	55.5	0	23554.502	673.1182796	15905.47115	30000	0	0	30000	35.4375	2004
11.02.2020 08:50:56	1	1	1	1	182.3	55.25	0	23601.896	677.4193548	16020.43867	30000	0	0	30000	34.1875	2004
11.02.2020 08:50:57	1	1	1	1	182.3	54	0	23412.322	675.2688172	15790.50363	30000	0	0	30000	35.125	2004
11.02.2020 08:50:58	1	1	1	1	182.3	55	0	23649.289	688.172043	16209.60509	30000	0	0	30000	34.25	2004
11.02.2020 08:50:59	1	1	1	1	182.3	54.25	0	23744.076	679.5698925	16340.06469	30000	0	0	30000	34.875	2004
11.02.2020 08:51:00	1	1	1	1	182.3	54.75	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	35.375	2004
11.02.2020 08:51:01	1	1	1	1	182.3	55.25	0	23744.076	675.2688172	16340.06469	30000	0	0	30000	34.8125	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.75	0	23791.469	675.2688172	16013.91569	30000	0	0	30000	34.5625	2004
11.02.2020 08:51:09	1	1	1	1	183.3	54.5	0	23886.256	670.9677419	16058.76118	30000	0	0	30000	34.6875	2004
11.02.2020 08:51:10	1	1	1	1	183.3	54.5	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	34.8125	2004
11.02.2020 08:51:11	1	1	1	1	183.3	54.75	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.625	2004
11.02.2020 08:51:12	1	1	1	1	183.3	54.5	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	34.6875	2004
11.02.2020 08:51:13	1	1	1	1	183.3	54.5	0	23744.076	688.172043	15918.51711	30000	0	0	30000	33.9375	2004
11.02.2020 08:51:14	1	1	1	1	183.3	53.75	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	35.3125	2004
11.02.2020 08:51:15	1	1	1	1	183.3	55.25	0	24170.616	662.3655914	16061.20729	30000	0	0	30000	35.3125	2004
11.02.2020 08:51:16	1	1	1	1	183.8	55.25	0	23649.289	670.9677419	15766.04245	30000	0	0	30000	35.0625	2004
11.02.2020 08:51:17	1	1	1	1	183.8	55	0	24075.829	670.9677419	16070.17639	30000	0	0	30000	35.5625	2004
11.02.2020 08:51:18	1	1	1	1	183.8	55.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:51:19	1	1	1	1	183.8	54.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	35.3125	2004
11.02.2020 08:51:20	1	1	1	1	183.8	55.25	0	24123.223	662.3655914	15925.85546	30000	0	0	30000	35.125	2004
11.02.2020 08:51:21	1	1	1	1	183.8	55	0	23981.043	664.516129	15966.62409	30000	0	0	30000	34.8125	2004
11.02.2020 08:51:23	1	1	1	1	183.8	54.75	0	24028.436	664.516129	15935.63993	30000	0	0	30000	35	2004
11.02.2020 08:51:24	1	1	1	1	183.8	55	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	34.25	2004
11.02.2020 08:51:25	1	1	1	1	183.8	54.25	0	23838.863	670.9677419	16026.96165	30000	0	0	30000	34.1875	2004
11.02.2020 08:51:26	1	1	1	1	183.8	54	0	24075.829	670.9677419	16081.59161	30000	0	0	30000	34.4375	2004
11.02.2020 08:51:27	1	1	1	1	183.5	54.25	0	23649.289	666.6666667	15613.5678	30000	0	0	30000	35.3125	2004
11.02.2020 08:51:28	1	1	1	1	183.5	55.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	35.375	2004
11.02.2020 08:51:29	1	1	1	1	183.5	55.25	0	23933.649	666.6666667	15955.20887	30000	0	0	30000	34	2004
11.02.2020 08:51:30	1	1	1	1	183.5	54	0	24549.763	653.7634409	16018.80793	30000	0	0	30000	34.1875	2004
11.02.2020 08:51:31	1	1	1	1	183.5	54	0	24028.436	660.2150538	16101.97592	30000	0	0	30000	34.3125	2004
11.02.2020 08:51:32	1	1	1	1	183.5	54.25	0	24028.436	664.516129	15966.62409	30000	0	0	30000	35	2004
11.02.2020 08:51:33	1	1	1	1	183.5	55	0	24123.223	662.3655914	15925.85546	30000	0	0	30000	34.8125	2004
11.02.2020 08:51:34	1	1	1	1	183.5	54.75	0	24123.223	660.2150538	15925.85546	30000	0	0	30000	34.4375	2004
11.02.2020 08:51:35	1	1	1	1	183.5	54.25	0	24170.616	664.516129	16009.83883	30000	0	0	30000	34.625	2004
11.02.2020 08:51:36	1	1	1	1	182.8	54.5	0	23886.256	664.516129	15903.8404	30000	0	0	30000	34.625	2004
11.02.2020 08:51:37	1	1	1	1	182.8	54.5	0	24407.583	664.516129	16114.20651	30000	0	0	30000	33.6875	2004
11.02.2020 08:51:38	1	1	1	1	182.8	53.5	0	24218.009	660.2150538	16093.00682	30000	0	0	30000	34.25	2004
11.02.2020 08:51:39	1	1	1	1	182.8	54.25	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	34.75	2004
11.02.2020 08:51:40	1	1	1	1	182.8	54.75	0	23886.256	673.1182796	16026.96165	30000	0	0	30000	34.3125	2004
11.02.2020 08:51:41	1	1	1	1	182.8	54.25	0	24123.223	664.516129	16030.22314	30000	0	0	30000	35	2004
11.02.2020 08:51:42	1	1	1	1	182.8	55	0	24123.223	664.516129	16030.22314	30000	0	0	30000	35.375	2004
11.02.2020 08:51:43	1	1	1	1	182.8	55.25	0	24123.223	666.6666667	16030.22314	30000	0	0	30000	35.0625	2004
11.02.2020 08:51:44	1	1	1	1	182.8	55	0	24075.829	662.3655914	15894.87131	30000	0	0	30000	34.1875	2004
11.02.2020 08:51:45	1	1	1	1	182.8	54	0	23933.649	662.3655914	15903.8404	30000	0	0	30000	35.4375	2004
11.02.2020 08:51:46	1	1	1	1	182.8	55.25	0	24075.829	653.7634409	15760.33485	30000	0	0	30000	34.9375	2004
11.02.2020 08:51:47	1	1	1	1	182.8	54.75	0	23791.469	688.172043	16084.03772	30000	0	0	30000	34.875	2004
11.02.2020 08:51:48	1	1	1	1	182.8	54.75	0	24028.436	662.3655914	15966.62409	30000	0	0	30000	35.3125	2004
11.02.2020 08:51:49	1	1	1	1	182.8	55.25	0	23601.896	688.172043	15804.36496	30000	0	0	30000	34.875	2004
11.02.2020 08:51:50	1	1	1	1	182.8	54.75	0	23981.043	666.6666667	15935.63993	30000	0	0	30000	34.5	2004
11.02.2020 08:51:51	1	1	1	1	182.8	54.5	0	24123.223	662.3655914	16061.20729	30000	0	0	30000	34.75	2004
11.02.2020 08:51:52	1	1	1	1	182.8	54.75	0	23838.863	666.6666667	16026.96165	30000	0	0	30000	35.25	2004
11.02.2020 08:51:53	1	1	1	1	182.8	55.25	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	34.5	2004
11.02.2020 08:51:54	1	1	1	1	182.8	54.5	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	35.5	2004
11.02.2020 08:51:55	1	1	1	1	182.8	55.5	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	35.0625	2004
11.02.2020 08:51:56	1	1	1	1	183	55	0	23981.043	670.9677419	16122.36023	30000	0	0	30000	35.1875	2004
11.02.2020 08:51:57	1	1	1	1	183	55	0	23981.043	666.6666667	15935.63993	30000	0	0	30000	34.625	2004
11.02.2020 08:51:58	1	1	1	1	183	54.5	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	35.25	2004
11.02.2020 08:51:59	1	1	1	1	183	55.25	0	23886.256	670.9677419	16058.76118	30000	0	0	30000	33.625	2004
11.02.2020 08:52:00	1	1	1	1	183	53.5	0	23933.649	679.5698925	16026.96165	30000	0	0	30000	35.125	2004
11.02.2020 08:52:02	1	1	1	1	183	55	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	35.3125	2004
11.02.2020 08:52:03	1	1	1	1	183	55.25	0	24075.829	670.9677419	16018.80793	30000	0	0	30000	34.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.375	2004
11.02.2020 08:52:11	1	1	1	1	182.8	54.25	0	23412.322	688.172043	16079.14549	30000	0	0	30000	35.1875	2004
11.02.2020 08:52:12	1	1	1	1	182.8	55	0	23554.502	688.172043	16209.60509	30000	0	0	30000	35.5	2004
11.02.2020 08:52:13	1	1	1	1	182.8	55.5	0	23886.256	673.1182796	16078.33012	30000	0	0	30000	33.8125	2004
11.02.2020 08:52:14	1	1	1	1	182.8	53.75	0	23601.896	670.9677419	16020.43867	30000	0	0	30000	35.25	2004
11.02.2020 08:52:15	1	1	1	1	182.8	55.25	0	24028.436	666.6666667	16018.80793	30000	0	0	30000	35	2004
11.02.2020 08:52:16	1	1	1	1	184	55	0	24028.436	666.6666667	16122.36023	30000	0	0	30000	35.3125	2004
11.02.2020 08:52:17	1	1	1	1	184	55.25	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	34.875	2004
11.02.2020 08:52:18	1	1	1	1	184	54.75	0	23554.502	679.5698925	15956.02424	30000	0	0	30000	35.6875	2004
11.02.2020 08:52:19	1	1	1	1	184	55.5	0	23459.716	688.172043	15758.7041	30000	0	0	30000	34.75	2004
11.02.2020 08:52:20	1	1	1	1	184	54.75	0	23364.929	688.172043	15827.19539	30000	0	0	30000	33.3125	2004
11.02.2020 08:52:21	1	1	1	1	184	53.25	0	23459.716	675.2688172	16144.37529	30000	0	0	30000	35.125	2004
11.02.2020 08:52:22	1	1	1	1	184	55	0	23412.322	673.1182796	15726.90457	30000	0	0	30000	35.375	2004
11.02.2020 08:52:23	1	1	1	1	184	55.25	0	23649.289	679.5698925	16020.43867	30000	0	0	30000	35.0625	2004
11.02.2020 08:52:24	1	1	1	1	184	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.3125	2004
11.02.2020 08:52:25	1	1	1	1	184	55.25	0	23459.716	675.2688172	15823.11853	30000	0	0	30000	34.875	2004
11.02.2020 08:52:26	1	1	1	1	183.5	54.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	34.875	2004
11.02.2020 08:52:27	1	1	1	1	183.5	54.75	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	35.5	2004
11.02.2020 08:52:28	1	1	1	1	183.5	55.5	0	23270.142	688.172043	15813.33406	30000	0	0	30000	34.9375	2004
11.02.2020 08:52:29	1	1	1	1	183.5	54.75	0	23080.569	688.172043	16031.85389	30000	0	0	30000	35.625	2004
11.02.2020 08:52:30	1	1	1	1	183.5	55.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35	2004
11.02.2020 08:52:31	1	1	1	1	183.5	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.4375	2004
11.02.2020 08:52:32	1	1	1	1	183.5	55.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.625	2004
11.02.2020 08:52:33	1	1	1	1	183.5	55.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.4375	2004
11.02.2020 08:52:34	1	1	1	1	183.5	54.25	0	23412.322	688.172043	16111.76039	30000	0	0	30000	35.375	2004
11.02.2020 08:52:35	1	1	1	1	183.5	55.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.4375	2004
11.02.2020 08:52:36	1	1	1	1	183.3	55.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.625	2004
11.02.2020 08:52:37	1	1	1	1	183.3	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35	2004
11.02.2020 08:52:38	1	1	1	1	183.3	55	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:52:39	1	1	1	1	183.3	55.5	0	23033.175	690.3225806	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:52:40	1	1	1	1	183.3	55.25	0	23175.355	692.4731183	15932.37844	30000	0	0	30000	34.6875	2004
11.02.2020 08:52:41	1	1	1	1	183.3	54.5	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	35.5	2004
11.02.2020 08:52:42	1	1	1	1	183.3	55.5	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	35.4375	2004
11.02.2020 08:52:43	1	1	1	1	183.3	55.25	0	23175.355	690.3225806	16163.94423	30000	0	0	30000	35.6875	2004
11.02.2020 08:52:44	1	1	1	1	183.3	55.5	0	23080.569	688.172043	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:52:45	1	1	1	1	183.3	55	0	23080.569	688.172043	15998.42361	30000	0	0	30000	34.125	2004
11.02.2020 08:52:46	1	1	1	1	182.8	54	0	22985.782	696.7741935	15999.23899	30000	0	0	30000	35.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:52:48	1	1	1	1	182.8	55	0	23080.569	688.172043	15932.37844	30000	0	0	30000	34.4375	2004
11.02.2020 08:52:49	1	1	1	1	182.8	54.25	0	23222.749	694.6236559	16130.51396	30000	0	0	30000	34.875	2004
11.02.2020 08:52:50	1	1	1	1	182.8	54.75	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	34.625	2004
11.02.2020 08:52:51	1	1	1	1	182.8	54.5	0	23222.749	692.4731183	15998.42361	30000	0	0	30000	35.5625	2004
11.02.2020 08:52:52	1	1	1	1	182.8	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5	2004
11.02.2020 08:52:53	1	1	1	1	182.8	55.5	0	23033.175	688.172043	15982.11616	30000	0	0	30000	35.6875	2004
11.02.2020 08:52:54	1	1	1	1	182.8	55.5	0	23080.569	698.9247312	16031.85389	30000	0	0	30000	35.25	2004
11.02.2020 08:52:55	1	1	1	1	182.8	55.5	0	23080.569	694.6236559	15982.11616	30000	0	0	30000	35.5	2004
11.02.2020 08:52:56	1	1	1	1	183	55.5	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	34.8125	2004
11.02.2020 08:52:57	1	1	1	1	183	54.75	0	23080.569	690.3225806	15883.45609	30000	0	0	30000	34.3125	2004
11.02.2020 08:52:58	1	1	1	1	183	54.25	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.375	2004
11.02.2020 08:52:59	1	1	1	1	183	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.5625	2004
11.02.2020 08:53:00	1	1	1	1	183	55.5	0	23175.355	692.4731183	16031.85389	30000	0	0	30000	33.4375	2004
11.02.2020 08:53:01	1	1	1	1	183	53.25	0	23080.569	692.4731183	15982.11616	30000	0	0	30000	34.8125	2004
11.02.2020 08:53:02	1	1	1	1	183	54.75	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	34.875	2004
11.02.2020 08:53:03	1	1	1	1	183	54.75	0	23080.569	694.6236559	15883.45609	30000	0	0	30000	33.9375	2004
11.02.2020 08:53:04	1	1	1	1	183	53.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.3125	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:11	1	1	1	1	182	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:12	1	1	1	1	182	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.4375	2004
11.02.2020 08:53:13	1	1	1	1	182	54.25	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	34.875	2004
11.02.2020 08:53:14	1	1	1	1	182	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	34.5	2004
11.02.2020 08:53:15	1	1	1	1	182	54.5	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:16	1	1	1	1	180.5	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 08:53:17	1	1	1	1	180.5	55.5	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.25	2004
11.02.2020 08:53:18	1	1	1	1	180.5	55.25	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	35.0625	2004
11.02.2020 08:53:19	1	1	1	1	180.5	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.9375	2004
11.02.2020 08:53:20	1	1	1	1	180.5	54.75	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.625	2004
11.02.2020 08:53:21	1	1	1	1	180.5	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.625	2004
11.02.2020 08:53:22	1	1	1	1	180.5	55.5	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:23	1	1	1	1	180.5	55.25	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.375	2004
11.02.2020 08:53:24	1	1	1	1	180.5	54.25	0	22890.995	701.0752688	16065.28416	30000	0	0	30000	35.625	2004
11.02.2020 08:53:25	1	1	1	1	180.5	55.5	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.6875	2004
11.02.2020 08:53:27	1	1	1	1	180	55.5	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	35.625	2004
11.02.2020 08:53:28	1	1	1	1	180	55.5	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	34.75	2004
11.02.2020 08:53:29	1	1	1	1	180	54.75	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	33.6875	2004
11.02.2020 08:53:30	1	1	1	1	180	53.5	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:53:31	1	1	1	1	180	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:53:32	1	1	1	1	180	54.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.375	2004
11.02.2020 08:53:33	1	1	1	1	180	55.25	0	23080.569	690.3225806	15998.42361	30000	0	0	30000	35.75	2004
11.02.2020 08:53:34	1	1	1	1	180	55.75	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	36	2004
11.02.2020 08:53:35	1	1	1	1	180	56	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.5	2004
11.02.2020 08:53:36	1	1	1	1	179.8	55.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:37	1	1	1	1	179.8	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.75	2004
11.02.2020 08:53:38	1	1	1	1	179.8	55.75	0	23175.355	692.4731183	15932.37844	30000	0	0	30000	35.25	2004
11.02.2020 08:53:39	1	1	1	1	179.8	55.25	0	23080.569	696.7741935	15850.84119	30000	0	0	30000	35.4375	2004
11.02.2020 08:53:40	1	1	1	1	179.8	55.25	0	22890.995	703.2258065	16048.16134	30000	0	0	30000	35.5	2004
11.02.2020 08:53:41	1	1	1	1	179.8	55.5	0	22843.602	698.9247312	16014.73106	30000	0	0	30000	35.625	2004
11.02.2020 08:53:42	1	1	1	1	179.8	55.5	0	22985.782	692.4731183	15965.80871	30000	0	0	30000	35.3125	2004
11.02.2020 08:53:43	1	1	1	1	179.8	55.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.6875	2004
11.02.2020 08:53:44	1	1	1	1	179.8	55.5	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	34.9375	2004
11.02.2020 08:53:45	1	1	1	1	179.8	54.75	0	22890.995	694.6236559	15965.80871	30000	0	0	30000	35.5625	2004
11.02.2020 08:53:46	1	1	1	1	180	55.5	0	22890.995	690.3225806	15949.50126	30000	0	0	30000	35.0625	2004
11.02.2020 08:53:47	1	1	1	1	180	55	0	22985.782	688.172043	16181.06705	30000	0	0	30000	33.25	2004
11.02.2020 08:53:48	1	1	1	1	180	53.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:53:49	1	1	1	1	180	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.75	2004
11.02.2020 08:53:50	1	1	1	1	180	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.375	2004
11.02.2020 08:53:51	1	1	1	1	180	55.25	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	34.875	2004
11.02.2020 08:53:52	1	1	1	1	180	54.75	0	23033.175	701.0752688	16230.80477	30000	0	0	30000	35.625	2004
11.02.2020 08:53:53	1	1	1	1	180	55.5	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:53:54	1	1	1	1	180	55	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:53:55	1	1	1	1	180	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 08:53:56	1	1	1	1	179.3	55.5	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	35.6875	2004
11.02.2020 08:53:57	1	1	1	1	179.3	55.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	34.75	2004
11.02.2020 08:53:58	1	1	1	1	179.3	54.75	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	34.875	2004
11.02.2020 08:53:59	1	1	1	1	179.3	54.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.875	2004
11.02.2020 08:54:00	1	1	1	1	179.3	54.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:54:01	1	1	1	1	179.3	55.25	0	23080.569	692.4731183	15982.11616	30000	0	0	30000	35.5	2004
11.02.2020 08:54:02	1	1	1	1	179.3	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:03	1	1	1	1	179.3	55.5	0	23080.569	698.9247312	16131.32933	30000	0	0	30000	35.375	2004
11.02.2020 08:54:04	1	1	1	1	179.3	55.25	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	34.5	2004
11.02.2020 08:54:05	1	1	1	1	179.3	54.5	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	34.6875	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:13	1	1	1	1	179.3	54.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:14	1	1	1	1	179.3	55.5	0	23175.355	690.3225806	16097.89906	30000	0	0	30000	35.4375	2004
11.02.2020 08:54:15	1	1	1	1	179.3	55.25	0	23033.175	692.4731183	15899.76354	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:54:16	1	1	1	1	179.3	55.5	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	35.375	2004
11.02.2020 08:54:17	1	1	1	1	180	55.25	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	35.25	2004
11.02.2020 08:54:18	1	1	1	1	180	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:54:19	1	1	1	1	180	55.75	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	34.6875	2004
11.02.2020 08:54:20	1	1	1	1	180	54.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	34.9375	2004
11.02.2020 08:54:21	1	1	1	1	180	54.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.0625	2004
11.02.2020 08:54:22	1	1	1	1	180	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.6875	2004
11.02.2020 08:54:23	1	1	1	1	180	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.75	2004
11.02.2020 08:54:24	1	1	1	1	180	54.75	0	23080.569	696.7741935	16131.32933	30000	0	0	30000	35.125	2004
11.02.2020 08:54:25	1	1	1	1	180	55	0	23222.749	692.4731183	15998.42361	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:26	1	1	1	1	179.3	55.5	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	35.125	2004
11.02.2020 08:54:27	1	1	1	1	179.3	55	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:54:28	1	1	1	1	179.3	55	0	22890.995	698.9247312	15900.57891	30000	0	0	30000	35.5625	2004
11.02.2020 08:54:29	1	1	1	1	179.3	55.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.875	2004
11.02.2020 08:54:30	1	1	1	1	179.3	54.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.625	2004
11.02.2020 08:54:31	1	1	1	1	179.3	55.5	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	34.75	2004
11.02.2020 08:54:32	1	1	1	1	179.3	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.125	2004
11.02.2020 08:54:33	1	1	1	1	179.3	55	0	22985.782	688.172043	15965.80871	30000	0	0	30000	34.625	2004
11.02.2020 08:54:34	1	1	1	1	179.3	54.5	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	34.4375	2004
11.02.2020 08:54:35	1	1	1	1	179.3	54.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5	2004
11.02.2020 08:54:36	1	1	1	1	180	55.5	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	35.6875	2004
11.02.2020 08:54:37	1	1	1	1	180	55.5	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	35.25	2004
11.02.2020 08:54:38	1	1	1	1	180	55.25	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.4375	2004
11.02.2020 08:54:39	1	1	1	1	180	55.25	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	34.5	2004
11.02.2020 08:54:40	1	1	1	1	180	54.5	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	35.25	2004
11.02.2020 08:54:41	1	1	1	1	180	55.25	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.6875	2004
11.02.2020 08:54:42	1	1	1	1	180	55.5	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	35.625	2004
11.02.2020 08:54:43	1	1	1	1	180	55.5	0	22890.995	698.9247312	15900.57891	30000	0	0	30000	35.625	2004
11.02.2020 08:54:44	1	1	1	1	180	55.5	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	35.875	2004
11.02.2020 08:54:45	1	1	1	1	180	55.75	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	35.0625	2004
11.02.2020 08:54:47	1	1	1	1	181.5	55	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:54:48	1	1	1	1	181.5	55.75	0	23270.142	694.6236559	15998.42361	30000	0	0	30000	35.75	2004
11.02.2020 08:54:49	1	1	1	1	181.5	55.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.6875	2004
11.02.2020 08:54:50	1	1	1	1	181.5	55.5	0	22890.995	698.9247312	16048.16134	30000	0	0	30000	35.75	2004
11.02.2020 08:54:51	1	1	1	1	181.5	55.75	0	22796.209	696.7741935	15834.53374	30000	0	0	30000	35.3125	2004
11.02.2020 08:54:52	1	1	1	1	181.5	55.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.9375	2004
11.02.2020 08:54:53	1	1	1	1	181.5	55.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.0625	2004
11.02.2020 08:54:54	1	1	1	1	181.5	55	0	23080.569	696.7741935	15999.23899	30000	0	0	30000	34.4375	2004
11.02.2020 08:54:55	1	1	1	1	181.5	54.25	0	22938.389	690.3225806	15867.14864	30000	0	0	30000	35.4375	2004
11.02.2020 08:54:56	1	1	1	1	183.3	55.25	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	35.25	2004
11.02.2020 08:54:57	1	1	1	1	183.3	55.25	0	23080.569	692.4731183	15982.11616	30000	0	0	30000	35.0625	2004
11.02.2020 08:54:58	1	1	1	1	183.3	55	0	22890.995	698.9247312	16048.16134	30000	0	0	30000	35.0625	2004
11.02.2020 08:54:59	1	1	1	1	183.3	55	0	22985.782	701.0752688	15900.57891	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:55:00	1	1	1	1	183.3	55.5	0	22938.389	694.6236559	15900.57891	30000	0	0	30000	35.5	2004
11.02.2020 08:55:01	1	1	1	1	183.3	55.5	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	35.3125	2004
11.02.2020 08:55:02	1	1	1	1	183.3	55.25	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	34.6875	2004
11.02.2020 08:55:03	1	1	1	1	183.3	54.5	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	35.75	2004
11.02.2020 08:55:04	1	1	1	1	183.3	55.75	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:05	1	1	1	1	183.3	55.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.75	2004
11.02.2020 08:55:06	1	1	1	1	184.5	55.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.75	2004
11.02.2020 08:55:07	1	1	1	1	184.5	54.75	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	35.9375	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:14	1	1	1	1	184.5	55.5	0	22890.995	694.6236559	16065.28416	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:15	1	1	1	1	184.5	55.75	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	34.75	2004
11.02.2020 08:55:16	1	1	1	1	184.3	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.5	2004
11.02.2020 08:55:17	1	1	1	1	184.3	55.5	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	35.875	2004
11.02.2020 08:55:18	1	1	1	1	184.3	55.75	0	22890.995	696.7741935	15998.42361	30000	0	0	30000	34.875	2004
11.02.2020 08:55:19	1	1	1	1	184.3	54.75	0	22938.389	701.0752688	16048.16134	30000	0	0	30000	35.0625	2004
11.02.2020 08:55:20	1	1	1	1	184.3	55	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	35.9375	2004
11.02.2020 08:55:21	1	1	1	1	184.3	55.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:22	1	1	1	1	184.3	55.75	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	34.5	2004
11.02.2020 08:55:23	1	1	1	1	184.3	54.5	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	34.875	2004
11.02.2020 08:55:25	1	1	1	1	184.3	54.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	34.875	2004
11.02.2020 08:55:26	1	1	1	1	184.3	54.75	0	23033.175	694.6236559	16097.89906	30000	0	0	30000	35.4375	2004
11.02.2020 08:55:27	1	1	1	1	185.3	55.25	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	35.375	2004
11.02.2020 08:55:28	1	1	1	1	185.3	55.25	0	22796.209	694.6236559	15965.80871	30000	0	0	30000	35.125	2004
11.02.2020 08:55:29	1	1	1	1	185.3	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:55:30	1	1	1	1	185.3	55	0	22938.389	698.9247312	16048.16134	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:31	1	1	1	1	185.3	55.75	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.125	2004
11.02.2020 08:55:32	1	1	1	1	185.3	55	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.875	2004
11.02.2020 08:55:33	1	1	1	1	185.3	55.75	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	35.0625	2004
11.02.2020 08:55:34	1	1	1	1	185.3	55	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:55:35	1	1	1	1	185.3	55	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	34.9375	2004
11.02.2020 08:55:36	1	1	1	1	185.5	54.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.25	2004
11.02.2020 08:55:37	1	1	1	1	185.5	55.25	0	23175.355	694.6236559	16048.16134	30000	0	0	30000	35.625	2004
11.02.2020 08:55:38	1	1	1	1	185.5	55.5	0	22890.995	692.4731183	15998.42361	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:39	1	1	1	1	185.5	55.75	0	23033.175	696.7741935	15965.80871	30000	0	0	30000	35.75	2004
11.02.2020 08:55:40	1	1	1	1	185.5	55.75	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	35.5625	2004
11.02.2020 08:55:41	1	1	1	1	185.5	55.5	0	22843.602	701.0752688	15981.30079	30000	0	0	30000	35.3125	2004
11.02.2020 08:55:42	1	1	1	1	185.5	55.25	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:43	1	1	1	1	185.5	55.75	0	23080.569	694.6236559	15965.80871	30000	0	0	30000	35.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:55:44	1	1	1	1	185.5	55.75	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	35.5625	2004
11.02.2020 08:55:45	1	1	1	1	185.5	55.5	0	23033.175	690.3225806	15999.23899	30000	0	0	30000	35.25	2004
11.02.2020 08:55:46	1	1	1	1	186.3	55.25	0	22985.782	696.7741935	15999.23899	30000	0	0	30000	34.875	2004
11.02.2020 08:55:47	1	1	1	1	186.3	54.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.875	2004
11.02.2020 08:55:48	1	1	1	1	186.3	54.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:49	1	1	1	1	186.3	55.5	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	35.9375	2004
11.02.2020 08:55:50	1	1	1	1	186.3	55.75	0	22985.782	701.0752688	16065.28416	30000	0	0	30000	35.5	2004
11.02.2020 08:55:51	1	1	1	1	186.3	55.5	0	22985.782	694.6236559	16197.3745	30000	0	0	30000	35.9375	2004
11.02.2020 08:55:52	1	1	1	1	186.3	55.75	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:53	1	1	1	1	186.3	55.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	34.9375	2004
11.02.2020 08:55:54	1	1	1	1	186.3	54.75	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	35.1875	2004
11.02.2020 08:55:55	1	1	1	1	186.3	55	0	22938.389	698.9247312	15900.57891	30000	0	0	30000	35.75	2004
11.02.2020 08:55:56	1	1	1	1	186.8	55.75	0	22890.995	696.7741935	15998.42361	30000	0	0	30000	35.8125	2004
11.02.2020 08:55:57	1	1	1	1	186.8	55.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.1875	2004
11.02.2020 08:55:58	1	1	1	1	186.8	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.6875	2004
11.02.2020 08:55:59	1	1	1	1	186.8	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.3125	2004
11.02.2020 08:56:00	1	1	1	1	186.8	55.25	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.625	2004
11.02.2020 08:56:01	1	1	1	1	186.8	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	36	2004
11.02.2020 08:56:03	1	1	1	1	186.8	56	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:56:04	1	1	1	1	186.8	55.75	0	22985.782	701.0752688	15998.42361	30000	0	0	30000	35.5625	2004
11.02.2020 08:56:05	1	1	1	1	186.8	55.5	0	22890.995	692.4731183	15801.91884	30000	0	0	30000	34.4375	2004
11.02.2020 08:56:06	1	1	1	1	186.8	54.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.25	2004
11.02.2020 08:56:07	1	1	1	1	186.5	55.25	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	35.125	2004
11.02.2020 08:56:08	1	1	1	1	186.5	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.875	2004
11.02.2020 08:56:09	1	1	1	1	186.5	54.75	0	22890.995	698.9247312	16065.28416	30000	0	0	30000	36.125	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:19	1	1	1	1	187.3	55	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.625	2004
11.02.2020 08:56:20	1	1	1	1	187.3	55.5	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	35.75	2004
11.02.2020 08:56:21	1	1	1	1	187.3	55.75	0	22985.782	701.0752688	16048.16134	30000	0	0	30000	35.875	2004
11.02.2020 08:56:22	1	1	1	1	187.3	55.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	36.0625	2004
11.02.2020 08:56:23	1	1	1	1	187.3	56	0	23033.175	692.4731183	15965.80871	30000	0	0	30000	35.375	2004
11.02.2020 08:56:24	1	1	1	1	187.3	55.25	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.875	2004
11.02.2020 08:56:25	1	1	1	1	187.3	55.75	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	34.625	2004
11.02.2020 08:56:26	1	1	1	1	187.5	54.5	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	35.125	2004
11.02.2020 08:56:27	1	1	1	1	187.5	55	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	35.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:56:28	1	1	1	1	187.5	55.75	0	22890.995	696.7741935	16048.16134	30000	0	0	30000	35.75	2004
11.02.2020 08:56:29	1	1	1	1	187.5	55.75	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	34.8125	2004
11.02.2020 08:56:30	1	1	1	1	187.5	54.75	0	22985.782	698.9247312	16114.20651	30000	0	0	30000	34.5	2004
11.02.2020 08:56:31	1	1	1	1	187.5	54.5	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	35	2004
11.02.2020 08:56:32	1	1	1	1	187.5	55	0	22796.209	694.6236559	15834.53374	30000	0	0	30000	35.9375	2004
11.02.2020 08:56:33	1	1	1	1	187.5	55.75	0	22796.209	701.0752688	15801.91884	30000	0	0	30000	35.6875	2004
11.02.2020 08:56:34	1	1	1	1	187.5	55.5	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	35.9375	2004
11.02.2020 08:56:35	1	1	1	1	187.5	55.75	0	22985.782	703.2258065	16163.94423	30000	0	0	30000	35.8125	2004
11.02.2020 08:56:36	1	1	1	1	187	55.75	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	34.9375	2004
11.02.2020 08:56:37	1	1	1	1	187	54.75	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	35.25	2004
11.02.2020 08:56:38	1	1	1	1	187	55.25	0	22890.995	694.6236559	16114.20651	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:39	1	1	1	1	187	55	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	36	2004
11.02.2020 08:56:40	1	1	1	1	187	56	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	35.875	2004
11.02.2020 08:56:42	1	1	1	1	187	55.75	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.375	2004
11.02.2020 08:56:43	1	1	1	1	187	55.25	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	36	2004
11.02.2020 08:56:44	1	1	1	1	187	56	0	22796.209	701.0752688	15965.80871	30000	0	0	30000	35.1875	2004
11.02.2020 08:56:45	1	1	1	1	187	55	0	23080.569	698.9247312	16131.32933	30000	0	0	30000	35.625	2004
11.02.2020 08:56:46	1	1	1	1	187	55.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.875	2004
11.02.2020 08:56:47	1	1	1	1	187.3	55.75	0	22843.602	698.9247312	15932.37844	30000	0	0	30000	36	2004
11.02.2020 08:56:48	1	1	1	1	187.3	56	0	22985.782	692.4731183	15965.80871	30000	0	0	30000	36	2004
11.02.2020 08:56:49	1	1	1	1	187.3	56	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	36.125	2004
11.02.2020 08:56:50	1	1	1	1	187.3	56	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	34.625	2004
11.02.2020 08:56:51	1	1	1	1	187.3	55.5	0	22843.602	698.9247312	15965.80871	30000	0	0	30000	34.625	2004
11.02.2020 08:56:52	1	1	1	1	187.3	54.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	34.75	2004
11.02.2020 08:56:53	1	1	1	1	187.3	54.75	0	22985.782	701.0752688	15900.57891	30000	0	0	30000	35.8125	2004
11.02.2020 08:56:54	1	1	1	1	187.3	55.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.4375	2004
11.02.2020 08:56:55	1	1	1	1	187.3	55.25	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	34.875	2004
11.02.2020 08:56:56	1	1	1	1	187.5	54.75	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	34.875	2004
11.02.2020 08:56:57	1	1	1	1	187.5	54.75	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	36	2004
11.02.2020 08:56:58	1	1	1	1	187.5	56	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	35.5	2004
11.02.2020 08:56:59	1	1	1	1	187.5	55.5	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.875	2004
11.02.2020 08:57:00	1	1	1	1	187.5	55.75	0	23033.175	692.4731183	15899.76354	30000	0	0	30000	35.75	2004
11.02.2020 08:57:01	1	1	1	1	187.5	55.75	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	35.625	2004
11.02.2020 08:57:02	1	1	1	1	187.5	55.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	34.9375	2004
11.02.2020 08:57:03	1	1	1	1	187.5	54.75	0	22843.602	701.0752688	16048.16134	30000	0	0	30000	35.625	2004
11.02.2020 08:57:04	1	1	1	1	187.5	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.9375	2004
11.02.2020 08:57:05	1	1	1	1	187.5	55.75	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:06	1	1	1	1	187	56	0	22938.389	688.172043	16097.89906	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:07	1	1	1	1	187	55.5	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.375	2004
11.02.2020 08:57:08	1	1	1	1	187	55.25	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	35.75	2004
11.02.2020 08:57:09	1	1	1	1	187	55.75	0	23033.175	692.4731183	15899.76354	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:10	1	1	1	1	187	56	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	35.875	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	55.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:20	1	1	1	1	187.3	56	0	23033.175	694.6236559	16097.89906	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:22	1	1	1	1	187.3	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:57:23	1	1	1	1	187.3	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 08:57:24	1	1	1	1	187.3	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.0625	2004
11.02.2020 08:57:25	1	1	1	1	187.3	55	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.875	2004
11.02.2020 08:57:26	1	1	1	1	187.3	55.75	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	35.875	2004
11.02.2020 08:57:27	1	1	1	1	187.5	55.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:28	1	1	1	1	187.5	55.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	36.3125	2004
11.02.2020 08:57:29	1	1	1	1	187.5	56.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.9375	2004
11.02.2020 08:57:30	1	1	1	1	187.5	55.75	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	34.9375	2004
11.02.2020 08:57:31	1	1	1	1	187.5	55.75	0	23033.175	696.7741935	15965.80871	30000	0	0	30000	35.8125	2004
11.02.2020 08:57:32	1	1	1	1	187.5	55.75	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	35.875	2004
11.02.2020 08:57:33	1	1	1	1	187.5	55.75	0	23080.569	694.6236559	15982.11616	30000	0	0	30000	35.75	2004
11.02.2020 08:57:34	1	1	1	1	187.5	55.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:35	1	1	1	1	187.5	56	0	23033.175	694.6236559	16181.06705	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:36	1	1	1	1	187.5	55.5	0	22985.782	701.0752688	15801.91884	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:37	1	1	1	1	187.5	55.5	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	34.875	2004
11.02.2020 08:57:38	1	1	1	1	187.5	54.75	0	22890.995	696.7741935	16097.08368	30000	0	0	30000	35.9375	2004
11.02.2020 08:57:39	1	1	1	1	187.5	55.75	0	22985.782	698.9247312	16163.94423	30000	0	0	30000	35.625	2004
11.02.2020 08:57:40	1	1	1	1	187.5	55.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	36	2004
11.02.2020 08:57:41	1	1	1	1	187.5	56	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	35.875	2004
11.02.2020 08:57:42	1	1	1	1	187.5	55.75	0	23080.569	690.3225806	16097.89906	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:43	1	1	1	1	187.5	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.125	2004
11.02.2020 08:57:44	1	1	1	1	187.5	55	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.4375	2004
11.02.2020 08:57:45	1	1	1	1	187.5	55.25	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	33.9375	2004
11.02.2020 08:57:46	1	1	1	1	187	53.75	0	22890.995	688.172043	15867.14864	30000	0	0	30000	36.0625	2004
11.02.2020 08:57:47	1	1	1	1	187	56	0	22938.389	694.6236559	15965.80871	30000	0	0	30000	34.75	2004
11.02.2020 08:57:48	1	1	1	1	187	54.75	0	23033.175	696.7741935	16015.54644	30000	0	0	30000	35.375	2004
11.02.2020 08:57:49	1	1	1	1	187	55.25	0	23080.569	701.0752688	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:57:50	1	1	1	1	187	55.75	0	23033.175	698.9247312	15999.23899	30000	0	0	30000	35.1875	2004
11.02.2020 08:57:51	1	1	1	1	187	55	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.9375	2004
11.02.2020 08:57:52	1	1	1	1	187	54.75	0	22985.782	692.4731183	15965.80871	30000	0	0	30000	35.6875	2004
11.02.2020 08:57:53	1	1	1	1	187	55.5	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	35.5	2004
11.02.2020 08:57:54	1	1	1	1	187	55.5	0	23080.569	698.9247312	16031.85389	30000	0	0	30000	36	2004
11.02.2020 08:57:55	1	1	1	1	187	56	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:57:56	1	1	1	1	187	55.25	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.5	2004
11.02.2020 08:57:57	1	1	1	1	187	55.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	34.6875	2004
11.02.2020 08:58:03	1	1	1	1	187	56	0	23033.175	701.0752688	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:03	1	1	1	1	187	56	0	23033.175	701.0752688	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:03	1	1	1	1	187	56	0	23033.175	701.0752688	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:03	1	1	1	1	187	56	0	23033.175	701.0752688	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:03	1	1	1	1	187	56	0	23033.175	701.0752688	15900.57891	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:04	1	1	1	1	187	56	0	22985.782	696.7741935	15900.57891	30000	0	0	30000	34.875	2004
11.02.2020 08:58:05	1	1	1	1	187	54.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	34.9375	2004
11.02.2020 08:58:06	1	1	1	1	187	54.75	0	22938.389	696.7741935	16065.28416	30000	0	0	30000	35.6875	2004
11.02.2020 08:58:07	1	1	1	1	187.5	55.5	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.625	2004
11.02.2020 08:58:08	1	1	1	1	187.5	55.5	0	22890.995	698.9247312	16114.20651	30000	0	0	30000	36.4375	2004
11.02.2020 08:58:09	1	1	1	1	187.5	56.25	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:10	1	1	1	1	187.5	56	0	23175.355	698.9247312	16031.85389	30000	0	0	30000	35.8125	2004
11.02.2020 08:58:11	1	1	1	1	187.5	56	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.4375	2004
11.02.2020 08:58:12	1	1	1	1	187.5	55.25	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.75	0	22985.782	698.9247312	15965.80871	30000	0	0	30000	35.5	2004
11.02.2020 08:58:23	1	1	1	1	188	55.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:23	1	1	1	1	188	55.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:23	1	1	1	1	188	55.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:24	1	1	1	1	188	55.75	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	34.75	2004
11.02.2020 08:58:25	1	1	1	1	188	54.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:26	1	1	1	1	187.5	55.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.75	2004
11.02.2020 08:58:27	1	1	1	1	187.5	55.75	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:58:28	1	1	1	1	187.5	55.25	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	35.5	2004
11.02.2020 08:58:29	1	1	1	1	187.5	55.5	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	34.875	2004
11.02.2020 08:58:30	1	1	1	1	187.5	54.75	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:31	1	1	1	1	187.5	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5	2004
11.02.2020 08:58:32	1	1	1	1	187.5	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.3125	2004
11.02.2020 08:58:33	1	1	1	1	187.5	55.25	0	22985.782	692.4731183	16097.89906	30000	0	0	30000	35.0625	2004
11.02.2020 08:58:34	1	1	1	1	187.5	55	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	36.125	2004
11.02.2020 08:58:35	1	1	1	1	187.5	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:36	1	1	1	1	187.8	56	0	22985.782	694.6236559	16065.28416	30000	0	0	30000	35.9375	2004
11.02.2020 08:58:37	1	1	1	1	187.8	55.75	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.6875	2004
11.02.2020 08:58:39	1	1	1	1	187.8	55.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	36	2004
11.02.2020 08:58:40	1	1	1	1	187.8	56	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:58:41	1	1	1	1	187.8	56	0	22985.782	696.7741935	16097.89906	30000	0	0	30000	36.125	2004
11.02.2020 08:58:42	1	1	1	1	187.8	56	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	35.8125	2004
11.02.2020 08:58:43	1	1	1	1	187.8	55.75	0	23033.175	690.3225806	15999.23899	30000	0	0	30000	36	2004
11.02.2020 08:58:44	1	1	1	1	187.8	56	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	36.125	2004
11.02.2020 08:58:45	1	1	1	1	187.8	56	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	36.3125	2004
11.02.2020 08:58:46	1	1	1	1	187.8	56.25	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	36.3125	2004
11.02.2020 08:58:47	1	1	1	1	188.3	56.25	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	35.875	2004
11.02.2020 08:58:48	1	1	1	1	188.3	55.75	0	23033.175	696.7741935	15999.23899	30000	0	0	30000	36.5625	2004
11.02.2020 08:58:49	1	1	1	1	188.3	55.75	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	35.25	2004
11.02.2020 08:58:50	1	1	1	1	188.3	55.25	0	23033.175	688.172043	16031.85389	30000	0	0	30000	36	2004
11.02.2020 08:58:51	1	1	1	1	188.3	56	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.4375	2004
11.02.2020 08:58:52	1	1	1	1	188.3	55.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.125	2004
11.02.2020 08:58:53	1	1	1	1	188.3	56	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:58:54	1	1	1	1	188.3	54.5	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	35.75	2004
11.02.2020 08:58:55	1	1	1	1	188.3	55.75	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	36	2004
11.02.2020 08:58:56	1	1	1	1	187.8	56	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	36.1875	2004
11.02.2020 08:58:57	1	1	1	1	187.8	56	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:58	1	1	1	1	187.8	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.0625	2004
11.02.2020 08:58:59	1	1	1	1	187.8	56	0	22985.782	690.3225806	15899.76354	30000	0	0	30000	36	2004
11.02.2020 08:59:00	1	1	1	1	187.8	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.125	2004
11.02.2020 08:59:01	1	1	1	1	187.8	56	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	35.9375	2004
11.02.2020 08:59:02	1	1	1	1	187.8	55.75	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	36.125	2004
11.02.2020 08:59:03	1	1	1	1	187.8	56	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	36	2004
11.02.2020 08:59:04	1	1	1	1	187.8	56	0	22985.782	694.6236559	16197.3745	30000	0	0	30000	35.125	2004
11.02.2020 08:59:05	1	1	1	1	187.8	55	0	23033.175	694.6236559	16131.32933	30000	0	0	30000	35.375	2004
11.02.2020 08:59:06	1	1	1	1	187.3	55.25	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	34.9375	2004
11.02.2020 08:59:07	1	1	1	1	187.3	54.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.0625	2004
11.02.2020 08:59:08	1	1	1	1	187.3	56	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:59:09	1	1	1	1	187.3	55.25	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 08:59:10	1	1	1	1	187.3	55.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	35.4375	2004
11.02.2020 08:59:11	1	1	1	1	187.3	55.25	0	22985.782	694.6236559	16097.89906	30000	0	0	30000	35.8125	2004
11.02.2020 08:59:12	1	1	1	1	187.3	55.75	0	23033.175	694.6236559	16131.32933	30000	0	0	30000	36.125	2004
11.02.2020 08:59:13	1	1	1	1	187.3	56	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.125	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:20	1	1	1	1	187	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.5625	2004
11.02.2020 08:59:21	1	1	1	1	187	54.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	35.125	2004
11.02.2020 08:59:22	1	1	1	1	187	55	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	35.4375	2004
11.02.2020 08:59:23	1	1	1	1	187	55.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	36.125	2004
11.02.2020 08:59:24	1	1	1	1	187	56	0	23033.175	694.6236559	16097.89906	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 08:59:25	1	1	1	1	187	56	0	23080.569	692.4731183	15998.42361	30000	0	0	30000	36.375	2004
11.02.2020 08:59:26	1	1	1	1	187	56.25	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	34.9375	2004
11.02.2020 08:59:27	1	1	1	1	187	54.75	0	23033.175	694.6236559	15867.14864	30000	0	0	30000	36.5625	2004
11.02.2020 08:59:28	1	1	1	1	187	56.5	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.6875	2004
11.02.2020 08:59:29	1	1	1	1	187	55.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	36.25	2004
11.02.2020 08:59:30	1	1	1	1	187	56.25	0	23080.569	688.172043	15932.37844	30000	0	0	30000	36.1875	2004
11.02.2020 08:59:31	1	1	1	1	187	56	0	23080.569	688.172043	15932.37844	30000	0	0	30000	35.1875	2004
11.02.2020 08:59:32	1	1	1	1	187	55	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.875	2004
11.02.2020 08:59:33	1	1	1	1	187	55.75	0	23033.175	690.3225806	15949.50126	30000	0	0	30000	36.0625	2004
11.02.2020 08:59:34	1	1	1	1	187	56	0	23222.749	688.172043	15981.30079	30000	0	0	30000	35.5	2004
11.02.2020 08:59:35	1	1	1	1	187	55.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	36.1875	2004
11.02.2020 08:59:36	1	1	1	1	186.8	56	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	35.75	2004
11.02.2020 08:59:37	1	1	1	1	186.8	55.75	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	35.9375	2004
11.02.2020 08:59:38	1	1	1	1	186.8	55.75	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	35.875	2004
11.02.2020 08:59:39	1	1	1	1	186.8	55.75	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	34.75	2004
11.02.2020 08:59:40	1	1	1	1	186.8	54.75	0	23033.175	688.172043	15850.84119	30000	0	0	30000	35.1875	2004
11.02.2020 08:59:41	1	1	1	1	186.8	55	0	23222.749	688.172043	16031.03851	30000	0	0	30000	34.5	2004
11.02.2020 08:59:42	1	1	1	1	186.8	54.5	0	23222.749	688.172043	16063.65341	30000	0	0	30000	35.75	2004
11.02.2020 08:59:43	1	1	1	1	186.8	55.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.625	2004
11.02.2020 08:59:44	1	1	1	1	186.8	55.5	0	23033.175	690.3225806	16031.85389	30000	0	0	30000	35.25	2004
11.02.2020 08:59:45	1	1	1	1	186.8	55.25	0	22985.782	690.3225806	15867.14864	30000	0	0	30000	36.1875	2004
11.02.2020 08:59:46	1	1	1	1	186.5	56	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.4375	2004
11.02.2020 08:59:47	1	1	1	1	186.5	55.25	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	35.9375	2004
11.02.2020 08:59:48	1	1	1	1	186.5	55.75	0	23175.355	696.7741935	15998.42361	30000	0	0	30000	35.375	2004
11.02.2020 08:59:49	1	1	1	1	186.5	55.25	0	23222.749	688.172043	16031.03851	30000	0	0	30000	35.4375	2004
11.02.2020 08:59:50	1	1	1	1	186.5	55.25	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	35.625	2004
11.02.2020 08:59:51	1	1	1	1	186.5	55.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	36.125	2004
11.02.2020 08:59:52	1	1	1	1	186.5	56	0	23175.355	688.172043	15981.30079	30000	0	0	30000	34.8125	2004
11.02.2020 08:59:53	1	1	1	1	186.5	54.75	0	23222.749	690.3225806	15883.45609	30000	0	0	30000	36.375	2004
11.02.2020 08:59:55	1	1	1	1	186.5	56.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36	2004
11.02.2020 08:59:56	1	1	1	1	186.5	56	0	23222.749	692.4731183	16130.51396	30000	0	0	30000	35.375	2004
11.02.2020 08:59:57	1	1	1	1	187	55.25	0	23222.749	692.4731183	15948.68589	30000	0	0	30000	36.0625	2004
11.02.2020 08:59:58	1	1	1	1	187	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36	2004
11.02.2020 08:59:59	1	1	1	1	187	56	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.625	2004
11.02.2020 09:00:00	1	1	1	1	187	55.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.8125	2004
11.02.2020 09:00:01	1	1	1	1	187	55.75	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	35.375	2004
11.02.2020 09:00:02	1	1	1	1	187	55.25	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	34.75	2004
11.02.2020 09:00:03	1	1	1	1	187	54.75	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	36.3125	2004
11.02.2020 09:00:04	1	1	1	1	187	56.25	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:05	1	1	1	1	187	56	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.4375	2004
11.02.2020 09:00:06	1	1	1	1	187	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.8125	2004
11.02.2020 09:00:07	1	1	1	1	187	56	0	23222.749	688.172043	16063.65341	30000	0	0	30000	36.25	2004
11.02.2020 09:00:08	1	1	1	1	187	56.25	0	23222.749	690.3225806	16130.51396	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:00:09	1	1	1	1	187	54.75	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:10	1	1	1	1	187	56	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.875	2004
11.02.2020 09:00:11	1	1	1	1	187	55.75	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	36	2004
11.02.2020 09:00:12	1	1	1	1	187	56	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:13	1	1	1	1	187	56	0	23080.569	690.3225806	16031.85389	30000	0	0	30000	35.75	2004
11.02.2020 09:00:14	1	1	1	1	187	55.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:15	1	1	1	1	187	56	0	23175.355	690.3225806	16063.65341	30000	0	0	30000	35.8125	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:22	1	1	1	1	186.5	56	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:23	1	1	1	1	186.5	56.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:24	1	1	1	1	186.5	56	0	23222.749	688.172043	16013.91569	30000	0	0	30000	36.0625	2004
11.02.2020 09:00:25	1	1	1	1	186.5	56	0	23270.142	701.0752688	15998.42361	30000	0	0	30000	34.3125	2004
11.02.2020 09:00:26	1	1	1	1	186.8	54.25	0	23317.536	688.172043	16046.53059	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:27	1	1	1	1	186.8	56	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.9375	2004
11.02.2020 09:00:28	1	1	1	1	186.8	55.75	0	23270.142	688.172043	15981.30079	30000	0	0	30000	35.75	2004
11.02.2020 09:00:29	1	1	1	1	186.8	55.75	0	23080.569	694.6236559	15932.37844	30000	0	0	30000	36.125	2004
11.02.2020 09:00:30	1	1	1	1	186.8	56	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.0625	2004
11.02.2020 09:00:31	1	1	1	1	186.8	56	0	23270.142	694.6236559	16031.03851	30000	0	0	30000	36.25	2004
11.02.2020 09:00:33	1	1	1	1	186.8	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.9375	2004
11.02.2020 09:00:34	1	1	1	1	186.8	55.75	0	23554.502	688.172043	16176.99019	30000	0	0	30000	35	2004
11.02.2020 09:00:35	1	1	1	1	186.8	55	0	23270.142	688.172043	15681.24371	30000	0	0	30000	35.625	2004
11.02.2020 09:00:36	1	1	1	1	186.8	55.5	0	23270.142	688.172043	16046.53059	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:37	1	1	1	1	186.3	56	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.5625	2004
11.02.2020 09:00:38	1	1	1	1	186.3	55.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.4375	2004
11.02.2020 09:00:39	1	1	1	1	186.3	54.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	35.5	2004
11.02.2020 09:00:40	1	1	1	1	186.3	55.5	0	23080.569	690.3225806	15998.42361	30000	0	0	30000	36.625	2004
11.02.2020 09:00:41	1	1	1	1	186.3	56.5	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	36.375	2004
11.02.2020 09:00:42	1	1	1	1	186.3	56.25	0	23364.929	688.172043	16111.76039	30000	0	0	30000	35.875	2004
11.02.2020 09:00:43	1	1	1	1	186.3	55.75	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:44	1	1	1	1	186.3	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	34.625	2004
11.02.2020 09:00:45	1	1	1	1	186.3	54.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	34.375	2004
11.02.2020 09:00:46	1	1	1	1	186.5	54.25	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	35.625	2004
11.02.2020 09:00:47	1	1	1	1	186.5	55.5	0	23222.749	688.172043	16013.91569	30000	0	0	30000	35.0625	2004
11.02.2020 09:00:48	1	1	1	1	186.5	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.1875	2004
11.02.2020 09:00:49	1	1	1	1	186.5	56	0	23412.322	688.172043	15859.81029	30000	0	0	30000	35.9375	2004
11.02.2020 09:00:50	1	1	1	1	186.5	55.75	0	23317.536	688.172043	16046.53059	30000	0	0	30000	35.875	2004
11.02.2020 09:00:51	1	1	1	1	186.5	55.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.5	2004
11.02.2020 09:00:52	1	1	1	1	186.5	55.5	0	23175.355	690.3225806	15883.45609	30000	0	0	30000	35.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:00:53	1	1	1	1	186.5	55.75	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.25	2004
11.02.2020 09:00:54	1	1	1	1	186.5	56.25	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	35.3125	2004
11.02.2020 09:00:55	1	1	1	1	186.5	55.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	35.75	2004
11.02.2020 09:00:56	1	1	1	1	186.8	55.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	36.3125	2004
11.02.2020 09:00:57	1	1	1	1	186.8	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.3125	2004
11.02.2020 09:00:58	1	1	1	1	186.8	56.25	0	23317.536	688.172043	16046.53059	30000	0	0	30000	35.875	2004
11.02.2020 09:00:59	1	1	1	1	186.8	55.75	0	23222.749	690.3225806	15948.68589	30000	0	0	30000	35.75	2004
11.02.2020 09:01:00	1	1	1	1	186.8	55.75	0	23175.355	688.172043	15948.68589	30000	0	0	30000	35.625	2004
11.02.2020 09:01:01	1	1	1	1	186.8	55.5	0	23270.142	688.172043	15663.30552	30000	0	0	30000	36.0625	2004
11.02.2020 09:01:02	1	1	1	1	186.8	56	0	23222.749	690.3225806	16063.65341	30000	0	0	30000	35.5	2004
11.02.2020 09:01:03	1	1	1	1	186.8	55.5	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:04	1	1	1	1	186.8	56.25	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:05	1	1	1	1	186.8	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.0625	2004
11.02.2020 09:01:06	1	1	1	1	185.5	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:07	1	1	1	1	185.5	56.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:09	1	1	1	1	185.5	56.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:10	1	1	1	1	185.5	56.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.1875	2004
11.02.2020 09:01:11	1	1	1	1	185.5	56	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	35.75	2004
11.02.2020 09:01:12	1	1	1	1	185.5	55.75	0	23175.355	688.172043	15981.30079	30000	0	0	30000	36.25	2004
11.02.2020 09:01:13	1	1	1	1	185.5	56.25	0	23222.749	688.172043	16013.91569	30000	0	0	30000	36.125	2004
11.02.2020 09:01:14	1	1	1	1	185.5	56	0	23175.355	692.4731183	16097.89906	30000	0	0	30000	36.25	2004
11.02.2020 09:01:15	1	1	1	1	185.5	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.875	2004
11.02.2020 09:01:16	1	1	1	1	185.5	55.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	36.25	2004
11.02.2020 09:01:17	1	1	1	1	186	56.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.875	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:24	1	1	1	1	186	55.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.25	2004
11.02.2020 09:01:25	1	1	1	1	186	56.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	35.5625	2004
11.02.2020 09:01:26	1	1	1	1	185.8	55.5	0	23175.355	688.172043	15981.30079	30000	0	0	30000	35.8125	2004
11.02.2020 09:01:27	1	1	1	1	185.8	55.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:28	1	1	1	1	185.8	56.25	0	23175.355	690.3225806	16048.16134	30000	0	0	30000	35.625	2004
11.02.2020 09:01:29	1	1	1	1	185.8	55.5	0	23222.749	688.172043	15948.68589	30000	0	0	30000	36.25	2004
11.02.2020 09:01:30	1	1	1	1	185.8	56.25	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	35.5	2004
11.02.2020 09:01:31	1	1	1	1	185.8	55.5	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	36.0625	2004
11.02.2020 09:01:32	1	1	1	1	185.8	56	0	23554.502	688.172043	16209.60509	30000	0	0	30000	35.6875	2004
11.02.2020 09:01:33	1	1	1	1	185.8	55.5	0	23507.109	675.2688172	16209.60509	30000	0	0	30000	35.875	2004
11.02.2020 09:01:34	1	1	1	1	185.8	55.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.0625	2004
11.02.2020 09:01:35	1	1	1	1	185.8	55	0	23270.142	688.172043	16013.91569	30000	0	0	30000	35.8125	2004
11.02.2020 09:01:36	1	1	1	1	185	55.75	0	23744.076	675.2688172	16340.06469	30000	0	0	30000	36.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:01:37	1	1	1	1	185	56.25	0	23933.649	670.9677419	16006.57734	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:38	1	1	1	1	185	56.25	0	24123.223	664.516129	16030.22314	30000	0	0	30000	36.1875	2004
11.02.2020 09:01:39	1	1	1	1	185	56	0	24218.009	655.9139785	15988.63914	30000	0	0	30000	36.125	2004
11.02.2020 09:01:40	1	1	1	1	185	56	0	24549.763	653.7634409	15890.79444	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:41	1	1	1	1	185	56.25	0	24597.156	645.1612903	15921.7786	30000	0	0	30000	36.0625	2004
11.02.2020 09:01:42	1	1	1	1	185	56	0	24976.303	643.0107527	16005.76197	30000	0	0	30000	35.5	2004
11.02.2020 09:01:43	1	1	1	1	185	55.5	0	25071.09	647.311828	16113.39113	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:44	1	1	1	1	185	56.25	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:45	1	1	1	1	185	56.25	0	25260.664	645.1612903	15964.99334	30000	0	0	30000	36.375	2004
11.02.2020 09:01:47	1	1	1	1	180.5	56.25	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	36.3125	2004
11.02.2020 09:01:48	1	1	1	1	180.5	56.25	0	25165.877	638.7096774	15964.99334	30000	0	0	30000	35.9375	2004
11.02.2020 09:01:49	1	1	1	1	180.5	55.75	0	24976.303	638.7096774	15951.94738	30000	0	0	30000	36.25	2004
11.02.2020 09:01:50	1	1	1	1	180.5	56.25	0	25213.27	634.4086022	16133.77545	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:51	1	1	1	1	180.5	56.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	35.0625	2004
11.02.2020 09:01:52	1	1	1	1	180.5	55	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:53	1	1	1	1	180.5	56.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	36.1875	2004
11.02.2020 09:01:54	1	1	1	1	180.5	56	0	25355.45	632.2580645	15976.40856	30000	0	0	30000	35.5625	2004
11.02.2020 09:01:55	1	1	1	1	180.5	55.5	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	36.125	2004
11.02.2020 09:01:56	1	1	1	1	180.5	56	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	36.125	2004
11.02.2020 09:01:57	1	1	1	1	176	56	0	25165.877	640.8602151	15964.99334	30000	0	0	30000	36.4375	2004
11.02.2020 09:01:58	1	1	1	1	176	56.25	0	25260.664	630.1075269	15916.88636	30000	0	0	30000	36.625	2004
11.02.2020 09:01:59	1	1	1	1	176	56.5	0	25213.27	630.1075269	15886.71758	30000	0	0	30000	36.375	2004
11.02.2020 09:02:00	1	1	1	1	176	55.75	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	35.4375	2004
11.02.2020 09:02:01	1	1	1	1	176	55.25	0	25355.45	625.8064516	15867.14864	30000	0	0	30000	36.375	2004
11.02.2020 09:02:02	1	1	1	1	176	56.25	0	25402.844	630.1075269	16061.20729	30000	0	0	30000	35.75	2004
11.02.2020 09:02:03	1	1	1	1	176	55.75	0	25355.45	630.1075269	15976.40856	30000	0	0	30000	36.0625	2004
11.02.2020 09:02:04	1	1	1	1	176	56	0	25545.024	627.9569892	16125.62172	30000	0	0	30000	36.25	2004
11.02.2020 09:02:05	1	1	1	1	176	56.25	0	25450.237	623.655914	16035.93075	30000	0	0	30000	36.375	2004
11.02.2020 09:02:06	1	1	1	1	174.5	56.25	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	36.25	2004
11.02.2020 09:02:07	1	1	1	1	174.5	56.25	0	25545.024	630.1075269	15986.19303	30000	0	0	30000	35.75	2004
11.02.2020 09:02:08	1	1	1	1	174.5	55.75	0	25402.844	632.2580645	16006.57734	30000	0	0	30000	36.1875	2004
11.02.2020 09:02:09	1	1	1	1	174.5	56	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	36	2004
11.02.2020 09:02:10	1	1	1	1	174.5	56	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	36.375	2004
11.02.2020 09:02:11	1	1	1	1	174.5	56.25	0	25545.024	627.9569892	15901.39429	30000	0	0	30000	36.3125	2004
11.02.2020 09:02:12	1	1	1	1	174.5	56.25	0	25355.45	623.655914	15867.14864	30000	0	0	30000	35.625	2004
11.02.2020 09:02:13	1	1	1	1	174.5	55.5	0	25639.81	625.8064516	16130.51396	30000	0	0	30000	35.875	2004
11.02.2020 09:02:14	1	1	1	1	174.5	55.75	0	25402.844	623.655914	15867.14864	30000	0	0	30000	36.25	2004
11.02.2020 09:02:15	1	1	1	1	174.5	56.25	0	25639.81	625.8064516	16015.54644	30000	0	0	30000	36.375	2004
11.02.2020 09:02:16	1	1	1	1	172	56.25	0	25639.81	623.655914	16185.14391	30000	0	0	30000	35.8125	2004
11.02.2020 09:02:17	1	1	1	1	172	55.75	0	25687.204	623.655914	15990.26989	30000	0	0	30000	35.0625	2004
11.02.2020 09:02:18	1	1	1	1	172	55	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	36.375	2004
11.02.2020 09:02:25	1	1	1	1	172	55.5	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	35.5625	2004
11.02.2020 09:02:25	1	1	1	1	172	55.5	0	25734.597	617.2043011	15938.90142	30000	0	0	30000	35.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:03:06	1	1	1	1	164.8	55.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.375	2004
11.02.2020 09:03:07	1	1	1	1	162.8	56.25	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	36	2004
11.02.2020 09:03:08	1	1	1	1	162.8	56	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36.3125	2004
11.02.2020 09:03:09	1	1	1	1	162.8	56.25	0	26208.531	606.4516129	15892.42519	30000	0	0	30000	36.375	2004
11.02.2020 09:03:10	1	1	1	1	162.8	56.25	0	26255.924	612.9032258	16347.40304	30000	0	0	30000	36.0625	2004
11.02.2020 09:03:11	1	1	1	1	162.8	56	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:12	1	1	1	1	162.8	56.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	36.375	2004
11.02.2020 09:03:13	1	1	1	1	162.8	56.25	0	26208.531	612.9032258	15836.16449	30000	0	0	30000	36.6875	2004
11.02.2020 09:03:14	1	1	1	1	162.8	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.0625	2004
11.02.2020 09:03:15	1	1	1	1	162.8	56.5	0	26113.744	604.3010753	15948.68589	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:16	1	1	1	1	161	56.25	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	35.4375	2004
11.02.2020 09:03:17	1	1	1	1	161	55.25	0	26113.744	604.3010753	16006.57734	30000	0	0	30000	35.875	2004
11.02.2020 09:03:18	1	1	1	1	161	55.75	0	26208.531	610.7526882	16120.72949	30000	0	0	30000	35.75	2004
11.02.2020 09:03:19	1	1	1	1	161	55.75	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	35.8125	2004
11.02.2020 09:03:20	1	1	1	1	161	55.75	0	26350.711	610.7526882	16065.28416	30000	0	0	30000	36.125	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	36.25	2004
11.02.2020 09:03:28	1	1	1	1	160	56.25	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	36.3125	2004
11.02.2020 09:03:29	1	1	1	1	160	56.25	0	26398.104	617.2043011	16008.20808	30000	0	0	30000	36	2004
11.02.2020 09:03:30	1	1	1	1	160	56	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:31	1	1	1	1	160	56.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	35.1875	2004
11.02.2020 09:03:32	1	1	1	1	160	55	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	36.25	2004
11.02.2020 09:03:33	1	1	1	1	160	56.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	35.8125	2004
11.02.2020 09:03:34	1	1	1	1	160	55.75	0	26208.531	606.4516129	15978.85467	30000	0	0	30000	36.3125	2004
11.02.2020 09:03:35	1	1	1	1	160	56.25	0	26398.104	606.4516129	15980.48542	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:36	1	1	1	1	158.5	56.25	0	26540.284	602.1505376	15867.14864	30000	0	0	30000	35.875	2004
11.02.2020 09:03:37	1	1	1	1	158.5	55.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	36.5625	2004
11.02.2020 09:03:38	1	1	1	1	158.5	56.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.25	2004
11.02.2020 09:03:39	1	1	1	1	158.5	56.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	36.5	2004
11.02.2020 09:03:41	1	1	1	1	158.5	56.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	36.5	2004
11.02.2020 09:03:42	1	1	1	1	158.5	56.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	36.5625	2004
11.02.2020 09:03:43	1	1	1	1	158.5	56.5	0	26635.071	604.3010753	16095.45294	30000	0	0	30000	35.25	2004
11.02.2020 09:03:44	1	1	1	1	158.5	55.25	0	26635.071	595.6989247	16066.9149	30000	0	0	30000	36.125	2004
11.02.2020 09:03:45	1	1	1	1	158.5	56	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	35	2004
11.02.2020 09:03:46	1	1	1	1	158.5	55	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	36.1875	2004
11.02.2020 09:03:47	1	1	1	1	157	56	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.4375	2004
11.02.2020 09:03:48	1	1	1	1	157	55.25	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	36.625	2004
11.02.2020 09:03:49	1	1	1	1	157	56.5	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:03:50	1	1	1	1	157	55.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	35.75	2004
11.02.2020 09:03:51	1	1	1	1	157	55.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:52	1	1	1	1	157	56.25	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	36.625	2004
11.02.2020 09:03:53	1	1	1	1	157	56.5	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	36.4375	2004
11.02.2020 09:03:54	1	1	1	1	157	56.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.1875	2004
11.02.2020 09:03:55	1	1	1	1	157	55.5	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	35.25	2004
11.02.2020 09:03:56	1	1	1	1	155.8	55.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	35.875	2004
11.02.2020 09:03:57	1	1	1	1	155.8	55.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	35.875	2004
11.02.2020 09:03:58	1	1	1	1	155.8	55.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	35.875	2004
11.02.2020 09:03:59	1	1	1	1	155.8	55.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:00	1	1	1	1	155.8	56.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	36.625	2004
11.02.2020 09:04:01	1	1	1	1	155.8	56.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.1875	2004
11.02.2020 09:04:02	1	1	1	1	155.8	56	0	26777.251	595.6989247	15894.05593	30000	0	0	30000	36.375	2004
11.02.2020 09:04:03	1	1	1	1	155.8	56.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	36.0625	2004
11.02.2020 09:04:04	1	1	1	1	155.8	56	0	26587.678	593.5483871	15894.05593	30000	0	0	30000	35.875	2004
11.02.2020 09:04:05	1	1	1	1	155.8	55.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:06	1	1	1	1	153.5	56.5	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	36.25	2004
11.02.2020 09:04:07	1	1	1	1	153.5	56.25	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	36.4375	2004
11.02.2020 09:04:08	1	1	1	1	153.5	56.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	35.8125	2004
11.02.2020 09:04:09	1	1	1	1	153.5	55.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	35.125	2004
11.02.2020 09:04:10	1	1	1	1	153.5	55	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.1875	2004
11.02.2020 09:04:11	1	1	1	1	153.5	56	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	34.4375	2004
11.02.2020 09:04:12	1	1	1	1	153.5	54.25	0	26777.251	600	16066.09953	30000	0	0	30000	36	2004
11.02.2020 09:04:13	1	1	1	1	153.5	56	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	35.375	2004
11.02.2020 09:04:14	1	1	1	1	153.5	55.25	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	35.625	2004
11.02.2020 09:04:15	1	1	1	1	153.5	55.5	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	35.75	2004
11.02.2020 09:04:16	1	1	1	1	152	55.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	36.1875	2004
11.02.2020 09:04:17	1	1	1	1	152	56	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	36.5	2004
11.02.2020 09:04:18	1	1	1	1	152	56.5	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	36.125	2004
11.02.2020 09:04:20	1	1	1	1	152	56	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	35.25	2004
11.02.2020 09:04:21	1	1	1	1	152	55.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	36.0625	2004
11.02.2020 09:04:22	1	1	1	1	152	56	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	35.625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:29	1	1	1	1	150.8	56.75	0	26777.251	589.2473118	16123.1756	30000	0	0	30000	36.5625	2004
11.02.2020 09:04:30	1	1	1	1	150.8	56.5	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	36.25	2004
11.02.2020 09:04:31	1	1	1	1	150.8	56.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	36.8125	2004
11.02.2020 09:04:32	1	1	1	1	150.8	56.25	0	27014.218	591.3978495	16005.76197	30000	0	0	30000	35.875	2004
11.02.2020 09:04:33	1	1	1	1	150.8	55.75	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	36.5625	2004



	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:05:18	1	1	1	1	145.5	56	0	27535.545	584.9462366	15873.67162	30000	0	0	30000	36.1875	2004
11.02.2020 09:05:19	1	1	1	1	145.5	56	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	36.625	2004
11.02.2020 09:05:20	1	1	1	1	145.5	56.5	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	36.625	2004
11.02.2020 09:05:21	1	1	1	1	145.5	56.5	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	35.3125	2004
11.02.2020 09:05:22	1	1	1	1	145.5	55.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.6875	2004
11.02.2020 09:05:23	1	1	1	1	145.5	56.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	36.375	2004
11.02.2020 09:05:30	1	1	1	1	144.8	56.25	0	27867.299	584.9462366	16273.20414	30000	0	0	30000	35.9375	2004
11.02.2020 09:05:30	1	1	1	1	144.8	56.25	0	27867.299	584.9462366	16273.20414	30000	0	0	30000	35.9375	2004
11.02.2020 09:05:30	1	1	1	1	144.8	56.25	0	27867.299	584.9462366	16273.20414	30000	0	0	30000	35.9375	2004
11.02.2020 09:05:30	1	1	1	1	144.8	56.25	0	27867.299	584.9462366	16273.20414	30000	0	0	30000	35.9375	2004
11.02.2020 09:05:30	1	1	1	1	144.8	55.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36	2004
11.02.2020 09:05:31	1	1	1	1	144.8	56	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.0625	2004
11.02.2020 09:05:32	1	1	1	1	144.8	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
11.02.2020 09:05:33	1	1	1	1	144.8	56.5	0	27819.905	578.4946237	15919.33248	30000	0	0	30000	36.625	2004
11.02.2020 09:05:34	1	1	1	1	144.8	56.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.5625	2004
11.02.2020 09:05:36	1	1	1	1	144.8	56.5	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	36.75	2004
11.02.2020 09:05:37	1	1	1	1	143.3	56.75	0	27867.299	576.344086	15854.10268	30000	0	0	30000	35.875	2004
11.02.2020 09:05:38	1	1	1	1	143.3	55.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.5	2004
11.02.2020 09:05:39	1	1	1	1	143.3	56.5	0	27914.692	576.344086	16115.83725	30000	0	0	30000	35.875	2004
11.02.2020 09:05:40	1	1	1	1	143.3	55.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.625	2004
11.02.2020 09:05:41	1	1	1	1	143.3	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.875	2004
11.02.2020 09:05:42	1	1	1	1	143.3	55.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	36.625	2004
11.02.2020 09:05:43	1	1	1	1	143.3	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
11.02.2020 09:05:44	1	1	1	1	143.3	56.5	0	27630.332	574.1935484	15854.10268	30000	0	0	30000	36.5	2004
11.02.2020 09:05:45	1	1	1	1	143.3	56.5	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	35.8125	2004
11.02.2020 09:05:46	1	1	1	1	143.3	55.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.375	2004
11.02.2020 09:05:47	1	1	1	1	142.3	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.5	2004
11.02.2020 09:05:48	1	1	1	1	142.3	56.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	36.25	2004
11.02.2020 09:05:49	1	1	1	1	142.3	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.3125	2004
11.02.2020 09:05:50	1	1	1	1	142.3	56.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	36.4375	2004
11.02.2020 09:05:51	1	1	1	1	142.3	56.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	36.625	2004
11.02.2020 09:05:52	1	1	1	1	142.3	56.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	36.125	2004
11.02.2020 09:05:53	1	1	1	1	142.3	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.625	2004
11.02.2020 09:05:54	1	1	1	1	142.3	55.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.0625	2004
11.02.2020 09:05:55	1	1	1	1	142.3	56	0	27867.299	580.6451613	15946.23977	30000	0	0	30000	36.4375	2004
11.02.2020 09:05:56	1	1	1	1	141.3	56.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.4375	2004
11.02.2020 09:05:57	1	1	1	1	141.3	56.25	0	27914.692	584.9462366	15881.00997	30000	0	0	30000	36.3125	2004
11.02.2020 09:05:58	1	1	1	1	141.3	56.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	36.5	2004
11.02.2020 09:05:59	1	1	1	1	141.3	56.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.75	2004
11.02.2020 09:06:00	1	1	1	1	141.3	56.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	36.1875	2004
11.02.2020 09:06:01	1	1	1	1	141.3	56	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	35.75	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:06:02	1	1	1	1	141.3	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.625	2004
11.02.2020 09:06:03	1	1	1	1	141.3	56.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	36.1875	2004
11.02.2020 09:06:04	1	1	1	1	141.3	56	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.75	2004
11.02.2020 09:06:05	1	1	1	1	141.3	56.75	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	36.625	2004
11.02.2020 09:06:06	1	1	1	1	139.8	56.5	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	36.5625	2004
11.02.2020 09:06:07	1	1	1	1	139.8	56.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.25	2004
11.02.2020 09:06:08	1	1	1	1	139.8	56.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	35.75	2004
11.02.2020 09:06:09	1	1	1	1	139.8	55.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.375	2004
11.02.2020 09:06:11	1	1	1	1	139.8	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.0625	2004
11.02.2020 09:06:12	1	1	1	1	139.8	56	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	36.0625	2004
11.02.2020 09:06:13	1	1	1	1	139.8	56	0	27867.299	565.5913978	15761.15022	30000	0	0	30000	36.5625	2004
11.02.2020 09:06:14	1	1	1	1	139.8	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.25	2004
11.02.2020 09:06:15	1	1	1	1	139.8	56.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	36.625	2004
11.02.2020 09:06:16	1	1	1	1	139.8	56.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	36.375	2004
11.02.2020 09:06:17	1	1	1	1	138.5	56.25	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	35.125	2004
11.02.2020 09:06:18	1	1	1	1	138.5	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.9375	2004
11.02.2020 09:06:19	1	1	1	1	138.5	55.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	34.4375	2004
11.02.2020 09:06:20	1	1	1	1	138.5	54.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36	2004
11.02.2020 09:06:21	1	1	1	1	138.5	56	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	36	2004
11.02.2020 09:06:22	1	1	1	1	138.5	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.375	2004
11.02.2020 09:06:23	1	1	1	1	138.5	56.25	0	27962.085	572.0430108	16203.08211	30000	0	0	30000	36.125	2004
11.02.2020 09:06:24	1	1	1	1	138.5	56	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.6875	2004
11.02.2020 09:06:25	1	1	1	1	138.5	56.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:33	1	1	1	1	137.3	55.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	36.625	2004
11.02.2020 09:06:34	1	1	1	1	137.3	56.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	36.0625	2004
11.02.2020 09:06:34	1	1	1	1	137.3	56	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	36.75	2004
11.02.2020 09:06:35	1	1	1	1	137.3	56.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	36.1875	2004
11.02.2020 09:06:36	1	1	1	1	135.8	56	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	36.1875	2004
11.02.2020 09:06:37	1	1	1	1	135.8	56	0	28436.019	559.1397849	16022.06942	30000	0	0	30000	36.375	2004
11.02.2020 09:06:38	1	1	1	1	135.8	56.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	36.3125	2004
11.02.2020 09:06:39	1	1	1	1	135.8	56.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	36.3125	2004
11.02.2020 09:06:40	1	1	1	1	135.8	56.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	34.625	2004
11.02.2020 09:06:41	1	1	1	1	135.8	54.5	0	28293.839	559.1397849	15941.34754	30000	0	0	30000	36.0625	2004
11.02.2020 09:06:42	1	1	1	1	135.8	56	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	36.0625	2004
11.02.2020 09:06:43	1	1	1	1	135.8	56	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	36.75	2004
11.02.2020 09:06:44	1	1	1	1	135.8	56.75	0	28578.199	561.2903226	15890.79444	30000	0	0	30000	35.6875	2004
11.02.2020 09:06:45	1	1	1	1	135.8	55.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	35.0625	2004





	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:07:33	1	1	1	1	132.5	56.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	35.9375	2004
11.02.2020 09:07:33	1	1	1	1	132.5	56.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	35.9375	2004
11.02.2020 09:07:33	1	1	1	1	132.5	56.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	35.9375	2004
11.02.2020 09:07:34	1	1	1	1	132.5	55.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	36.8125	2004
11.02.2020 09:07:35	1	1	1	1	132.5	56.75	0	28909.953	552.688172	16004.13122	30000	0	0	30000	36.375	2004
11.02.2020 09:07:36	1	1	1	1	132.5	56.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	36.625	2004
11.02.2020 09:07:37	1	1	1	1	131.5	56.5	0	28625.592	554.8387097	15969.88558	30000	0	0	30000	36.125	2004
11.02.2020 09:07:38	1	1	1	1	131.5	56	0	28862.559	554.8387097	16075.884	30000	0	0	30000	37.125	2004
11.02.2020 09:07:39	1	1	1	1	131.5	57	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	36.5625	2004
11.02.2020 09:07:40	1	1	1	1	131.5	56.5	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	36.5	2004
11.02.2020 09:07:41	1	1	1	1	131.5	56.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	35.4375	2004
11.02.2020 09:07:42	1	1	1	1	131.5	55.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	36.625	2004
11.02.2020 09:07:43	1	1	1	1	131.5	56.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	36.25	2004
11.02.2020 09:07:44	1	1	1	1	131.5	56.25	0	28815.166	550.5376344	16075.884	30000	0	0	30000	36.3125	2004
11.02.2020 09:07:45	1	1	1	1	131.5	56.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	36.625	2004
11.02.2020 09:07:46	1	1	1	1	131	56.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	36	2004
11.02.2020 09:07:47	1	1	1	1	131	56	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	36.1875	2004
11.02.2020 09:07:48	1	1	1	1	131	56	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	35.875	2004
11.02.2020 09:07:49	1	1	1	1	131	55.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	36.3125	2004
11.02.2020 09:07:50	1	1	1	1	131	56.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	36.5	2004
11.02.2020 09:07:51	1	1	1	1	131	56.5	0	28909.953	556.9892473	16075.884	30000	0	0	30000	36.1875	2004
11.02.2020 09:07:52	1	1	1	1	131	56	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	36.375	2004
11.02.2020 09:07:53	1	1	1	1	131	56.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	36.5625	2004
11.02.2020 09:07:54	1	1	1	1	131	56.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	36.9375	2004
11.02.2020 09:07:55	1	1	1	1	131	56.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	36.9375	2004
11.02.2020 09:07:56	1	1	1	1	130	56.75	0	28862.559	550.5376344	15703.25877	30000	0	0	30000	36.75	2004
11.02.2020 09:07:57	1	1	1	1	130	56.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	36.125	2004
11.02.2020 09:07:58	1	1	1	1	130	56	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	35.9375	2004
11.02.2020 09:07:59	1	1	1	1	130	55.75	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	36.625	2004
11.02.2020 09:08:00	1	1	1	1	130	56.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	36.875	2004
11.02.2020 09:08:01	1	1	1	1	130	56.75	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	35.8125	2004
11.02.2020 09:08:03	1	1	1	1	130	55.75	0	29478.673	550.5376344	16165.57497	30000	0	0	30000	36.625	2004
11.02.2020 09:08:04	1	1	1	1	130	56.5	0	29383.886	550.5376344	16239.77387	30000	0	0	30000	36.4375	2004
11.02.2020 09:08:05	1	1	1	1	130	56.25	0	29336.493	541.9354839	16139.48305	30000	0	0	30000	36.4375	2004
11.02.2020 09:08:06	1	1	1	1	130	56.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	36.75	2004
11.02.2020 09:08:07	1	1	1	1	128.5	56.75	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	36.75	2004
11.02.2020 09:08:08	1	1	1	1	128.5	56.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	36.75	2004
11.02.2020 09:08:09	1	1	1	1	128.5	56.75	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	34.875	2004
11.02.2020 09:08:10	1	1	1	1	128.5	54.75	0	28862.559	546.2365591	15942.16291	30000	0	0	30000	36.375	2004
11.02.2020 09:08:11	1	1	1	1	128.5	56.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	36.6875	2004
11.02.2020 09:08:12	1	1	1	1	128.5	56.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	35.375	2004
11.02.2020 09:08:13	1	1	1	1	128.5	55.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	36.875	2004
11.02.2020 09:08:14	1	1	1	1	128.5	56.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	36.8125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:08:15	1	1	1	1	128.5	56.75	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	36.5	2004
11.02.2020 09:08:16	1	1	1	1	128.5	56.5	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	36.5625	2004
11.02.2020 09:08:17	1	1	1	1	128	56.5	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	36.375	2004
11.02.2020 09:08:18	1	1	1	1	128	56.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	36.5625	2004
11.02.2020 09:08:19	1	1	1	1	128	56.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	36.25	2004
11.02.2020 09:08:20	1	1	1	1	128	56.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	35.1875	2004
11.02.2020 09:08:21	1	1	1	1	128	55	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	36.125	2004
11.02.2020 09:08:22	1	1	1	1	128	56	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	36.25	2004
11.02.2020 09:08:23	1	1	1	1	128	56.25	0	29336.493	544.0860215	16087.29921	30000	0	0	30000	36.5	2004
11.02.2020 09:08:24	1	1	1	1	128	56.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	36.5	2004
11.02.2020 09:08:25	1	1	1	1	128	56.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	36.4375	2004
11.02.2020 09:08:26	1	1	1	1	127.8	56.25	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	36.6875	2004
11.02.2020 09:08:27	1	1	1	1	127.8	56.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	36.125	2004
11.02.2020 09:08:28	1	1	1	1	127.8	56	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	36.8125	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	35.875	2004
11.02.2020 09:08:35	1	1	1	1	127.8	55.75	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	35.5625	2004
11.02.2020 09:08:36	1	1	1	1	127.3	55.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	36.8125	2004
11.02.2020 09:08:37	1	1	1	1	127.3	56.75	0	29336.493	552.688172	15920.96323	30000	0	0	30000	36.375	2004
11.02.2020 09:08:38	1	1	1	1	127.3	56.25	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	36.8125	2004
11.02.2020 09:08:40	1	1	1	1	127.3	56.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	36.875	2004
11.02.2020 09:08:41	1	1	1	1	127.3	56.75	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	36.1875	2004
11.02.2020 09:08:42	1	1	1	1	127.3	56	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	36.875	2004
11.02.2020 09:08:43	1	1	1	1	127.3	56.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	36.8125	2004
11.02.2020 09:08:44	1	1	1	1	127.3	56.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	36.875	2004
11.02.2020 09:08:45	1	1	1	1	127.3	56.75	0	29431.28	539.7849462	15860.62566	30000	0	0	30000	35.375	2004
11.02.2020 09:08:46	1	1	1	1	127.3	55.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	35.3125	2004
11.02.2020 09:08:47	1	1	1	1	126.3	55.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	35.4375	2004
11.02.2020 09:08:48	1	1	1	1	126.3	55.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	36.25	2004
11.02.2020 09:08:49	1	1	1	1	126.3	56.25	0	29573.46	529.0322581	15861.44103	30000	0	0	30000	36.75	2004
11.02.2020 09:08:50	1	1	1	1	126.3	56.75	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	36.4375	2004
11.02.2020 09:08:51	1	1	1	1	126.3	56.25	0	29715.64	537.6344086	15783.98065	30000	0	0	30000	36.875	2004
11.02.2020 09:08:52	1	1	1	1	126.3	56.75	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	34.875	2004
11.02.2020 09:08:53	1	1	1	1	126.3	54.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	36	2004
11.02.2020 09:08:54	1	1	1	1	126.3	56	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	36.625	2004
11.02.2020 09:08:55	1	1	1	1	126.3	56.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	36.875	2004
11.02.2020 09:08:56	1	1	1	1	126.3	56.75	0	29336.493	535.483871	16075.884	30000	0	0	30000	36.25	2004
11.02.2020 09:08:57	1	1	1	1	125.8	56.25	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	36.875	2004
11.02.2020 09:08:58	1	1	1	1	125.8	56.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	36.875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:08:59	1	1	1	1	125.8	56.5	0	29336.493	541.9354839	16176.99019	30000	0	0	30000	36.25	2004
11.02.2020 09:09:00	1	1	1	1	125.8	56.25	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	36.625	2004
11.02.2020 09:09:01	1	1	1	1	125.8	56.5	0	29478.673	539.7849462	15759.51947	30000	0	0	30000	36.625	2004
11.02.2020 09:09:02	1	1	1	1	125.8	56.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	36.75	2004
11.02.2020 09:09:03	1	1	1	1	125.8	56.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	36.625	2004
11.02.2020 09:09:04	1	1	1	1	125.8	56.5	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	36.875	2004
11.02.2020 09:09:05	1	1	1	1	125.8	56.75	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	36.3125	2004
11.02.2020 09:09:06	1	1	1	1	125.5	56.25	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	36.75	2004
11.02.2020 09:09:07	1	1	1	1	125.5	56.75	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	35.75	2004
11.02.2020 09:09:08	1	1	1	1	125.5	55.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	36.9375	2004
11.02.2020 09:09:09	1	1	1	1	125.5	56.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	35.9375	2004
11.02.2020 09:09:10	1	1	1	1	125.5	55.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	36.8125	2004
11.02.2020 09:09:11	1	1	1	1	125.5	56.75	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	36.625	2004
11.02.2020 09:09:12	1	1	1	1	125.5	56.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	35.9375	2004
11.02.2020 09:09:13	1	1	1	1	125.5	55.75	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	35.6875	2004
11.02.2020 09:09:14	1	1	1	1	125.5	55.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.9375	2004
11.02.2020 09:09:15	1	1	1	1	125.5	56.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	36.8125	2004
11.02.2020 09:09:16	1	1	1	1	124	56.75	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	36.125	2004
11.02.2020 09:09:17	1	1	1	1	124	56	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	36.5	2004
11.02.2020 09:09:19	1	1	1	1	124	56.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	35.875	2004
11.02.2020 09:09:20	1	1	1	1	124	55.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	35	2004
11.02.2020 09:09:21	1	1	1	1	124	55	0	29715.64	539.7849462	16154.97513	30000	0	0	30000	36.8125	2004
11.02.2020 09:09:22	1	1	1	1	124	56.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	36.5625	2004
11.02.2020 09:09:23	1	1	1	1	124	56.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	36.8125	2004
11.02.2020 09:09:24	1	1	1	1	124	56.75	0	30000	520.4301075	15548.338	30000	0	0	30000	36.25	2004
11.02.2020 09:09:25	1	1	1	1	124	56.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.25	2004
11.02.2020 09:09:26	1	1	1	1	124	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
11.02.2020 09:09:27	1	1	1	1	124.5	55.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	35.75	2004
11.02.2020 09:09:28	1	1	1	1	124.5	55.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.875	2004
11.02.2020 09:09:29	1	1	1	1	124.5	56.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	36.125	2004
11.02.2020 09:09:30	1	1	1	1	124.5	56	0	30000	518.2795699	15677.16685	30000	0	0	30000	35.5625	2004
11.02.2020 09:09:36	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:36	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:37	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:37	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:37	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:37	1	1	1	1	124.5	56.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	35.25	2004
11.02.2020 09:09:37	1	1	1	1	124.5	55.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	36.625	2004
11.02.2020 09:09:38	1	1	1	1	124.5	56.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	35.1875	2004
11.02.2020 09:09:39	1	1	1	1	124.5	55	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.8125	2004
11.02.2020 09:09:40	1	1	1	1	124.5	55.75	0	29952.607	516.1290323	15548.338	30000	0	0	30000	36.9375	2004
11.02.2020 09:09:41	1	1	1	1	124.5	56.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.625	2004
11.02.2020 09:09:42	1	1	1	1	124.5	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:09:43	1	1	1	1	124.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:09:44	1	1	1	1	124.5	55.75	0	30000	470.9677419	14451.662	30000	0	0	30000	34.5625	2004
11.02.2020 09:09:45	1	1	1	1	124.5	54.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.5625	2004
11.02.2020 09:09:46	1	1	1	1	123.8	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
11.02.2020 09:09:47	1	1	1	1	123.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:09:48	1	1	1	1	123.8	56.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.875	2004
11.02.2020 09:09:49	1	1	1	1	123.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
11.02.2020 09:09:50	1	1	1	1	123.8	56.5	0	29952.607	470.9677419	14451.662	30000	0	0	30000	36.125	2004
11.02.2020 09:09:51	1	1	1	1	123.8	56	0	30000	481.7204301	14516.07643	30000	0	0	30000	36.3125	2004
11.02.2020 09:09:52	1	1	1	1	123.8	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:09:53	1	1	1	1	123.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.875	2004
11.02.2020 09:09:54	1	1	1	1	123.8	56.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	36.1875	2004
11.02.2020 09:09:55	1	1	1	1	123.8	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:09:56	1	1	1	1	124	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
11.02.2020 09:09:58	1	1	1	1	124	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.6875	2004
11.02.2020 09:09:59	1	1	1	1	124	55.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.875	2004
11.02.2020 09:10:00	1	1	1	1	124	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.9375	2004
11.02.2020 09:10:01	1	1	1	1	124	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.25	2004
11.02.2020 09:10:02	1	1	1	1	124	56.25	0	30047.393	481.7204301	14064.36007	30000	0	0	30000	36.5625	2004
11.02.2020 09:10:03	1	1	1	1	124	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:10:04	1	1	1	1	124	56.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
11.02.2020 09:10:05	1	1	1	1	124	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.8125	2004
11.02.2020 09:10:06	1	1	1	1	124	56.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.25	2004
11.02.2020 09:10:07	1	1	1	1	123.8	56.25	0	30000	496.7741935	14662.84348	30000	0	0	30000	35.8125	2004
11.02.2020 09:10:08	1	1	1	1	123.8	55.75	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	36.0625	2004
11.02.2020 09:10:09	1	1	1	1	123.8	56	0	29952.607	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
11.02.2020 09:10:10	1	1	1	1	123.8	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:10:11	1	1	1	1	123.8	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:12	1	1	1	1	123.8	56.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:10:13	1	1	1	1	123.8	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.25	2004
11.02.2020 09:10:14	1	1	1	1	123.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.25	2004
11.02.2020 09:10:15	1	1	1	1	123.8	56.75	0	30000	483.8709677	14406.00114	30000	0	0	30000	36.75	2004
11.02.2020 09:10:16	1	1	1	1	123.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:10:17	1	1	1	1	123.8	56.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.5	2004
11.02.2020 09:10:18	1	1	1	1	123.8	56.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	34.875	2004
11.02.2020 09:10:19	1	1	1	1	123.8	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:20	1	1	1	1	123.8	56.5	0	29952.607	451.6129032	13741.47256	30000	0	0	30000	36.8125	2004
11.02.2020 09:10:21	1	1	1	1	123.8	56.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.375	2004
11.02.2020 09:10:22	1	1	1	1	123.8	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:10:23	1	1	1	1	123.8	56.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:24	1	1	1	1	123.8	56.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	36.1875	2004
11.02.2020 09:10:25	1	1	1	1	123.8	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:26	1	1	1	1	123.5	56.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:10:29	1	1	1	1	123.5	56.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.3125	2004
11.02.2020 09:10:29	1	1	1	1	123.5	56.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.3125	2004
11.02.2020 09:10:29	1	1	1	1	123.5	56.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.3125	2004
11.02.2020 09:10:30	1	1	1	1	123.5	56.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	36.8125	2004
11.02.2020 09:10:31	1	1	1	1	123.5	56.75	0	30000	488.172043	14709.31971	30000	0	0	30000	36.5625	2004
11.02.2020 09:10:38	1	1	1	1	123.3	56.5	0	30000	486.0215054	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:10:38	1	1	1	1	123.3	56.5	0	30000	486.0215054	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:10:38	1	1	1	1	123.3	56.5	0	30000	486.0215054	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:10:38	1	1	1	1	123.3	56.5	0	30000	486.0215054	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:10:38	1	1	1	1	123.3	56.5	0	30000	486.0215054	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:10:39	1	1	1	1	123.3	55.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	35.875	2004
11.02.2020 09:10:40	1	1	1	1	123.3	55.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	35.6875	2004
11.02.2020 09:10:41	1	1	1	1	123.3	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
11.02.2020 09:10:42	1	1	1	1	123.3	56	0	30000	460.2150538	13870.30142	30000	0	0	30000	36.625	2004
11.02.2020 09:10:43	1	1	1	1	123.3	56.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:44	1	1	1	1	123.3	56.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.3125	2004
11.02.2020 09:10:45	1	1	1	1	123.3	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.1875	2004
11.02.2020 09:10:46	1	1	1	1	123.3	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:10:47	1	1	1	1	122.8	56.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	37	2004
11.02.2020 09:10:48	1	1	1	1	122.8	57	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.5	2004
11.02.2020 09:10:49	1	1	1	1	122.8	56.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	36.6875	2004
11.02.2020 09:10:50	1	1	1	1	122.8	56.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.75	2004
11.02.2020 09:10:51	1	1	1	1	122.8	56.75	0	30000	518.2795699	15548.338	30000	0	0	30000	37.3125	2004
11.02.2020 09:10:52	1	1	1	1	122.8	57.25	0	30000	516.1290323	15548.338	30000	0	0	30000	36	2004
11.02.2020 09:10:53	1	1	1	1	122.8	56	0	30000	509.6774194	15289.86492	30000	0	0	30000	35.8125	2004
11.02.2020 09:10:54	1	1	1	1	122.8	55.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	37	2004
11.02.2020 09:10:55	1	1	1	1	122.8	57.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.375	2004
11.02.2020 09:10:56	1	1	1	1	122	56.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.0625	2004
11.02.2020 09:10:57	1	1	1	1	122	56	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.9375	2004
11.02.2020 09:10:58	1	1	1	1	122	56.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	37.0625	2004
11.02.2020 09:10:59	1	1	1	1	122	57	0	30000	488.172043	14644.90528	30000	0	0	30000	36.875	2004
11.02.2020 09:11:00	1	1	1	1	122	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
11.02.2020 09:11:01	1	1	1	1	122	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.25	2004
11.02.2020 09:11:02	1	1	1	1	122	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.875	2004
11.02.2020 09:11:03	1	1	1	1	122	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.75	2004
11.02.2020 09:11:04	1	1	1	1	122	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
11.02.2020 09:11:05	1	1	1	1	122	56.25	0	30000	438.7096774	13076.12861	30000	0	0	30000	35.4375	2004
11.02.2020 09:11:06	1	1	1	1	120.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:11:07	1	1	1	1	120.5	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.125	2004
11.02.2020 09:11:08	1	1	1	1	120.5	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
11.02.2020 09:11:09	1	1	1	1	120.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5	2004
11.02.2020 09:11:10	1	1	1	1	120.5	55.5	0	30000	481.7204301	13955.10015	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:11:11	1	1	1	1	120.5	56.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	36.75	2004
11.02.2020 09:11:12	1	1	1	1	120.5	56.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.5	2004
11.02.2020 09:11:14	1	1	1	1	120.5	56.5	0	30000	516.1290323	15548.338	30000	0	0	30000	36.5	2004
11.02.2020 09:11:15	1	1	1	1	120.5	56.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.125	2004
11.02.2020 09:11:16	1	1	1	1	120.5	56	0	30000	501.0752688	15032.20721	30000	0	0	30000	36	2004
11.02.2020 09:11:17	1	1	1	1	121.3	56	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.5625	2004
11.02.2020 09:11:18	1	1	1	1	121.3	55.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	35.8125	2004
11.02.2020 09:11:19	1	1	1	1	121.3	55.75	0	29952.607	488.172043	14709.31971	30000	0	0	30000	35.75	2004
11.02.2020 09:11:20	1	1	1	1	121.3	55.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.625	2004
11.02.2020 09:11:21	1	1	1	1	121.3	56.5	0	29952.607	488.172043	14773.73413	30000	0	0	30000	36.375	2004
11.02.2020 09:11:22	1	1	1	1	121.3	56.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	35.8125	2004
11.02.2020 09:11:23	1	1	1	1	121.3	55.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.5	2004
11.02.2020 09:11:24	1	1	1	1	121.3	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.8125	2004
11.02.2020 09:11:25	1	1	1	1	121.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:11:26	1	1	1	1	121.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:11:27	1	1	1	1	121.3	56.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	36.75	2004
11.02.2020 09:11:28	1	1	1	1	121.3	56.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	37.1875	2004
11.02.2020 09:11:29	1	1	1	1	121.3	57	0	30000	509.6774194	15289.86492	30000	0	0	30000	37.3125	2004
11.02.2020 09:11:30	1	1	1	1	121.3	57.25	0	30000	503.2258065	15225.45049	30000	0	0	30000	36.75	2004
11.02.2020 09:11:31	1	1	1	1	121.3	56.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.8125	2004
11.02.2020 09:11:32	1	1	1	1	121.3	57.25	0	29952.607	483.8709677	14469.6002	30000	0	0	30000	36.875	2004
11.02.2020 09:11:33	1	1	1	1	121.3	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.0625	2004
11.02.2020 09:11:39	1	1	1	1	120.8	56.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:39	1	1	1	1	120.8	56.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:39	1	1	1	1	120.8	56.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:39	1	1	1	1	120.8	56.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:39	1	1	1	1	120.8	56.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:40	1	1	1	1	120.8	56	0	30000	458.0645161	13741.47256	30000	0	0	30000	37	2004
11.02.2020 09:11:41	1	1	1	1	120.8	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
11.02.2020 09:11:42	1	1	1	1	120.8	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
11.02.2020 09:11:43	1	1	1	1	120.8	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.8125	2004
11.02.2020 09:11:44	1	1	1	1	120.8	56.75	0	30000	468.8172043	14083.92901	30000	0	0	30000	37.0625	2004
11.02.2020 09:11:45	1	1	1	1	120.8	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.875	2004
11.02.2020 09:11:46	1	1	1	1	119.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.6875	2004
11.02.2020 09:11:47	1	1	1	1	119.8	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:11:48	1	1	1	1	119.8	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.1875	2004
11.02.2020 09:11:49	1	1	1	1	119.8	56	0	30000	498.9247312	14967.79279	30000	0	0	30000	36.4375	2004
11.02.2020 09:11:50	1	1	1	1	119.8	56.25	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	35.125	2004
11.02.2020 09:11:51	1	1	1	1	119.8	55	0	29905.213	501.0752688	15225.45049	30000	0	0	30000	36.8125	2004
11.02.2020 09:11:52	1	1	1	1	119.8	56.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	37	2004
11.02.2020 09:11:54	1	1	1	1	119.8	57	0	30000	507.5268817	15225.45049	30000	0	0	30000	36.3125	2004
11.02.2020 09:11:55	1	1	1	1	119.8	56.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:11:56	1	1	1	1	119.8	55.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	36.3125	2004
11.02.2020 09:11:57	1	1	1	1	119.5	56.25	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	37	2004
11.02.2020 09:11:58	1	1	1	1	119.5	57	0	30000	503.2258065	15096.62164	30000	0	0	30000	37	2004
11.02.2020 09:11:59	1	1	1	1	119.5	57	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.25	2004
11.02.2020 09:12:00	1	1	1	1	119.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.9375	2004
11.02.2020 09:12:01	1	1	1	1	119.5	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.75	2004
11.02.2020 09:12:02	1	1	1	1	119.5	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.875	2004
11.02.2020 09:12:03	1	1	1	1	119.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.75	2004
11.02.2020 09:12:04	1	1	1	1	119.5	55.75	0	30047.393	443.0107527	13225.34178	30000	0	0	30000	37	2004
11.02.2020 09:12:05	1	1	1	1	119.5	57	0	30000	434.4086022	13182.12704	30000	0	0	30000	36.4375	2004
11.02.2020 09:12:06	1	1	1	1	119.5	56.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.25	2004
11.02.2020 09:12:07	1	1	1	1	119.5	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36	2004
11.02.2020 09:12:08	1	1	1	1	119.5	56	0	30000	464.516129	13935.53122	30000	0	0	30000	37.1875	2004
11.02.2020 09:12:09	1	1	1	1	119.5	57	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.3125	2004
11.02.2020 09:12:10	1	1	1	1	119.5	57.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	36.4375	2004
11.02.2020 09:12:11	1	1	1	1	119.5	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	37.125	2004
11.02.2020 09:12:12	1	1	1	1	119.5	56.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.5625	2004
11.02.2020 09:12:13	1	1	1	1	119.5	56.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.4375	2004
11.02.2020 09:12:14	1	1	1	1	119.5	56.25	0	30000	505.3763441	15096.62164	30000	0	0	30000	36.75	2004
11.02.2020 09:12:15	1	1	1	1	119.5	56.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	36.8125	2004
11.02.2020 09:12:16	1	1	1	1	119.5	56.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.9375	2004
11.02.2020 09:12:17	1	1	1	1	119.5	56.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.375	2004
11.02.2020 09:12:18	1	1	1	1	119.5	56.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	36.8125	2004
11.02.2020 09:12:19	1	1	1	1	119.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
11.02.2020 09:12:20	1	1	1	1	119.5	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.1875	2004
11.02.2020 09:12:21	1	1	1	1	119.5	56	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.75	2004
11.02.2020 09:12:22	1	1	1	1	119.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
11.02.2020 09:12:23	1	1	1	1	119.5	56.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	36.5	2004
11.02.2020 09:12:24	1	1	1	1	119.5	56.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	36.75	2004
11.02.2020 09:12:25	1	1	1	1	119.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
11.02.2020 09:12:26	1	1	1	1	119	57	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
11.02.2020 09:12:27	1	1	1	1	119	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
11.02.2020 09:12:28	1	1	1	1	119	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
11.02.2020 09:12:29	1	1	1	1	119	56	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.625	2004
11.02.2020 09:12:31	1	1	1	1	119	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	36.5	2004
11.02.2020 09:12:32	1	1	1	1	119	56.5	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	36.8125	2004
11.02.2020 09:12:33	1	1	1	1	119	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.9375	2004
11.02.2020 09:12:34	1	1	1	1	119	55.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.5	2004
11.02.2020 09:12:35	1	1	1	1	119	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
11.02.2020 09:12:41	1	1	1	1	119	56.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
11.02.2020 09:12:42	1	1	1	1	119	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.75	2004
11.02.2020 09:12:43	1	1	1	1	119	55.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.0625	2004
11.02.2020 09:12:44	1	1	1	1	119	57	0	30000	503.2258065	15096.62164	30000	0	0	30000	36.9375	2004
11.02.2020 09:12:45	1	1	1	1	119	56.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	36.5	2004
11.02.2020 09:12:46	1	1	1	1	119	56.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	35.875	2004
11.02.2020 09:12:47	1	1	1	1	119.5	55.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	36.75	2004
11.02.2020 09:12:48	1	1	1	1	119.5	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.4375	2004
11.02.2020 09:12:49	1	1	1	1	119.5	56.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.125	2004
11.02.2020 09:12:50	1	1	1	1	119.5	56	0	30000	496.7741935	15032.20721	30000	0	0	30000	37.125	2004
11.02.2020 09:12:51	1	1	1	1	119.5	56.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.125	2004
11.02.2020 09:12:52	1	1	1	1	119.5	56	0	30000	505.3763441	15161.03607	30000	0	0	30000	36.8125	2004
11.02.2020 09:12:53	1	1	1	1	119.5	56.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	36.4375	2004
11.02.2020 09:12:54	1	1	1	1	119.5	56.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	37	2004
11.02.2020 09:12:55	1	1	1	1	119.5	57	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.5	2004
11.02.2020 09:12:56	1	1	1	1	119.3	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	35.8125	2004
11.02.2020 09:12:57	1	1	1	1	119.3	55.75	0	30000	483.8709677	14428.83157	30000	0	0	30000	35.9375	2004
11.02.2020 09:12:58	1	1	1	1	119.3	55.75	0	30000	488.172043	14644.90528	30000	0	0	30000	35.625	2004
11.02.2020 09:12:59	1	1	1	1	119.3	55.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	36.625	2004
11.02.2020 09:13:00	1	1	1	1	119.3	56.5	0	30000	496.7741935	14750.9037	30000	0	0	30000	36.625	2004
11.02.2020 09:13:01	1	1	1	1	119.3	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	37	2004
11.02.2020 09:13:02	1	1	1	1	119.3	57	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.875	2004
11.02.2020 09:13:03	1	1	1	1	119.3	56.75	0	30000	483.8709677	14428.83157	30000	0	0	30000	36.625	2004
11.02.2020 09:13:04	1	1	1	1	119.3	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
11.02.2020 09:13:05	1	1	1	1	119.3	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	36.5	2004
11.02.2020 09:13:06	1	1	1	1	118.5	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.125	2004
11.02.2020 09:13:07	1	1	1	1	118.5	56	0	30000	483.8709677	14516.07643	30000	0	0	30000	37	2004
11.02.2020 09:13:08	1	1	1	1	118.5	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.1875	2004
11.02.2020 09:13:10	1	1	1	1	118.5	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:13:11	1	1	1	1	118.5	56.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.25	2004
11.02.2020 09:13:12	1	1	1	1	118.5	56.25	0	29905.213	509.6774194	15201.80469	30000	0	0	30000	36.5625	2004
11.02.2020 09:13:13	1	1	1	1	118.5	56.5	0	29952.607	501.0752688	15225.45049	30000	0	0	30000	37.125	2004
11.02.2020 09:13:14	1	1	1	1	118.5	57	0	30000	505.3763441	15161.03607	30000	0	0	30000	37.0625	2004
11.02.2020 09:13:15	1	1	1	1	118.5	57	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.625	2004
11.02.2020 09:13:16	1	1	1	1	118.5	56.5	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:17	1	1	1	1	119.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	37.1875	2004
11.02.2020 09:13:18	1	1	1	1	119.5	57	0	30000	464.516129	13870.30142	30000	0	0	30000	37.0625	2004
11.02.2020 09:13:19	1	1	1	1	119.5	57	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.8125	2004
11.02.2020 09:13:20	1	1	1	1	119.5	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004
11.02.2020 09:13:21	1	1	1	1	119.5	56.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.75	2004
11.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.125	2004
11.02.2020 09:13:23	1	1	1	1	119.5	56	0	30094.787	449.4623656	13289.7562	30000	0	0	30000	36.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:13:24	1	1	1	1	119.5	56	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	35.6875	2004
11.02.2020 09:13:25	1	1	1	1	119.5	55.5	0	29905.213	440.8602151	13354.17063	30000	0	0	30000	37.125	2004
11.02.2020 09:13:26	1	1	1	1	119.5	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.0625	2004
11.02.2020 09:13:27	1	1	1	1	119	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.8125	2004
11.02.2020 09:13:28	1	1	1	1	119	55.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	37.125	2004
11.02.2020 09:13:29	1	1	1	1	119	57	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.25	2004
11.02.2020 09:13:30	1	1	1	1	119	56.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	36.8125	2004
11.02.2020 09:13:31	1	1	1	1	119	56.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	37.1875	2004
11.02.2020 09:13:32	1	1	1	1	119	57	0	30000	503.2258065	15032.20721	30000	0	0	30000	36.875	2004
11.02.2020 09:13:33	1	1	1	1	119	56.75	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	36.9375	2004
11.02.2020 09:13:34	1	1	1	1	119	56.75	0	30000	509.6774194	15483.92357	30000	0	0	30000	36.875	2004
11.02.2020 09:13:35	1	1	1	1	119	56.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	37.25	2004
11.02.2020 09:13:36	1	1	1	1	118.8	57.25	0	30000	488.172043	14709.31971	30000	0	0	30000	36.75	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:13:43	1	1	1	1	118.8	56	0	30047.393	488.172043	14644.90528	30000	0	0	30000	37	2004
11.02.2020 09:13:44	1	1	1	1	118.8	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
11.02.2020 09:13:45	1	1	1	1	118.8	57	0	30000	481.7204301	14516.07643	30000	0	0	30000	37.1875	2004
11.02.2020 09:13:46	1	1	1	1	118.8	57	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.3125	2004
11.02.2020 09:13:48	1	1	1	1	118.8	56.25	0	29952.607	464.516129	13741.47256	30000	0	0	30000	37.1875	2004
11.02.2020 09:13:49	1	1	1	1	118.8	57	0	30000	460.2150538	13935.53122	30000	0	0	30000	37	2004
11.02.2020 09:13:50	1	1	1	1	118.8	57	0	30000	466.6666667	13913.51616	30000	0	0	30000	36.75	2004
11.02.2020 09:13:51	1	1	1	1	118.8	56.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
11.02.2020 09:13:52	1	1	1	1	118.8	56.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	35.9375	2004
11.02.2020 09:13:53	1	1	1	1	118.8	55.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	36	2004
11.02.2020 09:13:54	1	1	1	1	118.8	56	0	30000	425.8064516	12838.03984	30000	0	0	30000	36.8125	2004
11.02.2020 09:13:55	1	1	1	1	118.8	56.75	0	30000	427.9569892	12540.42889	30000	0	0	30000	36.375	2004
11.02.2020 09:13:56	1	1	1	1	118.8	56.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	35	2004
11.02.2020 09:13:57	1	1	1	1	118.3	55	0	30000	423.655914	12709.21099	30000	0	0	30000	36.5625	2004
11.02.2020 09:13:58	1	1	1	1	118.3	56.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37	2004
11.02.2020 09:13:59	1	1	1	1	118.3	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.4375	2004
11.02.2020 09:14:00	1	1	1	1	118.3	56.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.0625	2004
11.02.2020 09:14:01	1	1	1	1	118.3	56	0	30000	445.1612903	13289.7562	30000	0	0	30000	36.875	2004
11.02.2020 09:14:02	1	1	1	1	118.3	56.75	0	29905.213	453.7634409	13935.53122	30000	0	0	30000	36.5	2004
11.02.2020 09:14:03	1	1	1	1	118.3	56.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	37	2004
11.02.2020 09:14:04	1	1	1	1	118.3	57	0	30000	481.7204301	14451.662	30000	0	0	30000	37.125	2004
11.02.2020 09:14:05	1	1	1	1	118.3	57	0	29905.213	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
11.02.2020 09:14:06	1	1	1	1	118.3	56	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.5625	2004
11.02.2020 09:14:07	1	1	1	1	118.5	56.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:14:08	1	1	1	1	118.5	56.75	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
11.02.2020 09:14:09	1	1	1	1	118.5	56	0	30000	488.172043	14644.90528	30000	0	0	30000	36.5	2004
11.02.2020 09:14:10	1	1	1	1	118.5	56.5	0	29952.607	494.6236559	15055.85302	30000	0	0	30000	36.75	2004
11.02.2020 09:14:11	1	1	1	1	118.5	56.75	0	30000	488.172043	14516.07643	30000	0	0	30000	36.3125	2004
11.02.2020 09:14:12	1	1	1	1	118.5	56.25	0	30000	488.172043	14516.07643	30000	0	0	30000	37.0625	2004
11.02.2020 09:14:13	1	1	1	1	118.5	57	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.0625	2004
11.02.2020 09:14:14	1	1	1	1	118.5	56	0	29905.213	455.9139785	13612.64371	30000	0	0	30000	37.125	2004
11.02.2020 09:14:15	1	1	1	1	118.5	57	0	30000	432.2580645	12967.68407	30000	0	0	30000	37.125	2004
11.02.2020 09:14:16	1	1	1	1	118.3	57	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.25	2004
11.02.2020 09:14:17	1	1	1	1	118.3	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.5625	2004
11.02.2020 09:14:18	1	1	1	1	118.3	56.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	36.5	2004
11.02.2020 09:14:19	1	1	1	1	118.3	56.5	0	29952.607	417.2043011	12709.21099	30000	0	0	30000	37.0625	2004
11.02.2020 09:14:20	1	1	1	1	118.3	57	0	30000	427.9569892	13032.0985	30000	0	0	30000	36.625	2004
11.02.2020 09:14:21	1	1	1	1	118.3	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.9375	2004
11.02.2020 09:14:22	1	1	1	1	118.3	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.125	2004
11.02.2020 09:14:23	1	1	1	1	118.3	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	36.4375	2004
11.02.2020 09:14:24	1	1	1	1	118.3	56.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.1875	2004
11.02.2020 09:14:25	1	1	1	1	118.3	56	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
11.02.2020 09:14:26	1	1	1	1	117.8	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:27	1	1	1	1	117.8	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:14:29	1	1	1	1	117.8	56.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:14:30	1	1	1	1	117.8	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.125	2004
11.02.2020 09:14:31	1	1	1	1	117.8	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:14:32	1	1	1	1	117.8	56.75	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	36.5	2004
11.02.2020 09:14:33	1	1	1	1	117.8	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
11.02.2020 09:14:34	1	1	1	1	117.8	55.25	0	30047.393	481.7204301	14021.9607	30000	0	0	30000	37.1875	2004
11.02.2020 09:14:35	1	1	1	1	117.8	57	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.0625	2004
11.02.2020 09:14:36	1	1	1	1	117.8	56	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.3125	2004
11.02.2020 09:14:37	1	1	1	1	117.8	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:14:38	1	1	1	1	117.8	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.3125	2004
11.02.2020 09:14:44	1	1	1	1	117.8	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:44	1	1	1	1	117.8	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:44	1	1	1	1	117.8	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:44	1	1	1	1	117.8	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:44	1	1	1	1	117.8	56.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:45	1	1	1	1	117.8	56.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	37.1875	2004
11.02.2020 09:14:46	1	1	1	1	117.8	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:14:47	1	1	1	1	117.8	55.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	35.25	2004
11.02.2020 09:14:48	1	1	1	1	117.8	55.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:49	1	1	1	1	117.8	56.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	36.9375	2004
11.02.2020 09:14:50	1	1	1	1	117.8	56.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	36	2004
11.02.2020 09:14:51	1	1	1	1	117.8	56	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:14:52	1	1	1	1	117.8	55.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
11.02.2020 09:14:53	1	1	1	1	117.8	56.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.5625	2004
11.02.2020 09:14:54	1	1	1	1	117.8	55.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.625	2004
11.02.2020 09:14:55	1	1	1	1	117.8	56.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	36.6875	2004
11.02.2020 09:14:56	1	1	1	1	117	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.5	2004
11.02.2020 09:14:57	1	1	1	1	117	55.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.25	2004
11.02.2020 09:14:58	1	1	1	1	117	56.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	36.375	2004
11.02.2020 09:14:59	1	1	1	1	117	56.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:15:00	1	1	1	1	117	57	0	30000	425.8064516	12580.38214	30000	0	0	30000	36.5625	2004
11.02.2020 09:15:01	1	1	1	1	117	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.875	2004
11.02.2020 09:15:02	1	1	1	1	117	56.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.6875	2004
11.02.2020 09:15:03	1	1	1	1	117	56.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	36.4375	2004
11.02.2020 09:15:05	1	1	1	1	117	56.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.1875	2004
11.02.2020 09:15:06	1	1	1	1	117	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
11.02.2020 09:15:07	1	1	1	1	117	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.9375	2004
11.02.2020 09:15:08	1	1	1	1	117	56.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	36.375	2004
11.02.2020 09:15:09	1	1	1	1	117	56.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	37.0625	2004
11.02.2020 09:15:10	1	1	1	1	117	57	0	30000	464.516129	13935.53122	30000	0	0	30000	37.125	2004
11.02.2020 09:15:11	1	1	1	1	117	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36	2004
11.02.2020 09:15:12	1	1	1	1	117	56	0	30000	453.7634409	13591.44402	30000	0	0	30000	37.1875	2004
11.02.2020 09:15:13	1	1	1	1	117	57	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.0625	2004
11.02.2020 09:15:14	1	1	1	1	117	57	0	30000	440.8602151	13289.7562	30000	0	0	30000	36.5	2004
11.02.2020 09:15:15	1	1	1	1	117	56.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.1875	2004
11.02.2020 09:15:16	1	1	1	1	117	57	0	30000	425.8064516	12773.62542	30000	0	0	30000	37	2004
11.02.2020 09:15:17	1	1	1	1	117	57	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 09:15:18	1	1	1	1	117	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.8125	2004
11.02.2020 09:15:19	1	1	1	1	117	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.9375	2004
11.02.2020 09:15:20	1	1	1	1	117	56.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	37.1875	2004
11.02.2020 09:15:21	1	1	1	1	117	57	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.4375	2004
11.02.2020 09:15:22	1	1	1	1	117	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.6875	2004
11.02.2020 09:15:23	1	1	1	1	117	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:15:24	1	1	1	1	117	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:15:25	1	1	1	1	117	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
11.02.2020 09:15:26	1	1	1	1	116.3	56.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	35.4375	2004
11.02.2020 09:15:27	1	1	1	1	116.3	55.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	36	2004
11.02.2020 09:15:28	1	1	1	1	116.3	56	0	30000	486.0215054	14580.49085	30000	0	0	30000	36.875	2004
11.02.2020 09:15:29	1	1	1	1	116.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
11.02.2020 09:15:30	1	1	1	1	116.3	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:15:31	1	1	1	1	116.3	56.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.8125	2004
11.02.2020 09:15:32	1	1	1	1	116.3	56.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	36.875	2004
11.02.2020 09:15:33	1	1	1	1	116.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.25	2004
11.02.2020 09:15:34	1	1	1	1	116.3	57.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:15:35	1	1	1	1	116.3	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:15:36	1	1	1	1	115.8	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	35.875	2004
11.02.2020 09:15:37	1	1	1	1	115.8	55.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	36.9375	2004
11.02.2020 09:15:38	1	1	1	1	115.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:15:39	1	1	1	1	115.8	56.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	35.375	2004
11.02.2020 09:15:46	1	1	1	1	115.8	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:46	1	1	1	1	115.8	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:46	1	1	1	1	115.8	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:46	1	1	1	1	115.8	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:46	1	1	1	1	115.8	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:47	1	1	1	1	115.5	56	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.9375	2004
11.02.2020 09:15:48	1	1	1	1	115.5	56.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.8125	2004
11.02.2020 09:15:49	1	1	1	1	115.5	56.75	0	30000	445.1612903	13548.22928	30000	0	0	30000	36.125	2004
11.02.2020 09:15:50	1	1	1	1	115.5	56	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.1875	2004
11.02.2020 09:15:51	1	1	1	1	115.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
11.02.2020 09:15:52	1	1	1	1	115.5	56	0	30000	481.7204301	13999.94564	30000	0	0	30000	36.6875	2004
11.02.2020 09:15:53	1	1	1	1	115.5	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
11.02.2020 09:15:54	1	1	1	1	115.5	56	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.625	2004
11.02.2020 09:15:55	1	1	1	1	115.5	56.5	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	36.5	2004
11.02.2020 09:15:56	1	1	1	1	115.5	56.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
11.02.2020 09:15:57	1	1	1	1	115.3	56.5	0	29952.607	468.8172043	13999.94564	30000	0	0	30000	36	2004
11.02.2020 09:15:58	1	1	1	1	115.3	56	0	30000	460.2150538	13870.30142	30000	0	0	30000	36.6875	2004
11.02.2020 09:15:59	1	1	1	1	115.3	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37	2004
11.02.2020 09:16:00	1	1	1	1	115.3	57	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	37	2004
11.02.2020 09:16:01	1	1	1	1	115.3	57	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
11.02.2020 09:16:02	1	1	1	1	115.3	54.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.25	2004
11.02.2020 09:16:03	1	1	1	1	115.3	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.5625	2004
11.02.2020 09:16:04	1	1	1	1	115.3	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
11.02.2020 09:16:05	1	1	1	1	115.3	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
11.02.2020 09:16:06	1	1	1	1	115.3	56	0	29952.607	464.516129	13935.53122	30000	0	0	30000	36.125	2004
11.02.2020 09:16:07	1	1	1	1	115.3	56	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	36	2004
11.02.2020 09:16:08	1	1	1	1	115.3	56	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.25	2004
11.02.2020 09:16:09	1	1	1	1	115.3	57.25	0	29952.607	440.8602151	13160.92735	30000	0	0	30000	35.5625	2004
11.02.2020 09:16:10	1	1	1	1	115.3	55.5	0	30000	449.4623656	13548.22928	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:11	1	1	1	1	115.3	57.25	0	29905.213	443.0107527	13699.07319	30000	0	0	30000	36.5	2004
11.02.2020 09:16:12	1	1	1	1	115.3	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.4375	2004
11.02.2020 09:16:13	1	1	1	1	115.3	55.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.125	2004
11.02.2020 09:16:14	1	1	1	1	115.3	56	0	30000	421.5053763	12580.38214	30000	0	0	30000	36.0625	2004
11.02.2020 09:16:15	1	1	1	1	115.3	56	0	30000	423.655914	12580.38214	30000	0	0	30000	37	2004
11.02.2020 09:16:16	1	1	1	1	115	57	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	37	2004
11.02.2020 09:16:17	1	1	1	1	115	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 09:16:18	1	1	1	1	115	57.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	37	2004
11.02.2020 09:16:19	1	1	1	1	115	57	0	30000	434.4086022	13096.51292	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:16:21	1	1	1	1	115	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
11.02.2020 09:16:22	1	1	1	1	115	57	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:23	1	1	1	1	115	57.25	0	30000	481.7204301	14083.92901	30000	0	0	30000	36.875	2004
11.02.2020 09:16:24	1	1	1	1	115	56.75	0	29905.213	481.7204301	14580.49085	30000	0	0	30000	36.5625	2004
11.02.2020 09:16:25	1	1	1	1	115	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.125	2004
11.02.2020 09:16:26	1	1	1	1	115	57	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
11.02.2020 09:16:27	1	1	1	1	114.3	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:28	1	1	1	1	114.3	57.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	36.6875	2004
11.02.2020 09:16:29	1	1	1	1	114.3	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.875	2004
11.02.2020 09:16:30	1	1	1	1	114.3	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.4375	2004
11.02.2020 09:16:31	1	1	1	1	114.3	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:16:32	1	1	1	1	114.3	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:16:33	1	1	1	1	114.3	56.75	0	30000	466.6666667	14451.662	30000	0	0	30000	36.3125	2004
11.02.2020 09:16:34	1	1	1	1	114.3	56.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.375	2004
11.02.2020 09:16:35	1	1	1	1	114.3	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.0625	2004
11.02.2020 09:16:36	1	1	1	1	114.3	57	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:37	1	1	1	1	113.8	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:38	1	1	1	1	113.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37	2004
11.02.2020 09:16:39	1	1	1	1	113.8	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.625	2004
11.02.2020 09:16:40	1	1	1	1	113.8	57.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.4375	2004
11.02.2020 09:16:41	1	1	1	1	113.8	57.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:47	1	1	1	1	113	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:48	1	1	1	1	113	57.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.125	2004
11.02.2020 09:16:49	1	1	1	1	113	57	0	30000	481.7204301	13999.94564	30000	0	0	30000	37.125	2004
11.02.2020 09:16:50	1	1	1	1	113	57	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004
11.02.2020 09:16:51	1	1	1	1	113	56.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.6875	2004
11.02.2020 09:16:52	1	1	1	1	113	56.5	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:53	1	1	1	1	113	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.25	2004
11.02.2020 09:16:54	1	1	1	1	113	57.25	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	37.1875	2004
11.02.2020 09:16:55	1	1	1	1	113	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5	2004
11.02.2020 09:16:56	1	1	1	1	112.8	56.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
11.02.2020 09:16:57	1	1	1	1	112.8	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.125	2004
11.02.2020 09:16:59	1	1	1	1	112.8	57	0	30000	443.0107527	13310.95589	30000	0	0	30000	37.1875	2004
11.02.2020 09:17:00	1	1	1	1	112.8	57	0	30000	432.2580645	12967.68407	30000	0	0	30000	36.875	2004
11.02.2020 09:17:01	1	1	1	1	112.8	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.75	2004
11.02.2020 09:17:02	1	1	1	1	112.8	56.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.25	2004
11.02.2020 09:17:03	1	1	1	1	112.8	57.25	0	29952.607	449.4623656	13677.05814	30000	0	0	30000	37.25	2004
11.02.2020 09:17:04	1	1	1	1	112.8	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:17:05	1	1	1	1	112.8	57	0	30000	451.6129032	13354.17063	30000	0	0	30000	36.625	2004
11.02.2020 09:17:06	1	1	1	1	112.8	56.5	0	29905.213	464.516129	13935.53122	30000	0	0	30000	37.25	2004
11.02.2020 09:17:07	1	1	1	1	112.8	57.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.625	2004
11.02.2020 09:17:08	1	1	1	1	112.8	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:09	1	1	1	1	112.8	57.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.1875	2004
11.02.2020 09:17:10	1	1	1	1	112.8	57	0	30000	395.6989247	11935.4225	30000	0	0	30000	36.625	2004
11.02.2020 09:17:11	1	1	1	1	112.8	56.5	0	30000	391.3978495	11908.51521	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:12	1	1	1	1	112.8	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
11.02.2020 09:17:13	1	1	1	1	112.8	57	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.1875	2004
11.02.2020 09:17:14	1	1	1	1	112.8	57	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:15	1	1	1	1	112.8	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
11.02.2020 09:17:16	1	1	1	1	112.8	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:17	1	1	1	1	112.8	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.375	2004
11.02.2020 09:17:18	1	1	1	1	112.8	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.625	2004
11.02.2020 09:17:19	1	1	1	1	112.8	57.5	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	37	2004
11.02.2020 09:17:20	1	1	1	1	112.8	57	0	30000	468.8172043	14106.75944	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:21	1	1	1	1	112.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.875	2004
11.02.2020 09:17:22	1	1	1	1	112.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
11.02.2020 09:17:23	1	1	1	1	112.8	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	37.0625	2004
11.02.2020 09:17:24	1	1	1	1	112.8	57	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.4375	2004
11.02.2020 09:17:25	1	1	1	1	112.8	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.8125	2004
11.02.2020 09:17:26	1	1	1	1	112.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
11.02.2020 09:17:27	1	1	1	1	112.3	56.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.25	2004
11.02.2020 09:17:28	1	1	1	1	112.3	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:29	1	1	1	1	112.3	57.25	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	36.625	2004
11.02.2020 09:17:30	1	1	1	1	112.3	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37	2004
11.02.2020 09:17:31	1	1	1	1	112.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.75	2004
11.02.2020 09:17:32	1	1	1	1	112.3	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:17:33	1	1	1	1	112.3	56.75	0	30000	464.516129	13741.47256	30000	0	0	30000	37.25	2004
11.02.2020 09:17:34	1	1	1	1	112.3	57.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:35	1	1	1	1	112.3	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.6875	2004
11.02.2020 09:17:36	1	1	1	1	111.8	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	37.375	2004
11.02.2020 09:17:38	1	1	1	1	111.8	57.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	36.8125	2004
11.02.2020 09:17:39	1	1	1	1	111.8	56.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.75	2004
11.02.2020 09:17:40	1	1	1	1	111.8	56.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	36.8125	2004
11.02.2020 09:17:41	1	1	1	1	111.8	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.25	2004
11.02.2020 09:17:42	1	1	1	1	111.8	56.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	36.8125	2004
11.02.2020 09:17:43	1	1	1	1	111.8	56.75	0	29952.607	432.2580645	13096.51292	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:17:49	1	1	1	1	111	57.25	0	30000	419.3548387	12540.42889	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:50	1	1	1	1	111	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.1875	2004
11.02.2020 09:17:51	1	1	1	1	111	57	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
11.02.2020 09:17:52	1	1	1	1	111	57	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:53	1	1	1	1	111	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.1875	2004
11.02.2020 09:17:54	1	1	1	1	111	57	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.3125	2004
11.02.2020 09:17:55	1	1	1	1	111	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
11.02.2020 09:17:56	1	1	1	1	111	57	0	30000	425.8064516	12838.03984	30000	0	0	30000	36.4375	2004
11.02.2020 09:17:57	1	1	1	1	111.3	56.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:17:58	1	1	1	1	111.3	57.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	37.75	2004
11.02.2020 09:17:59	1	1	1	1	111.3	57.75	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
11.02.2020 09:18:00	1	1	1	1	111.3	57	0	30000	427.9569892	12560.8132	30000	0	0	30000	36.875	2004
11.02.2020 09:18:01	1	1	1	1	111.3	56.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	36.875	2004
11.02.2020 09:18:02	1	1	1	1	111.3	56.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
11.02.2020 09:18:03	1	1	1	1	111.3	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.25	2004
11.02.2020 09:18:04	1	1	1	1	111.3	57.25	0	29952.607	387.0967742	11741.36385	30000	0	0	30000	36.4375	2004
11.02.2020 09:18:05	1	1	1	1	111.3	56.25	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	36.125	2004
11.02.2020 09:18:06	1	1	1	1	111.3	56	0	30000	438.7096774	13054.92893	30000	0	0	30000	36.75	2004
11.02.2020 09:18:07	1	1	1	1	111.3	56.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	36.5	2004
11.02.2020 09:18:08	1	1	1	1	111.3	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5625	2004
11.02.2020 09:18:09	1	1	1	1	111.3	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	37	2004
11.02.2020 09:18:10	1	1	1	1	111.3	57	0	30000	468.8172043	14128.7745	30000	0	0	30000	37.1875	2004
11.02.2020 09:18:11	1	1	1	1	111.3	57	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.3125	2004
11.02.2020 09:18:12	1	1	1	1	111.3	57.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.875	2004
11.02.2020 09:18:13	1	1	1	1	111.3	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
11.02.2020 09:18:14	1	1	1	1	111.3	56.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	37.375	2004
11.02.2020 09:18:15	1	1	1	1	111.3	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:18:16	1	1	1	1	110.5	56.25	0	30000	470.9677419	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:18:18	1	1	1	1	110.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.25	2004
11.02.2020 09:18:19	1	1	1	1	110.5	57.25	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	36.6875	2004
11.02.2020 09:18:20	1	1	1	1	110.5	56.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	37.3125	2004
11.02.2020 09:18:21	1	1	1	1	110.5	57.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.125	2004
11.02.2020 09:18:22	1	1	1	1	110.5	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.5	2004
11.02.2020 09:18:23	1	1	1	1	110.5	55.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.25	2004
11.02.2020 09:18:24	1	1	1	1	110.5	57.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	36.6875	2004
11.02.2020 09:18:25	1	1	1	1	110.5	56.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	36.4375	2004
11.02.2020 09:18:26	1	1	1	1	110.5	56.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
11.02.2020 09:18:27	1	1	1	1	110.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:18:28	1	1	1	1	110.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.4375	2004
11.02.2020 09:18:29	1	1	1	1	110.5	57.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.8125	2004
11.02.2020 09:18:30	1	1	1	1	110.5	56.75	0	30000	464.516129	13999.94564	30000	0	0	30000	37	2004
11.02.2020 09:18:31	1	1	1	1	110.5	57	0	30000	460.2150538	13805.88699	30000	0	0	30000	36.5	2004
11.02.2020 09:18:32	1	1	1	1	110.5	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:18:33	1	1	1	1	110.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
11.02.2020 09:18:34	1	1	1	1	110.5	56.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.375	2004
11.02.2020 09:18:35	1	1	1	1	110.5	56.25	0	30000	455.9139785	13805.88699	30000	0	0	30000	36.4375	2004
11.02.2020 09:18:36	1	1	1	1	110.5	56.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	37.375	2004
11.02.2020 09:18:37	1	1	1	1	110.8	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.9375	2004
11.02.2020 09:18:38	1	1	1	1	110.8	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.8125	2004
11.02.2020 09:18:39	1	1	1	1	110.8	57.75	0	30000	458.0645161	13935.53122	30000	0	0	30000	37.1875	2004
11.02.2020 09:18:40	1	1	1	1	110.8	56.75	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	37.125	2004
11.02.2020 09:18:41	1	1	1	1	110.8	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:18:42	1	1	1	1	110.8	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37.5	2004
11.02.2020 09:18:43	1	1	1	1	110.8	57.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	36.375	2004
11.02.2020 09:18:44	1	1	1	1	110.8	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.125	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:51	1	1	1	1	110.5	57	0	30000	415.0537634	12580.38214	30000	0	0	30000	37.375	2004
11.02.2020 09:18:52	1	1	1	1	110.5	57.25	0	30000	400	11935.4225	30000	0	0	30000	37.375	2004
11.02.2020 09:18:53	1	1	1	1	110.5	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.6875	2004
11.02.2020 09:18:54	1	1	1	1	110.5	56.5	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	37.0625	2004
11.02.2020 09:18:56	1	1	1	1	110.5	57	0	30000	378.4946237	11354.87729	30000	0	0	30000	36.875	2004
11.02.2020 09:18:57	1	1	1	1	110.5	56.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.4375	2004
11.02.2020 09:18:58	1	1	1	1	110.5	56.25	0	30000	400	12387.13886	30000	0	0	30000	36.25	2004
11.02.2020 09:18:59	1	1	1	1	110.5	56.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.4375	2004
11.02.2020 09:19:00	1	1	1	1	110.5	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 09:19:01	1	1	1	1	110.5	57	0	30000	443.0107527	13119.34335	30000	0	0	30000	35.75	2004
11.02.2020 09:19:02	1	1	1	1	110.5	55.75	0	30000	443.0107527	13269.37189	30000	0	0	30000	37.0625	2004
11.02.2020 09:19:03	1	1	1	1	110.5	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.4375	2004
11.02.2020 09:19:04	1	1	1	1	110.5	57.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.3125	2004
11.02.2020 09:19:05	1	1	1	1	110.5	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.4375	2004
11.02.2020 09:19:06	1	1	1	1	110.5	56.25	0	30000	468.8172043	14150.78955	30000	0	0	30000	36.6875	2004
11.02.2020 09:19:07	1	1	1	1	110.3	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:19:08	1	1	1	1	110.3	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.125	2004
11.02.2020 09:19:09	1	1	1	1	110.3	57	0	30000	464.516129	13935.53122	30000	0	0	30000	36.6875	2004
11.02.2020 09:19:10	1	1	1	1	110.3	56.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.3125	2004
11.02.2020 09:19:11	1	1	1	1	110.3	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.375	2004
11.02.2020 09:19:12	1	1	1	1	110.3	57.25	0	30000	464.516129	13805.88699	30000	0	0	30000	36.8125	2004
11.02.2020 09:19:13	1	1	1	1	110.3	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004
11.02.2020 09:19:14	1	1	1	1	110.3	56	0	30000	466.6666667	13999.94564	30000	0	0	30000	37.875	2004
11.02.2020 09:19:15	1	1	1	1	110.3	57.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	37.125	2004
11.02.2020 09:19:16	1	1	1	1	110.3	57	0	30000	464.516129	13591.44402	30000	0	0	30000	36.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:19:17	1	1	1	1	110	56.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37.0625	2004
11.02.2020 09:19:18	1	1	1	1	110	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
11.02.2020 09:19:19	1	1	1	1	110	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
11.02.2020 09:19:20	1	1	1	1	110	57	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.25	2004
11.02.2020 09:19:21	1	1	1	1	110	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.125	2004
11.02.2020 09:19:22	1	1	1	1	110	56	0	30047.393	464.516129	13741.47256	30000	0	0	30000	37.5	2004
11.02.2020 09:19:23	1	1	1	1	110	57.5	0	30000	455.9139785	13591.44402	30000	0	0	30000	37.25	2004
11.02.2020 09:19:24	1	1	1	1	110	57.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.3125	2004
11.02.2020 09:19:25	1	1	1	1	110	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:19:26	1	1	1	1	109.3	56.75	0	30000	438.7096774	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:19:27	1	1	1	1	109.3	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:19:28	1	1	1	1	109.3	57.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	35.6875	2004
11.02.2020 09:19:29	1	1	1	1	109.3	55.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.9375	2004
11.02.2020 09:19:30	1	1	1	1	109.3	56.75	0	29952.607	432.2580645	13011.71418	30000	0	0	30000	35.5625	2004
11.02.2020 09:19:32	1	1	1	1	109.3	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.4375	2004
11.02.2020 09:19:33	1	1	1	1	109.3	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.875	2004
11.02.2020 09:19:34	1	1	1	1	109.3	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.5625	2004
11.02.2020 09:19:35	1	1	1	1	109.3	56.5	0	29905.213	425.8064516	12967.68407	30000	0	0	30000	35.5	2004
11.02.2020 09:19:36	1	1	1	1	109.3	55.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	36.9375	2004
11.02.2020 09:19:37	1	1	1	1	108.5	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 09:19:38	1	1	1	1	108.5	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.3125	2004
11.02.2020 09:19:39	1	1	1	1	108.5	57.25	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	36.625	2004
11.02.2020 09:19:40	1	1	1	1	108.5	56.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	37.5625	2004
11.02.2020 09:19:41	1	1	1	1	108.5	57.5	0	30000	460.2150538	13612.64371	30000	0	0	30000	36.6875	2004
11.02.2020 09:19:42	1	1	1	1	108.5	56.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	37.125	2004
11.02.2020 09:19:43	1	1	1	1	108.5	57	0	30000	453.7634409	13741.47256	30000	0	0	30000	37.375	2004
11.02.2020 09:19:44	1	1	1	1	108.5	57.25	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	36.5625	2004
11.02.2020 09:19:45	1	1	1	1	108.5	56.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.875	2004
11.02.2020 09:19:46	1	1	1	1	108.5	55.75	0	29905.213	397.8494624	12387.13886	30000	0	0	30000	36.75	2004
11.02.2020 09:19:53	1	1	1	1	109	56.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.6875	2004
11.02.2020 09:19:53	1	1	1	1	109	56.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.6875	2004
11.02.2020 09:19:53	1	1	1	1	109	56.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.6875	2004
11.02.2020 09:19:53	1	1	1	1	109	56.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	37.6875	2004
11.02.2020 09:19:53	1	1	1	1	109	57.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	37.5625	2004
11.02.2020 09:19:54	1	1	1	1	109	57.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	36.5	2004
11.02.2020 09:19:55	1	1	1	1	109	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:19:56	1	1	1	1	109	57.25	0	29905.213	445.1612903	13655.85845	30000	0	0	30000	37.5	2004
11.02.2020 09:19:57	1	1	1	1	109	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:19:58	1	1	1	1	109	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.9375	2004
11.02.2020 09:19:59	1	1	1	1	109	55.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	36.9375	2004
11.02.2020 09:20:00	1	1	1	1	109	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:20:01	1	1	1	1	109	56.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	36.625	2004
11.02.2020 09:20:02	1	1	1	1	109	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.25	2004
11.02.2020 09:20:03	1	1	1	1	109	56.25	0	30000	436.5591398	13032.0985	30000	0	0	30000	36.1875	2004
11.02.2020 09:20:04	1	1	1	1	109	56	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	36.4375	2004
11.02.2020 09:20:05	1	1	1	1	109	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:06	1	1	1	1	109	57.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.25	2004
11.02.2020 09:20:07	1	1	1	1	109	56.25	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	37.5	2004
11.02.2020 09:20:08	1	1	1	1	109	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:09	1	1	1	1	109	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.375	2004
11.02.2020 09:20:10	1	1	1	1	109	57.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.375	2004
11.02.2020 09:20:12	1	1	1	1	109	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.4375	2004
11.02.2020 09:20:13	1	1	1	1	109	57.25	0	29952.607	464.516129	14451.662	30000	0	0	30000	37	2004
11.02.2020 09:20:14	1	1	1	1	109	57	0	30000	486.0215054	14493.246	30000	0	0	30000	37.0625	2004
11.02.2020 09:20:15	1	1	1	1	109	57	0	30000	468.8172043	14128.7745	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:16	1	1	1	1	109	57.25	0	30000	464.516129	13935.53122	30000	0	0	30000	37.0625	2004
11.02.2020 09:20:17	1	1	1	1	109.3	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5625	2004
11.02.2020 09:20:18	1	1	1	1	109.3	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:19	1	1	1	1	109.3	57.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	36.875	2004
11.02.2020 09:20:20	1	1	1	1	109.3	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	36.8125	2004
11.02.2020 09:20:21	1	1	1	1	109.3	56.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.0625	2004
11.02.2020 09:20:22	1	1	1	1	109.3	57	0	30047.393	443.0107527	13289.7562	30000	0	0	30000	36.5	2004
11.02.2020 09:20:23	1	1	1	1	109.3	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.625	2004
11.02.2020 09:20:24	1	1	1	1	109.3	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:20:25	1	1	1	1	109.3	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:20:26	1	1	1	1	109.3	56.75	0	30000	423.655914	12709.21099	30000	0	0	30000	36.875	2004
11.02.2020 09:20:27	1	1	1	1	109	56.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	36.6875	2004
11.02.2020 09:20:28	1	1	1	1	109	56.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.6875	2004
11.02.2020 09:20:29	1	1	1	1	109	56.5	0	30000	443.0107527	13375.37032	30000	0	0	30000	36.8125	2004
11.02.2020 09:20:30	1	1	1	1	109	56.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	35.875	2004
11.02.2020 09:20:31	1	1	1	1	109	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
11.02.2020 09:20:32	1	1	1	1	109	56.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.875	2004
11.02.2020 09:20:33	1	1	1	1	109	57.75	0	30000	464.516129	13870.30142	30000	0	0	30000	37.375	2004
11.02.2020 09:20:34	1	1	1	1	109	57.25	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	36.25	2004
11.02.2020 09:20:35	1	1	1	1	109	57.25	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	36.625	2004
11.02.2020 09:20:36	1	1	1	1	108.5	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:20:37	1	1	1	1	108.5	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:38	1	1	1	1	108.5	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004
11.02.2020 09:20:39	1	1	1	1	108.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.75	2004
11.02.2020 09:20:40	1	1	1	1	108.5	56.75	0	30000	423.655914	12709.21099	30000	0	0	30000	35.875	2004
11.02.2020 09:20:41	1	1	1	1	108.5	55.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:20:42	1	1	1	1	108.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:43	1	1	1	1	108.5	57	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.4375	2004
11.02.2020 09:20:44	1	1	1	1	108.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:20:45	1	1	1	1	108.5	57.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.375	2004
11.02.2020 09:20:46	1	1	1	1	108.3	57.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	36.5	2004
11.02.2020 09:20:47	1	1	1	1	108.3	56.5	0	30000	440.8602151	13246.54146	30000	0	0	30000	37.125	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:54	1	1	1	1	108.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:55	1	1	1	1	108.3	57	0	30000	372.0430108	11354.87729	30000	0	0	30000	37.3125	2004
11.02.2020 09:20:56	1	1	1	1	108.3	57.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	37.5	2004
11.02.2020 09:20:57	1	1	1	1	108	57.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	37.1875	2004
11.02.2020 09:20:58	1	1	1	1	108	57	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.5	2004
11.02.2020 09:20:59	1	1	1	1	108	57.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	36.6875	2004
11.02.2020 09:21:00	1	1	1	1	108	56.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	36.875	2004
11.02.2020 09:21:01	1	1	1	1	108	56.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:02	1	1	1	1	108	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.3125	2004
11.02.2020 09:21:03	1	1	1	1	108	56.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:04	1	1	1	1	108	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:21:05	1	1	1	1	108	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.0625	2004
11.02.2020 09:21:06	1	1	1	1	108	57	0	30000	486.0215054	14516.07643	30000	0	0	30000	37	2004
11.02.2020 09:21:07	1	1	1	1	108.8	57	0	30000	503.2258065	15032.20721	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:08	1	1	1	1	108.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.375	2004
11.02.2020 09:21:09	1	1	1	1	108.8	57.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.875	2004
11.02.2020 09:21:10	1	1	1	1	108.8	57.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
11.02.2020 09:21:11	1	1	1	1	108.8	56.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.375	2004
11.02.2020 09:21:12	1	1	1	1	108.8	57.75	0	30000	464.516129	13935.53122	30000	0	0	30000	37.375	2004
11.02.2020 09:21:13	1	1	1	1	108.8	57.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.25	2004
11.02.2020 09:21:14	1	1	1	1	108.8	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:15	1	1	1	1	108.8	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 09:21:16	1	1	1	1	108.3	57.5	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:17	1	1	1	1	108.3	57.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.5	2004
11.02.2020 09:21:18	1	1	1	1	108.3	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.5	2004
11.02.2020 09:21:19	1	1	1	1	108.3	56.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:20	1	1	1	1	108.3	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.1875	2004
11.02.2020 09:21:21	1	1	1	1	108.3	57	0	30000	397.8494624	11852.2545	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:22	1	1	1	1	108.3	57.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	36.875	2004
11.02.2020 09:21:23	1	1	1	1	108.3	56.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	37.5	2004
11.02.2020 09:21:24	1	1	1	1	108.3	57.5	0	30000	427.9569892	12858.42416	30000	0	0	30000	36	2004
11.02.2020 09:21:25	1	1	1	1	108.3	56	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.8125	2004
11.02.2020 09:21:26	1	1	1	1	108	56.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.0625	2004
11.02.2020 09:21:27	1	1	1	1	108	57	0	30000	460.2150538	13870.30142	30000	0	0	30000	36.75	2004
11.02.2020 09:21:29	1	1	1	1	108	56.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:21:30	1	1	1	1	108	56.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	35.625	2004
11.02.2020 09:21:31	1	1	1	1	108	55.5	0	30000	464.516129	13935.53122	30000	0	0	30000	37.6875	2004
11.02.2020 09:21:32	1	1	1	1	108	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:21:33	1	1	1	1	108	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
11.02.2020 09:21:34	1	1	1	1	108	56.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.8125	2004
11.02.2020 09:21:35	1	1	1	1	108	57.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:36	1	1	1	1	108	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:37	1	1	1	1	107.3	57.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:38	1	1	1	1	107.3	57.25	0	30000	419.3548387	12431.98434	30000	0	0	30000	37.5	2004
11.02.2020 09:21:39	1	1	1	1	107.3	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:40	1	1	1	1	107.3	57.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	37.25	2004
11.02.2020 09:21:41	1	1	1	1	107.3	57.25	0	30000	384.9462366	11483.70614	30000	0	0	30000	36.9375	2004
11.02.2020 09:21:42	1	1	1	1	107.3	56.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.5	2004
11.02.2020 09:21:43	1	1	1	1	107.3	56.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	36.9375	2004
11.02.2020 09:21:44	1	1	1	1	107.3	56.75	0	30000	378.4946237	11125.75762	30000	0	0	30000	37.625	2004
11.02.2020 09:21:45	1	1	1	1	107.3	57.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:46	1	1	1	1	107.3	57.25	0	30000	384.9462366	11354.87729	30000	0	0	30000	36.875	2004
11.02.2020 09:21:47	1	1	1	1	107.3	56.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:48	1	1	1	1	107.3	57.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:21:49	1	1	1	1	107.3	57.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	37.3125	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:56	1	1	1	1	107.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:58	1	1	1	1	107.8	57.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:58	1	1	1	1	107.8	57.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:58	1	1	1	1	107.8	57.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.4375	2004
11.02.2020 09:21:59	1	1	1	1	107.8	57.25	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	37.4375	2004
11.02.2020 09:22:00	1	1	1	1	107.8	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5	2004
11.02.2020 09:22:01	1	1	1	1	107.8	57.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	36.75	2004
11.02.2020 09:22:02	1	1	1	1	107.8	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
11.02.2020 09:22:03	1	1	1	1	107.8	57.25	0	30000	455.9139785	13805.88699	30000	0	0	30000	37.375	2004
11.02.2020 09:22:04	1	1	1	1	107.8	57.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.1875	2004
11.02.2020 09:22:06	1	1	1	1	107.8	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:22:07	1	1	1	1	107.5	57.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	36.875	2004
11.02.2020 09:22:08	1	1	1	1	107.5	56.75	0	30000	425.8064516	12858.42416	30000	0	0	30000	37.5	2004
11.02.2020 09:22:09	1	1	1	1	107.5	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	36.8125	2004
11.02.2020 09:22:10	1	1	1	1	107.5	56.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	37.1875	2004
11.02.2020 09:22:11	1	1	1	1	107.5	57	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.5	2004
11.02.2020 09:22:12	1	1	1	1	107.5	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.125	2004
11.02.2020 09:22:13	1	1	1	1	107.5	57	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:22:14	1	1	1	1	107.5	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.125	2004
11.02.2020 09:22:15	1	1	1	1	107.5	57	0	30000	423.655914	12580.38214	30000	0	0	30000	36.6875	2004
11.02.2020 09:22:16	1	1	1	1	107.5	56.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	37.375	2004
11.02.2020 09:22:17	1	1	1	1	107.5	57.25	0	29952.607	434.4086022	13160.92735	30000	0	0	30000	36.6875	2004
11.02.2020 09:22:18	1	1	1	1	107.5	56.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.5	2004
11.02.2020 09:22:19	1	1	1	1	107.5	57.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	36.625	2004
11.02.2020 09:22:20	1	1	1	1	107.5	56.5	0	30047.393	440.8602151	13225.34178	30000	0	0	30000	37.5	2004
11.02.2020 09:22:21	1	1	1	1	107.5	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:22:22	1	1	1	1	107.5	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 09:22:23	1	1	1	1	107.5	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.0625	2004
11.02.2020 09:22:24	1	1	1	1	107.5	57	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 09:22:25	1	1	1	1	107.5	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	36.9375	2004
11.02.2020 09:22:26	1	1	1	1	107.5	56.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.125	2004
11.02.2020 09:22:27	1	1	1	1	107	57	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.4375	2004
11.02.2020 09:22:28	1	1	1	1	107	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
11.02.2020 09:22:29	1	1	1	1	107	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37	2004
11.02.2020 09:22:30	1	1	1	1	107	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.9375	2004
11.02.2020 09:22:31	1	1	1	1	107	56.75	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	37.4375	2004
11.02.2020 09:22:32	1	1	1	1	107	57.25	0	30000	423.655914	12709.21099	30000	0	0	30000	37	2004
11.02.2020 09:22:33	1	1	1	1	107	57	0	30000	415.0537634	12709.21099	30000	0	0	30000	37.5625	2004
11.02.2020 09:22:34	1	1	1	1	107	57.5	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	37.125	2004
11.02.2020 09:22:35	1	1	1	1	107	57	0	30000	412.9032258	12193.08021	30000	0	0	30000	37.3125	2004
11.02.2020 09:22:36	1	1	1	1	106.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
11.02.2020 09:22:37	1	1	1	1	106.5	57.25	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	37.6875	2004
11.02.2020 09:22:38	1	1	1	1	106.5	57.5	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	36.9375	2004
11.02.2020 09:22:39	1	1	1	1	106.5	56.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.125	2004
11.02.2020 09:22:40	1	1	1	1	106.5	57	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.75	2004
11.02.2020 09:22:42	1	1	1	1	106.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.25	2004
11.02.2020 09:22:43	1	1	1	1	106.5	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.5625	2004
11.02.2020 09:22:44	1	1	1	1	106.5	55.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.5	2004
11.02.2020 09:22:45	1	1	1	1	106.5	57.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	36.125	2004
11.02.2020 09:22:46	1	1	1	1	106.5	56	0	30000	412.9032258	12387.13886	30000	0	0	30000	37	2004
11.02.2020 09:22:47	1	1	1	1	107	57	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	36.9375	2004
11.02.2020 09:22:48	1	1	1	1	107	56.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	36.9375	2004
11.02.2020 09:22:49	1	1	1	1	107	56.75	0	30000	384.9462366	11741.36385	30000	0	0	30000	37.625	2004
11.02.2020 09:22:50	1	1	1	1	107	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.75	2004
11.02.2020 09:22:51	1	1	1	1	107	57.75	0	30000	436.5591398	12967.68407	30000	0	0	30000	37.6875	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004
11.02.2020 09:22:58	1	1	1	1	107.3	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:22:58	1	1	1	1	107.3	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:22:59	1	1	1	1	107.3	57.25	0	30000	434.4086022	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 09:23:00	1	1	1	1	107.3	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.9375	2004
11.02.2020 09:23:01	1	1	1	1	107.3	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.1875	2004
11.02.2020 09:23:02	1	1	1	1	107.3	56	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.75	2004
11.02.2020 09:23:03	1	1	1	1	107.3	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.5	2004
11.02.2020 09:23:04	1	1	1	1	107.3	56.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	36.9375	2004
11.02.2020 09:23:05	1	1	1	1	107.3	56.75	0	30000	400	11935.4225	30000	0	0	30000	37.5	2004
11.02.2020 09:23:06	1	1	1	1	107.3	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.375	2004
11.02.2020 09:23:07	1	1	1	1	106.8	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38	2004
11.02.2020 09:23:08	1	1	1	1	106.8	57.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	37.75	2004
11.02.2020 09:23:09	1	1	1	1	106.8	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:23:10	1	1	1	1	106.8	57.5	0	30000	423.655914	12838.03984	30000	0	0	30000	36.8125	2004
11.02.2020 09:23:11	1	1	1	1	106.8	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:23:12	1	1	1	1	106.8	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.875	2004
11.02.2020 09:23:13	1	1	1	1	106.8	56.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.625	2004
11.02.2020 09:23:14	1	1	1	1	106.8	56.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	37.5625	2004
11.02.2020 09:23:15	1	1	1	1	106.8	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.125	2004
11.02.2020 09:23:16	1	1	1	1	106.5	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:23:17	1	1	1	1	106.5	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.5	2004
11.02.2020 09:23:18	1	1	1	1	106.5	57.5	0	30047.393	400	11935.4225	30000	0	0	30000	37.5625	2004
11.02.2020 09:23:20	1	1	1	1	106.5	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.125	2004
11.02.2020 09:23:21	1	1	1	1	106.5	57	0	30000	412.9032258	12064.25135	30000	0	0	30000	37.125	2004
11.02.2020 09:23:22	1	1	1	1	106.5	57	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.625	2004
11.02.2020 09:23:23	1	1	1	1	106.5	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.8125	2004
11.02.2020 09:23:24	1	1	1	1	106.5	57.75	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	37.0625	2004
11.02.2020 09:23:25	1	1	1	1	106.5	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 09:23:26	1	1	1	1	106.5	57.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	37.5625	2004
11.02.2020 09:23:27	1	1	1	1	106.3	57.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	37.0625	2004
11.02.2020 09:23:28	1	1	1	1	106.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.125	2004
11.02.2020 09:23:29	1	1	1	1	106.3	57	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.9375	2004
11.02.2020 09:23:30	1	1	1	1	106.3	56.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	36.25	2004
11.02.2020 09:23:31	1	1	1	1	106.3	56.25	0	30000	453.7634409	13849.9171	30000	0	0	30000	37.375	2004
11.02.2020 09:23:32	1	1	1	1	106.3	57.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.8125	2004
11.02.2020 09:23:33	1	1	1	1	106.3	57.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.3125	2004
11.02.2020 09:23:34	1	1	1	1	106.3	57.25	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	37.6875	2004
11.02.2020 09:23:35	1	1	1	1	106.3	57.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.6875	2004
11.02.2020 09:23:36	1	1	1	1	106.3	57.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.625	2004
11.02.2020 09:23:37	1	1	1	1	106.3	56.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	36.75	2004
11.02.2020 09:23:38	1	1	1	1	106.3	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 09:23:39	1	1	1	1	106.3	57.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.9375	2004
11.02.2020 09:23:40	1	1	1	1	106.3	56.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.625	2004
11.02.2020 09:23:41	1	1	1	1	106.3	57.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:23:42	1	1	1	1	106.3	57	0	30000	438.7096774	13160.92735	30000	0	0	30000	38	2004
11.02.2020 09:23:43	1	1	1	1	106.3	57	0	30000	425.8064516	12689.64205	30000	0	0	30000	36.25	2004
11.02.2020 09:23:44	1	1	1	1	106.3	56.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.0625	2004
11.02.2020 09:23:45	1	1	1	1	106.3	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 09:23:46	1	1	1	1	106	57.25	0	30047.393	436.5591398	12838.03984	30000	0	0	30000	36.3125	2004
11.02.2020 09:23:47	1	1	1	1	106	56.25	0	30000	438.7096774	12838.03984	30000	0	0	30000	37.8125	2004
11.02.2020 09:23:48	1	1	1	1	106	57.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	36.8125	2004
11.02.2020 09:23:49	1	1	1	1	106	56.75	0	30000	438.7096774	12798.08659	30000	0	0	30000	35.75	2004
11.02.2020 09:23:50	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.0625	2004
11.02.2020 09:23:51	1	1	1	1	106	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.5	2004
11.02.2020 09:23:52	1	1	1	1	106	57.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	36.1875	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:23:59	1	1	1	1	106	55.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37	2004
11.02.2020 09:24:00	1	1	1	1	106	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.125	2004
11.02.2020 09:24:01	1	1	1	1	106	57	0	30000	443.0107527	13354.17063	30000	0	0	30000	36.875	2004
11.02.2020 09:24:02	1	1	1	1	106	56.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.75	2004
11.02.2020 09:24:03	1	1	1	1	106	57.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	37.75	2004
11.02.2020 09:24:04	1	1	1	1	106	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:24:05	1	1	1	1	106	57.25	0	30000	427.9569892	12733.67217	30000	0	0	30000	37.0625	2004
11.02.2020 09:24:06	1	1	1	1	106	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.1875	2004
11.02.2020 09:24:07	1	1	1	1	105.8	56	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	37.375	2004
11.02.2020 09:24:08	1	1	1	1	105.8	57.25	0	30000	423.655914	12709.21099	30000	0	0	30000	37.6875	2004
11.02.2020 09:24:09	1	1	1	1	105.8	57.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	36.9375	2004
11.02.2020 09:24:10	1	1	1	1	105.8	56.75	0	30047.393	417.2043011	12451.55328	30000	0	0	30000	35.625	2004
11.02.2020 09:24:11	1	1	1	1	105.8	55.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	35.6875	2004
11.02.2020 09:24:12	1	1	1	1	105.8	55.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	37.75	2004
11.02.2020 09:24:13	1	1	1	1	105.8	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:24:14	1	1	1	1	105.8	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.1875	2004
11.02.2020 09:24:15	1	1	1	1	105.8	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:24:16	1	1	1	1	105.8	57.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	37.1875	2004
11.02.2020 09:24:17	1	1	1	1	105.3	57	0	30000	412.9032258	12367.56992	30000	0	0	30000	36.875	2004
11.02.2020 09:24:18	1	1	1	1	105.3	56.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.75	2004
11.02.2020 09:24:19	1	1	1	1	105.3	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.3125	2004
11.02.2020 09:24:20	1	1	1	1	105.3	57.25	0	30000	415.0537634	12367.56992	30000	0	0	30000	38.1875	2004
11.02.2020 09:24:21	1	1	1	1	105.3	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
11.02.2020 09:24:22	1	1	1	1	105.3	57.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38	2004
11.02.2020 09:24:23	1	1	1	1	105.3	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.75	2004
11.02.2020 09:24:24	1	1	1	1	105.3	56.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	37.3125	2004
11.02.2020 09:24:25	1	1	1	1	105.3	57.25	0	30000	427.9569892	12689.64205	30000	0	0	30000	35.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:24:26	1	1	1	1	105.5	55.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
11.02.2020 09:24:27	1	1	1	1	105.5	56.5	0	30000	432.2580645	13032.0985	30000	0	0	30000	36.9375	2004
11.02.2020 09:24:28	1	1	1	1	105.5	56.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.25	2004
11.02.2020 09:24:29	1	1	1	1	105.5	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	37	2004
11.02.2020 09:24:30	1	1	1	1	105.5	57	0	29952.607	423.655914	12709.21099	30000	0	0	30000	36.375	2004
11.02.2020 09:24:31	1	1	1	1	105.5	56.25	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	37	2004
11.02.2020 09:24:32	1	1	1	1	105.5	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:24:33	1	1	1	1	105.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.875	2004
11.02.2020 09:24:34	1	1	1	1	105.5	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.8125	2004
11.02.2020 09:24:36	1	1	1	1	105.5	57.75	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	37.5	2004
11.02.2020 09:24:37	1	1	1	1	105.5	57.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.6875	2004
11.02.2020 09:24:38	1	1	1	1	105.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.75	2004
11.02.2020 09:24:39	1	1	1	1	105.5	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:24:40	1	1	1	1	105.5	57.25	0	30000	425.8064516	12967.68407	30000	0	0	30000	37.6875	2004
11.02.2020 09:24:41	1	1	1	1	105.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.0625	2004
11.02.2020 09:24:42	1	1	1	1	105.5	57	0	30000	427.9569892	12773.62542	30000	0	0	30000	37.6875	2004
11.02.2020 09:24:43	1	1	1	1	105.5	57.5	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	37.75	2004
11.02.2020 09:24:44	1	1	1	1	105.5	57.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.9375	2004
11.02.2020 09:24:45	1	1	1	1	105.5	56.75	0	30000	434.4086022	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:24:46	1	1	1	1	105.5	57.25	0	29952.607	425.8064516	13096.51292	30000	0	0	30000	36.3125	2004
11.02.2020 09:24:47	1	1	1	1	105.8	56.25	0	30000	427.9569892	13032.0985	30000	0	0	30000	36.5	2004
11.02.2020 09:24:48	1	1	1	1	105.8	56.5	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	37.25	2004
11.02.2020 09:24:49	1	1	1	1	105.8	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
11.02.2020 09:24:50	1	1	1	1	105.8	57.5	0	30000	423.655914	12709.21099	30000	0	0	30000	37.25	2004
11.02.2020 09:24:51	1	1	1	1	105.8	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.9375	2004
11.02.2020 09:24:52	1	1	1	1	105.8	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.625	2004
11.02.2020 09:24:53	1	1	1	1	105.8	57.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	37.8125	2004
11.02.2020 09:24:54	1	1	1	1	105.8	57.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	37.4375	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	57.75	0	30000	427.9569892	12733.67217	30000	0	0	30000	38.125	2004
11.02.2020 09:25:01	1	1	1	1	105.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 09:25:02	1	1	1	1	105.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5625	2004
11.02.2020 09:25:03	1	1	1	1	105.5	57.5	0	29952.607	417.2043011	12773.62542	30000	0	0	30000	37.0625	2004
11.02.2020 09:25:04	1	1	1	1	105.5	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37	2004
11.02.2020 09:25:05	1	1	1	1	105.5	57	0	30000	436.5591398	13160.92735	30000	0	0	30000	37.875	2004
11.02.2020 09:25:06	1	1	1	1	105.3	57.75	0	30000	438.7096774	13204.95746	30000	0	0	30000	37.1875	2004
11.02.2020 09:25:07	1	1	1	1	105.3	57	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.875	2004
11.02.2020 09:25:08	1	1	1	1	105.3	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 09:25:09	1	1	1	1	105.3	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:25:10	1	1	1	1	105.3	56.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 09:25:11	1	1	1	1	105.3	57.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.9375	2004
11.02.2020 09:25:12	1	1	1	1	105.3	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:25:14	1	1	1	1	105.3	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.625	2004
11.02.2020 09:25:15	1	1	1	1	105.3	57.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	35.8125	2004
11.02.2020 09:25:16	1	1	1	1	105.3	55.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
11.02.2020 09:25:17	1	1	1	1	105.5	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.75	2004
11.02.2020 09:25:18	1	1	1	1	105.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.9375	2004
11.02.2020 09:25:19	1	1	1	1	105.5	56.75	0	30000	400	11935.4225	30000	0	0	30000	36.6875	2004
11.02.2020 09:25:20	1	1	1	1	105.5	56.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
11.02.2020 09:25:21	1	1	1	1	105.5	57.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	37.625	2004
11.02.2020 09:25:22	1	1	1	1	105.5	57.5	0	30000	425.8064516	12754.05648	30000	0	0	30000	37.3125	2004
11.02.2020 09:25:23	1	1	1	1	105.5	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 09:25:24	1	1	1	1	105.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.875	2004
11.02.2020 09:25:25	1	1	1	1	105.5	56.75	0	30000	423.655914	12838.03984	30000	0	0	30000	37.0625	2004
11.02.2020 09:25:26	1	1	1	1	105.5	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 09:25:27	1	1	1	1	105	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.9375	2004
11.02.2020 09:25:28	1	1	1	1	105	57.75	0	30000	438.7096774	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 09:25:29	1	1	1	1	105	57.5	0	30000	438.7096774	13289.7562	30000	0	0	30000	37.3125	2004
11.02.2020 09:25:30	1	1	1	1	105	57.25	0	29905.213	425.8064516	12818.4709	30000	0	0	30000	37.3125	2004
11.02.2020 09:25:31	1	1	1	1	105	57.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	37.3125	2004
11.02.2020 09:25:32	1	1	1	1	105	57.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	37.5	2004
11.02.2020 09:25:33	1	1	1	1	105	57.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	37.8125	2004
11.02.2020 09:25:34	1	1	1	1	105	57.75	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:25:35	1	1	1	1	105	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.25	2004
11.02.2020 09:25:36	1	1	1	1	105	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 09:25:37	1	1	1	1	105.3	57.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	37.75	2004
11.02.2020 09:25:38	1	1	1	1	105.3	57.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.9375	2004
11.02.2020 09:25:39	1	1	1	1	105.3	57.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	37.625	2004
11.02.2020 09:25:40	1	1	1	1	105.3	57.5	0	30047.393	425.8064516	12580.38214	30000	0	0	30000	38.125	2004
11.02.2020 09:25:41	1	1	1	1	105.3	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.5	2004
11.02.2020 09:25:42	1	1	1	1	105.3	57.5	0	30000	415.0537634	12367.56992	30000	0	0	30000	36.4375	2004
11.02.2020 09:25:43	1	1	1	1	105.3	56.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.9375	2004
11.02.2020 09:25:44	1	1	1	1	105.3	56.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	37.5	2004
11.02.2020 09:25:45	1	1	1	1	105.3	57.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.25	2004
11.02.2020 09:25:46	1	1	1	1	105.5	57.25	0	30094.787	425.8064516	12451.55328	30000	0	0	30000	37.75	2004
11.02.2020 09:25:47	1	1	1	1	105.5	57.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.875	2004
11.02.2020 09:25:48	1	1	1	1	105.5	57.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	37.1875	2004
11.02.2020 09:25:49	1	1	1	1	105.5	57	0	30000	425.8064516	12838.03984	30000	0	0	30000	36.75	2004
11.02.2020 09:25:50	1	1	1	1	105.5	56.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:25:51	1	1	1	1	105.5	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 09:25:53	1	1	1	1	105.5	57	0	30000	423.655914	12580.38214	30000	0	0	30000	36.6875	2004
11.02.2020 09:25:54	1	1	1	1	105.5	56.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:25:55	1	1	1	1	105.5	56	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.125	2004
11.02.2020 09:25:56	1	1	1	1	105.5	57	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	37.3125	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:02	1	1	1	1	105	57.25	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
11.02.2020 09:26:03	1	1	1	1	105	56.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.0625	2004
11.02.2020 09:26:04	1	1	1	1	105	58	0	30000	436.5591398	13032.0985	30000	0	0	30000	37.1875	2004
11.02.2020 09:26:05	1	1	1	1	105	57	0	29905.213	425.8064516	12669.25774	30000	0	0	30000	37.875	2004
11.02.2020 09:26:06	1	1	1	1	105	57.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	37.6875	2004
11.02.2020 09:26:07	1	1	1	1	104.5	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37	2004
11.02.2020 09:26:08	1	1	1	1	104.5	57	0	30000	415.0537634	12387.13886	30000	0	0	30000	36.875	2004
11.02.2020 09:26:09	1	1	1	1	104.5	56.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.1875	2004
11.02.2020 09:26:10	1	1	1	1	104.5	57	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.9375	2004
11.02.2020 09:26:11	1	1	1	1	104.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 09:26:12	1	1	1	1	104.5	57.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.4375	2004
11.02.2020 09:26:13	1	1	1	1	104.5	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5625	2004
11.02.2020 09:26:14	1	1	1	1	104.5	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:26:15	1	1	1	1	104.5	57.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.375	2004
11.02.2020 09:26:16	1	1	1	1	104.5	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.625	2004
11.02.2020 09:26:17	1	1	1	1	104.5	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.9375	2004
11.02.2020 09:26:18	1	1	1	1	104.5	58	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	37.375	2004
11.02.2020 09:26:19	1	1	1	1	104.5	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:26:20	1	1	1	1	104.5	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
11.02.2020 09:26:21	1	1	1	1	104.5	57.25	0	30000	404.3010753	12025.92885	30000	0	0	30000	37.75	2004
11.02.2020 09:26:22	1	1	1	1	104.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 09:26:23	1	1	1	1	104.5	57.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:26:24	1	1	1	1	104.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.8125	2004
11.02.2020 09:26:25	1	1	1	1	104.5	56.75	0	30000	427.9569892	12560.8132	30000	0	0	30000	37.6875	2004
11.02.2020 09:26:26	1	1	1	1	104.3	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:26:27	1	1	1	1	104.3	57.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:26:28	1	1	1	1	104.3	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:26:30	1	1	1	1	104.3	57.25	0	30000	425.8064516	12560.8132	30000	0	0	30000	37.3125	2004
11.02.2020 09:26:31	1	1	1	1	104.3	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.875	2004
11.02.2020 09:26:32	1	1	1	1	104.3	56.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.1875	2004
11.02.2020 09:26:33	1	1	1	1	104.3	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37	2004
11.02.2020 09:26:34	1	1	1	1	104.3	57	0	30000	415.0537634	12387.13886	30000	0	0	30000	36.9375	2004
11.02.2020 09:26:35	1	1	1	1	104.3	56.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.6875	2004
11.02.2020 09:26:36	1	1	1	1	104.3	57.5	0	30000	427.9569892	12580.38214	30000	0	0	30000	37.125	2004
11.02.2020 09:26:37	1	1	1	1	104.3	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.3125	2004
11.02.2020 09:26:38	1	1	1	1	104.3	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:26:39	1	1	1	1	104.3	57	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	37.8125	2004
11.02.2020 09:26:40	1	1	1	1	104.3	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	36.9375	2004
11.02.2020 09:26:41	1	1	1	1	104.3	56.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.1875	2004
11.02.2020 09:26:42	1	1	1	1	104.3	57	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	37.5	2004
11.02.2020 09:26:43	1	1	1	1	104.3	57.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	37.625	2004
11.02.2020 09:26:44	1	1	1	1	104.3	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.875	2004
11.02.2020 09:26:45	1	1	1	1	104.3	57.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	37.0625	2004
11.02.2020 09:26:46	1	1	1	1	104.3	57	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.4375	2004
11.02.2020 09:26:47	1	1	1	1	104.3	57.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	36.875	2004
11.02.2020 09:26:48	1	1	1	1	104.3	56.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	36.5	2004
11.02.2020 09:26:49	1	1	1	1	104.3	56.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.1875	2004
11.02.2020 09:26:50	1	1	1	1	104.3	56	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.25	2004
11.02.2020 09:26:51	1	1	1	1	104.3	57.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:26:52	1	1	1	1	104.3	57.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	37.25	2004
11.02.2020 09:26:53	1	1	1	1	104.3	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 09:26:54	1	1	1	1	104.3	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 09:26:55	1	1	1	1	104.3	58	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.1875	2004
11.02.2020 09:26:56	1	1	1	1	104.3	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
11.02.2020 09:26:57	1	1	1	1	104.8	57.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.375	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:04	1	1	1	1	104.8	57.5	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:05	1	1	1	1	104.8	57.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.9375	2004
11.02.2020 09:27:06	1	1	1	1	104.3	57.75	0	29905.213	380.6451613	11401.35352	30000	0	0	30000	37.875	2004
11.02.2020 09:27:07	1	1	1	1	104.3	57.75	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
11.02.2020 09:27:09	1	1	1	1	104.3	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	36.5625	2004
11.02.2020 09:27:10	1	1	1	1	104.3	56.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
11.02.2020 09:27:11	1	1	1	1	104.3	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.6875	2004
11.02.2020 09:27:12	1	1	1	1	104.3	56.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.0625	2004
11.02.2020 09:27:13	1	1	1	1	104.3	57	0	30000	432.2580645	12967.68407	30000	0	0	30000	38.125	2004
11.02.2020 09:27:14	1	1	1	1	104.3	58	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.4375	2004
11.02.2020 09:27:15	1	1	1	1	104.3	57.25	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	37.3125	2004
11.02.2020 09:27:16	1	1	1	1	104.3	57.25	0	30000	443.0107527	13160.92735	30000	0	0	30000	37.6875	2004
11.02.2020 09:27:17	1	1	1	1	103.8	57.5	0	30000	432.2580645	13096.51292	30000	0	0	30000	37.125	2004
11.02.2020 09:27:18	1	1	1	1	103.8	57	0	30000	427.9569892	12798.08659	30000	0	0	30000	37.3125	2004
11.02.2020 09:27:19	1	1	1	1	103.8	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:27:20	1	1	1	1	103.8	57.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.125	2004
11.02.2020 09:27:21	1	1	1	1	103.8	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 09:27:22	1	1	1	1	103.8	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:27:23	1	1	1	1	103.8	57.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.875	2004
11.02.2020 09:27:24	1	1	1	1	103.8	57.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.75	2004
11.02.2020 09:27:25	1	1	1	1	103.8	55.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:27:26	1	1	1	1	103.8	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:27:27	1	1	1	1	103.8	57.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	37.625	2004
11.02.2020 09:27:28	1	1	1	1	103.8	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:29	1	1	1	1	103.8	57.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	36.25	2004
11.02.2020 09:27:30	1	1	1	1	103.8	56.25	0	30000	419.3548387	12838.03984	30000	0	0	30000	37.125	2004
11.02.2020 09:27:31	1	1	1	1	103.8	57	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.25	2004
11.02.2020 09:27:32	1	1	1	1	103.8	57.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.6875	2004
11.02.2020 09:27:33	1	1	1	1	103.8	57.5	0	29905.213	397.8494624	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 09:27:34	1	1	1	1	103.8	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:27:35	1	1	1	1	103.8	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 09:27:36	1	1	1	1	103.8	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 09:27:37	1	1	1	1	104	57.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.9375	2004
11.02.2020 09:27:38	1	1	1	1	104	57.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38	2004
11.02.2020 09:27:39	1	1	1	1	104	58	0	30000	415.0537634	12580.38214	30000	0	0	30000	37.3125	2004
11.02.2020 09:27:40	1	1	1	1	104	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.3125	2004
11.02.2020 09:27:41	1	1	1	1	104	57.25	0	30000	432.2580645	13096.51292	30000	0	0	30000	37.8125	2004
11.02.2020 09:27:42	1	1	1	1	104	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5625	2004
11.02.2020 09:27:43	1	1	1	1	104	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.75	2004
11.02.2020 09:27:44	1	1	1	1	104	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.0625	2004
11.02.2020 09:27:45	1	1	1	1	104	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.9375	2004
11.02.2020 09:27:46	1	1	1	1	104	57.75	0	30000	423.655914	12709.21099	30000	0	0	30000	37.0625	2004
11.02.2020 09:27:48	1	1	1	1	104	57	0	30000	417.2043011	12515.96771	30000	0	0	30000	37.5	2004
11.02.2020 09:27:49	1	1	1	1	104	57.5	0	30000	423.655914	12709.21099	30000	0	0	30000	37.75	2004
11.02.2020 09:27:50	1	1	1	1	104	57.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:27:51	1	1	1	1	104	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.375	2004
11.02.2020 09:27:52	1	1	1	1	104	57.25	0	29952.607	412.9032258	12128.66578	30000	0	0	30000	37.9375	2004
11.02.2020 09:27:53	1	1	1	1	104	57.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.6875	2004
11.02.2020 09:27:54	1	1	1	1	104	57.5	0	30000	419.3548387	12348.00098	30000	0	0	30000	37.75	2004
11.02.2020 09:27:55	1	1	1	1	104	57.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	37.1875	2004
11.02.2020 09:27:56	1	1	1	1	104	57	0	30000	425.8064516	12773.62542	30000	0	0	30000	38	2004
11.02.2020 09:27:57	1	1	1	1	104	58	0	30000	434.4086022	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 09:27:58	1	1	1	1	104	57.5	0	29952.607	434.4086022	13160.92735	30000	0	0	30000	38	2004
11.02.2020 09:27:59	1	1	1	1	104	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:05	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:06	1	1	1	1	104	57.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:28:07	1	1	1	1	103.8	57	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	37.8125	2004
11.02.2020 09:28:08	1	1	1	1	103.8	57.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 09:28:09	1	1	1	1	103.8	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
11.02.2020 09:28:10	1	1	1	1	103.8	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37	2004
11.02.2020 09:28:11	1	1	1	1	103.8	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
11.02.2020 09:28:12	1	1	1	1	103.8	57.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.5	2004
11.02.2020 09:28:13	1	1	1	1	103.8	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.3125	2004
11.02.2020 09:28:14	1	1	1	1	103.8	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.0625	2004
11.02.2020 09:28:15	1	1	1	1	103.8	58	0	30000	425.8064516	12431.98434	30000	0	0	30000	37.5625	2004
11.02.2020 09:28:16	1	1	1	1	103.8	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38	2004
11.02.2020 09:28:17	1	1	1	1	103.8	58	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.5625	2004
11.02.2020 09:28:18	1	1	1	1	103.8	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5	2004
11.02.2020 09:28:19	1	1	1	1	103.8	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.1875	2004
11.02.2020 09:28:20	1	1	1	1	103.8	57	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	37.5625	2004
11.02.2020 09:28:21	1	1	1	1	103.8	57.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.4375	2004
11.02.2020 09:28:22	1	1	1	1	103.8	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:28:23	1	1	1	1	103.8	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.25	2004
11.02.2020 09:28:24	1	1	1	1	103.8	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.875	2004
11.02.2020 09:28:25	1	1	1	1	103.8	57.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	37.4375	2004
11.02.2020 09:28:26	1	1	1	1	103.8	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5625	2004
11.02.2020 09:28:27	1	1	1	1	103.8	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:28:29	1	1	1	1	103.8	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
11.02.2020 09:28:30	1	1	1	1	103.8	57.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	38.125	2004
11.02.2020 09:28:31	1	1	1	1	103.8	58	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.625	2004
11.02.2020 09:28:32	1	1	1	1	103.8	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:28:33	1	1	1	1	103.8	58	0	30000	438.7096774	13160.92735	30000	0	0	30000	38	2004
11.02.2020 09:28:34	1	1	1	1	103.8	58	0	30000	434.4086022	13032.0985	30000	0	0	30000	37.375	2004
11.02.2020 09:28:35	1	1	1	1	103.8	57.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	37.5	2004
11.02.2020 09:28:36	1	1	1	1	103.8	57.5	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	37.4375	2004
11.02.2020 09:28:37	1	1	1	1	103.5	57.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.125	2004
11.02.2020 09:28:38	1	1	1	1	103.5	58	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004
11.02.2020 09:28:39	1	1	1	1	103.5	57.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	37.625	2004
11.02.2020 09:28:40	1	1	1	1	103.5	57.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	36.4375	2004
11.02.2020 09:28:41	1	1	1	1	103.5	56.25	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	37.9375	2004
11.02.2020 09:28:42	1	1	1	1	103.5	57.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	37.6875	2004
11.02.2020 09:28:43	1	1	1	1	103.5	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004
11.02.2020 09:28:44	1	1	1	1	103.5	57.5	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	37.5	2004
11.02.2020 09:28:45	1	1	1	1	103.5	57.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	37.75	2004
11.02.2020 09:28:46	1	1	1	1	103.5	57.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	37.6875	2004
11.02.2020 09:28:47	1	1	1	1	103.8	57.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
11.02.2020 09:28:48	1	1	1	1	103.8	57.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 09:28:49	1	1	1	1	103.8	57.75	0	30000	438.7096774	13289.7562	30000	0	0	30000	37.875	2004
11.02.2020 09:28:50	1	1	1	1	103.8	57.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:28:51	1	1	1	1	103.8	57.25	0	29952.607	464.516129	13913.51616	30000	0	0	30000	37.3125	2004
11.02.2020 09:28:52	1	1	1	1	103.8	57.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	38.375	2004
11.02.2020 09:28:53	1	1	1	1	103.8	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 09:28:54	1	1	1	1	103.8	58.25	0	30047.393	440.8602151	13182.12704	30000	0	0	30000	38.3125	2004
11.02.2020 09:28:55	1	1	1	1	103.8	58.25	0	29952.607	432.2580645	13032.0985	30000	0	0	30000	37.3125	2004
11.02.2020 09:28:56	1	1	1	1	104.5	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.75	2004
11.02.2020 09:28:57	1	1	1	1	104.5	57.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.5625	2004
11.02.2020 09:28:58	1	1	1	1	104.5	57.5	0	29905.213	432.2580645	12947.29976	30000	0	0	30000	37.625	2004
11.02.2020 09:28:59	1	1	1	1	104.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.9375	2004
11.02.2020 09:29:00	1	1	1	1	104.5	57.75	0	30000	423.655914	12729.5953	30000	0	0	30000	37.9375	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:07	1	1	1	1	104	57.5	0	30000	423.655914	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:08	1	1	1	1	104	57.5	0	29952.607	436.5591398	13354.17063	30000	0	0	30000	37.875	2004
11.02.2020 09:29:09	1	1	1	1	104	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:29:10	1	1	1	1	104	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.4375	2004
11.02.2020 09:29:11	1	1	1	1	104	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:29:12	1	1	1	1	104	57.25	0	30000	423.655914	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 09:29:13	1	1	1	1	104	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 09:29:14	1	1	1	1	104	58	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.625	2004
11.02.2020 09:29:15	1	1	1	1	104	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38	2004
11.02.2020 09:29:16	1	1	1	1	104	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:17	1	1	1	1	104.3	57.5	0	30000	423.655914	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 09:29:18	1	1	1	1	104.3	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:19	1	1	1	1	104.3	57.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	37.5625	2004
11.02.2020 09:29:20	1	1	1	1	104.3	57.5	0	30000	425.8064516	12560.8132	30000	0	0	30000	37.875	2004
11.02.2020 09:29:21	1	1	1	1	104.3	57.75	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	37.75	2004
11.02.2020 09:29:22	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37	2004
11.02.2020 09:29:23	1	1	1	1	104.3	57	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.5	2004
11.02.2020 09:29:24	1	1	1	1	104.3	57.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.9375	2004
11.02.2020 09:29:25	1	1	1	1	104.3	57.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	36.8125	2004
11.02.2020 09:29:26	1	1	1	1	104.3	56.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	37.5625	2004
11.02.2020 09:29:27	1	1	1	1	104.3	57.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.75	2004
11.02.2020 09:29:28	1	1	1	1	104.3	57.75	0	30047.393	445.1612903	13119.34335	30000	0	0	30000	37.25	2004
11.02.2020 09:29:29	1	1	1	1	104.3	57.25	0	30000	438.7096774	13375.37032	30000	0	0	30000	37.75	2004
11.02.2020 09:29:30	1	1	1	1	104.3	57.75	0	29952.607	436.5591398	13096.51292	30000	0	0	30000	38.0625	2004
11.02.2020 09:29:31	1	1	1	1	104.3	57	0	30000	434.4086022	13096.51292	30000	0	0	30000	37.25	2004
11.02.2020 09:29:32	1	1	1	1	104.3	57.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	38.0625	2004
11.02.2020 09:29:33	1	1	1	1	104.3	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.5	2004
11.02.2020 09:29:34	1	1	1	1	104.3	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:29:35	1	1	1	1	104.3	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.125	2004
11.02.2020 09:29:36	1	1	1	1	104	58	0	30000	397.8494624	12128.66578	30000	0	0	30000	38	2004
11.02.2020 09:29:37	1	1	1	1	104	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:29:38	1	1	1	1	104	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	38	2004
11.02.2020 09:29:39	1	1	1	1	104	58	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004
11.02.2020 09:29:41	1	1	1	1	104	57.75	0	30000	400	12128.66578	30000	0	0	30000	37.5625	2004
11.02.2020 09:29:42	1	1	1	1	104	57.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
11.02.2020 09:29:43	1	1	1	1	104	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.3125	2004
11.02.2020 09:29:44	1	1	1	1	104	57.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.875	2004
11.02.2020 09:29:45	1	1	1	1	104	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38.125	2004
11.02.2020 09:29:46	1	1	1	1	104	58	0	30000	451.6129032	13612.64371	30000	0	0	30000	38	2004
11.02.2020 09:29:47	1	1	1	1	104.5	58	0	30000	460.2150538	13935.53122	30000	0	0	30000	37.5625	2004
11.02.2020 09:29:48	1	1	1	1	104.5	57.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	37.4375	2004
11.02.2020 09:29:49	1	1	1	1	104.5	57.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
11.02.2020 09:29:50	1	1	1	1	104.5	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.9375	2004
11.02.2020 09:29:51	1	1	1	1	104.5	57.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.375	2004
11.02.2020 09:29:52	1	1	1	1	104.5	57.25	0	29952.607	425.8064516	12754.05648	30000	0	0	30000	37.75	2004
11.02.2020 09:29:53	1	1	1	1	104.5	57.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	37.4375	2004
11.02.2020 09:29:54	1	1	1	1	104.5	57.25	0	30000	425.8064516	12689.64205	30000	0	0	30000	37.875	2004
11.02.2020 09:29:55	1	1	1	1	104.5	57.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
11.02.2020 09:29:56	1	1	1	1	104.5	57.75	0	30047.393	417.2043011	12451.55328	30000	0	0	30000	37.0625	2004
11.02.2020 09:29:57	1	1	1	1	103.8	57	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	36.9375	2004
11.02.2020 09:29:58	1	1	1	1	103.8	56.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.0625	2004
11.02.2020 09:29:59	1	1	1	1	103.8	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.375	2004
11.02.2020 09:30:00	1	1	1	1	103.8	57.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 09:30:01	1	1	1	1	103.8	58	0	30000	415.0537634	12367.56992	30000	0	0	30000	37.3125	2004
11.02.2020 09:30:02	1	1	1	1	103.8	57.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.3125	2004
11.02.2020 09:30:09	1	1	1	1	104.3	58.25	0	30000	460.2150538	13784.6873	30000	0	0	30000	37.8125	2004
11.02.2020 09:30:10	1	1	1	1	104.3	57.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	37	2004
11.02.2020 09:30:11	1	1	1	1	104.3	57	0	30000	464.516129	13805.88699	30000	0	0	30000	37.9375	2004
11.02.2020 09:30:12	1	1	1	1	104.3	57.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	37.75	2004
11.02.2020 09:30:13	1	1	1	1	104.3	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.125	2004
11.02.2020 09:30:14	1	1	1	1	104.3	58	0	30000	451.6129032	13633.84339	30000	0	0	30000	37.4375	2004
11.02.2020 09:30:15	1	1	1	1	104.3	57.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	38	2004
11.02.2020 09:30:16	1	1	1	1	103.8	58	0	30000	432.2580645	13096.51292	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:17	1	1	1	1	103.8	58	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.9375	2004
11.02.2020 09:30:18	1	1	1	1	103.8	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:30:20	1	1	1	1	103.8	57.75	0	29952.607	427.9569892	13396.57	30000	0	0	30000	38.1875	2004
11.02.2020 09:30:21	1	1	1	1	103.8	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.6875	2004
11.02.2020 09:30:22	1	1	1	1	103.8	57.5	0	30000	445.1612903	13289.7562	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:23	1	1	1	1	103.8	58	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.1875	2004
11.02.2020 09:30:24	1	1	1	1	103.8	58	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.6875	2004
11.02.2020 09:30:25	1	1	1	1	103.8	57.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.625	2004
11.02.2020 09:30:26	1	1	1	1	103.8	57.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.8125	2004
11.02.2020 09:30:27	1	1	1	1	104	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:30:28	1	1	1	1	104	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 09:30:29	1	1	1	1	104	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	38	2004
11.02.2020 09:30:30	1	1	1	1	104	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 09:30:31	1	1	1	1	104	57.75	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	37.3125	2004
11.02.2020 09:30:32	1	1	1	1	104	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:33	1	1	1	1	104	58	0	30000	449.4623656	13354.17063	30000	0	0	30000	37.4375	2004
11.02.2020 09:30:34	1	1	1	1	104	57.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	37.8125	2004
11.02.2020 09:30:35	1	1	1	1	104	57.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:36	1	1	1	1	104	58	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.875	2004
11.02.2020 09:30:37	1	1	1	1	104.3	57.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	38	2004
11.02.2020 09:30:38	1	1	1	1	104.3	58	0	30000	443.0107527	13225.34178	30000	0	0	30000	37.8125	2004
11.02.2020 09:30:39	1	1	1	1	104.3	57.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.6875	2004
11.02.2020 09:30:40	1	1	1	1	104.3	57.5	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:30:41	1	1	1	1	104.3	58	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.0625	2004
11.02.2020 09:30:42	1	1	1	1	104.3	57	0	30000	458.0645161	13612.64371	30000	0	0	30000	36.6875	2004
11.02.2020 09:30:43	1	1	1	1	104.3	56.5	0	29952.607	460.2150538	13569.42897	30000	0	0	30000	36.9375	2004
11.02.2020 09:30:44	1	1	1	1	104.3	56.75	0	29952.607	460.2150538	13591.44402	30000	0	0	30000	38.125	2004
11.02.2020 09:30:45	1	1	1	1	104.3	58	0	30000	451.6129032	13612.64371	30000	0	0	30000	37.8125	2004
11.02.2020 09:30:46	1	1	1	1	104.3	57.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	37.9375	2004
11.02.2020 09:30:47	1	1	1	1	104.3	57.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	38.25	2004
11.02.2020 09:30:48	1	1	1	1	104.3	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.5	2004
11.02.2020 09:30:49	1	1	1	1	104.3	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.3125	2004
11.02.2020 09:30:50	1	1	1	1	104.3	57.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	37.3125	2004
11.02.2020 09:30:51	1	1	1	1	104.3	57.25	0	29905.213	438.7096774	12818.4709	30000	0	0	30000	37.5625	2004
11.02.2020 09:30:52	1	1	1	1	104.3	57.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.0625	2004
11.02.2020 09:30:53	1	1	1	1	104.3	58	0	30000	438.7096774	13225.34178	30000	0	0	30000	36.8125	2004
11.02.2020 09:30:54	1	1	1	1	104.3	56.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	37.5625	2004
11.02.2020 09:30:55	1	1	1	1	104.3	57.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	37.875	2004
11.02.2020 09:30:56	1	1	1	1	104	57.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	38.125	2004
11.02.2020 09:30:58	1	1	1	1	104	58	0	30000	453.7634409	13612.64371	30000	0	0	30000	38.1875	2004
11.02.2020 09:30:59	1	1	1	1	104	58	0	30000	434.4086022	13096.51292	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:00	1	1	1	1	104	58	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:01	1	1	1	1	104	58	0	30000	443.0107527	13354.17063	30000	0	0	30000	37.5625	2004
11.02.2020 09:31:02	1	1	1	1	104	57.5	0	29952.607	434.4086022	13140.54304	30000	0	0	30000	37.75	2004
11.02.2020 09:31:03	1	1	1	1	104	57.75	0	30000	432.2580645	12818.4709	30000	0	0	30000	37.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:31:04	1	1	1	1	104	57.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	36.3125	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:10	1	1	1	1	104.3	57.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	38	2004
11.02.2020 09:31:11	1	1	1	1	104.3	58	0	30000	443.0107527	13289.7562	30000	0	0	30000	37.3125	2004
11.02.2020 09:31:12	1	1	1	1	104.3	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 09:31:13	1	1	1	1	104.3	57.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	36.5	2004
11.02.2020 09:31:14	1	1	1	1	104.3	56.5	0	30000	423.655914	12709.21099	30000	0	0	30000	37.9375	2004
11.02.2020 09:31:15	1	1	1	1	104.3	57.75	0	30000	427.9569892	12560.8132	30000	0	0	30000	37.4375	2004
11.02.2020 09:31:16	1	1	1	1	104.3	57.25	0	30000	406.4516129	12406.7078	30000	0	0	30000	37	2004
11.02.2020 09:31:17	1	1	1	1	103.8	57	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.3125	2004
11.02.2020 09:31:18	1	1	1	1	103.8	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.125	2004
11.02.2020 09:31:19	1	1	1	1	103.8	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.3125	2004
11.02.2020 09:31:20	1	1	1	1	103.8	57.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	37.8125	2004
11.02.2020 09:31:21	1	1	1	1	103.8	57.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	37.625	2004
11.02.2020 09:31:22	1	1	1	1	103.8	57.5	0	30000	326.8817204	10015.22029	30000	0	0	30000	38.3125	2004
11.02.2020 09:31:23	1	1	1	1	103.8	58.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.25	2004
11.02.2020 09:31:24	1	1	1	1	103.8	58.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.125	2004
11.02.2020 09:31:25	1	1	1	1	103.8	58	0	30000	260.2150538	7741.961786	30000	0	0	30000	36.75	2004
11.02.2020 09:31:26	1	1	1	1	103.8	56.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.5	2004
11.02.2020 09:31:27	1	1	1	1	103.5	58.5	0	29952.607	240.8602151	7354.659854	30000	0	0	30000	38.5	2004
11.02.2020 09:31:28	1	1	1	1	103.5	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:29	1	1	1	1	103.5	58.25	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.125	2004
11.02.2020 09:31:30	1	1	1	1	103.5	58	0	30000	234.4086022	7031.772348	30000	0	0	30000	38	2004
11.02.2020 09:31:31	1	1	1	1	103.5	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:32	1	1	1	1	103.5	58	0	29952.607	232.2580645	7096.186775	30000	0	0	30000	38.0625	2004
11.02.2020 09:31:33	1	1	1	1	103.5	58	0	30000	240.8602151	7096.186775	30000	0	0	30000	37.8125	2004
11.02.2020 09:31:34	1	1	1	1	103.5	57.75	0	30000	240.8602151	7225.831	30000	0	0	30000	37.75	2004
11.02.2020 09:31:35	1	1	1	1	103.5	57.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	37.9375	2004
11.02.2020 09:31:37	1	1	1	1	103.3	57.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:38	1	1	1	1	103.3	58	0	30000	236.5591398	7031.772348	30000	0	0	30000	37	2004
11.02.2020 09:31:39	1	1	1	1	103.3	57	0	30000	240.8602151	7225.831	30000	0	0	30000	37.8125	2004
11.02.2020 09:31:40	1	1	1	1	103.3	57.75	0	30047.393	240.8602151	7225.831	30000	0	0	30000	38.125	2004
11.02.2020 09:31:41	1	1	1	1	103.3	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.3125	2004
11.02.2020 09:31:42	1	1	1	1	103.3	58.25	0	30094.787	240.8602151	7160.601201	30000	0	0	30000	38.25	2004
11.02.2020 09:31:43	1	1	1	1	103.3	58.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	37.875	2004
11.02.2020 09:31:44	1	1	1	1	103.3	57.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.25	2004
11.02.2020 09:31:45	1	1	1	1	103.3	58.25	0	29952.607	234.4086022	7225.831	30000	0	0	30000	38.125	2004
11.02.2020 09:31:46	1	1	1	1	103.3	58	0	30000	245.1612903	7419.07428	30000	0	0	30000	37.9375	2004
11.02.2020 09:31:47	1	1	1	1	103.3	57.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:31:48	1	1	1	1	103.3	58	0	30000	234.4086022	7225.831	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:49	1	1	1	1	103.3	58	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.0625	2004
11.02.2020 09:31:50	1	1	1	1	103.3	58	0	30000	240.8602151	7031.772348	30000	0	0	30000	37.5625	2004
11.02.2020 09:31:51	1	1	1	1	103.3	57.5	0	30000	240.8602151	7096.186775	30000	0	0	30000	37.9375	2004
11.02.2020 09:31:52	1	1	1	1	103.3	57.75	0	30047.393	236.5591398	7096.186775	30000	0	0	30000	37.3125	2004
11.02.2020 09:31:53	1	1	1	1	103.3	57.25	0	30000	240.8602151	7225.831	30000	0	0	30000	37.375	2004
11.02.2020 09:31:54	1	1	1	1	103.3	57.25	0	29952.607	240.8602151	7225.831	30000	0	0	30000	37.8125	2004
11.02.2020 09:31:55	1	1	1	1	103.3	57.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.1875	2004
11.02.2020 09:31:56	1	1	1	1	103.3	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.25	2004
11.02.2020 09:31:57	1	1	1	1	103	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	36.625	2004
11.02.2020 09:31:58	1	1	1	1	103	56.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 09:31:59	1	1	1	1	103	58.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	37.3125	2004
11.02.2020 09:32:00	1	1	1	1	103	57.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:01	1	1	1	1	103	58	0	30000	251.6129032	7483.488707	30000	0	0	30000	37.625	2004
11.02.2020 09:32:02	1	1	1	1	103	57.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	36.5	2004
11.02.2020 09:32:03	1	1	1	1	103	56.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 09:32:04	1	1	1	1	103	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.8125	2004
11.02.2020 09:32:05	1	1	1	1	103	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.125	2004
11.02.2020 09:32:12	1	1	1	1	103.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	36.375	2004
11.02.2020 09:32:12	1	1	1	1	103.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	36.375	2004
11.02.2020 09:32:12	1	1	1	1	103.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	36.375	2004
11.02.2020 09:32:12	1	1	1	1	103.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	36.375	2004
11.02.2020 09:32:12	1	1	1	1	103.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	36.375	2004
11.02.2020 09:32:12	1	1	1	1	103.5	56.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38	2004
11.02.2020 09:32:14	1	1	1	1	103.5	58	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.625	2004
11.02.2020 09:32:15	1	1	1	1	103.5	57.5	0	30000	243.0107527	7278.830212	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:16	1	1	1	1	103.5	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.125	2004
11.02.2020 09:32:17	1	1	1	1	102.8	58	0	30000	247.311828	7290.245427	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:18	1	1	1	1	102.8	58	0	30000	245.1612903	7483.488707	30000	0	0	30000	37.625	2004
11.02.2020 09:32:19	1	1	1	1	102.8	57.5	0	29952.607	243.0107527	7354.659854	30000	0	0	30000	38.25	2004
11.02.2020 09:32:20	1	1	1	1	102.8	58.25	0	29952.607	240.8602151	7225.831	30000	0	0	30000	37.9375	2004
11.02.2020 09:32:21	1	1	1	1	102.8	57.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	36.5	2004
11.02.2020 09:32:22	1	1	1	1	102.8	56.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.3125	2004
11.02.2020 09:32:23	1	1	1	1	102.8	58.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:24	1	1	1	1	102.8	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:25	1	1	1	1	102.8	58	0	30094.787	258.0645161	7741.961786	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:26	1	1	1	1	102.8	58	0	30000	255.9139785	7676.731987	30000	0	0	30000	38	2004
11.02.2020 09:32:27	1	1	1	1	102.5	58	0	29952.607	251.6129032	7343.244639	30000	0	0	30000	37.75	2004
11.02.2020 09:32:28	1	1	1	1	102.5	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:29	1	1	1	1	102.5	58	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:30	1	1	1	1	102.5	58	0	30000	258.0645161	7536.487919	30000	0	0	30000	37.5625	2004
11.02.2020 09:32:31	1	1	1	1	102.5	57.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:32:32	1	1	1	1	102.5	58	0	30000	247.311828	7354.659854	30000	0	0	30000	37.875	2004
11.02.2020 09:32:33	1	1	1	1	102.5	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 09:32:34	1	1	1	1	102.5	58.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:35	1	1	1	1	102.5	58	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	37.4375	2004
11.02.2020 09:32:36	1	1	1	1	102.5	57.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.875	2004
11.02.2020 09:32:37	1	1	1	1	102.8	57.75	0	30000	288.172043	8644.579132	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:38	1	1	1	1	102.8	58	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:39	1	1	1	1	102.8	58	0	30000	326.8817204	9870.899356	30000	0	0	30000	37.375	2004
11.02.2020 09:32:40	1	1	1	1	102.8	57.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	37.6875	2004
11.02.2020 09:32:41	1	1	1	1	102.8	57.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.3125	2004
11.02.2020 09:32:42	1	1	1	1	102.8	58.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	38.5	2004
11.02.2020 09:32:43	1	1	1	1	102.8	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.125	2004
11.02.2020 09:32:44	1	1	1	1	102.8	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.75	2004
11.02.2020 09:32:45	1	1	1	1	102.8	58	0	30000	378.4946237	11419.29171	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:46	1	1	1	1	103	58	0	30000	369.8924731	11031.98978	30000	0	0	30000	38.125	2004
11.02.2020 09:32:47	1	1	1	1	103	58	0	29905.213	378.4946237	11372.81548	30000	0	0	30000	38.0625	2004
11.02.2020 09:32:48	1	1	1	1	103	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.125	2004
11.02.2020 09:32:49	1	1	1	1	103	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:32:50	1	1	1	1	103	58.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	37.5	2004
11.02.2020 09:32:52	1	1	1	1	103	57.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.25	2004
11.02.2020 09:32:53	1	1	1	1	103	58.25	0	30000	406.4516129	12128.66578	30000	0	0	30000	37.3125	2004
11.02.2020 09:32:54	1	1	1	1	103	57.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.5	2004
11.02.2020 09:32:55	1	1	1	1	103	57.5	0	30000	378.4946237	11031.98978	30000	0	0	30000	37.3125	2004
11.02.2020 09:32:56	1	1	1	1	103	57.25	0	30000	389.2473118	11612.53499	30000	0	0	30000	38.1875	2004
11.02.2020 09:32:57	1	1	1	1	102.3	58	0	29905.213	387.0967742	11676.94942	30000	0	0	30000	38.25	2004
11.02.2020 09:32:58	1	1	1	1	102.3	58.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	37.125	2004
11.02.2020 09:32:59	1	1	1	1	102.3	57	0	30000	391.3978495	11741.36385	30000	0	0	30000	37	2004
11.02.2020 09:33:00	1	1	1	1	102.3	57	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:01	1	1	1	1	102.3	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	36.8125	2004
11.02.2020 09:33:02	1	1	1	1	102.3	56.75	0	30094.787	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 09:33:03	1	1	1	1	102.3	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 09:33:04	1	1	1	1	102.3	57.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 09:33:05	1	1	1	1	102.3	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
11.02.2020 09:33:06	1	1	1	1	102.3	57.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:07	1	1	1	1	101.5	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.9375	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:33:14	1	1	1	1	101.5	57.75	0	30000	400	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 09:33:15	1	1	1	1	101.5	58.25	0	29905.213	395.6989247	12025.92885	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:33:16	1	1	1	1	101.5	57.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	37.9375	2004
11.02.2020 09:33:17	1	1	1	1	101.8	57.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.25	2004
11.02.2020 09:33:18	1	1	1	1	101.8	58.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	38	2004
11.02.2020 09:33:19	1	1	1	1	101.8	58	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.3125	2004
11.02.2020 09:33:20	1	1	1	1	101.8	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.0625	2004
11.02.2020 09:33:21	1	1	1	1	101.8	57	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.3125	2004
11.02.2020 09:33:22	1	1	1	1	101.8	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 09:33:26	1	1	1	1	101.8	57.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.0625	2004
11.02.2020 09:33:26	1	1	1	1	101.8	57.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.0625	2004
11.02.2020 09:33:26	1	1	1	1	101.8	57.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.0625	2004
11.02.2020 09:33:26	1	1	1	1	101.3	58	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.25	2004
11.02.2020 09:33:27	1	1	1	1	101.3	58.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	38	2004
11.02.2020 09:33:28	1	1	1	1	101.3	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	36.9375	2004
11.02.2020 09:33:29	1	1	1	1	101.3	56.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	36.75	2004
11.02.2020 09:33:30	1	1	1	1	101.3	56.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:32	1	1	1	1	101.3	58	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:33	1	1	1	1	101.3	58	0	30000	387.0967742	11676.94942	30000	0	0	30000	37.375	2004
11.02.2020 09:33:34	1	1	1	1	101.3	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.625	2004
11.02.2020 09:33:35	1	1	1	1	101.3	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.625	2004
11.02.2020 09:33:36	1	1	1	1	101.3	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 09:33:37	1	1	1	1	101	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:38	1	1	1	1	101	58	0	29905.213	380.6451613	11676.94942	30000	0	0	30000	36.5625	2004
11.02.2020 09:33:39	1	1	1	1	101	56.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.3125	2004
11.02.2020 09:33:40	1	1	1	1	101	57.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	37.25	2004
11.02.2020 09:33:41	1	1	1	1	101	57.25	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:42	1	1	1	1	101	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 09:33:43	1	1	1	1	101	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
11.02.2020 09:33:44	1	1	1	1	101	57.25	0	29952.607	404.3010753	12367.56992	30000	0	0	30000	37.5	2004
11.02.2020 09:33:45	1	1	1	1	101	57.5	0	30000	400	11833.50094	30000	0	0	30000	38.3125	2004
11.02.2020 09:33:46	1	1	1	1	101	58.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	37.25	2004
11.02.2020 09:33:47	1	1	1	1	99.75	57.25	0	30000	404.3010753	12045.49778	30000	0	0	30000	37.0625	2004
11.02.2020 09:33:48	1	1	1	1	99.75	57	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.6875	2004
11.02.2020 09:33:49	1	1	1	1	99.75	57.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	37.6875	2004
11.02.2020 09:33:50	1	1	1	1	99.75	57.5	0	30000	400	12064.25135	30000	0	0	30000	37.125	2004
11.02.2020 09:33:51	1	1	1	1	99.75	57	0	30000	397.8494624	11999.83693	30000	0	0	30000	37.75	2004
11.02.2020 09:33:52	1	1	1	1	99.75	57.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:53	1	1	1	1	99.75	58	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:54	1	1	1	1	99.75	58	0	30000	400	11935.4225	30000	0	0	30000	37.3125	2004
11.02.2020 09:33:55	1	1	1	1	99.75	57.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:56	1	1	1	1	99.75	58	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.3125	2004
11.02.2020 09:33:57	1	1	1	1	99.75	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.1875	2004
11.02.2020 09:33:58	1	1	1	1	99.75	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	38	2004
11.02.2020 09:33:59	1	1	1	1	99.75	58	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:34:00	1	1	1	1	99.75	57	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:34:01	1	1	1	1	99.75	58.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	38.5	2004
11.02.2020 09:34:02	1	1	1	1	99.75	58	0	30000	391.3978495	11659.01122	30000	0	0	30000	37.9375	2004
11.02.2020 09:34:03	1	1	1	1	99.75	57.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	37.1875	2004
11.02.2020 09:34:04	1	1	1	1	99.75	57	0	30000	389.2473118	11548.12057	30000	0	0	30000	38.125	2004
11.02.2020 09:34:05	1	1	1	1	99.75	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:34:06	1	1	1	1	99.75	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.375	2004
11.02.2020 09:34:07	1	1	1	1	99.75	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.75	2004
11.02.2020 09:34:09	1	1	1	1	99.75	57.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.8125	2004
11.02.2020 09:34:15	1	1	1	1	99.75	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.625	2004
11.02.2020 09:34:15	1	1	1	1	99.75	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.625	2004
11.02.2020 09:34:15	1	1	1	1	99.75	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.625	2004
11.02.2020 09:34:15	1	1	1	1	99.75	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.625	2004
11.02.2020 09:34:15	1	1	1	1	99.75	57.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	36.625	2004
11.02.2020 09:34:16	1	1	1	1	99.75	56.5	0	29952.607	380.6451613	11354.87729	30000	0	0	30000	37.875	2004
11.02.2020 09:34:17	1	1	1	1	99.5	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:18	1	1	1	1	99.5	58	0	30000	378.4946237	11419.29171	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:19	1	1	1	1	99.5	58	0	30000	380.6451613	11354.87729	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:20	1	1	1	1	99.5	58	0	30000	378.4946237	11372.81548	30000	0	0	30000	38.25	2004
11.02.2020 09:34:21	1	1	1	1	99.5	58.25	0	30000	387.0967742	11741.36385	30000	0	0	30000	37.9375	2004
11.02.2020 09:34:22	1	1	1	1	99.5	57.75	0	30094.787	395.6989247	11548.12057	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:23	1	1	1	1	99.5	58	0	30000	382.7956989	11548.12057	30000	0	0	30000	37.8125	2004
11.02.2020 09:34:24	1	1	1	1	99.5	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.5	2004
11.02.2020 09:34:25	1	1	1	1	99.5	57.5	0	30000	372.0430108	11014.86696	30000	0	0	30000	38.0625	2004
11.02.2020 09:34:26	1	1	1	1	99.5	58	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.25	2004
11.02.2020 09:34:27	1	1	1	1	99.75	58.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	38.3125	2004
11.02.2020 09:34:28	1	1	1	1	99.75	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.75	2004
11.02.2020 09:34:29	1	1	1	1	99.75	57.75	0	30000	391.3978495	11612.53499	30000	0	0	30000	37.375	2004
11.02.2020 09:34:30	1	1	1	1	99.75	57.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.125	2004
11.02.2020 09:34:31	1	1	1	1	99.75	58	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:32	1	1	1	1	99.75	58	0	30000	382.7956989	11419.29171	30000	0	0	30000	37.4375	2004
11.02.2020 09:34:33	1	1	1	1	99.75	57.25	0	30047.393	365.5913978	10903.16093	30000	0	0	30000	37.75	2004
11.02.2020 09:34:34	1	1	1	1	99.75	57.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.9375	2004
11.02.2020 09:34:35	1	1	1	1	99.75	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:36	1	1	1	1	99.75	58	0	30000	380.6451613	11419.29171	30000	0	0	30000	36.875	2004
11.02.2020 09:34:37	1	1	1	1	100	56.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.1875	2004
11.02.2020 09:34:38	1	1	1	1	100	58	0	30000	369.8924731	11031.98978	30000	0	0	30000	38.625	2004
11.02.2020 09:34:39	1	1	1	1	100	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.0625	2004
11.02.2020 09:34:40	1	1	1	1	100	58	0	30000	372.0430108	11225.23306	30000	0	0	30000	37.625	2004
11.02.2020 09:34:41	1	1	1	1	100	57.5	0	29952.607	369.8924731	11419.29171	30000	0	0	30000	38.5625	2004
11.02.2020 09:34:42	1	1	1	1	100	57.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	36.9375	2004
11.02.2020 09:34:43	1	1	1	1	100	56.75	0	30047.393	387.0967742	11419.29171	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:34:44	1	1	1	1	100	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:34:45	1	1	1	1	100	58.25	0	30047.393	369.8924731	11160.81863	30000	0	0	30000	38.3125	2004
11.02.2020 09:34:46	1	1	1	1	99.5	58.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	38.25	2004
11.02.2020 09:34:47	1	1	1	1	99.5	58.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	38.0625	2004
11.02.2020 09:34:48	1	1	1	1	99.5	58	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.25	2004
11.02.2020 09:34:50	1	1	1	1	99.5	58.25	0	30000	352.688172	10644.68785	30000	0	0	30000	37.8125	2004
11.02.2020 09:34:51	1	1	1	1	99.5	57.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	37.0625	2004
11.02.2020 09:34:52	1	1	1	1	99.5	57	0	29952.607	352.688172	10628.3804	30000	0	0	30000	37.8125	2004
11.02.2020 09:34:53	1	1	1	1	99.5	57.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	37.625	2004
11.02.2020 09:34:54	1	1	1	1	99.5	57.5	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	37.8125	2004
11.02.2020 09:34:55	1	1	1	1	99.5	57.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.125	2004
11.02.2020 09:34:56	1	1	1	1	99.5	58	0	30000	341.9354839	10241.89384	30000	0	0	30000	37.375	2004
11.02.2020 09:34:57	1	1	1	1	99.25	57.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.5	2004
11.02.2020 09:34:58	1	1	1	1	99.25	57.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.0625	2004
11.02.2020 09:34:59	1	1	1	1	99.25	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.8125	2004
11.02.2020 09:35:00	1	1	1	1	99.25	57.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.25	2004
11.02.2020 09:35:01	1	1	1	1	99.25	58.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.0625	2004
11.02.2020 09:35:02	1	1	1	1	99.25	58	0	29952.607	382.7956989	11676.94942	30000	0	0	30000	37.5	2004
11.02.2020 09:35:03	1	1	1	1	99.25	57.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	37.5	2004
11.02.2020 09:35:04	1	1	1	1	99.25	57.5	0	30000	356.9892473	10353.59987	30000	0	0	30000	38.4375	2004
11.02.2020 09:35:05	1	1	1	1	99.25	58.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	38.1875	2004
11.02.2020 09:35:06	1	1	1	1	99.25	58	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	37.875	2004
11.02.2020 09:35:07	1	1	1	1	99.75	57.75	0	29905.213	333.3333333	10257.38592	30000	0	0	30000	37.75	2004
11.02.2020 09:35:08	1	1	1	1	99.75	57.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	37.75	2004
11.02.2020 09:35:09	1	1	1	1	99.75	57.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.1875	2004
11.02.2020 09:35:10	1	1	1	1	99.75	58	0	30000	298.9247312	9031.881064	30000	0	0	30000	37.875	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:35:17	1	1	1	1	99.75	58.25	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	38.6875	2004
11.02.2020 09:35:18	1	1	1	1	99.75	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.8125	2004
11.02.2020 09:35:19	1	1	1	1	99.75	57.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.3125	2004
11.02.2020 09:35:20	1	1	1	1	99.75	58.5	0	30000	380.6451613	11319.0009	30000	0	0	30000	38.25	2004
11.02.2020 09:35:21	1	1	1	1	99.75	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.1875	2004
11.02.2020 09:35:22	1	1	1	1	99.75	57	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	36.1875	2004
11.02.2020 09:35:23	1	1	1	1	99.75	56	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.0625	2004
11.02.2020 09:35:24	1	1	1	1	99.75	58	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.375	2004
11.02.2020 09:35:25	1	1	1	1	99.75	58.25	0	30000	329.0322581	9806.484929	30000	0	0	30000	37.875	2004
11.02.2020 09:35:26	1	1	1	1	99.5	57.75	0	30000	311.827957	9419.182997	30000	0	0	30000	37.375	2004
11.02.2020 09:35:27	1	1	1	1	99.5	57.25	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:35:29	1	1	1	1	99.5	58.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	36.6875	2004
11.02.2020 09:35:30	1	1	1	1	99.5	56.5	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	37.9375	2004
11.02.2020 09:35:31	1	1	1	1	99.5	57.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	37.875	2004
11.02.2020 09:35:32	1	1	1	1	99.5	57.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	37.8125	2004
11.02.2020 09:35:33	1	1	1	1	99.5	57.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.0625	2004
11.02.2020 09:35:34	1	1	1	1	99.5	58	0	30000	333.3333333	9806.484929	30000	0	0	30000	38.125	2004
11.02.2020 09:35:35	1	1	1	1	99.5	58	0	30000	341.9354839	10257.38592	30000	0	0	30000	37.5	2004
11.02.2020 09:35:36	1	1	1	1	99.5	57.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	37.9375	2004
11.02.2020 09:35:37	1	1	1	1	99.5	57.75	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	37.6875	2004
11.02.2020 09:35:38	1	1	1	1	99.5	57.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.1875	2004
11.02.2020 09:35:39	1	1	1	1	99.5	58	0	30000	380.6451613	11354.87729	30000	0	0	30000	38.1875	2004
11.02.2020 09:35:40	1	1	1	1	99.5	58	0	30000	369.8924731	10903.16093	30000	0	0	30000	37.5	2004
11.02.2020 09:35:41	1	1	1	1	99.5	57.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	38.375	2004
11.02.2020 09:35:42	1	1	1	1	99.5	58.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	38.125	2004
11.02.2020 09:35:43	1	1	1	1	99.5	58	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	38.125	2004
11.02.2020 09:35:44	1	1	1	1	99.5	58	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 09:35:45	1	1	1	1	99.5	58.25	0	30000	288.172043	8644.579132	30000	0	0	30000	38.1875	2004
11.02.2020 09:35:46	1	1	1	1	99.5	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.125	2004
11.02.2020 09:35:47	1	1	1	1	99.25	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.3125	2004
11.02.2020 09:35:48	1	1	1	1	99.25	57.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	38.25	2004
11.02.2020 09:35:49	1	1	1	1	99.25	58.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	37.875	2004
11.02.2020 09:35:50	1	1	1	1	99.25	57.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.3125	2004
11.02.2020 09:35:51	1	1	1	1	99.25	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.3125	2004
11.02.2020 09:35:52	1	1	1	1	99.25	58.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.4375	2004
11.02.2020 09:35:53	1	1	1	1	99.25	58.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	37.875	2004
11.02.2020 09:35:54	1	1	1	1	99.25	57.75	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	38.375	2004
11.02.2020 09:35:55	1	1	1	1	99.25	58.25	0	30000	363.4408602	10950.45253	30000	0	0	30000	37.25	2004
11.02.2020 09:35:56	1	1	1	1	99.25	57.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.6875	2004
11.02.2020 09:35:57	1	1	1	1	99.75	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	36.5625	2004
11.02.2020 09:35:58	1	1	1	1	99.75	58.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	38.3125	2004
11.02.2020 09:35:59	1	1	1	1	99.75	58.25	0	29905.213	326.8817204	9726.578425	30000	0	0	30000	37.375	2004
11.02.2020 09:36:00	1	1	1	1	99.75	57.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.3125	2004
11.02.2020 09:36:01	1	1	1	1	99.75	58.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	38.25	2004
11.02.2020 09:36:02	1	1	1	1	99.75	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.5	2004
11.02.2020 09:36:03	1	1	1	1	99.75	57.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	37.9375	2004
11.02.2020 09:36:04	1	1	1	1	99.75	57.75	0	30047.393	309.6774194	9096.295491	30000	0	0	30000	38.3125	2004
11.02.2020 09:36:06	1	1	1	1	99.75	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.1875	2004
11.02.2020 09:36:07	1	1	1	1	99	58	0	30000	322.5806452	9741.25513	30000	0	0	30000	38.125	2004
11.02.2020 09:36:08	1	1	1	1	99	58	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	38.4375	2004
11.02.2020 09:36:09	1	1	1	1	99	58.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	37.6875	2004
11.02.2020 09:36:10	1	1	1	1	99	57.5	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	37.5	2004
11.02.2020 09:36:11	1	1	1	1	99	57.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.4375	2004
11.02.2020 09:36:12	1	1	1	1	99	58.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:18	1	1	1	1	99.25	57.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:19	1	1	1	1	99.25	58	0	30000	335.483871	9999.728209	30000	0	0	30000	38.375	2004
11.02.2020 09:36:20	1	1	1	1	99.25	58.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	37.8125	2004
11.02.2020 09:36:21	1	1	1	1	99.25	57.75	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	38.125	2004
11.02.2020 09:36:22	1	1	1	1	99.25	58	0	30000	341.9354839	10257.38592	30000	0	0	30000	37.1875	2004
11.02.2020 09:36:23	1	1	1	1	99.25	57	0	30000	359.1397849	10773.5167	30000	0	0	30000	37.5625	2004
11.02.2020 09:36:24	1	1	1	1	99.25	57.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	36.875	2004
11.02.2020 09:36:25	1	1	1	1	99.25	56.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	38	2004
11.02.2020 09:36:26	1	1	1	1	99.25	58	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	38	2004
11.02.2020 09:36:27	1	1	1	1	99.25	58	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.0625	2004
11.02.2020 09:36:28	1	1	1	1	99.25	58	0	30000	337.6344086	10128.55706	30000	0	0	30000	37.6875	2004
11.02.2020 09:36:29	1	1	1	1	99.25	57.5	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	38.1875	2004
11.02.2020 09:36:30	1	1	1	1	99.25	58	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 09:36:31	1	1	1	1	99.25	58.25	0	30000	283.8709677	8594.026038	30000	0	0	30000	37.125	2004
11.02.2020 09:36:32	1	1	1	1	99.25	57	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 09:36:33	1	1	1	1	99.25	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.1875	2004
11.02.2020 09:36:34	1	1	1	1	99.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:36:35	1	1	1	1	99.25	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:36:36	1	1	1	1	99.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 09:36:37	1	1	1	1	99	58.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	38.375	2004
11.02.2020 09:36:38	1	1	1	1	99	58.25	0	30000	335.483871	10064.14264	30000	0	0	30000	38.125	2004
11.02.2020 09:36:39	1	1	1	1	99	58	0	29952.607	318.2795699	9483.597423	30000	0	0	30000	37	2004
11.02.2020 09:36:40	1	1	1	1	99	57	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.5625	2004
11.02.2020 09:36:42	1	1	1	1	99	58.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	38.25	2004
11.02.2020 09:36:43	1	1	1	1	99	58.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	38.375	2004
11.02.2020 09:36:44	1	1	1	1	99	58.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	37.5625	2004
11.02.2020 09:36:45	1	1	1	1	99	57.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.125	2004
11.02.2020 09:36:46	1	1	1	1	99	58	0	30000	311.827957	9196.586307	30000	0	0	30000	37.625	2004
11.02.2020 09:36:47	1	1	1	1	98.75	57.5	0	30000	296.7741935	9110.972196	30000	0	0	30000	37.4375	2004
11.02.2020 09:36:48	1	1	1	1	98.75	57.25	0	30000	290.3225806	8580.164705	30000	0	0	30000	37.9375	2004
11.02.2020 09:36:49	1	1	1	1	98.75	57.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	37.375	2004
11.02.2020 09:36:50	1	1	1	1	98.75	57.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.3125	2004
11.02.2020 09:36:51	1	1	1	1	98.75	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38	2004
11.02.2020 09:36:52	1	1	1	1	98.75	58	0	30000	264.516129	7999.619493	30000	0	0	30000	37.75	2004
11.02.2020 09:36:53	1	1	1	1	98.75	57.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.375	2004
11.02.2020 09:36:54	1	1	1	1	98.75	58.25	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	37.8125	2004
11.02.2020 09:36:55	1	1	1	1	98.75	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 09:36:56	1	1	1	1	98.75	58.25	0	30047.393	389.2473118	11676.94942	30000	0	0	30000	36.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:36:57	1	1	1	1	98.5	56.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.75	2004
11.02.2020 09:36:58	1	1	1	1	98.5	57.75	0	30000	335.483871	10064.14264	30000	0	0	30000	38.25	2004
11.02.2020 09:36:59	1	1	1	1	98.5	58.25	0	30000	346.2365591	10241.89384	30000	0	0	30000	37.5	2004
11.02.2020 09:37:00	1	1	1	1	98.5	57.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:01	1	1	1	1	98.5	58.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	37.875	2004
11.02.2020 09:37:02	1	1	1	1	98.5	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.6875	2004
11.02.2020 09:37:03	1	1	1	1	98.5	57.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	37.5625	2004
11.02.2020 09:37:04	1	1	1	1	98.5	57.5	0	30000	320.4301075	9453.428641	30000	0	0	30000	38.0625	2004
11.02.2020 09:37:05	1	1	1	1	98.5	58	0	30000	296.7741935	8903.052211	30000	0	0	30000	37.75	2004
11.02.2020 09:37:06	1	1	1	1	98.5	57.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.25	2004
11.02.2020 09:37:07	1	1	1	1	98.5	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.1875	2004
11.02.2020 09:37:08	1	1	1	1	98.5	58	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 09:37:09	1	1	1	1	98.5	58.25	0	30000	255.9139785	7536.487919	30000	0	0	30000	37.75	2004
11.02.2020 09:37:10	1	1	1	1	98.5	57.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38	2004
11.02.2020 09:37:11	1	1	1	1	98.5	58	0	30000	245.1612903	7354.659854	30000	0	0	30000	37.9375	2004
11.02.2020 09:37:12	1	1	1	1	98.5	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38	2004
11.02.2020 09:37:13	1	1	1	1	98.5	58	0	29952.607	234.4086022	7225.831	30000	0	0	30000	38.125	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:20	1	1	1	1	98.5	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:21	1	1	1	1	98.5	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.25	2004
11.02.2020 09:37:22	1	1	1	1	98.5	58.25	0	30000	281.7204301	8386.921425	30000	0	0	30000	37.5625	2004
11.02.2020 09:37:23	1	1	1	1	98.5	57.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	38	2004
11.02.2020 09:37:24	1	1	1	1	98.5	58	0	30000	322.5806452	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:37:25	1	1	1	1	98.5	58	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	37.75	2004
11.02.2020 09:37:26	1	1	1	1	98.5	57.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	37.8125	2004
11.02.2020 09:37:27	1	1	1	1	99	57.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.3125	2004
11.02.2020 09:37:28	1	1	1	1	99	58.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.375	2004
11.02.2020 09:37:29	1	1	1	1	99	58.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	37.5	2004
11.02.2020 09:37:30	1	1	1	1	99	57.5	0	30000	335.483871	9919.821705	30000	0	0	30000	37.5625	2004
11.02.2020 09:37:31	1	1	1	1	99	57.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	38.375	2004
11.02.2020 09:37:32	1	1	1	1	99	58.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.375	2004
11.02.2020 09:37:33	1	1	1	1	99	58.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	36.625	2004
11.02.2020 09:37:34	1	1	1	1	99	56.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:35	1	1	1	1	99	58.25	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	38.3125	2004
11.02.2020 09:37:36	1	1	1	1	99	58.25	0	30047.393	356.9892473	10644.68785	30000	0	0	30000	37.875	2004
11.02.2020 09:37:37	1	1	1	1	98.75	57.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	38.25	2004
11.02.2020 09:37:38	1	1	1	1	98.75	58.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.1875	2004
11.02.2020 09:37:39	1	1	1	1	98.75	58	0	30000	352.688172	10644.68785	30000	0	0	30000	37.9375	2004
11.02.2020 09:37:40	1	1	1	1	98.75	57.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:37:41	1	1	1	1	98.75	57.25	0	29905.213	352.688172	10773.5167	30000	0	0	30000	38.25	2004
11.02.2020 09:37:42	1	1	1	1	98.75	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.5	2004
11.02.2020 09:37:43	1	1	1	1	98.75	57.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.375	2004
11.02.2020 09:37:44	1	1	1	1	98.75	58.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.25	2004
11.02.2020 09:37:45	1	1	1	1	98.75	58.25	0	30000	359.1397849	10499.55155	30000	0	0	30000	38.375	2004
11.02.2020 09:37:46	1	1	1	1	98.75	58.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	37.75	2004
11.02.2020 09:37:47	1	1	1	1	98.75	57.75	0	30000	361.2903226	10790.63952	30000	0	0	30000	38.25	2004
11.02.2020 09:37:48	1	1	1	1	98.75	58.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.25	2004
11.02.2020 09:37:49	1	1	1	1	98.75	58.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	38.0625	2004
11.02.2020 09:37:50	1	1	1	1	98.75	58	0	30000	344.0860215	10387.03014	30000	0	0	30000	38	2004
11.02.2020 09:37:51	1	1	1	1	98.75	58	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.5	2004
11.02.2020 09:37:52	1	1	1	1	98.75	58.5	0	30000	335.483871	10064.14264	30000	0	0	30000	38.25	2004
11.02.2020 09:37:53	1	1	1	1	98.75	58.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	38.75	2004
11.02.2020 09:37:54	1	1	1	1	98.75	58.75	0	29905.213	350.5376344	10515.85899	30000	0	0	30000	37.6875	2004
11.02.2020 09:37:55	1	1	1	1	98.75	58.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.1875	2004
11.02.2020 09:37:56	1	1	1	1	98.75	58	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	38.25	2004
11.02.2020 09:37:57	1	1	1	1	98.75	58.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	38.4375	2004
11.02.2020 09:37:58	1	1	1	1	98.75	58.25	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	37.75	2004
11.02.2020 09:38:00	1	1	1	1	98.75	57.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	38.375	2004
11.02.2020 09:38:01	1	1	1	1	98.75	58.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	37.5625	2004
11.02.2020 09:38:02	1	1	1	1	98.75	57.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	38.375	2004
11.02.2020 09:38:03	1	1	1	1	98.75	58.25	0	30000	344.0860215	10113.06499	30000	0	0	30000	38.25	2004
11.02.2020 09:38:04	1	1	1	1	98.75	58.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	37.75	2004
11.02.2020 09:38:05	1	1	1	1	98.75	57.75	0	30000	335.483871	9790.992852	30000	0	0	30000	38.3125	2004
11.02.2020 09:38:06	1	1	1	1	98.75	58.25	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:07	1	1	1	1	98.25	58.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.5	2004
11.02.2020 09:38:08	1	1	1	1	98.25	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	38.125	2004
11.02.2020 09:38:09	1	1	1	1	98.25	58	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 09:38:10	1	1	1	1	98.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:11	1	1	1	1	98.25	58.25	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	37.75	2004
11.02.2020 09:38:12	1	1	1	1	98.25	57.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.125	2004
11.02.2020 09:38:13	1	1	1	1	98.25	58	0	29952.607	245.1612903	7407.659066	30000	0	0	30000	38.125	2004
11.02.2020 09:38:14	1	1	1	1	98.25	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 09:38:15	1	1	1	1	98.25	58.5	0	30000	234.4086022	7021.172506	30000	0	0	30000	38.25	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:21	1	1	1	1	97.25	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.0625	2004
11.02.2020 09:38:22	1	1	1	1	97.25	57	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.5625	2004
11.02.2020 09:38:23	1	1	1	1	97.25	58.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	38	2004
11.02.2020 09:38:24	1	1	1	1	97.25	58	0	29952.607	359.1397849	10611.25758	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:38:25	1	1	1	1	97.25	57.5	0	30000	331.1827957	9711.086348	30000	0	0	30000	37.9375	2004
11.02.2020 09:38:26	1	1	1	1	97.25	57.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.5	2004
11.02.2020 09:38:27	1	1	1	1	98.5	58.5	0	29952.607	283.8709677	8580.164705	30000	0	0	30000	38.375	2004
11.02.2020 09:38:28	1	1	1	1	98.5	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 09:38:29	1	1	1	1	98.5	58.75	0	30000	273.1182796	8116.217759	30000	0	0	30000	38.375	2004
11.02.2020 09:38:30	1	1	1	1	98.5	58.25	0	30000	262.3655914	7922.974479	30000	0	0	30000	38.3125	2004
11.02.2020 09:38:31	1	1	1	1	98.5	58.5	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	38.3125	2004
11.02.2020 09:38:32	1	1	1	1	98.5	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.375	2004
11.02.2020 09:38:33	1	1	1	1	98.5	58.25	0	29952.607	247.311828	7612.31756	30000	0	0	30000	38.25	2004
11.02.2020 09:38:34	1	1	1	1	98.5	58.25	0	30000	253.7634409	7536.487919	30000	0	0	30000	37.875	2004
11.02.2020 09:38:35	1	1	1	1	98.5	57.75	0	29905.213	247.311828	7612.31756	30000	0	0	30000	37.75	2004
11.02.2020 09:38:37	1	1	1	1	99	57.75	0	30000	243.0107527	7225.831	30000	0	0	30000	38.25	2004
11.02.2020 09:38:38	1	1	1	1	99	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:39	1	1	1	1	99	58.25	0	30000	234.4086022	7160.601201	30000	0	0	30000	38.5	2004
11.02.2020 09:38:40	1	1	1	1	99	58.5	0	29952.607	236.5591398	7096.186775	30000	0	0	30000	38.25	2004
11.02.2020 09:38:41	1	1	1	1	99	58.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.375	2004
11.02.2020 09:38:42	1	1	1	1	99	58.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.1875	2004
11.02.2020 09:38:43	1	1	1	1	99	58	0	30000	236.5591398	7031.772348	30000	0	0	30000	38	2004
11.02.2020 09:38:44	1	1	1	1	99	58	0	30000	240.8602151	7225.831	30000	0	0	30000	36.75	2004
11.02.2020 09:38:45	1	1	1	1	99	56.75	0	29952.607	232.2580645	7225.831	30000	0	0	30000	38.25	2004
11.02.2020 09:38:46	1	1	1	1	99	58.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	38.375	2004
11.02.2020 09:38:47	1	1	1	1	99.5	58.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	37.9375	2004
11.02.2020 09:38:48	1	1	1	1	99.5	57.75	0	29952.607	236.5591398	7214.415786	30000	0	0	30000	38.125	2004
11.02.2020 09:38:49	1	1	1	1	99.5	58	0	30000	232.2580645	6956.758079	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:50	1	1	1	1	99.5	58.25	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.375	2004
11.02.2020 09:38:51	1	1	1	1	99.5	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	37.875	2004
11.02.2020 09:38:52	1	1	1	1	99.5	57.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:53	1	1	1	1	99.5	58.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:54	1	1	1	1	99.5	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	38.375	2004
11.02.2020 09:38:55	1	1	1	1	99.5	58.25	0	30000	234.4086022	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 09:38:56	1	1	1	1	99.5	58.5	0	30000	243.0107527	7225.831	30000	0	0	30000	38.375	2004
11.02.2020 09:38:57	1	1	1	1	99.5	58.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	38.4375	2004
11.02.2020 09:38:58	1	1	1	1	99.5	58.25	0	30000	240.8602151	7096.186775	30000	0	0	30000	38.375	2004
11.02.2020 09:38:59	1	1	1	1	99.5	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.0625	2004
11.02.2020 09:39:00	1	1	1	1	99.5	57	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:01	1	1	1	1	99.5	58.25	0	30000	247.311828	7354.659854	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:02	1	1	1	1	99.5	58.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 09:39:03	1	1	1	1	99.5	58.25	0	30000	243.0107527	7225.831	30000	0	0	30000	37.75	2004
11.02.2020 09:39:04	1	1	1	1	99.5	57.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:05	1	1	1	1	99.5	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:06	1	1	1	1	99.5	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5	2004
11.02.2020 09:39:07	1	1	1	1	97.75	58.5	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.5625	2004
11.02.2020 09:39:08	1	1	1	1	97.75	58.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:39:09	1	1	1	1	97.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38	2004
11.02.2020 09:39:10	1	1	1	1	97.75	58	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:11	1	1	1	1	97.75	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5625	2004
11.02.2020 09:39:12	1	1	1	1	97.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	36.75	2004
11.02.2020 09:39:14	1	1	1	1	97.75	56.75	0	30000	240.8602151	7225.831	30000	0	0	30000	38.4375	2004
11.02.2020 09:39:15	1	1	1	1	97.75	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.25	2004
11.02.2020 09:39:16	1	1	1	1	97.75	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.6875	2004
11.02.2020 09:39:17	1	1	1	1	97	57.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.1875	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:23	1	1	1	1	97	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004
11.02.2020 09:39:24	1	1	1	1	97	57.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.1875	2004
11.02.2020 09:39:25	1	1	1	1	97	58	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.0625	2004
11.02.2020 09:39:26	1	1	1	1	97	58	0	29952.607	243.0107527	7419.07428	30000	0	0	30000	37.9375	2004
11.02.2020 09:39:27	1	1	1	1	96.5	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 09:39:28	1	1	1	1	96.5	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 09:39:29	1	1	1	1	96.5	58.25	0	30000	247.311828	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:30	1	1	1	1	96.5	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.375	2004
11.02.2020 09:39:31	1	1	1	1	96.5	58.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 09:39:32	1	1	1	1	96.5	58	0	29952.607	249.4623656	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:33	1	1	1	1	96.5	58.25	0	30000	249.4623656	7472.073492	30000	0	0	30000	38.375	2004
11.02.2020 09:39:34	1	1	1	1	96.5	58.25	0	30000	251.6129032	7818.6068	30000	0	0	30000	38.25	2004
11.02.2020 09:39:35	1	1	1	1	96.5	58.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 09:39:36	1	1	1	1	96.5	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	37.6875	2004
11.02.2020 09:39:37	1	1	1	1	96.25	57.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 09:39:38	1	1	1	1	96.25	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:39	1	1	1	1	96.25	58.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	37.875	2004
11.02.2020 09:39:40	1	1	1	1	96.25	57.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	37.6875	2004
11.02.2020 09:39:41	1	1	1	1	96.25	57.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.4375	2004
11.02.2020 09:39:42	1	1	1	1	96.25	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 09:39:43	1	1	1	1	96.25	58.25	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:44	1	1	1	1	96.25	58.25	0	30000	258.0645161	7483.488707	30000	0	0	30000	37.8125	2004
11.02.2020 09:39:45	1	1	1	1	96.25	57.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 09:39:46	1	1	1	1	96.25	58.25	0	30000	260.2150538	7794.145626	30000	0	0	30000	38.0625	2004
11.02.2020 09:39:47	1	1	1	1	96	58	0	30000	270.9677419	7845.514092	30000	0	0	30000	38.6875	2004
11.02.2020 09:39:48	1	1	1	1	96	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.1875	2004
11.02.2020 09:39:49	1	1	1	1	96	58	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:50	1	1	1	1	96	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.375	2004
11.02.2020 09:39:51	1	1	1	1	96	58.25	0	29905.213	255.9139785	7806.376213	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:53	1	1	1	1	96	58.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	37.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:39:54	1	1	1	1	96	57.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	37.875	2004
11.02.2020 09:39:55	1	1	1	1	96	57.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:56	1	1	1	1	96	58.25	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	38.3125	2004
11.02.2020 09:39:57	1	1	1	1	95.75	58.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	37.875	2004
11.02.2020 09:39:58	1	1	1	1	95.75	57.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	36.5625	2004
11.02.2020 09:39:59	1	1	1	1	95.75	56.5	0	30000	266.6666667	7870.79064	30000	0	0	30000	38	2004
11.02.2020 09:40:00	1	1	1	1	95.75	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.125	2004
11.02.2020 09:40:01	1	1	1	1	95.75	57	0	30000	264.516129	7999.619493	30000	0	0	30000	38.25	2004
11.02.2020 09:40:02	1	1	1	1	95.75	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:40:03	1	1	1	1	95.75	57.75	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 09:40:04	1	1	1	1	95.75	58.25	0	30000	260.2150538	7999.619493	30000	0	0	30000	38	2004
11.02.2020 09:40:05	1	1	1	1	95.75	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.125	2004
11.02.2020 09:40:06	1	1	1	1	95.75	58	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.3125	2004
11.02.2020 09:40:07	1	1	1	1	95.5	58.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:08	1	1	1	1	95.5	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 09:40:09	1	1	1	1	95.5	58.25	0	29905.213	260.2150538	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:10	1	1	1	1	95.5	58.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.375	2004
11.02.2020 09:40:11	1	1	1	1	95.5	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 09:40:12	1	1	1	1	95.5	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 09:40:13	1	1	1	1	95.5	58.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	37.6875	2004
11.02.2020 09:40:14	1	1	1	1	95.5	57.5	0	30000	303.2258065	9225.124344	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:15	1	1	1	1	95.5	58.25	0	30000	303.2258065	9082.434159	30000	0	0	30000	38.25	2004
11.02.2020 09:40:16	1	1	1	1	95.5	58.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	37.8125	2004
11.02.2020 09:40:17	1	1	1	1	96.25	57.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	38.3125	2004
11.02.2020 09:40:18	1	1	1	1	96.25	58.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.25	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	37.1875	2004
11.02.2020 09:40:25	1	1	1	1	96.25	57	0	30000	292.4731183	8774.223358	30000	0	0	30000	37.6875	2004
11.02.2020 09:40:26	1	1	1	1	96.25	57.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:40:27	1	1	1	1	95.75	58.25	0	30000	286.0215054	8451.335852	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:28	1	1	1	1	95.75	58.25	0	30000	288.172043	8580.164705	30000	0	0	30000	37.8125	2004
11.02.2020 09:40:30	1	1	1	1	95.75	57.75	0	30000	288.172043	8708.993559	30000	0	0	30000	38.375	2004
11.02.2020 09:40:31	1	1	1	1	95.75	58.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	38.25	2004
11.02.2020 09:40:32	1	1	1	1	95.75	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.1875	2004
11.02.2020 09:40:33	1	1	1	1	95.75	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.8125	2004
11.02.2020 09:40:34	1	1	1	1	95.75	57.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:35	1	1	1	1	95.75	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:36	1	1	1	1	95.75	58.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	37.9375	2004
11.02.2020 09:40:37	1	1	1	1	95	57.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:40:38	1	1	1	1	95	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.25	2004
11.02.2020 09:40:39	1	1	1	1	95	58.25	0	30000	286.0215054	8438.289892	30000	0	0	30000	38.5	2004
11.02.2020 09:40:40	1	1	1	1	95	58.5	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	38.3125	2004
11.02.2020 09:40:41	1	1	1	1	95	58.25	0	29952.607	288.172043	8838.637784	30000	0	0	30000	38	2004
11.02.2020 09:40:42	1	1	1	1	95	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:43	1	1	1	1	95	58.25	0	29952.607	292.4731183	8838.637784	30000	0	0	30000	38.0625	2004
11.02.2020 09:40:44	1	1	1	1	95	58	0	29952.607	290.3225806	8695.947599	30000	0	0	30000	38.1875	2004
11.02.2020 09:40:45	1	1	1	1	95	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:46	1	1	1	1	95	58.25	0	29905.213	288.172043	8838.637784	30000	0	0	30000	37.6875	2004
11.02.2020 09:40:47	1	1	1	1	94.75	57.5	0	30000	288.172043	8515.750279	30000	0	0	30000	37.875	2004
11.02.2020 09:40:48	1	1	1	1	94.75	57.75	0	30000	288.172043	8708.993559	30000	0	0	30000	38.25	2004
11.02.2020 09:40:49	1	1	1	1	94.75	58.25	0	30000	283.8709677	8708.993559	30000	0	0	30000	37.5	2004
11.02.2020 09:40:50	1	1	1	1	94.75	57.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.6875	2004
11.02.2020 09:40:51	1	1	1	1	94.75	57.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	37	2004
11.02.2020 09:40:52	1	1	1	1	94.75	57	0	30000	281.7204301	8451.335852	30000	0	0	30000	37.6875	2004
11.02.2020 09:40:53	1	1	1	1	94.75	57.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.5	2004
11.02.2020 09:40:54	1	1	1	1	94.75	58.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	37.5625	2004
11.02.2020 09:40:55	1	1	1	1	94.75	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:56	1	1	1	1	94.75	58.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:40:57	1	1	1	1	94.75	58.25	0	30000	290.3225806	8502.704319	30000	0	0	30000	38.375	2004
11.02.2020 09:40:58	1	1	1	1	94.75	58.25	0	30000	288.172043	8644.579132	30000	0	0	30000	38	2004
11.02.2020 09:40:59	1	1	1	1	94.75	58	0	30000	288.172043	8708.993559	30000	0	0	30000	38.375	2004
11.02.2020 09:41:00	1	1	1	1	94.75	58.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 09:41:01	1	1	1	1	94.75	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 09:41:02	1	1	1	1	94.75	58	0	30000	288.172043	8801.946022	30000	0	0	30000	37.6875	2004
11.02.2020 09:41:03	1	1	1	1	94.75	57.5	0	30000	283.8709677	8438.289892	30000	0	0	30000	38.375	2004
11.02.2020 09:41:04	1	1	1	1	94.75	58.25	0	30000	279.5698925	8515.750279	30000	0	0	30000	38.125	2004
11.02.2020 09:41:06	1	1	1	1	94.75	58	0	30000	279.5698925	8580.164705	30000	0	0	30000	36.75	2004
11.02.2020 09:41:07	1	1	1	1	94.75	56.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.375	2004
11.02.2020 09:41:08	1	1	1	1	94.75	58.25	0	29905.213	283.8709677	8515.750279	30000	0	0	30000	37.8125	2004
11.02.2020 09:41:09	1	1	1	1	94.75	57.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.375	2004
11.02.2020 09:41:10	1	1	1	1	94.75	58.25	0	30000	281.7204301	8386.921425	30000	0	0	30000	38.25	2004
11.02.2020 09:41:11	1	1	1	1	94.75	58.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:12	1	1	1	1	94.75	58.25	0	30000	288.172043	8644.579132	30000	0	0	30000	38.5	2004
11.02.2020 09:41:13	1	1	1	1	94.75	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.4375	2004
11.02.2020 09:41:14	1	1	1	1	94.75	58.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:15	1	1	1	1	94.75	58.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	38.1875	2004
11.02.2020 09:41:16	1	1	1	1	94.75	58	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.1875	2004
11.02.2020 09:41:17	1	1	1	1	94.75	58	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	38.1875	2004
11.02.2020 09:41:18	1	1	1	1	94.75	58	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.5	2004
11.02.2020 09:41:19	1	1	1	1	94.75	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.25	2004
11.02.2020 09:41:20	1	1	1	1	94.75	58.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	37.875	2004
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:27	1	1	1	1	94.75	57.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:27	1	1	1	1	94.25	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	37.8125	2004
11.02.2020 09:41:28	1	1	1	1	94.25	57.75	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	38.125	2004
11.02.2020 09:41:29	1	1	1	1	94.25	58	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.25	2004
11.02.2020 09:41:30	1	1	1	1	94.25	58.25	0	30000	307.5268817	9211.263012	30000	0	0	30000	38	2004
11.02.2020 09:41:31	1	1	1	1	94.25	58	0	30000	464.516129	13935.53122	30000	0	0	30000	38	2004
11.02.2020 09:41:32	1	1	1	1	94.25	58	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.0625	2004
11.02.2020 09:41:33	1	1	1	1	94.25	58	0	30000	335.483871	10064.14264	30000	0	0	30000	37.25	2004
11.02.2020 09:41:34	1	1	1	1	94.25	57.25	0	29905.213	331.1827957	10128.55706	30000	0	0	30000	38.4375	2004
11.02.2020 09:41:35	1	1	1	1	94.25	58.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.0625	2004
11.02.2020 09:41:36	1	1	1	1	94.25	58	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	38.375	2004
11.02.2020 09:41:37	1	1	1	1	95.5	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.125	2004
11.02.2020 09:41:38	1	1	1	1	95.5	58	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.625	2004
11.02.2020 09:41:39	1	1	1	1	95.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.875	2004
11.02.2020 09:41:40	1	1	1	1	95.5	57.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	38.8125	2004
11.02.2020 09:41:41	1	1	1	1	95.5	58.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	38.375	2004
11.02.2020 09:41:42	1	1	1	1	95.5	57.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	37.5625	2004
11.02.2020 09:41:43	1	1	1	1	95.5	57.5	0	30000	352.688172	10515.85899	30000	0	0	30000	38	2004
11.02.2020 09:41:45	1	1	1	1	95.5	58	0	30000	339.7849462	10257.38592	30000	0	0	30000	38.5	2004
11.02.2020 09:41:46	1	1	1	1	95.5	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.5	2004
11.02.2020 09:41:47	1	1	1	1	94.75	58.5	0	29952.607	307.5268817	9354.76857	30000	0	0	30000	38.4375	2004
11.02.2020 09:41:48	1	1	1	1	94.75	58.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	36.9375	2004
11.02.2020 09:41:49	1	1	1	1	94.75	56.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	37.875	2004
11.02.2020 09:41:50	1	1	1	1	94.75	57.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	37.0625	2004
11.02.2020 09:41:51	1	1	1	1	94.75	57	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.3125	2004
11.02.2020 09:41:52	1	1	1	1	94.75	57.25	0	29952.607	281.7204301	8295.599706	30000	0	0	30000	38.1875	2004
11.02.2020 09:41:53	1	1	1	1	94.75	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.375	2004
11.02.2020 09:41:54	1	1	1	1	94.75	58.25	0	30000	288.172043	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:41:55	1	1	1	1	94.75	58.25	0	30000	286.0215054	8708.993559	30000	0	0	30000	38.1875	2004
11.02.2020 09:41:56	1	1	1	1	94.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	37.125	2004
11.02.2020 09:41:57	1	1	1	1	94.75	57	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.375	2004
11.02.2020 09:41:58	1	1	1	1	94.75	58.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	37.6875	2004
11.02.2020 09:41:59	1	1	1	1	94.75	57.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.5625	2004
11.02.2020 09:42:00	1	1	1	1	94.75	58.5	0	29952.607	283.8709677	8373.875465	30000	0	0	30000	37.9375	2004
11.02.2020 09:42:01	1	1	1	1	94.75	57.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38	2004
11.02.2020 09:42:02	1	1	1	1	94.75	58	0	30000	283.8709677	8580.164705	30000	0	0	30000	37.6875	2004
11.02.2020 09:42:03	1	1	1	1	94.75	57.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:04	1	1	1	1	94.75	58.25	0	29905.213	281.7204301	8580.164705	30000	0	0	30000	38.375	2004
11.02.2020 09:42:05	1	1	1	1	94.75	58.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:42:06	1	1	1	1	94.75	58.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.0625	2004
11.02.2020 09:42:07	1	1	1	1	94.25	58	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:08	1	1	1	1	94.25	58.25	0	29905.213	266.6666667	8128.448346	30000	0	0	30000	38.5	2004
11.02.2020 09:42:09	1	1	1	1	94.25	58.5	0	30000	266.6666667	8128.448346	30000	0	0	30000	38.1875	2004
11.02.2020 09:42:10	1	1	1	1	94.25	58	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.1875	2004
11.02.2020 09:42:11	1	1	1	1	94.25	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.5625	2004
11.02.2020 09:42:12	1	1	1	1	94.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 09:42:13	1	1	1	1	94.25	58.25	0	30000	268.8172043	8192.862773	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:14	1	1	1	1	94.25	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.5	2004
11.02.2020 09:42:15	1	1	1	1	94.25	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 09:42:16	1	1	1	1	94.25	58.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	37.6875	2004
11.02.2020 09:42:17	1	1	1	1	94.75	57.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38	2004
11.02.2020 09:42:18	1	1	1	1	94.75	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.9375	2004
11.02.2020 09:42:19	1	1	1	1	94.75	57.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	37.5625	2004
11.02.2020 09:42:20	1	1	1	1	94.75	57.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.25	2004
11.02.2020 09:42:22	1	1	1	1	94.75	58.25	0	29952.607	279.5698925	8373.875465	30000	0	0	30000	38.5	2004
11.02.2020 09:42:28	1	1	1	1	94.25	58	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:42:28	1	1	1	1	94.25	58	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:42:28	1	1	1	1	94.25	58	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:42:28	1	1	1	1	94.25	58	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:42:28	1	1	1	1	94.25	58	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:42:29	1	1	1	1	94.25	58.5	0	30000	277.4193548	8258.092572	30000	0	0	30000	38	2004
11.02.2020 09:42:30	1	1	1	1	94.25	58	0	29952.607	275.2688172	8309.461039	30000	0	0	30000	38.375	2004
11.02.2020 09:42:31	1	1	1	1	94.25	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.375	2004
11.02.2020 09:42:32	1	1	1	1	94.25	58.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.375	2004
11.02.2020 09:42:33	1	1	1	1	94.25	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:34	1	1	1	1	94.25	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:35	1	1	1	1	94.25	58.25	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	38.375	2004
11.02.2020 09:42:36	1	1	1	1	94.25	58.25	0	30000	277.4193548	8180.632185	30000	0	0	30000	38.5	2004
11.02.2020 09:42:37	1	1	1	1	94.5	58.5	0	30000	273.1182796	8128.448346	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:38	1	1	1	1	94.5	58.25	0	30000	275.2688172	8128.448346	30000	0	0	30000	38.5	2004
11.02.2020 09:42:39	1	1	1	1	94.5	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:40	1	1	1	1	94.5	58.25	0	30000	275.2688172	8464.381812	30000	0	0	30000	38.375	2004
11.02.2020 09:42:41	1	1	1	1	94.5	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:42	1	1	1	1	94.5	58.25	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:43	1	1	1	1	94.5	58.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	37.625	2004
11.02.2020 09:42:44	1	1	1	1	94.5	57.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:45	1	1	1	1	94.5	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:46	1	1	1	1	94.5	58.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.5	2004
11.02.2020 09:42:47	1	1	1	1	94.5	58.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:42:48	1	1	1	1	94.5	58.25	0	30094.787	270.9677419	8192.862773	30000	0	0	30000	37.875	2004
11.02.2020 09:42:49	1	1	1	1	94.5	57.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:42:50	1	1	1	1	94.5	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.3125	2004
11.02.2020 09:42:51	1	1	1	1	94.5	58.25	0	30047.393	273.1182796	8192.862773	30000	0	0	30000	37.875	2004
11.02.2020 09:42:52	1	1	1	1	94.5	57.75	0	29952.607	266.6666667	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:42:53	1	1	1	1	94.5	57.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:42:54	1	1	1	1	94.5	58.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 09:42:55	1	1	1	1	94.5	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.5625	2004
11.02.2020 09:42:56	1	1	1	1	94.5	58.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.75	2004
11.02.2020 09:42:57	1	1	1	1	94.5	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.75	2004
11.02.2020 09:42:59	1	1	1	1	94.5	57.75	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:43:00	1	1	1	1	94.5	58.25	0	30047.393	281.7204301	8322.506999	30000	0	0	30000	37.0625	2004
11.02.2020 09:43:01	1	1	1	1	94.5	57	0	30000	277.4193548	8322.506999	30000	0	0	30000	37.5625	2004
11.02.2020 09:43:02	1	1	1	1	94.5	57.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.375	2004
11.02.2020 09:43:03	1	1	1	1	94.5	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:43:04	1	1	1	1	94.5	58.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	38.1875	2004
11.02.2020 09:43:05	1	1	1	1	94.5	58	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 09:43:06	1	1	1	1	94.5	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 09:43:07	1	1	1	1	93.5	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	37.75	2004
11.02.2020 09:43:08	1	1	1	1	93.5	57.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	37.3125	2004
11.02.2020 09:43:09	1	1	1	1	93.5	57.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.1875	2004
11.02.2020 09:43:10	1	1	1	1	93.5	58	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.25	2004
11.02.2020 09:43:11	1	1	1	1	93.5	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.25	2004
11.02.2020 09:43:12	1	1	1	1	93.5	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 09:43:13	1	1	1	1	93.5	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.375	2004
11.02.2020 09:43:14	1	1	1	1	93.5	57.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.1875	2004
11.02.2020 09:43:15	1	1	1	1	93.5	57	0	29952.607	268.8172043	8038.757372	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:16	1	1	1	1	93.5	58.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	37.5625	2004
11.02.2020 09:43:17	1	1	1	1	93.75	57.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.375	2004
11.02.2020 09:43:18	1	1	1	1	93.75	58.25	0	30047.393	283.8709677	8451.335852	30000	0	0	30000	37.3125	2004
11.02.2020 09:43:19	1	1	1	1	93.75	57.25	0	30000	281.7204301	8386.921425	30000	0	0	30000	38.375	2004
11.02.2020 09:43:20	1	1	1	1	93.75	58.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.25	2004
11.02.2020 09:43:21	1	1	1	1	93.75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	37.5625	2004
11.02.2020 09:43:22	1	1	1	1	93.75	57.5	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	38.625	2004
11.02.2020 09:43:23	1	1	1	1	93.75	58.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.0625	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 09:43:30	1	1	1	1	94	58.25	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:31	1	1	1	1	94	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.625	2004
11.02.2020 09:43:32	1	1	1	1	94	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.625	2004
11.02.2020 09:43:33	1	1	1	1	94	58.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:43:34	1	1	1	1	94	58	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:35	1	1	1	1	94	58.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.4375	2004
11.02.2020 09:43:37	1	1	1	1	94.25	58.25	0	30000	273.1182796	8258.092572	30000	0	0	30000	37.625	2004
11.02.2020 09:43:38	1	1	1	1	94.25	57.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.5	2004
11.02.2020 09:43:39	1	1	1	1	94.25	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.25	2004
11.02.2020 09:43:40	1	1	1	1	94.25	58.25	0	29905.213	264.516129	7999.619493	30000	0	0	30000	37.4375	2004
11.02.2020 09:43:41	1	1	1	1	94.25	57.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.375	2004
11.02.2020 09:43:42	1	1	1	1	94.25	58.25	0	30047.393	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 09:43:43	1	1	1	1	94.25	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:43:44	1	1	1	1	94.25	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.0625	2004
11.02.2020 09:43:45	1	1	1	1	94.25	58	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 09:43:46	1	1	1	1	94.25	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:47	1	1	1	1	93.5	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:43:48	1	1	1	1	93.5	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.6875	2004
11.02.2020 09:43:49	1	1	1	1	93.5	57.5	0	30000	266.6666667	8128.448346	30000	0	0	30000	38.375	2004
11.02.2020 09:43:50	1	1	1	1	93.5	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.375	2004
11.02.2020 09:43:51	1	1	1	1	93.5	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:52	1	1	1	1	93.5	58.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:53	1	1	1	1	93.5	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:43:54	1	1	1	1	93.5	58.5	0	30000	260.2150538	7999.619493	30000	0	0	30000	38.25	2004
11.02.2020 09:43:55	1	1	1	1	93.5	58.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	37.875	2004
11.02.2020 09:43:56	1	1	1	1	93.5	57.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 09:43:57	1	1	1	1	93.25	58.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 09:43:58	1	1	1	1	93.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.0625	2004
11.02.2020 09:43:59	1	1	1	1	93.25	58	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:00	1	1	1	1	93.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.1875	2004
11.02.2020 09:44:01	1	1	1	1	93.25	58	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.25	2004
11.02.2020 09:44:02	1	1	1	1	93.25	58.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.5	2004
11.02.2020 09:44:03	1	1	1	1	93.25	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.125	2004
11.02.2020 09:44:04	1	1	1	1	93.25	57	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 09:44:05	1	1	1	1	93.25	58.25	0	30000	264.516129	7999.619493	30000	0	0	30000	36.875	2004
11.02.2020 09:44:06	1	1	1	1	93.25	56.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.3125	2004
11.02.2020 09:44:07	1	1	1	1	93	57.25	0	30000	268.8172043	8012.665453	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:08	1	1	1	1	93	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:09	1	1	1	1	93	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:44:10	1	1	1	1	93	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.9375	2004
11.02.2020 09:44:11	1	1	1	1	93	57.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.375	2004
11.02.2020 09:44:12	1	1	1	1	93	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.3125	2004
11.02.2020 09:44:13	1	1	1	1	93	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:44:15	1	1	1	1	93	58.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	37.25	2004
11.02.2020 09:44:16	1	1	1	1	93	57.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	37.75	2004
11.02.2020 09:44:17	1	1	1	1	92.75	57.75	0	29952.607	266.6666667	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:44:18	1	1	1	1	92.75	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:44:19	1	1	1	1	92.75	57.25	0	30000	270.9677419	8192.862773	30000	0	0	30000	37.125	2004
11.02.2020 09:44:20	1	1	1	1	92.75	57	0	30000	262.3655914	7870.79064	30000	0	0	30000	36.3125	2004
11.02.2020 09:44:21	1	1	1	1	92.75	56.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 09:44:22	1	1	1	1	92.75	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 09:44:23	1	1	1	1	92.75	58.5	0	30000	253.7634409	7754.192374	30000	0	0	30000	38	2004
11.02.2020 09:44:24	1	1	1	1	92.75	58	0	30000	258.0645161	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:25	1	1	1	1	92.75	58.25	0	29952.607	247.311828	7547.903134	30000	0	0	30000	36.8125	2004
11.02.2020 09:44:32	1	1	1	1	92.5	58.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	37.875	2004
11.02.2020 09:44:32	1	1	1	1	92.5	58.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	37.875	2004
11.02.2020 09:44:32	1	1	1	1	92.5	58.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	37.875	2004
11.02.2020 09:44:32	1	1	1	1	92.5	58.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	37.875	2004
11.02.2020 09:44:32	1	1	1	1	92.5	58.5	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	37.875	2004
11.02.2020 09:44:32	1	1	1	1	92.5	57.75	0	30000	264.516129	7999.619493	30000	0	0	30000	37.0625	2004
11.02.2020 09:44:33	1	1	1	1	92.5	57	0	30000	266.6666667	7935.205066	30000	0	0	30000	37.875	2004
11.02.2020 09:44:34	1	1	1	1	92.5	57.75	0	30000	273.1182796	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:44:35	1	1	1	1	92.5	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:36	1	1	1	1	92.5	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.3125	2004
11.02.2020 09:44:37	1	1	1	1	93	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 09:44:38	1	1	1	1	93	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:39	1	1	1	1	93	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	38	2004
11.02.2020 09:44:40	1	1	1	1	93	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.125	2004
11.02.2020 09:44:41	1	1	1	1	93	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:42	1	1	1	1	93	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.25	2004
11.02.2020 09:44:43	1	1	1	1	93	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:44	1	1	1	1	93	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 09:44:45	1	1	1	1	93	58.25	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 09:44:46	1	1	1	1	93	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.375	2004
11.02.2020 09:44:47	1	1	1	1	92.75	58.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:44:48	1	1	1	1	92.75	58.25	0	30000	260.2150538	7741.961786	30000	0	0	30000	37.75	2004
11.02.2020 09:44:49	1	1	1	1	92.75	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.3125	2004
11.02.2020 09:44:50	1	1	1	1	92.75	57.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	36.6875	2004
11.02.2020 09:44:51	1	1	1	1	92.75	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 09:44:53	1	1	1	1	92.75	58.5	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	37.375	2004
11.02.2020 09:44:54	1	1	1	1	92.75	57.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	36.4375	2004
11.02.2020 09:44:55	1	1	1	1	92.75	56.25	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:44:56	1	1	1	1	92.75	58.5	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	37.6875	2004
11.02.2020 09:44:57	1	1	1	1	92.25	57.5	0	30000	268.8172043	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 09:44:58	1	1	1	1	92.25	58.25	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	38.5	2004
11.02.2020 09:44:59	1	1	1	1	92.25	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.125	2004
11.02.2020 09:45:00	1	1	1	1	92.25	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.5	2004
11.02.2020 09:45:01	1	1	1	1	92.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.5625	2004
11.02.2020 09:45:02	1	1	1	1	92.25	57.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:45:03	1	1	1	1	92.25	58	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:04	1	1	1	1	92.25	57.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.1875	2004
11.02.2020 09:45:05	1	1	1	1	92.25	58	0	30000	264.516129	7870.79064	30000	0	0	30000	38.1875	2004
11.02.2020 09:45:06	1	1	1	1	92.25	58	0	30000	260.2150538	7794.145626	30000	0	0	30000	37.25	2004
11.02.2020 09:45:07	1	1	1	1	92.25	57.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	37.875	2004
11.02.2020 09:45:08	1	1	1	1	92.25	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 09:45:09	1	1	1	1	92.25	58.5	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 09:45:10	1	1	1	1	92.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:45:11	1	1	1	1	92.25	58.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:45:12	1	1	1	1	92.25	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.4375	2004
11.02.2020 09:45:13	1	1	1	1	92.25	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:14	1	1	1	1	92.25	57.75	0	30000	264.516129	7935.205066	30000	0	0	30000	37.125	2004
11.02.2020 09:45:15	1	1	1	1	92.25	57	0	30000	260.2150538	7806.376213	30000	0	0	30000	38	2004
11.02.2020 09:45:16	1	1	1	1	92.25	58	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.5	2004
11.02.2020 09:45:17	1	1	1	1	92.5	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.5625	2004
11.02.2020 09:45:18	1	1	1	1	92.5	57.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	37.375	2004
11.02.2020 09:45:19	1	1	1	1	92.5	57.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	37.75	2004
11.02.2020 09:45:20	1	1	1	1	92.5	57.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.25	2004
11.02.2020 09:45:21	1	1	1	1	92.5	58.25	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	38.5	2004
11.02.2020 09:45:22	1	1	1	1	92.5	58.5	0	30000	268.8172043	8077.079879	30000	0	0	30000	38	2004
11.02.2020 09:45:23	1	1	1	1	92.5	58	0	30000	262.3655914	7794.145626	30000	0	0	30000	38.0625	2004
11.02.2020 09:45:24	1	1	1	1	92.5	58	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.3125	2004
11.02.2020 09:45:25	1	1	1	1	92.5	58.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	37.875	2004
11.02.2020 09:45:26	1	1	1	1	92.5	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:39	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.9375	2004
11.02.2020 09:45:40	1	1	1	1	92	57.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5625	2004
11.02.2020 09:45:41	1	1	1	1	92	57.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 09:45:42	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	38.3125	2004
11.02.2020 09:45:43	1	1	1	1	92	58.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 09:45:44	1	1	1	1	92	58.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	37.4375	2004
11.02.2020 09:45:45	1	1	1	1	92	57.25	0	29905.213	258.0645161	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:45:46	1	1	1	1	92	58.25	0	30000	264.516129	7935.205066	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:45:47	1	1	1	1	92.25	57.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	37.0625	2004
11.02.2020 09:45:48	1	1	1	1	92.25	57	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:45:49	1	1	1	1	92.25	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.5625	2004
11.02.2020 09:45:53	1	1	1	1	92.25	58.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.25	2004
11.02.2020 09:45:53	1	1	1	1	92.25	58.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.25	2004
11.02.2020 09:45:53	1	1	1	1	92.25	58.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.25	2004
11.02.2020 09:45:53	1	1	1	1	92.25	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.4375	2004
11.02.2020 09:45:54	1	1	1	1	92.25	57.25	0	30000	268.8172043	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 09:45:55	1	1	1	1	92.25	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:45:56	1	1	1	1	92.25	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:45:57	1	1	1	1	92.25	58.5	0	29905.213	262.3655914	7922.974479	30000	0	0	30000	38.3125	2004
11.02.2020 09:45:58	1	1	1	1	92.25	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.6875	2004
11.02.2020 09:45:59	1	1	1	1	92.25	57.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 09:46:00	1	1	1	1	92.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 09:46:01	1	1	1	1	92.25	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.625	2004
11.02.2020 09:46:02	1	1	1	1	92.25	58.5	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	37.8125	2004
11.02.2020 09:46:03	1	1	1	1	92.25	57.75	0	30000	260.2150538	7870.79064	30000	0	0	30000	37.375	2004
11.02.2020 09:46:04	1	1	1	1	92.25	57.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 09:46:05	1	1	1	1	92.25	58.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.125	2004
11.02.2020 09:46:06	1	1	1	1	92.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.375	2004
11.02.2020 09:46:07	1	1	1	1	92.25	58.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 09:46:09	1	1	1	1	92.25	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.125	2004
11.02.2020 09:46:10	1	1	1	1	92.25	58	0	30000	262.3655914	7999.619493	30000	0	0	30000	37.0625	2004
11.02.2020 09:46:11	1	1	1	1	92.25	57	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 09:46:12	1	1	1	1	92.25	58.5	0	29952.607	264.516129	7987.388905	30000	0	0	30000	38.4375	2004
11.02.2020 09:46:13	1	1	1	1	92.25	58.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:46:14	1	1	1	1	92.25	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 09:46:15	1	1	1	1	92.25	58.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:46:16	1	1	1	1	92.25	58.5	0	29905.213	266.6666667	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 09:46:17	1	1	1	1	92.25	58.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	37.4375	2004
11.02.2020 09:46:18	1	1	1	1	92.25	57.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.1875	2004
11.02.2020 09:46:19	1	1	1	1	92.25	57	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.4375	2004
11.02.2020 09:46:20	1	1	1	1	92.25	58.25	0	29952.607	268.8172043	7987.388905	30000	0	0	30000	37.875	2004
11.02.2020 09:46:21	1	1	1	1	92.25	57.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	36.6875	2004
11.02.2020 09:46:22	1	1	1	1	92.25	56.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 09:46:23	1	1	1	1	92.25	58.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.375	2004
11.02.2020 09:46:24	1	1	1	1	92.25	58.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 09:46:25	1	1	1	1	92.25	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.8125	2004
11.02.2020 09:46:26	1	1	1	1	92.25	57.75	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	38.6875	2004
11.02.2020 09:46:27	1	1	1	1	92	58.5	0	29952.607	260.2150538	7870.79064	30000	0	0	30000	38.3125	2004
11.02.2020 09:46:28	1	1	1	1	92	58.25	0	30000	264.516129	7806.376213	30000	0	0	30000	36.9375	2004
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004
11.02.2020 09:46:35	1	1	1	1	92	57	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	37.375	2004
11.02.2020 09:46:35	1	1	1	1	92	57.25	0	30000	266.6666667	7870.79064	30000	0	0	30000	37.625	2004
11.02.2020 09:46:36	1	1	1	1	92	57.5	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	38.375	2004
11.02.2020 09:46:37	1	1	1	1	91.75	58.25	0	30047.393	266.6666667	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 09:46:38	1	1	1	1	91.75	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 09:46:39	1	1	1	1	91.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.1875	2004
11.02.2020 09:46:40	1	1	1	1	91.75	58	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.875	2004
11.02.2020 09:46:41	1	1	1	1	91.75	57.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	36.75	2004
11.02.2020 09:46:42	1	1	1	1	91.75	56.75	0	29952.607	268.8172043	7999.619493	30000	0	0	30000	37.9375	2004
11.02.2020 09:46:43	1	1	1	1	91.75	57.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.75	2004
11.02.2020 09:46:44	1	1	1	1	91.75	57.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.875	2004
11.02.2020 09:46:45	1	1	1	1	91.75	57.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	36.4375	2004
11.02.2020 09:46:46	1	1	1	1	91.75	56.25	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	38.75	2004
11.02.2020 09:46:47	1	1	1	1	92	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.875	2004
11.02.2020 09:46:48	1	1	1	1	92	57.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.6875	2004
11.02.2020 09:46:50	1	1	1	1	92	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.875	2004
11.02.2020 09:46:51	1	1	1	1	92	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.0625	2004
11.02.2020 09:46:52	1	1	1	1	92	58	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.375	2004
11.02.2020 09:46:53	1	1	1	1	92	58.25	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	38.0625	2004
11.02.2020 09:46:54	1	1	1	1	92	58	0	30000	264.516129	7935.205066	30000	0	0	30000	37.8125	2004
11.02.2020 09:46:55	1	1	1	1	92	57.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.3125	2004
11.02.2020 09:46:56	1	1	1	1	92	58.25	0	30000	268.8172043	8128.448346	30000	0	0	30000	38.5625	2004
11.02.2020 09:46:57	1	1	1	1	91.5	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.625	2004
11.02.2020 09:46:58	1	1	1	1	91.5	57.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 09:46:59	1	1	1	1	91.5	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	37.9375	2004
11.02.2020 09:47:00	1	1	1	1	91.5	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:01	1	1	1	1	91.5	58.5	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	38.3125	2004
11.02.2020 09:47:02	1	1	1	1	91.5	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.125	2004
11.02.2020 09:47:03	1	1	1	1	91.5	58	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.6875	2004
11.02.2020 09:47:04	1	1	1	1	91.5	58.5	0	30000	273.1182796	8386.921425	30000	0	0	30000	38.375	2004
11.02.2020 09:47:05	1	1	1	1	91.5	58.25	0	30000	270.9677419	7987.388905	30000	0	0	30000	38.125	2004
11.02.2020 09:47:06	1	1	1	1	91.5	58	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:07	1	1	1	1	92	58.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.0625	2004
11.02.2020 09:47:08	1	1	1	1	92	58	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	38.375	2004
11.02.2020 09:47:09	1	1	1	1	92	58.25	0	30000	260.2150538	7794.145626	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:10	1	1	1	1	92	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 09:47:11	1	1	1	1	92	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 09:47:12	1	1	1	1	92	58.25	0	29952.607	266.6666667	7781.099666	30000	0	0	30000	38.25	2004
11.02.2020 09:47:13	1	1	1	1	92	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:14	1	1	1	1	92	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:47:15	1	1	1	1	92	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.375	2004
11.02.2020 09:47:16	1	1	1	1	92	57.25	0	30047.393	279.5698925	8322.506999	30000	0	0	30000	38.0625	2004
11.02.2020 09:47:17	1	1	1	1	91.75	58	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:18	1	1	1	1	91.75	58.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38	2004
11.02.2020 09:47:19	1	1	1	1	91.75	58	0	30000	273.1182796	8258.092572	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:20	1	1	1	1	91.75	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.125	2004
11.02.2020 09:47:21	1	1	1	1	91.75	58	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:22	1	1	1	1	91.75	58.5	0	30000	264.516129	7870.79064	30000	0	0	30000	37.8125	2004
11.02.2020 09:47:23	1	1	1	1	91.75	57.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:24	1	1	1	1	91.75	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.375	2004
11.02.2020 09:47:25	1	1	1	1	91.75	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 09:47:26	1	1	1	1	91.75	58.25	0	29952.607	253.7634409	7588.671758	30000	0	0	30000	37.125	2004
11.02.2020 09:47:28	1	1	1	1	91	57	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 09:47:29	1	1	1	1	91	58.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.25	2004
11.02.2020 09:47:30	1	1	1	1	91	58.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	38.1875	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:36	1	1	1	1	91	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:37	1	1	1	1	91.75	57.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:38	1	1	1	1	91.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	37.8125	2004
11.02.2020 09:47:39	1	1	1	1	91.75	57.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	36.5	2004
11.02.2020 09:47:40	1	1	1	1	91.75	56.5	0	30000	352.688172	10644.68785	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:41	1	1	1	1	91.75	58.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	37.6875	2004
11.02.2020 09:47:42	1	1	1	1	91.75	57.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:43	1	1	1	1	91.75	58.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	38.5625	2004
11.02.2020 09:47:44	1	1	1	1	91.75	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	37.5	2004
11.02.2020 09:47:45	1	1	1	1	91.75	57.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	37.1875	2004
11.02.2020 09:47:46	1	1	1	1	91.75	57	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:47	1	1	1	1	92	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38	2004
11.02.2020 09:47:48	1	1	1	1	92	58	0	30000	309.6774194	9354.76857	30000	0	0	30000	37.4375	2004
11.02.2020 09:47:49	1	1	1	1	92	57.25	0	30000	335.483871	10064.14264	30000	0	0	30000	37.875	2004
11.02.2020 09:47:50	1	1	1	1	92	57.75	0	29952.607	339.7849462	10241.89384	30000	0	0	30000	38.375	2004
11.02.2020 09:47:51	1	1	1	1	92	58.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	38.0625	2004
11.02.2020 09:47:52	1	1	1	1	92	58	0	30000	344.0860215	10387.03014	30000	0	0	30000	38.25	2004
11.02.2020 09:47:53	1	1	1	1	92	58.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.5	2004
11.02.2020 09:47:54	1	1	1	1	92	58.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:55	1	1	1	1	92	58.25	0	29905.213	384.9462366	11530.18237	30000	0	0	30000	36.625	2004
11.02.2020 09:47:56	1	1	1	1	92	56.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.4375	2004
11.02.2020 09:47:57	1	1	1	1	91.75	58.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	37.8125	2004
11.02.2020 09:47:58	1	1	1	1	91.75	57.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:47:59	1	1	1	1	91.75	57.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	37.75	2004
11.02.2020 09:48:00	1	1	1	1	91.75	57.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:48:01	1	1	1	1	91.75	58.25	0	30000	372.0430108	11079.28139	30000	0	0	30000	37.8125	2004
11.02.2020 09:48:02	1	1	1	1	91.75	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.3125	2004
11.02.2020 09:48:03	1	1	1	1	91.75	57.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	38.625	2004
11.02.2020 09:48:04	1	1	1	1	91.75	58.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.125	2004
11.02.2020 09:48:06	1	1	1	1	91.75	58	0	30000	363.4408602	10950.45253	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:07	1	1	1	1	92	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.25	2004
11.02.2020 09:48:08	1	1	1	1	92	58.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	38.5625	2004
11.02.2020 09:48:09	1	1	1	1	92	58.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.0625	2004
11.02.2020 09:48:10	1	1	1	1	92	58	0	29952.607	365.5913978	11160.81863	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:11	1	1	1	1	92	58.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.0625	2004
11.02.2020 09:48:12	1	1	1	1	92	58	0	30000	326.8817204	9806.484929	30000	0	0	30000	37.5625	2004
11.02.2020 09:48:13	1	1	1	1	92	57.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	38.3125	2004
11.02.2020 09:48:14	1	1	1	1	92	58.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	37.375	2004
11.02.2020 09:48:15	1	1	1	1	92	57.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.3125	2004
11.02.2020 09:48:16	1	1	1	1	92	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.0625	2004
11.02.2020 09:48:17	1	1	1	1	91.75	58	0	30000	372.0430108	11160.81863	30000	0	0	30000	37.875	2004
11.02.2020 09:48:18	1	1	1	1	91.75	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.25	2004
11.02.2020 09:48:19	1	1	1	1	91.75	58.25	0	30094.787	404.3010753	11871.00807	30000	0	0	30000	38.3125	2004
11.02.2020 09:48:20	1	1	1	1	91.75	58.25	0	30000	395.6989247	11676.94942	30000	0	0	30000	38.375	2004
11.02.2020 09:48:21	1	1	1	1	91.75	58.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	37.75	2004
11.02.2020 09:48:22	1	1	1	1	91.75	57.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.25	2004
11.02.2020 09:48:23	1	1	1	1	91.75	58.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	38.5	2004
11.02.2020 09:48:24	1	1	1	1	91.75	58.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	38.125	2004
11.02.2020 09:48:25	1	1	1	1	91.75	58	0	30000	350.5376344	10451.44457	30000	0	0	30000	37.375	2004
11.02.2020 09:48:26	1	1	1	1	91.75	57.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.375	2004
11.02.2020 09:48:27	1	1	1	1	92	58.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	38.625	2004
11.02.2020 09:48:28	1	1	1	1	92	58.5	0	30000	378.4946237	11208.11024	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:29	1	1	1	1	92	58.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	37.3125	2004
11.02.2020 09:48:30	1	1	1	1	92	57.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	37.75	2004
11.02.2020 09:48:31	1	1	1	1	92	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:38	1	1	1	1	92	58.25	0	29905.213	341.9354839	10435.13712	30000	0	0	30000	38.625	2004
11.02.2020 09:48:39	1	1	1	1	92	58.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	37.9375	2004
11.02.2020 09:48:40	1	1	1	1	92	57.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	37.8125	2004
11.02.2020 09:48:41	1	1	1	1	92	57.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	36.8125	2004
11.02.2020 09:48:42	1	1	1	1	92	56.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:48:44	1	1	1	1	92	58	0	29952.607	382.7956989	11530.18237	30000	0	0	30000	38.375	2004
11.02.2020 09:48:45	1	1	1	1	92	58.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	37.875	2004
11.02.2020 09:48:46	1	1	1	1	92	57.75	0	30000	389.2473118	11640.25766	30000	0	0	30000	38.6875	2004
11.02.2020 09:48:47	1	1	1	1	92.5	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	37.6875	2004
11.02.2020 09:48:48	1	1	1	1	92.5	57.5	0	30000	412.9032258	12471.12222	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:49	1	1	1	1	92.5	58.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.625	2004
11.02.2020 09:48:50	1	1	1	1	92.5	57.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	38.375	2004
11.02.2020 09:48:51	1	1	1	1	92.5	58.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.25	2004
11.02.2020 09:48:52	1	1	1	1	92.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
11.02.2020 09:48:53	1	1	1	1	92.5	57.5	0	29905.213	395.6989247	12128.66578	30000	0	0	30000	38.375	2004
11.02.2020 09:48:54	1	1	1	1	92.5	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:48:55	1	1	1	1	92.5	57.25	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:56	1	1	1	1	92.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 09:48:57	1	1	1	1	92.75	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 09:48:58	1	1	1	1	92.75	58.25	0	29905.213	397.8494624	12045.49778	30000	0	0	30000	38.125	2004
11.02.2020 09:48:59	1	1	1	1	92.75	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 09:49:00	1	1	1	1	92.75	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.125	2004
11.02.2020 09:49:01	1	1	1	1	92.75	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.375	2004
11.02.2020 09:49:02	1	1	1	1	92.75	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.3125	2004
11.02.2020 09:49:03	1	1	1	1	92.75	58.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.0625	2004
11.02.2020 09:49:04	1	1	1	1	92.75	58	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 09:49:05	1	1	1	1	92.75	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	37.375	2004
11.02.2020 09:49:06	1	1	1	1	92.75	57.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 09:49:07	1	1	1	1	92.5	58.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:08	1	1	1	1	92.5	58.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.375	2004
11.02.2020 09:49:09	1	1	1	1	92.5	58.25	0	30000	397.8494624	11852.2545	30000	0	0	30000	38.25	2004
11.02.2020 09:49:10	1	1	1	1	92.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 09:49:11	1	1	1	1	92.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 09:49:12	1	1	1	1	92.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 09:49:13	1	1	1	1	92.5	58	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 09:49:14	1	1	1	1	92.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.625	2004
11.02.2020 09:49:15	1	1	1	1	92.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 09:49:16	1	1	1	1	92.5	58.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	37.875	2004
11.02.2020 09:49:17	1	1	1	1	92.75	57.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 09:49:18	1	1	1	1	92.75	58.25	0	30000	415.0537634	12367.56992	30000	0	0	30000	37.75	2004
11.02.2020 09:49:19	1	1	1	1	92.75	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 09:49:20	1	1	1	1	92.75	58.25	0	30000	404.3010753	11897.09999	30000	0	0	30000	38.25	2004
11.02.2020 09:49:21	1	1	1	1	92.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 09:49:23	1	1	1	1	92.75	58	0	29905.213	400	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 09:49:24	1	1	1	1	92.75	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.1875	2004
11.02.2020 09:49:25	1	1	1	1	92.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 09:49:26	1	1	1	1	92.75	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004
11.02.2020 09:49:27	1	1	1	1	92.25	57.75	0	30000	400	11999.83693	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:49:28	1	1	1	1	92.25	57.75	0	29952.607	400	12128.66578	30000	0	0	30000	38.3125	2004
11.02.2020 09:49:29	1	1	1	1	92.25	58.25	0	30000	404.3010753	11935.4225	30000	0	0	30000	37.375	2004
11.02.2020 09:49:30	1	1	1	1	92.25	57.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.9375	2004
11.02.2020 09:49:31	1	1	1	1	92.25	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 09:49:32	1	1	1	1	92.25	58.5	0	30000	404.3010753	11999.83693	30000	0	0	30000	37.9375	2004
11.02.2020 09:49:33	1	1	1	1	92.25	57.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:40	1	1	1	1	92.25	58.25	0	30000	400	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:49:40	1	1	1	1	92.25	58.25	0	30000	400	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:49:40	1	1	1	1	92.25	58.25	0	30000	400	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:49:40	1	1	1	1	92.25	58.25	0	30000	400	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:49:40	1	1	1	1	92.25	58.25	0	30000	400	11871.00807	30000	0	0	30000	37.3125	2004
11.02.2020 09:49:40	1	1	1	1	92.25	57.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.5	2004
11.02.2020 09:49:41	1	1	1	1	92.25	57.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.3125	2004
11.02.2020 09:49:42	1	1	1	1	92.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5625	2004
11.02.2020 09:49:43	1	1	1	1	92.25	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004
11.02.2020 09:49:44	1	1	1	1	92.25	57.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.5	2004
11.02.2020 09:49:45	1	1	1	1	92.25	58.5	0	29905.213	384.9462366	11612.53499	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:46	1	1	1	1	92.25	58.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	37.8125	2004
11.02.2020 09:49:47	1	1	1	1	92.25	57.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	38.1875	2004
11.02.2020 09:49:48	1	1	1	1	92.25	58	0	30000	397.8494624	11871.00807	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:49	1	1	1	1	92.25	58.25	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	38.3125	2004
11.02.2020 09:49:50	1	1	1	1	92.25	58.25	0	29952.607	400	12109.91221	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:51	1	1	1	1	92.25	58.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.5	2004
11.02.2020 09:49:52	1	1	1	1	92.25	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.6875	2004
11.02.2020 09:49:53	1	1	1	1	92.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 09:49:54	1	1	1	1	92.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.4375	2004
11.02.2020 09:49:55	1	1	1	1	92.25	57.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 09:49:56	1	1	1	1	92.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 09:49:57	1	1	1	1	92.5	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.4375	2004
11.02.2020 09:49:58	1	1	1	1	92.5	58.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.6875	2004
11.02.2020 09:49:59	1	1	1	1	92.5	57.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	37.3125	2004
11.02.2020 09:50:00	1	1	1	1	92.5	57.25	0	29952.607	400	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 09:50:02	1	1	1	1	92.5	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.0625	2004
11.02.2020 09:50:03	1	1	1	1	92.5	59	0	30047.393	400	11935.4225	30000	0	0	30000	37.4375	2004
11.02.2020 09:50:04	1	1	1	1	92.5	58.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	37.9375	2004
11.02.2020 09:50:05	1	1	1	1	92.5	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:06	1	1	1	1	92.5	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.5	2004
11.02.2020 09:50:07	1	1	1	1	92.5	58.5	0	30000	395.6989247	11530.18237	30000	0	0	30000	37.875	2004
11.02.2020 09:50:08	1	1	1	1	92.5	57.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	38.625	2004
11.02.2020 09:50:09	1	1	1	1	92.5	58.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:10	1	1	1	1	92.5	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.3125	2004
11.02.2020 09:50:11	1	1	1	1	92.5	58.25	0	30000	391.3978495	11548.12057	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:50:12	1	1	1	1	92.5	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.125	2004
11.02.2020 09:50:13	1	1	1	1	92.5	57	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:14	1	1	1	1	92.5	58.5	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	38.5	2004
11.02.2020 09:50:15	1	1	1	1	92.5	58.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	38.5	2004
11.02.2020 09:50:16	1	1	1	1	92.5	58.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.25	2004
11.02.2020 09:50:17	1	1	1	1	92.25	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	37.8125	2004
11.02.2020 09:50:18	1	1	1	1	92.25	57.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.75	2004
11.02.2020 09:50:19	1	1	1	1	92.25	57.75	0	30047.393	384.9462366	11419.29171	30000	0	0	30000	38.4375	2004
11.02.2020 09:50:20	1	1	1	1	92.25	58.25	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	37.75	2004
11.02.2020 09:50:21	1	1	1	1	92.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.1875	2004
11.02.2020 09:50:22	1	1	1	1	92.25	58	0	30000	382.7956989	11548.12057	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:23	1	1	1	1	92.25	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5	2004
11.02.2020 09:50:24	1	1	1	1	92.25	58.5	0	30094.787	406.4516129	11935.4225	30000	0	0	30000	38.375	2004
11.02.2020 09:50:25	1	1	1	1	92.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:26	1	1	1	1	92.25	58.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	38.625	2004
11.02.2020 09:50:27	1	1	1	1	92.25	58.5	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	37.375	2004
11.02.2020 09:50:28	1	1	1	1	92.25	57.25	0	30047.393	395.6989247	11824.53184	30000	0	0	30000	37.125	2004
11.02.2020 09:50:29	1	1	1	1	92.25	57	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.5	2004
11.02.2020 09:50:30	1	1	1	1	92.25	58.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:31	1	1	1	1	92.25	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.375	2004
11.02.2020 09:50:32	1	1	1	1	92.25	58.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.625	2004
11.02.2020 09:50:33	1	1	1	1	92.25	58.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.25	2004
11.02.2020 09:50:34	1	1	1	1	92.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.25	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:41	1	1	1	1	92.75	57.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	38.875	2004
11.02.2020 09:50:42	1	1	1	1	92.75	58.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:50:43	1	1	1	1	92.75	58.5	0	30000	275.2688172	8180.632185	30000	0	0	30000	37.5	2004
11.02.2020 09:50:44	1	1	1	1	92.75	57.5	0	30000	264.516129	7999.619493	30000	0	0	30000	37.5625	2004
11.02.2020 09:50:45	1	1	1	1	92.75	57.5	0	30000	258.0645161	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 09:50:46	1	1	1	1	92.75	58.5	0	30000	258.0645161	7547.903134	30000	0	0	30000	37.625	2004
11.02.2020 09:50:47	1	1	1	1	92	57.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38	2004
11.02.2020 09:50:48	1	1	1	1	92	58	0	30000	260.2150538	7729.731199	30000	0	0	30000	38.5	2004
11.02.2020 09:50:49	1	1	1	1	92	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 09:50:50	1	1	1	1	92	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.3125	2004
11.02.2020 09:50:51	1	1	1	1	92	57.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 09:50:52	1	1	1	1	92	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 09:50:53	1	1	1	1	92	58.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 09:50:54	1	1	1	1	92	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.375	2004
11.02.2020 09:50:55	1	1	1	1	92	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:50:56	1	1	1	1	92	58.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.1875	2004
11.02.2020 09:50:57	1	1	1	1	92.75	58	0	30000	260.2150538	7870.79064	30000	0	0	30000	38.5625	2004
11.02.2020 09:50:58	1	1	1	1	92.75	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.25	2004
11.02.2020 09:50:59	1	1	1	1	92.75	58.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.5625	2004
11.02.2020 09:51:00	1	1	1	1	92.75	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:01	1	1	1	1	92.75	58.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 09:51:02	1	1	1	1	92.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.375	2004
11.02.2020 09:51:03	1	1	1	1	92.75	57.25	0	30000	258.0645161	7870.79064	30000	0	0	30000	37.6875	2004
11.02.2020 09:51:04	1	1	1	1	92.75	57.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	38.625	2004
11.02.2020 09:51:05	1	1	1	1	92.75	58.5	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38	2004
11.02.2020 09:51:06	1	1	1	1	92.75	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 09:51:07	1	1	1	1	92.5	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 09:51:08	1	1	1	1	92.5	58.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	38.1875	2004
11.02.2020 09:51:09	1	1	1	1	92.5	58	0	29905.213	266.6666667	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:10	1	1	1	1	92.5	58.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	37.9375	2004
11.02.2020 09:51:11	1	1	1	1	92.5	57.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:12	1	1	1	1	92.5	58.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.1875	2004
11.02.2020 09:51:13	1	1	1	1	92.5	58	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:14	1	1	1	1	92.5	58.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:15	1	1	1	1	92.5	58.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	38.625	2004
11.02.2020 09:51:17	1	1	1	1	92.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 09:51:18	1	1	1	1	93	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 09:51:19	1	1	1	1	93	58.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	38.75	2004
11.02.2020 09:51:20	1	1	1	1	93	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 09:51:21	1	1	1	1	93	58.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 09:51:22	1	1	1	1	93	58.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 09:51:23	1	1	1	1	93	58.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:24	1	1	1	1	93	58.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	38.125	2004
11.02.2020 09:51:25	1	1	1	1	93	58	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.125	2004
11.02.2020 09:51:26	1	1	1	1	93	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.5	2004
11.02.2020 09:51:27	1	1	1	1	92.5	58.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	38.0625	2004
11.02.2020 09:51:28	1	1	1	1	92.5	58	0	29952.607	382.7956989	11465.76794	30000	0	0	30000	38.5	2004
11.02.2020 09:51:29	1	1	1	1	92.5	58.5	0	30000	391.3978495	11640.25766	30000	0	0	30000	38.3125	2004
11.02.2020 09:51:30	1	1	1	1	92.5	58.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	37.625	2004
11.02.2020 09:51:31	1	1	1	1	92.5	57.5	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	38.5	2004
11.02.2020 09:51:32	1	1	1	1	92.5	58.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	37.9375	2004
11.02.2020 09:51:33	1	1	1	1	92.5	57.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.75	2004
11.02.2020 09:51:34	1	1	1	1	92.5	57.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	38.6875	2004
11.02.2020 09:51:35	1	1	1	1	92.5	58.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38	2004
11.02.2020 09:51:36	1	1	1	1	92.5	58	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	37.75	2004
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:43	1	1	1	1	92.75	58.25	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:43	1	1	1	1	92.75	57.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.5625	2004
11.02.2020 09:51:44	1	1	1	1	92.75	58.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	37.125	2004
11.02.2020 09:51:45	1	1	1	1	92.75	57	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	38.125	2004
11.02.2020 09:51:46	1	1	1	1	92.75	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.1875	2004
11.02.2020 09:51:47	1	1	1	1	92.25	57	0	30000	395.6989247	11871.00807	30000	0	0	30000	37.5625	2004
11.02.2020 09:51:48	1	1	1	1	92.25	57.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.3125	2004
11.02.2020 09:51:49	1	1	1	1	92.25	58.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.6875	2004
11.02.2020 09:51:50	1	1	1	1	92.25	58.5	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	37.5625	2004
11.02.2020 09:51:51	1	1	1	1	92.25	57.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	38.125	2004
11.02.2020 09:51:52	1	1	1	1	92.25	58	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	37.8125	2004
11.02.2020 09:51:53	1	1	1	1	92.25	57.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	37.75	2004
11.02.2020 09:51:54	1	1	1	1	92.25	57.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	38.3125	2004
11.02.2020 09:51:56	1	1	1	1	92.25	58.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	38.4375	2004
11.02.2020 09:51:57	1	1	1	1	92.25	58.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.0625	2004
11.02.2020 09:51:58	1	1	1	1	92.25	58	0	30000	372.0430108	11160.81863	30000	0	0	30000	37.9375	2004
11.02.2020 09:51:59	1	1	1	1	92.25	58.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.625	2004
11.02.2020 09:52:00	1	1	1	1	92.25	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.75	2004
11.02.2020 09:52:01	1	1	1	1	92.25	58.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.125	2004
11.02.2020 09:52:02	1	1	1	1	92.25	58	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	37.625	2004
11.02.2020 09:52:03	1	1	1	1	92.25	57.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:04	1	1	1	1	92.25	58.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	38.625	2004
11.02.2020 09:52:05	1	1	1	1	92.25	58.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.125	2004
11.02.2020 09:52:06	1	1	1	1	92.25	58	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.25	2004
11.02.2020 09:52:07	1	1	1	1	92.25	58.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.0625	2004
11.02.2020 09:52:08	1	1	1	1	92.25	58	0	30000	348.3870968	10515.85899	30000	0	0	30000	37.25	2004
11.02.2020 09:52:09	1	1	1	1	92.25	57.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.3125	2004
11.02.2020 09:52:10	1	1	1	1	92.25	58.25	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:11	1	1	1	1	92.25	58.25	0	30000	365.5913978	10757.20925	30000	0	0	30000	37.9375	2004
11.02.2020 09:52:12	1	1	1	1	92.25	57.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	38.5625	2004
11.02.2020 09:52:13	1	1	1	1	92.25	58.5	0	30000	333.3333333	10192.97149	30000	0	0	30000	38.125	2004
11.02.2020 09:52:14	1	1	1	1	92.25	58	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.0625	2004
11.02.2020 09:52:15	1	1	1	1	92.25	58	0	30000	294.6236559	8774.223358	30000	0	0	30000	37.6875	2004
11.02.2020 09:52:16	1	1	1	1	92.25	57.5	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	38.5625	2004
11.02.2020 09:52:17	1	1	1	1	91.5	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.0625	2004
11.02.2020 09:52:18	1	1	1	1	91.5	58	0	30000	270.9677419	8051.803332	30000	0	0	30000	37.8125	2004
11.02.2020 09:52:19	1	1	1	1	91.5	57.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 09:52:20	1	1	1	1	91.5	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.25	2004
11.02.2020 09:52:21	1	1	1	1	91.5	58.25	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.3125	2004
11.02.2020 09:52:22	1	1	1	1	91.5	58.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.625	2004
11.02.2020 09:52:23	1	1	1	1	91.5	58.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.1875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 09:52:24	1	1	1	1	91.5	58	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:25	1	1	1	1	91.5	58.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:52:26	1	1	1	1	91.5	58	0	30000	318.2795699	9612.426277	30000	0	0	30000	38.625	2004
11.02.2020 09:52:27	1	1	1	1	91.75	58.5	0	30000	335.483871	9999.728209	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:28	1	1	1	1	91.75	58.25	0	30000	341.9354839	10322.61571	30000	0	0	30000	38.125	2004
11.02.2020 09:52:29	1	1	1	1	91.75	58	0	30000	348.3870968	10387.03014	30000	0	0	30000	38.75	2004
11.02.2020 09:52:30	1	1	1	1	91.75	58.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:31	1	1	1	1	91.75	58.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.4375	2004
11.02.2020 09:52:32	1	1	1	1	91.75	58.25	0	30000	354.8387097	10611.25758	30000	0	0	30000	38.0625	2004
11.02.2020 09:52:33	1	1	1	1	91.75	58	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.5625	2004
11.02.2020 09:52:35	1	1	1	1	91.75	57.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	38.625	2004
11.02.2020 09:52:36	1	1	1	1	91.75	58.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.8125	2004
11.02.2020 09:52:37	1	1	1	1	91.75	58.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	38	2004
11.02.2020 09:52:38	1	1	1	1	91.75	58.25	0	30094.787	322.5806452	9676.840703	30000	0	0	30000	37.75	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:45	1	1	1	1	91.75	58.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 09:52:46	1	1	1	1	91.75	58.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	36.6875	2004
11.02.2020 09:52:47	1	1	1	1	91.75	56.5	0	30000	296.7741935	8708.993559	30000	0	0	30000	38.625	2004
11.02.2020 09:52:48	1	1	1	1	91.75	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.5625	2004
11.02.2020 09:52:49	1	1	1	1	91.75	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38	2004
11.02.2020 09:52:50	1	1	1	1	91.75	58	0	30000	326.8817204	9870.899356	30000	0	0	30000	37.3125	2004
11.02.2020 09:52:51	1	1	1	1	91.75	57.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	38.5	2004
11.02.2020 09:52:52	1	1	1	1	91.75	58.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	38.625	2004
11.02.2020 09:52:53	1	1	1	1	91.75	58.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	38.6875	2004
11.02.2020 09:52:54	1	1	1	1	91.75	58.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.5	2004
11.02.2020 09:52:55	1	1	1	1	91.75	58.5	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	38.0625	2004
11.02.2020 09:52:56	1	1	1	1	91.75	58	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.75	2004
11.02.2020 09:52:57	1	1	1	1	91.75	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.5625	2004
11.02.2020 09:52:58	1	1	1	1	91.75	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	37.75	2004
11.02.2020 09:52:59	1	1	1	1	91.75	57.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.375	2004
11.02.2020 09:53:00	1	1	1	1	91.75	58.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:01	1	1	1	1	91.75	58.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.5	2004
11.02.2020 09:53:02	1	1	1	1	91.75	58.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	38.1875	2004
11.02.2020 09:53:03	1	1	1	1	91.75	58	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:04	1	1	1	1	91.75	58.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:05	1	1	1	1	91.75	58.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.3125	2004
11.02.2020 09:53:06	1	1	1	1	91.75	58.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.375	2004
11.02.2020 09:53:07	1	1	1	1	91.25	58.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:53:08	1	1	1	1	91.25	58.25	0	30000	288.172043	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:09	1	1	1	1	91.25	58.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.3125	2004
11.02.2020 09:53:10	1	1	1	1	91.25	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:11	1	1	1	1	91.25	58.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	38.625	2004
11.02.2020 09:53:12	1	1	1	1	91.25	58.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:14	1	1	1	1	91.25	58.25	0	29952.607	288.172043	8708.993559	30000	0	0	30000	38.0625	2004
11.02.2020 09:53:15	1	1	1	1	91.25	58	0	30000	301.0752688	9096.295491	30000	0	0	30000	37.9375	2004
11.02.2020 09:53:16	1	1	1	1	91.25	57.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.75	2004
11.02.2020 09:53:17	1	1	1	1	91.25	58.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:18	1	1	1	1	91.5	58.5	0	30000	301.0752688	8903.052211	30000	0	0	30000	38.6875	2004
11.02.2020 09:53:19	1	1	1	1	91.5	58.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:20	1	1	1	1	91.5	58.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.1875	2004
11.02.2020 09:53:21	1	1	1	1	91.5	58	0	30000	313.9784946	9340.091865	30000	0	0	30000	38.6875	2004
11.02.2020 09:53:22	1	1	1	1	91.5	58.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.5	2004
11.02.2020 09:53:23	1	1	1	1	91.5	58.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.625	2004
11.02.2020 09:53:24	1	1	1	1	91.5	58.5	0	30094.787	322.5806452	9419.182997	30000	0	0	30000	38.5	2004
11.02.2020 09:53:25	1	1	1	1	91.5	58.5	0	30000	322.5806452	9870.899356	30000	0	0	30000	38.5	2004
11.02.2020 09:53:26	1	1	1	1	91.5	58.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:27	1	1	1	1	92	58.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:28	1	1	1	1	92	58.5	0	30000	335.483871	10064.14264	30000	0	0	30000	37.5625	2004
11.02.2020 09:53:29	1	1	1	1	92	57.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.625	2004
11.02.2020 09:53:30	1	1	1	1	92	58.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	38.6875	2004
11.02.2020 09:53:31	1	1	1	1	92	58.5	0	30000	335.483871	10064.14264	30000	0	0	30000	38.625	2004
11.02.2020 09:53:32	1	1	1	1	92	58.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	38.375	2004
11.02.2020 09:53:33	1	1	1	1	92	58.25	0	30000	313.9784946	9196.586307	30000	0	0	30000	37.0625	2004
11.02.2020 09:53:34	1	1	1	1	92	57	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:35	1	1	1	1	92	58.25	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	37.9375	2004
11.02.2020 09:53:36	1	1	1	1	92	57.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:53:37	1	1	1	1	91.25	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	37.3125	2004
11.02.2020 09:53:38	1	1	1	1	91.25	57.25	0	30047.393	305.3763441	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:53:39	1	1	1	1	91.25	58.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.375	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 09:53:46	1	1	1	1	91.25	58.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.1875	2004
11.02.2020 09:53:47	1	1	1	1	91.25	58	0	30000	350.5376344	10499.55155	30000	0	0	30000	37.9375	2004
11.02.2020 09:53:48	1	1	1	1	91.25	57.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:49	1	1	1	1	91.25	58.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	38.4375	2004
11.02.2020 09:53:51	1	1	1	1	91.25	58.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.5625	2004
11.02.2020 09:53:52	1	1	1	1	91.25	58.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:53:53	1	1	1	1	91.25	56	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.25	2004
11.02.2020 09:53:54	1	1	1	1	91.25	58.25	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.1875	2004
11.02.2020 09:53:55	1	1	1	1	91.25	58	0	30000	290.3225806	8553.257413	30000	0	0	30000	39	2004
11.02.2020 09:53:56	1	1	1	1	91.25	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	37.9375	2004
11.02.2020 09:53:57	1	1	1	1	91.25	57.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	37.125	2004
11.02.2020 09:53:58	1	1	1	1	91.25	57	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.625	2004
11.02.2020 09:53:59	1	1	1	1	91.25	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 09:54:00	1	1	1	1	91.25	58.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.3125	2004
11.02.2020 09:54:01	1	1	1	1	91.25	58.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:02	1	1	1	1	91.25	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	38.625	2004
11.02.2020 09:54:03	1	1	1	1	91.25	58.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:04	1	1	1	1	91.25	58.5	0	30000	294.6236559	8774.223358	30000	0	0	30000	37.4375	2004
11.02.2020 09:54:05	1	1	1	1	91.25	57.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	37.9375	2004
11.02.2020 09:54:06	1	1	1	1	91.25	57.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	37.0625	2004
11.02.2020 09:54:07	1	1	1	1	90.5	57	0	30000	313.9784946	9483.597423	30000	0	0	30000	37.125	2004
11.02.2020 09:54:08	1	1	1	1	90.5	57	0	29952.607	316.1290323	9612.426277	30000	0	0	30000	37.5625	2004
11.02.2020 09:54:09	1	1	1	1	90.5	57.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38	2004
11.02.2020 09:54:10	1	1	1	1	90.5	58	0	30000	333.3333333	10064.14264	30000	0	0	30000	38.5	2004
11.02.2020 09:54:11	1	1	1	1	90.5	58.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	38.25	2004
11.02.2020 09:54:12	1	1	1	1	90.5	58.25	0	30000	335.483871	10064.14264	30000	0	0	30000	38.5	2004
11.02.2020 09:54:13	1	1	1	1	90.5	58.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	38.0625	2004
11.02.2020 09:54:14	1	1	1	1	90.5	58	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.625	2004
11.02.2020 09:54:15	1	1	1	1	90.5	58.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	37.3125	2004
11.02.2020 09:54:16	1	1	1	1	90.5	57.25	0	30000	322.5806452	9662.163999	30000	0	0	30000	38.5	2004
11.02.2020 09:54:17	1	1	1	1	90.25	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:18	1	1	1	1	90.25	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	37.625	2004
11.02.2020 09:54:19	1	1	1	1	90.25	57.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.125	2004
11.02.2020 09:54:20	1	1	1	1	90.25	58	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.375	2004
11.02.2020 09:54:21	1	1	1	1	90.25	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:22	1	1	1	1	90.25	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 09:54:23	1	1	1	1	90.25	58.75	0	30000	288.172043	8644.579132	30000	0	0	30000	38.625	2004
11.02.2020 09:54:24	1	1	1	1	90.25	58.5	0	30047.393	294.6236559	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 09:54:25	1	1	1	1	90.25	58.25	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:26	1	1	1	1	90.25	58.5	0	29952.607	283.8709677	8708.993559	30000	0	0	30000	38.625	2004
11.02.2020 09:54:27	1	1	1	1	90	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:28	1	1	1	1	90	58.5	0	30000	292.4731183	8580.164705	30000	0	0	30000	37.625	2004
11.02.2020 09:54:30	1	1	1	1	90	57.5	0	30047.393	290.3225806	8774.223358	30000	0	0	30000	38.125	2004
11.02.2020 09:54:31	1	1	1	1	90	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 09:54:32	1	1	1	1	90	58.25	0	30000	294.6236559	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 09:54:33	1	1	1	1	90	58.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.9375	2004
11.02.2020 09:54:34	1	1	1	1	90	58.75	0	30000	290.3225806	8644.579132	30000	0	0	30000	37.25	2004
11.02.2020 09:54:35	1	1	1	1	90	57.25	0	29905.213	294.6236559	8838.637784	30000	0	0	30000	37.1875	2004
11.02.2020 09:54:36	1	1	1	1	90	57	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:54:37	1	1	1	1	89.75	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.75	2004
11.02.2020 09:54:38	1	1	1	1	89.75	58.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.9375	2004
11.02.2020 09:54:39	1	1	1	1	89.75	58.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.5	2004
11.02.2020 09:54:40	1	1	1	1	89.75	58.5	0	30000	288.172043	8708.993559	30000	0	0	30000	37.875	2004
11.02.2020 09:54:41	1	1	1	1	89.75	57.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:48	1	1	1	1	89.5	58.5	0	29952.607	294.6236559	8760.362025	30000	0	0	30000	37.875	2004
11.02.2020 09:54:49	1	1	1	1	89.5	57.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.5625	2004
11.02.2020 09:54:50	1	1	1	1	89.5	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.375	2004
11.02.2020 09:54:51	1	1	1	1	89.5	58.25	0	30000	288.172043	8644.579132	30000	0	0	30000	38.125	2004
11.02.2020 09:54:52	1	1	1	1	89.5	58	0	30000	288.172043	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 09:54:53	1	1	1	1	89.5	58.5	0	29952.607	288.172043	8708.993559	30000	0	0	30000	37.75	2004
11.02.2020 09:54:54	1	1	1	1	89.5	57.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.625	2004
11.02.2020 09:54:55	1	1	1	1	89.5	57.5	0	30000	286.0215054	8644.579132	30000	0	0	30000	37.3125	2004
11.02.2020 09:54:56	1	1	1	1	89.5	57.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	37.9375	2004
11.02.2020 09:54:57	1	1	1	1	89.25	57.75	0	30094.787	294.6236559	8644.579132	30000	0	0	30000	37.625	2004
11.02.2020 09:54:58	1	1	1	1	89.25	57.5	0	30000	288.172043	8708.993559	30000	0	0	30000	38.625	2004
11.02.2020 09:54:59	1	1	1	1	89.25	58.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.625	2004
11.02.2020 09:55:00	1	1	1	1	89.25	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:01	1	1	1	1	89.25	58.5	0	30047.393	294.6236559	8708.993559	30000	0	0	30000	38.0625	2004
11.02.2020 09:55:02	1	1	1	1	89.25	58	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.125	2004
11.02.2020 09:55:03	1	1	1	1	89.25	58	0	30000	288.172043	8631.533172	30000	0	0	30000	37.75	2004
11.02.2020 09:55:04	1	1	1	1	89.25	57.75	0	30000	288.172043	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:05	1	1	1	1	89.25	58.5	0	30000	288.172043	8708.993559	30000	0	0	30000	38.75	2004
11.02.2020 09:55:06	1	1	1	1	89.25	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.125	2004
11.02.2020 09:55:08	1	1	1	1	89.25	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.875	2004
11.02.2020 09:55:09	1	1	1	1	89.25	57.75	0	30000	288.172043	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:55:10	1	1	1	1	89.25	58.25	0	30000	288.172043	8708.993559	30000	0	0	30000	38.75	2004
11.02.2020 09:55:11	1	1	1	1	89.25	58.75	0	30000	288.172043	8644.579132	30000	0	0	30000	36.6875	2004
11.02.2020 09:55:12	1	1	1	1	89.25	56.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	38.9375	2004
11.02.2020 09:55:13	1	1	1	1	89.25	57.25	0	30000	288.172043	8644.579132	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:14	1	1	1	1	89.25	58.5	0	30047.393	286.0215054	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:15	1	1	1	1	89.25	58.5	0	29952.607	292.4731183	8760.362025	30000	0	0	30000	37.4375	2004
11.02.2020 09:55:16	1	1	1	1	89.25	57.25	0	30000	290.3225806	8838.637784	30000	0	0	30000	37.75	2004
11.02.2020 09:55:17	1	1	1	1	88.5	57.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:18	1	1	1	1	88.5	58.5	0	29905.213	290.3225806	8708.993559	30000	0	0	30000	38.3125	2004
11.02.2020 09:55:19	1	1	1	1	88.5	58.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	37.3125	2004
11.02.2020 09:55:20	1	1	1	1	88.5	57.25	0	30000	298.9247312	8889.190879	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:55:21	1	1	1	1	88.5	58	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:55:22	1	1	1	1	88.5	58.5	0	30000	301.0752688	9239.801049	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:23	1	1	1	1	88.5	58.5	0	29905.213	294.6236559	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:24	1	1	1	1	88.5	58.5	0	29952.607	296.7741935	8903.052211	30000	0	0	30000	37.5	2004
11.02.2020 09:55:25	1	1	1	1	88.5	57.5	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	38.375	2004
11.02.2020 09:55:26	1	1	1	1	88.5	58.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	37.75	2004
11.02.2020 09:55:27	1	1	1	1	88.5	57.75	0	29952.607	294.6236559	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:28	1	1	1	1	88.5	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:29	1	1	1	1	88.5	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.4375	2004
11.02.2020 09:55:30	1	1	1	1	88.5	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:31	1	1	1	1	88.5	58.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	37.3125	2004
11.02.2020 09:55:32	1	1	1	1	88.5	57.25	0	30000	301.0752688	8903.052211	30000	0	0	30000	38.6875	2004
11.02.2020 09:55:33	1	1	1	1	88.5	58.5	0	30000	303.2258065	9031.881064	30000	0	0	30000	38.4375	2004
11.02.2020 09:55:34	1	1	1	1	88.5	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	37.6875	2004
11.02.2020 09:55:35	1	1	1	1	88.5	57.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	37.9375	2004
11.02.2020 09:55:36	1	1	1	1	88.5	57.75	0	29952.607	301.0752688	9082.434159	30000	0	0	30000	38.25	2004
11.02.2020 09:55:37	1	1	1	1	88.5	58.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:38	1	1	1	1	88.5	58.5	0	30000	294.6236559	8695.947599	30000	0	0	30000	38.75	2004
11.02.2020 09:55:39	1	1	1	1	88.5	58.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.625	2004
11.02.2020 09:55:40	1	1	1	1	88.5	58.5	0	30000	298.9247312	8953.605305	30000	0	0	30000	37.5	2004
11.02.2020 09:55:41	1	1	1	1	88.5	57.5	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	38.25	2004
11.02.2020 09:55:42	1	1	1	1	88.5	58.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	37.25	2004
11.02.2020 09:55:49	1	1	1	1	88.25	58.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:49	1	1	1	1	88.25	58.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:49	1	1	1	1	88.25	58.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:49	1	1	1	1	88.25	58.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:49	1	1	1	1	88.25	58.5	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:55:50	1	1	1	1	88.25	58.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.9375	2004
11.02.2020 09:55:51	1	1	1	1	88.25	58.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	38.5	2004
11.02.2020 09:55:52	1	1	1	1	88.25	58.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	39.1875	2004
11.02.2020 09:55:53	1	1	1	1	88.25	59	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.5	2004
11.02.2020 09:55:54	1	1	1	1	88.25	58.5	0	29905.213	290.3225806	8903.052211	30000	0	0	30000	38.25	2004
11.02.2020 09:55:55	1	1	1	1	88.25	58.25	0	30000	298.9247312	8996.004675	30000	0	0	30000	38.625	2004
11.02.2020 09:55:56	1	1	1	1	88.25	58.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.625	2004
11.02.2020 09:55:57	1	1	1	1	88.25	58.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.0625	2004
11.02.2020 09:55:58	1	1	1	1	88.25	58	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.4375	2004
11.02.2020 09:55:59	1	1	1	1	88.25	58.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.75	2004
11.02.2020 09:56:00	1	1	1	1	88.25	58.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.8125	2004
11.02.2020 09:56:01	1	1	1	1	88.25	58.75	0	29952.607	290.3225806	8903.052211	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:02	1	1	1	1	88.25	58.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	36.9375	2004
11.02.2020 09:56:03	1	1	1	1	88.25	56.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.75	2004
11.02.2020 09:56:04	1	1	1	1	88.25	58.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:56:05	1	1	1	1	88.25	58	0	30000	294.6236559	8695.947599	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:06	1	1	1	1	88.25	58.5	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	38.625	2004
11.02.2020 09:56:07	1	1	1	1	88	58.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	37.9375	2004
11.02.2020 09:56:08	1	1	1	1	88	57.75	0	30000	303.2258065	8967.466638	30000	0	0	30000	38.625	2004
11.02.2020 09:56:09	1	1	1	1	88	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.125	2004
11.02.2020 09:56:10	1	1	1	1	88	58	0	30000	303.2258065	9096.295491	30000	0	0	30000	37.5	2004
11.02.2020 09:56:11	1	1	1	1	88	57.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:12	1	1	1	1	88	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	37.875	2004
11.02.2020 09:56:13	1	1	1	1	88	57.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:14	1	1	1	1	88	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:15	1	1	1	1	88	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 09:56:16	1	1	1	1	88	58.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	36.1875	2004
11.02.2020 09:56:17	1	1	1	1	87.5	56	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:18	1	1	1	1	87.5	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:19	1	1	1	1	87.5	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	37.3125	2004
11.02.2020 09:56:20	1	1	1	1	87.5	57.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	37.625	2004
11.02.2020 09:56:21	1	1	1	1	87.5	57.5	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:23	1	1	1	1	87.5	58.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:56:24	1	1	1	1	87.5	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.4375	2004
11.02.2020 09:56:25	1	1	1	1	87.5	58.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.75	2004
11.02.2020 09:56:26	1	1	1	1	87.5	58.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.625	2004
11.02.2020 09:56:27	1	1	1	1	87.5	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.625	2004
11.02.2020 09:56:28	1	1	1	1	87.75	58.5	0	30000	296.7741935	8810.099747	30000	0	0	30000	39.0625	2004
11.02.2020 09:56:29	1	1	1	1	87.75	56.5	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	38	2004
11.02.2020 09:56:30	1	1	1	1	87.75	58	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.4375	2004
11.02.2020 09:56:31	1	1	1	1	87.75	58.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:32	1	1	1	1	87.75	58.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	38.625	2004
11.02.2020 09:56:33	1	1	1	1	87.75	58.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	37.6875	2004
11.02.2020 09:56:34	1	1	1	1	87.75	57.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.375	2004
11.02.2020 09:56:35	1	1	1	1	87.75	58.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	38.1875	2004
11.02.2020 09:56:36	1	1	1	1	87.75	58	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	38.25	2004
11.02.2020 09:56:37	1	1	1	1	87	58.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:38	1	1	1	1	87	58.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:39	1	1	1	1	87	58.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:40	1	1	1	1	87	58.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:41	1	1	1	1	87	58.5	0	30000	305.3763441	9354.76857	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:42	1	1	1	1	87	58.5	0	30000	303.2258065	9082.434159	30000	0	0	30000	38.375	2004
11.02.2020 09:56:43	1	1	1	1	87	58.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.6875	2004
11.02.2020 09:56:44	1	1	1	1	87	58.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.5	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58.5	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 09:56:51	1	1	1	1	87.25	58	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.375	2004
11.02.2020 09:56:52	1	1	1	1	87.25	58.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.4375	2004
11.02.2020 09:56:53	1	1	1	1	87.25	58.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.75	2004
11.02.2020 09:56:54	1	1	1	1	87.25	58.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:56:55	1	1	1	1	87.25	58.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 09:56:56	1	1	1	1	87.25	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.25	2004
11.02.2020 09:56:57	1	1	1	1	87	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.1875	2004
11.02.2020 09:56:58	1	1	1	1	87	58	0	29905.213	296.7741935	8967.466638	30000	0	0	30000	38.8125	2004
11.02.2020 09:56:59	1	1	1	1	87	58.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:00	1	1	1	1	87	58.5	0	29952.607	301.0752688	9290.354143	30000	0	0	30000	38.5	2004
11.02.2020 09:57:01	1	1	1	1	87	58.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:03	1	1	1	1	87	58.5	0	30000	311.827957	9225.124344	30000	0	0	30000	38.625	2004
11.02.2020 09:57:04	1	1	1	1	87	58.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.4375	2004
11.02.2020 09:57:05	1	1	1	1	87	58.25	0	30000	311.827957	9419.182997	30000	0	0	30000	39.0625	2004
11.02.2020 09:57:06	1	1	1	1	87	59	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.0625	2004
11.02.2020 09:57:07	1	1	1	1	87	58	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:08	1	1	1	1	87	58.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	38.75	2004
11.02.2020 09:57:09	1	1	1	1	87	58.5	0	29952.607	309.6774194	9340.091865	30000	0	0	30000	38.9375	2004
11.02.2020 09:57:10	1	1	1	1	87	58.75	0	30000	309.6774194	9132.171881	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:11	1	1	1	1	87	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	38.3125	2004
11.02.2020 09:57:12	1	1	1	1	87	58.25	0	30000	313.9784946	9340.091865	30000	0	0	30000	38.4375	2004
11.02.2020 09:57:13	1	1	1	1	87	58.25	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	38.1875	2004
11.02.2020 09:57:14	1	1	1	1	87	58	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 09:57:15	1	1	1	1	87	58.5	0	29952.607	316.1290323	9419.182997	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:16	1	1	1	1	87	58.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	36.875	2004
11.02.2020 09:57:17	1	1	1	1	87	56.75	0	29952.607	316.1290323	9340.091865	30000	0	0	30000	36.1875	2004
11.02.2020 09:57:18	1	1	1	1	87	56	0	29905.213	311.827957	9354.76857	30000	0	0	30000	38.25	2004
11.02.2020 09:57:19	1	1	1	1	87	58.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	37.75	2004
11.02.2020 09:57:20	1	1	1	1	87	57.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	37.5625	2004
11.02.2020 09:57:24	1	1	1	1	87	58	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.1875	2004
11.02.2020 09:57:24	1	1	1	1	87	58	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.1875	2004
11.02.2020 09:57:24	1	1	1	1	87	58	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.1875	2004
11.02.2020 09:57:24	1	1	1	1	87	58	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.4375	2004
11.02.2020 09:57:25	1	1	1	1	87	58.25	0	30000	326.8817204	9453.428641	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:26	1	1	1	1	87	58.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:27	1	1	1	1	87	58.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.75	2004
11.02.2020 09:57:28	1	1	1	1	87	58.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.125	2004
11.02.2020 09:57:29	1	1	1	1	87	58	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.625	2004
11.02.2020 09:57:30	1	1	1	1	87	58.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:31	1	1	1	1	87	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.4375	2004
11.02.2020 09:57:32	1	1	1	1	87	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:57:33	1	1	1	1	87	57.25	0	29952.607	320.4301075	9453.428641	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:34	1	1	1	1	87	58.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	37.6875	2004
11.02.2020 09:57:35	1	1	1	1	87	57.5	0	30047.393	313.9784946	9433.859702	30000	0	0	30000	37.6875	2004
11.02.2020 09:57:36	1	1	1	1	87	57.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.6875	2004
11.02.2020 09:57:37	1	1	1	1	87	58.5	0	30000	326.8817204	9676.840703	30000	0	0	30000	38.125	2004
11.02.2020 09:57:38	1	1	1	1	87	58	0	30000	320.4301075	9741.25513	30000	0	0	30000	38.5	2004
11.02.2020 09:57:40	1	1	1	1	87	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:41	1	1	1	1	87	58.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.75	2004
11.02.2020 09:57:42	1	1	1	1	87	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.25	2004
11.02.2020 09:57:43	1	1	1	1	87	58.25	0	30000	311.827957	9354.76857	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:44	1	1	1	1	87	58.5	0	30000	322.5806452	9726.578425	30000	0	0	30000	38.625	2004
11.02.2020 09:57:45	1	1	1	1	87	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:46	1	1	1	1	87	58.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	38.4375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	57.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.375	2004
11.02.2020 09:57:53	1	1	1	1	87.5	58.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 09:57:54	1	1	1	1	87.5	58.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	38.0625	2004
11.02.2020 09:57:55	1	1	1	1	87.5	58	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.625	2004
11.02.2020 09:57:56	1	1	1	1	87.5	58.5	0	30000	309.6774194	9483.597423	30000	0	0	30000	38.75	2004
11.02.2020 09:57:57	1	1	1	1	86.75	58.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.75	2004
11.02.2020 09:57:58	1	1	1	1	86.75	58.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	37.9375	2004
11.02.2020 09:57:59	1	1	1	1	86.75	57.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.1875	2004
11.02.2020 09:58:00	1	1	1	1	86.75	58	0	30000	318.2795699	9612.426277	30000	0	0	30000	37.9375	2004
11.02.2020 09:58:01	1	1	1	1	86.75	57.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.25	2004
11.02.2020 09:58:02	1	1	1	1	86.75	58.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	38.625	2004
11.02.2020 09:58:03	1	1	1	1	86.75	58.5	0	30000	311.827957	9419.182997	30000	0	0	30000	38	2004
11.02.2020 09:58:04	1	1	1	1	86.75	58	0	30000	309.6774194	9225.124344	30000	0	0	30000	37.875	2004
11.02.2020 09:58:05	1	1	1	1	86.75	57.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	37.4375	2004
11.02.2020 09:58:06	1	1	1	1	86.75	57.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.3125	2004
11.02.2020 09:58:07	1	1	1	1	87	58.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.625	2004
11.02.2020 09:58:08	1	1	1	1	87	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.625	2004
11.02.2020 09:58:09	1	1	1	1	87	58.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	37.875	2004
11.02.2020 09:58:10	1	1	1	1	87	57.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:11	1	1	1	1	87	58.5	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	38.3125	2004
11.02.2020 09:58:12	1	1	1	1	87	58.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.5625	2004
11.02.2020 09:58:13	1	1	1	1	87	58.5	0	29952.607	311.827957	9354.76857	30000	0	0	30000	38.8125	2004
11.02.2020 09:58:14	1	1	1	1	87	58.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 09:58:15	1	1	1	1	87	58.5	0	30000	311.827957	9290.354143	30000	0	0	30000	38.8125	2004
11.02.2020 09:58:16	1	1	1	1	87	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:58:17	1	1	1	1	87	58.5	0	30000	313.9784946	9340.091865	30000	0	0	30000	38.75	2004
11.02.2020 09:58:19	1	1	1	1	87	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.75	2004
11.02.2020 09:58:20	1	1	1	1	87	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.1875	2004
11.02.2020 09:58:21	1	1	1	1	87	58	0	30000	318.2795699	9354.76857	30000	0	0	30000	37.75	2004
11.02.2020 09:58:22	1	1	1	1	87	57.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.5625	2004
11.02.2020 09:58:23	1	1	1	1	87	58.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.0625	2004
11.02.2020 09:58:24	1	1	1	1	87	59	0	30000	309.6774194	9225.124344	30000	0	0	30000	38.625	2004
11.02.2020 09:58:25	1	1	1	1	87	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	38.0625	2004
11.02.2020 09:58:26	1	1	1	1	87	58	0	30000	311.827957	9160.709918	30000	0	0	30000	38.75	2004
11.02.2020 09:58:27	1	1	1	1	87	58.75	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	38.625	2004
11.02.2020 09:58:28	1	1	1	1	87	58.5	0	29905.213	305.3763441	9160.709918	30000	0	0	30000	38.8125	2004
11.02.2020 09:58:29	1	1	1	1	87	58.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.75	2004
11.02.2020 09:58:30	1	1	1	1	87	58.75	0	30047.393	311.827957	9369.445275	30000	0	0	30000	37.8125	2004
11.02.2020 09:58:31	1	1	1	1	87	57.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	38.875	2004
11.02.2020 09:58:32	1	1	1	1	87	58.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	37.3125	2004
11.02.2020 09:58:33	1	1	1	1	87	57.25	0	30000	318.2795699	9340.091865	30000	0	0	30000	38.0625	2004
11.02.2020 09:58:34	1	1	1	1	87	58	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.75	2004
11.02.2020 09:58:35	1	1	1	1	87	58.75	0	30000	318.2795699	9468.920719	30000	0	0	30000	38	2004
11.02.2020 09:58:36	1	1	1	1	87	58	0	30000	313.9784946	9612.426277	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:37	1	1	1	1	87.25	58.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.3125	2004
11.02.2020 09:58:38	1	1	1	1	87.25	58.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	38.5625	2004
11.02.2020 09:58:39	1	1	1	1	87.25	58.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.875	2004
11.02.2020 09:58:40	1	1	1	1	87.25	58.75	0	30000	307.5268817	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 09:58:41	1	1	1	1	87.25	58.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.625	2004
11.02.2020 09:58:42	1	1	1	1	87.25	58.5	0	29905.213	311.827957	9483.597423	30000	0	0	30000	38.75	2004
11.02.2020 09:58:43	1	1	1	1	87.25	58.75	0	30000	309.6774194	9132.171881	30000	0	0	30000	38.625	2004
11.02.2020 09:58:44	1	1	1	1	87.25	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	38.4375	2004
11.02.2020 09:58:45	1	1	1	1	87.25	58.25	0	29952.607	311.827957	9483.597423	30000	0	0	30000	38.5	2004
11.02.2020 09:58:46	1	1	1	1	87.25	58.5	0	29905.213	309.6774194	9340.091865	30000	0	0	30000	38.75	2004
11.02.2020 09:58:47	1	1	1	1	86.75	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 09:58:54	1	1	1	1	86.75	58.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:54	1	1	1	1	86.75	58.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:54	1	1	1	1	86.75	58.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:54	1	1	1	1	86.75	58.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	38.6875	2004
11.02.2020 09:58:54	1	1	1	1	86.75	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.75	2004
11.02.2020 09:58:55	1	1	1	1	86.75	58.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.25	2004
11.02.2020 09:58:57	1	1	1	1	86.75	58.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	38.8125	2004
11.02.2020 09:58:58	1	1	1	1	86.5	58.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.8125	2004
11.02.2020 09:58:59	1	1	1	1	86.5	58.75	0	30000	329.0322581	9726.578425	30000	0	0	30000	36.8125	2004
11.02.2020 09:59:00	1	1	1	1	86.5	56.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.75	2004
11.02.2020 09:59:01	1	1	1	1	86.5	58.75	0	30000	331.1827957	10080.45009	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:59:02	1	1	1	1	86.5	58.75	0	30000	335.483871	10064.14264	30000	0	0	30000	37.25	2004
11.02.2020 09:59:03	1	1	1	1	86.5	57.25	0	30000	331.1827957	9919.821705	30000	0	0	30000	39	2004
11.02.2020 09:59:04	1	1	1	1	86.5	59	0	30000	335.483871	10064.14264	30000	0	0	30000	38.5625	2004
11.02.2020 09:59:05	1	1	1	1	86.5	58.5	0	30094.787	341.9354839	9935.313783	30000	0	0	30000	38.625	2004
11.02.2020 09:59:06	1	1	1	1	86.5	58.75	0	30000	335.483871	10064.14264	30000	0	0	30000	37.6875	2004
11.02.2020 09:59:07	1	1	1	1	87	57.5	0	30000	335.483871	10064.14264	30000	0	0	30000	38.75	2004
11.02.2020 09:59:08	1	1	1	1	87	58.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	38.625	2004
11.02.2020 09:59:09	1	1	1	1	87	58.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.75	2004
11.02.2020 09:59:10	1	1	1	1	87	58.75	0	30047.393	326.8817204	9756.747207	30000	0	0	30000	37.5	2004
11.02.2020 09:59:11	1	1	1	1	87	57.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	38.75	2004
11.02.2020 09:59:12	1	1	1	1	87	58.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	38.6875	2004
11.02.2020 09:59:13	1	1	1	1	87	58.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	38.5	2004
11.02.2020 09:59:14	1	1	1	1	87	58.5	0	29905.213	318.2795699	9806.484929	30000	0	0	30000	38.75	2004
11.02.2020 09:59:15	1	1	1	1	87	58.75	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	38.4375	2004
11.02.2020 09:59:16	1	1	1	1	87	58.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	36.3125	2004
11.02.2020 09:59:17	1	1	1	1	86.75	56.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	38.625	2004
11.02.2020 09:59:18	1	1	1	1	86.75	58.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	38.5	2004
11.02.2020 09:59:19	1	1	1	1	86.75	58.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	38.625	2004
11.02.2020 09:59:20	1	1	1	1	86.75	58.5	0	29952.607	324.7311828	9676.840703	30000	0	0	30000	38.75	2004
11.02.2020 09:59:21	1	1	1	1	86.75	58.75	0	30094.787	326.8817204	9806.484929	30000	0	0	30000	38	2004
11.02.2020 09:59:22	1	1	1	1	86.75	58	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.6875	2004
11.02.2020 09:59:23	1	1	1	1	86.75	58.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.75	2004
11.02.2020 09:59:24	1	1	1	1	86.75	58.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.375	2004
11.02.2020 09:59:25	1	1	1	1	86.75	58.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	37.8125	2004
11.02.2020 09:59:26	1	1	1	1	86.75	57.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.625	2004
11.02.2020 09:59:27	1	1	1	1	86.5	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38	2004
11.02.2020 09:59:28	1	1	1	1	86.5	58	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	38.6875	2004
11.02.2020 09:59:29	1	1	1	1	86.5	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:30	1	1	1	1	86.5	58	0	30000	322.5806452	9612.426277	30000	0	0	30000	37.9375	2004
11.02.2020 09:59:31	1	1	1	1	86.5	57.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	38.625	2004
11.02.2020 09:59:32	1	1	1	1	86.5	58.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	38.375	2004
11.02.2020 09:59:33	1	1	1	1	86.5	58.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.625	2004
11.02.2020 09:59:34	1	1	1	1	86.5	58.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.125	2004
11.02.2020 09:59:36	1	1	1	1	86.5	58.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.6875	2004
11.02.2020 09:59:37	1	1	1	1	86.5	58.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.8125	2004
11.02.2020 09:59:38	1	1	1	1	86.75	58.75	0	29952.607	326.8817204	9741.25513	30000	0	0	30000	38.5625	2004
11.02.2020 09:59:39	1	1	1	1	86.75	58.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	37.5	2004
11.02.2020 09:59:40	1	1	1	1	86.75	57.5	0	30000	322.5806452	9468.920719	30000	0	0	30000	38.5	2004
11.02.2020 09:59:41	1	1	1	1	86.75	58.5	0	30000	318.2795699	9676.840703	30000	0	0	30000	39	2004
11.02.2020 09:59:42	1	1	1	1	86.75	59	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.875	2004
11.02.2020 09:59:43	1	1	1	1	86.75	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 09:59:44	1	1	1	1	86.75	58.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.4375	2004
11.02.2020 09:59:45	1	1	1	1	86.75	58.25	0	30000	311.827957	9354.76857	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 09:59:46	1	1	1	1	86.75	58.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.5625	2004
11.02.2020 09:59:47	1	1	1	1	87	58.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	38.5625	2004
11.02.2020 09:59:48	1	1	1	1	87	58.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.8125	2004
11.02.2020 09:59:49	1	1	1	1	87	58.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	38.75	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	311.827957	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	311.827957	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	311.827957	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	311.827957	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	311.827957	9612.426277	30000	0	0	30000	38.0625	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	313.9784946	9419.182997	30000	0	0	30000	37.5	2004
11.02.2020 09:59:56	1	1	1	1	87	58	0	30000	313.9784946	9419.182997	30000	0	0	30000	37.5	2004
11.02.2020 09:59:57	1	1	1	1	86.25	57.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	38.75	2004
11.02.2020 09:59:58	1	1	1	1	86.25	58.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 09:59:59	1	1	1	1	86.25	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 10:00:00	1	1	1	1	86.25	58.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	38.75	2004
11.02.2020 10:00:01	1	1	1	1	86.25	58.75	0	29952.607	294.6236559	8617.67184	30000	0	0	30000	38.625	2004
11.02.2020 10:00:02	1	1	1	1	86.25	58.5	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	37.875	2004
11.02.2020 10:00:03	1	1	1	1	86.25	57.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:04	1	1	1	1	86.25	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.1875	2004
11.02.2020 10:00:05	1	1	1	1	86.25	58	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.25	2004
11.02.2020 10:00:06	1	1	1	1	86.25	58.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.5	2004
11.02.2020 10:00:07	1	1	1	1	86.25	58.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.5625	2004
11.02.2020 10:00:08	1	1	1	1	86.25	58.5	0	30000	316.1290323	9354.76857	30000	0	0	30000	38.75	2004
11.02.2020 10:00:09	1	1	1	1	86.25	58.75	0	30000	313.9784946	9290.354143	30000	0	0	30000	38.9375	2004
11.02.2020 10:00:10	1	1	1	1	86.25	58.75	0	30000	311.827957	9354.76857	30000	0	0	30000	38.5	2004
11.02.2020 10:00:11	1	1	1	1	86.25	58.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.75	2004
11.02.2020 10:00:12	1	1	1	1	86.25	58.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	38.8125	2004
11.02.2020 10:00:14	1	1	1	1	86.25	58.75	0	30000	318.2795699	9468.920719	30000	0	0	30000	38.5	2004
11.02.2020 10:00:15	1	1	1	1	86.25	58.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	37.9375	2004
11.02.2020 10:00:16	1	1	1	1	86.25	57.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	38.3125	2004
11.02.2020 10:00:17	1	1	1	1	86.25	58.25	0	30000	326.8817204	9582.257495	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:18	1	1	1	1	86.25	58.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	38.9375	2004
11.02.2020 10:00:19	1	1	1	1	86.25	58.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.25	2004
11.02.2020 10:00:20	1	1	1	1	86.25	59.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	38.3125	2004
11.02.2020 10:00:21	1	1	1	1	86.25	58.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.0625	2004
11.02.2020 10:00:22	1	1	1	1	86.25	58.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	38.625	2004
11.02.2020 10:00:23	1	1	1	1	86.25	58.5	0	30000	329.0322581	9886.391433	30000	0	0	30000	38.625	2004
11.02.2020 10:00:24	1	1	1	1	86.25	58.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	38.5625	2004
11.02.2020 10:00:25	1	1	1	1	86.25	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:26	1	1	1	1	86.25	58.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.3125	2004
11.02.2020 10:00:27	1	1	1	1	86.5	58.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.875	2004
11.02.2020 10:00:28	1	1	1	1	86.5	58.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.75	2004
11.02.2020 10:00:29	1	1	1	1	86.5	58.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:00:30	1	1	1	1	86.5	58.25	0	30000	322.5806452	9453.428641	30000	0	0	30000	38.4375	2004
11.02.2020 10:00:31	1	1	1	1	86.5	58.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	38.5	2004
11.02.2020 10:00:32	1	1	1	1	86.5	58.5	0	29952.607	311.827957	9483.597423	30000	0	0	30000	37.875	2004
11.02.2020 10:00:33	1	1	1	1	86.5	57.75	0	30000	316.1290323	9419.182997	30000	0	0	30000	38.8125	2004
11.02.2020 10:00:34	1	1	1	1	86.5	58.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	37.6875	2004
11.02.2020 10:00:35	1	1	1	1	86.5	57.5	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	38.0625	2004
11.02.2020 10:00:36	1	1	1	1	86.5	58	0	30000	309.6774194	9419.182997	30000	0	0	30000	37.9375	2004
11.02.2020 10:00:37	1	1	1	1	86.25	57.75	0	29905.213	307.5268817	9324.599788	30000	0	0	30000	37.5	2004
11.02.2020 10:00:38	1	1	1	1	86.25	57.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 10:00:39	1	1	1	1	86.25	58.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:40	1	1	1	1	86.25	58.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	38.9375	2004
11.02.2020 10:00:41	1	1	1	1	86.25	58.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 10:00:42	1	1	1	1	86.25	58.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:43	1	1	1	1	86.25	58.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	37.875	2004
11.02.2020 10:00:44	1	1	1	1	86.25	57.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	38.25	2004
11.02.2020 10:00:45	1	1	1	1	86.25	58.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.75	2004
11.02.2020 10:00:46	1	1	1	1	86.25	58.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.75	2004
11.02.2020 10:00:47	1	1	1	1	85.75	58.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.0625	2004
11.02.2020 10:00:48	1	1	1	1	85.75	58	0	30000	316.1290323	9483.597423	30000	0	0	30000	38.1875	2004
11.02.2020 10:00:49	1	1	1	1	85.75	58	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	38.6875	2004
11.02.2020 10:00:50	1	1	1	1	85.75	58.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	38.25	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:57	1	1	1	1	85.75	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39	2004
11.02.2020 10:00:58	1	1	1	1	85.25	59	0	30000	311.827957	9354.76857	30000	0	0	30000	38.4375	2004
11.02.2020 10:00:59	1	1	1	1	85.25	58.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:00	1	1	1	1	85.25	58.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:01	1	1	1	1	85.25	58.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	37.75	2004
11.02.2020 10:01:02	1	1	1	1	85.25	57.75	0	30000	307.5268817	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 10:01:03	1	1	1	1	85.25	58	0	30000	305.3763441	9225.124344	30000	0	0	30000	37.5625	2004
11.02.2020 10:01:04	1	1	1	1	85.25	57.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.0625	2004
11.02.2020 10:01:05	1	1	1	1	85.25	58	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:06	1	1	1	1	85.25	58.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	37.6875	2004
11.02.2020 10:01:07	1	1	1	1	85.5	57.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.5625	2004
11.02.2020 10:01:08	1	1	1	1	85.5	58.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	38.1875	2004
11.02.2020 10:01:09	1	1	1	1	85.5	58	0	30000	305.3763441	9096.295491	30000	0	0	30000	38	2004
11.02.2020 10:01:10	1	1	1	1	85.5	58	0	30000	307.5268817	9160.709918	30000	0	0	30000	38	2004
11.02.2020 10:01:11	1	1	1	1	85.5	58	0	30000	303.2258065	9031.881064	30000	0	0	30000	38.1875	2004
11.02.2020 10:01:12	1	1	1	1	85.5	58	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.6875	2004
11.02.2020 10:01:13	1	1	1	1	85.5	58.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:01:14	1	1	1	1	85.5	58	0	30000	301.0752688	8967.466638	30000	0	0	30000	37.5	2004
11.02.2020 10:01:15	1	1	1	1	85.5	57.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.1875	2004
11.02.2020 10:01:16	1	1	1	1	85.5	58	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.375	2004
11.02.2020 10:01:17	1	1	1	1	84.75	58.25	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	38.5	2004
11.02.2020 10:01:18	1	1	1	1	84.75	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.75	2004
11.02.2020 10:01:19	1	1	1	1	84.75	58.75	0	30000	298.9247312	8838.637784	30000	0	0	30000	38.6875	2004
11.02.2020 10:01:20	1	1	1	1	84.75	58.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.5625	2004
11.02.2020 10:01:21	1	1	1	1	84.75	58.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	37.625	2004
11.02.2020 10:01:22	1	1	1	1	84.75	57.5	0	29952.607	303.2258065	9096.295491	30000	0	0	30000	38.125	2004
11.02.2020 10:01:23	1	1	1	1	84.75	58	0	30000	303.2258065	9290.354143	30000	0	0	30000	38.875	2004
11.02.2020 10:01:24	1	1	1	1	84.75	58.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	37.9375	2004
11.02.2020 10:01:25	1	1	1	1	84.75	57.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	38.9375	2004
11.02.2020 10:01:26	1	1	1	1	84.75	58.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.125	2004
11.02.2020 10:01:28	1	1	1	1	85.25	58	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:29	1	1	1	1	85.25	58.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.25	2004
11.02.2020 10:01:30	1	1	1	1	85.25	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 10:01:31	1	1	1	1	85.25	58.75	0	30000	296.7741935	8953.605305	30000	0	0	30000	38.25	2004
11.02.2020 10:01:32	1	1	1	1	85.25	58.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	37.75	2004
11.02.2020 10:01:33	1	1	1	1	85.25	57.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	38.75	2004
11.02.2020 10:01:34	1	1	1	1	85.25	58.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 10:01:35	1	1	1	1	85.25	58.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.9375	2004
11.02.2020 10:01:36	1	1	1	1	85.25	58.75	0	29952.607	301.0752688	9082.434159	30000	0	0	30000	38.5	2004
11.02.2020 10:01:37	1	1	1	1	85.25	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:01:38	1	1	1	1	85.5	58.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.75	2004
11.02.2020 10:01:39	1	1	1	1	85.5	58.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	38.5	2004
11.02.2020 10:01:40	1	1	1	1	85.5	58.5	0	30000	301.0752688	9160.709918	30000	0	0	30000	37.5625	2004
11.02.2020 10:01:41	1	1	1	1	85.5	57.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:42	1	1	1	1	85.5	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.625	2004
11.02.2020 10:01:43	1	1	1	1	85.5	58.5	0	30000	309.6774194	9096.295491	30000	0	0	30000	38.6875	2004
11.02.2020 10:01:44	1	1	1	1	85.5	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.5	2004
11.02.2020 10:01:45	1	1	1	1	85.5	58.5	0	30000	305.3763441	8746.500693	30000	0	0	30000	38.3125	2004
11.02.2020 10:01:46	1	1	1	1	85.5	58.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 10:01:47	1	1	1	1	85.5	58.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.625	2004
11.02.2020 10:01:48	1	1	1	1	85.5	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.375	2004
11.02.2020 10:01:49	1	1	1	1	85.5	58.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 10:01:50	1	1	1	1	85.5	58.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.375	2004
11.02.2020 10:01:51	1	1	1	1	85.5	58.25	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	38.75	2004
11.02.2020 10:01:52	1	1	1	1	85.5	58.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8953.605305	30000	0	0	30000	38.8125	2004
11.02.2020 10:01:59	1	1	1	1	85.25	58.75	0	30000	301.0752688	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:02:00	1	1	1	1	85.25	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:01	1	1	1	1	85.25	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.0625	2004
11.02.2020 10:02:02	1	1	1	1	85.25	58	0	30000	294.6236559	8695.947599	30000	0	0	30000	38.75	2004
11.02.2020 10:02:03	1	1	1	1	85.25	58.75	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:04	1	1	1	1	85.25	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:02:05	1	1	1	1	85.25	58.75	0	30000	283.8709677	8722.854891	30000	0	0	30000	38.875	2004
11.02.2020 10:02:07	1	1	1	1	85.25	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 10:02:08	1	1	1	1	85.25	58.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.9375	2004
11.02.2020 10:02:09	1	1	1	1	85.25	58.75	0	29905.213	288.172043	8580.164705	30000	0	0	30000	38.0625	2004
11.02.2020 10:02:10	1	1	1	1	85.25	58	0	30000	286.0215054	8672.301797	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:11	1	1	1	1	85.25	58.5	0	30000	286.0215054	8594.026038	30000	0	0	30000	38.3125	2004
11.02.2020 10:02:12	1	1	1	1	85.25	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:02:13	1	1	1	1	85.25	58.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.9375	2004
11.02.2020 10:02:14	1	1	1	1	85.25	58.75	0	30094.787	288.172043	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:02:15	1	1	1	1	85.25	58.75	0	30000	286.0215054	8708.993559	30000	0	0	30000	39.0625	2004
11.02.2020 10:02:16	1	1	1	1	85.25	59.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.625	2004
11.02.2020 10:02:17	1	1	1	1	84.5	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	37.75	2004
11.02.2020 10:02:18	1	1	1	1	84.5	57.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:02:19	1	1	1	1	84.5	58.75	0	30000	288.172043	8644.579132	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:20	1	1	1	1	84.5	58.5	0	30047.393	290.3225806	8644.579132	30000	0	0	30000	37.9375	2004
11.02.2020 10:02:21	1	1	1	1	84.5	57.75	0	29952.607	286.0215054	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:02:22	1	1	1	1	84.5	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.0625	2004
11.02.2020 10:02:23	1	1	1	1	84.5	58	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.9375	2004
11.02.2020 10:02:24	1	1	1	1	84.5	57.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.875	2004
11.02.2020 10:02:25	1	1	1	1	84.5	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:02:26	1	1	1	1	84.5	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:27	1	1	1	1	84.5	58.5	0	30000	281.7204301	8386.921425	30000	0	0	30000	38.75	2004
11.02.2020 10:02:28	1	1	1	1	84.5	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:29	1	1	1	1	84.5	58.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.8125	2004
11.02.2020 10:02:30	1	1	1	1	84.5	58.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.0625	2004
11.02.2020 10:02:31	1	1	1	1	84.5	58	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:02:32	1	1	1	1	84.5	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.25	2004
11.02.2020 10:02:33	1	1	1	1	84.5	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:02:34	1	1	1	1	84.5	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.9375	2004
11.02.2020 10:02:35	1	1	1	1	84.5	57.75	0	29952.607	286.0215054	8567.118745	30000	0	0	30000	37.625	2004
11.02.2020 10:02:36	1	1	1	1	84.5	57.5	0	30000	286.0215054	8553.257413	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:37	1	1	1	1	84.25	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.875	2004
11.02.2020 10:02:38	1	1	1	1	84.25	57.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	37.875	2004
11.02.2020 10:02:39	1	1	1	1	84.25	57.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	37.5625	2004
11.02.2020 10:02:40	1	1	1	1	84.25	57.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.625	2004
11.02.2020 10:02:41	1	1	1	1	84.25	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:02:42	1	1	1	1	84.25	58.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.375	2004
11.02.2020 10:02:43	1	1	1	1	84.25	58.25	0	29905.213	292.4731183	8708.993559	30000	0	0	30000	38.8125	2004
11.02.2020 10:02:45	1	1	1	1	84.25	58.75	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.125	2004
11.02.2020 10:02:46	1	1	1	1	84.25	58	0	30000	292.4731183	8708.993559	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:47	1	1	1	1	84.25	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.75	2004
11.02.2020 10:02:48	1	1	1	1	84.25	58.75	0	30000	288.172043	8708.993559	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:49	1	1	1	1	84.25	58.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.9375	2004
11.02.2020 10:02:50	1	1	1	1	84.25	58.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.25	2004
11.02.2020 10:02:51	1	1	1	1	84.25	58.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 10:02:52	1	1	1	1	84.25	58.25	0	30000	290.3225806	8695.947599	30000	0	0	30000	39	2004
11.02.2020 10:02:53	1	1	1	1	84.25	59	0	30000	288.172043	8708.993559	30000	0	0	30000	38.6875	2004
11.02.2020 10:02:54	1	1	1	1	84.25	59	0	30000	294.6236559	8838.637784	30000	0	0	30000	36.5625	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:01	1	1	1	1	84.25	58.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	38.4375	2004
11.02.2020 10:03:02	1	1	1	1	84.25	58.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	37.3125	2004
11.02.2020 10:03:03	1	1	1	1	84.25	57.25	0	30000	298.9247312	8981.32797	30000	0	0	30000	38.125	2004
11.02.2020 10:03:04	1	1	1	1	84.25	58	0	30000	298.9247312	8967.466638	30000	0	0	30000	37.3125	2004
11.02.2020 10:03:05	1	1	1	1	84.25	57.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	37.625	2004
11.02.2020 10:03:06	1	1	1	1	84.25	57.5	0	29905.213	290.3225806	8903.052211	30000	0	0	30000	38.875	2004
11.02.2020 10:03:07	1	1	1	1	84.5	58.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.875	2004
11.02.2020 10:03:08	1	1	1	1	84.5	58.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.75	2004
11.02.2020 10:03:09	1	1	1	1	84.5	58.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	38.375	2004
11.02.2020 10:03:10	1	1	1	1	84.5	58.25	0	30000	292.4731183	8903.052211	30000	0	0	30000	38.5625	2004
11.02.2020 10:03:11	1	1	1	1	84.5	58.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.75	2004
11.02.2020 10:03:12	1	1	1	1	84.5	58.75	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:13	1	1	1	1	84.5	58.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.625	2004
11.02.2020 10:03:14	1	1	1	1	84.5	58.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.1875	2004
11.02.2020 10:03:15	1	1	1	1	84.5	58	0	30000	288.172043	8644.579132	30000	0	0	30000	38.3125	2004
11.02.2020 10:03:16	1	1	1	1	84.5	58.25	0	30000	290.3225806	8774.223358	30000	0	0	30000	38.5625	2004
11.02.2020 10:03:17	1	1	1	1	84.75	58.5	0	30000	296.7741935	8889.190879	30000	0	0	30000	38.625	2004
11.02.2020 10:03:18	1	1	1	1	84.75	58.5	0	30000	301.0752688	8903.052211	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:19	1	1	1	1	84.75	58.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.375	2004
11.02.2020 10:03:20	1	1	1	1	84.75	58.25	0	30000	294.6236559	8644.579132	30000	0	0	30000	38.625	2004
11.02.2020 10:03:21	1	1	1	1	84.75	58.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.875	2004
11.02.2020 10:03:23	1	1	1	1	84.75	58.75	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	38.875	2004
11.02.2020 10:03:24	1	1	1	1	84.75	58.75	0	30000	279.5698925	8399.967385	30000	0	0	30000	38.75	2004
11.02.2020 10:03:25	1	1	1	1	84.75	58.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:26	1	1	1	1	84.75	58.75	0	30000	286.0215054	8515.750279	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:03:27	1	1	1	1	84.75	58.75	0	30000	279.5698925	8451.335852	30000	0	0	30000	37.5625	2004
11.02.2020 10:03:28	1	1	1	1	85	57.5	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 10:03:29	1	1	1	1	85	58.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	37.1875	2004
11.02.2020 10:03:30	1	1	1	1	85	57	0	30000	288.172043	8644.579132	30000	0	0	30000	38.875	2004
11.02.2020 10:03:31	1	1	1	1	85	58.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:32	1	1	1	1	85	58.75	0	30000	281.7204301	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:03:33	1	1	1	1	85	58.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.9375	2004
11.02.2020 10:03:34	1	1	1	1	85	58.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.1875	2004
11.02.2020 10:03:35	1	1	1	1	85	58.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 10:03:36	1	1	1	1	85	58.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:37	1	1	1	1	85.25	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.25	2004
11.02.2020 10:03:38	1	1	1	1	85.25	58.25	0	29952.607	275.2688172	8103.171799	30000	0	0	30000	38	2004
11.02.2020 10:03:39	1	1	1	1	85.25	58	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:03:40	1	1	1	1	85.25	58.75	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	38.625	2004
11.02.2020 10:03:41	1	1	1	1	85.25	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:42	1	1	1	1	85.25	58.75	0	30000	275.2688172	8399.967385	30000	0	0	30000	38.75	2004
11.02.2020 10:03:43	1	1	1	1	85.25	58.75	0	30000	275.2688172	8245.046612	30000	0	0	30000	38.875	2004
11.02.2020 10:03:44	1	1	1	1	85.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.6875	2004
11.02.2020 10:03:45	1	1	1	1	85.25	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.125	2004
11.02.2020 10:03:46	1	1	1	1	85.25	58	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.6875	2004
11.02.2020 10:03:47	1	1	1	1	84.75	58.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	38.125	2004
11.02.2020 10:03:48	1	1	1	1	84.75	58	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:49	1	1	1	1	84.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.8125	2004
11.02.2020 10:03:50	1	1	1	1	84.75	58.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.9375	2004
11.02.2020 10:03:51	1	1	1	1	84.75	58.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.375	2004
11.02.2020 10:03:52	1	1	1	1	84.75	57.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.4375	2004
11.02.2020 10:03:53	1	1	1	1	84.75	58.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:03:54	1	1	1	1	84.75	58.75	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:03:55	1	1	1	1	84.75	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 10:04:02	1	1	1	1	84.5	57.75	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:02	1	1	1	1	84.5	57.75	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:02	1	1	1	1	84.5	57.75	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:02	1	1	1	1	84.5	57.75	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:02	1	1	1	1	84.5	57.75	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:02	1	1	1	1	84.5	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	36.9375	2004
11.02.2020 10:04:04	1	1	1	1	84.5	56.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:04:05	1	1	1	1	84.5	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.6875	2004
11.02.2020 10:04:06	1	1	1	1	84.5	58.5	0	30047.393	275.2688172	8322.506999	30000	0	0	30000	37.6875	2004
11.02.2020 10:04:07	1	1	1	1	84.5	57.5	0	29952.607	277.4193548	8295.599706	30000	0	0	30000	38.1875	2004
11.02.2020 10:04:08	1	1	1	1	84.25	58	0	30000	279.5698925	8309.461039	30000	0	0	30000	38.875	2004
11.02.2020 10:04:09	1	1	1	1	84.25	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.875	2004
11.02.2020 10:04:10	1	1	1	1	84.25	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:04:11	1	1	1	1	84.25	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	39	2004
11.02.2020 10:04:12	1	1	1	1	84.25	59	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.875	2004
11.02.2020 10:04:13	1	1	1	1	84.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	39.125	2004
11.02.2020 10:04:14	1	1	1	1	84.25	59	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 10:04:15	1	1	1	1	84.25	58.75	0	30000	273.1182796	7999.619493	30000	0	0	30000	37.8125	2004
11.02.2020 10:04:16	1	1	1	1	84.25	58.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	37.5	2004
11.02.2020 10:04:17	1	1	1	1	83.75	57.5	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	38.25	2004
11.02.2020 10:04:18	1	1	1	1	83.75	58.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.6875	2004
11.02.2020 10:04:19	1	1	1	1	83.75	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38	2004
11.02.2020 10:04:20	1	1	1	1	83.75	58	0	29952.607	277.4193548	8580.164705	30000	0	0	30000	38.25	2004
11.02.2020 10:04:21	1	1	1	1	83.75	58.25	0	30000	288.172043	8567.118745	30000	0	0	30000	37.5	2004
11.02.2020 10:04:22	1	1	1	1	83.75	57.5	0	30000	288.172043	8644.579132	30000	0	0	30000	36.375	2004
11.02.2020 10:04:23	1	1	1	1	83.75	56.25	0	30000	288.172043	8644.579132	30000	0	0	30000	39	2004
11.02.2020 10:04:24	1	1	1	1	83.75	59	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.6875	2004
11.02.2020 10:04:25	1	1	1	1	83.75	58.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.1875	2004
11.02.2020 10:04:26	1	1	1	1	83.75	58	0	30000	288.172043	8644.579132	30000	0	0	30000	38.75	2004
11.02.2020 10:04:27	1	1	1	1	83.25	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 10:04:28	1	1	1	1	83.25	58.5	0	30000	277.4193548	8386.921425	30000	0	0	30000	38.8125	2004
11.02.2020 10:04:29	1	1	1	1	83.25	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.0625	2004
11.02.2020 10:04:30	1	1	1	1	83.25	58	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.375	2004
11.02.2020 10:04:31	1	1	1	1	83.25	58.25	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:32	1	1	1	1	83.25	58.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.3125	2004
11.02.2020 10:04:33	1	1	1	1	83.25	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.3125	2004
11.02.2020 10:04:34	1	1	1	1	83.25	58.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:04:35	1	1	1	1	83.25	58.75	0	30000	277.4193548	8309.461039	30000	0	0	30000	38.8125	2004
11.02.2020 10:04:36	1	1	1	1	83.25	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.4375	2004
11.02.2020 10:04:37	1	1	1	1	82.75	58.25	0	30000	281.7204301	8232.000652	30000	0	0	30000	38.8125	2004
11.02.2020 10:04:38	1	1	1	1	82.75	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:04:39	1	1	1	1	82.75	58.75	0	30000	288.172043	8708.993559	30000	0	0	30000	38.75	2004
11.02.2020 10:04:40	1	1	1	1	82.75	58.75	0	29952.607	288.172043	8708.993559	30000	0	0	30000	38.0625	2004
11.02.2020 10:04:41	1	1	1	1	82.75	58	0	29952.607	283.8709677	8774.223358	30000	0	0	30000	38.375	2004
11.02.2020 10:04:43	1	1	1	1	82.75	58.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:04:44	1	1	1	1	82.75	58.75	0	29905.213	286.0215054	8424.42856	30000	0	0	30000	38.5	2004
11.02.2020 10:04:45	1	1	1	1	82.75	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.8125	2004
11.02.2020 10:04:46	1	1	1	1	82.75	58.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.6875	2004
11.02.2020 10:04:47	1	1	1	1	82.75	58.5	0	30094.787	292.4731183	8594.026038	30000	0	0	30000	37.8125	2004
11.02.2020 10:04:48	1	1	1	1	83.25	57.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.875	2004
11.02.2020 10:04:49	1	1	1	1	83.25	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 10:04:50	1	1	1	1	83.25	58.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.25	2004
11.02.2020 10:04:51	1	1	1	1	83.25	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.9375	2004
11.02.2020 10:04:52	1	1	1	1	83.25	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.875	2004
11.02.2020 10:04:53	1	1	1	1	83.25	58.75	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	38	2004
11.02.2020 10:04:54	1	1	1	1	83.25	58	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:04:55	1	1	1	1	83.25	58.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.8125	2004
11.02.2020 10:04:56	1	1	1	1	83.25	59	0	30000	281.7204301	8322.506999	30000	0	0	30000	37.9375	2004
11.02.2020 10:04:57	1	1	1	1	83	57.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	57.5	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.75	2004
11.02.2020 10:05:04	1	1	1	1	83	58.75	0	30000	288.172043	8580.164705	30000	0	0	30000	38.625	2004
11.02.2020 10:05:05	1	1	1	1	83	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.875	2004
11.02.2020 10:05:06	1	1	1	1	83	58.75	0	30000	283.8709677	8451.335852	30000	0	0	30000	39	2004
11.02.2020 10:05:07	1	1	1	1	83	59	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	38	2004
11.02.2020 10:05:08	1	1	1	1	83	58	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:09	1	1	1	1	83	58.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:05:10	1	1	1	1	83	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 10:05:11	1	1	1	1	83	58.5	0	30000	281.7204301	8515.750279	30000	0	0	30000	38.25	2004
11.02.2020 10:05:12	1	1	1	1	83	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.125	2004
11.02.2020 10:05:13	1	1	1	1	83	58	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.9375	2004
11.02.2020 10:05:14	1	1	1	1	83	58.75	0	30000	277.4193548	8451.335852	30000	0	0	30000	37.4375	2004
11.02.2020 10:05:15	1	1	1	1	83	57.25	0	29952.607	270.9677419	8607.071997	30000	0	0	30000	38.125	2004
11.02.2020 10:05:16	1	1	1	1	83	58	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.5	2004
11.02.2020 10:05:17	1	1	1	1	82.75	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.1875	2004
11.02.2020 10:05:18	1	1	1	1	82.75	58	0	30000	281.7204301	8386.921425	30000	0	0	30000	38.625	2004
11.02.2020 10:05:19	1	1	1	1	82.75	58.5	0	30000	283.8709677	8451.335852	30000	0	0	30000	38.5	2004
11.02.2020 10:05:20	1	1	1	1	82.75	58.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.75	2004
11.02.2020 10:05:21	1	1	1	1	82.75	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38	2004
11.02.2020 10:05:22	1	1	1	1	82.75	58	0	30000	283.8709677	8515.750279	30000	0	0	30000	38.5	2004
11.02.2020 10:05:24	1	1	1	1	82.75	58.5	0	30000	277.4193548	8373.875465	30000	0	0	30000	38.3125	2004
11.02.2020 10:05:25	1	1	1	1	82.75	58.25	0	29952.607	281.7204301	8438.289892	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:26	1	1	1	1	82.75	58.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 10:05:27	1	1	1	1	82.75	58.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.875	2004
11.02.2020 10:05:28	1	1	1	1	82.75	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:29	1	1	1	1	82.75	58.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.625	2004
11.02.2020 10:05:30	1	1	1	1	82.75	58.5	0	30000	279.5698925	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 10:05:31	1	1	1	1	82.75	58.75	0	30000	277.4193548	8192.862773	30000	0	0	30000	38.625	2004
11.02.2020 10:05:32	1	1	1	1	82.75	58.5	0	30000	281.7204301	8309.461039	30000	0	0	30000	38.6875	2004
11.02.2020 10:05:33	1	1	1	1	82.75	58.5	0	30000	283.8709677	8658.440464	30000	0	0	30000	39.25	2004
11.02.2020 10:05:34	1	1	1	1	82.75	59.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	38.375	2004
11.02.2020 10:05:35	1	1	1	1	82.75	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	37.75	2004
11.02.2020 10:05:36	1	1	1	1	82.75	59	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:37	1	1	1	1	82.5	58.75	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	38.75	2004
11.02.2020 10:05:38	1	1	1	1	82.5	58.75	0	29952.607	277.4193548	8322.506999	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:05:39	1	1	1	1	82.5	58.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.9375	2004
11.02.2020 10:05:40	1	1	1	1	82.5	58.75	0	29905.213	275.2688172	8373.875465	30000	0	0	30000	38.75	2004
11.02.2020 10:05:41	1	1	1	1	82.5	58.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.375	2004
11.02.2020 10:05:42	1	1	1	1	82.5	58.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.875	2004
11.02.2020 10:05:43	1	1	1	1	82.5	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	39	2004
11.02.2020 10:05:44	1	1	1	1	82.5	59	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:45	1	1	1	1	82.5	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:05:46	1	1	1	1	82.5	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.3125	2004
11.02.2020 10:05:47	1	1	1	1	82	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.0625	2004
11.02.2020 10:05:48	1	1	1	1	82	58	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:05:49	1	1	1	1	82	58.75	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	37.75	2004
11.02.2020 10:05:50	1	1	1	1	82	57.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:05:51	1	1	1	1	82	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.4375	2004
11.02.2020 10:05:52	1	1	1	1	82	58.25	0	29905.213	277.4193548	8386.921425	30000	0	0	30000	38.625	2004
11.02.2020 10:05:53	1	1	1	1	82	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:05:54	1	1	1	1	82	58.75	0	29952.607	275.2688172	8386.921425	30000	0	0	30000	38.6875	2004
11.02.2020 10:05:55	1	1	1	1	82	58.5	0	30000	277.4193548	8451.335852	30000	0	0	30000	38.375	2004
11.02.2020 10:05:56	1	1	1	1	82	58.25	0	30000	283.8709677	8322.506999	30000	0	0	30000	38.25	2004
11.02.2020 10:05:57	1	1	1	1	82.25	58.25	0	29952.607	277.4193548	8386.921425	30000	0	0	30000	38.625	2004
11.02.2020 10:05:58	1	1	1	1	82.25	58.5	0	30000	281.7204301	8322.506999	30000	0	0	30000	37.5	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:05	1	1	1	1	82.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:06	1	1	1	1	82.25	57.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.875	2004
11.02.2020 10:06:07	1	1	1	1	82.25	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.8125	2004
11.02.2020 10:06:08	1	1	1	1	81.75	57.75	0	29905.213	270.9677419	8128.448346	30000	0	0	30000	38.75	2004
11.02.2020 10:06:09	1	1	1	1	81.75	58.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.875	2004
11.02.2020 10:06:10	1	1	1	1	81.75	58.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	39.125	2004
11.02.2020 10:06:11	1	1	1	1	81.75	59	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.0625	2004
11.02.2020 10:06:12	1	1	1	1	81.75	58	0	29952.607	273.1182796	8258.092572	30000	0	0	30000	39.1875	2004
11.02.2020 10:06:13	1	1	1	1	81.75	59	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.9375	2004
11.02.2020 10:06:14	1	1	1	1	81.75	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.6875	2004
11.02.2020 10:06:15	1	1	1	1	81.75	58.5	0	30000	277.4193548	8192.862773	30000	0	0	30000	37.1875	2004
11.02.2020 10:06:16	1	1	1	1	81.75	57	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:17	1	1	1	1	82.25	58.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:06:18	1	1	1	1	82.25	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	37.75	2004
11.02.2020 10:06:19	1	1	1	1	82.25	57.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.5625	2004
11.02.2020 10:06:20	1	1	1	1	82.25	57.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.625	2004
11.02.2020 10:06:21	1	1	1	1	82.25	57.5	0	30000	273.1182796	8258.092572	30000	0	0	30000	38.875	2004
11.02.2020 10:06:22	1	1	1	1	82.25	58.75	0	30000	270.9677419	7922.974479	30000	0	0	30000	38.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:06:23	1	1	1	1	82.25	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	38	2004
11.02.2020 10:06:24	1	1	1	1	82.25	58	0	30000	273.1182796	8128.448346	30000	0	0	30000	38.4375	2004
11.02.2020 10:06:25	1	1	1	1	82.25	58.25	0	30000	273.1182796	8335.552958	30000	0	0	30000	38.875	2004
11.02.2020 10:06:26	1	1	1	1	82.25	58.75	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.25	2004
11.02.2020 10:06:27	1	1	1	1	81.5	58.25	0	29952.607	268.8172043	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:06:28	1	1	1	1	81.5	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.1875	2004
11.02.2020 10:06:29	1	1	1	1	81.5	58	0	29952.607	270.9677419	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:30	1	1	1	1	81.5	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.125	2004
11.02.2020 10:06:31	1	1	1	1	81.5	58	0	29952.607	273.1182796	8258.092572	30000	0	0	30000	38.6875	2004
11.02.2020 10:06:32	1	1	1	1	81.5	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:33	1	1	1	1	81.5	58.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:34	1	1	1	1	81.5	58.75	0	29952.607	279.5698925	8322.506999	30000	0	0	30000	38.1875	2004
11.02.2020 10:06:35	1	1	1	1	81.5	58	0	29905.213	273.1182796	8192.862773	30000	0	0	30000	37.875	2004
11.02.2020 10:06:36	1	1	1	1	81.5	57.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.1875	2004
11.02.2020 10:06:37	1	1	1	1	81.5	58	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:38	1	1	1	1	81.5	58.75	0	29952.607	268.8172043	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 10:06:39	1	1	1	1	81.5	58.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.75	2004
11.02.2020 10:06:40	1	1	1	1	81.5	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.4375	2004
11.02.2020 10:06:42	1	1	1	1	81.5	58.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	37.9375	2004
11.02.2020 10:06:43	1	1	1	1	81.5	57.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:44	1	1	1	1	81.5	58.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.1875	2004
11.02.2020 10:06:45	1	1	1	1	81.5	58	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.875	2004
11.02.2020 10:06:46	1	1	1	1	81.5	58.75	0	29905.213	266.6666667	8258.092572	30000	0	0	30000	37.5	2004
11.02.2020 10:06:47	1	1	1	1	81.5	57.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:06:48	1	1	1	1	81.25	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 10:06:49	1	1	1	1	81.25	58.5	0	30000	268.8172043	8051.803332	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:50	1	1	1	1	81.25	58.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.8125	2004
11.02.2020 10:06:51	1	1	1	1	81.25	58.75	0	30000	270.9677419	8192.862773	30000	0	0	30000	39	2004
11.02.2020 10:06:52	1	1	1	1	81.25	59	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.6875	2004
11.02.2020 10:06:53	1	1	1	1	81.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.625	2004
11.02.2020 10:06:54	1	1	1	1	81.25	58.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.375	2004
11.02.2020 10:06:55	1	1	1	1	81.25	57.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	37.875	2004
11.02.2020 10:06:56	1	1	1	1	81.25	57.75	0	29952.607	277.4193548	8180.632185	30000	0	0	30000	38.375	2004
11.02.2020 10:06:57	1	1	1	1	81.25	58.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:06:58	1	1	1	1	81.25	58.75	0	29905.213	270.9677419	8232.006652	30000	0	0	30000	38.125	2004
11.02.2020 10:06:59	1	1	1	1	81.25	58	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.875	2004
11.02.2020 10:07:00	1	1	1	1	81.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.375	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:07:07	1	1	1	1	80.75	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:07:08	1	1	1	1	80.75	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.8125	2004
11.02.2020 10:07:09	1	1	1	1	80.75	58.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:07:10	1	1	1	1	80.75	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:11	1	1	1	1	80.75	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38	2004
11.02.2020 10:07:12	1	1	1	1	80.75	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:13	1	1	1	1	80.75	58.5	0	30000	275.2688172	8245.046612	30000	0	0	30000	38.1875	2004
11.02.2020 10:07:14	1	1	1	1	80.75	58	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.8125	2004
11.02.2020 10:07:15	1	1	1	1	80.75	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	37.9375	2004
11.02.2020 10:07:16	1	1	1	1	80.75	57.75	0	30000	270.9677419	8322.506999	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:17	1	1	1	1	80.75	58.5	0	29952.607	275.2688172	8180.632185	30000	0	0	30000	38.125	2004
11.02.2020 10:07:18	1	1	1	1	80.75	58	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.75	2004
11.02.2020 10:07:19	1	1	1	1	80.75	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:20	1	1	1	1	80.75	58.5	0	29905.213	277.4193548	8322.506999	30000	0	0	30000	38.0625	2004
11.02.2020 10:07:21	1	1	1	1	80.75	58	0	30000	273.1182796	8258.092572	30000	0	0	30000	37.5	2004
11.02.2020 10:07:22	1	1	1	1	80.75	57.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.9375	2004
11.02.2020 10:07:24	1	1	1	1	80.75	58.75	0	30047.393	277.4193548	8322.506999	30000	0	0	30000	37.875	2004
11.02.2020 10:07:25	1	1	1	1	80.75	57.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.75	2004
11.02.2020 10:07:26	1	1	1	1	80.75	57.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	38.9375	2004
11.02.2020 10:07:27	1	1	1	1	80.75	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.875	2004
11.02.2020 10:07:28	1	1	1	1	80.5	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 10:07:29	1	1	1	1	80.5	58.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:07:30	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.9375	2004
11.02.2020 10:07:31	1	1	1	1	80.5	58.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	39.1875	2004
11.02.2020 10:07:32	1	1	1	1	80.5	59	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:33	1	1	1	1	80.5	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.0625	2004
11.02.2020 10:07:34	1	1	1	1	80.5	59.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.9375	2004
11.02.2020 10:07:35	1	1	1	1	80.5	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.125	2004
11.02.2020 10:07:36	1	1	1	1	80.5	58	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.9375	2004
11.02.2020 10:07:37	1	1	1	1	80.75	58.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.5625	2004
11.02.2020 10:07:38	1	1	1	1	80.75	58.5	0	29905.213	273.1182796	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 10:07:39	1	1	1	1	80.75	58.25	0	30000	283.8709677	8451.335852	30000	0	0	30000	37.625	2004
11.02.2020 10:07:40	1	1	1	1	80.75	57.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.5	2004
11.02.2020 10:07:41	1	1	1	1	80.75	57.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.8125	2004
11.02.2020 10:07:42	1	1	1	1	80.75	58.75	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:43	1	1	1	1	80.75	58.5	0	30000	275.2688172	8451.335852	30000	0	0	30000	37.4375	2004
11.02.2020 10:07:44	1	1	1	1	80.75	57.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	37.625	2004
11.02.2020 10:07:45	1	1	1	1	80.75	57.5	0	30000	277.4193548	8451.335852	30000	0	0	30000	37.5	2004
11.02.2020 10:07:46	1	1	1	1	80.75	57.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	38.125	2004
11.02.2020 10:07:47	1	1	1	1	80.75	58	0	29905.213	270.9677419	8322.506999	30000	0	0	30000	38.4375	2004
11.02.2020 10:07:48	1	1	1	1	80.75	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.75	2004
11.02.2020 10:07:49	1	1	1	1	80.75	58.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 10:07:50	1	1	1	1	80.75	58.25	0	29952.607	270.9677419	8064.033919	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:07:51	1	1	1	1	80.75	58.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:52	1	1	1	1	80.75	58.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.875	2004
11.02.2020 10:07:53	1	1	1	1	80.75	58.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	38.8125	2004
11.02.2020 10:07:54	1	1	1	1	80.75	58.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:55	1	1	1	1	80.75	58.5	0	30000	268.8172043	8128.448346	30000	0	0	30000	37.6875	2004
11.02.2020 10:07:56	1	1	1	1	80.75	57.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.6875	2004
11.02.2020 10:07:57	1	1	1	1	81	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	37.0625	2004
11.02.2020 10:07:58	1	1	1	1	81	57	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.625	2004
11.02.2020 10:08:00	1	1	1	1	81	58.5	0	30000	268.8172043	8116.217759	30000	0	0	30000	38.4375	2004
11.02.2020 10:08:01	1	1	1	1	81	58.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.6875	2004
11.02.2020 10:08:02	1	1	1	1	81	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.9375	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	37.5	2004
11.02.2020 10:08:10	1	1	1	1	80.5	57.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	39.0625	2004
11.02.2020 10:08:11	1	1	1	1	80.5	59	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	39	2004
11.02.2020 10:08:12	1	1	1	1	80.5	59	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5625	2004
11.02.2020 10:08:13	1	1	1	1	80.5	58.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:08:14	1	1	1	1	80.5	59	0	30000	264.516129	8064.033919	30000	0	0	30000	38.875	2004
11.02.2020 10:08:15	1	1	1	1	80.5	58.75	0	30047.393	273.1182796	8064.033919	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:16	1	1	1	1	80.5	58.75	0	30000	268.8172043	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:08:17	1	1	1	1	80.5	58.75	0	29952.607	266.6666667	7845.514092	30000	0	0	30000	37.875	2004
11.02.2020 10:08:18	1	1	1	1	80.5	57.75	0	30000	268.8172043	7999.619493	30000	0	0	30000	38.75	2004
11.02.2020 10:08:19	1	1	1	1	80.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.0625	2004
11.02.2020 10:08:20	1	1	1	1	80.5	59	0	30000	264.516129	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:08:21	1	1	1	1	80.5	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:22	1	1	1	1	80.5	58.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.1875	2004
11.02.2020 10:08:23	1	1	1	1	80.5	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.9375	2004
11.02.2020 10:08:24	1	1	1	1	80.5	58.75	0	30000	264.516129	8077.079879	30000	0	0	30000	38.9375	2004
11.02.2020 10:08:25	1	1	1	1	80.5	58.75	0	29905.213	262.3655914	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 10:08:26	1	1	1	1	80.5	58.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.1875	2004
11.02.2020 10:08:27	1	1	1	1	80	58	0	30000	270.9677419	7999.619493	30000	0	0	30000	37.8125	2004
11.02.2020 10:08:28	1	1	1	1	80	57.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 10:08:29	1	1	1	1	80	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.875	2004
11.02.2020 10:08:30	1	1	1	1	80	58.75	0	29952.607	264.516129	7974.342946	30000	0	0	30000	38.5625	2004
11.02.2020 10:08:31	1	1	1	1	80	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.5	2004
11.02.2020 10:08:32	1	1	1	1	80	58.5	0	30047.393	262.3655914	7741.961786	30000	0	0	30000	37.875	2004
11.02.2020 10:08:33	1	1	1	1	80	57.75	0	29952.607	255.9139785	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:08:34	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:08:35	1	1	1	1	80	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:08:36	1	1	1	1	80	58.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:08:37	1	1	1	1	80.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:08:39	1	1	1	1	80.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.1875	2004
11.02.2020 10:08:40	1	1	1	1	80.25	58	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.875	2004
11.02.2020 10:08:41	1	1	1	1	80.25	58.75	0	29952.607	247.311828	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:08:42	1	1	1	1	80.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.875	2004
11.02.2020 10:08:43	1	1	1	1	80.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:08:44	1	1	1	1	80.25	58.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:08:45	1	1	1	1	80.25	58.5	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:46	1	1	1	1	80.25	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:47	1	1	1	1	80.25	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.9375	2004
11.02.2020 10:08:48	1	1	1	1	80	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.125	2004
11.02.2020 10:08:51	1	1	1	1	80	59	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:08:51	1	1	1	1	80	59	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:08:51	1	1	1	1	80	59	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:08:52	1	1	1	1	80	58.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:53	1	1	1	1	80	59	0	30000	253.7634409	7547.903134	30000	0	0	30000	39	2004
11.02.2020 10:08:54	1	1	1	1	80	59	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:55	1	1	1	1	80	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:56	1	1	1	1	80	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:08:57	1	1	1	1	80.25	58.5	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:08:58	1	1	1	1	80.25	58.75	0	29905.213	253.7634409	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:08:59	1	1	1	1	80.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:00	1	1	1	1	80.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:01	1	1	1	1	80.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:09:02	1	1	1	1	80.25	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:09:03	1	1	1	1	80.25	58.75	0	30000	264.516129	7870.79064	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:09:10	1	1	1	1	80	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:09:11	1	1	1	1	80	58.5	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:09:12	1	1	1	1	80	58.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:09:13	1	1	1	1	80	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 10:09:14	1	1	1	1	80	58.75	0	29952.607	253.7634409	7536.487919	30000	0	0	30000	38.9375	2004
11.02.2020 10:09:16	1	1	1	1	80	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:09:17	1	1	1	1	80	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:18	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:09:19	1	1	1	1	80	58.75	0	30000	260.2150538	7653.086185	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:09:20	1	1	1	1	80	58.75	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:21	1	1	1	1	80	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:22	1	1	1	1	80	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:09:23	1	1	1	1	80	58.5	0	29952.607	258.0645161	7612.31756	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:24	1	1	1	1	80	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:09:25	1	1	1	1	80	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:09:26	1	1	1	1	80	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.9375	2004
11.02.2020 10:09:27	1	1	1	1	80	58.75	0	30000	258.0645161	7729.731199	30000	0	0	30000	38.75	2004
11.02.2020 10:09:28	1	1	1	1	80.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	39.1875	2004
11.02.2020 10:09:29	1	1	1	1	80.25	59	0	30000	260.2150538	7806.376213	30000	0	0	30000	39.1875	2004
11.02.2020 10:09:30	1	1	1	1	80.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:31	1	1	1	1	80.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 10:09:32	1	1	1	1	80.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 10:09:33	1	1	1	1	80.25	58.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:09:34	1	1	1	1	80.25	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:09:35	1	1	1	1	80.25	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:09:36	1	1	1	1	80.25	58.5	0	29952.607	260.2150538	8012.665453	30000	0	0	30000	38.4375	2004
11.02.2020 10:09:37	1	1	1	1	80	58.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.875	2004
11.02.2020 10:09:38	1	1	1	1	80	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 10:09:39	1	1	1	1	80	58.75	0	29905.213	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:40	1	1	1	1	80	58.5	0	30000	258.0645161	7870.79064	30000	0	0	30000	37.875	2004
11.02.2020 10:09:41	1	1	1	1	80	57.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:42	1	1	1	1	80	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:09:43	1	1	1	1	80	58.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:44	1	1	1	1	80	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.0625	2004
11.02.2020 10:09:45	1	1	1	1	80	57	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.9375	2004
11.02.2020 10:09:46	1	1	1	1	80	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:09:47	1	1	1	1	79.75	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:09:48	1	1	1	1	79.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:09:49	1	1	1	1	79.75	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:09:50	1	1	1	1	79.75	58.5	0	29952.607	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:09:51	1	1	1	1	79.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:09:52	1	1	1	1	79.75	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:09:53	1	1	1	1	79.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:09:54	1	1	1	1	79.75	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:09:56	1	1	1	1	79.75	58.75	0	30000	253.7634409	7395.428478	30000	0	0	30000	38.5	2004
11.02.2020 10:09:57	1	1	1	1	79.75	58.5	0	30000	251.6129032	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:09:58	1	1	1	1	80.25	58.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	37.4375	2004
11.02.2020 10:09:59	1	1	1	1	80.25	57.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.875	2004
11.02.2020 10:10:00	1	1	1	1	80.25	58.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:01	1	1	1	1	80.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:10:02	1	1	1	1	80.25	58.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.25	2004
11.02.2020 10:10:03	1	1	1	1	80.25	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:10:04	1	1	1	1	80.25	57.5	0	30000	249.4623656	7407.659066	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:05	1	1	1	1	80.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.125	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:10:12	1	1	1	1	80	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:10:13	1	1	1	1	80	58.5	0	30000	260.2150538	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:14	1	1	1	1	80	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.25	2004
11.02.2020 10:10:15	1	1	1	1	80	58.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.4375	2004
11.02.2020 10:10:16	1	1	1	1	80	58.25	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:10:17	1	1	1	1	79.75	58.75	0	30000	253.7634409	7653.086185	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:18	1	1	1	1	79.75	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:10:19	1	1	1	1	79.75	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:10:20	1	1	1	1	79.75	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:21	1	1	1	1	79.75	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:10:22	1	1	1	1	79.75	58.75	0	30047.393	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:10:23	1	1	1	1	79.75	58.5	0	30000	260.2150538	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:10:24	1	1	1	1	79.75	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:25	1	1	1	1	79.75	58.75	0	30000	251.6129032	7536.487919	30000	0	0	30000	38.125	2004
11.02.2020 10:10:26	1	1	1	1	79.75	58	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:27	1	1	1	1	79.75	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.9375	2004
11.02.2020 10:10:28	1	1	1	1	79.75	57.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:10:29	1	1	1	1	79.75	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.1875	2004
11.02.2020 10:10:30	1	1	1	1	79.75	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:10:31	1	1	1	1	79.75	58.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:33	1	1	1	1	79.75	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:34	1	1	1	1	79.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 10:10:35	1	1	1	1	79.75	58.5	0	30000	245.1612903	7483.488707	30000	0	0	30000	37.625	2004
11.02.2020 10:10:36	1	1	1	1	79.75	57.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:10:37	1	1	1	1	79.75	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.75	2004
11.02.2020 10:10:38	1	1	1	1	79.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:39	1	1	1	1	79.5	58.5	0	30000	249.4623656	7612.31756	30000	0	0	30000	38.875	2004
11.02.2020 10:10:40	1	1	1	1	79.5	58.75	0	30000	258.0645161	7600.902346	30000	0	0	30000	38	2004
11.02.2020 10:10:41	1	1	1	1	79.5	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:10:42	1	1	1	1	79.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.1875	2004
11.02.2020 10:10:43	1	1	1	1	79.5	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:10:44	1	1	1	1	79.5	58.5	0	30047.393	258.0645161	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:10:45	1	1	1	1	79.5	58.75	0	29952.607	249.4623656	7419.07428	30000	0	0	30000	39.1875	2004
11.02.2020 10:10:46	1	1	1	1	79.5	59	0	30000	249.4623656	7419.07428	30000	0	0	30000	39.125	2004
11.02.2020 10:10:47	1	1	1	1	79.5	59	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:10:48	1	1	1	1	79.5	59.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	37.875	2004
11.02.2020 10:10:49	1	1	1	1	79.5	57.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:10:50	1	1	1	1	79.5	58.75	0	30000	247.311828	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:10:51	1	1	1	1	79.5	58.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:10:52	1	1	1	1	79.5	58.75	0	30000	247.311828	7407.659066	30000	0	0	30000	38.4375	2004
11.02.2020 10:10:53	1	1	1	1	79.5	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:10:54	1	1	1	1	79.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:10:55	1	1	1	1	79.5	58.75	0	30000	245.1612903	7278.830212	30000	0	0	30000	38.4375	2004
11.02.2020 10:10:56	1	1	1	1	79.5	58.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:10:57	1	1	1	1	79.5	58.5	0	30000	247.311828	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:10:58	1	1	1	1	79.5	58.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:10:59	1	1	1	1	79.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:11:00	1	1	1	1	79.5	58.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 10:11:01	1	1	1	1	79.5	58.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:11:02	1	1	1	1	79.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:11:03	1	1	1	1	79.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:11:04	1	1	1	1	79.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:11:05	1	1	1	1	79.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:11:06	1	1	1	1	79.5	58.5	0	29952.607	249.4623656	7600.902346	30000	0	0	30000	38.625	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:15	1	1	1	1	79.25	58.75	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:16	1	1	1	1	79.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38	2004
11.02.2020 10:11:17	1	1	1	1	79.25	58	0	30000	247.311828	7612.31756	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:18	1	1	1	1	79.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:11:19	1	1	1	1	79.25	58.75	0	30047.393	251.6129032	7483.488707	30000	0	0	30000	38.875	2004
11.02.2020 10:11:20	1	1	1	1	79.25	58.75	0	30000	251.6129032	7701.193162	30000	0	0	30000	38.125	2004
11.02.2020 10:11:21	1	1	1	1	79.25	58	0	30000	247.311828	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 10:11:22	1	1	1	1	79.25	58.25	0	30047.393	258.0645161	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:11:23	1	1	1	1	79.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	39.1875	2004
11.02.2020 10:11:24	1	1	1	1	79.25	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:11:25	1	1	1	1	79.25	58.75	0	29952.607	249.4623656	7612.31756	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:26	1	1	1	1	79.25	59	0	30047.393	258.0645161	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:27	1	1	1	1	79	58.5	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.25	2004
11.02.2020 10:11:28	1	1	1	1	79	58.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.25	2004
11.02.2020 10:11:29	1	1	1	1	79	58.25	0	29952.607	253.7634409	7407.659066	30000	0	0	30000	38.8125	2004
11.02.2020 10:11:30	1	1	1	1	79	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:31	1	1	1	1	79	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:11:32	1	1	1	1	79	58.5	0	29905.213	253.7634409	7729.731199	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:33	1	1	1	1	79	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:34	1	1	1	1	79	58.75	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:11:35	1	1	1	1	79	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:11:36	1	1	1	1	79	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:11:37	1	1	1	1	79	58.75	0	30000	253.7634409	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:11:38	1	1	1	1	79	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:11:39	1	1	1	1	79	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	37.9375	2004
11.02.2020 10:11:40	1	1	1	1	79	57.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.75	2004
11.02.2020 10:11:41	1	1	1	1	79	58.75	0	30000	262.3655914	7999.619493	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:42	1	1	1	1	79	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.9375	2004
11.02.2020 10:11:43	1	1	1	1	79	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.5	2004
11.02.2020 10:11:44	1	1	1	1	79	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5625	2004
11.02.2020 10:11:45	1	1	1	1	79	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:11:46	1	1	1	1	79	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:47	1	1	1	1	79.25	58.5	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:11:49	1	1	1	1	79.25	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	37.875	2004
11.02.2020 10:11:50	1	1	1	1	79.25	57.75	0	30000	262.3655914	7729.731199	30000	0	0	30000	38.75	2004
11.02.2020 10:11:51	1	1	1	1	79.25	58.75	0	29905.213	255.9139785	7794.145626	30000	0	0	30000	38.4375	2004
11.02.2020 10:11:52	1	1	1	1	79.25	58.25	0	29905.213	262.3655914	7806.376213	30000	0	0	30000	37.5625	2004
11.02.2020 10:11:53	1	1	1	1	79.25	57.5	0	30000	264.516129	7909.928519	30000	0	0	30000	38.75	2004
11.02.2020 10:11:54	1	1	1	1	79.25	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:11:55	1	1	1	1	79.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:11:56	1	1	1	1	79.25	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:11:57	1	1	1	1	79.25	58.75	0	30000	266.6666667	8077.079879	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:58	1	1	1	1	79	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.6875	2004
11.02.2020 10:11:59	1	1	1	1	79	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:12:00	1	1	1	1	79	58.5	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	38.6875	2004
11.02.2020 10:12:01	1	1	1	1	79	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:02	1	1	1	1	79	58.75	0	29952.607	258.0645161	7806.376213	30000	0	0	30000	39.125	2004
11.02.2020 10:12:03	1	1	1	1	79	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:12:04	1	1	1	1	79	58.75	0	30000	258.0645161	7524.257332	30000	0	0	30000	38.4375	2004
11.02.2020 10:12:05	1	1	1	1	79	58.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	38.875	2004
11.02.2020 10:12:06	1	1	1	1	79	58.75	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:07	1	1	1	1	79.25	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:12:08	1	1	1	1	79.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.5	0	30047.393	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:15	1	1	1	1	79.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:12:16	1	1	1	1	79.25	58	0	30094.787	273.1182796	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 10:12:17	1	1	1	1	79	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:18	1	1	1	1	79	58.75	0	29905.213	266.6666667	7987.388905	30000	0	0	30000	38.5	2004
11.02.2020 10:12:19	1	1	1	1	79	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:12:20	1	1	1	1	79	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:21	1	1	1	1	79	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:12:22	1	1	1	1	79	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:23	1	1	1	1	79	58.75	0	30000	253.7634409	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:12:24	1	1	1	1	79	58.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:12:25	1	1	1	1	79	58.5	0	29905.213	253.7634409	7395.428478	30000	0	0	30000	38.5625	2004
11.02.2020 10:12:27	1	1	1	1	79	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:12:28	1	1	1	1	79	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:29	1	1	1	1	79	58.75	0	29905.213	262.3655914	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:30	1	1	1	1	79	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:12:31	1	1	1	1	79	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:12:32	1	1	1	1	79	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:12:33	1	1	1	1	79	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.375	2004
11.02.2020 10:12:34	1	1	1	1	79	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 10:12:35	1	1	1	1	79	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:12:36	1	1	1	1	79	58.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.9375	2004
11.02.2020 10:12:37	1	1	1	1	79	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:12:38	1	1	1	1	79.25	58.5	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	39	2004
11.02.2020 10:12:39	1	1	1	1	79.25	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.1875	2004
11.02.2020 10:12:40	1	1	1	1	79.25	59	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:12:41	1	1	1	1	79.25	58.75	0	29952.607	249.4623656	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:12:42	1	1	1	1	79.25	58.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:12:43	1	1	1	1	79.25	58.25	0	29952.607	247.311828	7419.07428	30000	0	0	30000	38.375	2004
11.02.2020 10:12:44	1	1	1	1	79.25	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:12:45	1	1	1	1	79.25	58	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.625	2004
11.02.2020 10:12:46	1	1	1	1	79.25	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:12:47	1	1	1	1	78.5	58.75	0	29952.607	249.4623656	7395.428478	30000	0	0	30000	37.6875	2004
11.02.2020 10:12:48	1	1	1	1	78.5	57.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:12:49	1	1	1	1	78.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:12:50	1	1	1	1	78.5	58.75	0	29952.607	245.1612903	7483.488707	30000	0	0	30000	38.875	2004
11.02.2020 10:12:51	1	1	1	1	78.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	39	2004
11.02.2020 10:12:52	1	1	1	1	78.5	59	0	30000	251.6129032	7407.659066	30000	0	0	30000	38.75	2004
11.02.2020 10:12:53	1	1	1	1	78.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:54	1	1	1	1	78.5	58.75	0	30000	253.7634409	7754.192374	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:55	1	1	1	1	78.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:12:56	1	1	1	1	78.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 10:12:57	1	1	1	1	78.75	58.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:12:58	1	1	1	1	78.75	58.5	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 10:12:59	1	1	1	1	78.75	58.25	0	29952.607	249.4623656	7612.31756	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:13:00	1	1	1	1	78.75	58.75	0	30000	251.6129032	7536.487919	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:01	1	1	1	1	78.75	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:13:03	1	1	1	1	78.75	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.5	2004
11.02.2020 10:13:04	1	1	1	1	78.75	57.5	0	30000	247.311828	7419.07428	30000	0	0	30000	37.625	2004
11.02.2020 10:13:05	1	1	1	1	78.75	57.5	0	30000	247.311828	7419.07428	30000	0	0	30000	37.9375	2004
11.02.2020 10:13:06	1	1	1	1	78.75	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:13:07	1	1	1	1	78.75	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:08	1	1	1	1	78.5	58.75	0	30000	249.4623656	7612.31756	30000	0	0	30000	38.0625	2004
11.02.2020 10:13:09	1	1	1	1	78.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.0625	2004
11.02.2020 10:13:10	1	1	1	1	78.5	58	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:19	1	1	1	1	78.75	59	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:13:20	1	1	1	1	78.75	59	0	30000	247.311828	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:21	1	1	1	1	78.75	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:22	1	1	1	1	78.75	58.5	0	29952.607	247.311828	7483.488707	30000	0	0	30000	38.5625	2004
11.02.2020 10:13:23	1	1	1	1	78.75	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:13:24	1	1	1	1	78.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:13:25	1	1	1	1	78.75	58.75	0	29952.607	245.1612903	7203.000571	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:26	1	1	1	1	78.75	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:13:27	1	1	1	1	78.5	58.75	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:13:28	1	1	1	1	78.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:29	1	1	1	1	78.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:30	1	1	1	1	78.5	58.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:13:31	1	1	1	1	78.5	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:13:32	1	1	1	1	78.5	58.5	0	30000	249.4623656	7290.245427	30000	0	0	30000	38.375	2004
11.02.2020 10:13:33	1	1	1	1	78.5	58.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:13:34	1	1	1	1	78.5	58.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:35	1	1	1	1	78.5	58.5	0	30000	247.311828	7407.659066	30000	0	0	30000	38.375	2004
11.02.2020 10:13:36	1	1	1	1	78.5	58.25	0	30000	247.311828	7278.830212	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:37	1	1	1	1	78.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:38	1	1	1	1	78.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:39	1	1	1	1	78.5	58.75	0	29952.607	249.4623656	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:13:40	1	1	1	1	78.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.875	2004
11.02.2020 10:13:42	1	1	1	1	78.5	57.75	0	30000	249.4623656	7407.659066	30000	0	0	30000	38.3125	2004
11.02.2020 10:13:43	1	1	1	1	78.5	58.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:13:44	1	1	1	1	78.5	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:13:45	1	1	1	1	78.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 10:13:46	1	1	1	1	78.5	58.25	0	29952.607	243.0107527	7407.659066	30000	0	0	30000	38.75	2004
11.02.2020 10:13:47	1	1	1	1	78.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:48	1	1	1	1	78.25	58.75	0	29952.607	245.1612903	7354.659854	30000	0	0	30000	38.75	2004
11.02.2020 10:13:49	1	1	1	1	78.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:50	1	1	1	1	78.25	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:13:51	1	1	1	1	78.25	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5	2004
11.02.2020 10:13:52	1	1	1	1	78.25	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.875	2004
11.02.2020 10:13:53	1	1	1	1	78.25	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:13:54	1	1	1	1	78.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:13:55	1	1	1	1	78.25	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	39.0625	2004
11.02.2020 10:13:56	1	1	1	1	78.25	59	0	30000	249.4623656	7407.659066	30000	0	0	30000	38.875	2004
11.02.2020 10:13:57	1	1	1	1	78.25	58.75	0	30000	245.1612903	7225.831	30000	0	0	30000	38.0625	2004
11.02.2020 10:13:58	1	1	1	1	78.25	59	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:13:59	1	1	1	1	78.25	58.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:14:00	1	1	1	1	78.25	58.5	0	30000	234.4086022	7225.831	30000	0	0	30000	38.75	2004
11.02.2020 10:14:01	1	1	1	1	78.25	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:14:02	1	1	1	1	78.25	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:14:03	1	1	1	1	78.25	58.5	0	30000	240.8602151	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:14:04	1	1	1	1	78.25	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:14:05	1	1	1	1	78.25	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:14:06	1	1	1	1	78.25	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.3125	2004
11.02.2020 10:14:07	1	1	1	1	78.25	57.25	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:08	1	1	1	1	78.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:14:09	1	1	1	1	78.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:14:10	1	1	1	1	78.25	58.75	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:14:11	1	1	1	1	78.25	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:19	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:20	1	1	1	1	77.75	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:14:21	1	1	1	1	77.75	58.75	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	37.75	2004
11.02.2020 10:14:22	1	1	1	1	77.75	57.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:14:23	1	1	1	1	77.75	58	0	30000	249.4623656	7419.07428	30000	0	0	30000	38	2004
11.02.2020 10:14:24	1	1	1	1	77.75	58	0	30000	247.311828	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:14:25	1	1	1	1	77.75	58.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:26	1	1	1	1	77.75	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	37.9375	2004
11.02.2020 10:14:27	1	1	1	1	77.75	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:14:28	1	1	1	1	77.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:14:29	1	1	1	1	77.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 10:14:30	1	1	1	1	77.5	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 10:14:31	1	1	1	1	77.5	58.25	0	29952.607	245.1612903	7483.488707	30000	0	0	30000	36.9375	2004
11.02.2020 10:14:32	1	1	1	1	77.5	56.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:14:33	1	1	1	1	77.5	58.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:14:34	1	1	1	1	77.5	58.5	0	29952.607	249.4623656	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:14:35	1	1	1	1	77.5	58.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	39.0625	2004
11.02.2020 10:14:36	1	1	1	1	77.5	59	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:14:37	1	1	1	1	77.5	58	0	30000	249.4623656	7560.133721	30000	0	0	30000	38.875	2004
11.02.2020 10:14:38	1	1	1	1	77.5	58.75	0	30000	253.7634409	7600.902346	30000	0	0	30000	38.875	2004
11.02.2020 10:14:39	1	1	1	1	77.5	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:14:40	1	1	1	1	77.5	58.5	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.375	2004
11.02.2020 10:14:41	1	1	1	1	77.5	58.25	0	30047.393	251.6129032	7560.133721	30000	0	0	30000	38.125	2004
11.02.2020 10:14:42	1	1	1	1	77.5	58	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.75	2004
11.02.2020 10:14:43	1	1	1	1	77.5	58.75	0	29952.607	251.6129032	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:14:44	1	1	1	1	77.5	58.5	0	30000	253.7634409	7600.902346	30000	0	0	30000	38.625	2004
11.02.2020 10:14:45	1	1	1	1	77.5	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:14:46	1	1	1	1	77.5	58	0	30000	247.311828	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:14:47	1	1	1	1	77.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.75	2004
11.02.2020 10:14:48	1	1	1	1	77.5	57.75	0	30000	247.311828	7571.548936	30000	0	0	30000	38.25	2004
11.02.2020 10:14:49	1	1	1	1	77.5	58.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:14:50	1	1	1	1	77.5	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5	2004
11.02.2020 10:14:51	1	1	1	1	77.5	58.5	0	30000	247.311828	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:14:52	1	1	1	1	77.5	58.5	0	30047.393	251.6129032	7278.830212	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:53	1	1	1	1	77.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:14:54	1	1	1	1	77.5	58.5	0	30000	243.0107527	7203.000571	30000	0	0	30000	38.8125	2004
11.02.2020 10:14:55	1	1	1	1	77.5	58.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:14:56	1	1	1	1	77.5	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	38.75	2004
11.02.2020 10:14:57	1	1	1	1	77.25	58.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.25	2004
11.02.2020 10:14:58	1	1	1	1	77.25	58.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.5625	2004
11.02.2020 10:15:00	1	1	1	1	77.25	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:01	1	1	1	1	77.25	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:15:02	1	1	1	1	77.25	58.5	0	30000	253.7634409	7600.902346	30000	0	0	30000	38.875	2004
11.02.2020 10:15:03	1	1	1	1	77.25	58.75	0	30000	249.4623656	7483.488707	30000	0	0	30000	37.25	2004
11.02.2020 10:15:04	1	1	1	1	77.25	57.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:05	1	1	1	1	77.25	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38	2004
11.02.2020 10:15:06	1	1	1	1	77.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:15:07	1	1	1	1	77.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.1875	2004
11.02.2020 10:15:08	1	1	1	1	76.75	58	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:09	1	1	1	1	76.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:10	1	1	1	1	76.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:11	1	1	1	1	76.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 10:15:12	1	1	1	1	76.75	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:15:13	1	1	1	1	76.75	58.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	38.5625	2004
11.02.2020 10:15:20	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:20	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:15:21	1	1	1	1	77.25	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.1875	2004
11.02.2020 10:15:22	1	1	1	1	77.25	58	0	30000	264.516129	7999.619493	30000	0	0	30000	38.25	2004
11.02.2020 10:15:23	1	1	1	1	77.25	58.25	0	29952.607	262.3655914	7845.514092	30000	0	0	30000	38.875	2004
11.02.2020 10:15:24	1	1	1	1	77.25	58.75	0	30047.393	266.6666667	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:15:25	1	1	1	1	77.25	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	37.8125	2004
11.02.2020 10:15:26	1	1	1	1	77.25	57.75	0	30000	266.6666667	7845.514092	30000	0	0	30000	38.5	2004
11.02.2020 10:15:27	1	1	1	1	77.25	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:28	1	1	1	1	77.25	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.75	2004
11.02.2020 10:15:29	1	1	1	1	77.25	58.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.75	2004
11.02.2020 10:15:30	1	1	1	1	77.25	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:31	1	1	1	1	77.25	58.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	38.625	2004
11.02.2020 10:15:32	1	1	1	1	77.25	58.5	0	30000	270.9677419	8128.448346	30000	0	0	30000	38.75	2004
11.02.2020 10:15:33	1	1	1	1	77.25	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.625	2004
11.02.2020 10:15:34	1	1	1	1	77.25	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:15:35	1	1	1	1	77.25	58.5	0	30047.393	266.6666667	8154.540266	30000	0	0	30000	38.75	2004
11.02.2020 10:15:37	1	1	1	1	77.25	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:38	1	1	1	1	77.5	58.75	0	29952.607	264.516129	7922.974479	30000	0	0	30000	38.625	2004
11.02.2020 10:15:39	1	1	1	1	77.5	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:40	1	1	1	1	77.5	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 10:15:41	1	1	1	1	77.5	58.5	0	30000	262.3655914	7858.560052	30000	0	0	30000	38.5	2004
11.02.2020 10:15:42	1	1	1	1	77.5	58.5	0	30000	264.516129	7999.619493	30000	0	0	30000	38.875	2004
11.02.2020 10:15:43	1	1	1	1	77.5	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:44	1	1	1	1	77.5	58.5	0	30000	260.2150538	7870.79064	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:45	1	1	1	1	77.5	58.75	0	30000	264.516129	7999.619493	30000	0	0	30000	38.3125	2004
11.02.2020 10:15:46	1	1	1	1	77.5	58.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:47	1	1	1	1	77.5	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:15:48	1	1	1	1	77.5	58.75	0	30000	255.9139785	7870.79064	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:49	1	1	1	1	77.5	58.5	0	29952.607	258.0645161	7794.145626	30000	0	0	30000	38.5625	2004
11.02.2020 10:15:50	1	1	1	1	77.5	58.5	0	30000	255.9139785	7600.902346	30000	0	0	30000	38.75	2004
11.02.2020 10:15:51	1	1	1	1	77.5	58.75	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:15:52	1	1	1	1	77.5	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.1875	2004
11.02.2020 10:15:53	1	1	1	1	77.5	59	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:54	1	1	1	1	77.5	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:55	1	1	1	1	77.5	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:15:56	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 10:15:57	1	1	1	1	77.5	58.75	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:15:58	1	1	1	1	77.5	58.5	0	29952.607	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:15:59	1	1	1	1	77.5	58.75	0	30000	253.7634409	7688.962574	30000	0	0	30000	38.875	2004
11.02.2020 10:16:00	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:16:01	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.25	2004
11.02.2020 10:16:02	1	1	1	1	77.5	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:03	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.9375	2004
11.02.2020 10:16:04	1	1	1	1	77.5	57.75	0	29905.213	253.7634409	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:05	1	1	1	1	77.5	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.5	2004
11.02.2020 10:16:06	1	1	1	1	77.5	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:07	1	1	1	1	77.25	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:16:08	1	1	1	1	77.25	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:16:09	1	1	1	1	77.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 10:16:10	1	1	1	1	77.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:16:11	1	1	1	1	77.25	58.75	0	29952.607	249.4623656	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:16:12	1	1	1	1	77.25	58.5	0	30000	258.0645161	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:16:14	1	1	1	1	77.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.625	2004
11.02.2020 10:16:15	1	1	1	1	77.25	57.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:22	1	1	1	1	77	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:23	1	1	1	1	77	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:16:24	1	1	1	1	77	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:25	1	1	1	1	77	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.3125	2004
11.02.2020 10:16:26	1	1	1	1	77	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:27	1	1	1	1	77	58.75	0	30000	258.0645161	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:16:28	1	1	1	1	77	58.5	0	30000	262.3655914	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 10:16:29	1	1	1	1	77	58.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:16:30	1	1	1	1	77	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:16:31	1	1	1	1	77	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	39.1875	2004
11.02.2020 10:16:32	1	1	1	1	77	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.375	2004
11.02.2020 10:16:33	1	1	1	1	77	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.25	2004
11.02.2020 10:16:34	1	1	1	1	77	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 10:16:35	1	1	1	1	77	58.25	0	29952.607	258.0645161	8012.665453	30000	0	0	30000	38.75	2004
11.02.2020 10:16:36	1	1	1	1	77	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 10:16:37	1	1	1	1	77.25	58.75	0	29952.607	253.7634409	7588.671758	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:38	1	1	1	1	77.25	58.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:16:39	1	1	1	1	77.25	58.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.4375	2004
11.02.2020 10:16:40	1	1	1	1	77.25	58.25	0	29952.607	253.7634409	7547.903134	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:16:41	1	1	1	1	77.25	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:42	1	1	1	1	77.25	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.0625	2004
11.02.2020 10:16:43	1	1	1	1	77.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.125	2004
11.02.2020 10:16:44	1	1	1	1	77.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.25	2004
11.02.2020 10:16:45	1	1	1	1	77.25	58.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:16:46	1	1	1	1	77.25	58.75	0	30000	258.0645161	7729.731199	30000	0	0	30000	38.6875	2004
11.02.2020 10:16:47	1	1	1	1	78	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.8125	2004
11.02.2020 10:16:48	1	1	1	1	78	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:16:49	1	1	1	1	78	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:16:50	1	1	1	1	78	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.3125	2004
11.02.2020 10:16:51	1	1	1	1	78	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.3125	2004
11.02.2020 10:16:53	1	1	1	1	78	58.25	0	30000	243.0107527	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:16:54	1	1	1	1	78	58.75	0	30000	243.0107527	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:16:55	1	1	1	1	78	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:16:56	1	1	1	1	78	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:16:57	1	1	1	1	78	58.75	0	30047.393	249.4623656	7483.488707	30000	0	0	30000	37.9375	2004
11.02.2020 10:16:58	1	1	1	1	78	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.5625	2004
11.02.2020 10:16:59	1	1	1	1	78	57.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.75	2004
11.02.2020 10:17:00	1	1	1	1	78	57.75	0	30000	247.311828	7290.245427	30000	0	0	30000	38.8125	2004
11.02.2020 10:17:01	1	1	1	1	78	58.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:02	1	1	1	1	78	58.5	0	29952.607	243.0107527	7214.415786	30000	0	0	30000	38.8125	2004
11.02.2020 10:17:03	1	1	1	1	78	58.75	0	30000	243.0107527	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:04	1	1	1	1	78	58.5	0	29952.607	236.5591398	7225.831	30000	0	0	30000	38.75	2004
11.02.2020 10:17:05	1	1	1	1	78	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:17:06	1	1	1	1	78	58.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:17:07	1	1	1	1	78	58.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:17:08	1	1	1	1	78	58.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.9375	2004
11.02.2020 10:17:09	1	1	1	1	78	58.75	0	30047.393	247.311828	7290.245427	30000	0	0	30000	39.1875	2004
11.02.2020 10:17:10	1	1	1	1	78	59	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:11	1	1	1	1	78	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 10:17:12	1	1	1	1	78	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:17:13	1	1	1	1	78	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.125	2004
11.02.2020 10:17:14	1	1	1	1	78	58	0	30000	247.311828	7547.903134	30000	0	0	30000	37.5625	2004
11.02.2020 10:17:15	1	1	1	1	78	57.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:17:16	1	1	1	1	78	58	0	30000	245.1612903	7290.245427	30000	0	0	30000	38	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:24	1	1	1	1	77.75	58.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:17:25	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:26	1	1	1	1	77.75	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:27	1	1	1	1	77.75	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 10:17:29	1	1	1	1	77.75	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:17:30	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:17:31	1	1	1	1	77.75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.5625	2004
11.02.2020 10:17:32	1	1	1	1	77.75	57.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:17:33	1	1	1	1	77.75	58.5	0	30000	245.1612903	7203.000571	30000	0	0	30000	38.75	2004
11.02.2020 10:17:34	1	1	1	1	77.75	58.75	0	30000	245.1612903	7343.244639	30000	0	0	30000	38.75	2004
11.02.2020 10:17:35	1	1	1	1	77.75	58.75	0	30000	243.0107527	7354.659854	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:36	1	1	1	1	77.75	58.5	0	30000	243.0107527	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:37	1	1	1	1	77.75	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.25	2004
11.02.2020 10:17:38	1	1	1	1	77.5	58.25	0	29952.607	247.311828	7483.488707	30000	0	0	30000	37.875	2004
11.02.2020 10:17:39	1	1	1	1	77.5	57.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:40	1	1	1	1	77.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.875	2004
11.02.2020 10:17:41	1	1	1	1	77.5	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:17:42	1	1	1	1	77.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:17:43	1	1	1	1	77.5	58.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:44	1	1	1	1	77.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 10:17:45	1	1	1	1	77.5	58.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.9375	2004
11.02.2020 10:17:46	1	1	1	1	77.5	58.75	0	30094.787	251.6129032	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:17:47	1	1	1	1	77.5	58.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	39.25	2004
11.02.2020 10:17:48	1	1	1	1	77.5	59	0	30000	245.1612903	7571.548936	30000	0	0	30000	38.9375	2004
11.02.2020 10:17:49	1	1	1	1	77.5	58.75	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	38.125	2004
11.02.2020 10:17:50	1	1	1	1	77.5	58	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.625	2004
11.02.2020 10:17:51	1	1	1	1	77.5	57.5	0	30000	245.1612903	7419.07428	30000	0	0	30000	37.75	2004
11.02.2020 10:17:52	1	1	1	1	77.5	57.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:53	1	1	1	1	77.5	58.5	0	29952.607	245.1612903	7290.245427	30000	0	0	30000	38.4375	2004
11.02.2020 10:17:54	1	1	1	1	77.5	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:17:55	1	1	1	1	77.5	58.75	0	30000	251.6129032	7472.073492	30000	0	0	30000	38.625	2004
11.02.2020 10:17:56	1	1	1	1	77.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:17:57	1	1	1	1	77.5	58.75	0	29952.607	247.311828	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:58	1	1	1	1	77.5	58.5	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:17:59	1	1	1	1	77.5	58.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:18:00	1	1	1	1	77.5	58.5	0	29952.607	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:18:01	1	1	1	1	77.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:18:02	1	1	1	1	77.5	58.75	0	30047.393	251.6129032	7547.903134	30000	0	0	30000	37.875	2004
11.02.2020 10:18:03	1	1	1	1	77.5	57.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:18:04	1	1	1	1	77.5	58.75	0	29952.607	249.4623656	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:18:05	1	1	1	1	77.5	58.75	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:18:07	1	1	1	1	77.5	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:18:08	1	1	1	1	77.75	58.5	0	30000	253.7634409	7688.962574	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:09	1	1	1	1	77.75	58.5	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:18:10	1	1	1	1	77.75	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:11	1	1	1	1	77.75	58.75	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:12	1	1	1	1	77.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:13	1	1	1	1	77.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.375	2004
11.02.2020 10:18:14	1	1	1	1	77.75	58.25	0	30000	266.6666667	8141.494306	30000	0	0	30000	38.875	2004
11.02.2020 10:18:15	1	1	1	1	77.75	58.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.25	2004
11.02.2020 10:18:16	1	1	1	1	77.75	58.25	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 10:18:17	1	1	1	1	77.75	58.5	0	30000	264.516129	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:18	1	1	1	1	77.25	58.5	0	29952.607	262.3655914	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:26	1	1	1	1	77.25	58.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	39.125	2004
11.02.2020 10:18:27	1	1	1	1	77.25	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:18:28	1	1	1	1	77.25	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:18:29	1	1	1	1	77.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:30	1	1	1	1	77.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 10:18:31	1	1	1	1	77.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:18:32	1	1	1	1	77.25	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.4375	2004
11.02.2020 10:18:33	1	1	1	1	77.25	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:34	1	1	1	1	77.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 10:18:35	1	1	1	1	77.25	58.75	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:36	1	1	1	1	77.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:18:37	1	1	1	1	77.75	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:38	1	1	1	1	77.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38	2004
11.02.2020 10:18:39	1	1	1	1	77.75	58	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:40	1	1	1	1	77.75	58.5	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:41	1	1	1	1	77.75	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.0625	2004
11.02.2020 10:18:42	1	1	1	1	77.75	58	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:18:43	1	1	1	1	77.75	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.75	2004
11.02.2020 10:18:44	1	1	1	1	77.75	57.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 10:18:46	1	1	1	1	77.75	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 10:18:47	1	1	1	1	77.75	58.25	0	30000	260.2150538	7794.145626	30000	0	0	30000	38.5	2004
11.02.2020 10:18:48	1	1	1	1	77.75	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:18:49	1	1	1	1	77.75	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:50	1	1	1	1	77.75	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.125	2004
11.02.2020 10:18:51	1	1	1	1	77.75	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:18:52	1	1	1	1	77.75	58.75	0	30000	253.7634409	7459.842905	30000	0	0	30000	38.75	2004
11.02.2020 10:18:53	1	1	1	1	77.75	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:18:54	1	1	1	1	77.75	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.3125	2004
11.02.2020 10:18:55	1	1	1	1	77.75	58.25	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:18:56	1	1	1	1	77.75	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:18:57	1	1	1	1	77.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.9375	2004
11.02.2020 10:18:58	1	1	1	1	77.5	57.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.25	2004
11.02.2020 10:18:59	1	1	1	1	77.5	58.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:19:00	1	1	1	1	77.5	58.5	0	29952.607	260.2150538	7717.500612	30000	0	0	30000	38.8125	2004
11.02.2020 10:19:01	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:19:02	1	1	1	1	77.5	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.4375	2004
11.02.2020 10:19:03	1	1	1	1	77.5	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:19:04	1	1	1	1	77.5	58	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:19:05	1	1	1	1	77.5	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	37.5625	2004
11.02.2020 10:19:06	1	1	1	1	77.5	57.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:19:07	1	1	1	1	78	58	0	30000	249.4623656	7459.842905	30000	0	0	30000	38.5625	2004
11.02.2020 10:19:08	1	1	1	1	78	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:09	1	1	1	1	78	58.25	0	30000	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:19:10	1	1	1	1	78	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:19:11	1	1	1	1	78	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:12	1	1	1	1	78	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:13	1	1	1	1	78	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.875	2004
11.02.2020 10:19:14	1	1	1	1	78	58.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.625	2004
11.02.2020 10:19:15	1	1	1	1	78	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:16	1	1	1	1	78	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.4375	2004
11.02.2020 10:19:17	1	1	1	1	77.5	57.25	0	29952.607	243.0107527	7354.659854	30000	0	0	30000	38.5	2004
11.02.2020 10:19:18	1	1	1	1	77.5	58.5	0	30047.393	247.311828	7483.488707	30000	0	0	30000	38.75	2004
11.02.2020 10:19:19	1	1	1	1	77.5	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:27	1	1	1	1	77.5	58.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:28	1	1	1	1	77.75	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:19:29	1	1	1	1	77.75	58.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:30	1	1	1	1	77.75	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:19:31	1	1	1	1	77.75	58.75	0	29952.607	253.7634409	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:19:32	1	1	1	1	77.75	58.5	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:19:33	1	1	1	1	77.75	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:19:34	1	1	1	1	77.75	58.5	0	29905.213	258.0645161	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 10:19:35	1	1	1	1	77.75	58.25	0	30000	258.0645161	7612.31756	30000	0	0	30000	38.375	2004
11.02.2020 10:19:36	1	1	1	1	77.75	58.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:19:37	1	1	1	1	77.75	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:19:38	1	1	1	1	77.5	58.75	0	30000	258.0645161	7524.257332	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:39	1	1	1	1	77.5	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	39	2004
11.02.2020 10:19:40	1	1	1	1	77.5	59	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	39	2004
11.02.2020 10:19:41	1	1	1	1	77.5	59	0	30000	255.9139785	7741.961786	30000	0	0	30000	39.25	2004
11.02.2020 10:19:42	1	1	1	1	77.5	58	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:19:43	1	1	1	1	77.5	58.5	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:19:44	1	1	1	1	77.5	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.9375	2004
11.02.2020 10:19:45	1	1	1	1	77.5	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:19:46	1	1	1	1	77.5	58.75	0	30047.393	253.7634409	7612.31756	30000	0	0	30000	38.9375	2004
11.02.2020 10:19:47	1	1	1	1	77.25	58.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:19:48	1	1	1	1	77.25	58.5	0	29952.607	247.311828	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:19:49	1	1	1	1	77.25	58.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:19:50	1	1	1	1	77.25	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.0625	2004
11.02.2020 10:19:51	1	1	1	1	77.25	58	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.625	2004
11.02.2020 10:19:52	1	1	1	1	77.25	57.5	0	29952.607	262.3655914	7909.928519	30000	0	0	30000	38.3125	2004
11.02.2020 10:19:53	1	1	1	1	77.25	58.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.75	2004
11.02.2020 10:19:54	1	1	1	1	77.25	58.75	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:19:55	1	1	1	1	77.25	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:19:56	1	1	1	1	77.25	58.75	0	30000	260.2150538	7935.205066	30000	0	0	30000	37.3125	2004
11.02.2020 10:19:57	1	1	1	1	77	57.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.0625	2004
11.02.2020 10:19:58	1	1	1	1	77	58	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:19:59	1	1	1	1	77	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 10:20:01	1	1	1	1	77	58.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:02	1	1	1	1	77	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:03	1	1	1	1	77	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:04	1	1	1	1	77	58.5	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	38.125	2004
11.02.2020 10:20:05	1	1	1	1	77	58	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.25	2004
11.02.2020 10:20:06	1	1	1	1	77	58.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:07	1	1	1	1	77	58.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:08	1	1	1	1	77	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:20:09	1	1	1	1	77	58.75	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:10	1	1	1	1	77	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:11	1	1	1	1	77	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:12	1	1	1	1	77	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:20:13	1	1	1	1	77	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:20:14	1	1	1	1	77	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.375	2004
11.02.2020 10:20:15	1	1	1	1	77	57.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.25	2004
11.02.2020 10:20:18	1	1	1	1	77	58.75	0	30000	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:20:18	1	1	1	1	77	58.75	0	30000	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:20:18	1	1	1	1	77	58.75	0	30000	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:20:19	1	1	1	1	77	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.9375	2004
11.02.2020 10:20:20	1	1	1	1	77	59	0	30000	247.311828	7343.244639	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:21	1	1	1	1	77	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:29	1	1	1	1	76.75	57.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:30	1	1	1	1	76.75	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	38.25	2004
11.02.2020 10:20:31	1	1	1	1	76.75	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	38.75	2004
11.02.2020 10:20:32	1	1	1	1	76.75	58.75	0	30000	240.8602151	7290.245427	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:33	1	1	1	1	76.75	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:20:34	1	1	1	1	76.75	58.75	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.75	2004
11.02.2020 10:20:35	1	1	1	1	76.75	58.75	0	30000	247.311828	7354.659854	30000	0	0	30000	38.3125	2004
11.02.2020 10:20:37	1	1	1	1	76.75	58.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:38	1	1	1	1	76.25	58.75	0	30000	243.0107527	7354.659854	30000	0	0	30000	38.75	2004
11.02.2020 10:20:39	1	1	1	1	76.25	58.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5625	2004
11.02.2020 10:20:40	1	1	1	1	76.25	58.5	0	30000	243.0107527	7354.659854	30000	0	0	30000	38.8125	2004
11.02.2020 10:20:41	1	1	1	1	76.25	58.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.875	2004
11.02.2020 10:20:42	1	1	1	1	76.25	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:20:43	1	1	1	1	76.25	58.75	0	30000	247.311828	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:44	1	1	1	1	76.25	58.5	0	30000	247.311828	7354.659854	30000	0	0	30000	38.0625	2004
11.02.2020 10:20:45	1	1	1	1	76.25	58	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:20:46	1	1	1	1	76.25	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	37.9375	2004
11.02.2020 10:20:47	1	1	1	1	76.25	57.75	0	30000	245.1612903	7495.719294	30000	0	0	30000	38.625	2004
11.02.2020 10:20:48	1	1	1	1	76	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.6875	2004
11.02.2020 10:20:49	1	1	1	1	76	58.5	0	30000	247.311828	7354.659854	30000	0	0	30000	38.625	2004
11.02.2020 10:20:50	1	1	1	1	76	58.5	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:20:51	1	1	1	1	76	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.1875	2004
11.02.2020 10:20:52	1	1	1	1	76	58	0	30000	260.2150538	7794.145626	30000	0	0	30000	38.375	2004
11.02.2020 10:20:53	1	1	1	1	76	58.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.125	2004
11.02.2020 10:20:54	1	1	1	1	76	58	0	30000	255.9139785	7676.731987	30000	0	0	30000	39.125	2004
11.02.2020 10:20:55	1	1	1	1	76	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.375	2004
11.02.2020 10:20:56	1	1	1	1	76	58.25	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	39.125	2004
11.02.2020 10:20:57	1	1	1	1	76	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.0625	2004
11.02.2020 10:20:58	1	1	1	1	76	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:20:59	1	1	1	1	76	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:00	1	1	1	1	76	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:01	1	1	1	1	76	58.5	0	30000	251.6129032	7741.961786	30000	0	0	30000	37.25	2004
11.02.2020 10:21:02	1	1	1	1	76	57.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:21:03	1	1	1	1	76	58.5	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:04	1	1	1	1	76	58.5	0	30000	251.6129032	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:05	1	1	1	1	76	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:21:06	1	1	1	1	76	58.75	0	29905.213	260.2150538	7870.79064	30000	0	0	30000	38.875	2004
11.02.2020 10:21:07	1	1	1	1	76	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:21:08	1	1	1	1	76	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:21:09	1	1	1	1	76	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:21:10	1	1	1	1	76	58.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.875	2004
11.02.2020 10:21:11	1	1	1	1	76	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.1875	2004
11.02.2020 10:21:12	1	1	1	1	76	58	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:21:13	1	1	1	1	76	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.5	2004
11.02.2020 10:21:15	1	1	1	1	76	57.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:21:16	1	1	1	1	76	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.9375	2004
11.02.2020 10:21:17	1	1	1	1	76	58.75	0	29952.607	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:18	1	1	1	1	75.75	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:19	1	1	1	1	75.75	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:21:20	1	1	1	1	75.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.4375	2004
11.02.2020 10:21:21	1	1	1	1	75.75	58.25	0	29952.607	253.7634409	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:21:22	1	1	1	1	75.75	58.75	0	30047.393	253.7634409	7547.903134	30000	0	0	30000	38.9375	2004
11.02.2020 10:21:23	1	1	1	1	75.75	58.75	0	30000	247.311828	7483.488707	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.8125	2004
11.02.2020 10:21:31	1	1	1	1	75.5	58.75	0	30000	240.8602151	7021.172506	30000	0	0	30000	38.75	2004
11.02.2020 10:21:32	1	1	1	1	75.5	58.75	0	30000	240.8602151	7225.831	30000	0	0	30000	38.625	2004
11.02.2020 10:21:33	1	1	1	1	75.5	58.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	39	2004
11.02.2020 10:21:34	1	1	1	1	75.5	59	0	30047.393	243.0107527	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:21:35	1	1	1	1	75.5	59	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:21:36	1	1	1	1	75.5	58.25	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.5625	2004
11.02.2020 10:21:37	1	1	1	1	75.75	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5625	2004
11.02.2020 10:21:38	1	1	1	1	75.75	58.5	0	29905.213	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:21:39	1	1	1	1	75.75	58.75	0	30000	247.311828	7483.488707	30000	0	0	30000	38.375	2004
11.02.2020 10:21:40	1	1	1	1	75.75	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:21:41	1	1	1	1	75.75	58.5	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:21:42	1	1	1	1	75.75	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 10:21:43	1	1	1	1	75.75	58.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:44	1	1	1	1	75.75	58.5	0	29952.607	247.311828	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:21:45	1	1	1	1	75.75	58.25	0	29905.213	249.4623656	7483.488707	30000	0	0	30000	38.1875	2004
11.02.2020 10:21:46	1	1	1	1	75.75	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:47	1	1	1	1	76	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	36.3125	2004
11.02.2020 10:21:48	1	1	1	1	76	56.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:21:49	1	1	1	1	76	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:21:51	1	1	1	1	76	57.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:21:52	1	1	1	1	76	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.625	2004
11.02.2020 10:21:53	1	1	1	1	76	57.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:21:54	1	1	1	1	76	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:21:55	1	1	1	1	76	58.75	0	29952.607	249.4623656	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:56	1	1	1	1	76	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.0625	2004
11.02.2020 10:21:57	1	1	1	1	76	58	0	29952.607	251.6129032	7472.073492	30000	0	0	30000	38.75	2004
11.02.2020 10:21:58	1	1	1	1	75.75	58.75	0	30000	262.3655914	7794.145626	30000	0	0	30000	38.6875	2004
11.02.2020 10:21:59	1	1	1	1	75.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.3125	2004
11.02.2020 10:22:00	1	1	1	1	75.75	57.25	0	30000	260.2150538	7665.316772	30000	0	0	30000	37.5625	2004
11.02.2020 10:22:01	1	1	1	1	75.75	57.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:02	1	1	1	1	75.75	58.5	0	30047.393	268.8172043	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:22:03	1	1	1	1	75.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.5	2004
11.02.2020 10:22:04	1	1	1	1	75.75	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.625	2004
11.02.2020 10:22:05	1	1	1	1	75.75	58.5	0	30047.393	262.3655914	7870.79064	30000	0	0	30000	38.75	2004
11.02.2020 10:22:06	1	1	1	1	75.75	58.75	0	30000	264.516129	7999.619493	30000	0	0	30000	38.375	2004
11.02.2020 10:22:07	1	1	1	1	75.75	58.25	0	30094.787	268.8172043	7935.205066	30000	0	0	30000	39	2004
11.02.2020 10:22:08	1	1	1	1	75.5	59	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.375	2004
11.02.2020 10:22:09	1	1	1	1	75.5	58.25	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.0625	2004
11.02.2020 10:22:10	1	1	1	1	75.5	58	0	30000	253.7634409	8089.310467	30000	0	0	30000	39.1875	2004
11.02.2020 10:22:11	1	1	1	1	75.5	58.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:22:12	1	1	1	1	75.5	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38	2004
11.02.2020 10:22:13	1	1	1	1	75.5	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:14	1	1	1	1	75.5	58.75	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:15	1	1	1	1	75.5	58.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:16	1	1	1	1	75.5	58.5	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:17	1	1	1	1	75.75	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:22:18	1	1	1	1	75.75	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:22:19	1	1	1	1	75.75	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	37.0625	2004
11.02.2020 10:22:20	1	1	1	1	75.75	57	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.25	2004
11.02.2020 10:22:21	1	1	1	1	75.75	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 10:22:22	1	1	1	1	75.75	58.5	0	29905.213	240.8602151	7354.659854	30000	0	0	30000	38.625	2004
11.02.2020 10:22:23	1	1	1	1	75.75	58.5	0	30000	240.8602151	7290.245427	30000	0	0	30000	38.125	2004
11.02.2020 10:22:24	1	1	1	1	75.75	58	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:32	1	1	1	1	75.25	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:33	1	1	1	1	75.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:22:34	1	1	1	1	75.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:22:35	1	1	1	1	75.25	57.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.875	2004
11.02.2020 10:22:36	1	1	1	1	75.25	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:22:37	1	1	1	1	75.25	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.6875	2004
11.02.2020 10:22:38	1	1	1	1	75.5	57.5	0	29952.607	253.7634409	7612.31756	30000	0	0	30000	38.375	2004
11.02.2020 10:22:39	1	1	1	1	75.5	58.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:40	1	1	1	1	75.5	58.75	0	30000	247.311828	7483.488707	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:41	1	1	1	1	75.5	58.5	0	30000	253.7634409	7600.902346	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:42	1	1	1	1	75.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:43	1	1	1	1	75.5	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:22:44	1	1	1	1	75.5	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:22:45	1	1	1	1	75.5	58.5	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:22:46	1	1	1	1	75.5	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:22:47	1	1	1	1	75.5	58.75	0	30000	245.1612903	7419.07428	30000	0	0	30000	39.1875	2004
11.02.2020 10:22:48	1	1	1	1	75.25	59	0	29905.213	243.0107527	7354.659854	30000	0	0	30000	38.625	2004
11.02.2020 10:22:49	1	1	1	1	75.25	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:50	1	1	1	1	75.25	58.75	0	30000	247.311828	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:22:51	1	1	1	1	75.25	58.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:52	1	1	1	1	75.25	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.4375	2004
11.02.2020 10:22:53	1	1	1	1	75.25	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:22:54	1	1	1	1	75.25	58.5	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.25	2004
11.02.2020 10:22:55	1	1	1	1	75.25	58.25	0	30000	251.6129032	7536.487919	30000	0	0	30000	38.625	2004
11.02.2020 10:22:56	1	1	1	1	75.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:22:57	1	1	1	1	74.75	58.75	0	29952.607	253.7634409	7665.316772	30000	0	0	30000	38.625	2004
11.02.2020 10:22:58	1	1	1	1	74.75	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:22:59	1	1	1	1	74.75	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.375	2004
11.02.2020 10:23:00	1	1	1	1	74.75	58.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:01	1	1	1	1	74.75	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:23:02	1	1	1	1	74.75	58.75	0	29905.213	260.2150538	7999.619493	30000	0	0	30000	38.5	2004
11.02.2020 10:23:03	1	1	1	1	74.75	58.5	0	29905.213	264.516129	8064.033919	30000	0	0	30000	37.75	2004
11.02.2020 10:23:05	1	1	1	1	74.75	57.75	0	30000	264.516129	7999.619493	30000	0	0	30000	38.625	2004
11.02.2020 10:23:06	1	1	1	1	74.75	58.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.125	2004
11.02.2020 10:23:07	1	1	1	1	74.75	58	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.9375	2004
11.02.2020 10:23:08	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.25	2004
11.02.2020 10:23:09	1	1	1	1	74.75	58.25	0	30000	260.2150538	7870.79064	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:10	1	1	1	1	74.75	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:11	1	1	1	1	74.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:12	1	1	1	1	74.75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	37.375	2004
11.02.2020 10:23:13	1	1	1	1	74.75	57.25	0	29952.607	262.3655914	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:23:14	1	1	1	1	74.75	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.5625	2004
11.02.2020 10:23:15	1	1	1	1	74.75	57.5	0	29905.213	260.2150538	7806.376213	30000	0	0	30000	38.875	2004
11.02.2020 10:23:16	1	1	1	1	74.75	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:17	1	1	1	1	74.75	58.5	0	30000	264.516129	7999.619493	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:18	1	1	1	1	74.75	58.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:23:19	1	1	1	1	74.75	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.875	2004
11.02.2020 10:23:20	1	1	1	1	74.75	58.75	0	30000	258.0645161	7935.205066	30000	0	0	30000	38.625	2004
11.02.2020 10:23:21	1	1	1	1	74.75	58.5	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:22	1	1	1	1	74.75	58.5	0	30047.393	266.6666667	8064.033919	30000	0	0	30000	38.3125	2004
11.02.2020 10:23:23	1	1	1	1	74.75	58.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.75	2004
11.02.2020 10:23:24	1	1	1	1	74.75	58.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	39.1875	2004
11.02.2020 10:23:25	1	1	1	1	74.75	59	0	30000	262.3655914	7870.79064	30000	0	0	30000	37.25	2004
11.02.2020 10:23:26	1	1	1	1	74.75	57.25	0	30000	264.516129	7935.205066	30000	0	0	30000	39.125	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:33	1	1	1	1	74.75	58.75	0	30000	264.516129	7935.205066	30000	0	0	30000	38.75	2004
11.02.2020 10:23:34	1	1	1	1	74.75	58.75	0	30000	266.6666667	7935.205066	30000	0	0	30000	37.6875	2004
11.02.2020 10:23:35	1	1	1	1	74.75	57.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.8125	2004
11.02.2020 10:23:36	1	1	1	1	74.75	58.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:37	1	1	1	1	74.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.25	2004
11.02.2020 10:23:38	1	1	1	1	74.75	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 10:23:39	1	1	1	1	74.75	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:40	1	1	1	1	74.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:23:41	1	1	1	1	74.75	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:42	1	1	1	1	74.75	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:23:43	1	1	1	1	74.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:45	1	1	1	1	74.75	58.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	37.875	2004
11.02.2020 10:23:46	1	1	1	1	74.75	57.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:23:47	1	1	1	1	74.75	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	37.0625	2004
11.02.2020 10:23:48	1	1	1	1	74.25	57	0	30000	262.3655914	7870.79064	30000	0	0	30000	37.8125	2004
11.02.2020 10:23:49	1	1	1	1	74.25	57.75	0	30000	258.0645161	7588.671758	30000	0	0	30000	39	2004
11.02.2020 10:23:50	1	1	1	1	74.25	59	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:23:51	1	1	1	1	74.25	58.5	0	30047.393	258.0645161	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:23:52	1	1	1	1	74.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.3125	2004
11.02.2020 10:23:53	1	1	1	1	74.25	58.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:23:54	1	1	1	1	74.25	58.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.4375	2004
11.02.2020 10:23:55	1	1	1	1	74.25	58.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:56	1	1	1	1	74.25	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.1875	2004
11.02.2020 10:23:57	1	1	1	1	74.25	58	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:23:58	1	1	1	1	74	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:23:59	1	1	1	1	74	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:24:00	1	1	1	1	74	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:01	1	1	1	1	74	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.9375	2004
11.02.2020 10:24:02	1	1	1	1	74	57.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:24:03	1	1	1	1	74	58.75	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:04	1	1	1	1	74	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.9375	2004
11.02.2020 10:24:05	1	1	1	1	74	58.75	0	29905.213	258.0645161	7806.376213	30000	0	0	30000	39.0625	2004
11.02.2020 10:24:06	1	1	1	1	74	59	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:24:07	1	1	1	1	74.5	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.125	2004
11.02.2020 10:24:08	1	1	1	1	74.5	58	0	30000	258.0645161	7806.376213	30000	0	0	30000	38.75	2004
11.02.2020 10:24:09	1	1	1	1	74.5	58.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.1875	2004
11.02.2020 10:24:10	1	1	1	1	74.5	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.25	2004
11.02.2020 10:24:11	1	1	1	1	74.5	58.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:12	1	1	1	1	74.5	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.625	2004
11.02.2020 10:24:13	1	1	1	1	74.5	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	37.9375	2004
11.02.2020 10:24:14	1	1	1	1	74.5	57.75	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.75	2004
11.02.2020 10:24:15	1	1	1	1	74.5	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.4375	2004
11.02.2020 10:24:16	1	1	1	1	74.5	58.25	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38	2004
11.02.2020 10:24:17	1	1	1	1	74.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.8125	2004
11.02.2020 10:24:18	1	1	1	1	74.25	57.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.1875	2004
11.02.2020 10:24:19	1	1	1	1	74.25	58	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:20	1	1	1	1	74.25	58.5	0	29952.607	255.9139785	7741.961786	30000	0	0	30000	38.75	2004
11.02.2020 10:24:21	1	1	1	1	74.25	58.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:22	1	1	1	1	74.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	37.9375	2004
11.02.2020 10:24:24	1	1	1	1	74.25	57.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:24:25	1	1	1	1	74.25	58.75	0	30047.393	245.1612903	7430.489495	30000	0	0	30000	38	2004
11.02.2020 10:24:26	1	1	1	1	74.25	58	0	29952.607	247.311828	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:24:27	1	1	1	1	74.25	58.75	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:24:28	1	1	1	1	74.5	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	38.8125	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	58.75	0	30000	251.6129032	7331.014052	30000	0	0	30000	37.1875	2004
11.02.2020 10:24:36	1	1	1	1	74.5	57	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.75	2004
11.02.2020 10:24:37	1	1	1	1	74.5	58.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:24:38	1	1	1	1	74.25	58.5	0	29905.213	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:24:39	1	1	1	1	74.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.875	2004
11.02.2020 10:24:40	1	1	1	1	74.25	58.75	0	30047.393	251.6129032	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:24:41	1	1	1	1	74.25	58.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:24:42	1	1	1	1	74.25	58.75	0	29952.607	245.1612903	7354.659854	30000	0	0	30000	38.25	2004
11.02.2020 10:24:43	1	1	1	1	74.25	58.25	0	30000	243.0107527	7225.831	30000	0	0	30000	37.3125	2004
11.02.2020 10:24:44	1	1	1	1	74.25	57.25	0	30000	240.8602151	7442.720083	30000	0	0	30000	38.0625	2004
11.02.2020 10:24:45	1	1	1	1	74.25	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.1875	2004
11.02.2020 10:24:46	1	1	1	1	74.25	58	0	30000	240.8602151	7225.831	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:24:47	1	1	1	1	74.25	59	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.4375	2004
11.02.2020 10:24:48	1	1	1	1	74.5	58.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	39.125	2004
11.02.2020 10:24:49	1	1	1	1	74.5	58.75	0	29952.607	236.5591398	7096.186775	30000	0	0	30000	38.8125	2004
11.02.2020 10:24:50	1	1	1	1	74.5	58.75	0	29952.607	236.5591398	7160.601201	30000	0	0	30000	38.5	2004
11.02.2020 10:24:51	1	1	1	1	74.5	58.5	0	30000	234.4086022	7096.186775	30000	0	0	30000	37.9375	2004
11.02.2020 10:24:52	1	1	1	1	74.5	57.75	0	30000	234.4086022	6967.357921	30000	0	0	30000	38	2004
11.02.2020 10:24:53	1	1	1	1	74.5	58	0	30000	234.4086022	7096.186775	30000	0	0	30000	38.5625	2004
11.02.2020 10:24:54	1	1	1	1	74.5	58.5	0	29905.213	232.2580645	7096.186775	30000	0	0	30000	38.75	2004
11.02.2020 10:24:55	1	1	1	1	74.5	58.75	0	30000	232.2580645	6763.514799	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:56	1	1	1	1	74.5	58.5	0	29952.607	232.2580645	7031.772348	30000	0	0	30000	38.75	2004
11.02.2020 10:24:57	1	1	1	1	74.25	58.75	0	30000	234.4086022	7225.831	30000	0	0	30000	38.1875	2004
11.02.2020 10:24:58	1	1	1	1	74.25	58	0	30000	236.5591398	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:24:59	1	1	1	1	74.25	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.625	2004
11.02.2020 10:25:00	1	1	1	1	74.25	58.5	0	29952.607	240.8602151	7074.171717	30000	0	0	30000	37.75	2004
11.02.2020 10:25:01	1	1	1	1	74.25	57.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.3125	2004
11.02.2020 10:25:02	1	1	1	1	74.25	58.25	0	30000	240.8602151	7225.831	30000	0	0	30000	37.3125	2004
11.02.2020 10:25:04	1	1	1	1	74.25	57.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:25:05	1	1	1	1	74.25	58.5	0	30000	245.1612903	7354.659854	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:06	1	1	1	1	74.25	58.5	0	30000	245.1612903	7266.599625	30000	0	0	30000	38.25	2004
11.02.2020 10:25:07	1	1	1	1	74.25	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:08	1	1	1	1	74.25	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:09	1	1	1	1	74.25	58.5	0	29952.607	251.6129032	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:10	1	1	1	1	74.25	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:11	1	1	1	1	74.25	58.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.0625	2004
11.02.2020 10:25:12	1	1	1	1	74.25	58	0	30000	249.4623656	7547.903134	30000	0	0	30000	38	2004
11.02.2020 10:25:13	1	1	1	1	74.25	58	0	29952.607	245.1612903	7343.244639	30000	0	0	30000	38.625	2004
11.02.2020 10:25:14	1	1	1	1	74.25	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:15	1	1	1	1	74.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	37.3125	2004
11.02.2020 10:25:16	1	1	1	1	74.25	57.25	0	29905.213	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 10:25:17	1	1	1	1	74.25	58.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:18	1	1	1	1	73.75	58.5	0	30000	253.7634409	7524.257332	30000	0	0	30000	38.125	2004
11.02.2020 10:25:19	1	1	1	1	73.75	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:25:20	1	1	1	1	73.75	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:25:21	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.125	2004
11.02.2020 10:25:22	1	1	1	1	73.75	58	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.25	2004
11.02.2020 10:25:23	1	1	1	1	73.75	58.25	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:24	1	1	1	1	73.75	58.5	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 10:25:25	1	1	1	1	73.75	58	0	29952.607	258.0645161	7729.731199	30000	0	0	30000	39	2004
11.02.2020 10:25:26	1	1	1	1	73.75	59	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:25:27	1	1	1	1	73.75	58.5	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.375	2004
11.02.2020 10:25:28	1	1	1	1	73.75	58.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	37.5625	2004
11.02.2020 10:25:29	1	1	1	1	73.75	57.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	73.75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.625	2004
11.02.2020 10:25:37	1	1	1	1	74	58.5	0	30000	249.4623656	7472.073492	30000	0	0	30000	38.75	2004
11.02.2020 10:25:38	1	1	1	1	74	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.3125	2004
11.02.2020 10:25:39	1	1	1	1	74	58.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	36.5	2004
11.02.2020 10:25:40	1	1	1	1	74	56.5	0	30000	249.4623656	7483.488707	30000	0	0	30000	36.875	2004
11.02.2020 10:25:41	1	1	1	1	74	56.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:25:43	1	1	1	1	74	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.125	2004
11.02.2020 10:25:44	1	1	1	1	74	58	0	30000	247.311828	7483.488707	30000	0	0	30000	37.1875	2004
11.02.2020 10:25:45	1	1	1	1	74	57	0	30047.393	258.0645161	7547.903134	30000	0	0	30000	37.8125	2004
11.02.2020 10:25:46	1	1	1	1	74	57.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.5	2004
11.02.2020 10:25:47	1	1	1	1	74	57.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:25:48	1	1	1	1	73	58.25	0	30047.393	255.9139785	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:25:49	1	1	1	1	73	58	0	29905.213	255.9139785	7612.31756	30000	0	0	30000	37.875	2004
11.02.2020 10:25:50	1	1	1	1	73	57.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	37.8125	2004
11.02.2020 10:25:51	1	1	1	1	73	57.75	0	29952.607	251.6129032	7536.487919	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:52	1	1	1	1	73	58.5	0	30000	253.7634409	7536.487919	30000	0	0	30000	38.375	2004
11.02.2020 10:25:53	1	1	1	1	73	58.25	0	29905.213	247.311828	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:25:54	1	1	1	1	73	58.5	0	30094.787	266.6666667	7741.961786	30000	0	0	30000	37.4375	2004
11.02.2020 10:25:55	1	1	1	1	73	57.25	0	29905.213	251.6129032	7741.961786	30000	0	0	30000	38.1875	2004
11.02.2020 10:25:56	1	1	1	1	73	58	0	30000	260.2150538	7741.961786	30000	0	0	30000	38.625	2004
11.02.2020 10:25:57	1	1	1	1	73	58.5	0	30000	258.0645161	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:25:58	1	1	1	1	73.25	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	37.75	2004
11.02.2020 10:25:59	1	1	1	1	73.25	57.75	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:00	1	1	1	1	73.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:26:01	1	1	1	1	73.25	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:26:02	1	1	1	1	73.25	58.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.875	2004
11.02.2020 10:26:03	1	1	1	1	73.25	58.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.25	2004
11.02.2020 10:26:04	1	1	1	1	73.25	58.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	39.125	2004
11.02.2020 10:26:05	1	1	1	1	73.25	59	0	30000	253.7634409	7547.903134	30000	0	0	30000	37.8125	2004
11.02.2020 10:26:06	1	1	1	1	73.25	59	0	29905.213	251.6129032	7612.31756	30000	0	0	30000	37.8125	2004
11.02.2020 10:26:07	1	1	1	1	73	57.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	37.1875	2004
11.02.2020 10:26:08	1	1	1	1	73	57	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:26:09	1	1	1	1	73	58	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:10	1	1	1	1	73	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:26:11	1	1	1	1	73	58	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004
11.02.2020 10:26:12	1	1	1	1	73	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:13	1	1	1	1	73	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.625	2004
11.02.2020 10:26:14	1	1	1	1	73	57.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:26:15	1	1	1	1	73	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:16	1	1	1	1	73	58.5	0	30000	255.9139785	7612.31756	30000	0	0	30000	37.875	2004
11.02.2020 10:26:17	1	1	1	1	73.25	57.75	0	30000	253.7634409	7547.903134	30000	0	0	30000	37.25	2004
11.02.2020 10:26:18	1	1	1	1	73.25	57.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:20	1	1	1	1	73.25	58.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	36.375	2004
11.02.2020 10:26:21	1	1	1	1	73.25	56.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	37.3125	2004
11.02.2020 10:26:22	1	1	1	1	73.25	57.25	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	38.75	2004
11.02.2020 10:26:23	1	1	1	1	73.25	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.75	2004
11.02.2020 10:26:24	1	1	1	1	73.25	57.75	0	29952.607	245.1612903	7278.830212	30000	0	0	30000	37.9375	2004
11.02.2020 10:26:25	1	1	1	1	73.25	57.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:26	1	1	1	1	73.25	58.5	0	30000	251.6129032	7395.428478	30000	0	0	30000	38.375	2004
11.02.2020 10:26:27	1	1	1	1	73.25	58.25	0	29952.607	251.6129032	7612.31756	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:28	1	1	1	1	73.25	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.375	2004
11.02.2020 10:26:29	1	1	1	1	73.25	58.25	0	30047.393	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:30	1	1	1	1	73.25	58.5	0	30047.393	255.9139785	7560.133721	30000	0	0	30000	38.125	2004
11.02.2020 10:26:31	1	1	1	1	73.25	58	0	30000	251.6129032	7266.599625	30000	0	0	30000	37.9375	2004
11.02.2020 10:26:38	1	1	1	1	73.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:38	1	1	1	1	73.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:38	1	1	1	1	73.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:38	1	1	1	1	73.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:38	1	1	1	1	73.25	58	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:38	1	1	1	1	73.5	58.5	0	30000	253.7634409	7741.961786	30000	0	0	30000	38.0625	2004
11.02.2020 10:26:39	1	1	1	1	73.5	58	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:26:40	1	1	1	1	73.5	58	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:41	1	1	1	1	73.5	58.5	0	29952.607	253.7634409	7676.731987	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:42	1	1	1	1	73.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.875	2004
11.02.2020 10:26:43	1	1	1	1	73.5	57.75	0	30000	247.311828	7266.599625	30000	0	0	30000	38.5	2004
11.02.2020 10:26:44	1	1	1	1	73.5	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:45	1	1	1	1	73.5	59	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:26:46	1	1	1	1	73.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.125	2004
11.02.2020 10:26:47	1	1	1	1	73.5	57	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.3125	2004
11.02.2020 10:26:48	1	1	1	1	73.5	58.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:49	1	1	1	1	73.5	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:26:50	1	1	1	1	73.5	58	0	30000	245.1612903	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:26:51	1	1	1	1	73.5	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:26:52	1	1	1	1	73.5	58.5	0	30000	251.6129032	7571.548936	30000	0	0	30000	38.8125	2004
11.02.2020 10:26:53	1	1	1	1	73.5	58.75	0	29952.607	245.1612903	7419.07428	30000	0	0	30000	38.25	2004
11.02.2020 10:26:54	1	1	1	1	73.5	58.25	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.1875	2004
11.02.2020 10:26:55	1	1	1	1	73.5	58	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5	2004
11.02.2020 10:26:56	1	1	1	1	73.5	58.5	0	30000	247.311828	7278.830212	30000	0	0	30000	38.0625	2004
11.02.2020 10:26:57	1	1	1	1	73.25	58	0	30000	249.4623656	7419.07428	30000	0	0	30000	37.25	2004
11.02.2020 10:26:58	1	1	1	1	73.25	57.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:26:59	1	1	1	1	73.25	57.75	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.0625	2004
11.02.2020 10:27:01	1	1	1	1	73.25	58	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:27:02	1	1	1	1	73.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:27:03	1	1	1	1	73.25	58.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:27:04	1	1	1	1	73.25	58	0	29952.607	253.7634409	7600.902346	30000	0	0	30000	38.625	2004
11.02.2020 10:27:05	1	1	1	1	73.25	58.5	0	30000	247.311828	7547.903134	30000	0	0	30000	38.625	2004
11.02.2020 10:27:06	1	1	1	1	73.25	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.4375	2004
11.02.2020 10:27:07	1	1	1	1	73.25	58.25	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.375	2004
11.02.2020 10:27:08	1	1	1	1	73.25	58.25	0	30000	251.6129032	7419.07428	30000	0	0	30000	38.625	2004
11.02.2020 10:27:09	1	1	1	1	73.25	58.5	0	30000	247.311828	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:27:10	1	1	1	1	73.25	58.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	38	2004
11.02.2020 10:27:11	1	1	1	1	73.25	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.8125	2004
11.02.2020 10:27:12	1	1	1	1	73.25	58.75	0	30000	251.6129032	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:27:13	1	1	1	1	73.25	58.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:27:14	1	1	1	1	73.25	58.25	0	30000	249.4623656	7483.488707	30000	0	0	30000	38.4375	2004
11.02.2020 10:27:15	1	1	1	1	73.25	58.25	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.1875	2004
11.02.2020 10:27:16	1	1	1	1	73.25	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:27:17	1	1	1	1	73.25	58.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:18	1	1	1	1	73.5	58.5	0	30000	253.7634409	7676.731987	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:19	1	1	1	1	73.5	58.5	0	29952.607	251.6129032	7536.487919	30000	0	0	30000	37.9375	2004
11.02.2020 10:27:20	1	1	1	1	73.5	57.75	0	30000	251.6129032	7483.488707	30000	0	0	30000	38.1875	2004
11.02.2020 10:27:21	1	1	1	1	73.5	58	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.875	2004
11.02.2020 10:27:22	1	1	1	1	73.5	58.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.25	2004
11.02.2020 10:27:23	1	1	1	1	73.5	58.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	39.0625	2004
11.02.2020 10:27:24	1	1	1	1	73.5	58.25	0	30000	391.3978495	11511.4288	30000	0	0	30000	38.5625	2004
11.02.2020 10:27:25	1	1	1	1	73.5	58.5	0	30000	184.9462366	5677.438643	30000	0	0	30000	38.75	2004
11.02.2020 10:27:26	1	1	1	1	73.5	58.75	0	30000	150.5376344	4515.532846	30000	0	0	30000	37.4375	2004
11.02.2020 10:27:27	1	1	1	1	73.5	57.25	0	30000	182.7956989	5483.379991	30000	0	0	30000	38.8125	2004
11.02.2020 10:27:28	1	1	1	1	73.5	58.75	0	30000	184.9462366	5677.438643	30000	0	0	30000	37.6875	2004
11.02.2020 10:27:29	1	1	1	1	73.5	57.5	0	30000	182.7956989	5483.379991	30000	0	0	30000	38.625	2004
11.02.2020 10:27:30	1	1	1	1	73.5	58.5	0	30000	182.7956989	5483.379991	30000	0	0	30000	38.5625	2004
11.02.2020 10:27:31	1	1	1	1	73.5	58.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	37.875	2004
11.02.2020 10:27:32	1	1	1	1	73.5	57.75	0	30000	182.7956989	5483.379991	30000	0	0	30000	38.75	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:40	1	1	1	1	78.75	58.5	0	30000	243.0107527	7150.001359	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:41	1	1	1	1	78.75	58.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	38.75	2004
11.02.2020 10:27:42	1	1	1	1	78.75	58.75	0	30000	221.5053763	6580.055989	30000	0	0	30000	37.6875	2004
11.02.2020 10:27:43	1	1	1	1	78.75	57.5	0	30000	184.9462366	5677.438643	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:27:44	1	1	1	1	78.75	58.5	0	30000	210.7526882	6322.398282	30000	0	0	30000	38.6875	2004
11.02.2020 10:27:45	1	1	1	1	78.75	58.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	38.8125	2004
11.02.2020 10:27:46	1	1	1	1	78.75	58.75	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.3125	2004
11.02.2020 10:27:47	1	1	1	1	78.75	58.25	0	29952.607	167.7419355	5031.663632	30000	0	0	30000	38.625	2004
11.02.2020 10:27:48	1	1	1	1	78.5	58.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	38.75	2004
11.02.2020 10:27:49	1	1	1	1	78.5	58.75	0	30000	152.688172	4579.947273	30000	0	0	30000	38.3125	2004
11.02.2020 10:27:50	1	1	1	1	78.5	58.25	0	30047.393	178.4946237	5354.551137	30000	0	0	30000	38.25	2004
11.02.2020 10:27:51	1	1	1	1	78.5	58.25	0	30000	152.688172	4451.118419	30000	0	0	30000	37.6875	2004
11.02.2020 10:27:52	1	1	1	1	78.5	57.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	38.125	2004
11.02.2020 10:27:53	1	1	1	1	78.5	58	0	30000	161.2903226	4838.420352	30000	0	0	30000	38.5625	2004
11.02.2020 10:27:54	1	1	1	1	78.5	58.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	38.5	2004
11.02.2020 10:27:55	1	1	1	1	78.5	58.5	0	30000	152.688172	4579.947273	30000	0	0	30000	38.5	2004
11.02.2020 10:27:56	1	1	1	1	78.5	58.5	0	30000	144.0860215	4257.875139	30000	0	0	30000	38.625	2004
11.02.2020 10:27:57	1	1	1	1	78.5	58.5	0	30000	161.2903226	4579.947273	30000	0	0	30000	37.4375	2004
11.02.2020 10:27:58	1	1	1	1	79	57.25	0	30000	141.9354839	4193.460713	30000	0	0	30000	39.0625	2004
11.02.2020 10:27:59	1	1	1	1	79	59	0	30000	144.0860215	4193.460713	30000	0	0	30000	38.6875	2004
11.02.2020 10:28:00	1	1	1	1	79	58.5	0	29952.607	144.0860215	4451.118419	30000	0	0	30000	38.9375	2004
11.02.2020 10:28:01	1	1	1	1	79	58.75	0	30000	152.688172	4579.947273	30000	0	0	30000	38.4375	2004
11.02.2020 10:28:02	1	1	1	1	79	58.5	0	30000	152.688172	4515.532846	30000	0	0	30000	38.625	2004
11.02.2020 10:28:03	1	1	1	1	79	58.5	0	30000	129.0322581	3806.15878	30000	0	0	30000	38.25	2004
11.02.2020 10:28:04	1	1	1	1	79	58.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	38.25	2004
11.02.2020 10:28:05	1	1	1	1	79	58.25	0	30000	163.4408602	4902.834778	30000	0	0	30000	38.125	2004
11.02.2020 10:28:06	1	1	1	1	79	58	0	29952.607	189.2473118	5870.681923	30000	0	0	30000	38.6875	2004
11.02.2020 10:28:07	1	1	1	1	79.25	58.5	0	29952.607	217.2043011	6515.641562	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:08	1	1	1	1	79.25	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.625	2004
11.02.2020 10:28:09	1	1	1	1	79.25	57.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	37.9375	2004
11.02.2020 10:28:10	1	1	1	1	79.25	57.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.4375	2004
11.02.2020 10:28:11	1	1	1	1	79.25	58.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	38.6875	2004
11.02.2020 10:28:12	1	1	1	1	79.25	58.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.625	2004
11.02.2020 10:28:13	1	1	1	1	79.25	58.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.625	2004
11.02.2020 10:28:14	1	1	1	1	79.25	58.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.4375	2004
11.02.2020 10:28:15	1	1	1	1	79.25	58.25	0	30000	275.2688172	8128.448346	30000	0	0	30000	38.625	2004
11.02.2020 10:28:16	1	1	1	1	79.25	58.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:18	1	1	1	1	76.75	58.5	0	30000	260.2150538	7806.376213	30000	0	0	30000	38.1875	2004
11.02.2020 10:28:19	1	1	1	1	76.75	58	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.375	2004
11.02.2020 10:28:20	1	1	1	1	76.75	58.25	0	29952.607	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:28:21	1	1	1	1	76.75	58.5	0	30000	247.311828	7278.830212	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:22	1	1	1	1	76.75	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:23	1	1	1	1	76.75	58.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	37.75	2004
11.02.2020 10:28:24	1	1	1	1	76.75	57.75	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:25	1	1	1	1	76.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 10:28:26	1	1	1	1	76.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:27	1	1	1	1	76.75	58.5	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:28:28	1	1	1	1	75.75	58.5	0	29952.607	240.8602151	7214.415786	30000	0	0	30000	38.0625	2004
11.02.2020 10:28:29	1	1	1	1	75.75	58	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.625	2004
11.02.2020 10:28:30	1	1	1	1	75.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:31	1	1	1	1	75.75	58.5	0	30000	236.5591398	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:32	1	1	1	1	75.75	58.5	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:33	1	1	1	1	75.75	58.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:28:34	1	1	1	1	75.75	58.5	0	30000	234.4086022	7096.186775	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.75	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.75	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.75	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.75	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.75	2004
11.02.2020 10:28:41	1	1	1	1	75.5	58.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:28:42	1	1	1	1	75.5	58.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.5625	2004
11.02.2020 10:28:43	1	1	1	1	75.5	58.5	0	30000	232.2580645	7237.246215	30000	0	0	30000	38.25	2004
11.02.2020 10:28:44	1	1	1	1	75.5	58.25	0	30000	232.2580645	6902.943495	30000	0	0	30000	38.375	2004
11.02.2020 10:28:45	1	1	1	1	75.5	58.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	38.25	2004
11.02.2020 10:28:46	1	1	1	1	75.5	58.25	0	29952.607	232.2580645	6902.943495	30000	0	0	30000	37.3125	2004
11.02.2020 10:28:47	1	1	1	1	75.75	57.25	0	30000	227.9569892	6644.470416	30000	0	0	30000	38.0625	2004
11.02.2020 10:28:48	1	1	1	1	75.75	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.75	2004
11.02.2020 10:28:49	1	1	1	1	75.75	58.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	37.75	2004
11.02.2020 10:28:50	1	1	1	1	75.75	57.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.625	2004
11.02.2020 10:28:51	1	1	1	1	75.75	58.5	0	30000	234.4086022	6902.943495	30000	0	0	30000	37.9375	2004
11.02.2020 10:28:52	1	1	1	1	75.75	57.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.125	2004
11.02.2020 10:28:53	1	1	1	1	75.75	58	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.1875	2004
11.02.2020 10:28:55	1	1	1	1	75.75	58	0	30000	232.2580645	7031.772348	30000	0	0	30000	38.0625	2004
11.02.2020 10:28:56	1	1	1	1	75.75	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.3125	2004
11.02.2020 10:28:57	1	1	1	1	75.75	58.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:28:58	1	1	1	1	75.75	58.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.0625	2004
11.02.2020 10:28:59	1	1	1	1	75.75	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.5625	2004
11.02.2020 10:29:00	1	1	1	1	75.75	58.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.6875	2004
11.02.2020 10:29:01	1	1	1	1	75.75	58.5	0	30000	230.1075269	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:02	1	1	1	1	75.75	58.5	0	30000	234.4086022	6967.357921	30000	0	0	30000	38.125	2004
11.02.2020 10:29:03	1	1	1	1	75.75	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.125	2004
11.02.2020 10:29:04	1	1	1	1	75.75	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.5625	2004
11.02.2020 10:29:05	1	1	1	1	75.75	58.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:29:06	1	1	1	1	75.75	58.5	0	30000	234.4086022	6967.357921	30000	0	0	30000	38.5	2004
11.02.2020 10:29:07	1	1	1	1	75.75	58.5	0	30000	227.9569892	6902.943495	30000	0	0	30000	38.25	2004
11.02.2020 10:29:08	1	1	1	1	76.25	58.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	38.625	2004
11.02.2020 10:29:09	1	1	1	1	76.25	58.5	0	30000	227.9569892	6902.943495	30000	0	0	30000	38.125	2004
11.02.2020 10:29:10	1	1	1	1	76.25	58	0	30000	227.9569892	6763.514799	30000	0	0	30000	38.75	2004
11.02.2020 10:29:11	1	1	1	1	76.25	58.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:29:12	1	1	1	1	76.25	57.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.5	2004
11.02.2020 10:29:13	1	1	1	1	76.25	58.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	38.5625	2004
11.02.2020 10:29:14	1	1	1	1	76.25	58.5	0	30000	225.8064516	6967.357921	30000	0	0	30000	38.125	2004
11.02.2020 10:29:15	1	1	1	1	76.25	58	0	30000	225.8064516	6774.114641	30000	0	0	30000	38.6875	2004
11.02.2020 10:29:16	1	1	1	1	76.25	58.5	0	29952.607	227.9569892	6838.529068	30000	0	0	30000	38	2004
11.02.2020 10:29:17	1	1	1	1	76.25	58	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.625	2004
11.02.2020 10:29:18	1	1	1	1	76.25	58.5	0	30000	230.1075269	6838.529068	30000	0	0	30000	37.8125	2004
11.02.2020 10:29:19	1	1	1	1	76.25	57.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	39.0625	2004
11.02.2020 10:29:20	1	1	1	1	76.25	59	0	30047.393	230.1075269	6902.943495	30000	0	0	30000	38.8125	2004
11.02.2020 10:29:21	1	1	1	1	76.25	58.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	37.9375	2004
11.02.2020 10:29:22	1	1	1	1	76.25	57.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	38.0625	2004
11.02.2020 10:29:23	1	1	1	1	76.25	58	0	30000	221.5053763	6570.271519	30000	0	0	30000	38	2004
11.02.2020 10:29:24	1	1	1	1	76.25	58	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.5	2004
11.02.2020 10:29:25	1	1	1	1	76.25	58.5	0	30000	232.2580645	6774.114641	30000	0	0	30000	38.625	2004
11.02.2020 10:29:26	1	1	1	1	76.25	58.5	0	30000	223.655914	6774.114641	30000	0	0	30000	38.625	2004
11.02.2020 10:29:27	1	1	1	1	76.5	58.5	0	30000	223.655914	6774.114641	30000	0	0	30000	38.6875	2004
11.02.2020 10:29:28	1	1	1	1	76.5	58.5	0	29952.607	225.8064516	6774.114641	30000	0	0	30000	38.625	2004
11.02.2020 10:29:29	1	1	1	1	76.5	58.5	0	30000	227.9569892	6774.114641	30000	0	0	30000	38.5625	2004
11.02.2020 10:29:30	1	1	1	1	76.5	58.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	38.625	2004
11.02.2020 10:29:31	1	1	1	1	76.5	58.5	0	30000	225.8064516	6774.114641	30000	0	0	30000	38.6875	2004
11.02.2020 10:29:33	1	1	1	1	76.5	58.5	0	30000	227.9569892	6774.114641	30000	0	0	30000	38.8125	2004
11.02.2020 10:29:34	1	1	1	1	76.5	58.75	0	30000	227.9569892	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:35	1	1	1	1	76.5	58.5	0	30000	227.9569892	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:36	1	1	1	1	76.5	58.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	37.9375	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	225.8064516	6838.529068	30000	0	0	30000	38.625	2004
11.02.2020 10:29:43	1	1	1	1	76.5	58.5	0	30000	227.9569892	6967.357921	30000	0	0	30000	38.6875	2004
11.02.2020 10:29:44	1	1	1	1	76.5	58.5	0	30000	232.2580645	6752.099584	30000	0	0	30000	38.625	2004
11.02.2020 10:29:45	1	1	1	1	76.5	58.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:29:46	1	1	1	1	76.5	58.5	0	30000	230.1075269	6902.943495	30000	0	0	30000	38.625	2004
11.02.2020 10:29:47	1	1	1	1	76.5	58.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	37.4375	2004
11.02.2020 10:29:48	1	1	1	1	76.75	57.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:29:49	1	1	1	1	76.75	58.5	0	29952.607	232.2580645	7031.772348	30000	0	0	30000	38.5	2004
11.02.2020 10:29:50	1	1	1	1	76.75	58.5	0	30000	234.4086022	6902.943495	30000	0	0	30000	38.0625	2004
11.02.2020 10:29:51	1	1	1	1	76.75	58	0	30000	234.4086022	7031.772348	30000	0	0	30000	37.9375	2004
11.02.2020 10:29:52	1	1	1	1	76.75	57.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	37.875	2004
11.02.2020 10:29:53	1	1	1	1	76.75	57.75	0	30094.787	240.8602151	6902.943495	30000	0	0	30000	38.125	2004
11.02.2020 10:29:54	1	1	1	1	76.75	58	0	30000	234.4086022	7031.772348	30000	0	0	30000	37.5625	2004
11.02.2020 10:29:55	1	1	1	1	76.75	57.5	0	30000	232.2580645	7031.772348	30000	0	0	30000	38.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:29:56	1	1	1	1	76.75	58.75	0	30000	232.2580645	6956.758079	30000	0	0	30000	38.75	2004
11.02.2020 10:29:57	1	1	1	1	76.75	58.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.25	2004
11.02.2020 10:29:58	1	1	1	1	75.5	57.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	37.3125	2004
11.02.2020 10:29:59	1	1	1	1	75.5	57.25	0	30000	232.2580645	7043.187563	30000	0	0	30000	38.625	2004
11.02.2020 10:30:00	1	1	1	1	75.5	58.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:01	1	1	1	1	75.5	58.5	0	30047.393	234.4086022	6967.357921	30000	0	0	30000	38.3125	2004
11.02.2020 10:30:02	1	1	1	1	75.5	58.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:03	1	1	1	1	75.5	58.5	0	30000	234.4086022	6967.357921	30000	0	0	30000	37.9375	2004
11.02.2020 10:30:04	1	1	1	1	75.5	57.75	0	30000	234.4086022	7021.172506	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:05	1	1	1	1	75.5	58.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:06	1	1	1	1	75.5	58.5	0	30000	236.5591398	7096.186775	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:07	1	1	1	1	75.75	58.5	0	30000	240.8602151	7085.586932	30000	0	0	30000	37.8125	2004
11.02.2020 10:30:08	1	1	1	1	75.75	57.75	0	30000	236.5591398	7031.772348	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:09	1	1	1	1	75.75	58.5	0	30000	234.4086022	7096.186775	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:11	1	1	1	1	75.75	58.5	0	30000	236.5591398	7031.772348	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:12	1	1	1	1	75.75	58.5	0	30000	236.5591398	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:30:13	1	1	1	1	75.75	58.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	38	2004
11.02.2020 10:30:14	1	1	1	1	75.75	58	0	30000	234.4086022	7021.172506	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:15	1	1	1	1	75.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	37.625	2004
11.02.2020 10:30:16	1	1	1	1	75.75	57.5	0	30000	240.8602151	7096.186775	30000	0	0	30000	38.3125	2004
11.02.2020 10:30:17	1	1	1	1	75.75	58.25	0	29952.607	236.5591398	7225.831	30000	0	0	30000	38.625	2004
11.02.2020 10:30:18	1	1	1	1	75.75	58.5	0	29905.213	234.4086022	7096.186775	30000	0	0	30000	38.625	2004
11.02.2020 10:30:19	1	1	1	1	75.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:20	1	1	1	1	75.75	58.5	0	30000	236.5591398	7225.831	30000	0	0	30000	37.4375	2004
11.02.2020 10:30:21	1	1	1	1	75.75	57.25	0	30000	236.5591398	7031.772348	30000	0	0	30000	38.625	2004
11.02.2020 10:30:22	1	1	1	1	75.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.1875	2004
11.02.2020 10:30:23	1	1	1	1	75.75	58	0	30000	236.5591398	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 10:30:24	1	1	1	1	75.75	58.5	0	30000	240.8602151	7096.186775	30000	0	0	30000	38.0625	2004
11.02.2020 10:30:25	1	1	1	1	75.75	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:26	1	1	1	1	75.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 10:30:27	1	1	1	1	75.75	58.5	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38	2004
11.02.2020 10:30:28	1	1	1	1	75.5	58	0	29952.607	240.8602151	7225.831	30000	0	0	30000	37.625	2004
11.02.2020 10:30:29	1	1	1	1	75.5	57.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38	2004
11.02.2020 10:30:30	1	1	1	1	75.5	58	0	30000	240.8602151	7225.831	30000	0	0	30000	38.625	2004
11.02.2020 10:30:31	1	1	1	1	75.5	58.5	0	30047.393	245.1612903	7225.831	30000	0	0	30000	38.3125	2004
11.02.2020 10:30:32	1	1	1	1	75.5	58.25	0	30000	240.8602151	7237.246215	30000	0	0	30000	39	2004
11.02.2020 10:30:33	1	1	1	1	75.5	59	0	30000	240.8602151	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 10:30:34	1	1	1	1	75.5	58.5	0	29952.607	240.8602151	7225.831	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:35	1	1	1	1	75.5	58.75	0	29905.213	240.8602151	7290.245427	30000	0	0	30000	38.625	2004
11.02.2020 10:30:36	1	1	1	1	75.5	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.25	2004
11.02.2020 10:30:37	1	1	1	1	75.75	58.25	0	30000	240.8602151	7290.245427	30000	0	0	30000	36.5	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.5	0	30000	245.1612903	7290.245427	30000	0	0	30000	38.75	2004
11.02.2020 10:30:44	1	1	1	1	75.75	58.75	0	30000	245.1612903	7225.831	30000	0	0	30000	38.5	2004
11.02.2020 10:30:45	1	1	1	1	75.75	58.5	0	30000	247.311828	7419.07428	30000	0	0	30000	37.1875	2004
11.02.2020 10:30:46	1	1	1	1	75.75	57	0	30000	247.311828	7419.07428	30000	0	0	30000	38.75	2004
11.02.2020 10:30:48	1	1	1	1	75	58.75	0	30000	247.311828	7419.07428	30000	0	0	30000	37.375	2004
11.02.2020 10:30:49	1	1	1	1	75	57.25	0	30000	247.311828	7419.07428	30000	0	0	30000	38.5625	2004
11.02.2020 10:30:50	1	1	1	1	75	58.5	0	30000	249.4623656	7419.07428	30000	0	0	30000	38.4375	2004
11.02.2020 10:30:51	1	1	1	1	75	58.25	0	30000	249.4623656	7547.903134	30000	0	0	30000	38.25	2004
11.02.2020 10:30:52	1	1	1	1	75	58.25	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.1875	2004
11.02.2020 10:30:53	1	1	1	1	75	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	37.8125	2004
11.02.2020 10:30:54	1	1	1	1	75	57.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	37.4375	2004
11.02.2020 10:30:55	1	1	1	1	75	57.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.6875	2004
11.02.2020 10:30:56	1	1	1	1	75	58.5	0	30000	253.7634409	7547.903134	30000	0	0	30000	38.0625	2004
11.02.2020 10:30:57	1	1	1	1	75	58	0	30000	251.6129032	7547.903134	30000	0	0	30000	38.5	2004
11.02.2020 10:30:58	1	1	1	1	75	58.5	0	30000	253.7634409	7806.376213	30000	0	0	30000	38.5	2004
11.02.2020 10:30:59	1	1	1	1	75	58.5	0	30000	251.6129032	7472.073492	30000	0	0	30000	37.25	2004
11.02.2020 10:31:00	1	1	1	1	75	57.25	0	29905.213	249.4623656	7612.31756	30000	0	0	30000	38.125	2004
11.02.2020 10:31:01	1	1	1	1	75	58	0	29905.213	251.6129032	7536.487919	30000	0	0	30000	37.1875	2004
11.02.2020 10:31:02	1	1	1	1	75	57	0	30000	258.0645161	7741.961786	30000	0	0	30000	38.4375	2004
11.02.2020 10:31:03	1	1	1	1	75	58.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	38.5	2004
11.02.2020 10:31:04	1	1	1	1	75	58.5	0	30000	255.9139785	7612.31756	30000	0	0	30000	38.625	2004
11.02.2020 10:31:05	1	1	1	1	75	58.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:06	1	1	1	1	75	58	0	30000	260.2150538	7741.961786	30000	0	0	30000	37.6875	2004
11.02.2020 10:31:07	1	1	1	1	75	57.5	0	30000	260.2150538	7676.731987	30000	0	0	30000	37.9375	2004
11.02.2020 10:31:08	1	1	1	1	75	57.75	0	29952.607	253.7634409	7741.961786	30000	0	0	30000	38.8125	2004
11.02.2020 10:31:09	1	1	1	1	75	58.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	38.8125	2004
11.02.2020 10:31:10	1	1	1	1	75	58.75	0	29952.607	262.3655914	7935.205066	30000	0	0	30000	39	2004
11.02.2020 10:31:11	1	1	1	1	75	59	0	30000	264.516129	7935.205066	30000	0	0	30000	37.3125	2004
11.02.2020 10:31:12	1	1	1	1	75	58.75	0	30000	264.516129	7870.79064	30000	0	0	30000	38.75	2004
11.02.2020 10:31:13	1	1	1	1	75	58.75	0	29905.213	260.2150538	7935.205066	30000	0	0	30000	38.5625	2004
11.02.2020 10:31:14	1	1	1	1	75	58.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	38.6875	2004
11.02.2020 10:31:15	1	1	1	1	75	58.5	0	30000	264.516129	7935.205066	30000	0	0	30000	38.25	2004
11.02.2020 10:31:16	1	1	1	1	75	58.25	0	30000	268.8172043	8192.862773	30000	0	0	30000	38.4375	2004
11.02.2020 10:31:17	1	1	1	1	75.25	58.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:18	1	1	1	1	75.25	58	0	30000	266.6666667	7999.619493	30000	0	0	30000	38.5625	2004
11.02.2020 10:31:19	1	1	1	1	75.25	58.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	38.6875	2004
11.02.2020 10:31:20	1	1	1	1	75.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.8125	2004
11.02.2020 10:31:21	1	1	1	1	75.25	58.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	38.625	2004
11.02.2020 10:31:22	1	1	1	1	75.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	37.9375	2004
11.02.2020 10:31:24	1	1	1	1	75.25	57.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:31:25	1	1	1	1	75.25	58.5	0	30000	273.1182796	8192.862773	30000	0	0	30000	38.625	2004
11.02.2020 10:31:26	1	1	1	1	75.25	58.5	0	30000	275.2688172	8192.862773	30000	0	0	30000	38.375	2004
11.02.2020 10:31:27	1	1	1	1	75.25	58.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:28	1	1	1	1	75.25	58	0	30000	277.4193548	8309.461039	30000	0	0	30000	38.75	2004
11.02.2020 10:31:29	1	1	1	1	75.25	58.75	0	30000	277.4193548	8258.092572	30000	0	0	30000	38.75	2004
11.02.2020 10:31:30	1	1	1	1	75.25	58.75	0	30047.393	279.5698925	8386.921425	30000	0	0	30000	38	2004
11.02.2020 10:31:31	1	1	1	1	75.25	58	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.75	2004
11.02.2020 10:31:32	1	1	1	1	75.25	58.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.5	2004
11.02.2020 10:31:33	1	1	1	1	75.25	58.5	0	30000	277.4193548	8309.461039	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:34	1	1	1	1	75.25	58.25	0	30000	279.5698925	8322.506999	30000	0	0	30000	38.25	2004
11.02.2020 10:31:35	1	1	1	1	75.25	58.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	38.125	2004
11.02.2020 10:31:36	1	1	1	1	75.25	58	0	30094.787	277.4193548	8386.921425	30000	0	0	30000	38.8125	2004
11.02.2020 10:31:37	1	1	1	1	75.25	58.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	38.625	2004
11.02.2020 10:31:38	1	1	1	1	75	58.5	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	38.5	2004
11.02.2020 10:31:39	1	1	1	1	75	58.5	0	30000	277.4193548	8245.046612	30000	0	0	30000	38.5	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:46	1	1	1	1	75	58.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.3125	2004
11.02.2020 10:31:49	1	1	1	1	74.5	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:49	1	1	1	1	74.5	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:49	1	1	1	1	74.5	58.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	38.1875	2004
11.02.2020 10:31:49	1	1	1	1	74.5	58	0	30000	281.7204301	8451.335852	30000	0	0	30000	38.125	2004
11.02.2020 10:31:50	1	1	1	1	74.5	57.5	0	29905.213	281.7204301	8451.335852	30000	0	0	30000	38.5625	2004
11.02.2020 10:31:51	1	1	1	1	74.5	58.5	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.6875	2004
11.02.2020 10:31:52	1	1	1	1	74.5	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.5	2004
11.02.2020 10:31:53	1	1	1	1	74.5	58.5	0	30000	288.172043	8451.335852	30000	0	0	30000	37.0625	2004
11.02.2020 10:31:54	1	1	1	1	74.5	57	0	30094.787	286.0215054	8580.164705	30000	0	0	30000	37.5	2004
11.02.2020 10:31:55	1	1	1	1	74.5	57.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.75	2004
11.02.2020 10:31:56	1	1	1	1	74.5	58.75	0	30000	288.172043	8580.164705	30000	0	0	30000	38.4375	2004
11.02.2020 10:31:57	1	1	1	1	73.5	58.25	0	30000	288.172043	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 10:31:58	1	1	1	1	73.5	58.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.625	2004
11.02.2020 10:31:59	1	1	1	1	73.5	58.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:00	1	1	1	1	73.5	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:02	1	1	1	1	73.5	58.5	0	30000	288.172043	8580.164705	30000	0	0	30000	37.9375	2004
11.02.2020 10:32:03	1	1	1	1	73.5	57.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	38.5	2004
11.02.2020 10:32:04	1	1	1	1	73.5	58.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	38.125	2004
11.02.2020 10:32:05	1	1	1	1	73.5	58	0	30000	292.4731183	8774.223358	30000	0	0	30000	38.6875	2004
11.02.2020 10:32:06	1	1	1	1	73.5	58.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	38.1875	2004
11.02.2020 10:32:07	1	1	1	1	73.5	58	0	30000	290.3225806	8708.993559	30000	0	0	30000	37.3125	2004
11.02.2020 10:32:08	1	1	1	1	73.75	57.25	0	30047.393	296.7741935	8708.993559	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:32:09	1	1	1	1	73.75	58.75	0	29905.213	286.0215054	8708.993559	30000	0	0	30000	38.5	2004
11.02.2020 10:32:10	1	1	1	1	73.75	58.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.625	2004
11.02.2020 10:32:11	1	1	1	1	73.75	58.5	0	30000	301.0752688	9018.019732	30000	0	0	30000	38.5	2004
11.02.2020 10:32:12	1	1	1	1	73.75	58.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	38.375	2004
11.02.2020 10:32:13	1	1	1	1	73.75	58.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.625	2004
11.02.2020 10:32:14	1	1	1	1	73.75	58.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:15	1	1	1	1	73.75	58.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	38.1875	2004
11.02.2020 10:32:16	1	1	1	1	73.75	58	0	30000	294.6236559	8838.637784	30000	0	0	30000	38.1875	2004
11.02.2020 10:32:17	1	1	1	1	73.75	58	0	30000	301.0752688	9031.881064	30000	0	0	30000	38.5	2004
11.02.2020 10:32:18	1	1	1	1	73.75	58.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	38.25	2004
11.02.2020 10:32:19	1	1	1	1	73.75	58.25	0	29905.213	298.9247312	9096.295491	30000	0	0	30000	38.625	2004
11.02.2020 10:32:20	1	1	1	1	73.75	58.5	0	29952.607	305.3763441	9196.586307	30000	0	0	30000	38.5	2004
11.02.2020 10:32:21	1	1	1	1	73.75	58.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	38.4375	2004
11.02.2020 10:32:22	1	1	1	1	73.75	58.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	37.5625	2004
11.02.2020 10:32:23	1	1	1	1	73.75	57.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	38	2004
11.02.2020 10:32:24	1	1	1	1	73.75	58	0	30000	303.2258065	9160.709918	30000	0	0	30000	37.8125	2004
11.02.2020 10:32:25	1	1	1	1	73.75	57.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	37.8125	2004
11.02.2020 10:32:26	1	1	1	1	73.75	57.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	38.375	2004
11.02.2020 10:32:27	1	1	1	1	73.75	58.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	38.9375	2004
11.02.2020 10:32:28	1	1	1	1	74	58.75	0	30000	307.5268817	9146.848585	30000	0	0	30000	38.625	2004
11.02.2020 10:32:29	1	1	1	1	74	58.75	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	38.6875	2004
11.02.2020 10:32:30	1	1	1	1	74	58.5	0	30000	311.827957	9354.76857	30000	0	0	30000	37.75	2004
11.02.2020 10:32:31	1	1	1	1	74	57.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	37.3125	2004
11.02.2020 10:32:32	1	1	1	1	74	57.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.1875	2004
11.02.2020 10:32:33	1	1	1	1	74	58	0	30000	305.3763441	9096.295491	30000	0	0	30000	37.25	2004
11.02.2020 10:32:34	1	1	1	1	74	57.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	38.3125	2004
11.02.2020 10:32:35	1	1	1	1	74	58.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:36	1	1	1	1	74	58.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:37	1	1	1	1	73.75	58.5	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	37.5625	2004
11.02.2020 10:32:38	1	1	1	1	73.75	57.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	38.625	2004
11.02.2020 10:32:40	1	1	1	1	73.75	58.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	38.5	2004
11.02.2020 10:32:41	1	1	1	1	73.75	58.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	38.0625	2004
11.02.2020 10:32:47	1	1	1	1	73.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:47	1	1	1	1	73.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:47	1	1	1	1	73.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:47	1	1	1	1	73.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:47	1	1	1	1	73.75	58.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:48	1	1	1	1	74	58.5	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	38.3125	2004
11.02.2020 10:32:49	1	1	1	1	74	58.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	38.5625	2004
11.02.2020 10:32:50	1	1	1	1	74	58.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	38.125	2004
11.02.2020 10:32:51	1	1	1	1	74	58	0	30000	331.1827957	9935.313783	30000	0	0	30000	37.1875	2004
11.02.2020 10:32:52	1	1	1	1	74	57	0	30000	331.1827957	9999.728209	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:32:53	1	1	1	1	74	58.5	0	30000	335.483871	10080.45009	30000	0	0	30000	38.625	2004
11.02.2020 10:32:54	1	1	1	1	74	58.5	0	30047.393	331.1827957	9935.313783	30000	0	0	30000	38.1875	2004
11.02.2020 10:32:55	1	1	1	1	74	58	0	30000	331.1827957	9935.313783	30000	0	0	30000	38.625	2004
11.02.2020 10:32:56	1	1	1	1	74	58.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	38.25	2004
11.02.2020 10:32:57	1	1	1	1	74	58.25	0	30000	333.3333333	9790.992852	30000	0	0	30000	38.625	2004
11.02.2020 10:32:58	1	1	1	1	74	58.5	0	30000	335.483871	10064.14264	30000	0	0	30000	37.9375	2004
11.02.2020 10:32:59	1	1	1	1	74	57.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.375	2004
11.02.2020 10:33:00	1	1	1	1	74	58.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	37.875	2004
11.02.2020 10:33:01	1	1	1	1	74	57.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	38.4375	2004
11.02.2020 10:33:02	1	1	1	1	74	58.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.375	2004
11.02.2020 10:33:03	1	1	1	1	74	58.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	38.625	2004
11.02.2020 10:33:04	1	1	1	1	74	58.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	38	2004
11.02.2020 10:33:05	1	1	1	1	74	58	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.8125	2004
11.02.2020 10:33:06	1	1	1	1	74	58.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	38.25	2004
11.02.2020 10:33:07	1	1	1	1	74	58.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	38.5	2004
11.02.2020 10:33:08	1	1	1	1	73.75	58.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	38.625	2004
11.02.2020 10:33:09	1	1	1	1	73.75	58.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	37.75	2004
11.02.2020 10:33:10	1	1	1	1	73.75	57.75	0	30000	341.9354839	10322.61571	30000	0	0	30000	38.25	2004
11.02.2020 10:33:11	1	1	1	1	73.75	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.625	2004
11.02.2020 10:33:12	1	1	1	1	73.75	58.5	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	38.75	2004
11.02.2020 10:33:13	1	1	1	1	73.75	58.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.1875	2004
11.02.2020 10:33:14	1	1	1	1	73.75	57	0	30000	350.5376344	10387.03014	30000	0	0	30000	38.625	2004
11.02.2020 10:33:15	1	1	1	1	73.75	58.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.1875	2004
11.02.2020 10:33:16	1	1	1	1	73.75	58	0	30047.393	352.688172	10515.85899	30000	0	0	30000	38.375	2004
11.02.2020 10:33:17	1	1	1	1	74	58.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.5	2004
11.02.2020 10:33:19	1	1	1	1	74	58.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	37.8125	2004
11.02.2020 10:33:20	1	1	1	1	74	57.75	0	30000	354.8387097	10482.42872	30000	0	0	30000	38.1875	2004
11.02.2020 10:33:21	1	1	1	1	74	58	0	30000	356.9892473	10644.68785	30000	0	0	30000	38.5	2004
11.02.2020 10:33:22	1	1	1	1	74	58.5	0	29952.607	352.688172	10580.27342	30000	0	0	30000	38.5625	2004
11.02.2020 10:33:23	1	1	1	1	74	58.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	38.75	2004
11.02.2020 10:33:24	1	1	1	1	74	58.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.5	2004
11.02.2020 10:33:25	1	1	1	1	74	58.5	0	30000	352.688172	10644.68785	30000	0	0	30000	38	2004
11.02.2020 10:33:26	1	1	1	1	74	58	0	30000	352.688172	10644.68785	30000	0	0	30000	38.3125	2004
11.02.2020 10:33:27	1	1	1	1	74	58.25	0	30000	352.688172	10580.27342	30000	0	0	30000	38.625	2004
11.02.2020 10:33:28	1	1	1	1	74.25	58.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 10:33:29	1	1	1	1	74.25	58.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.125	2004
11.02.2020 10:33:30	1	1	1	1	74.25	58	0	30000	356.9892473	10709.10227	30000	0	0	30000	37.5625	2004
11.02.2020 10:33:31	1	1	1	1	74.25	57.5	0	30000	365.5913978	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 10:33:32	1	1	1	1	74.25	58.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	37.625	2004
11.02.2020 10:33:33	1	1	1	1	74.25	57.5	0	30047.393	359.1397849	10937.40657	30000	0	0	30000	38.625	2004
11.02.2020 10:33:34	1	1	1	1	74.25	58.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.4375	2004
11.02.2020 10:33:35	1	1	1	1	74.25	58.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.5625	2004
11.02.2020 10:33:36	1	1	1	1	74.25	58.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:33:37	1	1	1	1	74.25	58.25	0	30000	363.4408602	10886.03811	30000	0	0	30000	38.6875	2004
11.02.2020 10:33:38	1	1	1	1	74	58.5	0	29905.213	367.7419355	10868.09991	30000	0	0	30000	38.1875	2004
11.02.2020 10:33:39	1	1	1	1	74	58	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.125	2004
11.02.2020 10:33:40	1	1	1	1	74	58	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.6875	2004
11.02.2020 10:33:41	1	1	1	1	74	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38	2004
11.02.2020 10:33:42	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.9375	2004
11.02.2020 10:33:49	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	36.75	2004
11.02.2020 10:33:49	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	36.75	2004
11.02.2020 10:33:49	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	36.75	2004
11.02.2020 10:33:49	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	36.75	2004
11.02.2020 10:33:49	1	1	1	1	74	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	36.75	2004
11.02.2020 10:33:49	1	1	1	1	74	56.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	38.1875	2004
11.02.2020 10:33:50	1	1	1	1	74	58	0	30000	363.4408602	10967.57535	30000	0	0	30000	38.75	2004
11.02.2020 10:33:51	1	1	1	1	74	58.75	0	30000	367.7419355	10932.51434	30000	0	0	30000	38.625	2004
11.02.2020 10:33:52	1	1	1	1	74	58.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	37.8125	2004
11.02.2020 10:33:54	1	1	1	1	74	57.75	0	30094.787	367.7419355	10967.57535	30000	0	0	30000	38	2004
11.02.2020 10:33:55	1	1	1	1	74	58	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.0625	2004
11.02.2020 10:33:56	1	1	1	1	74	58	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.5625	2004
11.02.2020 10:33:57	1	1	1	1	74	58.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.1875	2004
11.02.2020 10:33:58	1	1	1	1	74.25	58	0	30000	372.0430108	11160.81863	30000	0	0	30000	37.8125	2004
11.02.2020 10:33:59	1	1	1	1	74.25	57.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	38.5	2004
11.02.2020 10:34:00	1	1	1	1	74.25	58.5	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:01	1	1	1	1	74.25	58.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	38	2004
11.02.2020 10:34:02	1	1	1	1	74.25	58	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:03	1	1	1	1	74.25	58.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	38.75	2004
11.02.2020 10:34:04	1	1	1	1	74.25	58.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.3125	2004
11.02.2020 10:34:05	1	1	1	1	74.25	58.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.0625	2004
11.02.2020 10:34:06	1	1	1	1	74.25	58	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	38.4375	2004
11.02.2020 10:34:07	1	1	1	1	74.25	58.25	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	38.3125	2004
11.02.2020 10:34:08	1	1	1	1	74.75	58.25	0	29905.213	369.8924731	11031.98978	30000	0	0	30000	37.5625	2004
11.02.2020 10:34:09	1	1	1	1	74.75	57.5	0	30000	378.4946237	11031.98978	30000	0	0	30000	38.1875	2004
11.02.2020 10:34:10	1	1	1	1	74.75	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.625	2004
11.02.2020 10:34:11	1	1	1	1	74.75	58.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.4375	2004
11.02.2020 10:34:12	1	1	1	1	74.75	58.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.375	2004
11.02.2020 10:34:13	1	1	1	1	74.75	58.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:14	1	1	1	1	74.75	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.4375	2004
11.02.2020 10:34:15	1	1	1	1	74.75	58.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	37.4375	2004
11.02.2020 10:34:16	1	1	1	1	74.75	57.25	0	30047.393	372.0430108	11031.98978	30000	0	0	30000	38.625	2004
11.02.2020 10:34:17	1	1	1	1	74.75	58.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	38.6875	2004
11.02.2020 10:34:18	1	1	1	1	74.75	58.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:19	1	1	1	1	74.75	58.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	38.25	2004
11.02.2020 10:34:20	1	1	1	1	74.75	58.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:34:21	1	1	1	1	74.75	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:22	1	1	1	1	74.75	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:23	1	1	1	1	74.75	58.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.6875	2004
11.02.2020 10:34:24	1	1	1	1	74.75	58.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.5	2004
11.02.2020 10:34:25	1	1	1	1	74.75	58.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.5	2004
11.02.2020 10:34:26	1	1	1	1	74.75	58.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.625	2004
11.02.2020 10:34:27	1	1	1	1	75.5	58.5	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	37.25	2004
11.02.2020 10:34:28	1	1	1	1	75.5	57.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38	2004
11.02.2020 10:34:29	1	1	1	1	75.5	58	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.75	2004
11.02.2020 10:34:30	1	1	1	1	75.5	58.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:31	1	1	1	1	75.5	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38	2004
11.02.2020 10:34:33	1	1	1	1	75.5	58	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.4375	2004
11.02.2020 10:34:34	1	1	1	1	75.5	58.25	0	29905.213	369.8924731	11143.69581	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:35	1	1	1	1	75.5	58.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:36	1	1	1	1	75.5	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.3125	2004
11.02.2020 10:34:37	1	1	1	1	75.5	58.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	38	2004
11.02.2020 10:34:38	1	1	1	1	74.75	58	0	30094.787	391.3978495	11419.29171	30000	0	0	30000	38.0625	2004
11.02.2020 10:34:39	1	1	1	1	74.75	58	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38.3125	2004
11.02.2020 10:34:40	1	1	1	1	74.75	58.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.3125	2004
11.02.2020 10:34:41	1	1	1	1	74.75	58.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.5	2004
11.02.2020 10:34:42	1	1	1	1	74.75	58.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	38.1875	2004
11.02.2020 10:34:43	1	1	1	1	74.75	58	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.375	2004
11.02.2020 10:34:44	1	1	1	1	74.75	58.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.625	2004
11.02.2020 10:34:51	1	1	1	1	75.25	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.375	2004
11.02.2020 10:34:51	1	1	1	1	75.25	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.375	2004
11.02.2020 10:34:51	1	1	1	1	75.25	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.375	2004
11.02.2020 10:34:51	1	1	1	1	75.25	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.375	2004
11.02.2020 10:34:51	1	1	1	1	75.25	57	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.375	2004
11.02.2020 10:34:51	1	1	1	1	75.25	58.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.375	2004
11.02.2020 10:34:52	1	1	1	1	75.25	58.25	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	38.1875	2004
11.02.2020 10:34:53	1	1	1	1	75.25	58	0	30000	387.0967742	11612.53499	30000	0	0	30000	38.625	2004
11.02.2020 10:34:54	1	1	1	1	75.25	58.5	0	30000	384.9462366	11401.35352	30000	0	0	30000	37.875	2004
11.02.2020 10:34:55	1	1	1	1	75.25	57.75	0	29952.607	389.2473118	11511.4288	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:56	1	1	1	1	75.25	58.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:57	1	1	1	1	75.25	58.5	0	30000	395.6989247	11548.12057	30000	0	0	30000	37.625	2004
11.02.2020 10:34:58	1	1	1	1	75	57.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	38.5625	2004
11.02.2020 10:34:59	1	1	1	1	75	58.5	0	30000	395.6989247	11548.12057	30000	0	0	30000	38.5	2004
11.02.2020 10:35:00	1	1	1	1	75	58.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.4375	2004
11.02.2020 10:35:01	1	1	1	1	75	58.25	0	30000	382.7956989	11760.11741	30000	0	0	30000	38.3125	2004
11.02.2020 10:35:02	1	1	1	1	75	58.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	37.75	2004
11.02.2020 10:35:03	1	1	1	1	75	57.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	37.125	2004
11.02.2020 10:35:04	1	1	1	1	75	57	0	30000	387.0967742	11612.53499	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:35:05	1	1	1	1	75	58	0	30000	387.0967742	11548.12057	30000	0	0	30000	38.125	2004
11.02.2020 10:35:06	1	1	1	1	75	58	0	30000	391.3978495	11741.36385	30000	0	0	30000	37.875	2004
11.02.2020 10:35:07	1	1	1	1	75	57.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	38.375	2004
11.02.2020 10:35:08	1	1	1	1	75	58.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.4375	2004
11.02.2020 10:35:09	1	1	1	1	75	58.25	0	29905.213	382.7956989	11676.94942	30000	0	0	30000	38.4375	2004
11.02.2020 10:35:10	1	1	1	1	75	58.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:12	1	1	1	1	75	58.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:13	1	1	1	1	75	58	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.625	2004
11.02.2020 10:35:14	1	1	1	1	75	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.3125	2004
11.02.2020 10:35:15	1	1	1	1	75	58.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	38.375	2004
11.02.2020 10:35:16	1	1	1	1	75	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 10:35:17	1	1	1	1	75	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5	2004
11.02.2020 10:35:18	1	1	1	1	75.25	58.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	38.5	2004
11.02.2020 10:35:19	1	1	1	1	75.25	58.5	0	30000	397.8494624	11871.00807	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:20	1	1	1	1	75.25	58.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	38.4375	2004
11.02.2020 10:35:21	1	1	1	1	75.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.1875	2004
11.02.2020 10:35:22	1	1	1	1	75.25	58	0	30000	391.3978495	11852.2545	30000	0	0	30000	37.875	2004
11.02.2020 10:35:23	1	1	1	1	75.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 10:35:24	1	1	1	1	75.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.25	2004
11.02.2020 10:35:25	1	1	1	1	75.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5	2004
11.02.2020 10:35:26	1	1	1	1	75.25	58.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.625	2004
11.02.2020 10:35:27	1	1	1	1	75.25	58.5	0	30000	404.3010753	11871.00807	30000	0	0	30000	38.25	2004
11.02.2020 10:35:28	1	1	1	1	75.25	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.375	2004
11.02.2020 10:35:29	1	1	1	1	75.25	58.25	0	30000	400	12064.25135	30000	0	0	30000	38.4375	2004
11.02.2020 10:35:30	1	1	1	1	75.25	58.25	0	30000	400	11935.4225	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:31	1	1	1	1	75.25	58	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.75	2004
11.02.2020 10:35:32	1	1	1	1	75.25	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	38	2004
11.02.2020 10:35:33	1	1	1	1	75.25	58	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	37.875	2004
11.02.2020 10:35:34	1	1	1	1	75.25	57.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.375	2004
11.02.2020 10:35:35	1	1	1	1	75.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:36	1	1	1	1	75.25	58.5	0	29952.607	400	12064.25135	30000	0	0	30000	38.3125	2004
11.02.2020 10:35:37	1	1	1	1	75.25	58.25	0	29952.607	400	12064.25135	30000	0	0	30000	38.875	2004
11.02.2020 10:35:38	1	1	1	1	75.25	58.75	0	30000	400	11935.4225	30000	0	0	30000	38	2004
11.02.2020 10:35:39	1	1	1	1	75.25	58	0	29905.213	400	11916.66893	30000	0	0	30000	38.6875	2004
11.02.2020 10:35:40	1	1	1	1	75.25	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:41	1	1	1	1	75.25	58.5	0	30000	402.1505376	11935.4225	30000	0	0	30000	38.5	2004
11.02.2020 10:35:42	1	1	1	1	75.25	58.5	0	30000	400	11999.83693	30000	0	0	30000	38.3125	2004
11.02.2020 10:35:43	1	1	1	1	75.25	58.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:44	1	1	1	1	75.25	58.5	0	30000	400	12045.49778	30000	0	0	30000	38.5	2004
11.02.2020 10:35:45	1	1	1	1	75.25	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	37.8125	2004
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:52	1	1	1	1	75.5	57.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:53	1	1	1	1	75.5	58	0	30000	400	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 10:35:54	1	1	1	1	75.5	58.25	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	38.625	2004
11.02.2020 10:35:55	1	1	1	1	75.5	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.0625	2004
11.02.2020 10:35:56	1	1	1	1	75.5	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 10:35:57	1	1	1	1	75.5	58.25	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	37.875	2004
11.02.2020 10:35:58	1	1	1	1	75.25	57.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:35:59	1	1	1	1	75.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:36:00	1	1	1	1	75.25	58.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 10:36:01	1	1	1	1	75.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:36:02	1	1	1	1	75.25	58.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	37.9375	2004
11.02.2020 10:36:03	1	1	1	1	75.25	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:04	1	1	1	1	75.25	58.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	38.4375	2004
11.02.2020 10:36:05	1	1	1	1	75.25	58.25	0	29952.607	400	12193.08021	30000	0	0	30000	38.5	2004
11.02.2020 10:36:06	1	1	1	1	75.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:07	1	1	1	1	75.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 10:36:08	1	1	1	1	75.5	58	0	30000	404.3010753	12109.91221	30000	0	0	30000	38.6875	2004
11.02.2020 10:36:09	1	1	1	1	75.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38	2004
11.02.2020 10:36:10	1	1	1	1	75.5	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.9375	2004
11.02.2020 10:36:11	1	1	1	1	75.5	57.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.625	2004
11.02.2020 10:36:12	1	1	1	1	75.5	58.5	0	30000	404.3010753	12367.56992	30000	0	0	30000	37.625	2004
11.02.2020 10:36:13	1	1	1	1	75.5	57.5	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	38.5	2004
11.02.2020 10:36:14	1	1	1	1	75.5	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:15	1	1	1	1	75.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 10:36:16	1	1	1	1	75.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 10:36:17	1	1	1	1	75.5	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 10:36:18	1	1	1	1	76	57.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:19	1	1	1	1	76	58.5	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:20	1	1	1	1	76	58.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:36:21	1	1	1	1	76	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
11.02.2020 10:36:22	1	1	1	1	76	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:23	1	1	1	1	76	58.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.5	2004
11.02.2020 10:36:24	1	1	1	1	76	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.5	2004
11.02.2020 10:36:25	1	1	1	1	76	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38	2004
11.02.2020 10:36:27	1	1	1	1	76	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:36:28	1	1	1	1	76.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:36:29	1	1	1	1	76.25	58	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:36:30	1	1	1	1	76.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.0625	2004
11.02.2020 10:36:31	1	1	1	1	76.25	57	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:36:32	1	1	1	1	76.25	58.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	38.4375	2004
11.02.2020 10:36:33	1	1	1	1	76.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:36:34	1	1	1	1	76.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:35	1	1	1	1	76.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:36:36	1	1	1	1	76.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:36:37	1	1	1	1	76.25	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:36:38	1	1	1	1	76.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:36:39	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:36:40	1	1	1	1	76.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:36:41	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:42	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:36:43	1	1	1	1	76.75	58.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.3125	2004
11.02.2020 10:36:44	1	1	1	1	76.75	57.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:45	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 10:36:46	1	1	1	1	76.75	57.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	38.1875	2004
11.02.2020 10:36:47	1	1	1	1	76.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:36:54	1	1	1	1	76.5	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.125	2004
11.02.2020 10:36:55	1	1	1	1	76.5	58	0	30000	419.3548387	12794.00973	30000	0	0	30000	37.75	2004
11.02.2020 10:36:56	1	1	1	1	76.5	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.5625	2004
11.02.2020 10:36:57	1	1	1	1	76.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 10:36:58	1	1	1	1	76.5	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:36:59	1	1	1	1	76.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:00	1	1	1	1	76.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:01	1	1	1	1	76.5	58.5	0	30000	412.9032258	12064.25135	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:02	1	1	1	1	76.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 10:37:03	1	1	1	1	76.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 10:37:04	1	1	1	1	76.5	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:05	1	1	1	1	76.5	58.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 10:37:06	1	1	1	1	76.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:07	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.5625	2004
11.02.2020 10:37:08	1	1	1	1	76.75	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:10	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 10:37:11	1	1	1	1	76.75	57.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.6875	2004
11.02.2020 10:37:12	1	1	1	1	76.75	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 10:37:13	1	1	1	1	76.75	58.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:14	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:37:15	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:16	1	1	1	1	76.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:37:17	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:37:18	1	1	1	1	77	58	0	30000	415.0537634	12348.00098	30000	0	0	30000	37.875	2004
11.02.2020 10:37:19	1	1	1	1	77	57.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	38	2004
11.02.2020 10:37:20	1	1	1	1	77	58	0	30000	417.2043011	12580.38214	30000	0	0	30000	38	2004
11.02.2020 10:37:21	1	1	1	1	77	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:22	1	1	1	1	77	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.5	2004
11.02.2020 10:37:23	1	1	1	1	77	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 10:37:24	1	1	1	1	77	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.5	2004
11.02.2020 10:37:25	1	1	1	1	77	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:26	1	1	1	1	77	58.5	0	30000	419.3548387	12599.95108	30000	0	0	30000	38.875	2004
11.02.2020 10:37:27	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5	2004
11.02.2020 10:37:28	1	1	1	1	76.75	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:29	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.0625	2004
11.02.2020 10:37:30	1	1	1	1	76.75	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:31	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 10:37:32	1	1	1	1	76.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:37:33	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38	2004
11.02.2020 10:37:34	1	1	1	1	76.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 10:37:35	1	1	1	1	76.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:36	1	1	1	1	76.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:37:37	1	1	1	1	76.75	58	0	30000	412.9032258	12025.92885	30000	0	0	30000	38.8125	2004
11.02.2020 10:37:38	1	1	1	1	77.25	58.75	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:37:39	1	1	1	1	77.25	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 10:37:40	1	1	1	1	77.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 10:37:41	1	1	1	1	77.25	58.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.75	2004
11.02.2020 10:37:42	1	1	1	1	77.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.75	2004
11.02.2020 10:37:43	1	1	1	1	77.25	57.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:37:44	1	1	1	1	77.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 10:37:45	1	1	1	1	77.25	57.75	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	38.0625	2004
11.02.2020 10:37:46	1	1	1	1	77.25	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:37:47	1	1	1	1	77.25	58.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 10:37:49	1	1	1	1	77.25	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:55	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:55	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:55	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:55	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:55	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:37:56	1	1	1	1	77.25	58.25	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:57	1	1	1	1	77.25	58.5	0	30047.393	412.9032258	12535.53665	30000	0	0	30000	38.5625	2004
11.02.2020 10:37:58	1	1	1	1	77.5	58.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:37:59	1	1	1	1	77.5	58	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:00	1	1	1	1	77.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:38:01	1	1	1	1	77.5	58.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:38:02	1	1	1	1	77.5	57.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 10:38:03	1	1	1	1	77.5	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.0625	2004
11.02.2020 10:38:04	1	1	1	1	77.5	58	0	30000	419.3548387	12838.03984	30000	0	0	30000	37.9375	2004
11.02.2020 10:38:05	1	1	1	1	77.5	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:38:06	1	1	1	1	77.5	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.9375	2004
11.02.2020 10:38:07	1	1	1	1	77.5	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38	2004
11.02.2020 10:38:08	1	1	1	1	77.5	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:38:09	1	1	1	1	77.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:38:10	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:11	1	1	1	1	77.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:38:12	1	1	1	1	77.5	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:38:13	1	1	1	1	77.5	58.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	38.5	2004
11.02.2020 10:38:14	1	1	1	1	77.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.4375	2004
11.02.2020 10:38:15	1	1	1	1	77.5	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:38:16	1	1	1	1	77.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:38:17	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:18	1	1	1	1	77.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:19	1	1	1	1	77.5	58.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	37.375	2004
11.02.2020 10:38:20	1	1	1	1	77.5	57.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:38:21	1	1	1	1	77.5	58.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	38.3125	2004
11.02.2020 10:38:22	1	1	1	1	77.5	58.25	0	30000	423.655914	12709.21099	30000	0	0	30000	38.25	2004
11.02.2020 10:38:23	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:38:24	1	1	1	1	77.5	58.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 10:38:25	1	1	1	1	77.5	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:38:27	1	1	1	1	77.5	58.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	37.5625	2004
11.02.2020 10:38:28	1	1	1	1	77.5	57.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:38:29	1	1	1	1	77.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:38:30	1	1	1	1	77.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 10:38:31	1	1	1	1	77.5	58.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.375	2004
11.02.2020 10:38:32	1	1	1	1	77.5	58.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	37.25	2004
11.02.2020 10:38:33	1	1	1	1	77.5	57.25	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:34	1	1	1	1	77.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.0625	2004
11.02.2020 10:38:35	1	1	1	1	77.5	58	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:36	1	1	1	1	77.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 10:38:37	1	1	1	1	77.5	58.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 10:38:38	1	1	1	1	77.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:38:39	1	1	1	1	77.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:38:40	1	1	1	1	77.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.0625	2004
11.02.2020 10:38:41	1	1	1	1	77.75	58	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:38:42	1	1	1	1	77.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 10:38:43	1	1	1	1	77.75	58.75	0	30047.393	415.0537634	12471.12222	30000	0	0	30000	38.5	2004
11.02.2020 10:38:44	1	1	1	1	77.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:45	1	1	1	1	77.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:38:46	1	1	1	1	77.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:38:47	1	1	1	1	77.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:48	1	1	1	1	78.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:38:49	1	1	1	1	78.25	58.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.3125	2004
11.02.2020 10:38:50	1	1	1	1	78.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.6875	2004
11.02.2020 10:38:57	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 10:38:57	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 10:38:57	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 10:38:57	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 10:38:57	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.625	2004
11.02.2020 10:38:57	1	1	1	1	78	57.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:38:58	1	1	1	1	78	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	37.5	2004
11.02.2020 10:38:59	1	1	1	1	78	57.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:39:00	1	1	1	1	78	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.8125	2004
11.02.2020 10:39:01	1	1	1	1	78	57.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:39:03	1	1	1	1	78	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:39:04	1	1	1	1	78	58.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	37.5625	2004
11.02.2020 10:39:05	1	1	1	1	78	57.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:39:06	1	1	1	1	78	58.5	0	30000	417.2043011	12515.96771	30000	0	0	30000	38.375	2004
11.02.2020 10:39:07	1	1	1	1	78	58.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	38.6875	2004
11.02.2020 10:39:08	1	1	1	1	78.25	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:39:09	1	1	1	1	78.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:39:10	1	1	1	1	78.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.4375	2004
11.02.2020 10:39:11	1	1	1	1	78.25	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:39:12	1	1	1	1	78.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:39:13	1	1	1	1	78.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.125	2004
11.02.2020 10:39:14	1	1	1	1	78.25	58	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:39:15	1	1	1	1	78.25	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:39:16	1	1	1	1	78.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:39:17	1	1	1	1	78.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:39:18	1	1	1	1	78	57.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38	2004
11.02.2020 10:39:19	1	1	1	1	78	58	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.125	2004
11.02.2020 10:39:20	1	1	1	1	78	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:39:21	1	1	1	1	78	58.25	0	30000	427.9569892	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:39:22	1	1	1	1	78	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.125	2004
11.02.2020 10:39:23	1	1	1	1	78	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.1875	2004
11.02.2020 10:39:24	1	1	1	1	78	58	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:39:25	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.0625	2004
11.02.2020 10:39:26	1	1	1	1	78	58	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:39:27	1	1	1	1	78	58.25	0	29952.607	423.655914	12476.01446	30000	0	0	30000	38.8125	2004
11.02.2020 10:39:28	1	1	1	1	78.25	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.625	2004
11.02.2020 10:39:29	1	1	1	1	78.25	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:39:30	1	1	1	1	78.25	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 10:39:31	1	1	1	1	78.25	57.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.4375	2004
11.02.2020 10:39:32	1	1	1	1	78.25	57.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:39:33	1	1	1	1	78.25	58.5	0	30000	423.655914	12689.64205	30000	0	0	30000	38.625	2004
11.02.2020 10:39:34	1	1	1	1	78.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:39:35	1	1	1	1	78.25	58.75	0	30000	425.8064516	12754.05648	30000	0	0	30000	37.75	2004
11.02.2020 10:39:36	1	1	1	1	78.25	57.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.0625	2004
11.02.2020 10:39:37	1	1	1	1	78.25	58	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:39:38	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:39:39	1	1	1	1	78.25	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.0625	2004
11.02.2020 10:39:40	1	1	1	1	78.25	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:39:41	1	1	1	1	78.25	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:39:43	1	1	1	1	78.25	58.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:39:44	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:39:45	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:39:46	1	1	1	1	78.25	58.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:39:47	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:39:48	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:39:49	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:39:50	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.125	2004
11.02.2020 10:39:51	1	1	1	1	78.25	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:39:52	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:39:58	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:39:58	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:39:58	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:39:58	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:39:58	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:39:59	1	1	1	1	78.25	58	0	30000	425.8064516	12709.21099	30000	0	0	30000	38	2004
11.02.2020 10:40:00	1	1	1	1	78.25	58	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5	2004
11.02.2020 10:40:01	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:02	1	1	1	1	78.25	58.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:40:03	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:40:04	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:40:05	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:40:06	1	1	1	1	78.25	58.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.625	2004
11.02.2020 10:40:07	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:40:08	1	1	1	1	78.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:40:09	1	1	1	1	78.5	58.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:40:10	1	1	1	1	78.5	58.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:40:11	1	1	1	1	78.5	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:40:12	1	1	1	1	78.5	58.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	37.25	2004
11.02.2020 10:40:13	1	1	1	1	78.5	57.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:40:14	1	1	1	1	78.5	59	0	30000	427.9569892	12818.4709	30000	0	0	30000	39.1875	2004
11.02.2020 10:40:15	1	1	1	1	78.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:40:16	1	1	1	1	78.5	58.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	38.75	2004
11.02.2020 10:40:17	1	1	1	1	78	58.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.125	2004
11.02.2020 10:40:18	1	1	1	1	78	58	0	30000	438.7096774	13096.51292	30000	0	0	30000	38.8125	2004
11.02.2020 10:40:19	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:40:21	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:22	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:40:23	1	1	1	1	78	58.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	38.4375	2004
11.02.2020 10:40:24	1	1	1	1	78	58.25	0	30000	427.9569892	12947.29976	30000	0	0	30000	38.125	2004
11.02.2020 10:40:25	1	1	1	1	78	58	0	30000	427.9569892	12798.08659	30000	0	0	30000	38.5	2004
11.02.2020 10:40:26	1	1	1	1	78	58.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	37.9375	2004
11.02.2020 10:40:27	1	1	1	1	78	57.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.8125	2004
11.02.2020 10:40:28	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:40:29	1	1	1	1	78	58.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:30	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:31	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:32	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:40:33	1	1	1	1	78	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:34	1	1	1	1	78	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.25	2004
11.02.2020 10:40:35	1	1	1	1	78	58.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.625	2004
11.02.2020 10:40:36	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:40:37	1	1	1	1	78	58.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	38.6875	2004
11.02.2020 10:40:38	1	1	1	1	78	58.5	0	30000	423.655914	12754.05648	30000	0	0	30000	38.875	2004
11.02.2020 10:40:39	1	1	1	1	78	58.75	0	29952.607	423.655914	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:40:40	1	1	1	1	78	58.75	0	30000	432.2580645	12798.08659	30000	0	0	30000	38.375	2004
11.02.2020 10:40:41	1	1	1	1	78	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:40:42	1	1	1	1	78	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:40:43	1	1	1	1	78	58.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:40:44	1	1	1	1	78	58.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:40:45	1	1	1	1	78	58.5	0	30047.393	438.7096774	12967.68407	30000	0	0	30000	37.875	2004
11.02.2020 10:40:46	1	1	1	1	78	57.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.125	2004
11.02.2020 10:40:47	1	1	1	1	78	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.8125	2004
11.02.2020 10:40:48	1	1	1	1	77.75	57.75	0	29952.607	432.2580645	13032.0985	30000	0	0	30000	38.75	2004
11.02.2020 10:40:49	1	1	1	1	77.75	58.75	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:40:50	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:40:51	1	1	1	1	77.75	58.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	39	2004
11.02.2020 10:40:52	1	1	1	1	77.75	58	0	30000	432.2580645	12947.29976	30000	0	0	30000	38.1875	2004
11.02.2020 10:40:53	1	1	1	1	77.75	58	0	30000	434.4086022	13032.0985	30000	0	0	30000	38.5	2004
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:00	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:01	1	1	1	1	78	58.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.0625	2004
11.02.2020 10:41:02	1	1	1	1	78	58	0	30000	432.2580645	12967.68407	30000	0	0	30000	38.5	2004
11.02.2020 10:41:03	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:41:04	1	1	1	1	78	58.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 10:41:05	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:41:06	1	1	1	1	78	58.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:41:07	1	1	1	1	78	58.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.4375	2004
11.02.2020 10:41:08	1	1	1	1	78.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:09	1	1	1	1	78.25	58.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:10	1	1	1	1	78.25	58.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	37.875	2004
11.02.2020 10:41:11	1	1	1	1	78.25	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:41:12	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:41:13	1	1	1	1	78.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:41:14	1	1	1	1	78.25	58.25	0	30000	427.9569892	13266.92577	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:15	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:41:16	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.1875	2004
11.02.2020 10:41:17	1	1	1	1	78.25	57	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:41:18	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:41:19	1	1	1	1	78	58.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:41:20	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:41:21	1	1	1	1	78	58.25	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	38.5625	2004
11.02.2020 10:41:22	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:23	1	1	1	1	78	58.5	0	30000	425.8064516	12540.42889	30000	0	0	30000	38	2004
11.02.2020 10:41:24	1	1	1	1	78	58	0	30000	434.4086022	13096.51292	30000	0	0	30000	38.5625	2004
11.02.2020 10:41:25	1	1	1	1	78	58.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:26	1	1	1	1	78	58.5	0	30000	438.7096774	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:27	1	1	1	1	78	58.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:28	1	1	1	1	78.25	58.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	39.125	2004
11.02.2020 10:41:29	1	1	1	1	78.25	59	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:30	1	1	1	1	78.25	58.5	0	30000	438.7096774	12818.4709	30000	0	0	30000	39	2004
11.02.2020 10:41:31	1	1	1	1	78.25	59	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.125	2004
11.02.2020 10:41:32	1	1	1	1	78.25	58.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	38.875	2004
11.02.2020 10:41:33	1	1	1	1	78.25	58.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	38.5	2004
11.02.2020 10:41:34	1	1	1	1	78.25	58.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 10:41:35	1	1	1	1	78.25	58.75	0	29905.213	427.9569892	12818.4709	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:37	1	1	1	1	78.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.1875	2004
11.02.2020 10:41:38	1	1	1	1	77.25	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:41:39	1	1	1	1	77.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:41:40	1	1	1	1	77.25	58.25	0	30000	432.2580645	13096.51292	30000	0	0	30000	38.3125	2004
11.02.2020 10:41:41	1	1	1	1	77.25	58.25	0	30000	436.5591398	12967.68407	30000	0	0	30000	38.8125	2004
11.02.2020 10:41:42	1	1	1	1	77.25	58.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	38	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:41:43	1	1	1	1	77.25	58	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 10:41:44	1	1	1	1	77.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:41:45	1	1	1	1	77.25	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:41:46	1	1	1	1	77.25	58.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.5	2004
11.02.2020 10:41:47	1	1	1	1	77.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:41:48	1	1	1	1	77.25	58	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.625	2004
11.02.2020 10:41:49	1	1	1	1	77.25	58.5	0	30000	427.9569892	12754.05648	30000	0	0	30000	38.75	2004
11.02.2020 10:41:50	1	1	1	1	77.25	58.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.1875	2004
11.02.2020 10:41:51	1	1	1	1	77.25	58	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.5	2004
11.02.2020 10:41:52	1	1	1	1	77.25	58.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:41:53	1	1	1	1	77.25	58.75	0	29905.213	423.655914	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:41:54	1	1	1	1	77.25	58.25	0	30000	427.9569892	12858.42416	30000	0	0	30000	38.6875	2004
11.02.2020 10:41:55	1	1	1	1	77.25	58.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.0625	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:02	1	1	1	1	77.75	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:42:03	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:42:04	1	1	1	1	77.75	58.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.25	2004
11.02.2020 10:42:05	1	1	1	1	77.75	58.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:42:06	1	1	1	1	77.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:42:07	1	1	1	1	77.75	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	38.0625	2004
11.02.2020 10:42:08	1	1	1	1	77.75	58	0	30000	427.9569892	12709.21099	30000	0	0	30000	39.125	2004
11.02.2020 10:42:09	1	1	1	1	77.75	59	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:42:10	1	1	1	1	77.75	58.75	0	30000	427.9569892	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:42:11	1	1	1	1	77.75	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.75	2004
11.02.2020 10:42:12	1	1	1	1	77.75	57.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:42:13	1	1	1	1	77.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:42:14	1	1	1	1	77.75	58.25	0	30094.787	432.2580645	12858.42416	30000	0	0	30000	38.5	2004
11.02.2020 10:42:15	1	1	1	1	77.75	58.5	0	29905.213	419.3548387	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:17	1	1	1	1	77.75	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5	2004
11.02.2020 10:42:18	1	1	1	1	77.75	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	38.1875	2004
11.02.2020 10:42:19	1	1	1	1	77.75	58	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.0625	2004
11.02.2020 10:42:20	1	1	1	1	77.75	58	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.25	2004
11.02.2020 10:42:21	1	1	1	1	77.75	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:42:22	1	1	1	1	77.75	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:42:23	1	1	1	1	77.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 10:42:24	1	1	1	1	77.75	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:42:25	1	1	1	1	77.75	58.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	38.75	2004
11.02.2020 10:42:26	1	1	1	1	77.75	58.75	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:42:27	1	1	1	1	77.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:42:28	1	1	1	1	77.75	58.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	38.6875	2004
11.02.2020 10:42:29	1	1	1	1	77.75	58.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:42:30	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:42:31	1	1	1	1	77.75	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:42:32	1	1	1	1	77.75	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:42:33	1	1	1	1	77.75	58.25	0	30000	423.655914	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:42:34	1	1	1	1	77.75	58.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	38.6875	2004
11.02.2020 10:42:35	1	1	1	1	77.75	58.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.8125	2004
11.02.2020 10:42:36	1	1	1	1	77.75	58.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	38.0625	2004
11.02.2020 10:42:37	1	1	1	1	77.75	58	0	30000	438.7096774	13096.51292	30000	0	0	30000	38.3125	2004
11.02.2020 10:42:38	1	1	1	1	77.75	58.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	38.75	2004
11.02.2020 10:42:39	1	1	1	1	77.75	58.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:42:40	1	1	1	1	77.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:42:41	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:42:42	1	1	1	1	77.75	58.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	37.9375	2004
11.02.2020 10:42:43	1	1	1	1	77.75	57.75	0	30000	425.8064516	12560.8132	30000	0	0	30000	38.5625	2004
11.02.2020 10:42:44	1	1	1	1	77.75	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5625	2004
11.02.2020 10:42:45	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:42:46	1	1	1	1	77.75	58.25	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	38.0625	2004
11.02.2020 10:42:47	1	1	1	1	77.75	58	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.5625	2004
11.02.2020 10:42:48	1	1	1	1	78	59	0	30000	425.8064516	12560.8132	30000	0	0	30000	38.75	2004
11.02.2020 10:42:49	1	1	1	1	78	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.6875	2004
11.02.2020 10:42:50	1	1	1	1	78	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:42:51	1	1	1	1	78	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:42:52	1	1	1	1	78	58.5	0	29952.607	427.9569892	12947.29976	30000	0	0	30000	38.25	2004
11.02.2020 10:42:54	1	1	1	1	78	58.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	38.4375	2004
11.02.2020 10:42:55	1	1	1	1	78	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	37.6875	2004
11.02.2020 10:42:56	1	1	1	1	78	57.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.6875	2004
11.02.2020 10:42:57	1	1	1	1	78	58.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.5625	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:03	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:04	1	1	1	1	78	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:43:05	1	1	1	1	78	58.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	38.0625	2004
11.02.2020 10:43:06	1	1	1	1	78	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:43:07	1	1	1	1	78	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.4375	2004
11.02.2020 10:43:08	1	1	1	1	77.75	58.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:43:09	1	1	1	1	77.75	58.5	0	30000	423.655914	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:10	1	1	1	1	77.75	58.75	0	30047.393	436.5591398	12838.03984	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:43:11	1	1	1	1	77.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.875	2004
11.02.2020 10:43:12	1	1	1	1	77.75	58.75	0	29952.607	417.2043011	12709.21099	30000	0	0	30000	38.1875	2004
11.02.2020 10:43:13	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:43:16	1	1	1	1	77.75	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:16	1	1	1	1	77.75	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:16	1	1	1	1	77.75	58.75	0	30000	423.655914	12773.62542	30000	0	0	30000	38.625	2004
11.02.2020 10:43:17	1	1	1	1	77.75	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:43:18	1	1	1	1	78	58.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	38.4375	2004
11.02.2020 10:43:19	1	1	1	1	78	58.25	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:20	1	1	1	1	78	58.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 10:43:21	1	1	1	1	78	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.6875	2004
11.02.2020 10:43:22	1	1	1	1	78	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.375	2004
11.02.2020 10:43:23	1	1	1	1	78	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:43:24	1	1	1	1	78	58.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	37.9375	2004
11.02.2020 10:43:25	1	1	1	1	78	57.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:26	1	1	1	1	78	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:43:27	1	1	1	1	77.75	58.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:28	1	1	1	1	77.75	58.75	0	29952.607	423.655914	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:43:29	1	1	1	1	77.75	58.5	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	38.0625	2004
11.02.2020 10:43:30	1	1	1	1	77.75	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:43:32	1	1	1	1	77.75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:43:33	1	1	1	1	77.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:43:34	1	1	1	1	77.75	58.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	38.6875	2004
11.02.2020 10:43:35	1	1	1	1	77.75	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:43:36	1	1	1	1	77.75	58	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.0625	2004
11.02.2020 10:43:37	1	1	1	1	77.75	57	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:43:38	1	1	1	1	77.5	58.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	38.1875	2004
11.02.2020 10:43:39	1	1	1	1	77.5	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:43:40	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:43:41	1	1	1	1	77.5	58.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:43:42	1	1	1	1	77.5	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	37.9375	2004
11.02.2020 10:43:43	1	1	1	1	77.5	57.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:43:44	1	1	1	1	77.5	58.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.125	2004
11.02.2020 10:43:45	1	1	1	1	77.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:43:46	1	1	1	1	77.5	58.75	0	30000	440.8602151	13354.17063	30000	0	0	30000	37.75	2004
11.02.2020 10:43:47	1	1	1	1	77.5	57.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.5625	2004
11.02.2020 10:43:48	1	1	1	1	77.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:43:49	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:43:50	1	1	1	1	77.5	58.25	0	29952.607	423.655914	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:43:51	1	1	1	1	77.5	58.75	0	29952.607	427.9569892	12754.05648	30000	0	0	30000	38.0625	2004
11.02.2020 10:43:52	1	1	1	1	77.5	58	0	30000	427.9569892	12773.62542	30000	0	0	30000	38.1875	2004
11.02.2020 10:43:53	1	1	1	1	77.5	58	0	30000	423.655914	12773.62542	30000	0	0	30000	38.375	2004
11.02.2020 10:43:54	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:43:55	1	1	1	1	77.5	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.3125	2004
11.02.2020 10:43:56	1	1	1	1	77.5	58.25	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:43:57	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39	2004
11.02.2020 10:43:58	1	1	1	1	76	59	0	29952.607	419.3548387	12540.42889	30000	0	0	30000	38.625	2004
11.02.2020 10:44:05	1	1	1	1	76	58.75	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:44:05	1	1	1	1	76	58.75	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:44:05	1	1	1	1	76	58.75	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:44:05	1	1	1	1	76	58.75	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:44:05	1	1	1	1	76	58.75	0	29952.607	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:44:05	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:44:06	1	1	1	1	76	58.5	0	30000	423.655914	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:07	1	1	1	1	76.75	58.5	0	30000	425.8064516	12794.00973	30000	0	0	30000	38.4375	2004
11.02.2020 10:44:08	1	1	1	1	76.75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:44:09	1	1	1	1	76.75	58.25	0	30000	423.655914	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:44:11	1	1	1	1	76.75	58.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	38	2004
11.02.2020 10:44:12	1	1	1	1	76.75	58	0	30000	421.5053763	12560.8132	30000	0	0	30000	38.6875	2004
11.02.2020 10:44:13	1	1	1	1	76.75	58.5	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:44:14	1	1	1	1	76.75	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	37.875	2004
11.02.2020 10:44:15	1	1	1	1	76.75	57.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:44:16	1	1	1	1	76.75	58.75	0	30000	425.8064516	12560.8132	30000	0	0	30000	38.4375	2004
11.02.2020 10:44:17	1	1	1	1	76.75	58.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.75	2004
11.02.2020 10:44:18	1	1	1	1	77	57.75	0	30000	423.655914	12709.21099	30000	0	0	30000	37.875	2004
11.02.2020 10:44:19	1	1	1	1	77	57.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38	2004
11.02.2020 10:44:20	1	1	1	1	77	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:44:21	1	1	1	1	77	58.75	0	29952.607	423.655914	12689.64205	30000	0	0	30000	38.5625	2004
11.02.2020 10:44:22	1	1	1	1	77	58.5	0	30047.393	427.9569892	12709.21099	30000	0	0	30000	38.4375	2004
11.02.2020 10:44:23	1	1	1	1	77	58.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:44:24	1	1	1	1	77	58.25	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	38.6875	2004
11.02.2020 10:44:25	1	1	1	1	77	58.5	0	30000	419.3548387	12411.60003	30000	0	0	30000	38.25	2004
11.02.2020 10:44:26	1	1	1	1	77	58.25	0	30000	423.655914	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:44:27	1	1	1	1	77	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:28	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:44:29	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 10:44:30	1	1	1	1	77.5	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.1875	2004
11.02.2020 10:44:31	1	1	1	1	77.5	58	0	30000	427.9569892	12967.68407	30000	0	0	30000	38.375	2004
11.02.2020 10:44:32	1	1	1	1	77.5	58.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.25	2004
11.02.2020 10:44:33	1	1	1	1	77.5	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.125	2004
11.02.2020 10:44:34	1	1	1	1	77.5	58	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:44:35	1	1	1	1	77.5	58.75	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:36	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:37	1	1	1	1	77.5	58.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	37.625	2004
11.02.2020 10:44:38	1	1	1	1	77.25	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:44:39	1	1	1	1	77.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 10:44:40	1	1	1	1	77.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 10:44:41	1	1	1	1	77.25	58.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	39.25	2004
11.02.2020 10:44:42	1	1	1	1	77.25	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:44:43	1	1	1	1	77.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:44:44	1	1	1	1	77.25	58.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:45	1	1	1	1	77.25	58.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	37.875	2004
11.02.2020 10:44:46	1	1	1	1	77.25	57.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.875	2004
11.02.2020 10:44:47	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:44:49	1	1	1	1	77.5	58.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:44:50	1	1	1	1	77.5	58.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.5625	2004
11.02.2020 10:44:51	1	1	1	1	77.5	57.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:52	1	1	1	1	77.5	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5625	2004
11.02.2020 10:44:53	1	1	1	1	77.5	58.5	0	30000	423.655914	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:54	1	1	1	1	77.5	58.75	0	30000	423.655914	12773.62542	30000	0	0	30000	38.6875	2004
11.02.2020 10:44:55	1	1	1	1	77.5	58.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 10:44:56	1	1	1	1	77.5	58.75	0	30000	427.9569892	12540.42889	30000	0	0	30000	38.1875	2004
11.02.2020 10:44:57	1	1	1	1	77.5	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:44:58	1	1	1	1	77.25	58.75	0	30000	423.655914	12560.8132	30000	0	0	30000	38.3125	2004
11.02.2020 10:44:59	1	1	1	1	77.25	58.25	0	30000	423.655914	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:45:00	1	1	1	1	77.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:07	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:45:07	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:45:07	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:45:07	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:45:07	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:45:07	1	1	1	1	77.25	57.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:45:08	1	1	1	1	77.25	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 10:45:09	1	1	1	1	77.25	57.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:10	1	1	1	1	77.25	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38	2004
11.02.2020 10:45:11	1	1	1	1	77.25	58	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.375	2004
11.02.2020 10:45:12	1	1	1	1	77.25	58.25	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	37.75	2004
11.02.2020 10:45:13	1	1	1	1	77.25	57.75	0	30047.393	425.8064516	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:14	1	1	1	1	77.25	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.3125	2004
11.02.2020 10:45:15	1	1	1	1	77.25	58.25	0	29905.213	423.655914	12709.21099	30000	0	0	30000	38.3125	2004
11.02.2020 10:45:16	1	1	1	1	77.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 10:45:17	1	1	1	1	77.25	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:18	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:45:19	1	1	1	1	77	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:45:20	1	1	1	1	77	58.5	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:21	1	1	1	1	77	58.75	0	29905.213	425.8064516	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:45:22	1	1	1	1	77	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:45:23	1	1	1	1	77	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:45:24	1	1	1	1	77	58.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.6875	2004
11.02.2020 10:45:26	1	1	1	1	77	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:27	1	1	1	1	77	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.375	2004
11.02.2020 10:45:28	1	1	1	1	77.5	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.1875	2004
11.02.2020 10:45:29	1	1	1	1	77.5	58	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	38.4375	2004
11.02.2020 10:45:30	1	1	1	1	77.5	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:45:31	1	1	1	1	77.5	58.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:32	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.625	2004
11.02.2020 10:45:33	1	1	1	1	77.5	58.5	0	30000	432.2580645	12818.4709	30000	0	0	30000	38.875	2004
11.02.2020 10:45:34	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:35	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.125	2004
11.02.2020 10:45:36	1	1	1	1	77.5	58	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 10:45:37	1	1	1	1	77.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 10:45:38	1	1	1	1	77.25	58.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 10:45:39	1	1	1	1	77.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:45:40	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:45:41	1	1	1	1	77.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:42	1	1	1	1	77.25	58.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:45:43	1	1	1	1	77.25	58.75	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:45:44	1	1	1	1	77.25	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:45	1	1	1	1	77.25	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:45:46	1	1	1	1	77.25	58.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:45:47	1	1	1	1	77.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:45:48	1	1	1	1	76.75	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:45:49	1	1	1	1	76.75	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:45:50	1	1	1	1	76.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:45:51	1	1	1	1	76.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:45:52	1	1	1	1	76.75	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:53	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:45:54	1	1	1	1	76.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 10:45:55	1	1	1	1	76.75	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:45:56	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:45:57	1	1	1	1	76.75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:45:58	1	1	1	1	77.5	58.75	0	30000	400	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 10:45:59	1	1	1	1	77.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:46:00	1	1	1	1	77.5	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:01	1	1	1	1	77.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:46:08	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:09	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:46:10	1	1	1	1	77.25	58.75	0	30094.787	419.3548387	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:46:11	1	1	1	1	77.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:46:12	1	1	1	1	77.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.3125	2004
11.02.2020 10:46:13	1	1	1	1	77.25	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:46:14	1	1	1	1	77.25	58.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	38.9375	2004
11.02.2020 10:46:15	1	1	1	1	77.25	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:46:16	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:46:17	1	1	1	1	77.25	58.5	0	30000	421.5053763	12411.60003	30000	0	0	30000	37.9375	2004
11.02.2020 10:46:18	1	1	1	1	77.75	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:46:19	1	1	1	1	77.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:46:20	1	1	1	1	77.75	57.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.5625	2004
11.02.2020 10:46:21	1	1	1	1	77.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:22	1	1	1	1	77.75	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:46:23	1	1	1	1	77.75	59	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	38.5625	2004
11.02.2020 10:46:24	1	1	1	1	77.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:46:25	1	1	1	1	77.75	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:46:26	1	1	1	1	77.75	58.25	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:46:27	1	1	1	1	77.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:46:28	1	1	1	1	77.25	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.0625	2004
11.02.2020 10:46:29	1	1	1	1	77.25	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:46:30	1	1	1	1	77.25	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:46:31	1	1	1	1	77.25	58.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:46:32	1	1	1	1	77.25	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:33	1	1	1	1	77.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:46:34	1	1	1	1	77.25	58.75	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:35	1	1	1	1	77.25	58.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	38.125	2004
11.02.2020 10:46:36	1	1	1	1	77.25	58	0	30000	415.0537634	12535.53665	30000	0	0	30000	39.1875	2004
11.02.2020 10:46:37	1	1	1	1	77.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 10:46:38	1	1	1	1	77	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:46:39	1	1	1	1	77	58	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:46:40	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.375	2004
11.02.2020 10:46:42	1	1	1	1	77	57.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	37.9375	2004
11.02.2020 10:46:43	1	1	1	1	77	57.75	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:46:44	1	1	1	1	77	58.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:46:45	1	1	1	1	77	58.5	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:46:46	1	1	1	1	77	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	36.9375	2004
11.02.2020 10:46:47	1	1	1	1	77	56.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:46:48	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:46:49	1	1	1	1	77	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:50	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:46:51	1	1	1	1	77	58.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:46:52	1	1	1	1	77	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:46:53	1	1	1	1	77	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:54	1	1	1	1	77	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.1875	2004
11.02.2020 10:46:55	1	1	1	1	77	58	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:56	1	1	1	1	77	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:46:57	1	1	1	1	77	58.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	38.8125	2004
11.02.2020 10:46:58	1	1	1	1	77	58.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	38.625	2004
11.02.2020 10:46:59	1	1	1	1	77	58.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:47:00	1	1	1	1	77	58.25	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:01	1	1	1	1	77	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	37.75	2004
11.02.2020 10:47:02	1	1	1	1	77	57.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:47:03	1	1	1	1	77	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.5625	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	58.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:47:10	1	1	1	1	77	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:47:11	1	1	1	1	77	58.5	0	30000	423.655914	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:47:12	1	1	1	1	77	58.25	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:13	1	1	1	1	77	58.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	39.375	2004
11.02.2020 10:47:14	1	1	1	1	77	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:47:15	1	1	1	1	77	58.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 10:47:16	1	1	1	1	77	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38	2004
11.02.2020 10:47:17	1	1	1	1	77	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:47:18	1	1	1	1	77	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:47:19	1	1	1	1	77	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:47:21	1	1	1	1	77	58.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	36.875	2004
11.02.2020 10:47:22	1	1	1	1	77	56.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:47:23	1	1	1	1	77	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:47:24	1	1	1	1	77	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:47:25	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:47:26	1	1	1	1	77	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 10:47:27	1	1	1	1	77	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:47:28	1	1	1	1	77	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:47:29	1	1	1	1	77	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:47:30	1	1	1	1	77	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.875	2004
11.02.2020 10:47:31	1	1	1	1	77	57.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:32	1	1	1	1	77	58.75	0	30000	423.655914	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:33	1	1	1	1	77	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.125	2004
11.02.2020 10:47:34	1	1	1	1	77	58	0	30000	423.655914	12709.21099	30000	0	0	30000	38.9375	2004
11.02.2020 10:47:35	1	1	1	1	77	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:47:36	1	1	1	1	77	58.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:47:37	1	1	1	1	77	58.5	0	30094.787	427.9569892	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 10:47:38	1	1	1	1	77	58.5	0	30000	419.3548387	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:39	1	1	1	1	77	58.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:47:40	1	1	1	1	77	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.375	2004
11.02.2020 10:47:41	1	1	1	1	77	58.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:47:42	1	1	1	1	77	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:47:43	1	1	1	1	77	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:47:44	1	1	1	1	77	59	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:45	1	1	1	1	77	58.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.5	2004
11.02.2020 10:47:46	1	1	1	1	77	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39	2004
11.02.2020 10:47:47	1	1	1	1	77	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:48	1	1	1	1	77.25	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:47:49	1	1	1	1	77.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:47:50	1	1	1	1	77.25	59	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:47:51	1	1	1	1	77.25	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.3125	2004
11.02.2020 10:47:52	1	1	1	1	77.25	58.25	0	30000	423.655914	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:47:53	1	1	1	1	77.25	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 10:47:54	1	1	1	1	77.25	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:47:55	1	1	1	1	77.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:47:56	1	1	1	1	77.25	59.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:47:58	1	1	1	1	77.25	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.0625	2004
11.02.2020 10:47:59	1	1	1	1	77.25	59	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:48:00	1	1	1	1	77.25	59	0	29952.607	415.0537634	12729.5953	30000	0	0	30000	38.75	2004
11.02.2020 10:48:01	1	1	1	1	77.25	58.75	0	30000	419.3548387	12411.60003	30000	0	0	30000	38.6875	2004
11.02.2020 10:48:02	1	1	1	1	77.25	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5	2004
11.02.2020 10:48:03	1	1	1	1	77.25	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:48:04	1	1	1	1	77.25	58.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.0625	2004
11.02.2020 10:48:05	1	1	1	1	77.25	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:11	1	1	1	1	77	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.8125	2004
11.02.2020 10:48:12	1	1	1	1	77	57.75	0	30000	421.5053763	12729.5953	30000	0	0	30000	38.875	2004
11.02.2020 10:48:13	1	1	1	1	77	58.75	0	30000	419.3548387	12411.60003	30000	0	0	30000	38.75	2004
11.02.2020 10:48:14	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:48:15	1	1	1	1	77	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:16	1	1	1	1	77	58.75	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	38.3125	2004
11.02.2020 10:48:17	1	1	1	1	77	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:48:18	1	1	1	1	76.75	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:48:19	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:48:20	1	1	1	1	76.75	57.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:21	1	1	1	1	76.75	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:48:22	1	1	1	1	76.75	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:48:23	1	1	1	1	76.75	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:24	1	1	1	1	76.75	58.75	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	38.625	2004
11.02.2020 10:48:25	1	1	1	1	76.75	58.5	0	30000	412.9032258	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:26	1	1	1	1	76.75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:48:27	1	1	1	1	76.75	58.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:48:28	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:29	1	1	1	1	76.5	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:48:30	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:48:31	1	1	1	1	76.5	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 10:48:32	1	1	1	1	76.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:48:33	1	1	1	1	76.5	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:48:34	1	1	1	1	76.5	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 10:48:35	1	1	1	1	76.5	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	38.125	2004
11.02.2020 10:48:37	1	1	1	1	76.5	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:48:38	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.875	2004
11.02.2020 10:48:39	1	1	1	1	76.5	57.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:48:40	1	1	1	1	76.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:41	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:48:42	1	1	1	1	76.5	58.75	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.0625	2004
11.02.2020 10:48:43	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:48:44	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:48:45	1	1	1	1	76.5	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:48:46	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:48:47	1	1	1	1	76.5	58.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:48:48	1	1	1	1	76.75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:48:49	1	1	1	1	76.75	58.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.125	2004
11.02.2020 10:48:50	1	1	1	1	76.75	58	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:48:51	1	1	1	1	76.75	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:48:52	1	1	1	1	76.75	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:48:53	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:48:54	1	1	1	1	76.75	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:48:55	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:48:56	1	1	1	1	76.75	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:48:57	1	1	1	1	76.75	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.9375	2004
11.02.2020 10:48:58	1	1	1	1	76.5	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	38.375	2004
11.02.2020 10:48:59	1	1	1	1	76.5	58.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:49:00	1	1	1	1	76.5	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.0625	2004
11.02.2020 10:49:01	1	1	1	1	76.5	58	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:49:02	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:49:03	1	1	1	1	76.5	59	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:49:04	1	1	1	1	76.5	58.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:49:05	1	1	1	1	76.5	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.6875	2004
11.02.2020 10:49:06	1	1	1	1	76.5	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:13	1	1	1	1	76.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:14	1	1	1	1	76.5	58.5	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	38.875	2004
11.02.2020 10:49:15	1	1	1	1	76.5	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:49:16	1	1	1	1	76.5	58.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:49:17	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:49:18	1	1	1	1	76.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:49:19	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 10:49:20	1	1	1	1	76.25	58	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:49:21	1	1	1	1	76.25	58.75	0	29905.213	419.3548387	12411.60003	30000	0	0	30000	38.875	2004
11.02.2020 10:49:22	1	1	1	1	76.25	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:49:23	1	1	1	1	76.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:49:24	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 10:49:25	1	1	1	1	76.25	57.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:49:26	1	1	1	1	76.25	58.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:49:27	1	1	1	1	76.25	58.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	38.9375	2004
11.02.2020 10:49:28	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:49:29	1	1	1	1	76	59	0	30000	419.3548387	12773.62542	30000	0	0	30000	38.25	2004
11.02.2020 10:49:30	1	1	1	1	76	58.25	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:49:31	1	1	1	1	76	58.25	0	30000	423.655914	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:49:32	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:49:33	1	1	1	1	76	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:49:34	1	1	1	1	76	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:49:35	1	1	1	1	76	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:49:36	1	1	1	1	76	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:49:37	1	1	1	1	76	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:49:38	1	1	1	1	76.5	58.75	0	30000	417.2043011	12709.21099	30000	0	0	30000	38.4375	2004
11.02.2020 10:49:39	1	1	1	1	76.5	58.25	0	29952.607	419.3548387	12348.00098	30000	0	0	30000	38.5	2004
11.02.2020 10:49:40	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:49:41	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:49:42	1	1	1	1	76.5	58.75	0	29952.607	417.2043011	12644.79656	30000	0	0	30000	38.625	2004
11.02.2020 10:49:43	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:49:44	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:49:45	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:49:46	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:49:47	1	1	1	1	76.5	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:49:48	1	1	1	1	76.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:49:49	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 10:49:50	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:49:52	1	1	1	1	76.25	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	37.9375	2004
11.02.2020 10:49:53	1	1	1	1	76.25	57.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:49:54	1	1	1	1	76.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:49:55	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:49:56	1	1	1	1	76.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:49:57	1	1	1	1	76.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:49:58	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:49:59	1	1	1	1	76.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:50:00	1	1	1	1	76.75	58.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:01	1	1	1	1	76.75	58.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	39	2004
11.02.2020 10:50:02	1	1	1	1	76.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:50:03	1	1	1	1	76.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:50:04	1	1	1	1	76.75	58.5	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 10:50:05	1	1	1	1	76.75	58	0	30000	417.2043011	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:50:06	1	1	1	1	76.75	59	0	30000	425.8064516	12540.42889	30000	0	0	30000	38.875	2004
11.02.2020 10:50:07	1	1	1	1	76.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:50:08	1	1	1	1	76.5	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:15	1	1	1	1	76.5	58.25	0	29952.607	421.5053763	12560.8132	30000	0	0	30000	39.125	2004
11.02.2020 10:50:16	1	1	1	1	76.5	59	0	29952.607	419.3548387	12540.42889	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:17	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:18	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:50:19	1	1	1	1	76.25	58.25	0	30000	423.655914	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:50:20	1	1	1	1	76.25	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:50:21	1	1	1	1	76.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:50:22	1	1	1	1	76.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:50:23	1	1	1	1	76.25	58.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 10:50:24	1	1	1	1	76.25	59.25	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:50:25	1	1	1	1	76.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:50:27	1	1	1	1	76.25	59	0	30000	423.655914	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:28	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:50:29	1	1	1	1	76.25	58.75	0	30000	415.0537634	12411.60003	30000	0	0	30000	39	2004
11.02.2020 10:50:30	1	1	1	1	76.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:50:31	1	1	1	1	76.25	58.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.3125	2004
11.02.2020 10:50:32	1	1	1	1	76.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:50:33	1	1	1	1	76.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:50:34	1	1	1	1	76.25	58.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:35	1	1	1	1	76.25	58.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:50:36	1	1	1	1	76.25	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:37	1	1	1	1	76.25	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:50:38	1	1	1	1	76.25	59	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:50:39	1	1	1	1	76.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:50:40	1	1	1	1	76.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.625	2004
11.02.2020 10:50:41	1	1	1	1	76.25	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:50:42	1	1	1	1	76.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:50:43	1	1	1	1	76.25	59	0	30000	423.655914	12709.21099	30000	0	0	30000	38.1875	2004
11.02.2020 10:50:44	1	1	1	1	76.25	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:50:45	1	1	1	1	76.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:50:46	1	1	1	1	76.25	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	37.3125	2004
11.02.2020 10:50:47	1	1	1	1	76.25	57.25	0	30000	415.0537634	12814.39404	30000	0	0	30000	38.5	2004
11.02.2020 10:50:48	1	1	1	1	75.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:50:49	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:50	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:50:51	1	1	1	1	75.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:50:52	1	1	1	1	75.75	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:50:53	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:50:54	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:55	1	1	1	1	75.75	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:50:56	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.75	2004
11.02.2020 10:50:57	1	1	1	1	75.75	57.75	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:50:58	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 10:50:59	1	1	1	1	76	58	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 10:51:00	1	1	1	1	76	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:51:01	1	1	1	1	76	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:02	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:04	1	1	1	1	76	58.75	0	30047.393	419.3548387	12599.95108	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:05	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:06	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:51:07	1	1	1	1	76	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:51:08	1	1	1	1	75.75	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:51:09	1	1	1	1	75.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:10	1	1	1	1	75.75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:51:16	1	1	1	1	75.75	58.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:51:17	1	1	1	1	75.75	59	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:18	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:51:19	1	1	1	1	75.75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:51:20	1	1	1	1	75.75	58.75	0	30047.393	421.5053763	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:51:21	1	1	1	1	75.75	58.75	0	29952.607	419.3548387	12348.00098	30000	0	0	30000	38.5	2004
11.02.2020 10:51:22	1	1	1	1	75.75	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.5	2004
11.02.2020 10:51:23	1	1	1	1	75.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:51:24	1	1	1	1	75.75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:25	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:51:26	1	1	1	1	75.75	58.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:27	1	1	1	1	75.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:28	1	1	1	1	75.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:29	1	1	1	1	75.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:51:30	1	1	1	1	75.5	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:51:31	1	1	1	1	75.5	58.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:51:32	1	1	1	1	75.5	58.75	0	30000	425.8064516	12348.00098	30000	0	0	30000	38.5625	2004
11.02.2020 10:51:33	1	1	1	1	75.5	58.5	0	30000	421.5053763	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:51:34	1	1	1	1	75.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:35	1	1	1	1	75.5	58.75	0	30000	419.3548387	12858.42416	30000	0	0	30000	38.375	2004
11.02.2020 10:51:36	1	1	1	1	75.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:51:37	1	1	1	1	75.5	59	0	30000	423.655914	12540.42889	30000	0	0	30000	38.5	2004
11.02.2020 10:51:38	1	1	1	1	75.25	58.5	0	30094.787	427.9569892	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 10:51:39	1	1	1	1	75.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:51:40	1	1	1	1	75.25	59	0	30000	423.655914	12367.56992	30000	0	0	30000	38.6875	2004
11.02.2020 10:51:41	1	1	1	1	75.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 10:51:42	1	1	1	1	75.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 10:51:44	1	1	1	1	75.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:51:45	1	1	1	1	75.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:46	1	1	1	1	75.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:51:47	1	1	1	1	75.25	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:48	1	1	1	1	75.5	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 10:51:49	1	1	1	1	75.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:51:50	1	1	1	1	75.5	58.25	0	30000	417.2043011	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 10:51:51	1	1	1	1	75.5	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:51:52	1	1	1	1	75.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:51:53	1	1	1	1	75.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.0625	2004
11.02.2020 10:51:54	1	1	1	1	75.5	58	0	30000	415.0537634	12367.56992	30000	0	0	30000	39.125	2004
11.02.2020 10:51:55	1	1	1	1	75.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:51:56	1	1	1	1	75.5	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:51:57	1	1	1	1	75.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:51:58	1	1	1	1	75.75	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:51:59	1	1	1	1	75.75	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:52:00	1	1	1	1	75.75	59	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:52:01	1	1	1	1	75.75	59	0	30000	421.5053763	12689.64205	30000	0	0	30000	38.0625	2004
11.02.2020 10:52:02	1	1	1	1	75.75	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:52:03	1	1	1	1	75.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:52:04	1	1	1	1	75.75	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:05	1	1	1	1	75.75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:52:06	1	1	1	1	75.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:52:07	1	1	1	1	75.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38	2004
11.02.2020 10:52:08	1	1	1	1	75.25	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:52:09	1	1	1	1	75.25	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:52:10	1	1	1	1	75.25	58.75	0	30000	415.0537634	12620.33539	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:11	1	1	1	1	75.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.3125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:18	1	1	1	1	75.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:52:19	1	1	1	1	75.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:20	1	1	1	1	75.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:21	1	1	1	1	75.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:52:23	1	1	1	1	75.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 10:52:24	1	1	1	1	75.25	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 10:52:25	1	1	1	1	75.25	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 10:52:26	1	1	1	1	75.25	58.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:27	1	1	1	1	75.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:52:28	1	1	1	1	74.75	58.75	0	30000	412.9032258	12174.32664	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:29	1	1	1	1	74.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:52:30	1	1	1	1	74.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.125	2004
11.02.2020 10:52:31	1	1	1	1	74.75	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:52:32	1	1	1	1	74.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:33	1	1	1	1	74.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5	2004
11.02.2020 10:52:34	1	1	1	1	74.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:52:35	1	1	1	1	74.75	58	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 10:52:36	1	1	1	1	74.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:52:37	1	1	1	1	74.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:52:38	1	1	1	1	74.5	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.5	2004
11.02.2020 10:52:39	1	1	1	1	74.5	58.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:52:40	1	1	1	1	74.5	58.5	0	29952.607	404.3010753	12471.12222	30000	0	0	30000	38.5625	2004
11.02.2020 10:52:41	1	1	1	1	74.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:42	1	1	1	1	74.5	58.75	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:43	1	1	1	1	74.5	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:52:44	1	1	1	1	74.5	58.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:52:45	1	1	1	1	74.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:52:46	1	1	1	1	74.5	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:47	1	1	1	1	74.5	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:48	1	1	1	1	74.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:49	1	1	1	1	74.75	58.75	0	30000	412.9032258	12090.34327	30000	0	0	30000	38.875	2004
11.02.2020 10:52:50	1	1	1	1	74.75	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 10:52:51	1	1	1	1	74.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 10:52:52	1	1	1	1	74.75	58.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	38.5625	2004
11.02.2020 10:52:53	1	1	1	1	74.75	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	38.9375	2004
11.02.2020 10:52:54	1	1	1	1	74.75	58.75	0	30000	234.4086022	7096.186775	30000	0	0	30000	37.875	2004
11.02.2020 10:52:55	1	1	1	1	74.75	57.75	0	29905.213	195.6989247	6193.569429	30000	0	0	30000	38.6875	2004
11.02.2020 10:52:56	1	1	1	1	74.75	58.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.375	2004
11.02.2020 10:52:57	1	1	1	1	74.75	59.25	0	30047.393	137.6344086	4135.569266	30000	0	0	30000	39.0625	2004
11.02.2020 10:52:58	1	1	1	1	75	59	0	29905.213	137.6344086	4129.046286	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:00	1	1	1	1	75	59	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.125	2004
11.02.2020 10:53:01	1	1	1	1	75	59	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:02	1	1	1	1	75	59.25	0	30000	137.6344086	4129.046286	30000	0	0	30000	38.5625	2004
11.02.2020 10:53:03	1	1	1	1	75	58.5	0	0	0	0	30000	0	8	30000	39.3125	2004
11.02.2020 10:53:04	1	1	1	1	75	59.25	0	0	0	0	30000	0	8	30000	36.375	2004
11.02.2020 10:53:05	1	1	1	1	75	56.25	0	10710.9	0	0	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:06	1	1	1	1	75	59	0	11563.981	0	0	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:07	1	1	1	1	75	59	0	12322.275	0	0	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:08	1	1	1	1	81.25	59	0	13033.175	0	0	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:09	1	1	1	1	81.25	59	0	13791.469	0	0	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:10	1	1	1	1	81.25	59	0	14644.55	2.150537634	30.98415459	30000	0	0	30000	39.125	2004
11.02.2020 10:53:11	1	1	1	1	81.25	59	0	15402.844	6.451612903	98.66007121	30000	0	0	30000	39.125	2004
11.02.2020 10:53:12	1	1	1	1	81.25	59	0	16161.137	8.602150538	103.5523061	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:13	1	1	1	1	81.25	59	0	16919.431	12.90322581	216.8890822	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:20	1	1	1	1	82	58.25	0	21516.588	88.17204301	1804.419319	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:20	1	1	1	1	82	58.25	0	21516.588	88.17204301	1804.419319	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:20	1	1	1	1	82	58.25	0	21516.588	88.17204301	1804.419319	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:20	1	1	1	1	82	58.25	0	21516.588	88.17204301	1804.419319	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:20	1	1	1	1	82	58.25	0	21516.588	88.17204301	1804.419319	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:20	1	1	1	1	82	59	0	22132.701	98.92473118	2141.168157	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:21	1	1	1	1	82	59	0	21848.341	113.9784946	2490.147582	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:22	1	1	1	1	82	59	0	21563.981	129.0322581	2782.050934	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:23	1	1	1	1	82	59	0	21943.128	144.0860215	3161.199141	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:24	1	1	1	1	82	58.75	0	22417.062	161.2903226	3615.361618	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:25	1	1	1	1	82	59	0	22748.815	176.344086	3962.710298	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:26	1	1	1	1	82	59	0	23033.175	189.2473118	4367.950425	30000	0	0	30000	38.875	2004
11.02.2020 10:53:27	1	1	1	1	82	58.75	0	23554.502	191.3978495	4882.450466	30000	0	0	30000	38.5	2004
11.02.2020 10:53:28	1	1	1	1	83.5	58.5	0	24218.009	219.3548387	5259.967929	30000	0	0	30000	39.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:53:29	1	1	1	1	83.5	59	0	25118.483	236.5591398	5887.804745	30000	0	0	30000	39	2004
11.02.2020 10:53:30	1	1	1	1	83.5	59	0	25876.777	247.311828	6455.303998	30000	0	0	30000	39	2004
11.02.2020 10:53:31	1	1	1	1	83.5	59	0	27298.578	264.516129	7220.938766	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:32	1	1	1	1	83.5	58.75	0	28199.052	281.7204301	7822.683663	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:33	1	1	1	1	83.5	58.75	0	28815.166	294.6236559	8503.519691	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:34	1	1	1	1	83.5	59	0	29146.919	309.6774194	9026.173457	30000	0	0	30000	39.125	2004
11.02.2020 10:53:35	1	1	1	1	83.5	59	0	29431.28	324.7311828	9541.48887	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:36	1	1	1	1	83.5	59	0	29526.066	339.7849462	10032.34311	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:37	1	1	1	1	83.5	59	0	29763.033	356.9892473	10543.58166	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:38	1	1	1	1	79.75	59	0	29905.213	369.8924731	11061.34319	30000	0	0	30000	39.125	2004
11.02.2020 10:53:39	1	1	1	1	79.75	59	0	30000	378.4946237	11319.0009	30000	0	0	30000	38.625	2004
11.02.2020 10:53:41	1	1	1	1	79.75	58.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.1875	2004
11.02.2020 10:53:42	1	1	1	1	79.75	58.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39	2004
11.02.2020 10:53:43	1	1	1	1	79.75	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.5625	2004
11.02.2020 10:53:44	1	1	1	1	79.75	58.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.8125	2004
11.02.2020 10:53:45	1	1	1	1	79.75	58.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:46	1	1	1	1	79.75	58.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	38.5625	2004
11.02.2020 10:53:47	1	1	1	1	79.75	58.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	38.75	2004
11.02.2020 10:53:48	1	1	1	1	79	58.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	38.625	2004
11.02.2020 10:53:49	1	1	1	1	79	58.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.8125	2004
11.02.2020 10:53:50	1	1	1	1	79	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:51	1	1	1	1	79	58.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:52	1	1	1	1	79	58.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.75	2004
11.02.2020 10:53:53	1	1	1	1	79	58.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	38.375	2004
11.02.2020 10:53:54	1	1	1	1	79	58.25	0	30000	400	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 10:53:55	1	1	1	1	79	58.75	0	30094.787	412.9032258	11935.4225	30000	0	0	30000	39	2004
11.02.2020 10:53:56	1	1	1	1	79	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 10:53:57	1	1	1	1	79	58.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:58	1	1	1	1	78.25	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:53:59	1	1	1	1	78.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:54:00	1	1	1	1	78.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 10:54:01	1	1	1	1	78.25	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:54:02	1	1	1	1	78.25	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.8125	2004
11.02.2020 10:54:03	1	1	1	1	78.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 10:54:04	1	1	1	1	78.25	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 10:54:05	1	1	1	1	78.25	58.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	39	2004
11.02.2020 10:54:06	1	1	1	1	78.25	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:54:07	1	1	1	1	78.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.8125	2004
11.02.2020 10:54:08	1	1	1	1	78.25	57.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.3125	2004
11.02.2020 10:54:09	1	1	1	1	78.25	58.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.3125	2004
11.02.2020 10:54:10	1	1	1	1	78.25	58.25	0	30000	412.9032258	11897.09999	30000	0	0	30000	37.875	2004
11.02.2020 10:54:11	1	1	1	1	78.25	57.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 10:54:12	1	1	1	1	78.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:54:13	1	1	1	1	78.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:54:14	1	1	1	1	78.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:21	1	1	1	1	78	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 10:54:22	1	1	1	1	78	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:54:23	1	1	1	1	78	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:54:24	1	1	1	1	78	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:54:25	1	1	1	1	78	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.125	2004
11.02.2020 10:54:26	1	1	1	1	78	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:54:27	1	1	1	1	78	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:54:28	1	1	1	1	77.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:54:29	1	1	1	1	77.75	58.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 10:54:30	1	1	1	1	77.75	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:54:31	1	1	1	1	77.75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:54:32	1	1	1	1	77.75	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:54:33	1	1	1	1	77.75	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:54:34	1	1	1	1	77.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:54:35	1	1	1	1	77.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:54:36	1	1	1	1	77.75	58.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:54:37	1	1	1	1	77.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:54:38	1	1	1	1	77.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:54:39	1	1	1	1	77.5	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:54:40	1	1	1	1	77.5	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 10:54:43	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:54:43	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:54:43	1	1	1	1	77.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:54:44	1	1	1	1	77.5	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.1875	2004
11.02.2020 10:54:45	1	1	1	1	77.5	57	0	30000	419.3548387	12431.98434	30000	0	0	30000	38.875	2004
11.02.2020 10:54:46	1	1	1	1	77.5	58.75	0	30000	415.0537634	12515.96771	30000	0	0	30000	38.8125	2004
11.02.2020 10:54:47	1	1	1	1	77.5	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:54:48	1	1	1	1	77	58.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	37.9375	2004
11.02.2020 10:54:49	1	1	1	1	77	57.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 10:54:50	1	1	1	1	77	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:54:51	1	1	1	1	77	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:54:52	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:54:53	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:54:54	1	1	1	1	77	58.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:54:56	1	1	1	1	77	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.9375	2004
11.02.2020 10:54:57	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:54:58	1	1	1	1	77	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:54:59	1	1	1	1	77	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:55:00	1	1	1	1	77	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:01	1	1	1	1	77	58.75	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:02	1	1	1	1	77	58.75	0	29905.213	415.0537634	12367.56992	30000	0	0	30000	38.3125	2004
11.02.2020 10:55:03	1	1	1	1	77	58.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:04	1	1	1	1	77	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:05	1	1	1	1	77	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:55:06	1	1	1	1	77	58.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	37.125	2004
11.02.2020 10:55:07	1	1	1	1	77	57	0	30000	415.0537634	12451.55328	30000	0	0	30000	37.9375	2004
11.02.2020 10:55:08	1	1	1	1	76.75	57.75	0	30000	415.0537634	12599.95108	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:09	1	1	1	1	76.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:10	1	1	1	1	76.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:55:11	1	1	1	1	76.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:55:12	1	1	1	1	76.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:55:13	1	1	1	1	76.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:14	1	1	1	1	76.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:55:15	1	1	1	1	76.75	58.75	0	30000	417.2043011	12515.96771	30000	0	0	30000	38.875	2004
11.02.2020 10:55:16	1	1	1	1	76.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.3125	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:55:23	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:24	1	1	1	1	76.5	58.75	0	30000	423.655914	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:55:25	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 10:55:26	1	1	1	1	76.5	58	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:55:27	1	1	1	1	76.5	58.5	0	30000	419.3548387	12411.60003	30000	0	0	30000	38.0625	2004
11.02.2020 10:55:28	1	1	1	1	76.5	58	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:29	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:55:30	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:55:31	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:32	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:55:33	1	1	1	1	76.5	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:35	1	1	1	1	76.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:36	1	1	1	1	76.5	58.75	0	30000	419.3548387	12838.03984	30000	0	0	30000	38	2004
11.02.2020 10:55:37	1	1	1	1	76.5	58	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 10:55:38	1	1	1	1	76.5	59.25	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:55:39	1	1	1	1	76.5	58	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.125	2004
11.02.2020 10:55:40	1	1	1	1	76.5	59	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.375	2004
11.02.2020 10:55:41	1	1	1	1	76.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:55:42	1	1	1	1	76.5	58.75	0	30000	423.655914	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:55:43	1	1	1	1	76.5	59	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:55:44	1	1	1	1	76.5	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:55:45	1	1	1	1	76.5	58.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39	2004
11.02.2020 10:55:46	1	1	1	1	76.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:55:47	1	1	1	1	76.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:55:48	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38	2004
11.02.2020 10:55:49	1	1	1	1	76	58	0	30000	419.3548387	12599.95108	30000	0	0	30000	38.25	2004
11.02.2020 10:55:50	1	1	1	1	76	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:55:51	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 10:55:52	1	1	1	1	76	58.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:55:53	1	1	1	1	76	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 10:55:54	1	1	1	1	76	59	0	30000	412.9032258	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:55:55	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:55:56	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	37.6875	2004
11.02.2020 10:55:57	1	1	1	1	76	57.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:55:58	1	1	1	1	76	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:55:59	1	1	1	1	76	59	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:56:00	1	1	1	1	76	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 10:56:01	1	1	1	1	76	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:56:02	1	1	1	1	76	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.25	2004
11.02.2020 10:56:03	1	1	1	1	76	58.25	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 10:56:04	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:56:05	1	1	1	1	76	58.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:56:06	1	1	1	1	76	59	0	30000	423.655914	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:56:07	1	1	1	1	76	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:56:08	1	1	1	1	76	58.25	0	29905.213	425.8064516	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 10:56:09	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:56:10	1	1	1	1	76	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.875	2004
11.02.2020 10:56:11	1	1	1	1	76	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 10:56:12	1	1	1	1	76	58.75	0	29952.607	425.8064516	12709.21099	30000	0	0	30000	39.125	2004
11.02.2020 10:56:13	1	1	1	1	76	59	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	38.9375	2004
11.02.2020 10:56:14	1	1	1	1	76	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.6875	2004
11.02.2020 10:56:15	1	1	1	1	76	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:56:17	1	1	1	1	76	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:56:18	1	1	1	1	76	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:24	1	1	1	1	76.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39	2004
11.02.2020 10:56:25	1	1	1	1	76.25	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:56:26	1	1	1	1	76.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:56:27	1	1	1	1	76.25	58.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:56:28	1	1	1	1	75.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 10:56:29	1	1	1	1	75.5	58.5	0	30000	425.8064516	12858.42416	30000	0	0	30000	39	2004
11.02.2020 10:56:30	1	1	1	1	75.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:56:31	1	1	1	1	75.5	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:56:32	1	1	1	1	75.5	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 10:56:33	1	1	1	1	75.5	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:56:34	1	1	1	1	75.5	58.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.8125	2004
11.02.2020 10:56:35	1	1	1	1	75.5	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:56:36	1	1	1	1	75.5	58.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:56:37	1	1	1	1	75.5	58.75	0	29905.213	425.8064516	12754.05648	30000	0	0	30000	38	2004
11.02.2020 10:56:38	1	1	1	1	75.25	58	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:56:39	1	1	1	1	75.25	58.5	0	30000	423.655914	12709.21099	30000	0	0	30000	37.8125	2004
11.02.2020 10:56:40	1	1	1	1	75.25	57.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 10:56:41	1	1	1	1	75.25	58.75	0	29952.607	419.3548387	12476.01446	30000	0	0	30000	38.375	2004
11.02.2020 10:56:42	1	1	1	1	75.25	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:56:43	1	1	1	1	75.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:56:44	1	1	1	1	75.25	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.5625	2004
11.02.2020 10:56:45	1	1	1	1	75.25	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39	2004
11.02.2020 10:56:46	1	1	1	1	75.25	59	0	30000	432.2580645	12773.62542	30000	0	0	30000	38.4375	2004
11.02.2020 10:56:47	1	1	1	1	75.25	58.25	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	38.5625	2004
11.02.2020 10:56:48	1	1	1	1	75	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	38.4375	2004
11.02.2020 10:56:49	1	1	1	1	75	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:56:50	1	1	1	1	75	59	0	30000	421.5053763	12709.21099	30000	0	0	30000	38.4375	2004
11.02.2020 10:56:51	1	1	1	1	75	58.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 10:56:52	1	1	1	1	75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:56:54	1	1	1	1	75	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 10:56:55	1	1	1	1	75	59.25	0	30000	423.655914	12773.62542	30000	0	0	30000	38.9375	2004
11.02.2020 10:56:56	1	1	1	1	75	58.75	0	30000	423.655914	12560.8132	30000	0	0	30000	39.125	2004
11.02.2020 10:56:57	1	1	1	1	75	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 10:56:58	1	1	1	1	75	58.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:56:59	1	1	1	1	75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:57:00	1	1	1	1	75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:57:01	1	1	1	1	75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:57:02	1	1	1	1	75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:57:03	1	1	1	1	75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:57:04	1	1	1	1	75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 10:57:05	1	1	1	1	75	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:06	1	1	1	1	75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:57:07	1	1	1	1	75	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 10:57:08	1	1	1	1	74.75	58.5	0	30000	419.3548387	12599.95108	30000	0	0	30000	38.0625	2004
11.02.2020 10:57:09	1	1	1	1	74.75	58	0	29905.213	415.0537634	12411.60003	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:57:10	1	1	1	1	74.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:57:11	1	1	1	1	74.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:57:12	1	1	1	1	74.75	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:57:13	1	1	1	1	74.75	58.75	0	30000	425.8064516	12754.05648	30000	0	0	30000	39	2004
11.02.2020 10:57:14	1	1	1	1	74.75	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 10:57:15	1	1	1	1	74.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.125	2004
11.02.2020 10:57:16	1	1	1	1	74.75	58	0	30000	423.655914	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 10:57:17	1	1	1	1	74.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:57:18	1	1	1	1	74.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:57:19	1	1	1	1	74.75	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:26	1	1	1	1	74.75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:57:27	1	1	1	1	74.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:57:28	1	1	1	1	75	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 10:57:29	1	1	1	1	75	58.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.4375	2004
11.02.2020 10:57:30	1	1	1	1	75	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:57:31	1	1	1	1	75	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.1875	2004
11.02.2020 10:57:33	1	1	1	1	75	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:57:34	1	1	1	1	75	58.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	39.375	2004
11.02.2020 10:57:35	1	1	1	1	75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:57:36	1	1	1	1	75	57.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 10:57:37	1	1	1	1	75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:57:38	1	1	1	1	74.75	58.75	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	37.75	2004
11.02.2020 10:57:39	1	1	1	1	74.75	57.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:57:40	1	1	1	1	74.75	58.75	0	30000	417.2043011	12515.96771	30000	0	0	30000	38.375	2004
11.02.2020 10:57:41	1	1	1	1	74.75	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 10:57:42	1	1	1	1	74.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:57:43	1	1	1	1	74.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:57:44	1	1	1	1	74.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:57:45	1	1	1	1	74.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.375	2004
11.02.2020 10:57:46	1	1	1	1	74.75	58.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:57:47	1	1	1	1	74.75	58.5	0	30000	415.0537634	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 10:57:48	1	1	1	1	74.5	58.75	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:57:49	1	1	1	1	74.5	58.75	0	30000	415.0537634	12471.12222	30000	0	0	30000	38.4375	2004
11.02.2020 10:57:50	1	1	1	1	74.5	58.25	0	30000	415.0537634	12367.56992	30000	0	0	30000	38.75	2004
11.02.2020 10:57:51	1	1	1	1	74.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:57:52	1	1	1	1	74.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 10:57:53	1	1	1	1	74.5	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:57:54	1	1	1	1	74.5	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:57:55	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:57:56	1	1	1	1	74.5	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:57:57	1	1	1	1	74.5	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:57:58	1	1	1	1	74.75	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:57:59	1	1	1	1	74.75	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:00	1	1	1	1	74.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:01	1	1	1	1	74.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 10:58:02	1	1	1	1	74.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:03	1	1	1	1	74.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:04	1	1	1	1	74.75	58.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 10:58:05	1	1	1	1	74.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 10:58:06	1	1	1	1	74.75	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:58:07	1	1	1	1	74.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:08	1	1	1	1	74.25	58.75	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.125	2004
11.02.2020 10:58:09	1	1	1	1	74.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 10:58:11	1	1	1	1	74.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 10:58:12	1	1	1	1	74.25	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:13	1	1	1	1	74.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 10:58:14	1	1	1	1	74.25	59	0	30000	419.3548387	12451.55328	30000	0	0	30000	38.375	2004
11.02.2020 10:58:15	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:58:16	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:58:17	1	1	1	1	74.25	59	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	39	2004
11.02.2020 10:58:18	1	1	1	1	74.5	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:19	1	1	1	1	74.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:20	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 10:58:21	1	1	1	1	74.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:27	1	1	1	1	74.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 10:58:28	1	1	1	1	74.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:58:29	1	1	1	1	74.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:58:30	1	1	1	1	74.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:31	1	1	1	1	74.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:32	1	1	1	1	74.5	58.75	0	30000	412.9032258	12599.95108	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:33	1	1	1	1	74.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:34	1	1	1	1	74.5	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:58:35	1	1	1	1	74.5	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:58:36	1	1	1	1	74.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 10:58:37	1	1	1	1	74.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:58:38	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:39	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:58:40	1	1	1	1	74.25	58.75	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:58:41	1	1	1	1	74.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:58:42	1	1	1	1	74.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:43	1	1	1	1	74.25	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 10:58:44	1	1	1	1	74.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.125	2004
11.02.2020 10:58:45	1	1	1	1	74.25	58	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:46	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:58:47	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:48	1	1	1	1	74.25	59	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:58:49	1	1	1	1	74.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.75	2004
11.02.2020 10:58:50	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:58:51	1	1	1	1	74.25	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:58:52	1	1	1	1	74.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:58:54	1	1	1	1	74.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 10:58:55	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:58:56	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 10:58:57	1	1	1	1	74.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 10:58:58	1	1	1	1	74.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 10:58:59	1	1	1	1	74.25	58.5	0	30000	412.9032258	12367.56992	30000	0	0	30000	39	2004
11.02.2020 10:59:00	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:01	1	1	1	1	74.25	59	0	30000	417.2043011	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:02	1	1	1	1	74.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:03	1	1	1	1	74.25	59	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:04	1	1	1	1	74.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:05	1	1	1	1	74.25	58.75	0	30047.393	419.3548387	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:06	1	1	1	1	74.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:07	1	1	1	1	74.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:08	1	1	1	1	74	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:09	1	1	1	1	74	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:10	1	1	1	1	74	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:11	1	1	1	1	74	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 10:59:12	1	1	1	1	74	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:13	1	1	1	1	74	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:59:14	1	1	1	1	74	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:15	1	1	1	1	74	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:59:16	1	1	1	1	74	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 10:59:17	1	1	1	1	74	58.5	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.875	2004
11.02.2020 10:59:18	1	1	1	1	74	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:59:19	1	1	1	1	74	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:20	1	1	1	1	74	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:59:21	1	1	1	1	74	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 10:59:22	1	1	1	1	74	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 10:59:29	1	1	1	1	73.5	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:59:30	1	1	1	1	73.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:31	1	1	1	1	73.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:59:32	1	1	1	1	73.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:34	1	1	1	1	73.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:35	1	1	1	1	73.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 10:59:36	1	1	1	1	73.5	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 10:59:37	1	1	1	1	73.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 10:59:38	1	1	1	1	73.5	59.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.1875	2004
11.02.2020 10:59:39	1	1	1	1	73.75	58.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:40	1	1	1	1	73.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:41	1	1	1	1	73.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 10:59:42	1	1	1	1	73.75	58.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 10:59:43	1	1	1	1	73.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 10:59:44	1	1	1	1	73.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:45	1	1	1	1	73.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:46	1	1	1	1	73.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:47	1	1	1	1	73.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 10:59:48	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:49	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:50	1	1	1	1	73.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:51	1	1	1	1	73.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:59:52	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:53	1	1	1	1	73.25	58.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 10:59:54	1	1	1	1	73.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 10:59:55	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 10:59:56	1	1	1	1	73.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 10:59:57	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 10:59:58	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 10:59:59	1	1	1	1	73.25	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:00:00	1	1	1	1	73.25	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:00:01	1	1	1	1	73.25	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:00:02	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:03	1	1	1	1	73.25	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:00:04	1	1	1	1	73.25	58.25	0	30000	412.9032258	12025.92885	30000	0	0	30000	38.875	2004
11.02.2020 11:00:05	1	1	1	1	73.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:00:06	1	1	1	1	73.25	58.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	38.625	2004
11.02.2020 11:00:07	1	1	1	1	73.25	58.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:00:08	1	1	1	1	73	59	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:00:09	1	1	1	1	73	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:00:10	1	1	1	1	73	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:11	1	1	1	1	73	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:00:13	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:00:14	1	1	1	1	73	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:00:15	1	1	1	1	73	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:00:16	1	1	1	1	73	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:00:17	1	1	1	1	73	58.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:18	1	1	1	1	73	59	0	30000	406.4516129	12064.25135	30000	0	0	30000	38.375	2004
11.02.2020 11:00:19	1	1	1	1	73	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:20	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:21	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:00:22	1	1	1	1	73	59	0	30094.787	419.3548387	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:00:23	1	1	1	1	73	58.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:00:24	1	1	1	1	73	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:31	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:00:32	1	1	1	1	72.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:33	1	1	1	1	72.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:00:34	1	1	1	1	72.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:00:35	1	1	1	1	72.75	59	0	30000	412.9032258	12045.49778	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:36	1	1	1	1	72.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 11:00:37	1	1	1	1	72.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	37.875	2004
11.02.2020 11:00:38	1	1	1	1	73	57.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:39	1	1	1	1	73	58.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:40	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:41	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:00:42	1	1	1	1	73	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:43	1	1	1	1	73	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.625	2004
11.02.2020 11:00:44	1	1	1	1	73	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:00:45	1	1	1	1	73	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:00:46	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:00:47	1	1	1	1	73	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:00:48	1	1	1	1	72.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:00:49	1	1	1	1	72.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:00:50	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:00:52	1	1	1	1	72.75	58.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	39	2004
11.02.2020 11:00:53	1	1	1	1	72.75	59	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:00:54	1	1	1	1	72.75	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:00:55	1	1	1	1	72.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:00:56	1	1	1	1	72.75	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:00:57	1	1	1	1	72.75	59.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:00:58	1	1	1	1	73	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:00:59	1	1	1	1	73	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:01:00	1	1	1	1	73	59	0	30000	404.3010753	11999.83693	30000	0	0	30000	38.625	2004
11.02.2020 11:01:01	1	1	1	1	73	58.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:02	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 11:01:03	1	1	1	1	73	58.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.75	2004
11.02.2020 11:01:04	1	1	1	1	73	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:05	1	1	1	1	73	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:01:06	1	1	1	1	73	59	0	30000	404.3010753	11916.66893	30000	0	0	30000	38.625	2004
11.02.2020 11:01:07	1	1	1	1	73	58.5	0	30000	400	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:01:08	1	1	1	1	72.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:09	1	1	1	1	72.5	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:10	1	1	1	1	72.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:01:11	1	1	1	1	72.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.625	2004
11.02.2020 11:01:12	1	1	1	1	72.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:01:13	1	1	1	1	72.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:14	1	1	1	1	72.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5	2004
11.02.2020 11:01:15	1	1	1	1	72.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:01:16	1	1	1	1	72.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:01:17	1	1	1	1	72.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:01:18	1	1	1	1	72.75	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.75	2004
11.02.2020 11:01:19	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:01:20	1	1	1	1	72.75	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:21	1	1	1	1	72.75	58.75	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:22	1	1	1	1	72.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:01:23	1	1	1	1	72.75	59	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:24	1	1	1	1	72.75	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:01:25	1	1	1	1	72.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:32	1	1	1	1	72.75	58.5	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:01:33	1	1	1	1	72.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:34	1	1	1	1	72.75	58.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:01:35	1	1	1	1	72.75	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:36	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:01:37	1	1	1	1	72.75	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:01:38	1	1	1	1	72.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:01:39	1	1	1	1	72.5	58.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:01:40	1	1	1	1	72.5	58.5	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:41	1	1	1	1	72.5	58.75	0	30000	400	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:42	1	1	1	1	72.5	58.75	0	29952.607	404.3010753	11999.83693	30000	0	0	30000	39.0625	2004
11.02.2020 11:01:43	1	1	1	1	72.5	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.75	2004
11.02.2020 11:01:44	1	1	1	1	72.5	58.75	0	30000	400	11999.83693	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:45	1	1	1	1	72.5	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:46	1	1	1	1	72.5	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:01:47	1	1	1	1	72.5	58.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:01:48	1	1	1	1	72.75	58.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:49	1	1	1	1	72.75	58.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:50	1	1	1	1	72.75	58.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.125	2004
11.02.2020 11:01:51	1	1	1	1	72.75	58	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.625	2004
11.02.2020 11:01:52	1	1	1	1	72.75	58.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:53	1	1	1	1	72.75	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.8125	2004
11.02.2020 11:01:54	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:01:55	1	1	1	1	72.75	58.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:01:56	1	1	1	1	72.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:01:57	1	1	1	1	72.75	59	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.5	2004
11.02.2020 11:01:58	1	1	1	1	72.5	58.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:01:59	1	1	1	1	72.5	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:02:00	1	1	1	1	72.5	58.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	38.1875	2004
11.02.2020 11:02:01	1	1	1	1	72.5	58	0	29952.607	400	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:02	1	1	1	1	72.5	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:03	1	1	1	1	72.5	58.75	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:04	1	1	1	1	72.5	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:02:06	1	1	1	1	72.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:07	1	1	1	1	72.5	58.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:02:08	1	1	1	1	72.5	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:09	1	1	1	1	73	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:02:10	1	1	1	1	73	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:02:11	1	1	1	1	73	59	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	38.125	2004
11.02.2020 11:02:12	1	1	1	1	73	58	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:02:13	1	1	1	1	73	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:14	1	1	1	1	73	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:15	1	1	1	1	73	59	0	29905.213	404.3010753	12109.91221	30000	0	0	30000	38.4375	2004
11.02.2020 11:02:16	1	1	1	1	73	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:17	1	1	1	1	73	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:02:18	1	1	1	1	72.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:02:19	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:02:20	1	1	1	1	72.75	59	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:02:21	1	1	1	1	72.75	58.5	0	29952.607	400	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:02:22	1	1	1	1	72.75	58.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:02:23	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:02:24	1	1	1	1	72.75	59	0	29952.607	400	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:02:25	1	1	1	1	72.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:26	1	1	1	1	72.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:02:27	1	1	1	1	72.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:02:34	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:34	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:34	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:34	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:34	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:34	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:35	1	1	1	1	72.25	58.75	0	30000	412.9032258	12406.7078	30000	0	0	30000	39	2004
11.02.2020 11:02:36	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:02:37	1	1	1	1	72.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:02:38	1	1	1	1	72.25	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:02:39	1	1	1	1	72.25	58.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:40	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:02:41	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:02:42	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:02:43	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:02:44	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:02:46	1	1	1	1	72.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:02:47	1	1	1	1	72.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.5	2004
11.02.2020 11:02:48	1	1	1	1	72.25	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:02:49	1	1	1	1	72.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:02:50	1	1	1	1	72.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:02:51	1	1	1	1	72.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:02:52	1	1	1	1	72.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:02:53	1	1	1	1	72.5	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:02:54	1	1	1	1	72.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:02:55	1	1	1	1	72.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.375	2004
11.02.2020 11:02:56	1	1	1	1	72.5	58.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:02:57	1	1	1	1	72.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:02:58	1	1	1	1	71.75	58.75	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	38.5625	2004
11.02.2020 11:02:59	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:03:00	1	1	1	1	71.75	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:03:01	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:03:02	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:03:03	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:04	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:03:05	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:03:06	1	1	1	1	71.75	58.5	0	30000	412.9032258	12025.92885	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:07	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:08	1	1	1	1	72	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:03:09	1	1	1	1	72	58.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:03:10	1	1	1	1	72	59	0	30000	406.4516129	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:03:11	1	1	1	1	72	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:03:12	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:13	1	1	1	1	72	59	0	30000	412.9032258	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:03:14	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:03:15	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:16	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:03:17	1	1	1	1	72	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:03:18	1	1	1	1	72	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:03:19	1	1	1	1	72	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:03:20	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:21	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:03:23	1	1	1	1	72	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:03:24	1	1	1	1	72	58.75	0	29905.213	400	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:03:25	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:03:26	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:03:27	1	1	1	1	72	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:03:28	1	1	1	1	72	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:03:29	1	1	1	1	72.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:36	1	1	1	1	72.5	59	0	30047.393	404.3010753	11999.83693	30000	0	0	30000	39.125	2004
11.02.2020 11:03:37	1	1	1	1	72.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:03:38	1	1	1	1	72	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.125	2004
11.02.2020 11:03:39	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:03:40	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:03:41	1	1	1	1	72	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:03:42	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:03:43	1	1	1	1	72	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:03:44	1	1	1	1	72	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:03:45	1	1	1	1	72	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:03:46	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:03:47	1	1	1	1	72	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:48	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:49	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:03:50	1	1	1	1	72.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:03:51	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:03:52	1	1	1	1	72.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:03:53	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:54	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:03:55	1	1	1	1	72.25	58.5	0	29952.607	402.1505376	12045.49778	30000	0	0	30000	39	2004
11.02.2020 11:03:56	1	1	1	1	72.25	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:03:57	1	1	1	1	72.25	58.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:03:58	1	1	1	1	71.5	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:03:59	1	1	1	1	71.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:04:00	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 11:04:02	1	1	1	1	71.5	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:04:03	1	1	1	1	71.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:04	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.25	2004
11.02.2020 11:04:05	1	1	1	1	71.5	58.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.3125	2004
11.02.2020 11:04:06	1	1	1	1	71.5	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:04:07	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:04:08	1	1	1	1	71.5	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:09	1	1	1	1	71.5	58.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:04:10	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:04:11	1	1	1	1	71.5	58.75	0	30000	406.4516129	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:04:12	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:04:13	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:04:14	1	1	1	1	71.5	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:04:15	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:16	1	1	1	1	71.5	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:04:17	1	1	1	1	71.5	58.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:04:18	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:04:19	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:04:20	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:04:21	1	1	1	1	71.75	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:04:22	1	1	1	1	71.75	59	0	30000	412.9032258	12174.32664	30000	0	0	30000	39.125	2004
11.02.2020 11:04:23	1	1	1	1	71.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:04:24	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:04:25	1	1	1	1	71.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:04:26	1	1	1	1	71.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:04:27	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.0625	2004
11.02.2020 11:04:28	1	1	1	1	71.5	58	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:29	1	1	1	1	71.5	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:04:30	1	1	1	1	71.5	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:04:37	1	1	1	1	71.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:37	1	1	1	1	71.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:37	1	1	1	1	71.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:37	1	1	1	1	71.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:37	1	1	1	1	71.5	58	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:37	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:04:38	1	1	1	1	71.75	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:04:39	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:04:40	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:41	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:04:43	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:04:44	1	1	1	1	71.75	59	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.6875	2004
11.02.2020 11:04:45	1	1	1	1	71.75	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:04:46	1	1	1	1	71.75	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:47	1	1	1	1	71.75	59	0	29952.607	412.9032258	11961.51442	30000	0	0	30000	38.875	2004
11.02.2020 11:04:48	1	1	1	1	71.75	58.75	0	30000	400	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 11:04:49	1	1	1	1	71.75	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.5625	2004
11.02.2020 11:04:50	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:51	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:04:52	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:53	1	1	1	1	71.75	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:04:54	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:04:55	1	1	1	1	71.75	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:04:56	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:04:57	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:04:58	1	1	1	1	71.75	58.75	0	30000	412.9032258	12090.34327	30000	0	0	30000	38.8125	2004
11.02.2020 11:04:59	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:05:00	1	1	1	1	71.75	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:01	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:05:02	1	1	1	1	71.75	58.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:03	1	1	1	1	71.75	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:05:04	1	1	1	1	71.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:05:05	1	1	1	1	71.75	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39	2004
11.02.2020 11:05:06	1	1	1	1	71.75	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:05:07	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 11:05:08	1	1	1	1	71.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 11:05:09	1	1	1	1	71.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:05:10	1	1	1	1	71.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.0625	2004
11.02.2020 11:05:11	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:12	1	1	1	1	71.75	58.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:05:13	1	1	1	1	71.75	58.25	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	39.0625	2004
11.02.2020 11:05:14	1	1	1	1	71.75	59	0	30000	406.4516129	12193.08021	30000	0	0	30000	39.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:05:15	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:05:16	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:05:17	1	1	1	1	71.75	59	0	30000	412.9032258	12109.91221	30000	0	0	30000	39	2004
11.02.2020 11:05:18	1	1	1	1	72	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.0625	2004
11.02.2020 11:05:20	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:05:21	1	1	1	1	72	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:22	1	1	1	1	72	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:05:23	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:24	1	1	1	1	72	59	0	29905.213	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:05:25	1	1	1	1	72	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:26	1	1	1	1	72	59	0	30000	412.9032258	12471.12222	30000	0	0	30000	38.3125	2004
11.02.2020 11:05:27	1	1	1	1	72	58.25	0	29905.213	406.4516129	12367.56992	30000	0	0	30000	38.8125	2004
11.02.2020 11:05:28	1	1	1	1	71.75	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:29	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:05:30	1	1	1	1	71.75	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:31	1	1	1	1	71.75	58.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	38.625	2004
11.02.2020 11:05:32	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:39	1	1	1	1	71.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:05:40	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:05:41	1	1	1	1	71.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:42	1	1	1	1	71.75	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:05:43	1	1	1	1	71.75	59	0	30047.393	404.3010753	12148.23472	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:44	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:05:45	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:05:46	1	1	1	1	71.75	59	0	29905.213	395.6989247	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 11:05:47	1	1	1	1	71.75	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:05:48	1	1	1	1	72	58.5	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:05:49	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:05:50	1	1	1	1	72	59	0	30000	404.3010753	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:51	1	1	1	1	72	59	0	30000	406.4516129	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:05:52	1	1	1	1	72	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:53	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:05:54	1	1	1	1	72	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:05:55	1	1	1	1	72	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 11:05:57	1	1	1	1	72	58.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:05:58	1	1	1	1	72	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:05:59	1	1	1	1	72.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:06:00	1	1	1	1	72.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:06:01	1	1	1	1	72.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:06:02	1	1	1	1	72.25	58.75	0	29952.607	400	11916.66893	30000	0	0	30000	38.875	2004
11.02.2020 11:06:03	1	1	1	1	72.25	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:06:04	1	1	1	1	72.25	59.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	39.375	2004
11.02.2020 11:06:05	1	1	1	1	72.25	59.25	0	30000	400	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:06:06	1	1	1	1	72.25	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:06:07	1	1	1	1	72.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:06:08	1	1	1	1	72.25	59	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:06:11	1	1	1	1	72.25	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:06:11	1	1	1	1	72.25	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:06:11	1	1	1	1	72.25	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:06:12	1	1	1	1	72.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:06:13	1	1	1	1	72.25	58.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:06:14	1	1	1	1	72.25	58.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.8125	2004
11.02.2020 11:06:15	1	1	1	1	72.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:06:16	1	1	1	1	72.25	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:06:17	1	1	1	1	72.25	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:06:18	1	1	1	1	72	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.75	2004
11.02.2020 11:06:19	1	1	1	1	72	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:06:20	1	1	1	1	72	59	0	29905.213	404.3010753	12025.92885	30000	0	0	30000	38.1875	2004
11.02.2020 11:06:21	1	1	1	1	72	58	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:06:22	1	1	1	1	72	58.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.0625	2004
11.02.2020 11:06:23	1	1	1	1	72	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:06:24	1	1	1	1	72	59.25	0	30000	412.9032258	11916.66893	30000	0	0	30000	39	2004
11.02.2020 11:06:25	1	1	1	1	72	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39	2004
11.02.2020 11:06:26	1	1	1	1	72	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 11:06:27	1	1	1	1	72	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:06:28	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:06:29	1	1	1	1	71.75	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.6875	2004
11.02.2020 11:06:30	1	1	1	1	71.75	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:06:31	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:06:32	1	1	1	1	71.75	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	37.625	2004
11.02.2020 11:06:33	1	1	1	1	71.75	57.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:40	1	1	1	1	71.75	58.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:06:41	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:06:42	1	1	1	1	71.75	58.75	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:06:43	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:06:44	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:06:45	1	1	1	1	71.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:06:46	1	1	1	1	71.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:06:47	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:06:48	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:06:49	1	1	1	1	72	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:06:50	1	1	1	1	72	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:06:51	1	1	1	1	72	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:06:52	1	1	1	1	72	58.75	0	30000	412.9032258	12045.49778	30000	0	0	30000	39.3125	2004
11.02.2020 11:06:53	1	1	1	1	72	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.5	2004
11.02.2020 11:06:54	1	1	1	1	72	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5	2004
11.02.2020 11:06:55	1	1	1	1	72	58.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.6875	2004
11.02.2020 11:06:56	1	1	1	1	72	58.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	38.5625	2004
11.02.2020 11:06:57	1	1	1	1	72	58.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	38.8125	2004
11.02.2020 11:06:58	1	1	1	1	71.5	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.6875	2004
11.02.2020 11:06:59	1	1	1	1	71.5	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:00	1	1	1	1	71.5	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:07:01	1	1	1	1	71.5	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:02	1	1	1	1	71.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:07:03	1	1	1	1	71.5	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:07:04	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:05	1	1	1	1	71.5	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:06	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:07:07	1	1	1	1	71.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:07:08	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:07:09	1	1	1	1	71.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:07:10	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:07:11	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:07:12	1	1	1	1	71.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:13	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:07:14	1	1	1	1	71.75	58.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:16	1	1	1	1	71.75	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:17	1	1	1	1	71.75	59	0	29952.607	412.9032258	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:18	1	1	1	1	71.75	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:07:19	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:07:20	1	1	1	1	71.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:21	1	1	1	1	71.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:07:22	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:23	1	1	1	1	71.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:24	1	1	1	1	71.75	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.3125	2004
11.02.2020 11:07:25	1	1	1	1	71.75	58.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:07:26	1	1	1	1	71.75	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:27	1	1	1	1	71.75	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:07:28	1	1	1	1	72	58.75	0	29952.607	402.1505376	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:07:29	1	1	1	1	72	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:07:30	1	1	1	1	72	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:07:31	1	1	1	1	72	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:07:32	1	1	1	1	72	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:07:33	1	1	1	1	72	58.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.6875	2004
11.02.2020 11:07:34	1	1	1	1	72	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:35	1	1	1	1	72	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 11:07:42	1	1	1	1	71.75	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:07:42	1	1	1	1	71.75	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:07:42	1	1	1	1	71.75	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:07:42	1	1	1	1	71.75	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:07:42	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:07:43	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:07:44	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:07:45	1	1	1	1	71.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:07:46	1	1	1	1	71.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:07:47	1	1	1	1	71.75	59	0	30000	412.9032258	12490.69116	30000	0	0	30000	38.8125	2004
11.02.2020 11:07:48	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 11:07:49	1	1	1	1	71.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:07:50	1	1	1	1	71.5	58.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:52	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:07:53	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:07:54	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:07:55	1	1	1	1	71.5	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:07:56	1	1	1	1	71.5	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 11:07:57	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:07:58	1	1	1	1	71.5	59	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	39	2004
11.02.2020 11:07:59	1	1	1	1	71.75	59	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:08:00	1	1	1	1	71.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:08:01	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:08:02	1	1	1	1	71.75	58.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	39.6875	2004
11.02.2020 11:08:03	1	1	1	1	71.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:08:04	1	1	1	1	71.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:08:05	1	1	1	1	71.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:06	1	1	1	1	71.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:08:07	1	1	1	1	71.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:08:08	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:09	1	1	1	1	71.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:08:10	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:08:11	1	1	1	1	71.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:08:12	1	1	1	1	71.5	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:08:13	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:08:14	1	1	1	1	71.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:08:15	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:16	1	1	1	1	71.5	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.3125	2004
11.02.2020 11:08:17	1	1	1	1	71.5	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:18	1	1	1	1	71.25	59	0	29905.213	402.1505376	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:19	1	1	1	1	71.25	59	0	30000	400	12064.25135	30000	0	0	30000	38.625	2004
11.02.2020 11:08:20	1	1	1	1	71.25	58.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:21	1	1	1	1	71.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.1875	2004
11.02.2020 11:08:22	1	1	1	1	71.25	58	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:08:23	1	1	1	1	71.25	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:24	1	1	1	1	71.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:08:25	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.0625	2004
11.02.2020 11:08:26	1	1	1	1	71.25	58	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:08:27	1	1	1	1	71.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:28	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:08:29	1	1	1	1	71.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:30	1	1	1	1	71.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:32	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:08:33	1	1	1	1	71.5	58.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:08:34	1	1	1	1	71.5	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:08:35	1	1	1	1	71.5	58.75	0	30000	404.3010753	12406.7078	30000	0	0	30000	39	2004
11.02.2020 11:08:36	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:08:37	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:43	1	1	1	1	71.5	59	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:08:44	1	1	1	1	71.5	59.25	0	30000	397.8494624	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:45	1	1	1	1	71.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:08:46	1	1	1	1	71.5	58.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:08:47	1	1	1	1	71.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:08:48	1	1	1	1	71.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:08:49	1	1	1	1	71.25	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:08:50	1	1	1	1	71.25	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:08:51	1	1	1	1	71.25	58.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:08:52	1	1	1	1	71.25	58.75	0	30000	406.4516129	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:08:53	1	1	1	1	71.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:08:54	1	1	1	1	71.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:08:55	1	1	1	1	71.25	58.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:08:56	1	1	1	1	71.25	59.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	37.8125	2004
11.02.2020 11:08:57	1	1	1	1	71.25	57.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:08:58	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:08:59	1	1	1	1	71	59.25	0	30000	400	12064.25135	30000	0	0	30000	38.625	2004
11.02.2020 11:09:00	1	1	1	1	71	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:09:01	1	1	1	1	71	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:09:02	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:09:03	1	1	1	1	71	59	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	39	2004
11.02.2020 11:09:04	1	1	1	1	71	59	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:09:05	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:09:06	1	1	1	1	71	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:09:07	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.25	2004
11.02.2020 11:09:09	1	1	1	1	71	58.25	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:09:10	1	1	1	1	71	59	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:09:11	1	1	1	1	71	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:09:12	1	1	1	1	71	58.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:09:13	1	1	1	1	71	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.875	2004
11.02.2020 11:09:14	1	1	1	1	71	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:15	1	1	1	1	71	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:09:16	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:09:17	1	1	1	1	71	58.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:09:18	1	1	1	1	71	59.25	0	30000	400	11999.83693	30000	0	0	30000	38.875	2004
11.02.2020 11:09:19	1	1	1	1	71	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:09:20	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:09:21	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:09:22	1	1	1	1	71	59	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:09:23	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:09:24	1	1	1	1	71	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:25	1	1	1	1	71	58.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	39.125	2004
11.02.2020 11:09:26	1	1	1	1	71	59	0	30000	400	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:09:27	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:09:28	1	1	1	1	71.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:09:29	1	1	1	1	71.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:30	1	1	1	1	71.25	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:09:31	1	1	1	1	71.25	58.5	0	30000	406.4516129	12174.32664	30000	0	0	30000	38.875	2004
11.02.2020 11:09:32	1	1	1	1	71.25	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:33	1	1	1	1	71.25	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:34	1	1	1	1	71.25	59	0	30000	400	11935.4225	30000	0	0	30000	38.8125	2004
11.02.2020 11:09:35	1	1	1	1	71.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:09:36	1	1	1	1	71.25	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:37	1	1	1	1	71.25	58.75	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.5625	2004
11.02.2020 11:09:38	1	1	1	1	71.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:45	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:09:46	1	1	1	1	71.25	59.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:47	1	1	1	1	71.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:09:49	1	1	1	1	71.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:09:50	1	1	1	1	71.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:51	1	1	1	1	71.25	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:09:52	1	1	1	1	71.25	59.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:53	1	1	1	1	71.25	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 11:09:54	1	1	1	1	71.25	58.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:55	1	1	1	1	71.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:09:56	1	1	1	1	71.25	58.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	39.5	2004
11.02.2020 11:09:57	1	1	1	1	71.25	59.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:09:58	1	1	1	1	71.25	59	0	30000	400	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:09:59	1	1	1	1	71	59.25	0	30000	400	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:10:00	1	1	1	1	71	59	0	30000	402.1505376	11935.4225	30000	0	0	30000	38.75	2004
11.02.2020 11:10:01	1	1	1	1	71	58.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:02	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:10:03	1	1	1	1	71	59	0	30000	400	11999.83693	30000	0	0	30000	39.0625	2004
11.02.2020 11:10:04	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:10:05	1	1	1	1	71	58.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.3125	2004
11.02.2020 11:10:06	1	1	1	1	71	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:10:07	1	1	1	1	71	59.25	0	30000	400	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:08	1	1	1	1	71	59	0	29905.213	397.8494624	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:10:09	1	1	1	1	71	59	0	29905.213	404.3010753	12064.25135	30000	0	0	30000	38.6875	2004
11.02.2020 11:10:10	1	1	1	1	71	58.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:11	1	1	1	1	71	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:10:12	1	1	1	1	71	59	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:13	1	1	1	1	71	59	0	30047.393	400	11935.4225	30000	0	0	30000	39.125	2004
11.02.2020 11:10:14	1	1	1	1	71	59	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.875	2004
11.02.2020 11:10:15	1	1	1	1	71	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.375	2004
11.02.2020 11:10:16	1	1	1	1	71	58.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:10:17	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:18	1	1	1	1	70.75	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:10:19	1	1	1	1	70.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:10:20	1	1	1	1	70.75	59.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:10:21	1	1	1	1	70.75	59.25	0	29952.607	395.6989247	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:22	1	1	1	1	70.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:23	1	1	1	1	70.75	59	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:10:24	1	1	1	1	70.75	59.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:10:26	1	1	1	1	70.75	59	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:10:27	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:10:28	1	1	1	1	70.75	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:10:29	1	1	1	1	71	58.5	0	30000	404.3010753	11833.50094	30000	0	0	30000	39.25	2004
11.02.2020 11:10:30	1	1	1	1	71	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:10:31	1	1	1	1	71	58.75	0	30000	404.3010753	11916.66893	30000	0	0	30000	39.125	2004
11.02.2020 11:10:32	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:10:33	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:34	1	1	1	1	71	59	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.625	2004
11.02.2020 11:10:35	1	1	1	1	71	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:10:36	1	1	1	1	71	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:10:37	1	1	1	1	71	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:10:38	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:39	1	1	1	1	71	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:10:40	1	1	1	1	71	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5625	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.75	2004
11.02.2020 11:10:47	1	1	1	1	71	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:48	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:10:49	1	1	1	1	70.75	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:10:50	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:10:51	1	1	1	1	70.75	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:10:52	1	1	1	1	70.75	59	0	30000	397.8494624	11999.83693	30000	0	0	30000	39	2004
11.02.2020 11:10:53	1	1	1	1	70.75	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:10:54	1	1	1	1	70.75	58.25	0	30000	404.3010753	11935.4225	30000	0	0	30000	38.875	2004
11.02.2020 11:10:55	1	1	1	1	70.75	58.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:10:56	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:10:57	1	1	1	1	70.75	59.25	0	30000	400	11999.83693	30000	0	0	30000	39.125	2004
11.02.2020 11:10:58	1	1	1	1	70.75	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:10:59	1	1	1	1	70.75	59	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:11:00	1	1	1	1	70.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:11:01	1	1	1	1	70.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.4375	2004
11.02.2020 11:11:02	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5	2004
11.02.2020 11:11:03	1	1	1	1	70.75	59.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	38.3125	2004
11.02.2020 11:11:05	1	1	1	1	70.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:11:06	1	1	1	1	70.75	59	0	30000	412.9032258	12471.12222	30000	0	0	30000	39.0625	2004
11.02.2020 11:11:07	1	1	1	1	70.75	59	0	30000	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:11:08	1	1	1	1	70.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:11:09	1	1	1	1	70.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:11:10	1	1	1	1	70.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:11:11	1	1	1	1	70.75	59	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.0625	2004
11.02.2020 11:11:12	1	1	1	1	70.75	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.5625	2004
11.02.2020 11:11:13	1	1	1	1	70.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:11:14	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:11:15	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:11:16	1	1	1	1	70.75	59	0	29952.607	402.1505376	12109.91221	30000	0	0	30000	39.25	2004
11.02.2020 11:11:17	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:11:18	1	1	1	1	71	59.25	0	29905.213	400	12109.91221	30000	0	0	30000	39.4375	2004
11.02.2020 11:11:19	1	1	1	1	71	59.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.625	2004
11.02.2020 11:11:20	1	1	1	1	71	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:11:21	1	1	1	1	71	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:11:22	1	1	1	1	71	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:11:23	1	1	1	1	71	58.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:11:24	1	1	1	1	71	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:11:25	1	1	1	1	71	59.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:11:26	1	1	1	1	71	59	0	30047.393	406.4516129	12212.64915	30000	0	0	30000	39.125	2004
11.02.2020 11:11:27	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:11:28	1	1	1	1	70.75	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.625	2004
11.02.2020 11:11:29	1	1	1	1	70.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:11:30	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:11:31	1	1	1	1	70.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:11:32	1	1	1	1	70.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:11:33	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.4375	2004
11.02.2020 11:11:34	1	1	1	1	70.75	58.25	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:11:35	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 11:11:36	1	1	1	1	70.75	59.25	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:11:37	1	1	1	1	70.75	59	0	30000	406.4516129	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:11:38	1	1	1	1	71	59	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:11:39	1	1	1	1	71	59	0	30000	404.3010753	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:11:40	1	1	1	1	71	59.25	0	29905.213	400	12090.34327	30000	0	0	30000	38.6875	2004
11.02.2020 11:11:42	1	1	1	1	71	58.5	0	30094.787	412.9032258	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:48	1	1	1	1	71	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:11:49	1	1	1	1	71	59	0	30000	400	11935.4225	30000	0	0	30000	39.375	2004
11.02.2020 11:11:50	1	1	1	1	71	59.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.375	2004
11.02.2020 11:11:51	1	1	1	1	71	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.5625	2004
11.02.2020 11:11:52	1	1	1	1	71	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:11:53	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:11:54	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:11:55	1	1	1	1	71	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:11:56	1	1	1	1	71	59	0	30000	397.8494624	11833.50094	30000	0	0	30000	39.3125	2004
11.02.2020 11:11:57	1	1	1	1	71	59.75	0	30000	400	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 11:11:58	1	1	1	1	71.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:11:59	1	1	1	1	71.25	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:12:00	1	1	1	1	71.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:01	1	1	1	1	71.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:12:02	1	1	1	1	71.25	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:12:03	1	1	1	1	71.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:12:04	1	1	1	1	71.25	59.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	38.875	2004
11.02.2020 11:12:05	1	1	1	1	71.25	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.6875	2004
11.02.2020 11:12:06	1	1	1	1	71.25	58.5	0	30000	400	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:12:07	1	1	1	1	71.25	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:12:08	1	1	1	1	70.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:12:09	1	1	1	1	70.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:10	1	1	1	1	70.5	59	0	30000	406.4516129	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:12:11	1	1	1	1	70.5	58.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:12:12	1	1	1	1	70.5	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:12:13	1	1	1	1	70.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:12:14	1	1	1	1	70.5	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:12:15	1	1	1	1	70.5	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:16	1	1	1	1	70.5	59	0	30000	400	11935.4225	30000	0	0	30000	38.875	2004
11.02.2020 11:12:17	1	1	1	1	70.5	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:18	1	1	1	1	70.75	59	0	29905.213	395.6989247	11999.83693	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:19	1	1	1	1	70.75	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:12:21	1	1	1	1	70.75	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:12:22	1	1	1	1	70.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:12:23	1	1	1	1	70.75	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39	2004
11.02.2020 11:12:24	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:25	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:12:26	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:12:27	1	1	1	1	70.75	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.9375	2004
11.02.2020 11:12:28	1	1	1	1	70.75	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:12:29	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:12:30	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:12:31	1	1	1	1	71	59.5	0	30000	402.1505376	12045.49778	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:32	1	1	1	1	71	59	0	30000	412.9032258	12064.25135	30000	0	0	30000	38.6875	2004
11.02.2020 11:12:33	1	1	1	1	71	58.5	0	30000	400	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:12:34	1	1	1	1	71	59	0	30000	404.3010753	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:12:35	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:12:36	1	1	1	1	71	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:12:37	1	1	1	1	71	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:12:38	1	1	1	1	71.25	58.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.3125	2004
11.02.2020 11:12:39	1	1	1	1	71.25	59.25	0	30000	395.6989247	12148.23472	30000	0	0	30000	39	2004
11.02.2020 11:12:40	1	1	1	1	71.25	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.1875	2004
11.02.2020 11:12:41	1	1	1	1	71.25	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:12:42	1	1	1	1	71.25	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.6875	2004
11.02.2020 11:12:43	1	1	1	1	71.25	58.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.375	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:12:50	1	1	1	1	70.75	59	0	30000	400	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:12:51	1	1	1	1	70.75	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:12:52	1	1	1	1	70.75	59.25	0	29952.607	397.8494624	12212.64915	30000	0	0	30000	39.25	2004
11.02.2020 11:12:53	1	1	1	1	70.75	59.25	0	30000	400	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:12:54	1	1	1	1	70.75	59.25	0	30000	400	12064.25135	30000	0	0	30000	38.875	2004
11.02.2020 11:12:55	1	1	1	1	70.75	58.75	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:12:56	1	1	1	1	70.75	58.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:12:57	1	1	1	1	70.75	58.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:12:58	1	1	1	1	70.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:13:00	1	1	1	1	70.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:13:01	1	1	1	1	70.75	59.25	0	30000	397.8494624	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:13:02	1	1	1	1	70.75	59	0	30000	406.4516129	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:13:03	1	1	1	1	70.75	59	0	30000	397.8494624	11833.50094	30000	0	0	30000	39.375	2004
11.02.2020 11:13:04	1	1	1	1	70.75	59.25	0	30000	400	11999.83693	30000	0	0	30000	38.875	2004
11.02.2020 11:13:05	1	1	1	1	70.75	58.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.375	2004
11.02.2020 11:13:06	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:13:07	1	1	1	1	70.75	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.125	2004
11.02.2020 11:13:08	1	1	1	1	70.75	59	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 11:13:09	1	1	1	1	71	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:13:10	1	1	1	1	71	58.75	0	30000	402.1505376	11897.09999	30000	0	0	30000	39.4375	2004
11.02.2020 11:13:11	1	1	1	1	71	59.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	39.375	2004
11.02.2020 11:13:12	1	1	1	1	71	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:13	1	1	1	1	71	59.25	0	29905.213	400	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:13:14	1	1	1	1	71	59.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.4375	2004
11.02.2020 11:13:15	1	1	1	1	71	59.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	39	2004
11.02.2020 11:13:16	1	1	1	1	71	59	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:13:17	1	1	1	1	71	59.25	0	30000	395.6989247	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 11:13:18	1	1	1	1	70.75	58.75	0	30000	400	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:13:19	1	1	1	1	70.75	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:13:20	1	1	1	1	70.75	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:13:21	1	1	1	1	70.75	58.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:13:22	1	1	1	1	70.75	59.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.25	2004
11.02.2020 11:13:23	1	1	1	1	70.75	59.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:13:24	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.6875	2004
11.02.2020 11:13:25	1	1	1	1	70.75	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:13:26	1	1	1	1	70.75	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.6875	2004
11.02.2020 11:13:27	1	1	1	1	70.75	58.5	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.0625	2004
11.02.2020 11:13:28	1	1	1	1	70.75	59	0	30000	400	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:13:29	1	1	1	1	70.75	59.25	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:13:30	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:13:31	1	1	1	1	70.75	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.6875	2004
11.02.2020 11:13:32	1	1	1	1	70.75	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:13:33	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:13:34	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.0625	2004
11.02.2020 11:13:35	1	1	1	1	70.75	58	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:37	1	1	1	1	70.75	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:13:38	1	1	1	1	70.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:13:39	1	1	1	1	70.75	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:40	1	1	1	1	70.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:41	1	1	1	1	70.75	59.25	0	29905.213	397.8494624	11833.50094	30000	0	0	30000	39.25	2004
11.02.2020 11:13:42	1	1	1	1	70.75	59.25	0	29952.607	404.3010753	12045.49778	30000	0	0	30000	39.25	2004
11.02.2020 11:13:43	1	1	1	1	70.75	59.25	0	30000	400	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:44	1	1	1	1	70.75	59.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 11:13:45	1	1	1	1	70.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	58.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:52	1	1	1	1	70.75	59	0	30000	400	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:53	1	1	1	1	70.75	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.8125	2004
11.02.2020 11:13:54	1	1	1	1	70.75	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:13:55	1	1	1	1	70.75	58.75	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:13:56	1	1	1	1	70.75	59.25	0	30000	402.1505376	11833.50094	30000	0	0	30000	39.25	2004
11.02.2020 11:13:57	1	1	1	1	70.75	59.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	38.6875	2004
11.02.2020 11:13:58	1	1	1	1	70.5	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.875	2004
11.02.2020 11:13:59	1	1	1	1	70.5	58.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:14:00	1	1	1	1	70.5	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:14:01	1	1	1	1	70.5	59.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:14:02	1	1	1	1	70.5	59.25	0	30000	400	11999.83693	30000	0	0	30000	38.3125	2004
11.02.2020 11:14:03	1	1	1	1	70.5	58.25	0	30000	397.8494624	11833.50094	30000	0	0	30000	38.4375	2004
11.02.2020 11:14:04	1	1	1	1	70.5	58.25	0	30000	400	11999.83693	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:14:05	1	1	1	1	70.5	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:14:06	1	1	1	1	70.5	59.25	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:14:07	1	1	1	1	70.5	58.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	38.375	2004
11.02.2020 11:14:08	1	1	1	1	70.25	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.625	2004
11.02.2020 11:14:09	1	1	1	1	70.25	58.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:14:10	1	1	1	1	70.25	59.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	38.0625	2004
11.02.2020 11:14:11	1	1	1	1	70.25	58	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	38.4375	2004
11.02.2020 11:14:12	1	1	1	1	70.25	58.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.5625	2004
11.02.2020 11:14:13	1	1	1	1	70.25	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:14	1	1	1	1	70.25	59.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	38.625	2004
11.02.2020 11:14:15	1	1	1	1	70.25	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:17	1	1	1	1	70.25	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:18	1	1	1	1	70.25	59.25	0	30000	400	11999.83693	30000	0	0	30000	39.125	2004
11.02.2020 11:14:19	1	1	1	1	70.5	59	0	30000	391.3978495	11723.42565	30000	0	0	30000	39.1875	2004
11.02.2020 11:14:20	1	1	1	1	70.5	59	0	30000	397.8494624	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:21	1	1	1	1	70.5	59.25	0	30000	400	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:22	1	1	1	1	70.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:23	1	1	1	1	70.5	59.25	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:14:24	1	1	1	1	70.5	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.375	2004
11.02.2020 11:14:25	1	1	1	1	70.5	59.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	38.875	2004
11.02.2020 11:14:26	1	1	1	1	70.5	58.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:14:27	1	1	1	1	70.5	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 11:14:28	1	1	1	1	70.5	59	0	30000	397.8494624	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:14:29	1	1	1	1	70.5	59	0	29952.607	404.3010753	11833.50094	30000	0	0	30000	38.9375	2004
11.02.2020 11:14:30	1	1	1	1	70.5	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:31	1	1	1	1	70.5	58.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	38.875	2004
11.02.2020 11:14:32	1	1	1	1	70.5	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:14:33	1	1	1	1	70.5	59	0	29952.607	400	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:14:34	1	1	1	1	70.5	59.25	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:14:35	1	1	1	1	70.5	59.25	0	29952.607	404.3010753	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:14:36	1	1	1	1	70.5	58.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:14:37	1	1	1	1	70.5	59.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.125	2004
11.02.2020 11:14:38	1	1	1	1	70	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:39	1	1	1	1	70	59	0	30000	404.3010753	11916.66893	30000	0	0	30000	38.8125	2004
11.02.2020 11:14:40	1	1	1	1	70	58.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.375	2004
11.02.2020 11:14:41	1	1	1	1	70	58.25	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:42	1	1	1	1	70	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:14:43	1	1	1	1	70	58.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	39.4375	2004
11.02.2020 11:14:44	1	1	1	1	70	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.25	2004
11.02.2020 11:14:45	1	1	1	1	70	59.25	0	30000	400	12064.25135	30000	0	0	30000	39	2004
11.02.2020 11:14:46	1	1	1	1	70	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:53	1	1	1	1	70.25	59.25	0	29952.607	400	11935.4225	30000	0	0	30000	38.75	2004
11.02.2020 11:14:55	1	1	1	1	70.25	58.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:14:56	1	1	1	1	70.25	59.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.25	2004
11.02.2020 11:14:57	1	1	1	1	70.25	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:14:58	1	1	1	1	70.25	59	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.4375	2004
11.02.2020 11:14:59	1	1	1	1	70.25	59.25	0	30000	397.8494624	12064.25135	30000	0	0	30000	38.8125	2004
11.02.2020 11:15:00	1	1	1	1	70.25	58.75	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:01	1	1	1	1	70.25	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:15:02	1	1	1	1	70.25	59	0	30000	400	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:15:03	1	1	1	1	70.25	59.25	0	30000	397.8494624	11833.50094	30000	0	0	30000	39.25	2004
11.02.2020 11:15:04	1	1	1	1	70.25	59.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.4375	2004
11.02.2020 11:15:05	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.25	2004
11.02.2020 11:15:06	1	1	1	1	70.25	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 11:15:07	1	1	1	1	70.25	59.25	0	30047.393	404.3010753	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:08	1	1	1	1	70.25	59	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	39.4375	2004
11.02.2020 11:15:09	1	1	1	1	70.25	59.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 11:15:10	1	1	1	1	70.25	59.75	0	30000	400	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:11	1	1	1	1	70.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:15:12	1	1	1	1	70.25	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:13	1	1	1	1	70.25	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.375	2004
11.02.2020 11:15:14	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:15	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39	2004
11.02.2020 11:15:16	1	1	1	1	70.25	59	0	30000	400	11999.83693	30000	0	0	30000	38.6875	2004
11.02.2020 11:15:17	1	1	1	1	70.25	58.5	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.375	2004
11.02.2020 11:15:18	1	1	1	1	70.25	59.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:19	1	1	1	1	70.25	59	0	30000	400	11916.66893	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:20	1	1	1	1	70.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	38.9375	2004
11.02.2020 11:15:21	1	1	1	1	70.25	58.75	0	30000	395.6989247	12064.25135	30000	0	0	30000	39.125	2004
11.02.2020 11:15:22	1	1	1	1	70.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:15:23	1	1	1	1	70.25	58.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 11:15:24	1	1	1	1	70.25	58.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	38.25	2004
11.02.2020 11:15:25	1	1	1	1	70.25	58.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	38.6875	2004
11.02.2020 11:15:26	1	1	1	1	70.25	58.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:15:27	1	1	1	1	70.25	59	0	30000	400	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:28	1	1	1	1	70	59	0	30000	404.3010753	12045.49778	30000	0	0	30000	38.9375	2004
11.02.2020 11:15:29	1	1	1	1	70	58.75	0	30000	400	11935.4225	30000	0	0	30000	38.6875	2004
11.02.2020 11:15:30	1	1	1	1	70	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:15:31	1	1	1	1	70	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	39	2004
11.02.2020 11:15:32	1	1	1	1	70	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:15:34	1	1	1	1	70	58.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:35	1	1	1	1	70	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:36	1	1	1	1	70	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.125	2004
11.02.2020 11:15:37	1	1	1	1	70	59	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	39	2004
11.02.2020 11:15:38	1	1	1	1	70	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.1875	2004
11.02.2020 11:15:39	1	1	1	1	70.25	59	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:40	1	1	1	1	70.25	59.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	38.9375	2004
11.02.2020 11:15:41	1	1	1	1	70.25	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:15:42	1	1	1	1	70.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:43	1	1	1	1	70.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:15:44	1	1	1	1	70.25	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:15:45	1	1	1	1	70.25	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:46	1	1	1	1	70.25	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.5625	2004
11.02.2020 11:15:47	1	1	1	1	70.25	59.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.625	2004
11.02.2020 11:15:48	1	1	1	1	70.25	58.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:55	1	1	1	1	70	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:15:56	1	1	1	1	70	58.5	0	29905.213	412.9032258	12193.08021	30000	0	0	30000	38.875	2004
11.02.2020 11:15:57	1	1	1	1	70	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 11:15:58	1	1	1	1	69.75	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:15:59	1	1	1	1	69.75	58.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	38.875	2004
11.02.2020 11:16:00	1	1	1	1	69.75	58.75	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:16:01	1	1	1	1	69.75	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	38.375	2004
11.02.2020 11:16:02	1	1	1	1	69.75	58.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:16:03	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:16:04	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:05	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:16:06	1	1	1	1	69.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:16:07	1	1	1	1	69.75	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:16:08	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:16:09	1	1	1	1	69.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:10	1	1	1	1	69.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:16:11	1	1	1	1	69.75	59.25	0	30047.393	415.0537634	12471.12222	30000	0	0	30000	38.5625	2004
11.02.2020 11:16:12	1	1	1	1	69.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:16:14	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:16:15	1	1	1	1	69.75	59	0	30000	415.0537634	12367.56992	30000	0	0	30000	38.875	2004
11.02.2020 11:16:16	1	1	1	1	69.75	58.75	0	29952.607	412.9032258	12620.33539	30000	0	0	30000	38.5	2004
11.02.2020 11:16:17	1	1	1	1	69.75	58.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:16:18	1	1	1	1	69.75	59	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	38.875	2004
11.02.2020 11:16:19	1	1	1	1	69.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:16:20	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:16:21	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:16:22	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:16:23	1	1	1	1	69.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:16:24	1	1	1	1	69.5	59.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	39.5625	2004
11.02.2020 11:16:25	1	1	1	1	69.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:16:26	1	1	1	1	69.5	59.25	0	30142.18	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:16:27	1	1	1	1	69.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:16:28	1	1	1	1	70	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:29	1	1	1	1	70	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:16:30	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:16:31	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:16:32	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:33	1	1	1	1	70	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 11:16:34	1	1	1	1	70	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:16:35	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:36	1	1	1	1	70	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:16:37	1	1	1	1	70	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:16:38	1	1	1	1	69.5	59.25	0	30094.787	423.655914	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:16:39	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:16:40	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:41	1	1	1	1	69.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:16:42	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:16:43	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:16:44	1	1	1	1	69.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:16:45	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:16:46	1	1	1	1	69.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:47	1	1	1	1	69.5	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:16:48	1	1	1	1	70	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	37.875	2004
11.02.2020 11:16:49	1	1	1	1	70	57.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:16:50	1	1	1	1	70	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:51	1	1	1	1	70	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:52	1	1	1	1	70	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:53	1	1	1	1	70	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:54	1	1	1	1	70	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:16:55	1	1	1	1	70	59.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	38.6875	2004
11.02.2020 11:16:56	1	1	1	1	70	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:57	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:16:58	1	1	1	1	70	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	38.9375	2004
11.02.2020 11:16:59	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:17:00	1	1	1	1	70	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	38.9375	2004
11.02.2020 11:17:01	1	1	1	1	70	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:17:02	1	1	1	1	70	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:17:03	1	1	1	1	70	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:04	1	1	1	1	70	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:17:05	1	1	1	1	70	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 11:17:06	1	1	1	1	70	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:07	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:08	1	1	1	1	70	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:17:09	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:17:10	1	1	1	1	70	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:17:11	1	1	1	1	70	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:17:12	1	1	1	1	70	59.25	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:17:13	1	1	1	1	70	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.25	2004
11.02.2020 11:17:14	1	1	1	1	70	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:17:15	1	1	1	1	70	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:17:16	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:17:17	1	1	1	1	70	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:17:18	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:17:19	1	1	1	1	70	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:17:20	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:17:21	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:17:22	1	1	1	1	70	59.25	0	30000	415.0537634	12749.16424	30000	0	0	30000	38.5	2004
11.02.2020 11:17:23	1	1	1	1	70	58.5	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:24	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:17:25	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:26	1	1	1	1	70	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:27	1	1	1	1	70	59.25	0	30000	415.0537634	12367.56992	30000	0	0	30000	38.75	2004
11.02.2020 11:17:28	1	1	1	1	70	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	37.9375	2004
11.02.2020 11:17:29	1	1	1	1	70	57.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:17:30	1	1	1	1	70	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:17:31	1	1	1	1	70	59.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:17:33	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:17:34	1	1	1	1	70	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:17:35	1	1	1	1	70	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:36	1	1	1	1	70	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:17:38	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:38	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:39	1	1	1	1	70	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:17:40	1	1	1	1	70	59	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	39.25	2004
11.02.2020 11:17:41	1	1	1	1	70	59.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:17:42	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:17:43	1	1	1	1	70	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:17:44	1	1	1	1	70	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:17:45	1	1	1	1	70	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:17:46	1	1	1	1	70	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:17:47	1	1	1	1	70	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:17:48	1	1	1	1	69.75	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:17:49	1	1	1	1	69.75	59	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:17:50	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:17:51	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:58	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:17:59	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:00	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:01	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:18:02	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:18:03	1	1	1	1	69.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:18:04	1	1	1	1	69.75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:05	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:18:06	1	1	1	1	69.75	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:18:07	1	1	1	1	69.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:08	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:09	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:18:10	1	1	1	1	69.75	59	0	30000	427.9569892	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:12	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:13	1	1	1	1	69.75	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:18:14	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:18:15	1	1	1	1	69.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:18:16	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:18:17	1	1	1	1	69.75	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:18	1	1	1	1	69.75	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:19	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:18:20	1	1	1	1	69.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:18:21	1	1	1	1	69.75	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:18:22	1	1	1	1	69.75	59.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:23	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:24	1	1	1	1	69.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:18:25	1	1	1	1	69.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:18:26	1	1	1	1	69.75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:18:27	1	1	1	1	69.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:18:28	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:18:29	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:18:30	1	1	1	1	69.75	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:18:31	1	1	1	1	69.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:18:32	1	1	1	1	69.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:18:33	1	1	1	1	69.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:18:34	1	1	1	1	69.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:35	1	1	1	1	69.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:36	1	1	1	1	69.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:37	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:18:38	1	1	1	1	70	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:18:39	1	1	1	1	70	58.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:18:40	1	1	1	1	70	59.25	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.3125	2004
11.02.2020 11:18:41	1	1	1	1	70	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:18:42	1	1	1	1	70	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:18:43	1	1	1	1	70	59.5	0	29905.213	412.9032258	12560.8132	30000	0	0	30000	39	2004
11.02.2020 11:18:44	1	1	1	1	70	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 11:18:45	1	1	1	1	70	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:18:46	1	1	1	1	70	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:18:47	1	1	1	1	70	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:18:49	1	1	1	1	70.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:18:50	1	1	1	1	70.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:18:51	1	1	1	1	70.25	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:18:52	1	1	1	1	70.25	59	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:18:53	1	1	1	1	70.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:18:59	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:19:00	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:01	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:19:02	1	1	1	1	69.75	59.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.5625	2004
11.02.2020 11:19:03	1	1	1	1	69.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:04	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:05	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:19:06	1	1	1	1	69.75	59.5	0	30094.787	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:19:07	1	1	1	1	69.75	59.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:19:08	1	1	1	1	69.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:09	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 11:19:10	1	1	1	1	69.75	58.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.125	2004
11.02.2020 11:19:11	1	1	1	1	69.75	59	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:19:12	1	1	1	1	69.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:19:13	1	1	1	1	69.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:19:14	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:19:15	1	1	1	1	69.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:16	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:17	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:19:18	1	1	1	1	69.25	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:19:19	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:19:20	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:19:21	1	1	1	1	69.25	59	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 11:19:22	1	1	1	1	69.25	58.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:19:23	1	1	1	1	69.25	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:19:24	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:19:25	1	1	1	1	69.25	59	0	30000	425.8064516	12367.56992	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:26	1	1	1	1	69.25	59.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:27	1	1	1	1	69.25	59.25	0	30000	425.8064516	12560.8132	30000	0	0	30000	39.375	2004
11.02.2020 11:19:28	1	1	1	1	69	59.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.25	2004
11.02.2020 11:19:30	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:31	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:19:32	1	1	1	1	69	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:19:33	1	1	1	1	69	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:19:34	1	1	1	1	69	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:35	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:19:36	1	1	1	1	69	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 11:19:37	1	1	1	1	69	58.75	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.25	2004
11.02.2020 11:19:38	1	1	1	1	69	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:19:39	1	1	1	1	69.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:19:40	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:19:41	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:42	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:19:43	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:19:44	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:19:45	1	1	1	1	69.5	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:19:46	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:19:47	1	1	1	1	69.5	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:19:48	1	1	1	1	69.5	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:49	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:19:50	1	1	1	1	69.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:19:51	1	1	1	1	69.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:19:52	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 11:19:53	1	1	1	1	69.5	58.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:19:54	1	1	1	1	69.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:01	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:20:02	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38	2004
11.02.2020 11:20:03	1	1	1	1	69.25	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:20:04	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:05	1	1	1	1	69.25	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:06	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:08	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:20:09	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:20:10	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 11:20:11	1	1	1	1	69.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:12	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:13	1	1	1	1	69.25	59.25	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:20:14	1	1	1	1	69.25	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:15	1	1	1	1	69.25	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:20:16	1	1	1	1	69.25	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:17	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:18	1	1	1	1	69.25	59.25	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	38.75	2004
11.02.2020 11:20:19	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:20	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:21	1	1	1	1	69.25	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	38.5625	2004
11.02.2020 11:20:22	1	1	1	1	69.25	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:23	1	1	1	1	69.25	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:20:24	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:20:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:26	1	1	1	1	69.25	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.75	2004
11.02.2020 11:20:27	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:28	1	1	1	1	70	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:29	1	1	1	1	70	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.25	2004
11.02.2020 11:20:30	1	1	1	1	70	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:20:31	1	1	1	1	70	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:32	1	1	1	1	70	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:20:33	1	1	1	1	70	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:20:34	1	1	1	1	70	59.25	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:20:35	1	1	1	1	70	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:36	1	1	1	1	70	59.25	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.25	2004
11.02.2020 11:20:37	1	1	1	1	70	59.25	0	29952.607	415.0537634	12411.60003	30000	0	0	30000	39.5	2004
11.02.2020 11:20:38	1	1	1	1	69.5	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:20:39	1	1	1	1	69.5	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:20:40	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12451.55328	30000	0	0	30000	38.5	2004
11.02.2020 11:20:41	1	1	1	1	69.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 11:20:42	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:20:43	1	1	1	1	69.5	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	38.5625	2004
11.02.2020 11:20:44	1	1	1	1	69.5	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:20:45	1	1	1	1	69.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:46	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:20:47	1	1	1	1	69.5	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:20:49	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:20:50	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:51	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:20:52	1	1	1	1	69.5	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:20:53	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.625	2004
11.02.2020 11:20:54	1	1	1	1	69.5	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:20:55	1	1	1	1	69.5	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	38	2004
11.02.2020 11:20:56	1	1	1	1	69.5	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:03	1	1	1	1	69.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:21:04	1	1	1	1	69.5	59.25	0	30000	419.3548387	12729.5953	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:05	1	1	1	1	69.5	59.25	0	29952.607	412.9032258	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:21:06	1	1	1	1	69.5	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:21:07	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:21:08	1	1	1	1	69.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:09	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:10	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:21:11	1	1	1	1	69.75	59.5	0	30047.393	419.3548387	12515.96771	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:12	1	1	1	1	69.75	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:13	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:14	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:21:15	1	1	1	1	69.75	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:21:16	1	1	1	1	69.75	59	0	29952.607	415.0537634	12540.42889	30000	0	0	30000	38.8125	2004
11.02.2020 11:21:17	1	1	1	1	69.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:21:18	1	1	1	1	69	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:21:19	1	1	1	1	69	59	0	30000	415.0537634	12476.01446	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:20	1	1	1	1	69	59.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:21	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:21:22	1	1	1	1	69	59.5	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:21:23	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:21:24	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:25	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:21:27	1	1	1	1	69	59.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.125	2004
11.02.2020 11:21:28	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:21:29	1	1	1	1	69.5	59.25	0	30000	412.9032258	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:21:30	1	1	1	1	69.5	59.25	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.1875	2004
11.02.2020 11:21:31	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:21:32	1	1	1	1	69.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:21:33	1	1	1	1	69.5	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:21:34	1	1	1	1	69.5	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:35	1	1	1	1	69.5	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:21:36	1	1	1	1	69.5	59	0	30000	415.0537634	12729.5953	30000	0	0	30000	39.375	2004
11.02.2020 11:21:37	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:21:38	1	1	1	1	69.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:21:39	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:40	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:41	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:21:42	1	1	1	1	69.25	58.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	38.4375	2004
11.02.2020 11:21:43	1	1	1	1	69.25	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:21:44	1	1	1	1	69.25	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:21:45	1	1	1	1	69.25	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:21:46	1	1	1	1	69.25	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:21:47	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:48	1	1	1	1	69.25	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:49	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:50	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:21:51	1	1	1	1	69.25	58.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:21:52	1	1	1	1	69.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:21:53	1	1	1	1	69.25	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 11:21:54	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:21:55	1	1	1	1	69.25	59.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:21:56	1	1	1	1	69.25	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:21:57	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:04	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:22:04	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:22:04	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:22:04	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:22:04	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.4375	2004
11.02.2020 11:22:04	1	1	1	1	69.25	58.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:06	1	1	1	1	69.25	59	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.375	2004
11.02.2020 11:22:07	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:22:08	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:22:09	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:22:10	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:22:11	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:22:12	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:22:13	1	1	1	1	69.5	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:22:14	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:22:15	1	1	1	1	69.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:22:16	1	1	1	1	69.5	59.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:22:17	1	1	1	1	69.5	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:18	1	1	1	1	69.5	59	0	30000	419.3548387	12560.8132	30000	0	0	30000	39	2004
11.02.2020 11:22:19	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:22:20	1	1	1	1	69.5	59.5	0	29952.607	417.2043011	12540.42889	30000	0	0	30000	39.375	2004
11.02.2020 11:22:21	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:22:22	1	1	1	1	69.5	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:22:23	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:22:24	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:22:25	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:22:26	1	1	1	1	69.5	59	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:22:27	1	1	1	1	69.5	59.25	0	30000	412.9032258	12431.98434	30000	0	0	30000	39.125	2004
11.02.2020 11:22:28	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:22:29	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:22:30	1	1	1	1	69.75	59	0	30000	419.3548387	12540.42889	30000	0	0	30000	39.4375	2004
11.02.2020 11:22:31	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:22:32	1	1	1	1	69.75	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:22:33	1	1	1	1	69.75	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:22:34	1	1	1	1	69.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:22:35	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:22:36	1	1	1	1	69.75	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:37	1	1	1	1	69.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:22:38	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:22:39	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:22:40	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:22:41	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:22:43	1	1	1	1	69.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:44	1	1	1	1	69.5	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.375	2004
11.02.2020 11:22:45	1	1	1	1	69.5	59.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:46	1	1	1	1	69.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:22:47	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:22:48	1	1	1	1	69.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:22:49	1	1	1	1	69.5	59.5	0	30000	415.0537634	12749.16424	30000	0	0	30000	39.375	2004
11.02.2020 11:22:50	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:22:51	1	1	1	1	69.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:22:52	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 11:22:53	1	1	1	1	69.5	58.75	0	30047.393	419.3548387	12599.95108	30000	0	0	30000	39.5	2004
11.02.2020 11:22:54	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:22:55	1	1	1	1	69.5	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:22:56	1	1	1	1	69.5	58.5	0	30000	415.0537634	12348.00098	30000	0	0	30000	39.25	2004
11.02.2020 11:22:57	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:22:58	1	1	1	1	69.5	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.3125	2004
11.02.2020 11:22:59	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:23:06	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:06	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:06	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:06	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:06	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:06	1	1	1	1	69.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:23:07	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:08	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:23:09	1	1	1	1	69.25	58.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:23:10	1	1	1	1	69.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:23:11	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:12	1	1	1	1	69.25	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:23:13	1	1	1	1	69.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:23:14	1	1	1	1	69.25	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:23:15	1	1	1	1	69.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:16	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:17	1	1	1	1	69.25	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.3125	2004
11.02.2020 11:23:18	1	1	1	1	69	59.25	0	29905.213	406.4516129	12367.56992	30000	0	0	30000	39.5	2004
11.02.2020 11:23:19	1	1	1	1	69	59.5	0	30047.393	415.0537634	12471.12222	30000	0	0	30000	39.3125	2004
11.02.2020 11:23:20	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 11:23:22	1	1	1	1	69	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:23:23	1	1	1	1	69	59.5	0	30047.393	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:23:24	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:25	1	1	1	1	69	59.25	0	30000	415.0537634	12471.12222	30000	0	0	30000	38.9375	2004
11.02.2020 11:23:26	1	1	1	1	69	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:23:27	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:28	1	1	1	1	69	59	0	30000	419.3548387	12729.5953	30000	0	0	30000	38.8125	2004
11.02.2020 11:23:29	1	1	1	1	69	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:23:30	1	1	1	1	69	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:23:31	1	1	1	1	69	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:32	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:23:33	1	1	1	1	69	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:23:34	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:23:35	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:36	1	1	1	1	69	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:23:37	1	1	1	1	69	59	0	30000	415.0537634	12749.16424	30000	0	0	30000	39.5	2004
11.02.2020 11:23:38	1	1	1	1	69	59.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:23:39	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:23:40	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:23:41	1	1	1	1	69.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:23:42	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:23:43	1	1	1	1	69.25	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:44	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:23:45	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:23:46	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:23:47	1	1	1	1	69.25	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:23:48	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:49	1	1	1	1	69.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:23:50	1	1	1	1	69.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:23:51	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:23:52	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 11:23:53	1	1	1	1	69.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:23:54	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:23:55	1	1	1	1	69.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:23:56	1	1	1	1	69.25	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:23:57	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:23:58	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:24:00	1	1	1	1	69.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:24:01	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:24:07	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:07	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:07	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:07	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:07	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:08	1	1	1	1	69.25	59	0	30000	417.2043011	12560.8132	30000	0	0	30000	39.625	2004
11.02.2020 11:24:09	1	1	1	1	69.5	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:24:10	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:24:11	1	1	1	1	69.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:24:12	1	1	1	1	69.5	59	0	30000	415.0537634	12411.60003	30000	0	0	30000	38.9375	2004
11.02.2020 11:24:13	1	1	1	1	69.5	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:24:14	1	1	1	1	69.5	59	0	30000	417.2043011	12729.5953	30000	0	0	30000	38.875	2004
11.02.2020 11:24:15	1	1	1	1	69.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:24:16	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:17	1	1	1	1	69.5	59	0	30000	419.3548387	12858.42416	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:18	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:24:19	1	1	1	1	69.5	59.75	0	29952.607	419.3548387	12348.00098	30000	0	0	30000	39.4375	2004
11.02.2020 11:24:20	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:24:21	1	1	1	1	69.5	59.75	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:24:22	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:24:23	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:24:24	1	1	1	1	69.5	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:24:25	1	1	1	1	69.5	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:26	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:24:27	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:24:28	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:24:29	1	1	1	1	68.75	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:24:30	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:24:31	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:24:32	1	1	1	1	68.75	59	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:24:33	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:24:34	1	1	1	1	68.75	58.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:24:35	1	1	1	1	68.75	59	0	30000	415.0537634	12599.95108	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:36	1	1	1	1	68.75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:24:37	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:24:39	1	1	1	1	68.75	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:24:40	1	1	1	1	68.75	59	0	30047.393	425.8064516	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:24:41	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:24:42	1	1	1	1	68.75	59.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:24:43	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:24:44	1	1	1	1	68.75	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:24:45	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:24:46	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:24:47	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:24:48	1	1	1	1	68.75	59.25	0	30000	417.2043011	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 11:24:49	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:24:50	1	1	1	1	69	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:24:51	1	1	1	1	69	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:24:52	1	1	1	1	69	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:24:53	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:24:54	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:24:55	1	1	1	1	69	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:24:56	1	1	1	1	69	59.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.625	2004
11.02.2020 11:24:57	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:24:58	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 11:24:59	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:25:00	1	1	1	1	69	59	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:25:01	1	1	1	1	69	59.25	0	29952.607	419.3548387	12540.42889	30000	0	0	30000	38.3125	2004
11.02.2020 11:25:02	1	1	1	1	69	58.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:09	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:10	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:11	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:25:12	1	1	1	1	69	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:25:13	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:14	1	1	1	1	69	59.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:25:15	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:25:16	1	1	1	1	69	59.5	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:25:17	1	1	1	1	69	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.3125	2004
11.02.2020 11:25:19	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:25:20	1	1	1	1	69	59.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.1875	2004
11.02.2020 11:25:21	1	1	1	1	69	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:25:22	1	1	1	1	69	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:25:23	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:25:24	1	1	1	1	69	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:25	1	1	1	1	69	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:25:26	1	1	1	1	69	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:25:27	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 11:25:28	1	1	1	1	69	58.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.5625	2004
11.02.2020 11:25:29	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:30	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:25:31	1	1	1	1	69	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:25:32	1	1	1	1	69	59.5	0	30000	419.3548387	12794.00973	30000	0	0	30000	39.5	2004
11.02.2020 11:25:33	1	1	1	1	69	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:25:34	1	1	1	1	69	59.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:35	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:25:36	1	1	1	1	69	58.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 11:25:37	1	1	1	1	69	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:25:38	1	1	1	1	69	59.5	0	30000	417.2043011	12729.5953	30000	0	0	30000	39.6875	2004
11.02.2020 11:25:39	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:25:40	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:25:41	1	1	1	1	68.75	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:42	1	1	1	1	68.75	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:25:43	1	1	1	1	68.75	59.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:25:44	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:25:45	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:46	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:47	1	1	1	1	68.75	59.25	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	39.5625	2004
11.02.2020 11:25:48	1	1	1	1	69	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:25:49	1	1	1	1	69	59.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:50	1	1	1	1	69	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:25:51	1	1	1	1	69	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:52	1	1	1	1	69	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:25:53	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:54	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:25:55	1	1	1	1	69	59	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 11:25:56	1	1	1	1	69	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:25:57	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:25:59	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:00	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:01	1	1	1	1	69	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.875	2004
11.02.2020 11:26:02	1	1	1	1	69	58.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	39.5	2004
11.02.2020 11:26:03	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:26:04	1	1	1	1	69	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:11	1	1	1	1	68.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:12	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:13	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:26:14	1	1	1	1	68.25	59	0	30000	419.3548387	12560.8132	30000	0	0	30000	38.9375	2004
11.02.2020 11:26:15	1	1	1	1	68.25	58.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:16	1	1	1	1	68.25	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:26:17	1	1	1	1	68.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:26:18	1	1	1	1	68.25	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 11:26:19	1	1	1	1	68.5	58.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:26:20	1	1	1	1	68.5	59	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.0625	2004
11.02.2020 11:26:21	1	1	1	1	68.5	59	0	30000	419.3548387	12471.12222	30000	0	0	30000	38.75	2004
11.02.2020 11:26:22	1	1	1	1	68.5	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:26:23	1	1	1	1	68.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:24	1	1	1	1	68.5	59.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.375	2004
11.02.2020 11:26:25	1	1	1	1	68.5	59.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.6875	2004
11.02.2020 11:26:26	1	1	1	1	68.5	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 11:26:27	1	1	1	1	68.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:28	1	1	1	1	68.75	59.25	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:26:29	1	1	1	1	68.75	59.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:26:30	1	1	1	1	68.75	59.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:26:31	1	1	1	1	68.75	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:26:32	1	1	1	1	68.75	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:26:33	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:26:34	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:26:36	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:26:37	1	1	1	1	68.75	59.25	0	30000	417.2043011	12348.00098	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:38	1	1	1	1	68.75	59.25	0	30000	421.5053763	12431.98434	30000	0	0	30000	39.125	2004
11.02.2020 11:26:39	1	1	1	1	69	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.5625	2004
11.02.2020 11:26:40	1	1	1	1	69	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:26:41	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:26:42	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:26:43	1	1	1	1	69	58.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:44	1	1	1	1	69	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:45	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:46	1	1	1	1	69	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:26:47	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:26:48	1	1	1	1	69	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:26:49	1	1	1	1	68.5	59.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:26:50	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:26:51	1	1	1	1	68.5	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:26:52	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:26:53	1	1	1	1	68.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:54	1	1	1	1	68.5	59.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.75	2004
11.02.2020 11:26:55	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:56	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:26:57	1	1	1	1	68.5	59.25	0	30000	419.3548387	12749.16424	30000	0	0	30000	39.625	2004
11.02.2020 11:26:58	1	1	1	1	68.5	59.5	0	30094.787	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:26:59	1	1	1	1	68.75	59.25	0	29905.213	419.3548387	12411.60003	30000	0	0	30000	39.1875	2004
11.02.2020 11:27:00	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:01	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:27:02	1	1	1	1	68.75	59.5	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.3125	2004
11.02.2020 11:27:03	1	1	1	1	68.75	59.25	0	30000	425.8064516	12560.8132	30000	0	0	30000	39.75	2004
11.02.2020 11:27:04	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:27:05	1	1	1	1	68.75	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:27:12	1	1	1	1	69	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	38.75	2004
11.02.2020 11:27:13	1	1	1	1	69	58.75	0	30000	427.9569892	12709.21099	30000	0	0	30000	38.9375	2004
11.02.2020 11:27:15	1	1	1	1	69	58.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:16	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:27:17	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:27:18	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:27:19	1	1	1	1	68.5	59.5	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:27:20	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:27:21	1	1	1	1	68.5	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:22	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:23	1	1	1	1	68.5	59.25	0	29952.607	417.2043011	12794.00973	30000	0	0	30000	39.375	2004
11.02.2020 11:27:24	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.1875	2004
11.02.2020 11:27:25	1	1	1	1	68.5	58	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:26	1	1	1	1	68.5	59.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:27:27	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:28	1	1	1	1	68.5	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:27:29	1	1	1	1	69.5	59.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:27:30	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:27:31	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:27:32	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:33	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
11.02.2020 11:27:34	1	1	1	1	69.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:27:35	1	1	1	1	69.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:36	1	1	1	1	69.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:27:37	1	1	1	1	69.5	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:27:38	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:39	1	1	1	1	69.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:27:40	1	1	1	1	69.5	59.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:27:41	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:27:42	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:27:43	1	1	1	1	69.5	58.75	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:44	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:27:45	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:46	1	1	1	1	69.5	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.25	2004
11.02.2020 11:27:47	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:27:48	1	1	1	1	69.5	59.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:27:49	1	1	1	1	69.5	59.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:27:50	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:27:52	1	1	1	1	69.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.25	2004
11.02.2020 11:27:53	1	1	1	1	69.5	58.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:54	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:27:55	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:27:56	1	1	1	1	69.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:27:57	1	1	1	1	69.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:27:58	1	1	1	1	69.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:27:59	1	1	1	1	69.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:28:00	1	1	1	1	69.25	59.25	0	30000	419.3548387	12838.03984	30000	0	0	30000	39.4375	2004
11.02.2020 11:28:01	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:28:02	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:28:03	1	1	1	1	69.25	59	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:28:04	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:28:05	1	1	1	1	69.25	59.25	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:28:06	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 11:28:07	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:14	1	1	1	1	69.25	59	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:28:15	1	1	1	1	69.25	59.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:28:16	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:28:17	1	1	1	1	69.25	59	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 11:28:18	1	1	1	1	69.75	59.25	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:28:19	1	1	1	1	69.75	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.25	2004
11.02.2020 11:28:20	1	1	1	1	69.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:28:21	1	1	1	1	69.75	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 11:28:22	1	1	1	1	69.75	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:28:23	1	1	1	1	69.75	59.25	0	30000	427.9569892	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:28:24	1	1	1	1	69.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:28:25	1	1	1	1	69.75	59	0	30000	419.3548387	12348.00098	30000	0	0	30000	39.4375	2004
11.02.2020 11:28:26	1	1	1	1	69.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:28:27	1	1	1	1	69.75	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:28:28	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:28:29	1	1	1	1	69.5	59.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:28:30	1	1	1	1	69.5	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.6875	2004
11.02.2020 11:28:32	1	1	1	1	69.5	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.125	2004
11.02.2020 11:28:33	1	1	1	1	69.5	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:28:34	1	1	1	1	69.5	59.5	0	29905.213	417.2043011	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:28:35	1	1	1	1	69.5	59	0	29952.607	417.2043011	12431.98434	30000	0	0	30000	39.25	2004
11.02.2020 11:28:36	1	1	1	1	69.5	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:28:37	1	1	1	1	69.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:28:38	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:28:39	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:40	1	1	1	1	69.25	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:41	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:28:42	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:28:43	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:28:44	1	1	1	1	69.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:28:45	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:28:46	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:28:47	1	1	1	1	69.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:28:48	1	1	1	1	69.25	59	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:28:49	1	1	1	1	69.5	59.5	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:28:50	1	1	1	1	69.5	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 11:28:51	1	1	1	1	69.5	59.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:28:52	1	1	1	1	69.5	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:28:53	1	1	1	1	69.5	59.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 11:28:54	1	1	1	1	69.5	59.25	0	30000	423.655914	12411.60003	30000	0	0	30000	39.5	2004
11.02.2020 11:28:55	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:28:56	1	1	1	1	69.5	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.5	2004
11.02.2020 11:28:57	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:28:58	1	1	1	1	69.25	59	0	30047.393	419.3548387	12599.95108	30000	0	0	30000	39.3125	2004
11.02.2020 11:28:59	1	1	1	1	69.25	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 11:29:00	1	1	1	1	69.25	59	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:29:01	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:02	1	1	1	1	69.25	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:06	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:06	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:06	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:06	1	1	1	1	69.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.625	2004
11.02.2020 11:29:07	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:29:08	1	1	1	1	69.5	59	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	39.5	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:15	1	1	1	1	69.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:16	1	1	1	1	69.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 11:29:17	1	1	1	1	69.5	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:18	1	1	1	1	69.5	59.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	38.75	2004
11.02.2020 11:29:19	1	1	1	1	69.5	58.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:29:20	1	1	1	1	69.5	59.25	0	30000	419.3548387	12411.60003	30000	0	0	30000	39.25	2004
11.02.2020 11:29:21	1	1	1	1	69.5	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:29:22	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:29:23	1	1	1	1	69.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:29:24	1	1	1	1	69.5	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:29:25	1	1	1	1	69.5	59.25	0	30000	415.0537634	12535.53665	30000	0	0	30000	39.625	2004
11.02.2020 11:29:26	1	1	1	1	69.5	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:29:27	1	1	1	1	69.5	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:29:28	1	1	1	1	69.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:29	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:29:30	1	1	1	1	69.25	59.25	0	30000	419.3548387	12599.95108	30000	0	0	30000	39.375	2004
11.02.2020 11:29:31	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:29:32	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:29:33	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:34	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 11:29:35	1	1	1	1	69.25	58.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:29:36	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:37	1	1	1	1	69.25	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:38	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:29:39	1	1	1	1	69.25	58.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:40	1	1	1	1	69.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:41	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:29:42	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:43	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:29:44	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:45	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:29:46	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:47	1	1	1	1	69.25	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:29:48	1	1	1	1	69.25	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:29:49	1	1	1	1	69.25	58.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:29:51	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:29:52	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:29:53	1	1	1	1	69.25	59	0	29905.213	417.2043011	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:29:54	1	1	1	1	69.25	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:29:55	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:29:56	1	1	1	1	69.25	59.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.125	2004
11.02.2020 11:29:57	1	1	1	1	69.25	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:29:58	1	1	1	1	69.25	59	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	39.4375	2004
11.02.2020 11:29:59	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:30:00	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:30:01	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:30:02	1	1	1	1	69	59	0	29952.607	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:03	1	1	1	1	69	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:04	1	1	1	1	69	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:30:05	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:30:06	1	1	1	1	69	59.25	0	30000	423.655914	12838.03984	30000	0	0	30000	39.4375	2004
11.02.2020 11:30:07	1	1	1	1	69	59.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	39.1875	2004
11.02.2020 11:30:08	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:30:09	1	1	1	1	69.25	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 11:30:10	1	1	1	1	69.25	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:17	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:30:18	1	1	1	1	69	59.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.4375	2004
11.02.2020 11:30:19	1	1	1	1	69	59.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.5	2004
11.02.2020 11:30:20	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:21	1	1	1	1	69	59.5	0	30000	423.655914	12773.62542	30000	0	0	30000	39.625	2004
11.02.2020 11:30:22	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:23	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:30:24	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:30:25	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:26	1	1	1	1	69	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:30:28	1	1	1	1	69	59	0	30000	419.3548387	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:29	1	1	1	1	69	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:30:30	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:30:31	1	1	1	1	69	59.25	0	30000	417.2043011	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:32	1	1	1	1	69	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.1875	2004
11.02.2020 11:30:33	1	1	1	1	69	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:34	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:35	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:30:36	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:30:37	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:38	1	1	1	1	69	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:30:39	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.6875	2004
11.02.2020 11:30:40	1	1	1	1	69	58.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.625	2004
11.02.2020 11:30:41	1	1	1	1	69	59.5	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.0625	2004
11.02.2020 11:30:42	1	1	1	1	69	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:43	1	1	1	1	69	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 11:30:44	1	1	1	1	69	59	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.625	2004
11.02.2020 11:30:45	1	1	1	1	69	59.5	0	30047.393	425.8064516	12773.62542	30000	0	0	30000	39.5	2004
11.02.2020 11:30:46	1	1	1	1	69	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.0625	2004
11.02.2020 11:30:47	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.4375	2004
11.02.2020 11:30:48	1	1	1	1	69	58.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39	2004
11.02.2020 11:30:49	1	1	1	1	69	59	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:30:50	1	1	1	1	69	59.5	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:30:51	1	1	1	1	69	59.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.75	2004
11.02.2020 11:30:52	1	1	1	1	69	59.75	0	30000	423.655914	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:30:53	1	1	1	1	69	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:30:54	1	1	1	1	69	59.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39.0625	2004
11.02.2020 11:30:55	1	1	1	1	69	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:30:56	1	1	1	1	69	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:30:57	1	1	1	1	69	59.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.5	2004
11.02.2020 11:30:58	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:30:59	1	1	1	1	68.75	59.25	0	30000	423.655914	12773.62542	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:31:00	1	1	1	1	68.75	59.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:31:01	1	1	1	1	68.75	59.25	0	29905.213	415.0537634	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:02	1	1	1	1	68.75	59.25	0	30000	419.3548387	12599.95108	30000	0	0	30000	39.5	2004
11.02.2020 11:31:03	1	1	1	1	68.75	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:31:04	1	1	1	1	68.75	59.25	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:31:05	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:07	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:08	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:31:09	1	1	1	1	69	59.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 11:31:10	1	1	1	1	69	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:31:11	1	1	1	1	69	59.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 11:31:12	1	1	1	1	69	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:18	1	1	1	1	69	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:19	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:31:20	1	1	1	1	68.75	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:21	1	1	1	1	68.75	59.25	0	30047.393	423.655914	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:31:22	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:31:23	1	1	1	1	68.75	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:24	1	1	1	1	68.75	59.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:31:25	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:26	1	1	1	1	68.75	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:31:27	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:28	1	1	1	1	68.75	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:29	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:31:30	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:31	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:31:32	1	1	1	1	69	59.25	0	29905.213	417.2043011	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:31:33	1	1	1	1	69	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:34	1	1	1	1	69	59.25	0	30000	415.0537634	12431.98434	30000	0	0	30000	38.9375	2004
11.02.2020 11:31:35	1	1	1	1	69	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:31:36	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:37	1	1	1	1	69	59.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:31:38	1	1	1	1	69	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:31:39	1	1	1	1	69	59.25	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.625	2004
11.02.2020 11:31:40	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:31:41	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:31:42	1	1	1	1	69	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:31:44	1	1	1	1	69	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:31:45	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:31:46	1	1	1	1	69	59.5	0	30000	415.0537634	12367.56992	30000	0	0	30000	39.25	2004
11.02.2020 11:31:47	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:31:48	1	1	1	1	69	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:31:49	1	1	1	1	69.25	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:31:50	1	1	1	1	69.25	58.5	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:31:51	1	1	1	1	69.25	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:31:52	1	1	1	1	69.25	59	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 11:31:53	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:31:54	1	1	1	1	69.25	59.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:31:55	1	1	1	1	69.25	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:31:56	1	1	1	1	69.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:57	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:31:58	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:31:59	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:00	1	1	1	1	69.25	59.25	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 11:32:01	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:02	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:32:03	1	1	1	1	69.25	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:32:04	1	1	1	1	69.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:32:05	1	1	1	1	69.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:32:06	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 11:32:07	1	1	1	1	69.25	59.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:32:08	1	1	1	1	69.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:32:09	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.875	2004
11.02.2020 11:32:10	1	1	1	1	69.25	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:32:11	1	1	1	1	69.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:12	1	1	1	1	69.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:13	1	1	1	1	69.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:20	1	1	1	1	69	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:32:21	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:22	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:32:23	1	1	1	1	69	59.5	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:25	1	1	1	1	69	59.5	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.625	2004
11.02.2020 11:32:26	1	1	1	1	69	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:27	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:32:28	1	1	1	1	69	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:32:29	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:30	1	1	1	1	69	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:32:31	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:32	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:33	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:32:34	1	1	1	1	69	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:35	1	1	1	1	69	59.25	0	30000	417.2043011	12367.56992	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:36	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:32:37	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:32:38	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:39	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:40	1	1	1	1	69	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:41	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:32:42	1	1	1	1	69	58.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:32:43	1	1	1	1	69	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:44	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:45	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:46	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:32:47	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:32:48	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:32:49	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:50	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:32:51	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:32:52	1	1	1	1	68.75	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:53	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:54	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:55	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:32:56	1	1	1	1	68.75	59.5	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:32:57	1	1	1	1	68.75	59.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:32:58	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:32:59	1	1	1	1	68.5	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:33:00	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:33:02	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:33:03	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:04	1	1	1	1	68.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:33:05	1	1	1	1	68.5	58.75	0	30000	423.655914	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:33:06	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:33:07	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:08	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:33:09	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:10	1	1	1	1	68.5	59.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:33:11	1	1	1	1	68.5	59.5	0	30094.787	427.9569892	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:33:12	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:33:13	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:33:14	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:15	1	1	1	1	68.5	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:33:22	1	1	1	1	68.75	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:23	1	1	1	1	68.75	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:24	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:33:25	1	1	1	1	68.75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:33:26	1	1	1	1	68.75	59.5	0	30000	412.9032258	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:33:27	1	1	1	1	68.75	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:33:28	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:33:29	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:33:30	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:33:31	1	1	1	1	68.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:33:32	1	1	1	1	68.5	59	0	30000	415.0537634	12515.96771	30000	0	0	30000	38.75	2004
11.02.2020 11:33:33	1	1	1	1	68.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:33:34	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:35	1	1	1	1	68.5	59.25	0	30142.18	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:33:36	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:33:37	1	1	1	1	68.5	59.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:33:38	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:33:39	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 11:33:41	1	1	1	1	68.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:33:42	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:33:43	1	1	1	1	68.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:33:44	1	1	1	1	68.75	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:33:45	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:33:46	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:47	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.75	2004
11.02.2020 11:33:48	1	1	1	1	68.75	58.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:33:49	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:50	1	1	1	1	68.75	59.25	0	29952.607	415.0537634	12496.39877	30000	0	0	30000	39.0625	2004
11.02.2020 11:33:51	1	1	1	1	68.75	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:33:52	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:53	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:54	1	1	1	1	68.75	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 11:33:55	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:56	1	1	1	1	68.75	59.25	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:33:57	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:33:58	1	1	1	1	68.75	59.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:33:59	1	1	1	1	68.5	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:34:00	1	1	1	1	68.5	59.25	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:34:01	1	1	1	1	68.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	38.8125	2004
11.02.2020 11:34:02	1	1	1	1	68.5	58.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:34:03	1	1	1	1	68.5	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 11:34:04	1	1	1	1	68.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:34:05	1	1	1	1	68.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.8125	2004
11.02.2020 11:34:06	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:34:07	1	1	1	1	68.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:34:08	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:34:09	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:10	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:11	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:34:12	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:34:13	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:34:14	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:15	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:34:16	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:23	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	38.875	2004
11.02.2020 11:34:24	1	1	1	1	68.5	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:34:25	1	1	1	1	68.5	59.25	0	30000	419.3548387	12367.56992	30000	0	0	30000	39.0625	2004
11.02.2020 11:34:26	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:34:27	1	1	1	1	68.5	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:34:28	1	1	1	1	68.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:34:29	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:34:30	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:34:31	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 11:34:32	1	1	1	1	68.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:33	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:34:34	1	1	1	1	68.5	59.5	0	30000	419.3548387	12729.5953	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:35	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:34:36	1	1	1	1	68.5	59.5	0	30000	423.655914	12773.62542	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:37	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:34:38	1	1	1	1	68.5	59.25	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:39	1	1	1	1	68.75	59.5	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	39.5625	2004
11.02.2020 11:34:40	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:34:41	1	1	1	1	68.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:34:42	1	1	1	1	68.75	59.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:34:43	1	1	1	1	68.75	59.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.375	2004
11.02.2020 11:34:44	1	1	1	1	68.75	60	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:34:45	1	1	1	1	68.75	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:34:46	1	1	1	1	68.75	59.25	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:47	1	1	1	1	68.75	59.25	0	29952.607	417.2043011	12431.98434	30000	0	0	30000	39.25	2004
11.02.2020 11:34:48	1	1	1	1	68.5	59.25	0	29952.607	415.0537634	12560.8132	30000	0	0	30000	39.25	2004
11.02.2020 11:34:49	1	1	1	1	68.5	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:34:50	1	1	1	1	68.5	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:51	1	1	1	1	68.5	59.25	0	30094.787	421.5053763	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:52	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:53	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:34:54	1	1	1	1	68.5	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.6875	2004
11.02.2020 11:34:55	1	1	1	1	68.5	58.5	0	30000	419.3548387	12599.95108	30000	0	0	30000	38.75	2004
11.02.2020 11:34:56	1	1	1	1	68.5	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:34:57	1	1	1	1	68.5	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:34:59	1	1	1	1	68.75	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:00	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:35:01	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:02	1	1	1	1	68.75	59.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:35:03	1	1	1	1	68.75	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:04	1	1	1	1	68.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:05	1	1	1	1	68.75	59.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:06	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:35:07	1	1	1	1	68.75	59	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:35:08	1	1	1	1	68.75	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:35:09	1	1	1	1	68.75	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:35:10	1	1	1	1	68.75	58.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:11	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:12	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:13	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:14	1	1	1	1	68.75	59.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:15	1	1	1	1	68.75	59.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:16	1	1	1	1	68.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:17	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.8125	2004
11.02.2020 11:35:18	1	1	1	1	68.75	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:35:25	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:35:25	1	1	1	1	69.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:35:26	1	1	1	1	69.25	59	0	30000	415.0537634	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:35:27	1	1	1	1	69.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.3125	2004
11.02.2020 11:35:28	1	1	1	1	69	58.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:29	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:30	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:35:31	1	1	1	1	69	59.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:35:32	1	1	1	1	69	59.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:33	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:35:34	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.75	2004
11.02.2020 11:35:36	1	1	1	1	69	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	38.625	2004
11.02.2020 11:35:37	1	1	1	1	69	58.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:38	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:35:39	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:35:40	1	1	1	1	69	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:35:41	1	1	1	1	69	59.25	0	30000	415.0537634	12348.00098	30000	0	0	30000	39.25	2004
11.02.2020 11:35:42	1	1	1	1	69	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.25	2004
11.02.2020 11:35:43	1	1	1	1	69	59.25	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.625	2004
11.02.2020 11:35:44	1	1	1	1	69	59.5	0	30000	417.2043011	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 11:35:45	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.6875	2004
11.02.2020 11:35:46	1	1	1	1	69	58.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:35:47	1	1	1	1	69	59.5	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:35:48	1	1	1	1	69	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:49	1	1	1	1	68.75	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:35:50	1	1	1	1	68.75	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:35:51	1	1	1	1	68.75	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:52	1	1	1	1	68.75	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:35:53	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:35:54	1	1	1	1	68.75	59.25	0	30000	417.2043011	12794.00973	30000	0	0	30000	39.5	2004
11.02.2020 11:35:55	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:35:56	1	1	1	1	68.75	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:35:57	1	1	1	1	68.75	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:35:58	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 11:35:59	1	1	1	1	69.25	58.5	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.75	2004
11.02.2020 11:36:00	1	1	1	1	69.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:36:01	1	1	1	1	69.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:36:02	1	1	1	1	69.25	59.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:36:03	1	1	1	1	69.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:36:04	1	1	1	1	69.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:05	1	1	1	1	69.25	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 11:36:06	1	1	1	1	69.25	58.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:36:07	1	1	1	1	69.25	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:08	1	1	1	1	68.75	59.5	0	30047.393	423.655914	12580.38214	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:36:09	1	1	1	1	68.75	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:36:10	1	1	1	1	68.75	59.5	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.375	2004
11.02.2020 11:36:11	1	1	1	1	68.75	59.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:36:13	1	1	1	1	68.75	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:36:14	1	1	1	1	68.75	59.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:36:15	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:36:16	1	1	1	1	68.75	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:17	1	1	1	1	68.75	59.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:36:18	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:36:19	1	1	1	1	68.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:36:20	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:27	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:36:28	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:36:29	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:36:30	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:36:31	1	1	1	1	68.75	59.5	0	30000	419.3548387	12838.03984	30000	0	0	30000	39.25	2004
11.02.2020 11:36:32	1	1	1	1	68.75	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 11:36:33	1	1	1	1	68.75	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:36:34	1	1	1	1	68.75	59.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:35	1	1	1	1	68.75	59.5	0	30000	415.0537634	12367.56992	30000	0	0	30000	39.6875	2004
11.02.2020 11:36:36	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:36:37	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:36:38	1	1	1	1	68.75	59	0	29952.607	415.0537634	12411.60003	30000	0	0	30000	39.625	2004
11.02.2020 11:36:39	1	1	1	1	68.75	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:36:40	1	1	1	1	68.75	59.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	39.75	2004
11.02.2020 11:36:41	1	1	1	1	68.75	59.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:36:42	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:36:43	1	1	1	1	68.75	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:36:44	1	1	1	1	68.75	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:36:45	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 11:36:46	1	1	1	1	68.75	58.5	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.625	2004
11.02.2020 11:36:47	1	1	1	1	68.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:36:48	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:36:49	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:36:50	1	1	1	1	68.5	59.5	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:36:51	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:36:52	1	1	1	1	68.5	59.5	0	30000	415.0537634	12709.21099	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:36:54	1	1	1	1	68.5	58.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:36:55	1	1	1	1	68.5	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 11:36:56	1	1	1	1	68.5	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:36:57	1	1	1	1	68.5	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:36:58	1	1	1	1	68.5	59	0	30000	425.8064516	12560.8132	30000	0	0	30000	39.375	2004
11.02.2020 11:36:59	1	1	1	1	68.25	59.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:00	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:01	1	1	1	1	68.25	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:37:02	1	1	1	1	68.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:37:03	1	1	1	1	68.25	59	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:04	1	1	1	1	68.25	59.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:37:05	1	1	1	1	68.25	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:37:06	1	1	1	1	68.25	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:37:07	1	1	1	1	68.25	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:08	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:37:09	1	1	1	1	68.5	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	38.75	2004
11.02.2020 11:37:10	1	1	1	1	68.5	58.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:37:11	1	1	1	1	68.5	59.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:37:12	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:13	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:14	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:37:15	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:16	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
11.02.2020 11:37:17	1	1	1	1	68.5	59.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:37:18	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:37:19	1	1	1	1	68.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 11:37:20	1	1	1	1	68.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.9375	2004
11.02.2020 11:37:21	1	1	1	1	68.25	58.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:37:28	1	1	1	1	68.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:28	1	1	1	1	68.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:28	1	1	1	1	68.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:28	1	1	1	1	68.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:28	1	1	1	1	68.25	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:28	1	1	1	1	68.5	59.25	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:37:29	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:37:30	1	1	1	1	68.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:37:32	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:33	1	1	1	1	68.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:37:34	1	1	1	1	68.5	59	0	30000	423.655914	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:37:35	1	1	1	1	68.5	59	0	29905.213	412.9032258	12515.96771	30000	0	0	30000	39.375	2004
11.02.2020 11:37:36	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:37	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:37:38	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:39	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:37:40	1	1	1	1	68.5	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:37:41	1	1	1	1	68.5	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.1875	2004
11.02.2020 11:37:42	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:37:43	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:37:44	1	1	1	1	68.5	59	0	30000	419.3548387	12560.8132	30000	0	0	30000	39	2004
11.02.2020 11:37:45	1	1	1	1	68.5	59	0	30000	423.655914	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:37:46	1	1	1	1	68.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:37:47	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:48	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:37:49	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:37:50	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:37:51	1	1	1	1	68.75	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:37:52	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:37:53	1	1	1	1	68.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:37:54	1	1	1	1	68.75	59.5	0	30047.393	419.3548387	12515.96771	30000	0	0	30000	39.3125	2004
11.02.2020 11:37:55	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:37:56	1	1	1	1	68.75	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.9375	2004
11.02.2020 11:37:57	1	1	1	1	68.75	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:37:58	1	1	1	1	69	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:37:59	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:38:00	1	1	1	1	69	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:01	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:38:02	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:38:03	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:38:04	1	1	1	1	69	59	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:38:05	1	1	1	1	69	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:38:06	1	1	1	1	69	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:38:07	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:38:08	1	1	1	1	68.75	59	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:38:10	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:38:11	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:38:12	1	1	1	1	68.75	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:38:13	1	1	1	1	68.75	58.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:38:14	1	1	1	1	68.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.3125	2004
11.02.2020 11:38:15	1	1	1	1	68.75	58.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:16	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:38:17	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 11:38:18	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:38:19	1	1	1	1	68.5	59.25	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:38:20	1	1	1	1	68.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:38:21	1	1	1	1	68.5	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:38:22	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:38:23	1	1	1	1	68.5	59.5	0	30000	415.0537634	12599.95108	30000	0	0	30000	39.5	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:30	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:38:31	1	1	1	1	69	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.375	2004
11.02.2020 11:38:32	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:38:33	1	1	1	1	69	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:38:34	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:38:35	1	1	1	1	69	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	40.0625	2004
11.02.2020 11:38:36	1	1	1	1	69	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:38:37	1	1	1	1	69	59	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	39.75	2004
11.02.2020 11:38:38	1	1	1	1	69	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
11.02.2020 11:38:39	1	1	1	1	69	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	38.9375	2004
11.02.2020 11:38:40	1	1	1	1	69	58.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:38:41	1	1	1	1	69	59.5	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:42	1	1	1	1	69	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:38:43	1	1	1	1	69	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 11:38:44	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:38:45	1	1	1	1	69	59	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	39.0625	2004
11.02.2020 11:38:46	1	1	1	1	69	59	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:38:48	1	1	1	1	69	59.5	0	30000	419.3548387	12431.98434	30000	0	0	30000	38.6875	2004
11.02.2020 11:38:49	1	1	1	1	68.75	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.125	2004
11.02.2020 11:38:50	1	1	1	1	68.75	59	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:38:51	1	1	1	1	68.75	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:38:52	1	1	1	1	68.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:53	1	1	1	1	68.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:54	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.8125	2004
11.02.2020 11:38:55	1	1	1	1	68.75	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:38:56	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:57	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:38:58	1	1	1	1	68.75	59.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:38:59	1	1	1	1	68.75	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:39:00	1	1	1	1	68.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:39:01	1	1	1	1	68.75	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:39:02	1	1	1	1	68.75	59.5	0	30047.393	419.3548387	12515.96771	30000	0	0	30000	39.125	2004
11.02.2020 11:39:03	1	1	1	1	68.75	59	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:04	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:05	1	1	1	1	68.75	59.5	0	30000	419.3548387	12367.56992	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:39:06	1	1	1	1	68.75	59	0	30000	417.2043011	12515.96771	30000	0	0	30000	39.5	2004
11.02.2020 11:39:07	1	1	1	1	68.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.875	2004
11.02.2020 11:39:08	1	1	1	1	68.75	58.75	0	30000	417.2043011	12515.96771	30000	0	0	30000	38.875	2004
11.02.2020 11:39:09	1	1	1	1	68.5	58.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:39:10	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:11	1	1	1	1	68.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:12	1	1	1	1	68.5	59.5	0	30047.393	423.655914	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:39:13	1	1	1	1	68.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:39:14	1	1	1	1	68.5	59.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 11:39:15	1	1	1	1	68.5	59.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:16	1	1	1	1	68.5	59.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 11:39:17	1	1	1	1	68.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:39:18	1	1	1	1	68.75	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:39:19	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.625	2004
11.02.2020 11:39:20	1	1	1	1	68.75	58.5	0	30000	415.0537634	12599.95108	30000	0	0	30000	38.9375	2004
11.02.2020 11:39:21	1	1	1	1	68.75	58.75	0	30000	423.655914	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:39:22	1	1	1	1	68.75	59.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.6875	2004
11.02.2020 11:39:23	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:39:24	1	1	1	1	68.75	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:31	1	1	1	1	68.5	59	0	30000	425.8064516	12689.64205	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:32	1	1	1	1	68.5	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:39:33	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:34	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:39:35	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:39:36	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:37	1	1	1	1	68.5	59.25	0	30000	425.8064516	12540.42889	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:38	1	1	1	1	68.5	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:39	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:40	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.125	2004
11.02.2020 11:39:41	1	1	1	1	69	59	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:39:42	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 11:39:43	1	1	1	1	69	59	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:39:44	1	1	1	1	69	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:45	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:46	1	1	1	1	69	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:39:47	1	1	1	1	69	59.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:39:48	1	1	1	1	69	59.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:49	1	1	1	1	68.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:39:50	1	1	1	1	68.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:51	1	1	1	1	68.5	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:39:52	1	1	1	1	68.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:53	1	1	1	1	68.5	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 11:39:54	1	1	1	1	68.5	58.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 11:39:55	1	1	1	1	68.5	59.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:39:56	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:39:57	1	1	1	1	68.5	59.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:39:58	1	1	1	1	68.5	59.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:39:59	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:00	1	1	1	1	68.75	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.1875	2004
11.02.2020 11:40:01	1	1	1	1	68.75	59	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:40:02	1	1	1	1	68.75	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	38.875	2004
11.02.2020 11:40:03	1	1	1	1	68.75	58.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.1875	2004
11.02.2020 11:40:04	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:40:05	1	1	1	1	68.75	59.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:40:06	1	1	1	1	68.75	59	0	30000	423.655914	12411.60003	30000	0	0	30000	38.6875	2004
11.02.2020 11:40:07	1	1	1	1	68.75	58.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.0625	2004
11.02.2020 11:40:09	1	1	1	1	68.75	59	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.6875	2004
11.02.2020 11:40:10	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:40:11	1	1	1	1	68.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:40:12	1	1	1	1	68.75	59.25	0	30000	419.3548387	12773.62542	30000	0	0	30000	38.8125	2004
11.02.2020 11:40:13	1	1	1	1	68.75	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 11:40:14	1	1	1	1	68.75	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.5	2004
11.02.2020 11:40:15	1	1	1	1	68.75	59.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	39.625	2004
11.02.2020 11:40:16	1	1	1	1	68.75	59.5	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:40:17	1	1	1	1	68.75	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.6875	2004
11.02.2020 11:40:18	1	1	1	1	68.75	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:40:19	1	1	1	1	68.75	59.5	0	30047.393	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:40:20	1	1	1	1	68.75	59.25	0	30000	421.5053763	12411.60003	30000	0	0	30000	38.8125	2004
11.02.2020 11:40:21	1	1	1	1	68.75	58.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.6875	2004
11.02.2020 11:40:22	1	1	1	1	68.75	59.5	0	30000	423.655914	12431.98434	30000	0	0	30000	39.625	2004
11.02.2020 11:40:23	1	1	1	1	68.75	59.5	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	39.5625	2004
11.02.2020 11:40:24	1	1	1	1	68.75	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:25	1	1	1	1	68.75	59.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:26	1	1	1	1	68.75	59.25	0	30000	421.5053763	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:33	1	1	1	1	68.75	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:36	1	1	1	1	68.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:40:36	1	1	1	1	68.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 11:40:36	1	1	1	1	68.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.3125	2004
11.02.2020 11:40:36	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:37	1	1	1	1	68.75	59.25	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:40:38	1	1	1	1	68.75	59.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39.125	2004
11.02.2020 11:40:39	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:40:40	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:40:41	1	1	1	1	68.75	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:40:42	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:40:43	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:40:45	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:40:46	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:40:47	1	1	1	1	68.75	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:40:48	1	1	1	1	68.75	59.5	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:40:49	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:50	1	1	1	1	69	59.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:51	1	1	1	1	69	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:40:52	1	1	1	1	69	59.25	0	30047.393	425.8064516	12838.03984	30000	0	0	30000	39.4375	2004
11.02.2020 11:40:53	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:40:54	1	1	1	1	69	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:40:55	1	1	1	1	69	59.5	0	29952.607	419.3548387	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:40:56	1	1	1	1	69	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:40:57	1	1	1	1	69	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:40:58	1	1	1	1	69	59	0	30000	421.5053763	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 11:40:59	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:41:00	1	1	1	1	68.75	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:41:01	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:41:02	1	1	1	1	68.75	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:41:03	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:04	1	1	1	1	68.75	59.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:05	1	1	1	1	68.75	59.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	39.625	2004
11.02.2020 11:41:06	1	1	1	1	68.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:41:07	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:08	1	1	1	1	68.75	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39	2004
11.02.2020 11:41:09	1	1	1	1	68.75	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.25	2004
11.02.2020 11:41:10	1	1	1	1	68.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:41:11	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:41:12	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 11:41:13	1	1	1	1	68.75	59.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:14	1	1	1	1	68.75	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:41:15	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:41:16	1	1	1	1	68.75	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:41:17	1	1	1	1	68.75	59	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:41:18	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:41:19	1	1	1	1	68.5	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.625	2004
11.02.2020 11:41:20	1	1	1	1	68.5	59.5	0	30047.393	427.9569892	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:21	1	1	1	1	68.5	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:41:22	1	1	1	1	68.5	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.4375	2004
11.02.2020 11:41:23	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:25	1	1	1	1	68.5	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:26	1	1	1	1	68.5	59.5	0	30000	425.8064516	12754.05648	30000	0	0	30000	39.375	2004
11.02.2020 11:41:27	1	1	1	1	68.5	59.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:28	1	1	1	1	68.5	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.625	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5	2004
11.02.2020 11:41:35	1	1	1	1	68.5	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:41:36	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:41:37	1	1	1	1	68.5	59.5	0	30000	421.5053763	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:41:38	1	1	1	1	68.5	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:39	1	1	1	1	68.25	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:41:40	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.125	2004
11.02.2020 11:41:41	1	1	1	1	68.25	59	0	30000	425.8064516	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:41:42	1	1	1	1	68.25	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.625	2004
11.02.2020 11:41:43	1	1	1	1	68.25	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.3125	2004
11.02.2020 11:41:44	1	1	1	1	68.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:41:45	1	1	1	1	68.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:41:46	1	1	1	1	68.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:41:47	1	1	1	1	68.25	59.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:41:48	1	1	1	1	68.25	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:41:49	1	1	1	1	68.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39	2004
11.02.2020 11:41:50	1	1	1	1	68.5	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.3125	2004
11.02.2020 11:41:51	1	1	1	1	68.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:41:52	1	1	1	1	68.5	59.5	0	29952.607	412.9032258	12431.98434	30000	0	0	30000	39.75	2004
11.02.2020 11:41:53	1	1	1	1	68.5	59.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:41:54	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:41:55	1	1	1	1	68.5	59.25	0	29952.607	412.9032258	12709.21099	30000	0	0	30000	39.6875	2004
11.02.2020 11:41:56	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:41:57	1	1	1	1	68.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:41:58	1	1	1	1	68.5	59.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.25	2004
11.02.2020 11:41:59	1	1	1	1	68.5	59.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:00	1	1	1	1	68.5	59.5	0	30047.393	425.8064516	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:01	1	1	1	1	68.5	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:42:02	1	1	1	1	68.5	59.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.125	2004
11.02.2020 11:42:04	1	1	1	1	68.5	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5	2004
11.02.2020 11:42:05	1	1	1	1	68.5	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:06	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:42:07	1	1	1	1	68.5	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:08	1	1	1	1	68.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 11:42:09	1	1	1	1	68.25	59	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 11:42:10	1	1	1	1	68.25	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 11:42:11	1	1	1	1	68.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 11:42:12	1	1	1	1	68.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:42:13	1	1	1	1	68.25	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:14	1	1	1	1	68.25	59.25	0	30000	423.655914	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 11:42:15	1	1	1	1	68.25	59.25	0	29905.213	419.3548387	12560.8132	30000	0	0	30000	39.5	2004
11.02.2020 11:42:16	1	1	1	1	68.25	59.5	0	29952.607	415.0537634	12709.21099	30000	0	0	30000	38.8125	2004
11.02.2020 11:42:17	1	1	1	1	68.25	58.75	0	29905.213	415.0537634	12838.03984	30000	0	0	30000	39.375	2004
11.02.2020 11:42:18	1	1	1	1	68.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 11:42:19	1	1	1	1	68.5	59.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:42:20	1	1	1	1	68.5	59	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:42:21	1	1	1	1	68.5	59.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:22	1	1	1	1	68.5	59.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.125	2004
11.02.2020 11:42:23	1	1	1	1	68.5	59	0	30000	417.2043011	12431.98434	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:24	1	1	1	1	68.5	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:42:25	1	1	1	1	68.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:26	1	1	1	1	68.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:27	1	1	1	1	68.5	59.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:28	1	1	1	1	68.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:29	1	1	1	1	69	59.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	60	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	60	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	60	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	60	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	60	0	30000	208.6021505	6257.983856	30000	0	0	30000	38.5625	2004
11.02.2020 11:42:36	1	1	1	1	69	58.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.625	2004
11.02.2020 11:42:37	1	1	1	1	69	59.5	0	30000	221.5053763	6784.714484	30000	0	0	30000	39.6875	2004
11.02.2020 11:42:38	1	1	1	1	75.25	59.5	0	30000	217.2043011	6515.641562	30000	0	0	30000	39.75	2004
11.02.2020 11:42:39	1	1	1	1	75.25	59.75	0	30000	219.3548387	6774.114641	30000	0	0	30000	39.25	2004
11.02.2020 11:42:40	1	1	1	1	75.25	59.25	0	30000	225.8064516	6774.114641	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:41	1	1	1	1	75.25	59.5	0	30000	193.5483871	5806.267497	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:43	1	1	1	1	75.25	59.25	0	30000	195.6989247	6193.569429	30000	0	0	30000	39.4375	2004
11.02.2020 11:42:44	1	1	1	1	75.25	59.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	38.875	2004
11.02.2020 11:42:45	1	1	1	1	75.25	58.75	0	30000	178.4946237	5483.379991	30000	0	0	30000	39	2004
11.02.2020 11:42:46	1	1	1	1	75.25	59	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:42:47	1	1	1	1	75.25	59.25	0	30000	152.688172	4579.947273	30000	0	0	30000	39.6875	2004
11.02.2020 11:42:48	1	1	1	1	75.25	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	39.375	2004
11.02.2020 11:42:49	1	1	1	1	75.75	59.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.375	2004
11.02.2020 11:42:50	1	1	1	1	75.75	59.25	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	39.3125	2004
11.02.2020 11:42:51	1	1	1	1	75.75	59.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.5	2004
11.02.2020 11:42:52	1	1	1	1	75.75	59.5	0	30000	225.8064516	6644.470416	30000	0	0	30000	39.625	2004
11.02.2020 11:42:53	1	1	1	1	75.75	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.5625	2004
11.02.2020 11:42:54	1	1	1	1	75.75	59.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	39.375	2004
11.02.2020 11:42:55	1	1	1	1	75.75	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 11:42:56	1	1	1	1	75.75	59.5	0	29715.64	460.2150538	13739.02645	30000	0	0	30000	39.625	2004
11.02.2020 11:42:57	1	1	1	1	75.75	59.5	0	29289.1	481.7204301	13793.6564	30000	0	0	30000	39.625	2004
11.02.2020 11:42:58	1	1	1	1	75.75	59.5	0	27725.118	490.3225806	13547.41391	30000	0	0	30000	39.5	2004
11.02.2020 11:42:59	1	1	1	1	79.75	59.5	0	27109.005	503.2258065	13699.88857	30000	0	0	30000	39.5625	2004
11.02.2020 11:43:00	1	1	1	1	79.75	59.5	0	27440.758	520.4301075	14280.43378	30000	0	0	30000	39.5625	2004
11.02.2020 11:43:01	1	1	1	1	79.75	59.5	0	28199.052	535.483871	15150.43622	30000	0	0	30000	39.1875	2004
11.02.2020 11:43:02	1	1	1	1	79.75	59	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	39.5	2004
11.02.2020 11:43:03	1	1	1	1	79.75	59.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:04	1	1	1	1	79.75	59.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	39.375	2004
11.02.2020 11:43:05	1	1	1	1	79.75	59.25	0	30047.393	529.0322581	15805.99571	30000	0	0	30000	39.25	2004
11.02.2020 11:43:06	1	1	1	1	79.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
11.02.2020 11:43:07	1	1	1	1	79.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.125	2004
11.02.2020 11:43:08	1	1	1	1	79.75	59	0	30000	464.516129	13935.53122	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:09	1	1	1	1	78.75	59.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.4375	2004
11.02.2020 11:43:10	1	1	1	1	78.75	59.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.6875	2004
11.02.2020 11:43:11	1	1	1	1	78.75	59.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:12	1	1	1	1	78.75	59.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.1875	2004
11.02.2020 11:43:13	1	1	1	1	78.75	59	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.6875	2004
11.02.2020 11:43:14	1	1	1	1	78.75	59.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.375	2004
11.02.2020 11:43:15	1	1	1	1	78.75	59.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:16	1	1	1	1	78.75	59.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:17	1	1	1	1	78.75	59.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	39.0625	2004
11.02.2020 11:43:18	1	1	1	1	78.5	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.0625	2004
11.02.2020 11:43:19	1	1	1	1	78.5	59	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.5	2004
11.02.2020 11:43:21	1	1	1	1	78.5	59.5	0	30047.393	460.2150538	13333.78632	30000	0	0	30000	39.625	2004
11.02.2020 11:43:22	1	1	1	1	78.5	59.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	39.0625	2004
11.02.2020 11:43:23	1	1	1	1	78.5	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.625	2004
11.02.2020 11:43:24	1	1	1	1	78.5	59.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:25	1	1	1	1	78.5	59.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	39.1875	2004
11.02.2020 11:43:26	1	1	1	1	78.5	59	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.5625	2004
11.02.2020 11:43:27	1	1	1	1	78.5	59.5	0	30000	526.8817204	15652.70568	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:28	1	1	1	1	78.5	59.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.6875	2004
11.02.2020 11:43:29	1	1	1	1	79	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.6875	2004
11.02.2020 11:43:30	1	1	1	1	79	59.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:43:31	1	1	1	1	79	59.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.375	2004
11.02.2020 11:43:38	1	1	1	1	79	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:38	1	1	1	1	79	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:38	1	1	1	1	79	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:38	1	1	1	1	79	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:38	1	1	1	1	79	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:38	1	1	1	1	79	59.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 11:43:39	1	1	1	1	80.75	59.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	39.625	2004
11.02.2020 11:43:40	1	1	1	1	80.75	59.5	0	29668.246	537.6344086	16359.63363	30000	0	0	30000	39.4375	2004
11.02.2020 11:43:41	1	1	1	1	80.75	59.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	39.375	2004
11.02.2020 11:43:42	1	1	1	1	80.75	59.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	39.5	2004
11.02.2020 11:43:43	1	1	1	1	80.75	59.5	0	30000	516.1290323	15548.338	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:44	1	1	1	1	80.75	59.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.375	2004
11.02.2020 11:43:45	1	1	1	1	80.75	59.25	0	29857.82	529.0322581	16077.51474	30000	0	0	30000	39.125	2004
11.02.2020 11:43:46	1	1	1	1	80.75	59	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.625	2004
11.02.2020 11:43:47	1	1	1	1	80.75	59.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.4375	2004
11.02.2020 11:43:48	1	1	1	1	80.75	59.25	0	29905.213	529.0322581	16039.19224	30000	0	0	30000	39.5	2004
11.02.2020 11:43:49	1	1	1	1	81.75	59.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	39.4375	2004
11.02.2020 11:43:50	1	1	1	1	81.75	59.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	39.75	2004
11.02.2020 11:43:51	1	1	1	1	81.75	59.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.75	2004
11.02.2020 11:43:52	1	1	1	1	81.75	59.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	39.5625	2004
11.02.2020 11:43:53	1	1	1	1	81.75	59.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	39.3125	2004
11.02.2020 11:43:54	1	1	1	1	81.75	59.75	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	39.5625	2004
11.02.2020 11:43:55	1	1	1	1	81.75	59.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.375	2004
11.02.2020 11:43:56	1	1	1	1	81.75	59.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.625	2004
11.02.2020 11:43:57	1	1	1	1	81.75	59.5	0	28909.953	550.5376344	16128.88321	30000	0	0	30000	39.4375	2004
11.02.2020 11:43:58	1	1	1	1	83.5	59.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	39.125	2004
11.02.2020 11:44:00	1	1	1	1	83.5	59	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	38.8125	2004
11.02.2020 11:44:01	1	1	1	1	83.5	58.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	39.6875	2004
11.02.2020 11:44:02	1	1	1	1	83.5	59.5	0	29336.493	550.5376344	16098.71443	30000	0	0	30000	39.25	2004
11.02.2020 11:44:03	1	1	1	1	83.5	59.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:04	1	1	1	1	83.5	59.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:05	1	1	1	1	83.5	59.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	39.6875	2004
11.02.2020 11:44:06	1	1	1	1	83.5	59.5	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	39.25	2004
11.02.2020 11:44:07	1	1	1	1	83.5	59.25	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:08	1	1	1	1	83.5	59.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	39.6875	2004
11.02.2020 11:44:09	1	1	1	1	84.75	59.5	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	39.6875	2004
11.02.2020 11:44:10	1	1	1	1	84.75	59.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	39.25	2004
11.02.2020 11:44:11	1	1	1	1	84.75	59.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	39.625	2004
11.02.2020 11:44:12	1	1	1	1	84.75	59.5	0	29241.706	554.8387097	16171.28258	30000	0	0	30000	39.625	2004
11.02.2020 11:44:13	1	1	1	1	84.75	59.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:14	1	1	1	1	84.75	59.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:44:15	1	1	1	1	84.75	59.25	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	39.625	2004
11.02.2020 11:44:16	1	1	1	1	84.75	59.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.5	2004
11.02.2020 11:44:17	1	1	1	1	84.75	59.5	0	29146.919	537.6344086	15972.33169	30000	0	0	30000	39.4375	2004
11.02.2020 11:44:18	1	1	1	1	84.75	59.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:19	1	1	1	1	86.25	59.5	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	39.625	2004
11.02.2020 11:44:20	1	1	1	1	86.25	59.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:21	1	1	1	1	86.25	59.5	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:44:22	1	1	1	1	86.25	59.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	39.5	2004
11.02.2020 11:44:23	1	1	1	1	86.25	59.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:24	1	1	1	1	86.25	59.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.625	2004
11.02.2020 11:44:25	1	1	1	1	86.25	59.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.4375	2004
11.02.2020 11:44:26	1	1	1	1	86.25	59.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	39.25	2004
11.02.2020 11:44:27	1	1	1	1	86.25	59.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:28	1	1	1	1	86.25	59.5	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	39.5	2004
11.02.2020 11:44:29	1	1	1	1	88	59.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:44:30	1	1	1	1	88	59.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.25	2004
11.02.2020 11:44:31	1	1	1	1	88	59.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.4375	2004
11.02.2020 11:44:32	1	1	1	1	88	59.25	0	29052.133	550.5376344	15957.65499	30000	0	0	30000	39.4375	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:39	1	1	1	1	88.75	59.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	39.125	2004
11.02.2020 11:44:40	1	1	1	1	88.75	59	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.625	2004
11.02.2020 11:44:41	1	1	1	1	88.75	59.5	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	39.5625	2004
11.02.2020 11:44:42	1	1	1	1	88.75	59.5	0	29431.28	550.5376344	16113.39113	30000	0	0	30000	39.3125	2004
11.02.2020 11:44:43	1	1	1	1	88.75	59.25	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	39.125	2004
11.02.2020 11:44:44	1	1	1	1	88.75	59	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.375	2004
11.02.2020 11:44:45	1	1	1	1	88.75	59.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	39.375	2004
11.02.2020 11:44:46	1	1	1	1	88.75	59.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	39.125	2004
11.02.2020 11:44:47	1	1	1	1	88.75	59	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
11.02.2020 11:44:48	1	1	1	1	88.75	59.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	39.25	2004
11.02.2020 11:44:49	1	1	1	1	90	59.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	39.75	2004
11.02.2020 11:44:50	1	1	1	1	90	59.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	39.4375	2004
11.02.2020 11:44:51	1	1	1	1	90	59.25	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	39.75	2004
11.02.2020 11:44:52	1	1	1	1	90	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.5	2004
11.02.2020 11:44:53	1	1	1	1	90	59.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.6875	2004
11.02.2020 11:44:54	1	1	1	1	90	59.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	38.875	2004
11.02.2020 11:44:55	1	1	1	1	90	58.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.5	2004
11.02.2020 11:44:56	1	1	1	1	90	59.5	0	28957.346	554.8387097	16056.31506	30000	0	0	30000	38.9375	2004
11.02.2020 11:44:57	1	1	1	1	90	58.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	39.75	2004
11.02.2020 11:44:58	1	1	1	1	90	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:44:59	1	1	1	1	90.5	59.5	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	39.25	2004
11.02.2020 11:45:00	1	1	1	1	90.5	59.25	0	28578.199	552.688172	15855.73343	30000	0	0	30000	39.75	2004
11.02.2020 11:45:01	1	1	1	1	90.5	59.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:02	1	1	1	1	90.5	59.25	0	28483.412	554.8387097	15742.39665	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:03	1	1	1	1	90.5	59.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	38.875	2004
11.02.2020 11:45:04	1	1	1	1	90.5	58.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:05	1	1	1	1	90.5	59.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.625	2004
11.02.2020 11:45:06	1	1	1	1	90.5	59.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	39.625	2004
11.02.2020 11:45:07	1	1	1	1	90.5	59.5	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
11.02.2020 11:45:08	1	1	1	1	90.5	59.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	39.75	2004
11.02.2020 11:45:09	1	1	1	1	92	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.125	2004
11.02.2020 11:45:10	1	1	1	1	92	59	0	28388.626	559.1397849	15899.76354	30000	0	0	30000	39.75	2004
11.02.2020 11:45:11	1	1	1	1	92	59.5	0	28909.953	556.9892473	16190.85152	30000	0	0	30000	39.625	2004
11.02.2020 11:45:12	1	1	1	1	92	59.5	0	28862.559	554.8387097	16137.85231	30000	0	0	30000	39.5	2004
11.02.2020 11:45:13	1	1	1	1	92	59.5	0	28341.232	559.1397849	15995.16212	30000	0	0	30000	39.625	2004
11.02.2020 11:45:14	1	1	1	1	92	59.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.375	2004
11.02.2020 11:45:16	1	1	1	1	92	59.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	39.625	2004
11.02.2020 11:45:17	1	1	1	1	92	59.5	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	39.5625	2004
11.02.2020 11:45:18	1	1	1	1	92	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.375	2004
11.02.2020 11:45:19	1	1	1	1	93.75	59.25	0	28388.626	559.1397849	15899.76354	30000	0	0	30000	39.625	2004
11.02.2020 11:45:20	1	1	1	1	93.75	59.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	39.5	2004
11.02.2020 11:45:21	1	1	1	1	93.75	59.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.625	2004
11.02.2020 11:45:22	1	1	1	1	93.75	59.5	0	29241.706	554.8387097	16161.49811	30000	0	0	30000	39.4375	2004
11.02.2020 11:45:23	1	1	1	1	93.75	59.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:24	1	1	1	1	93.75	59.25	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	39.5625	2004
11.02.2020 11:45:25	1	1	1	1	93.75	59.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:26	1	1	1	1	93.75	59.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	39.4375	2004
11.02.2020 11:45:27	1	1	1	1	93.75	59.25	0	28957.346	556.9892473	16101.97592	30000	0	0	30000	39.4375	2004
11.02.2020 11:45:28	1	1	1	1	93.75	59.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	39.6875	2004
11.02.2020 11:45:29	1	1	1	1	94.5	59.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	38.5	2004
11.02.2020 11:45:30	1	1	1	1	94.5	58.5	0	28957.346	552.688172	16056.31506	30000	0	0	30000	39	2004
11.02.2020 11:45:31	1	1	1	1	94.5	59	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	39.375	2004
11.02.2020 11:45:32	1	1	1	1	94.5	59.25	0	28862.559	552.688172	15987.82377	30000	0	0	30000	39.4375	2004
11.02.2020 11:45:33	1	1	1	1	94.5	59.25	0	28815.166	556.9892473	16261.78893	30000	0	0	30000	39.25	2004
11.02.2020 11:45:34	1	1	1	1	94.5	59.25	0	28578.199	567.7419355	16040.00761	30000	0	0	30000	39.0625	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	39.25	2004
11.02.2020 11:45:41	1	1	1	1	95.25	59.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	39.375	2004
11.02.2020 11:45:42	1	1	1	1	95.25	59.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:45:43	1	1	1	1	95.25	59.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	39.3125	2004
11.02.2020 11:45:44	1	1	1	1	95.25	59.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	39.5	2004
11.02.2020 11:45:45	1	1	1	1	95.25	59.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.9375	2004
11.02.2020 11:45:46	1	1	1	1	95.25	59.75	0	28578.199	556.9892473	15681.24371	30000	0	0	30000	39.6875	2004
11.02.2020 11:45:47	1	1	1	1	95.25	59.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.0625	2004
11.02.2020 11:45:48	1	1	1	1	95.25	60	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	39.625	2004
11.02.2020 11:45:49	1	1	1	1	96	59	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	39.375	2004
11.02.2020 11:45:50	1	1	1	1	96	59.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	39.5	2004
11.02.2020 11:45:51	1	1	1	1	96	59.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	39.125	2004
11.02.2020 11:45:52	1	1	1	1	96	59	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.5625	2004
11.02.2020 11:45:53	1	1	1	1	96	59.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.625	2004
11.02.2020 11:45:54	1	1	1	1	96	59.5	0	28436.019	563.4408602	15872.85625	30000	0	0	30000	39.125	2004
11.02.2020 11:45:56	1	1	1	1	96	59	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	39.5	2004
11.02.2020 11:45:57	1	1	1	1	96	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
11.02.2020 11:45:58	1	1	1	1	96	59.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	39.1875	2004
11.02.2020 11:45:59	1	1	1	1	97.25	59	0	28862.559	550.5376344	15827.19539	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:00	1	1	1	1	97.25	59.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:01	1	1	1	1	97.25	59.25	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	39.5	2004
11.02.2020 11:46:02	1	1	1	1	97.25	59.5	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	39.625	2004
11.02.2020 11:46:03	1	1	1	1	97.25	59.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.6875	2004
11.02.2020 11:46:04	1	1	1	1	97.25	59.5	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:05	1	1	1	1	97.25	59.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:06	1	1	1	1	97.25	59.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	39.375	2004
11.02.2020 11:46:07	1	1	1	1	97.25	59.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:08	1	1	1	1	97.25	59.5	0	28862.559	552.688172	16013.91569	30000	0	0	30000	39.625	2004
11.02.2020 11:46:09	1	1	1	1	97.5	59.5	0	28625.592	552.688172	15794.58049	30000	0	0	30000	39.625	2004
11.02.2020 11:46:10	1	1	1	1	97.5	59.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:11	1	1	1	1	97.5	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:12	1	1	1	1	97.5	59.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.25	2004
11.02.2020 11:46:13	1	1	1	1	97.5	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
11.02.2020 11:46:14	1	1	1	1	97.5	59.5	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	39.1875	2004
11.02.2020 11:46:15	1	1	1	1	97.5	59	0	28815.166	552.688172	15759.51947	30000	0	0	30000	39.1875	2004
11.02.2020 11:46:16	1	1	1	1	97.5	59	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	39.75	2004
11.02.2020 11:46:17	1	1	1	1	97.5	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.4375	2004
11.02.2020 11:46:18	1	1	1	1	97.5	59.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	38.8125	2004
11.02.2020 11:46:19	1	1	1	1	98	58.75	0	28388.626	559.1397849	16083.22235	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:20	1	1	1	1	98	59.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:21	1	1	1	1	98	59.5	0	28625.592	561.2903226	16101.97592	30000	0	0	30000	39.6875	2004
11.02.2020 11:46:22	1	1	1	1	98	59.5	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:23	1	1	1	1	98	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.75	2004
11.02.2020 11:46:24	1	1	1	1	98	59.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.6875	2004
11.02.2020 11:46:25	1	1	1	1	98	59.5	0	28625.592	552.688172	15925.85546	30000	0	0	30000	38.75	2004
11.02.2020 11:46:26	1	1	1	1	98	58.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	39.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:46:27	1	1	1	1	98	59.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.6875	2004
11.02.2020 11:46:28	1	1	1	1	99.5	59.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:29	1	1	1	1	99.5	59.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	38.9375	2004
11.02.2020 11:46:30	1	1	1	1	99.5	58.75	0	28815.166	556.9892473	16075.884	30000	0	0	30000	39.25	2004
11.02.2020 11:46:31	1	1	1	1	99.5	59.25	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	39.6875	2004
11.02.2020 11:46:33	1	1	1	1	99.5	59.5	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	39.375	2004
11.02.2020 11:46:34	1	1	1	1	99.5	59.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	39.5	2004
11.02.2020 11:46:35	1	1	1	1	99.5	59.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.625	2004
11.02.2020 11:46:36	1	1	1	1	99.5	59.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:43	1	1	1	1	99.75	59.5	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	39.25	2004
11.02.2020 11:46:44	1	1	1	1	99.75	59.25	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	38.9375	2004
11.02.2020 11:46:45	1	1	1	1	99.75	58.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.4375	2004
11.02.2020 11:46:46	1	1	1	1	99.75	59.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.375	2004
11.02.2020 11:46:47	1	1	1	1	99.75	59.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.375	2004
11.02.2020 11:46:48	1	1	1	1	99.75	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5625	2004
11.02.2020 11:46:49	1	1	1	1	100.5	59.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:50	1	1	1	1	100.5	59.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39.8125	2004
11.02.2020 11:46:51	1	1	1	1	100.5	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.3125	2004
11.02.2020 11:46:52	1	1	1	1	100.5	59.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.5	2004
11.02.2020 11:46:53	1	1	1	1	100.5	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.625	2004
11.02.2020 11:46:54	1	1	1	1	100.5	59.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	39.75	2004
11.02.2020 11:46:55	1	1	1	1	100.5	59.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.625	2004
11.02.2020 11:46:56	1	1	1	1	100.5	59.5	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	39.625	2004
11.02.2020 11:46:57	1	1	1	1	100.5	59.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.5	2004
11.02.2020 11:46:58	1	1	1	1	100.5	59.5	0	28957.346	554.8387097	16190.85152	30000	0	0	30000	39.375	2004
11.02.2020 11:46:59	1	1	1	1	101.3	59.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:00	1	1	1	1	101.3	59.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	39.5	2004
11.02.2020 11:47:01	1	1	1	1	101.3	59.5	0	28862.559	563.4408602	16075.884	30000	0	0	30000	39.3125	2004
11.02.2020 11:47:02	1	1	1	1	101.3	59.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.375	2004
11.02.2020 11:47:03	1	1	1	1	101.3	59.25	0	28862.559	559.1397849	16252.81983	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:04	1	1	1	1	101.3	59.75	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	38.8125	2004
11.02.2020 11:47:05	1	1	1	1	101.3	59.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:06	1	1	1	1	101.3	59.5	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	39.75	2004
11.02.2020 11:47:07	1	1	1	1	101.3	59.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:08	1	1	1	1	101.8	59.5	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	39.6875	2004
11.02.2020 11:47:09	1	1	1	1	101.8	59.5	0	28909.953	559.1397849	16101.97592	30000	0	0	30000	39.75	2004
11.02.2020 11:47:10	1	1	1	1	101.8	59.75	0	28815.166	546.2365591	15951.94738	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:47:12	1	1	1	1	101.8	59.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.75	2004
11.02.2020 11:47:13	1	1	1	1	101.8	59.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.125	2004
11.02.2020 11:47:14	1	1	1	1	101.8	59	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:15	1	1	1	1	101.8	59.25	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	39.625	2004
11.02.2020 11:47:16	1	1	1	1	101.8	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
11.02.2020 11:47:17	1	1	1	1	101.8	59.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	39.375	2004
11.02.2020 11:47:18	1	1	1	1	101.8	59.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.5	2004
11.02.2020 11:47:19	1	1	1	1	102.5	59.5	0	28341.232	565.5913978	15995.16212	30000	0	0	30000	39.1875	2004
11.02.2020 11:47:20	1	1	1	1	102.5	59	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	39	2004
11.02.2020 11:47:21	1	1	1	1	102.5	59	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.3125	2004
11.02.2020 11:47:22	1	1	1	1	102.5	59.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.6875	2004
11.02.2020 11:47:23	1	1	1	1	102.5	59.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	39.25	2004
11.02.2020 11:47:24	1	1	1	1	102.5	59.25	0	28578.199	559.1397849	16128.88321	30000	0	0	30000	39.5	2004
11.02.2020 11:47:25	1	1	1	1	102.5	59.5	0	28578.199	561.2903226	15917.70174	30000	0	0	30000	39.625	2004
11.02.2020 11:47:26	1	1	1	1	102.5	59.5	0	28388.626	559.1397849	16083.22235	30000	0	0	30000	39.75	2004
11.02.2020 11:47:27	1	1	1	1	102.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:28	1	1	1	1	102.5	59.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:29	1	1	1	1	102.8	59.5	0	28578.199	552.688172	15978.85467	30000	0	0	30000	39.75	2004
11.02.2020 11:47:30	1	1	1	1	102.8	59.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.375	2004
11.02.2020 11:47:31	1	1	1	1	102.8	59.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:32	1	1	1	1	102.8	59.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.5	2004
11.02.2020 11:47:33	1	1	1	1	102.8	59.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	39.6875	2004
11.02.2020 11:47:34	1	1	1	1	102.8	59.5	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	39.625	2004
11.02.2020 11:47:35	1	1	1	1	102.8	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:36	1	1	1	1	102.8	59.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:37	1	1	1	1	102.8	59.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.5625	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.8125	2004
11.02.2020 11:47:44	1	1	1	1	104.3	59.75	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 11:47:45	1	1	1	1	104.3	59.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:46	1	1	1	1	104.3	59.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:47	1	1	1	1	104.3	60	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	39.6875	2004
11.02.2020 11:47:48	1	1	1	1	103.8	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.375	2004
11.02.2020 11:47:49	1	1	1	1	103.8	59.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:50	1	1	1	1	103.8	59.25	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	39.75	2004
11.02.2020 11:47:51	1	1	1	1	103.8	59.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.6875	2004
11.02.2020 11:47:53	1	1	1	1	103.8	59.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:54	1	1	1	1	103.8	59.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	39.75	2004
11.02.2020 11:47:55	1	1	1	1	103.8	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:47:56	1	1	1	1	103.8	59.5	0	28815.166	559.1397849	16297.66532	30000	0	0	30000	39.5	2004
11.02.2020 11:47:57	1	1	1	1	103.8	59.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.4375	2004
11.02.2020 11:47:58	1	1	1	1	103.8	59.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	39.25	2004
11.02.2020 11:47:59	1	1	1	1	105	59.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:00	1	1	1	1	105	59.5	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	39.75	2004
11.02.2020 11:48:01	1	1	1	1	105	59.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	39.3125	2004
11.02.2020 11:48:02	1	1	1	1	105	59.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	39.1875	2004
11.02.2020 11:48:03	1	1	1	1	105	59	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:04	1	1	1	1	105	59.5	0	28815.166	559.1397849	16297.66532	30000	0	0	30000	39.3125	2004
11.02.2020 11:48:05	1	1	1	1	105	59.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:06	1	1	1	1	105	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.75	2004
11.02.2020 11:48:07	1	1	1	1	105	59.75	0	28530.806	559.1397849	15890.79444	30000	0	0	30000	39.9375	2004
11.02.2020 11:48:08	1	1	1	1	105	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5	2004
11.02.2020 11:48:09	1	1	1	1	105.3	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:10	1	1	1	1	105.3	59.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:11	1	1	1	1	105.3	59.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:12	1	1	1	1	105.3	59.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	39.75	2004
11.02.2020 11:48:13	1	1	1	1	105.3	59.75	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	39.625	2004
11.02.2020 11:48:14	1	1	1	1	105.3	59.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.5	2004
11.02.2020 11:48:15	1	1	1	1	105.3	59.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	39.375	2004
11.02.2020 11:48:16	1	1	1	1	105.3	59.25	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	39.75	2004
11.02.2020 11:48:17	1	1	1	1	105.3	59.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	39.625	2004
11.02.2020 11:48:18	1	1	1	1	105.3	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
11.02.2020 11:48:19	1	1	1	1	105.3	59.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:20	1	1	1	1	105.3	59.5	0	28625.592	561.2903226	16101.97592	30000	0	0	30000	39.625	2004
11.02.2020 11:48:21	1	1	1	1	105.3	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.625	2004
11.02.2020 11:48:22	1	1	1	1	105.3	59.5	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	39.4375	2004
11.02.2020 11:48:23	1	1	1	1	105.3	59.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40	2004
11.02.2020 11:48:24	1	1	1	1	105.3	60	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:25	1	1	1	1	105.3	59.5	0	28530.806	550.5376344	15978.85467	30000	0	0	30000	39.4375	2004
11.02.2020 11:48:26	1	1	1	1	105.3	59.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	39.625	2004
11.02.2020 11:48:27	1	1	1	1	105.3	59.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	39.25	2004
11.02.2020 11:48:28	1	1	1	1	105.8	59.25	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	39.75	2004
11.02.2020 11:48:29	1	1	1	1	105.8	59.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:30	1	1	1	1	105.8	59.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.625	2004
11.02.2020 11:48:32	1	1	1	1	105.8	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:33	1	1	1	1	105.8	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
11.02.2020 11:48:34	1	1	1	1	105.8	59.5	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	39.75	2004
11.02.2020 11:48:35	1	1	1	1	105.8	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.0625	2004
11.02.2020 11:48:36	1	1	1	1	105.8	59	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	39.625	2004
11.02.2020 11:48:37	1	1	1	1	105.8	59.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	38.5	2004
11.02.2020 11:48:38	1	1	1	1	105.8	58.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.75	2004
11.02.2020 11:48:39	1	1	1	1	106	59.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.375	2004
11.02.2020 11:48:46	1	1	1	1	106	59.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	39.75	2004
11.02.2020 11:48:47	1	1	1	1	106	59.75	0	28246.445	563.4408602	15915.25562	30000	0	0	30000	39.1875	2004
11.02.2020 11:48:48	1	1	1	1	106	59	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	39.8125	2004
11.02.2020 11:48:49	1	1	1	1	106.3	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
11.02.2020 11:48:50	1	1	1	1	106.3	59.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:51	1	1	1	1	106.3	59.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.8125	2004
11.02.2020 11:48:52	1	1	1	1	106.3	59.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	39.75	2004
11.02.2020 11:48:53	1	1	1	1	106.3	59.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	39.75	2004
11.02.2020 11:48:54	1	1	1	1	106.3	59.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:55	1	1	1	1	106.3	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.5625	2004
11.02.2020 11:48:56	1	1	1	1	106.3	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.0625	2004
11.02.2020 11:48:57	1	1	1	1	106.3	59	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	39.8125	2004
11.02.2020 11:48:58	1	1	1	1	106.3	59.75	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	39.375	2004
11.02.2020 11:48:59	1	1	1	1	106.5	59.25	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	39.25	2004
11.02.2020 11:49:00	1	1	1	1	106.5	59.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	39.25	2004
11.02.2020 11:49:01	1	1	1	1	106.5	59.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	39.75	2004
11.02.2020 11:49:02	1	1	1	1	106.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.25	2004
11.02.2020 11:49:03	1	1	1	1	106.5	59.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:04	1	1	1	1	106.5	59.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	39.4375	2004
11.02.2020 11:49:05	1	1	1	1	106.5	59.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	39.375	2004
11.02.2020 11:49:06	1	1	1	1	106.5	59.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.75	2004
11.02.2020 11:49:07	1	1	1	1	106.5	59.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:08	1	1	1	1	106.8	59.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:09	1	1	1	1	106.8	59.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:11	1	1	1	1	106.8	59.5	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:12	1	1	1	1	106.8	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:13	1	1	1	1	106.8	59.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:14	1	1	1	1	106.8	59.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	38.75	2004
11.02.2020 11:49:15	1	1	1	1	106.8	58.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5	2004
11.02.2020 11:49:16	1	1	1	1	106.8	59.5	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:17	1	1	1	1	106.8	59.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.3125	2004
11.02.2020 11:49:18	1	1	1	1	106.8	59.25	0	28578.199	559.1397849	16101.97592	30000	0	0	30000	39.625	2004
11.02.2020 11:49:19	1	1	1	1	106.8	59.5	0	28293.839	559.1397849	15827.19539	30000	0	0	30000	39.4375	2004
11.02.2020 11:49:20	1	1	1	1	106.8	59.25	0	28815.166	559.1397849	16359.63363	30000	0	0	30000	39.3125	2004
11.02.2020 11:49:21	1	1	1	1	106.8	59.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.3125	2004
11.02.2020 11:49:22	1	1	1	1	106.8	59.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.25	2004
11.02.2020 11:49:23	1	1	1	1	106.8	59.25	0	28293.839	552.688172	15907.10189	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:49:24	1	1	1	1	106.8	59.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	39.8125	2004
11.02.2020 11:49:25	1	1	1	1	106.8	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.625	2004
11.02.2020 11:49:26	1	1	1	1	106.8	59.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.5	2004
11.02.2020 11:49:27	1	1	1	1	106.8	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	38.4375	2004
11.02.2020 11:49:28	1	1	1	1	106.8	58.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:49:29	1	1	1	1	107.3	59.25	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	39.75	2004
11.02.2020 11:49:30	1	1	1	1	107.3	59.75	0	28199.052	578.4946237	15948.68589	30000	0	0	30000	39.5	2004
11.02.2020 11:49:31	1	1	1	1	107.3	59.5	0	28388.626	565.5913978	16022.06942	30000	0	0	30000	39.5	2004
11.02.2020 11:49:32	1	1	1	1	107.3	59.5	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:33	1	1	1	1	107.3	59.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.75	2004
11.02.2020 11:49:34	1	1	1	1	107.3	59.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	39.5	2004
11.02.2020 11:49:35	1	1	1	1	107.3	59.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:36	1	1	1	1	107.3	59.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:37	1	1	1	1	107.3	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.625	2004
11.02.2020 11:49:38	1	1	1	1	107.3	59.5	0	28388.626	563.4408602	15811.70331	30000	0	0	30000	39.1875	2004
11.02.2020 11:49:39	1	1	1	1	107.3	59	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:40	1	1	1	1	107.3	59.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:47	1	1	1	1	107.3	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
11.02.2020 11:49:47	1	1	1	1	107.3	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
11.02.2020 11:49:47	1	1	1	1	107.3	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
11.02.2020 11:49:47	1	1	1	1	107.3	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
11.02.2020 11:49:47	1	1	1	1	107.3	60	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	39.75	2004
11.02.2020 11:49:47	1	1	1	1	107.3	59.5	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	39.75	2004
11.02.2020 11:49:48	1	1	1	1	108	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.5	2004
11.02.2020 11:49:50	1	1	1	1	108	59.5	0	28341.232	556.9892473	16056.31506	30000	0	0	30000	39.375	2004
11.02.2020 11:49:51	1	1	1	1	108	59.25	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	39.0625	2004
11.02.2020 11:49:52	1	1	1	1	108	59	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	39.5	2004
11.02.2020 11:49:53	1	1	1	1	108	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.6875	2004
11.02.2020 11:49:54	1	1	1	1	108	59.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.75	2004
11.02.2020 11:49:55	1	1	1	1	108	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.75	2004
11.02.2020 11:49:56	1	1	1	1	108	59.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	39.625	2004
11.02.2020 11:49:57	1	1	1	1	108	59.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.5625	2004
11.02.2020 11:49:58	1	1	1	1	108	59.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	39.625	2004
11.02.2020 11:49:59	1	1	1	1	108.3	59.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.375	2004
11.02.2020 11:50:00	1	1	1	1	108.3	59.25	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	39.75	2004
11.02.2020 11:50:01	1	1	1	1	108.3	59.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.25	2004
11.02.2020 11:50:02	1	1	1	1	108.3	59.25	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 11:50:03	1	1	1	1	108.3	59.75	0	28009.479	565.5913978	15600.52184	30000	0	0	30000	39.75	2004
11.02.2020 11:50:04	1	1	1	1	108.3	59.75	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:05	1	1	1	1	108.3	59.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.25	2004
11.02.2020 11:50:06	1	1	1	1	108.3	59.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.75	2004
11.02.2020 11:50:07	1	1	1	1	108.3	59.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:50:08	1	1	1	1	108.3	59.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	38.8125	2004
11.02.2020 11:50:09	1	1	1	1	108.8	58.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	39.375	2004
11.02.2020 11:50:10	1	1	1	1	108.8	59.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.75	2004
11.02.2020 11:50:11	1	1	1	1	108.8	59.75	0	28483.412	569.8924731	15960.91648	30000	0	0	30000	39.3125	2004
11.02.2020 11:50:12	1	1	1	1	108.8	59.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.5	2004
11.02.2020 11:50:13	1	1	1	1	108.8	59.5	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	39.5	2004
11.02.2020 11:50:14	1	1	1	1	108.8	59.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 11:50:15	1	1	1	1	108.8	59.75	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	39.125	2004
11.02.2020 11:50:16	1	1	1	1	108.8	59	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.625	2004
11.02.2020 11:50:17	1	1	1	1	108.8	59.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	39.5	2004
11.02.2020 11:50:18	1	1	1	1	108.8	59.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:19	1	1	1	1	108.8	59.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	39.75	2004
11.02.2020 11:50:20	1	1	1	1	108.8	59.75	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:21	1	1	1	1	108.8	59.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	39.8125	2004
11.02.2020 11:50:22	1	1	1	1	108.8	59.75	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	39.5	2004
11.02.2020 11:50:23	1	1	1	1	108.8	59.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	39.3125	2004
11.02.2020 11:50:24	1	1	1	1	108.8	59.25	0	28578.199	552.688172	16040.00761	30000	0	0	30000	39.5625	2004
11.02.2020 11:50:25	1	1	1	1	108.8	59.5	0	28293.839	556.9892473	15934.00919	30000	0	0	30000	39.5625	2004
11.02.2020 11:50:26	1	1	1	1	108.8	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.4375	2004
11.02.2020 11:50:28	1	1	1	1	108.8	59.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	39.5625	2004
11.02.2020 11:50:29	1	1	1	1	109	59.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	39.75	2004
11.02.2020 11:50:30	1	1	1	1	109	59.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.75	2004
11.02.2020 11:50:31	1	1	1	1	109	59.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	39.625	2004
11.02.2020 11:50:32	1	1	1	1	109	59.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:33	1	1	1	1	109	59.5	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	39.5	2004
11.02.2020 11:50:34	1	1	1	1	109	59.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:35	1	1	1	1	109	59.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	39.75	2004
11.02.2020 11:50:36	1	1	1	1	109	59.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	39.5	2004
11.02.2020 11:50:37	1	1	1	1	109	59.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	39.5	2004
11.02.2020 11:50:38	1	1	1	1	109	59.5	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	39.5625	2004
11.02.2020 11:50:39	1	1	1	1	109	59.5	0	28436.019	554.8387097	16048.16134	30000	0	0	30000	39.4375	2004
11.02.2020 11:50:40	1	1	1	1	109	59.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.625	2004
11.02.2020 11:50:41	1	1	1	1	109	59.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	39.75	2004
11.02.2020 11:50:42	1	1	1	1	109	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:49	1	1	1	1	109	59.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:50:49	1	1	1	1	109	59.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:50:49	1	1	1	1	109	59.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:50:49	1	1	1	1	109	59.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:50:49	1	1	1	1	109	59.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	39.25	2004
11.02.2020 11:50:49	1	1	1	1	109	59.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.3125	2004
11.02.2020 11:50:50	1	1	1	1	109	59.25	0	28483.412	556.9892473	15952.76275	30000	0	0	30000	39.25	2004
11.02.2020 11:50:51	1	1	1	1	109	59.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:50:52	1	1	1	1	109	59.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.4375	2004
11.02.2020 11:50:53	1	1	1	1	109	59.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	39.5	2004
11.02.2020 11:50:54	1	1	1	1	109	59.5	0	28672.986	561.2903226	16005.76197	30000	0	0	30000	39.6875	2004
11.02.2020 11:50:55	1	1	1	1	109	59.5	0	28815.166	561.2903226	15925.85546	30000	0	0	30000	39.4375	2004
11.02.2020 11:50:56	1	1	1	1	109	59.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5	2004
11.02.2020 11:50:57	1	1	1	1	109	59.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.75	2004
11.02.2020 11:50:58	1	1	1	1	109	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.4375	2004
11.02.2020 11:50:59	1	1	1	1	109.3	59.25	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:00	1	1	1	1	109.3	59.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	39.5	2004
11.02.2020 11:51:01	1	1	1	1	109.3	59.5	0	28625.592	561.2903226	16049.79208	30000	0	0	30000	39.75	2004
11.02.2020 11:51:02	1	1	1	1	109.3	59.75	0	28815.166	554.8387097	15801.91884	30000	0	0	30000	39.25	2004
11.02.2020 11:51:03	1	1	1	1	109.3	59.25	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	39.9375	2004
11.02.2020 11:51:04	1	1	1	1	109.3	59.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	39.625	2004
11.02.2020 11:51:05	1	1	1	1	109.3	59.5	0	28625.592	563.4408602	16173.7287	30000	0	0	30000	39.75	2004
11.02.2020 11:51:07	1	1	1	1	109.3	59.75	0	28815.166	554.8387097	15943.79366	30000	0	0	30000	39.625	2004
11.02.2020 11:51:08	1	1	1	1	109.3	59.5	0	28625.592	556.9892473	15671.45924	30000	0	0	30000	39	2004
11.02.2020 11:51:09	1	1	1	1	109.8	59	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	39.75	2004
11.02.2020 11:51:10	1	1	1	1	109.8	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 11:51:11	1	1	1	1	109.8	59.5	0	28625.592	552.688172	15987.82377	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:12	1	1	1	1	109.8	59.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	39.5625	2004
11.02.2020 11:51:13	1	1	1	1	109.8	59.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:14	1	1	1	1	109.8	59.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 11:51:15	1	1	1	1	109.8	59.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.625	2004
11.02.2020 11:51:16	1	1	1	1	109.8	59.5	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	39.5625	2004
11.02.2020 11:51:17	1	1	1	1	109.8	59.5	0	28530.806	559.1397849	16013.91569	30000	0	0	30000	39.75	2004
11.02.2020 11:51:18	1	1	1	1	109.8	59.75	0	28483.412	561.2903226	15742.39665	30000	0	0	30000	39.5625	2004
11.02.2020 11:51:19	1	1	1	1	110	59.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.9375	2004
11.02.2020 11:51:20	1	1	1	1	110	59.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.75	2004
11.02.2020 11:51:21	1	1	1	1	110	59.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	39.625	2004
11.02.2020 11:51:22	1	1	1	1	110	59.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:23	1	1	1	1	110	59.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	39.3125	2004
11.02.2020 11:51:24	1	1	1	1	110	59.25	0	28625.592	559.1397849	15820.67241	30000	0	0	30000	39.125	2004
11.02.2020 11:51:25	1	1	1	1	110	59	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	39.625	2004
11.02.2020 11:51:26	1	1	1	1	110	59.5	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	39.4375	2004
11.02.2020 11:51:27	1	1	1	1	110	59.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	39.625	2004
11.02.2020 11:51:28	1	1	1	1	110	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.75	2004
11.02.2020 11:51:29	1	1	1	1	110.3	59.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:30	1	1	1	1	110.3	59.5	0	0	0	0	30000	0	8	30000	37.25	2004
11.02.2020 11:51:31	1	1	1	1	110.3	57.25	0	10616.114	0	0	30000	0	0	30000	39.8125	2004
11.02.2020 11:51:32	1	1	1	1	110.3	59.75	0	11327.014	0	0	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:33	1	1	1	1	110.3	59.5	0	12085.308	0	0	30000	0	0	30000	39.8125	2004
11.02.2020 11:51:34	1	1	1	1	110.3	59.75	0	12843.602	0	0	30000	0	0	30000	39.75	2004
11.02.2020 11:51:35	1	1	1	1	110.3	59.75	0	13601.896	0	28.53803713	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:51:36	1	1	1	1	110.3	59.75	0	14407.583	6.451612903	61.96830919	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:37	1	1	1	1	110.3	59.5	0	15165.877	10.75268817	195.6893974	30000	0	0	30000	39.875	2004
11.02.2020 11:51:38	1	1	1	1	110.3	59.75	0	15876.777	19.35483871	306.580056	30000	0	0	30000	39.8125	2004
11.02.2020 11:51:39	1	1	1	1	107.3	59.75	0	16492.891	27.95698925	466.3930639	30000	0	0	30000	39.75	2004
11.02.2020 11:51:40	1	1	1	1	107.3	59.75	0	17440.758	38.70967742	714.2663007	30000	0	0	30000	40.1875	2004
11.02.2020 11:51:41	1	1	1	1	107.3	60	0	18151.659	49.46236559	904.2480907	30000	0	0	30000	40.0625	2004
11.02.2020 11:51:42	1	1	1	1	107.3	60	0	18909.953	60.21505376	1182.29011	30000	0	0	30000	39.75	2004
11.02.2020 11:51:43	1	1	1	1	107.3	60	0	19857.82	81.72043011	1579.376512	30000	0	0	30000	39.875	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:50	1	1	1	1	104.8	59.75	0	23033.175	189.2473118	4358.981328	30000	0	0	30000	39.75	2004
11.02.2020 11:51:51	1	1	1	1	104.8	59.75	0	23080.569	206.4516129	4765.036828	30000	0	0	30000	39.6875	2004
11.02.2020 11:51:52	1	1	1	1	104.8	59.5	0	23080.569	206.4516129	4765.036828	30000	0	0	30000	39.75	2004
11.02.2020 11:51:53	1	1	1	1	104.8	59.75	0	23175.355	206.4516129	4784.605767	30000	0	0	30000	39.75	2004
11.02.2020 11:51:54	1	1	1	1	104.8	59.75	0	23649.289	219.3548387	5187.399777	30000	0	0	30000	39.8125	2004
11.02.2020 11:51:55	1	1	1	1	104.8	59.75	0	23933.649	234.4086022	5609.762727	30000	0	0	30000	39.8125	2004
11.02.2020 11:51:56	1	1	1	1	104.8	59.75	0	24170.616	249.4623656	6093.278613	30000	0	0	30000	39.75	2004
11.02.2020 11:51:57	1	1	1	1	104.8	59.75	0	24407.583	268.8172043	6508.30321	30000	0	0	30000	39	2004
11.02.2020 11:51:58	1	1	1	1	104.8	59	0	24597.156	279.5698925	6770.853151	30000	0	0	30000	39.75	2004
11.02.2020 11:51:59	1	1	1	1	109	59.75	0	25165.877	292.4731183	7414.182045	30000	0	0	30000	39.75	2004
11.02.2020 11:52:00	1	1	1	1	109	59.75	0	25545.024	309.6774194	7910.743892	30000	0	0	30000	39.8125	2004
11.02.2020 11:52:03	1	1	1	1	109	59.25	0	25924.171	356.9892473	9198.217052	30000	0	0	30000	39.75	2004
11.02.2020 11:52:03	1	1	1	1	109	59.25	0	25924.171	356.9892473	9198.217052	30000	0	0	30000	39.75	2004
11.02.2020 11:52:03	1	1	1	1	109	59.25	0	25924.171	356.9892473	9198.217052	30000	0	0	30000	39.75	2004
11.02.2020 11:52:04	1	1	1	1	109	59.75	0	26208.531	378.4946237	9490.120403	30000	0	0	30000	39.8125	2004
11.02.2020 11:52:05	1	1	1	1	109	59.75	0	26540.284	384.9462366	10216.61729	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:06	1	1	1	1	109	59.5	0	26872.038	400	10806.1316	30000	0	0	30000	39.75	2004
11.02.2020 11:52:07	1	1	1	1	109	59.75	0	26919.431	415.0537634	11288.83211	30000	0	0	30000	39.8125	2004
11.02.2020 11:52:08	1	1	1	1	109	59.75	0	27014.218	432.2580645	11539.96684	30000	0	0	30000	39.75	2004
11.02.2020 11:52:09	1	1	1	1	109.5	59.75	0	26966.825	432.2580645	11539.96684	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:10	1	1	1	1	109.5	59.5	0	27298.578	445.1612903	12152.31158	30000	0	0	30000	39.8125	2004
11.02.2020 11:52:11	1	1	1	1	109.5	59.75	0	27440.758	460.2150538	12628.48911	30000	0	0	30000	39.3125	2004
11.02.2020 11:52:12	1	1	1	1	109.5	59.25	0	27725.118	481.7204301	13378.6318	30000	0	0	30000	39.875	2004
11.02.2020 11:52:13	1	1	1	1	109.5	59.75	0	27867.299	488.172043	13747.18017	30000	0	0	30000	39.75	2004
11.02.2020 11:52:14	1	1	1	1	109.5	59.75	0	27819.905	505.3763441	14059.46783	30000	0	0	30000	39.625	2004
11.02.2020 11:52:15	1	1	1	1	109.5	59.5	0	28009.479	518.2795699	14576.41399	30000	0	0	30000	39.5625	2004
11.02.2020 11:52:16	1	1	1	1	109.5	59.5	0	28578.199	537.6344086	15277.63433	30000	0	0	30000	39.25	2004
11.02.2020 11:52:17	1	1	1	1	109.5	59.25	0	28815.166	541.9354839	15863.88715	30000	0	0	30000	39.75	2004
11.02.2020 11:52:18	1	1	1	1	109.5	59.75	0	29099.526	554.8387097	16181.06705	30000	0	0	30000	39.1875	2004
11.02.2020 11:52:19	1	1	1	1	109.3	59	0	29099.526	552.688172	16082.40698	30000	0	0	30000	39.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:52:20	1	1	1	1	109.3	59.25	0	28957.346	552.688172	15765.22708	30000	0	0	30000	39.9375	2004
11.02.2020 11:52:21	1	1	1	1	109.3	59.75	0	28862.559	550.5376344	16075.884	30000	0	0	30000	39.75	2004
11.02.2020 11:52:22	1	1	1	1	109.3	59.25	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	39.5625	2004
11.02.2020 11:52:24	1	1	1	1	109.3	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.125	2004
11.02.2020 11:52:25	1	1	1	1	109.3	59	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	39.5	2004
11.02.2020 11:52:26	1	1	1	1	109.3	59.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	39.5	2004
11.02.2020 11:52:27	1	1	1	1	109.3	59.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	39.1875	2004
11.02.2020 11:52:28	1	1	1	1	109.3	59	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39	2004
11.02.2020 11:52:29	1	1	1	1	109	59	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.75	2004
11.02.2020 11:52:30	1	1	1	1	109	59.75	0	28909.953	554.8387097	16040.00761	30000	0	0	30000	39.375	2004
11.02.2020 11:52:31	1	1	1	1	109	59.25	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	39.5	2004
11.02.2020 11:52:32	1	1	1	1	109	59.5	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	39.75	2004
11.02.2020 11:52:33	1	1	1	1	109	59.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	39.375	2004
11.02.2020 11:52:34	1	1	1	1	109	59.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	39.4375	2004
11.02.2020 11:52:35	1	1	1	1	109	59.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	39.3125	2004
11.02.2020 11:52:36	1	1	1	1	109	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.3125	2004
11.02.2020 11:52:37	1	1	1	1	109	59.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	39.5	2004
11.02.2020 11:52:38	1	1	1	1	109	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:52:39	1	1	1	1	107.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:52:40	1	1	1	1	107.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:52:41	1	1	1	1	107.8	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:52:42	1	1	1	1	107.8	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5	2004
11.02.2020 11:52:43	1	1	1	1	107.8	59.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	39.5	2004
11.02.2020 11:52:44	1	1	1	1	107.8	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 11:52:45	1	1	1	1	107.8	59.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	29905.213	404.3010753	11897.09999	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	29905.213	404.3010753	11897.09999	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	29905.213	404.3010753	11897.09999	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	29905.213	404.3010753	11897.09999	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	29905.213	404.3010753	11897.09999	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:52	1	1	1	1	106	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:53	1	1	1	1	106	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:52:54	1	1	1	1	106	59.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:55	1	1	1	1	106	59.5	0	29952.607	402.1505376	12045.49778	30000	0	0	30000	39.6875	2004
11.02.2020 11:52:56	1	1	1	1	106	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.125	2004
11.02.2020 11:52:57	1	1	1	1	106	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:52:58	1	1	1	1	106	59.5	0	30000	400	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:52:59	1	1	1	1	105.5	60	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.375	2004
11.02.2020 11:53:00	1	1	1	1	105.5	59.25	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	39.5	2004
11.02.2020 11:53:02	1	1	1	1	105.5	59.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 11:53:03	1	1	1	1	105.5	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 11:53:04	1	1	1	1	105.5	59.5	0	30000	397.8494624	11871.00807	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:53:05	1	1	1	1	105.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:53:06	1	1	1	1	105.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:53:07	1	1	1	1	105.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:53:08	1	1	1	1	105.5	59.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:09	1	1	1	1	104.3	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 11:53:10	1	1	1	1	104.3	59.5	0	30000	404.3010753	12406.7078	30000	0	0	30000	39.3125	2004
11.02.2020 11:53:11	1	1	1	1	104.3	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:53:12	1	1	1	1	104.3	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:13	1	1	1	1	104.3	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:14	1	1	1	1	104.3	59.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 11:53:15	1	1	1	1	104.3	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:53:16	1	1	1	1	104.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:53:17	1	1	1	1	104.3	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.625	2004
11.02.2020 11:53:18	1	1	1	1	104.3	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:19	1	1	1	1	103.8	59.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.625	2004
11.02.2020 11:53:20	1	1	1	1	103.8	59.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:21	1	1	1	1	103.8	59.5	0	29905.213	395.6989247	12128.66578	30000	0	0	30000	39.5	2004
11.02.2020 11:53:22	1	1	1	1	103.8	59.5	0	30000	397.8494624	11916.66893	30000	0	0	30000	39.375	2004
11.02.2020 11:53:23	1	1	1	1	103.8	59.25	0	30000	402.1505376	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 11:53:24	1	1	1	1	103.8	59.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:53:25	1	1	1	1	103.8	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.0625	2004
11.02.2020 11:53:26	1	1	1	1	103.8	59	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.375	2004
11.02.2020 11:53:27	1	1	1	1	103.8	59.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:28	1	1	1	1	103.8	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:53:29	1	1	1	1	103.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:53:30	1	1	1	1	103.3	59.75	0	30000	404.3010753	12083.00492	30000	0	0	30000	39.75	2004
11.02.2020 11:53:31	1	1	1	1	103.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 11:53:32	1	1	1	1	103.3	59.75	0	30000	404.3010753	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:53:33	1	1	1	1	103.3	59.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 11:53:34	1	1	1	1	103.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.0625	2004
11.02.2020 11:53:35	1	1	1	1	103.3	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:53:36	1	1	1	1	103.3	59.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	40	2004
11.02.2020 11:53:37	1	1	1	1	103.3	60	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:38	1	1	1	1	103.3	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	40	2004
11.02.2020 11:53:39	1	1	1	1	103.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:41	1	1	1	1	103.3	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:53:42	1	1	1	1	103.3	59.5	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	39.75	2004
11.02.2020 11:53:43	1	1	1	1	103.3	59.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	39.4375	2004
11.02.2020 11:53:44	1	1	1	1	103.3	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:53:45	1	1	1	1	103.3	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:53:46	1	1	1	1	103.3	59.25	0	30000	400	11999.83693	30000	0	0	30000	39.4375	2004
11.02.2020 11:53:47	1	1	1	1	103.3	59.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 11:53:54	1	1	1	1	102.3	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:53:54	1	1	1	1	102.3	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:54	1	1	1	1	102.3	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:54	1	1	1	1	102.3	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:54	1	1	1	1	102.3	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 11:53:54	1	1	1	1	102.3	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 11:53:55	1	1	1	1	102.3	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 11:53:56	1	1	1	1	102.3	59.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	39.75	2004
11.02.2020 11:53:57	1	1	1	1	102.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:53:58	1	1	1	1	102.3	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 11:53:59	1	1	1	1	102	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:54:00	1	1	1	1	102	59.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:01	1	1	1	1	102	59.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 11:54:02	1	1	1	1	102	59	0	30000	400	11935.4225	30000	0	0	30000	39.625	2004
11.02.2020 11:54:03	1	1	1	1	102	59.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	39.125	2004
11.02.2020 11:54:04	1	1	1	1	102	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:54:05	1	1	1	1	102	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 11:54:06	1	1	1	1	102	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.125	2004
11.02.2020 11:54:07	1	1	1	1	102	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:08	1	1	1	1	102	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 11:54:09	1	1	1	1	101	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:54:10	1	1	1	1	101	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 11:54:11	1	1	1	1	101	59.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.625	2004
11.02.2020 11:54:12	1	1	1	1	101	59.5	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	39.4375	2004
11.02.2020 11:54:13	1	1	1	1	101	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 11:54:14	1	1	1	1	101	59	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 11:54:15	1	1	1	1	101	59.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40	2004
11.02.2020 11:54:16	1	1	1	1	101	60	0	30000	412.9032258	12471.12222	30000	0	0	30000	39.375	2004
11.02.2020 11:54:18	1	1	1	1	101	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:19	1	1	1	1	100.8	59.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:54:20	1	1	1	1	100.8	59.75	0	30000	400	11935.4225	30000	0	0	30000	38.75	2004
11.02.2020 11:54:21	1	1	1	1	100.8	58.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 11:54:22	1	1	1	1	100.8	59.5	0	30000	400	11935.4225	30000	0	0	30000	39.0625	2004
11.02.2020 11:54:23	1	1	1	1	100.8	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.375	2004
11.02.2020 11:54:24	1	1	1	1	100.8	59.25	0	30047.393	404.3010753	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:25	1	1	1	1	100.8	59.5	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	39.75	2004
11.02.2020 11:54:26	1	1	1	1	100.8	59.75	0	29952.607	404.3010753	12064.25135	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:27	1	1	1	1	100.8	59.5	0	30000	400	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:54:28	1	1	1	1	100.8	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 11:54:29	1	1	1	1	100.3	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 11:54:30	1	1	1	1	100.3	59.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	39.75	2004
11.02.2020 11:54:31	1	1	1	1	100.3	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 11:54:32	1	1	1	1	100.3	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:54:33	1	1	1	1	100.3	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.625	2004
11.02.2020 11:54:34	1	1	1	1	100.3	59.5	0	29952.607	400	12064.25135	30000	0	0	30000	39.1875	2004
11.02.2020 11:54:35	1	1	1	1	100.3	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.0625	2004
11.02.2020 11:54:36	1	1	1	1	100.3	59	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.3125	2004
11.02.2020 11:54:37	1	1	1	1	100.3	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:54:38	1	1	1	1	100.3	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:54:39	1	1	1	1	100	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:54:40	1	1	1	1	100	59.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.75	2004
11.02.2020 11:54:41	1	1	1	1	100	59.75	0	29952.607	400	11981.08336	30000	0	0	30000	39.375	2004
11.02.2020 11:54:42	1	1	1	1	100	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:54:43	1	1	1	1	100	59.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 11:54:44	1	1	1	1	100	59.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	38.875	2004
11.02.2020 11:54:45	1	1	1	1	100	58.75	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	39.5625	2004
11.02.2020 11:54:46	1	1	1	1	100	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 11:54:47	1	1	1	1	100	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 11:54:48	1	1	1	1	100	59.5	0	29905.213	400	12109.91221	30000	0	0	30000	39.5625	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:54:55	1	1	1	1	99.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 11:54:57	1	1	1	1	99.5	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 11:54:58	1	1	1	1	99.5	59.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.4375	2004
11.02.2020 11:54:59	1	1	1	1	99.25	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:55:00	1	1	1	1	99.25	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 11:55:01	1	1	1	1	99.25	59.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 11:55:02	1	1	1	1	99.25	59.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:55:03	1	1	1	1	99.25	59	0	30000	400	11935.4225	30000	0	0	30000	38.6875	2004
11.02.2020 11:55:04	1	1	1	1	99.25	58.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 11:55:05	1	1	1	1	99.25	59.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	39.375	2004
11.02.2020 11:55:06	1	1	1	1	99.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:07	1	1	1	1	99.25	59.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:08	1	1	1	1	99.25	59.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:09	1	1	1	1	98.75	59.5	0	30000	402.1505376	11999.83693	30000	0	0	30000	39.8125	2004
11.02.2020 11:55:10	1	1	1	1	98.75	59.75	0	30000	400	12406.7078	30000	0	0	30000	39.25	2004
11.02.2020 11:55:11	1	1	1	1	98.75	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 11:55:12	1	1	1	1	98.75	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 11:55:13	1	1	1	1	98.75	59.75	0	30000	400	11999.83693	30000	0	0	30000	39.5	2004
11.02.2020 11:55:14	1	1	1	1	98.75	59.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:15	1	1	1	1	98.75	59.5	0	30000	404.3010753	11916.66893	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:16	1	1	1	1	98.75	59.5	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:55:17	1	1	1	1	98.75	59	0	30000	400	11999.83693	30000	0	0	30000	39.75	2004
11.02.2020 11:55:18	1	1	1	1	98.75	59.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:19	1	1	1	1	98.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:20	1	1	1	1	98.5	59.5	0	30000	400	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 11:55:21	1	1	1	1	98.5	59.75	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	39.25	2004
11.02.2020 11:55:22	1	1	1	1	98.5	59.25	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	39.75	2004
11.02.2020 11:55:23	1	1	1	1	98.5	59.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:24	1	1	1	1	98.5	59.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 11:55:25	1	1	1	1	98.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.125	2004
11.02.2020 11:55:26	1	1	1	1	98.5	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.4375	2004
11.02.2020 11:55:27	1	1	1	1	98.5	59.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 11:55:28	1	1	1	1	98.5	59.75	0	30000	400	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 11:55:29	1	1	1	1	98.25	59.75	0	29905.213	391.3978495	11676.94942	30000	0	0	30000	39.625	2004
11.02.2020 11:55:30	1	1	1	1	98.25	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 11:55:31	1	1	1	1	98.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 11:55:32	1	1	1	1	98.25	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 11:55:33	1	1	1	1	98.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.625	2004
11.02.2020 11:55:35	1	1	1	1	98.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 11:55:36	1	1	1	1	98.25	59.5	0	30000	402.1505376	11999.83693	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:37	1	1	1	1	98.25	59.5	0	30000	421.5053763	12858.42416	30000	0	0	30000	39.0625	2004
11.02.2020 11:55:38	1	1	1	1	98.25	59	0	30000	438.7096774	13140.54304	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:39	1	1	1	1	98	59.5	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	39.625	2004
11.02.2020 11:55:40	1	1	1	1	98	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:41	1	1	1	1	98	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.1875	2004
11.02.2020 11:55:42	1	1	1	1	98	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:43	1	1	1	1	98	59.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.375	2004
11.02.2020 11:55:44	1	1	1	1	98	59.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	39.625	2004
11.02.2020 11:55:45	1	1	1	1	98	59.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	39.25	2004
11.02.2020 11:55:46	1	1	1	1	98	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:55:47	1	1	1	1	98	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 11:55:48	1	1	1	1	98	59.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.75	2004
11.02.2020 11:55:49	1	1	1	1	98.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39	2004
11.02.2020 11:55:50	1	1	1	1	98.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:55:57	1	1	1	1	98.25	59.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.375	2004
11.02.2020 11:55:58	1	1	1	1	98.25	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 11:55:59	1	1	1	1	97.5	59.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	39.3125	2004
11.02.2020 11:56:00	1	1	1	1	97.5	59.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:56:01	1	1	1	1	97.5	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 11:56:02	1	1	1	1	97.5	59.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.625	2004
11.02.2020 11:56:03	1	1	1	1	97.5	59.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.4375	2004
11.02.2020 11:56:04	1	1	1	1	97.5	59.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	39.25	2004
11.02.2020 11:56:05	1	1	1	1	97.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 11:56:06	1	1	1	1	97.5	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:07	1	1	1	1	97.5	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.625	2004
11.02.2020 11:56:08	1	1	1	1	97.5	59.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	39.3125	2004
11.02.2020 11:56:09	1	1	1	1	97.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 11:56:10	1	1	1	1	97.75	59.5	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 11:56:12	1	1	1	1	97.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 11:56:13	1	1	1	1	97.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 11:56:14	1	1	1	1	97.75	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:15	1	1	1	1	97.75	59.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:16	1	1	1	1	97.75	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 11:56:17	1	1	1	1	97.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 11:56:18	1	1	1	1	97.75	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 11:56:19	1	1	1	1	97.25	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 11:56:20	1	1	1	1	97.25	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 11:56:21	1	1	1	1	97.25	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:22	1	1	1	1	97.25	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.75	2004
11.02.2020 11:56:23	1	1	1	1	97.25	58.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:24	1	1	1	1	97.25	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.375	2004
11.02.2020 11:56:25	1	1	1	1	97.25	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 11:56:26	1	1	1	1	97.25	59.25	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 11:56:27	1	1	1	1	97.25	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:28	1	1	1	1	97.25	59.5	0	29952.607	389.2473118	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 11:56:29	1	1	1	1	96.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 11:56:30	1	1	1	1	96.25	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:31	1	1	1	1	96.25	59.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.8125	2004
11.02.2020 11:56:32	1	1	1	1	96.25	59.75	0	29905.213	387.0967742	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:33	1	1	1	1	96.25	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5625	2004
11.02.2020 11:56:34	1	1	1	1	96.25	59.5	0	30000	380.6451613	11501.64433	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:35	1	1	1	1	96.25	59.5	0	29952.607	380.6451613	11530.18237	30000	0	0	30000	39.1875	2004
11.02.2020 11:56:36	1	1	1	1	96.25	59	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.625	2004
11.02.2020 11:56:37	1	1	1	1	96.25	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 11:56:38	1	1	1	1	96.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.8125	2004
11.02.2020 11:56:39	1	1	1	1	96	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 11:56:40	1	1	1	1	96	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 11:56:41	1	1	1	1	96	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.375	2004
11.02.2020 11:56:42	1	1	1	1	96	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.125	2004
11.02.2020 11:56:43	1	1	1	1	96	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 11:56:44	1	1	1	1	96	59.5	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:56:45	1	1	1	1	96	59.5	0	30000	378.4946237	11401.35352	30000	0	0	30000	39.25	2004
11.02.2020 11:56:46	1	1	1	1	96	59.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.4375	2004
11.02.2020 11:56:47	1	1	1	1	96	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:48	1	1	1	1	96	59	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 11:56:49	1	1	1	1	95.25	59.75	0	30000	367.7419355	11178.75683	30000	0	0	30000	39.8125	2004
11.02.2020 11:56:50	1	1	1	1	95.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 11:56:51	1	1	1	1	95.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.0625	2004
11.02.2020 11:56:58	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:58	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:58	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:58	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:59	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:59	1	1	1	1	95.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 11:56:59	1	1	1	1	95.75	59	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:57:00	1	1	1	1	95.75	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 11:57:01	1	1	1	1	95.75	59.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.25	2004
11.02.2020 11:57:02	1	1	1	1	95.75	59.25	0	30000	367.7419355	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 11:57:03	1	1	1	1	95.75	59.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 11:57:04	1	1	1	1	95.75	59.5	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	39.5	2004
11.02.2020 11:57:05	1	1	1	1	95.75	59.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	39.4375	2004
11.02.2020 11:57:06	1	1	1	1	95.75	59.25	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	39.375	2004
11.02.2020 11:57:07	1	1	1	1	95.75	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.875	2004
11.02.2020 11:57:08	1	1	1	1	95.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.375	2004
11.02.2020 11:57:09	1	1	1	1	95.75	59.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	39.625	2004
11.02.2020 11:57:10	1	1	1	1	95.75	59.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.5625	2004
11.02.2020 11:57:11	1	1	1	1	95.75	59.5	0	30000	387.0967742	11741.36385	30000	0	0	30000	39.625	2004
11.02.2020 11:57:12	1	1	1	1	95.75	59.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:13	1	1	1	1	95.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.75	2004
11.02.2020 11:57:14	1	1	1	1	95.75	58.75	0	30000	380.6451613	11336.93909	30000	0	0	30000	39.75	2004
11.02.2020 11:57:15	1	1	1	1	95.75	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 11:57:16	1	1	1	1	95.75	59.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.625	2004
11.02.2020 11:57:17	1	1	1	1	95.75	59.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	38.625	2004
11.02.2020 11:57:18	1	1	1	1	95.75	58.5	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.0625	2004
11.02.2020 11:57:19	1	1	1	1	95	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.125	2004
11.02.2020 11:57:20	1	1	1	1	95	59	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.1875	2004
11.02.2020 11:57:21	1	1	1	1	95	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 11:57:22	1	1	1	1	95	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:23	1	1	1	1	95	59.5	0	30000	378.4946237	11208.11024	30000	0	0	30000	39	2004
11.02.2020 11:57:24	1	1	1	1	95	59	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.5625	2004
11.02.2020 11:57:25	1	1	1	1	95	59.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 11:57:26	1	1	1	1	95	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 11:57:27	1	1	1	1	95	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 11:57:28	1	1	1	1	95	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:57:29	1	1	1	1	94.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.4375	2004
11.02.2020 11:57:30	1	1	1	1	94.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 11:57:31	1	1	1	1	94.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.25	2004
11.02.2020 11:57:33	1	1	1	1	94.25	60.25	0	29952.607	378.4946237	11584.81233	30000	0	0	30000	39.4375	2004
11.02.2020 11:57:34	1	1	1	1	94.25	59.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:35	1	1	1	1	94.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 11:57:36	1	1	1	1	94.25	59.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	38.625	2004
11.02.2020 11:57:37	1	1	1	1	94.25	58.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 11:57:38	1	1	1	1	94.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:57:39	1	1	1	1	94.25	59.75	0	30000	423.655914	12773.62542	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:40	1	1	1	1	94.25	59.5	0	30000	434.4086022	12798.08659	30000	0	0	30000	39.25	2004
11.02.2020 11:57:41	1	1	1	1	94.25	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 11:57:42	1	1	1	1	94.25	59.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.0625	2004
11.02.2020 11:57:43	1	1	1	1	94.25	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:44	1	1	1	1	94.25	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.5	2004
11.02.2020 11:57:45	1	1	1	1	94.25	59.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 11:57:46	1	1	1	1	94.25	59.75	0	30000	372.0430108	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 11:57:47	1	1	1	1	94.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 11:57:48	1	1	1	1	94.25	59.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 11:57:49	1	1	1	1	94.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 11:57:50	1	1	1	1	94.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 11:57:51	1	1	1	1	94.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 11:57:52	1	1	1	1	94.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 11:57:53	1	1	1	1	94.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 11:58:00	1	1	1	1	93.25	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 11:58:01	1	1	1	1	93.25	59.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.75	2004
11.02.2020 11:58:02	1	1	1	1	93.25	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 11:58:03	1	1	1	1	93.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 11:58:04	1	1	1	1	93.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 11:58:05	1	1	1	1	93.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 11:58:06	1	1	1	1	93.25	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 11:58:07	1	1	1	1	93.25	59.5	0	30000	354.8387097	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 11:58:08	1	1	1	1	93.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 11:58:09	1	1	1	1	93.5	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 11:58:10	1	1	1	1	93.5	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.1875	2004
11.02.2020 11:58:12	1	1	1	1	93.5	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
11.02.2020 11:58:13	1	1	1	1	93.5	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:58:14	1	1	1	1	93.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	38.75	2004
11.02.2020 11:58:15	1	1	1	1	93.5	58.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 11:58:16	1	1	1	1	93.5	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39	2004
11.02.2020 11:58:17	1	1	1	1	93.5	59	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 11:58:18	1	1	1	1	93.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 11:58:19	1	1	1	1	93.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.9375	2004
11.02.2020 11:58:20	1	1	1	1	93.25	58.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 11:58:21	1	1	1	1	93.25	59.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 11:58:22	1	1	1	1	93.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 11:58:23	1	1	1	1	93.25	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.9375	2004
11.02.2020 11:58:24	1	1	1	1	93.25	58.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.5625	2004
11.02.2020 11:58:25	1	1	1	1	93.25	59.5	0	30000	395.6989247	11999.83693	30000	0	0	30000	39.3125	2004
11.02.2020 11:58:26	1	1	1	1	93.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.25	2004
11.02.2020 11:58:27	1	1	1	1	93.25	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 11:58:28	1	1	1	1	93.25	59.5	0	30000	427.9569892	13096.51292	30000	0	0	30000	38.75	2004
11.02.2020 11:58:29	1	1	1	1	93.25	58.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 11:58:30	1	1	1	1	93.25	59.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	38.8125	2004
11.02.2020 11:58:31	1	1	1	1	93.25	58.75	0	30000	400	11999.83693	30000	0	0	30000	39.625	2004
11.02.2020 11:58:32	1	1	1	1	93.25	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:58:33	1	1	1	1	93.25	59.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 11:58:34	1	1	1	1	93.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 11:58:35	1	1	1	1	93.25	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.0625	2004
11.02.2020 11:58:36	1	1	1	1	93.25	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.25	2004
11.02.2020 11:58:37	1	1	1	1	93.25	59.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.25	2004
11.02.2020 11:58:38	1	1	1	1	93.25	59.25	0	30000	391.3978495	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 11:58:39	1	1	1	1	92.5	59.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	39.5	2004
11.02.2020 11:58:40	1	1	1	1	92.5	59.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 11:58:41	1	1	1	1	92.5	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 11:58:42	1	1	1	1	92.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 11:58:43	1	1	1	1	92.5	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 11:58:44	1	1	1	1	92.5	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 11:58:45	1	1	1	1	92.5	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 11:58:46	1	1	1	1	92.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	38.9375	2004
11.02.2020 11:58:47	1	1	1	1	92.5	58.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 11:58:48	1	1	1	1	92.5	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 11:58:49	1	1	1	1	92.25	59.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	40	2004
11.02.2020 11:58:51	1	1	1	1	92.25	60	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.1875	2004
11.02.2020 11:58:52	1	1	1	1	92.25	60	0	30000	352.688172	10644.68785	30000	0	0	30000	39.3125	2004
11.02.2020 11:58:53	1	1	1	1	92.25	59.75	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	39.4375	2004
11.02.2020 11:58:54	1	1	1	1	92.25	59.25	0	30000	378.4946237	11014.86696	30000	0	0	30000	39.625	2004
11.02.2020 11:58:55	1	1	1	1	92.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 11:59:02	1	1	1	1	92.25	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 11:59:03	1	1	1	1	92.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:04	1	1	1	1	92.25	59.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.75	2004
11.02.2020 11:59:05	1	1	1	1	92.25	59.75	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 11:59:06	1	1	1	1	92.25	59.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	39.4375	2004
11.02.2020 11:59:07	1	1	1	1	92.25	59.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.5	2004
11.02.2020 11:59:08	1	1	1	1	92.25	59.5	0	30000	378.4946237	11014.86696	30000	0	0	30000	39.1875	2004
11.02.2020 11:59:09	1	1	1	1	92	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 11:59:10	1	1	1	1	92	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.9375	2004
11.02.2020 11:59:11	1	1	1	1	92	58.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:12	1	1	1	1	92	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 11:59:13	1	1	1	1	92	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 11:59:14	1	1	1	1	92	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 11:59:15	1	1	1	1	92	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.1875	2004
11.02.2020 11:59:16	1	1	1	1	92	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 11:59:17	1	1	1	1	92	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:18	1	1	1	1	92	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:19	1	1	1	1	91.75	59.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	39.625	2004
11.02.2020 11:59:20	1	1	1	1	91.75	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 11:59:21	1	1	1	1	91.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 11:59:22	1	1	1	1	91.75	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 11:59:23	1	1	1	1	91.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:24	1	1	1	1	91.75	59.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39	2004
11.02.2020 11:59:25	1	1	1	1	91.75	59	0	29952.607	400	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:26	1	1	1	1	91.75	59.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 11:59:28	1	1	1	1	91.75	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 11:59:29	1	1	1	1	91.75	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 11:59:30	1	1	1	1	92.25	59.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	39.75	2004
11.02.2020 11:59:31	1	1	1	1	92.25	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 11:59:32	1	1	1	1	92.25	59.75	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 11:59:33	1	1	1	1	92.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 11:59:34	1	1	1	1	92.25	59.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:35	1	1	1	1	92.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 11:59:36	1	1	1	1	92.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 11:59:37	1	1	1	1	92.25	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:38	1	1	1	1	92.25	59.5	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 11:59:39	1	1	1	1	91.5	59.75	0	30000	367.7419355	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:40	1	1	1	1	91.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:41	1	1	1	1	91.5	59.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 11:59:42	1	1	1	1	91.5	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 11:59:43	1	1	1	1	91.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 11:59:44	1	1	1	1	91.5	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 11:59:45	1	1	1	1	91.5	59.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	39	2004
11.02.2020 11:59:46	1	1	1	1	91.5	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39	2004
11.02.2020 11:59:47	1	1	1	1	91.5	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 11:59:48	1	1	1	1	91.5	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	38.9375	2004
11.02.2020 11:59:49	1	1	1	1	91	58.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 11:59:50	1	1	1	1	91	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 11:59:51	1	1	1	1	91	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 11:59:52	1	1	1	1	91	59.75	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:53	1	1	1	1	91	59.5	0	30000	369.8924731	11014.86696	30000	0	0	30000	39.75	2004
11.02.2020 11:59:54	1	1	1	1	91	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 11:59:55	1	1	1	1	91	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 11:59:56	1	1	1	1	91	59.5	0	30000	400	11999.83693	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:03	1	1	1	1	91	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 12:00:05	1	1	1	1	91	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:00:06	1	1	1	1	91	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.1875	2004
11.02.2020 12:00:07	1	1	1	1	91	60	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.125	2004
11.02.2020 12:00:08	1	1	1	1	91	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:00:09	1	1	1	1	91	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 12:00:10	1	1	1	1	91	59.5	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 12:00:11	1	1	1	1	91	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:00:12	1	1	1	1	91	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:00:13	1	1	1	1	91	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:00:14	1	1	1	1	91	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:00:15	1	1	1	1	91	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:00:16	1	1	1	1	91	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:00:17	1	1	1	1	91	59.75	0	30094.787	367.7419355	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:00:18	1	1	1	1	91	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:00:19	1	1	1	1	90.75	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:00:20	1	1	1	1	90.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:21	1	1	1	1	90.75	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:22	1	1	1	1	90.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:00:23	1	1	1	1	90.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39	2004
11.02.2020 12:00:24	1	1	1	1	90.75	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:00:25	1	1	1	1	90.75	59.75	0	30047.393	369.8924731	11160.81863	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:00:26	1	1	1	1	90.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:27	1	1	1	1	90.75	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:00:28	1	1	1	1	90.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:29	1	1	1	1	90.5	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:30	1	1	1	1	90.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:31	1	1	1	1	90.5	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:00:32	1	1	1	1	90.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.375	2004
11.02.2020 12:00:33	1	1	1	1	90.5	59.25	0	29905.213	365.5913978	11014.86696	30000	0	0	30000	39.625	2004
11.02.2020 12:00:34	1	1	1	1	90.5	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.3125	2004
11.02.2020 12:00:35	1	1	1	1	90.5	59.25	0	30047.393	369.8924731	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:00:36	1	1	1	1	90.5	59	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.25	2004
11.02.2020 12:00:37	1	1	1	1	90.5	59.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.3125	2004
11.02.2020 12:00:38	1	1	1	1	90.5	59.25	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:00:39	1	1	1	1	90.25	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39	2004
11.02.2020 12:00:40	1	1	1	1	90.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:00:41	1	1	1	1	90.25	59.5	0	30000	395.6989247	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 12:00:43	1	1	1	1	90.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:44	1	1	1	1	90.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.3125	2004
11.02.2020 12:00:45	1	1	1	1	90.25	60.25	0	30047.393	395.6989247	11530.18237	30000	0	0	30000	39.75	2004
11.02.2020 12:00:46	1	1	1	1	90.25	59.75	0	29952.607	391.3978495	11723.42565	30000	0	0	30000	39.75	2004
11.02.2020 12:00:47	1	1	1	1	90.25	59.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	39.875	2004
11.02.2020 12:00:48	1	1	1	1	90.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:00:49	1	1	1	1	90.5	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:00:50	1	1	1	1	90.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:00:51	1	1	1	1	90.5	59.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:00:52	1	1	1	1	90.5	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:00:53	1	1	1	1	90.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:00:54	1	1	1	1	90.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:00:55	1	1	1	1	90.5	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 12:00:56	1	1	1	1	90.5	59.75	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 12:00:57	1	1	1	1	90.5	59.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	39.625	2004
11.02.2020 12:00:58	1	1	1	1	90.5	59.5	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:01:06	1	1	1	1	90.25	59	0	30000	359.1397849	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:01:07	1	1	1	1	90.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:01:08	1	1	1	1	90.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:01:09	1	1	1	1	90	59.25	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:01:10	1	1	1	1	90	59.5	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:01:11	1	1	1	1	90	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:01:12	1	1	1	1	90	59.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	38.75	2004
11.02.2020 12:01:13	1	1	1	1	90	58.75	0	29952.607	367.7419355	10757.20925	30000	0	0	30000	39.4375	2004
11.02.2020 12:01:14	1	1	1	1	90	59.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:01:15	1	1	1	1	90	59.5	0	30047.393	369.8924731	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:01:16	1	1	1	1	90	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:01:17	1	1	1	1	90	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:01:18	1	1	1	1	90	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:01:19	1	1	1	1	89.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:01:21	1	1	1	1	89.75	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.6875	2004
11.02.2020 12:01:22	1	1	1	1	89.75	59.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	40.125	2004
11.02.2020 12:01:23	1	1	1	1	89.75	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.0625	2004
11.02.2020 12:01:24	1	1	1	1	89.75	60	0	30000	378.4946237	11014.86696	30000	0	0	30000	39.9375	2004
11.02.2020 12:01:25	1	1	1	1	89.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.125	2004
11.02.2020 12:01:26	1	1	1	1	89.75	59.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	39.6875	2004
11.02.2020 12:01:27	1	1	1	1	89.75	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.3125	2004
11.02.2020 12:01:28	1	1	1	1	89.75	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:01:29	1	1	1	1	90.25	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 12:01:30	1	1	1	1	90.25	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.25	2004
11.02.2020 12:01:31	1	1	1	1	90.25	59.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 12:01:32	1	1	1	1	90.25	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:01:33	1	1	1	1	90.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:01:34	1	1	1	1	90.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:01:35	1	1	1	1	90.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:01:36	1	1	1	1	90.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:01:37	1	1	1	1	90.25	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:01:38	1	1	1	1	90.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:01:39	1	1	1	1	90	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 12:01:40	1	1	1	1	90	59.25	0	30000	329.0322581	9775.500775	30000	0	0	30000	39.75	2004
11.02.2020 12:01:41	1	1	1	1	90	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:01:42	1	1	1	1	90	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.1875	2004
11.02.2020 12:01:43	1	1	1	1	90	59	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 12:01:44	1	1	1	1	90	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:01:45	1	1	1	1	90	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:01:46	1	1	1	1	90	59.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:01:47	1	1	1	1	90	59.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:01:48	1	1	1	1	90	59.25	0	29905.213	356.9892473	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:01:49	1	1	1	1	90	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:01:50	1	1	1	1	90	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:01:51	1	1	1	1	90	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:01:52	1	1	1	1	90	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 12:01:53	1	1	1	1	90	59.5	0	30000	400	11935.4225	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:01:54	1	1	1	1	90	59.25	0	30000	391.3978495	11695.70299	30000	0	0	30000	38.6875	2004
11.02.2020 12:01:55	1	1	1	1	90	58.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 12:01:56	1	1	1	1	90	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.1875	2004
11.02.2020 12:01:57	1	1	1	1	90	59	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:01:58	1	1	1	1	90	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:00	1	1	1	1	89.5	59.75	0	30000	350.5376344	10532.16644	30000	0	0	30000	39.375	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:02:07	1	1	1	1	89.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:02:08	1	1	1	1	89.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:02:09	1	1	1	1	89.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:02:10	1	1	1	1	89.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:02:11	1	1	1	1	89.5	59.75	0	30000	356.9892473	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:12	1	1	1	1	89.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:13	1	1	1	1	89.5	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:02:14	1	1	1	1	89.5	59.5	0	30000	354.8387097	10628.3804	30000	0	0	30000	39.75	2004
11.02.2020 12:02:15	1	1	1	1	89.5	59.75	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:02:16	1	1	1	1	89.5	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:02:17	1	1	1	1	89.5	59.75	0	30000	356.9892473	10482.42872	30000	0	0	30000	39.625	2004
11.02.2020 12:02:18	1	1	1	1	89.5	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.3125	2004
11.02.2020 12:02:19	1	1	1	1	89.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:02:20	1	1	1	1	89.25	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:02:21	1	1	1	1	89.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 12:02:22	1	1	1	1	89.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.125	2004
11.02.2020 12:02:23	1	1	1	1	89.25	59	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:02:24	1	1	1	1	89.25	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:02:25	1	1	1	1	89.25	59.25	0	30000	400	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:26	1	1	1	1	89.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.25	2004
11.02.2020 12:02:27	1	1	1	1	89.25	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 12:02:28	1	1	1	1	89.25	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 12:02:29	1	1	1	1	89.25	59.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.375	2004
11.02.2020 12:02:30	1	1	1	1	89.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:02:31	1	1	1	1	89.25	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:02:32	1	1	1	1	89.25	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:02:33	1	1	1	1	89.25	59.25	0	30000	356.9892473	10692.79483	30000	0	0	30000	39.75	2004
11.02.2020 12:02:34	1	1	1	1	89.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 12:02:35	1	1	1	1	89.25	59.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.5625	2004
11.02.2020 12:02:36	1	1	1	1	89.25	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.1875	2004
11.02.2020 12:02:38	1	1	1	1	89.25	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:02:39	1	1	1	1	89.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:02:40	1	1	1	1	89.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:02:41	1	1	1	1	89.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:02:42	1	1	1	1	89.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:02:43	1	1	1	1	89.25	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:02:44	1	1	1	1	89.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:02:45	1	1	1	1	89.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:02:46	1	1	1	1	89.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:02:47	1	1	1	1	89.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:02:48	1	1	1	1	89.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:02:49	1	1	1	1	89	59	0	30000	352.688172	10580.27342	30000	0	0	30000	39.125	2004
11.02.2020 12:02:50	1	1	1	1	89	59	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.1875	2004
11.02.2020 12:02:51	1	1	1	1	89	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:52	1	1	1	1	89	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:02:53	1	1	1	1	89	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:02:54	1	1	1	1	89	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:02:55	1	1	1	1	89	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:02:56	1	1	1	1	89	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:02:57	1	1	1	1	89	59.5	0	30000	359.1397849	10580.27342	30000	0	0	30000	39.125	2004
11.02.2020 12:02:58	1	1	1	1	89	59	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 12:02:59	1	1	1	1	88.5	59.75	0	30000	335.483871	10048.65056	30000	0	0	30000	39.75	2004
11.02.2020 12:03:00	1	1	1	1	88.5	59.75	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:01	1	1	1	1	88.5	59.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.3125	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.5	0	29952.607	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.5	0	29952.607	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.5	0	29952.607	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.5	0	29952.607	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.5	0	29952.607	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 12:03:08	1	1	1	1	88.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 12:03:09	1	1	1	1	89	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:03:10	1	1	1	1	89	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:03:11	1	1	1	1	89	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:03:12	1	1	1	1	89	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:03:13	1	1	1	1	89	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:03:14	1	1	1	1	89	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:03:16	1	1	1	1	89	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:03:17	1	1	1	1	89	59.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:18	1	1	1	1	89	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 12:03:19	1	1	1	1	89	60	0	29905.213	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:20	1	1	1	1	88.75	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.5	2004
11.02.2020 12:03:21	1	1	1	1	88.75	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 12:03:22	1	1	1	1	88.75	59.75	0	30000	346.2365591	10515.85899	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:03:23	1	1	1	1	88.75	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:24	1	1	1	1	88.75	59.5	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:25	1	1	1	1	88.75	59.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:03:26	1	1	1	1	88.75	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:03:27	1	1	1	1	88.75	59.75	0	30000	350.5376344	10709.10227	30000	0	0	30000	39.25	2004
11.02.2020 12:03:30	1	1	1	1	88.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:03:30	1	1	1	1	88.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:03:30	1	1	1	1	88.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:03:31	1	1	1	1	88.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:03:32	1	1	1	1	88.5	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:03:33	1	1	1	1	88.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:03:34	1	1	1	1	88.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:35	1	1	1	1	88.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:03:36	1	1	1	1	88.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.875	2004
11.02.2020 12:03:37	1	1	1	1	88.5	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:38	1	1	1	1	88.5	59.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:03:39	1	1	1	1	88.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:03:40	1	1	1	1	88.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:03:41	1	1	1	1	88.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:03:42	1	1	1	1	88.25	59.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:03:43	1	1	1	1	88.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:03:44	1	1	1	1	88.25	59.75	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:03:45	1	1	1	1	88.25	59.75	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:03:46	1	1	1	1	88.25	59.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 12:03:47	1	1	1	1	88.25	59.5	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:03:48	1	1	1	1	88.25	59.75	0	29952.607	356.9892473	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:03:49	1	1	1	1	88.25	59.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	39.625	2004
11.02.2020 12:03:50	1	1	1	1	88.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:03:51	1	1	1	1	88.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 12:03:52	1	1	1	1	88.25	59.25	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:03:54	1	1	1	1	88.25	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:03:55	1	1	1	1	88.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:03:56	1	1	1	1	88.25	59.25	0	30000	352.688172	10515.85899	30000	0	0	30000	38.9375	2004
11.02.2020 12:03:57	1	1	1	1	88.25	58.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.0625	2004
11.02.2020 12:03:58	1	1	1	1	88.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:03:59	1	1	1	1	87.5	59.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:00	1	1	1	1	87.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:04:01	1	1	1	1	87.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:02	1	1	1	1	87.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:03	1	1	1	1	87.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:10	1	1	1	1	87.5	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:11	1	1	1	1	87.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:12	1	1	1	1	87.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:13	1	1	1	1	87.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:14	1	1	1	1	87.5	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.0625	2004
11.02.2020 12:04:15	1	1	1	1	87.5	59	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:16	1	1	1	1	87.5	59.5	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 12:04:17	1	1	1	1	87.5	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.1875	2004
11.02.2020 12:04:18	1	1	1	1	87.5	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:04:19	1	1	1	1	87	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:04:20	1	1	1	1	87	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:04:21	1	1	1	1	87	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:04:22	1	1	1	1	87	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39	2004
11.02.2020 12:04:23	1	1	1	1	87	59	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.625	2004
11.02.2020 12:04:24	1	1	1	1	87	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39	2004
11.02.2020 12:04:25	1	1	1	1	87	59	0	30000	352.688172	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:04:26	1	1	1	1	87	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:04:27	1	1	1	1	87	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:28	1	1	1	1	87	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:04:29	1	1	1	1	87	59.5	0	30000	352.688172	10644.68785	30000	0	0	30000	38.9375	2004
11.02.2020 12:04:30	1	1	1	1	87	58.75	0	30000	361.2903226	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:04:31	1	1	1	1	87	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:04:33	1	1	1	1	87	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:34	1	1	1	1	87	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:04:35	1	1	1	1	87	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:04:36	1	1	1	1	87	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:04:37	1	1	1	1	87	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:04:38	1	1	1	1	87	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:04:39	1	1	1	1	87	59.5	0	30000	350.5376344	10257.38592	30000	0	0	30000	39.625	2004
11.02.2020 12:04:40	1	1	1	1	87	59.5	0	30000	365.5913978	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:04:41	1	1	1	1	87	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:04:42	1	1	1	1	87	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:04:43	1	1	1	1	87	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:04:44	1	1	1	1	87	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:04:45	1	1	1	1	87	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.0625	2004
11.02.2020 12:04:46	1	1	1	1	87	59	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:04:47	1	1	1	1	87	59.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:04:48	1	1	1	1	87	59.75	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:04:49	1	1	1	1	86.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:04:50	1	1	1	1	86.75	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:04:51	1	1	1	1	86.75	59.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:52	1	1	1	1	86.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:04:53	1	1	1	1	86.75	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	39.75	2004
11.02.2020 12:04:54	1	1	1	1	86.75	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 12:04:55	1	1	1	1	86.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.875	2004
11.02.2020 12:04:56	1	1	1	1	86.75	58.75	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:04:57	1	1	1	1	86.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:04:58	1	1	1	1	86.75	59.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	38.9375	2004
11.02.2020 12:04:59	1	1	1	1	86.5	58.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.0625	2004
11.02.2020 12:05:00	1	1	1	1	86.5	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:01	1	1	1	1	86.5	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:02	1	1	1	1	86.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 12:05:03	1	1	1	1	86.5	59.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.875	2004
11.02.2020 12:05:04	1	1	1	1	86.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:11	1	1	1	1	86.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:12	1	1	1	1	86.75	59.75	0	30000	359.1397849	10611.25758	30000	0	0	30000	39.5	2004
11.02.2020 12:05:13	1	1	1	1	86.75	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:05:14	1	1	1	1	86.75	59.5	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:05:15	1	1	1	1	86.75	59.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:05:16	1	1	1	1	86.75	59.5	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:05:17	1	1	1	1	86.75	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:05:18	1	1	1	1	86.75	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:05:19	1	1	1	1	86.25	59.25	0	30000	352.688172	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:05:20	1	1	1	1	86.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:05:21	1	1	1	1	86.25	59.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.25	2004
11.02.2020 12:05:22	1	1	1	1	86.25	59.25	0	30000	352.688172	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 12:05:23	1	1	1	1	86.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:05:24	1	1	1	1	86.25	59.25	0	30000	352.688172	10644.68785	30000	0	0	30000	39.3125	2004
11.02.2020 12:05:25	1	1	1	1	86.25	59.25	0	30000	352.688172	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 12:05:26	1	1	1	1	86.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:27	1	1	1	1	86.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:28	1	1	1	1	86.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	38.875	2004
11.02.2020 12:05:29	1	1	1	1	86.25	58.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:05:30	1	1	1	1	86.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:05:31	1	1	1	1	86.25	59.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:32	1	1	1	1	86.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:33	1	1	1	1	86.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:05:34	1	1	1	1	86.25	59.75	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:05:35	1	1	1	1	86.25	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:05:36	1	1	1	1	86.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:05:37	1	1	1	1	86.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:38	1	1	1	1	86.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:39	1	1	1	1	86.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.8125	2004
11.02.2020 12:05:40	1	1	1	1	86.25	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:05:41	1	1	1	1	86.25	58.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:05:42	1	1	1	1	86.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:05:43	1	1	1	1	86.25	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:05:44	1	1	1	1	86.25	59.75	0	29905.213	356.9892473	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:05:45	1	1	1	1	86.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:05:46	1	1	1	1	86.25	59.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:05:48	1	1	1	1	86.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:05:49	1	1	1	1	86.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:05:50	1	1	1	1	86.25	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:51	1	1	1	1	86.25	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 12:05:52	1	1	1	1	86.25	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 12:05:53	1	1	1	1	86.25	59.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:05:54	1	1	1	1	86.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 12:05:55	1	1	1	1	86.25	59.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 12:05:56	1	1	1	1	86.25	59.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	39.75	2004
11.02.2020 12:05:57	1	1	1	1	86.25	59.75	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:05:58	1	1	1	1	86.25	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:05:59	1	1	1	1	86	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:00	1	1	1	1	86	59.5	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:06:01	1	1	1	1	86	59.75	0	30000	352.688172	10499.55155	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:02	1	1	1	1	86	59.5	0	30000	352.688172	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:06:03	1	1	1	1	86	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.4375	2004
11.02.2020 12:06:04	1	1	1	1	86	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:06:05	1	1	1	1	86	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.1875	2004
11.02.2020 12:06:06	1	1	1	1	86	59	0	30000	359.1397849	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:13	1	1	1	1	85.75	59.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	39.0625	2004
11.02.2020 12:06:13	1	1	1	1	85.75	59.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	39.0625	2004
11.02.2020 12:06:13	1	1	1	1	85.75	59.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	39.0625	2004
11.02.2020 12:06:13	1	1	1	1	85.75	59.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	39.0625	2004
11.02.2020 12:06:13	1	1	1	1	85.75	59	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:14	1	1	1	1	85.75	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:06:15	1	1	1	1	85.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:06:16	1	1	1	1	85.75	59.5	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:17	1	1	1	1	85.75	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:18	1	1	1	1	85.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:06:19	1	1	1	1	85.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:06:20	1	1	1	1	85.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:21	1	1	1	1	85.75	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:22	1	1	1	1	85.75	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:06:23	1	1	1	1	85.75	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:06:24	1	1	1	1	85.75	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:06:25	1	1	1	1	85.75	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:27	1	1	1	1	85.75	59.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:28	1	1	1	1	85.75	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:29	1	1	1	1	85.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:06:30	1	1	1	1	85.75	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:31	1	1	1	1	85.75	59.5	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:06:32	1	1	1	1	85.75	59.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:33	1	1	1	1	85.75	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.125	2004
11.02.2020 12:06:34	1	1	1	1	85.75	59	0	30000	341.9354839	10128.55706	30000	0	0	30000	38.8125	2004
11.02.2020 12:06:35	1	1	1	1	85.75	58.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:06:36	1	1	1	1	85.75	59.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.1875	2004
11.02.2020 12:06:37	1	1	1	1	85.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 12:06:38	1	1	1	1	85.75	59.5	0	30000	400	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:39	1	1	1	1	85.75	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:40	1	1	1	1	85.75	59.5	0	30000	369.8924731	11225.23306	30000	0	0	30000	39.625	2004
11.02.2020 12:06:41	1	1	1	1	85.75	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.375	2004
11.02.2020 12:06:42	1	1	1	1	85.75	59.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:06:43	1	1	1	1	85.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:06:44	1	1	1	1	85.75	59.75	0	30094.787	359.1397849	10499.55155	30000	0	0	30000	39.75	2004
11.02.2020 12:06:45	1	1	1	1	85.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:06:46	1	1	1	1	85.75	59.5	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:06:47	1	1	1	1	85.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:06:48	1	1	1	1	85.75	59.25	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:06:49	1	1	1	1	85.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:06:50	1	1	1	1	85.5	59.75	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:06:51	1	1	1	1	85.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:06:52	1	1	1	1	85.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:06:53	1	1	1	1	85.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:06:54	1	1	1	1	85.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:06:55	1	1	1	1	85.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:06:56	1	1	1	1	85.5	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:06:57	1	1	1	1	85.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:06:58	1	1	1	1	85.5	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:06:59	1	1	1	1	85.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:07:00	1	1	1	1	85.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:07:01	1	1	1	1	85.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:07:02	1	1	1	1	85.5	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:07:03	1	1	1	1	85.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:07:05	1	1	1	1	85.5	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:07:06	1	1	1	1	85.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:07	1	1	1	1	85.5	59.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 12:07:08	1	1	1	1	85.5	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:15	1	1	1	1	85.5	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:16	1	1	1	1	85.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:07:17	1	1	1	1	85.5	59.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:18	1	1	1	1	85.5	59.75	0	30000	359.1397849	11131.46522	30000	0	0	30000	39.625	2004
11.02.2020 12:07:19	1	1	1	1	85.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:07:20	1	1	1	1	85.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:07:21	1	1	1	1	85.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:07:22	1	1	1	1	85.25	59.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:07:23	1	1	1	1	85.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:24	1	1	1	1	85.25	59.5	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:25	1	1	1	1	85.25	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:26	1	1	1	1	85.25	59.75	0	29952.607	298.9247312	9031.881064	30000	0	0	30000	39.8125	2004
11.02.2020 12:07:27	1	1	1	1	85.25	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.5	2004
11.02.2020 12:07:28	1	1	1	1	85.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:07:29	1	1	1	1	85	59.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 12:07:30	1	1	1	1	85	59.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.375	2004
11.02.2020 12:07:31	1	1	1	1	85	59.25	0	30000	400	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 12:07:32	1	1	1	1	85	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 12:07:33	1	1	1	1	85	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:34	1	1	1	1	85	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.25	2004
11.02.2020 12:07:35	1	1	1	1	85	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.1875	2004
11.02.2020 12:07:36	1	1	1	1	85	59	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 12:07:37	1	1	1	1	85	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39	2004
11.02.2020 12:07:38	1	1	1	1	85	59	0	29952.607	348.3870968	10370.72269	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:39	1	1	1	1	85	59.5	0	29905.213	352.688172	10499.55155	30000	0	0	30000	39.75	2004
11.02.2020 12:07:40	1	1	1	1	85	59.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 12:07:41	1	1	1	1	85	59.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.1875	2004
11.02.2020 12:07:43	1	1	1	1	85	59	0	30000	352.688172	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 12:07:44	1	1	1	1	85	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:07:45	1	1	1	1	85	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:07:46	1	1	1	1	85	59.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:47	1	1	1	1	85	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:07:48	1	1	1	1	85	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:07:49	1	1	1	1	85	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.8125	2004
11.02.2020 12:07:50	1	1	1	1	84.75	60	0	29905.213	359.1397849	10757.20925	30000	0	0	30000	39.25	2004
11.02.2020 12:07:51	1	1	1	1	84.75	59.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:07:52	1	1	1	1	84.75	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:07:53	1	1	1	1	84.75	59.5	0	30000	350.5376344	10532.16644	30000	0	0	30000	39.75	2004
11.02.2020 12:07:54	1	1	1	1	84.75	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.5	2004
11.02.2020 12:07:55	1	1	1	1	84.75	59.5	0	30000	331.1827957	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 12:07:56	1	1	1	1	84.75	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 12:07:57	1	1	1	1	84.75	59.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:07:58	1	1	1	1	84.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 12:07:59	1	1	1	1	85.25	59.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 12:08:00	1	1	1	1	85.25	59.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 12:08:01	1	1	1	1	85.25	59.75	0	29952.607	387.0967742	11447.01438	30000	0	0	30000	39.625	2004
11.02.2020 12:08:02	1	1	1	1	85.25	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 12:08:03	1	1	1	1	85.25	59.5	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:08:04	1	1	1	1	85.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:08:05	1	1	1	1	85.25	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 12:08:06	1	1	1	1	85.25	59.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:07	1	1	1	1	85.25	59.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	39.75	2004
11.02.2020 12:08:08	1	1	1	1	85.25	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.4375	2004
11.02.2020 12:08:09	1	1	1	1	85	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:16	1	1	1	1	85	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:08:17	1	1	1	1	85	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 12:08:18	1	1	1	1	85	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:08:19	1	1	1	1	84.75	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.625	2004
11.02.2020 12:08:20	1	1	1	1	84.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:08:21	1	1	1	1	84.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.8125	2004
11.02.2020 12:08:22	1	1	1	1	84.75	58.75	0	29952.607	352.688172	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:08:24	1	1	1	1	84.75	59.75	0	30000	356.9892473	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:08:25	1	1	1	1	84.75	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:08:26	1	1	1	1	84.75	59.25	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:08:27	1	1	1	1	84.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:08:28	1	1	1	1	84.75	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:29	1	1	1	1	84.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:30	1	1	1	1	84.75	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.25	2004
11.02.2020 12:08:31	1	1	1	1	84.75	60.25	0	30000	352.688172	10580.27342	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:08:32	1	1	1	1	84.75	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:08:33	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:08:34	1	1	1	1	84.75	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.125	2004
11.02.2020 12:08:35	1	1	1	1	84.75	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:36	1	1	1	1	84.75	59.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.375	2004
11.02.2020 12:08:37	1	1	1	1	84.75	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:08:38	1	1	1	1	84.75	59.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 12:08:39	1	1	1	1	84.5	59.5	0	30000	356.9892473	10499.55155	30000	0	0	30000	39.8125	2004
11.02.2020 12:08:40	1	1	1	1	84.5	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:08:41	1	1	1	1	84.5	59	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:08:42	1	1	1	1	84.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:43	1	1	1	1	84.5	59.5	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:08:44	1	1	1	1	84.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:08:45	1	1	1	1	84.5	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:08:46	1	1	1	1	84.5	59.75	0	30000	352.688172	10499.55155	30000	0	0	30000	39.8125	2004
11.02.2020 12:08:47	1	1	1	1	84.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:08:48	1	1	1	1	84.5	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39	2004
11.02.2020 12:08:49	1	1	1	1	84.5	59	0	29905.213	344.0860215	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:50	1	1	1	1	84.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:08:51	1	1	1	1	84.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:52	1	1	1	1	84.5	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.625	2004
11.02.2020 12:08:53	1	1	1	1	84.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:08:54	1	1	1	1	84.5	59.75	0	29952.607	359.1397849	10611.25758	30000	0	0	30000	39.25	2004
11.02.2020 12:08:55	1	1	1	1	84.5	59.25	0	29905.213	350.5376344	10499.55155	30000	0	0	30000	39.6875	2004
11.02.2020 12:08:56	1	1	1	1	84.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:08:57	1	1	1	1	84.5	59.75	0	30000	359.1397849	10644.68785	30000	0	0	30000	39.375	2004
11.02.2020 12:08:58	1	1	1	1	84.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:08:59	1	1	1	1	84.5	59.75	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	39.375	2004
11.02.2020 12:09:00	1	1	1	1	84.5	59.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:09:01	1	1	1	1	84.5	59.75	0	30000	365.5913978	10950.45253	30000	0	0	30000	39.6875	2004
11.02.2020 12:09:03	1	1	1	1	84.5	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:09:04	1	1	1	1	84.5	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.375	2004
11.02.2020 12:09:05	1	1	1	1	84.5	59.25	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	39.375	2004
11.02.2020 12:09:06	1	1	1	1	84.5	59.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.625	2004
11.02.2020 12:09:07	1	1	1	1	84.5	59.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.875	2004
11.02.2020 12:09:08	1	1	1	1	84.5	59.75	0	29952.607	380.6451613	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:09	1	1	1	1	84.5	59.75	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	39.375	2004
11.02.2020 12:09:10	1	1	1	1	84.75	59.25	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	40	2004
11.02.2020 12:09:11	1	1	1	1	84.75	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	40	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:18	1	1	1	1	84.75	59.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:19	1	1	1	1	84.75	59.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.9375	2004
11.02.2020 12:09:20	1	1	1	1	84.75	59.75	0	29905.213	335.483871	9999.728209	30000	0	0	30000	39.5	2004
11.02.2020 12:09:21	1	1	1	1	84.75	59.5	0	29952.607	212.9032258	6784.714484	30000	0	0	30000	39.0625	2004
11.02.2020 12:09:22	1	1	1	1	84.75	59	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:23	1	1	1	1	84.75	59.5	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 12:09:24	1	1	1	1	84.75	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 12:09:25	1	1	1	1	84.75	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 12:09:26	1	1	1	1	84.75	59.75	0	29952.607	122.5806452	3671.622319	30000	0	0	30000	39.75	2004
11.02.2020 12:09:27	1	1	1	1	84.75	59.75	0	30000	141.9354839	4193.460713	30000	0	0	30000	39.6875	2004
11.02.2020 12:09:28	1	1	1	1	84.75	59.5	0	30000	165.5913978	5031.663632	30000	0	0	30000	39.6875	2004
11.02.2020 12:09:29	1	1	1	1	89	59.5	0	30000	240.8602151	7225.831	30000	0	0	30000	39.75	2004
11.02.2020 12:09:30	1	1	1	1	89	59.75	0	30000	180.6451613	5483.379991	30000	0	0	30000	39.75	2004
11.02.2020 12:09:31	1	1	1	1	89	59.75	0	30000	221.5053763	6655.070258	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:32	1	1	1	1	89	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.4375	2004
11.02.2020 12:09:33	1	1	1	1	89	59.25	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.625	2004
11.02.2020 12:09:34	1	1	1	1	89	59.5	0	30000	217.2043011	6515.641562	30000	0	0	30000	39.5	2004
11.02.2020 12:09:35	1	1	1	1	89	59.5	0	30000	174.1935484	5096.078058	30000	0	0	30000	39.75	2004
11.02.2020 12:09:36	1	1	1	1	89	59.75	0	30000	212.9032258	6451.227136	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:37	1	1	1	1	89	59.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	39.4375	2004
11.02.2020 12:09:38	1	1	1	1	89	59.25	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.3125	2004
11.02.2020 12:09:39	1	1	1	1	89.75	59.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	39.3125	2004
11.02.2020 12:09:40	1	1	1	1	89.75	59.25	0	29952.607	208.6021505	6451.227136	30000	0	0	30000	39.875	2004
11.02.2020 12:09:41	1	1	1	1	89.75	59.75	0	30000	174.1935484	5354.551137	30000	0	0	30000	39.1875	2004
11.02.2020 12:09:42	1	1	1	1	89.75	59	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:44	1	1	1	1	89.75	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.625	2004
11.02.2020 12:09:45	1	1	1	1	89.75	59.5	0	30000	262.3655914	7806.376213	30000	0	0	30000	39.9375	2004
11.02.2020 12:09:46	1	1	1	1	89.75	59.75	0	30000	281.7204301	8386.921425	30000	0	0	30000	37.875	2004
11.02.2020 12:09:47	1	1	1	1	89.75	57.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	38.625	2004
11.02.2020 12:09:48	1	1	1	1	89.75	58.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 12:09:49	1	1	1	1	89.75	59.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:50	1	1	1	1	91	59.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.1875	2004
11.02.2020 12:09:51	1	1	1	1	91	60	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:09:52	1	1	1	1	91	59.5	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	39.375	2004
11.02.2020 12:09:53	1	1	1	1	91	59.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 12:09:54	1	1	1	1	91	59.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	39.5625	2004
11.02.2020 12:09:55	1	1	1	1	91	59.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	39.8125	2004
11.02.2020 12:09:56	1	1	1	1	91	59.75	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	39.9375	2004
11.02.2020 12:09:57	1	1	1	1	91	59.75	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	39.75	2004
11.02.2020 12:09:58	1	1	1	1	91	59.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	39.125	2004
11.02.2020 12:09:59	1	1	1	1	92.75	59	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:10:00	1	1	1	1	92.75	59.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	39.3125	2004
11.02.2020 12:10:01	1	1	1	1	92.75	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.3125	2004
11.02.2020 12:10:02	1	1	1	1	92.75	59.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
11.02.2020 12:10:03	1	1	1	1	92.75	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.875	2004
11.02.2020 12:10:04	1	1	1	1	92.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 12:10:05	1	1	1	1	92.75	59	0	30047.393	380.6451613	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:10:06	1	1	1	1	92.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.1875	2004
11.02.2020 12:10:07	1	1	1	1	92.75	59	0	30000	335.483871	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 12:10:08	1	1	1	1	92.75	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.5625	2004
11.02.2020 12:10:09	1	1	1	1	88.25	59.5	0	30000	311.827957	9419.182997	30000	0	0	30000	39.8125	2004
11.02.2020 12:10:10	1	1	1	1	88.25	59.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	39.75	2004
11.02.2020 12:10:11	1	1	1	1	88.25	59.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.6875	2004
11.02.2020 12:10:12	1	1	1	1	88.25	59.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	88.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:19	1	1	1	1	87	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 12:10:20	1	1	1	1	87	59.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	39.3125	2004
11.02.2020 12:10:21	1	1	1	1	87	59.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.5	2004
11.02.2020 12:10:23	1	1	1	1	87	59.5	0	30000	322.5806452	9533.335145	30000	0	0	30000	39.75	2004
11.02.2020 12:10:24	1	1	1	1	87	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.0625	2004
11.02.2020 12:10:25	1	1	1	1	87	59	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 12:10:26	1	1	1	1	87	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.5	2004
11.02.2020 12:10:27	1	1	1	1	87	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 12:10:28	1	1	1	1	87	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	40	2004
11.02.2020 12:10:29	1	1	1	1	87	60	0	30000	333.3333333	9984.236132	30000	0	0	30000	39	2004
11.02.2020 12:10:30	1	1	1	1	86.5	59	0	30000	335.483871	9999.728209	30000	0	0	30000	40.1875	2004
11.02.2020 12:10:31	1	1	1	1	86.5	60	0	30000	337.6344086	10144.86451	30000	0	0	30000	39.75	2004
11.02.2020 12:10:32	1	1	1	1	86.5	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 12:10:33	1	1	1	1	86.5	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 12:10:34	1	1	1	1	86.5	59.75	0	30000	335.483871	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 12:10:35	1	1	1	1	86.5	59.75	0	30000	335.483871	10048.65056	30000	0	0	30000	39.75	2004
11.02.2020 12:10:36	1	1	1	1	86.5	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:10:37	1	1	1	1	86.5	59.5	0	30000	341.9354839	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 12:10:38	1	1	1	1	86.5	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 12:10:39	1	1	1	1	86	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 12:10:40	1	1	1	1	86	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.5	2004
11.02.2020 12:10:41	1	1	1	1	86	59.5	0	30000	341.9354839	10113.06499	30000	0	0	30000	39.875	2004
11.02.2020 12:10:42	1	1	1	1	86	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 12:10:43	1	1	1	1	86	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:10:44	1	1	1	1	86	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.625	2004
11.02.2020 12:10:45	1	1	1	1	86	59.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	39.6875	2004
11.02.2020 12:10:46	1	1	1	1	86	59.5	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	38.75	2004
11.02.2020 12:10:47	1	1	1	1	86	58.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 12:10:48	1	1	1	1	86	59.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	39.5	2004
11.02.2020 12:10:49	1	1	1	1	85.75	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 12:10:50	1	1	1	1	85.75	59.75	0	30000	341.9354839	10322.61571	30000	0	0	30000	39.75	2004
11.02.2020 12:10:51	1	1	1	1	85.75	59.75	0	30000	337.6344086	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 12:10:52	1	1	1	1	85.75	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 12:10:53	1	1	1	1	85.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.625	2004
11.02.2020 12:10:54	1	1	1	1	85.75	59.5	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 12:10:55	1	1	1	1	85.75	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 12:10:56	1	1	1	1	85.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.6875	2004
11.02.2020 12:10:57	1	1	1	1	85.75	59.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 12:10:58	1	1	1	1	85.75	59.75	0	30000	341.9354839	10322.61571	30000	0	0	30000	39.625	2004
11.02.2020 12:10:59	1	1	1	1	85.5	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.625	2004
11.02.2020 12:11:00	1	1	1	1	85.5	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.1875	2004
11.02.2020 12:11:02	1	1	1	1	85.5	59	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 12:11:03	1	1	1	1	85.5	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 12:11:04	1	1	1	1	85.5	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 12:11:05	1	1	1	1	85.5	59.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 12:11:06	1	1	1	1	85.5	59.5	0	29952.607	341.9354839	10370.72269	30000	0	0	30000	40	2004
11.02.2020 12:11:07	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:08	1	1	1	1	85.5	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.1875	2004
11.02.2020 12:11:09	1	1	1	1	85.5	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 12:11:10	1	1	1	1	85.5	59.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:11	1	1	1	1	85.5	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.5625	2004
11.02.2020 12:11:12	1	1	1	1	85.5	59.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:11:13	1	1	1	1	85.5	59.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:14	1	1	1	1	85.5	59.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:21	1	1	1	1	85.25	59.75	0	30000	354.8387097	10353.59987	30000	0	0	30000	39.75	2004
11.02.2020 12:11:22	1	1	1	1	85.25	59.75	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	40	2004
11.02.2020 12:11:23	1	1	1	1	85.25	60	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:24	1	1	1	1	85.25	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:25	1	1	1	1	85.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:11:26	1	1	1	1	85.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:11:27	1	1	1	1	85.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:11:28	1	1	1	1	85.25	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.3125	2004
11.02.2020 12:11:29	1	1	1	1	85.25	59.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.4375	2004
11.02.2020 12:11:30	1	1	1	1	85.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:11:31	1	1	1	1	85.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.125	2004
11.02.2020 12:11:32	1	1	1	1	85.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:11:33	1	1	1	1	85.25	59.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:34	1	1	1	1	85.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:11:35	1	1	1	1	85.25	59.5	0	30000	356.9892473	10628.3804	30000	0	0	30000	39.75	2004
11.02.2020 12:11:36	1	1	1	1	85.25	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:11:37	1	1	1	1	85.25	59.75	0	30000	356.9892473	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:11:39	1	1	1	1	85.25	59.5	0	30000	361.2903226	10675.672	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:40	1	1	1	1	85	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:11:41	1	1	1	1	85	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:42	1	1	1	1	85	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:11:43	1	1	1	1	85	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.5625	2004
11.02.2020 12:11:44	1	1	1	1	85	58.5	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:45	1	1	1	1	85	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:11:46	1	1	1	1	85	59.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:11:47	1	1	1	1	85	60	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.125	2004
11.02.2020 12:11:48	1	1	1	1	85	59.5	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:11:49	1	1	1	1	84.75	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:11:50	1	1	1	1	84.75	59.75	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:11:51	1	1	1	1	84.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:11:52	1	1	1	1	84.75	59.25	0	30047.393	372.0430108	11178.75683	30000	0	0	30000	39.75	2004
11.02.2020 12:11:53	1	1	1	1	84.75	59.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:11:54	1	1	1	1	84.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:11:55	1	1	1	1	84.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:11:56	1	1	1	1	84.75	59	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:57	1	1	1	1	84.75	59.75	0	30000	369.8924731	11178.75683	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:58	1	1	1	1	84.75	59.75	0	29952.607	367.7419355	11014.86696	30000	0	0	30000	39.8125	2004
11.02.2020 12:11:59	1	1	1	1	84.75	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:12:00	1	1	1	1	84.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:12:01	1	1	1	1	84.75	59.75	0	30000	372.0430108	11014.86696	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:02	1	1	1	1	84.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:12:03	1	1	1	1	84.75	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:04	1	1	1	1	84.75	59.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:12:05	1	1	1	1	84.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:06	1	1	1	1	84.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:12:07	1	1	1	1	84.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:08	1	1	1	1	84.75	59.75	0	30000	378.4946237	11455.1681	30000	0	0	30000	39.875	2004
11.02.2020 12:12:09	1	1	1	1	84.75	59.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:10	1	1	1	1	84.75	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:11	1	1	1	1	84.75	59.75	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:12:12	1	1	1	1	84.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:13	1	1	1	1	84.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:14	1	1	1	1	84.75	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:12:15	1	1	1	1	84.75	59.75	0	29952.607	367.7419355	10740.08643	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:12:23	1	1	1	1	84.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:12:24	1	1	1	1	84.5	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:12:25	1	1	1	1	84.5	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39	2004
11.02.2020 12:12:26	1	1	1	1	84.5	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:12:27	1	1	1	1	84.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.125	2004
11.02.2020 12:12:28	1	1	1	1	84.5	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:12:29	1	1	1	1	84.25	59.25	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:30	1	1	1	1	84.25	59.5	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:12:31	1	1	1	1	84.25	59.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:12:32	1	1	1	1	84.25	59.75	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:33	1	1	1	1	84.25	59.75	0	30047.393	378.4946237	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:12:34	1	1	1	1	84.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:12:35	1	1	1	1	84.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:36	1	1	1	1	84.25	59.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:37	1	1	1	1	84.25	59.5	0	30000	374.1935484	11160.81863	30000	0	0	30000	39	2004
11.02.2020 12:12:38	1	1	1	1	84.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:39	1	1	1	1	84	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:12:40	1	1	1	1	84	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:12:41	1	1	1	1	84	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:12:42	1	1	1	1	84	59.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	39.1875	2004
11.02.2020 12:12:43	1	1	1	1	84	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.25	2004
11.02.2020 12:12:44	1	1	1	1	84	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:12:45	1	1	1	1	84	59.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38.5	2004
11.02.2020 12:12:46	1	1	1	1	84	58.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:12:47	1	1	1	1	84	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:48	1	1	1	1	84	59.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:49	1	1	1	1	84.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:50	1	1	1	1	84.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:51	1	1	1	1	84.25	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:12:52	1	1	1	1	84.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:12:53	1	1	1	1	84.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:12:55	1	1	1	1	84.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:12:56	1	1	1	1	84.25	59.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:12:57	1	1	1	1	84.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:12:58	1	1	1	1	84.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:12:59	1	1	1	1	84.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:13:00	1	1	1	1	84	59.25	0	29952.607	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:13:01	1	1	1	1	84	59.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:13:02	1	1	1	1	84	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
11.02.2020 12:13:03	1	1	1	1	84	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:13:04	1	1	1	1	84	59.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	39.5625	2004
11.02.2020 12:13:05	1	1	1	1	84	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:13:06	1	1	1	1	84	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:07	1	1	1	1	84	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:13:08	1	1	1	1	84	59.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:13:09	1	1	1	1	84	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:13:10	1	1	1	1	84	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:13:11	1	1	1	1	84	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:13:12	1	1	1	1	84	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:13	1	1	1	1	84	59.5	0	30000	380.6451613	11190.17204	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:14	1	1	1	1	84	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:13:15	1	1	1	1	84	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 12:13:16	1	1	1	1	84	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:13:17	1	1	1	1	84	59.5	0	29952.607	367.7419355	10996.92876	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:24	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:13:25	1	1	1	1	83.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:13:26	1	1	1	1	83.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:27	1	1	1	1	83.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:28	1	1	1	1	83.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:13:29	1	1	1	1	83.5	59.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:30	1	1	1	1	83.5	59.75	0	30000	378.4946237	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:13:31	1	1	1	1	83.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:13:32	1	1	1	1	83.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:13:34	1	1	1	1	83.5	59.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 12:13:35	1	1	1	1	83.5	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:13:36	1	1	1	1	83.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:37	1	1	1	1	83.5	59.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	39.375	2004
11.02.2020 12:13:38	1	1	1	1	83.5	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 12:13:39	1	1	1	1	83.5	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 12:13:40	1	1	1	1	83.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:13:41	1	1	1	1	83.25	59.5	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:42	1	1	1	1	83.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:13:43	1	1	1	1	83.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:13:44	1	1	1	1	83.25	59.5	0	30047.393	384.9462366	11419.29171	30000	0	0	30000	40.25	2004
11.02.2020 12:13:45	1	1	1	1	83.25	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:46	1	1	1	1	83.25	59.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:13:47	1	1	1	1	83.25	60	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:48	1	1	1	1	83.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:49	1	1	1	1	83.5	59.75	0	29952.607	372.0430108	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:50	1	1	1	1	83.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:51	1	1	1	1	83.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:13:52	1	1	1	1	83.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.75	2004
11.02.2020 12:13:53	1	1	1	1	83.5	58.75	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 12:13:54	1	1	1	1	83.5	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	38.875	2004
11.02.2020 12:13:55	1	1	1	1	83.5	58.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 12:13:56	1	1	1	1	83.5	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:57	1	1	1	1	83.5	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:58	1	1	1	1	83.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:13:59	1	1	1	1	83.25	59.5	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.5625	2004
11.02.2020 12:14:00	1	1	1	1	83.25	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:14:01	1	1	1	1	83.25	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:02	1	1	1	1	83.25	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 12:14:03	1	1	1	1	83.25	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.375	2004
11.02.2020 12:14:04	1	1	1	1	83.25	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:05	1	1	1	1	83.25	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:06	1	1	1	1	83.25	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:14:07	1	1	1	1	83.25	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:08	1	1	1	1	83.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:14:09	1	1	1	1	83.25	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:10	1	1	1	1	83.25	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.9375	2004
11.02.2020 12:14:11	1	1	1	1	83.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:14:12	1	1	1	1	83.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:13	1	1	1	1	83.25	59.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:15	1	1	1	1	83.25	59.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	39.5	2004
11.02.2020 12:14:16	1	1	1	1	83.25	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:14:17	1	1	1	1	83.25	59.5	0	29905.213	374.1935484	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:14:18	1	1	1	1	83.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:14:19	1	1	1	1	83.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:14:26	1	1	1	1	83	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:14:26	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:14:27	1	1	1	1	83	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.25	2004
11.02.2020 12:14:28	1	1	1	1	83	59.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39	2004
11.02.2020 12:14:29	1	1	1	1	83	59	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.3125	2004
11.02.2020 12:14:30	1	1	1	1	83	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:14:31	1	1	1	1	83	59	0	30000	378.4946237	11455.1681	30000	0	0	30000	39.5625	2004
11.02.2020 12:14:32	1	1	1	1	83	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:33	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:34	1	1	1	1	83	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:14:35	1	1	1	1	83	59.25	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:14:36	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:14:37	1	1	1	1	83	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:38	1	1	1	1	83	59.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.75	2004
11.02.2020 12:14:39	1	1	1	1	83	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:40	1	1	1	1	83	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:41	1	1	1	1	83	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 12:14:42	1	1	1	1	83	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:14:43	1	1	1	1	83	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:14:44	1	1	1	1	83	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:14:45	1	1	1	1	83	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:14:46	1	1	1	1	83	59.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.1875	2004
11.02.2020 12:14:47	1	1	1	1	83	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:14:48	1	1	1	1	83	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:49	1	1	1	1	82.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:14:50	1	1	1	1	82.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:14:51	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:14:52	1	1	1	1	82.75	59.25	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:14:54	1	1	1	1	82.75	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:55	1	1	1	1	82.75	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:14:56	1	1	1	1	82.75	59.75	0	29952.607	380.6451613	11465.76794	30000	0	0	30000	39.875	2004
11.02.2020 12:14:58	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:58	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:14:59	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:00	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:15:01	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:02	1	1	1	1	82.75	59.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:15:03	1	1	1	1	82.75	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:04	1	1	1	1	82.75	59.75	0	30000	378.4946237	11319.0009	30000	0	0	30000	39.75	2004
11.02.2020 12:15:05	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:15:06	1	1	1	1	82.75	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:15:07	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:15:08	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:15:09	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:10	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.1875	2004
11.02.2020 12:15:11	1	1	1	1	82.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:12	1	1	1	1	82.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:15:13	1	1	1	1	82.75	59.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:14	1	1	1	1	82.75	59.75	0	30000	378.4946237	11079.28139	30000	0	0	30000	39.25	2004
11.02.2020 12:15:15	1	1	1	1	82.75	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.75	2004
11.02.2020 12:15:16	1	1	1	1	82.75	59.75	0	30000	382.7956989	11401.35352	30000	0	0	30000	39.0625	2004
11.02.2020 12:15:17	1	1	1	1	82.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:18	1	1	1	1	82.75	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:19	1	1	1	1	82.5	59.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.75	2004
11.02.2020 12:15:20	1	1	1	1	82.5	59.75	0	30000	380.6451613	11079.28139	30000	0	0	30000	39.875	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:27	1	1	1	1	82.5	59.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:15:28	1	1	1	1	82.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:15:30	1	1	1	1	82.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:15:31	1	1	1	1	82.5	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:15:32	1	1	1	1	82.5	59.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.625	2004
11.02.2020 12:15:33	1	1	1	1	82.5	59.5	0	30047.393	384.9462366	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:15:34	1	1	1	1	82.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:35	1	1	1	1	82.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:15:36	1	1	1	1	82.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:15:37	1	1	1	1	82.5	59.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	38.625	2004
11.02.2020 12:15:38	1	1	1	1	82.5	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:15:39	1	1	1	1	82.5	59.25	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:40	1	1	1	1	82.5	59.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	40	2004
11.02.2020 12:15:41	1	1	1	1	82.5	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:15:42	1	1	1	1	82.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:15:43	1	1	1	1	82.5	58.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:44	1	1	1	1	82.5	59.75	0	30000	367.7419355	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:15:45	1	1	1	1	82.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:15:46	1	1	1	1	82.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:15:47	1	1	1	1	82.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 12:15:48	1	1	1	1	82.5	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:15:49	1	1	1	1	82.25	59.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:15:50	1	1	1	1	82.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.375	2004
11.02.2020 12:15:51	1	1	1	1	82.25	58.25	0	30000	378.4946237	11319.0009	30000	0	0	30000	39.8125	2004
11.02.2020 12:15:52	1	1	1	1	82.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:15:53	1	1	1	1	82.25	58.5	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.6875	2004
11.02.2020 12:15:54	1	1	1	1	82.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:15:55	1	1	1	1	82.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:15:56	1	1	1	1	82.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:15:57	1	1	1	1	82.25	59.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:15:58	1	1	1	1	82.25	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:15:59	1	1	1	1	82	59.25	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:16:00	1	1	1	1	82	59.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:16:01	1	1	1	1	82	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 12:16:02	1	1	1	1	82	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:16:03	1	1	1	1	82	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:04	1	1	1	1	82	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:16:05	1	1	1	1	82	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:16:06	1	1	1	1	82	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:07	1	1	1	1	82	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:09	1	1	1	1	82	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:10	1	1	1	1	82	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:11	1	1	1	1	82	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:16:12	1	1	1	1	82	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.0625	2004
11.02.2020 12:16:13	1	1	1	1	82	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:16:14	1	1	1	1	82	59.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:15	1	1	1	1	82	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:16:16	1	1	1	1	82	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:16:17	1	1	1	1	82	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.1875	2004
11.02.2020 12:16:18	1	1	1	1	82	60	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:19	1	1	1	1	82	59.75	0	30000	378.4946237	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:16:20	1	1	1	1	81.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:21	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:22	1	1	1	1	81.75	59.75	0	29905.213	367.7419355	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:16:29	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:30	1	1	1	1	81.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:16:31	1	1	1	1	81.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:16:32	1	1	1	1	81.75	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:33	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:34	1	1	1	1	81.75	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:35	1	1	1	1	81.75	59.75	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	39.25	2004
11.02.2020 12:16:36	1	1	1	1	81.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:16:37	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:16:38	1	1	1	1	81.75	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.125	2004
11.02.2020 12:16:39	1	1	1	1	81.5	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:16:40	1	1	1	1	81.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:41	1	1	1	1	81.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:16:42	1	1	1	1	81.5	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:16:43	1	1	1	1	81.5	59.5	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:16:44	1	1	1	1	81.5	59.25	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:16:46	1	1	1	1	81.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:47	1	1	1	1	81.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:48	1	1	1	1	81.5	59.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:16:49	1	1	1	1	81.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:16:50	1	1	1	1	81.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:16:51	1	1	1	1	81.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:16:52	1	1	1	1	81.75	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:16:53	1	1	1	1	81.75	59.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	39.8125	2004
11.02.2020 12:16:54	1	1	1	1	81.75	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 12:16:55	1	1	1	1	81.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:16:56	1	1	1	1	81.75	59.5	0	29905.213	369.8924731	11096.40421	30000	0	0	30000	40.1875	2004
11.02.2020 12:16:57	1	1	1	1	81.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:16:58	1	1	1	1	81.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:16:59	1	1	1	1	81.5	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:17:00	1	1	1	1	81.5	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:01	1	1	1	1	81.5	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:02	1	1	1	1	81.5	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:17:03	1	1	1	1	81.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:17:04	1	1	1	1	81.5	59.75	0	30000	367.7419355	11014.86696	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:05	1	1	1	1	81.5	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:17:06	1	1	1	1	81.5	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.125	2004
11.02.2020 12:17:07	1	1	1	1	81.5	59	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:08	1	1	1	1	81.5	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:17:09	1	1	1	1	81.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:10	1	1	1	1	81.5	59.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	39.625	2004
11.02.2020 12:17:11	1	1	1	1	81.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:17:12	1	1	1	1	81.5	59.75	0	29952.607	378.4946237	11319.0009	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:13	1	1	1	1	81.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:17:14	1	1	1	1	81.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:15	1	1	1	1	81.5	59.5	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:16	1	1	1	1	81.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:17:17	1	1	1	1	81.5	59.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	39.0625	2004
11.02.2020 12:17:18	1	1	1	1	81.5	59	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:17:19	1	1	1	1	81.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:17:20	1	1	1	1	81.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:17:21	1	1	1	1	81.25	59.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:22	1	1	1	1	81.25	59.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:17:24	1	1	1	1	81.25	59.75	0	30000	372.0430108	10932.51434	30000	0	0	30000	39.75	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:31	1	1	1	1	81.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:17:32	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:17:33	1	1	1	1	81.25	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:17:34	1	1	1	1	81.25	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.0625	2004
11.02.2020 12:17:35	1	1	1	1	81.25	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:17:36	1	1	1	1	81.25	59.5	0	30000	369.8924731	10950.45253	30000	0	0	30000	39.9375	2004
11.02.2020 12:17:37	1	1	1	1	81.25	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:17:38	1	1	1	1	81.25	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:17:39	1	1	1	1	81.5	59.5	0	29905.213	365.5913978	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:40	1	1	1	1	81.5	59.5	0	30000	365.5913978	11225.23306	30000	0	0	30000	39.5	2004
11.02.2020 12:17:41	1	1	1	1	81.5	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:17:42	1	1	1	1	81.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:17:43	1	1	1	1	81.5	59.5	0	30000	369.8924731	10932.51434	30000	0	0	30000	39.1875	2004
11.02.2020 12:17:44	1	1	1	1	81.5	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:45	1	1	1	1	81.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:17:46	1	1	1	1	81.5	59.5	0	30047.393	378.4946237	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:17:47	1	1	1	1	81.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:17:48	1	1	1	1	81.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:17:49	1	1	1	1	81.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:17:50	1	1	1	1	81.25	59.5	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:17:51	1	1	1	1	81.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:17:52	1	1	1	1	81.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:17:53	1	1	1	1	81.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:17:54	1	1	1	1	81.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:17:55	1	1	1	1	81.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:17:56	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:17:57	1	1	1	1	81.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:17:58	1	1	1	1	81.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:17:59	1	1	1	1	81.25	59.25	0	30000	374.1935484	10996.92876	30000	0	0	30000	39.875	2004
11.02.2020 12:18:00	1	1	1	1	81.25	59.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.5625	2004
11.02.2020 12:18:02	1	1	1	1	81.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:18:03	1	1	1	1	81.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:04	1	1	1	1	81.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.0625	2004
11.02.2020 12:18:05	1	1	1	1	81.25	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:18:06	1	1	1	1	81.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:18:07	1	1	1	1	81.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:18:08	1	1	1	1	81.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:09	1	1	1	1	81.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:10	1	1	1	1	81	59.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.625	2004
11.02.2020 12:18:11	1	1	1	1	81	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:12	1	1	1	1	81	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:18:13	1	1	1	1	81	59.5	0	30000	367.7419355	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:18:14	1	1	1	1	81	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:18:15	1	1	1	1	81	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:18:16	1	1	1	1	81	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:17	1	1	1	1	81	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39	2004
11.02.2020 12:18:18	1	1	1	1	81	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:18:19	1	1	1	1	81	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:20	1	1	1	1	81	59.75	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:18:21	1	1	1	1	81	59.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:18:22	1	1	1	1	81	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:18:23	1	1	1	1	81	59.75	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:18:24	1	1	1	1	81	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:18:25	1	1	1	1	81	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:32	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:18:33	1	1	1	1	80.75	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:18:34	1	1	1	1	80.75	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:18:35	1	1	1	1	80.75	59.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:18:36	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:18:37	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:18:38	1	1	1	1	80.75	59.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:18:39	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:18:40	1	1	1	1	80.75	59.5	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:18:42	1	1	1	1	80.75	59.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:18:43	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:18:44	1	1	1	1	80.75	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:18:45	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:46	1	1	1	1	80.75	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:18:47	1	1	1	1	80.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:18:48	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:18:49	1	1	1	1	80.75	59.5	0	29905.213	369.8924731	11096.40421	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:18:50	1	1	1	1	80.75	59.75	0	30000	365.5913978	10886.03811	30000	0	0	30000	39.8125	2004
11.02.2020 12:18:51	1	1	1	1	80.75	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:18:52	1	1	1	1	80.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.0625	2004
11.02.2020 12:18:53	1	1	1	1	80.75	60	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.4375	2004
11.02.2020 12:18:54	1	1	1	1	80.75	59.75	0	30000	363.4408602	11114.3424	30000	0	0	30000	39.8125	2004
11.02.2020 12:18:55	1	1	1	1	80.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:18:56	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:18:57	1	1	1	1	80.75	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.125	2004
11.02.2020 12:18:58	1	1	1	1	80.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:18:59	1	1	1	1	80.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:19:00	1	1	1	1	80.75	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:01	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:19:02	1	1	1	1	80.75	59.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:19:03	1	1	1	1	80.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:19:04	1	1	1	1	80.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:05	1	1	1	1	80.75	59.75	0	30000	372.0430108	10996.92876	30000	0	0	30000	39.375	2004
11.02.2020 12:19:06	1	1	1	1	80.75	59.25	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:19:07	1	1	1	1	80.75	59.25	0	30094.787	382.7956989	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:08	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:19:09	1	1	1	1	80.75	59.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:19:10	1	1	1	1	80.75	59.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:11	1	1	1	1	80.75	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:19:12	1	1	1	1	80.75	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:19:13	1	1	1	1	80.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:14	1	1	1	1	80.75	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:19:15	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:19:16	1	1	1	1	80.75	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:17	1	1	1	1	80.75	59.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:19:19	1	1	1	1	80.75	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:19:20	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:19:21	1	1	1	1	80.5	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:19:22	1	1	1	1	80.5	59.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39	2004
11.02.2020 12:19:23	1	1	1	1	80.5	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:24	1	1	1	1	80.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:25	1	1	1	1	80.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:26	1	1	1	1	80.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:19:27	1	1	1	1	80.5	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:34	1	1	1	1	80.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:19:34	1	1	1	1	80.5	60	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:19:35	1	1	1	1	80.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:19:36	1	1	1	1	80.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:19:37	1	1	1	1	80.5	59.75	0	30000	369.8924731	11390.75368	30000	0	0	30000	39.75	2004
11.02.2020 12:19:38	1	1	1	1	80.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:19:39	1	1	1	1	80.75	59.5	0	29905.213	369.8924731	11061.34319	30000	0	0	30000	39.5625	2004
11.02.2020 12:19:40	1	1	1	1	80.75	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 12:19:41	1	1	1	1	80.75	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.125	2004
11.02.2020 12:19:42	1	1	1	1	80.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:19:43	1	1	1	1	80.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:19:44	1	1	1	1	80.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:19:45	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:19:46	1	1	1	1	80.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:47	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:19:48	1	1	1	1	80.75	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:19:49	1	1	1	1	80.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:50	1	1	1	1	80.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:51	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:19:52	1	1	1	1	80.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:53	1	1	1	1	80.25	59.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:19:54	1	1	1	1	80.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:55	1	1	1	1	80.25	59.5	0	30000	378.4946237	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:19:57	1	1	1	1	80.25	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:19:58	1	1	1	1	80.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:19:59	1	1	1	1	80.25	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:00	1	1	1	1	80.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:20:01	1	1	1	1	80.25	59.5	0	30000	369.8924731	11390.75368	30000	0	0	30000	39.75	2004
11.02.2020 12:20:02	1	1	1	1	80.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:03	1	1	1	1	80.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:04	1	1	1	1	80.25	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:20:05	1	1	1	1	80.25	59.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:06	1	1	1	1	80.25	59.75	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:20:07	1	1	1	1	80.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:20:08	1	1	1	1	80.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.1875	2004
11.02.2020 12:20:09	1	1	1	1	80.25	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:20:10	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:20:11	1	1	1	1	80.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:12	1	1	1	1	80.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.875	2004
11.02.2020 12:20:13	1	1	1	1	80.25	58.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:20:14	1	1	1	1	80.25	59.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:15	1	1	1	1	80.25	59.75	0	30000	378.4946237	11061.34319	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:16	1	1	1	1	80.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.875	2004
11.02.2020 12:20:17	1	1	1	1	80.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:20:18	1	1	1	1	80.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:20:19	1	1	1	1	80.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:20	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:20:21	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:22	1	1	1	1	80.25	59.75	0	30047.393	372.0430108	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:20:23	1	1	1	1	80.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:20:24	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:25	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:26	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:20:27	1	1	1	1	80.25	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:28	1	1	1	1	80.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:35	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:36	1	1	1	1	80	59.75	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:20:37	1	1	1	1	80	59.5	0	30000	367.7419355	11079.28139	30000	0	0	30000	39.75	2004
11.02.2020 12:20:38	1	1	1	1	80	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:20:39	1	1	1	1	80	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:20:40	1	1	1	1	80	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:20:41	1	1	1	1	80	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:20:42	1	1	1	1	80	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:20:43	1	1	1	1	80	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:20:44	1	1	1	1	80	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:20:45	1	1	1	1	80	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:20:46	1	1	1	1	80	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:20:47	1	1	1	1	80	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:20:48	1	1	1	1	80	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.25	2004
11.02.2020 12:20:49	1	1	1	1	80	60.25	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:20:50	1	1	1	1	80	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:51	1	1	1	1	80	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:52	1	1	1	1	80	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.1875	2004
11.02.2020 12:20:53	1	1	1	1	80	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:54	1	1	1	1	80	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:20:55	1	1	1	1	80	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:20:56	1	1	1	1	80	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:20:57	1	1	1	1	80	59.75	0	29905.213	372.0430108	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:20:58	1	1	1	1	80	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	40	2004
11.02.2020 12:20:59	1	1	1	1	79.75	60	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:21:00	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:01	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:21:02	1	1	1	1	79.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:21:03	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:04	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:21:05	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:21:06	1	1	1	1	79.75	59.5	0	30000	382.7956989	11566.05876	30000	0	0	30000	39.6875	2004
11.02.2020 12:21:07	1	1	1	1	79.75	59.5	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	39.1875	2004
11.02.2020 12:21:08	1	1	1	1	79.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:09	1	1	1	1	79.5	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.25	2004
11.02.2020 12:21:10	1	1	1	1	79.5	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:21:11	1	1	1	1	79.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:13	1	1	1	1	79.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:21:14	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:21:15	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:16	1	1	1	1	79.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:17	1	1	1	1	79.5	59.75	0	30000	369.8924731	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:18	1	1	1	1	79.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 12:21:19	1	1	1	1	79.5	59	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:21:20	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:21	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:22	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:21:23	1	1	1	1	79.75	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:21:24	1	1	1	1	79.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.875	2004
11.02.2020 12:21:25	1	1	1	1	79.75	58.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:26	1	1	1	1	79.75	59.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	40.0625	2004
11.02.2020 12:21:27	1	1	1	1	79.75	60	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:21:28	1	1	1	1	79.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.875	2004
11.02.2020 12:21:29	1	1	1	1	79.5	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:21:30	1	1	1	1	79.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:37	1	1	1	1	79.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:21:38	1	1	1	1	79.5	59.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.75	2004
11.02.2020 12:21:39	1	1	1	1	79.75	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:21:40	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:21:41	1	1	1	1	79.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.0625	2004
11.02.2020 12:21:42	1	1	1	1	79.75	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:21:43	1	1	1	1	79.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:44	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:21:45	1	1	1	1	79.75	60	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:21:46	1	1	1	1	79.75	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:21:47	1	1	1	1	79.75	59.75	0	29905.213	365.5913978	10950.45253	30000	0	0	30000	39.6875	2004
11.02.2020 12:21:48	1	1	1	1	79.75	59.5	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	39.1875	2004
11.02.2020 12:21:49	1	1	1	1	79.75	59	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 12:21:50	1	1	1	1	79.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:21:52	1	1	1	1	79.75	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:21:53	1	1	1	1	79.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:21:54	1	1	1	1	79.75	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:21:55	1	1	1	1	79.75	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:56	1	1	1	1	79.75	59.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:21:57	1	1	1	1	79.75	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.875	2004
11.02.2020 12:21:58	1	1	1	1	79.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:21:59	1	1	1	1	79.75	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.25	2004
11.02.2020 12:22:00	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:22:01	1	1	1	1	79.75	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:02	1	1	1	1	79.75	59.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:22:03	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:22:04	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:22:05	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:22:06	1	1	1	1	79.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
11.02.2020 12:22:07	1	1	1	1	79.75	60	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:22:08	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:22:09	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:22:10	1	1	1	1	79.75	59.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:22:11	1	1	1	1	79.75	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39	2004
11.02.2020 12:22:12	1	1	1	1	79.75	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:13	1	1	1	1	79.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.375	2004
11.02.2020 12:22:14	1	1	1	1	79.75	59.25	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:22:15	1	1	1	1	79.75	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:22:16	1	1	1	1	79.75	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:22:17	1	1	1	1	79.75	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.875	2004
11.02.2020 12:22:18	1	1	1	1	79.75	58.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:22:19	1	1	1	1	79.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:20	1	1	1	1	79.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:22:21	1	1	1	1	79.25	59.75	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:22:22	1	1	1	1	79.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 12:22:23	1	1	1	1	79.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:22:24	1	1	1	1	79.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:22:25	1	1	1	1	79.25	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:26	1	1	1	1	79.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:22:27	1	1	1	1	79.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:28	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:30	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:22:31	1	1	1	1	79.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:32	1	1	1	1	79.25	59.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:22:39	1	1	1	1	79.25	59.75	0	29952.607	369.8924731	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 12:22:40	1	1	1	1	79.25	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 12:22:41	1	1	1	1	79.25	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:22:42	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:22:43	1	1	1	1	79.25	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:22:44	1	1	1	1	79.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:22:45	1	1	1	1	79.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:22:46	1	1	1	1	79.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:22:47	1	1	1	1	79.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:22:48	1	1	1	1	79.25	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:22:49	1	1	1	1	79.25	59.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	38.5625	2004
11.02.2020 12:22:50	1	1	1	1	79.25	58.5	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:22:51	1	1	1	1	79.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:22:52	1	1	1	1	79.25	59.5	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:22:53	1	1	1	1	79.25	59.75	0	29952.607	378.4946237	11079.28139	30000	0	0	30000	39.5625	2004
11.02.2020 12:22:54	1	1	1	1	79.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:22:55	1	1	1	1	79.25	59.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:22:56	1	1	1	1	79.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:22:57	1	1	1	1	79.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:22:58	1	1	1	1	79.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:22:59	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:23:00	1	1	1	1	79	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:23:01	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:23:02	1	1	1	1	79	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:23:03	1	1	1	1	79	59.75	0	30000	382.7956989	11336.93909	30000	0	0	30000	39.75	2004
11.02.2020 12:23:04	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:05	1	1	1	1	79	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 12:23:06	1	1	1	1	79	59	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:23:07	1	1	1	1	79	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:23:09	1	1	1	1	79	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:23:10	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:11	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:23:12	1	1	1	1	79	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:23:13	1	1	1	1	79	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:14	1	1	1	1	79	59.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:23:15	1	1	1	1	79	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:23:16	1	1	1	1	79	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:17	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:18	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:19	1	1	1	1	79	59.75	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:23:20	1	1	1	1	79	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:23:21	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
11.02.2020 12:23:22	1	1	1	1	79	60	0	30000	374.1935484	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:23:23	1	1	1	1	79	60	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.3125	2004
11.02.2020 12:23:24	1	1	1	1	79	60.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.125	2004
11.02.2020 12:23:25	1	1	1	1	79	59.25	0	30047.393	378.4946237	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:23:26	1	1	1	1	79	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:23:27	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:23:28	1	1	1	1	79	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:23:29	1	1	1	1	79.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:23:30	1	1	1	1	79.25	59.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:23:31	1	1	1	1	79.25	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:23:32	1	1	1	1	79.25	59.5	0	30000	365.5913978	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:23:33	1	1	1	1	79.25	59.75	0	30000	378.4946237	11125.75762	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:23:40	1	1	1	1	79	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:41	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:23:42	1	1	1	1	79	59.25	0	30000	380.6451613	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 12:23:43	1	1	1	1	79	59.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:23:44	1	1	1	1	79	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:46	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:23:47	1	1	1	1	79	59.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:23:48	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:23:49	1	1	1	1	79	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:23:50	1	1	1	1	79	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 12:23:51	1	1	1	1	79	59.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:23:52	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:23:53	1	1	1	1	79	59.25	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 12:23:54	1	1	1	1	79	59.75	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.5625	2004
11.02.2020 12:23:55	1	1	1	1	79	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:23:56	1	1	1	1	79	59.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.875	2004
11.02.2020 12:23:57	1	1	1	1	79	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:23:58	1	1	1	1	79	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:23:59	1	1	1	1	79	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	38.8125	2004
11.02.2020 12:24:00	1	1	1	1	79	58.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:24:01	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:02	1	1	1	1	79	59.75	0	29905.213	374.1935484	11079.28139	30000	0	0	30000	40.125	2004
11.02.2020 12:24:03	1	1	1	1	79	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:24:04	1	1	1	1	79	59.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:24:05	1	1	1	1	79	59.75	0	30000	367.7419355	10886.03811	30000	0	0	30000	40	2004
11.02.2020 12:24:06	1	1	1	1	79	60	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	39.125	2004
11.02.2020 12:24:07	1	1	1	1	79	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.25	2004
11.02.2020 12:24:08	1	1	1	1	79	59.25	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:24:09	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.0625	2004
11.02.2020 12:24:10	1	1	1	1	79	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:24:11	1	1	1	1	79	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:24:12	1	1	1	1	79	59.5	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 12:24:13	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.0625	2004
11.02.2020 12:24:14	1	1	1	1	79	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:24:15	1	1	1	1	79	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:24:16	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:24:17	1	1	1	1	79	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:24:18	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:24:19	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:24:20	1	1	1	1	79.25	59.75	0	30000	378.4946237	11079.28139	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:21	1	1	1	1	79.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:24:22	1	1	1	1	79.25	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:24:24	1	1	1	1	79.25	59.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:24:25	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:26	1	1	1	1	79.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:27	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:24:28	1	1	1	1	79.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:24:29	1	1	1	1	79.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:30	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:24:31	1	1	1	1	79	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:32	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:24:33	1	1	1	1	79	59.5	0	29952.607	367.7419355	11143.69581	30000	0	0	30000	39.75	2004
11.02.2020 12:24:34	1	1	1	1	79	59.75	0	30094.787	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:24:35	1	1	1	1	79	59.75	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:42	1	1	1	1	79.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:24:43	1	1	1	1	79.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:24:44	1	1	1	1	79.25	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:45	1	1	1	1	79.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:46	1	1	1	1	79.25	59.75	0	30000	372.0430108	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:24:47	1	1	1	1	79.25	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:24:48	1	1	1	1	79.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:24:49	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:24:50	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:24:51	1	1	1	1	79	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:24:52	1	1	1	1	79	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:24:53	1	1	1	1	79	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:24:54	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:24:55	1	1	1	1	79	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:24:56	1	1	1	1	79	59.75	0	30000	369.8924731	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:24:57	1	1	1	1	79	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:24:58	1	1	1	1	79	59.5	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:24:59	1	1	1	1	79	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:25:00	1	1	1	1	79	59.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	39	2004
11.02.2020 12:25:01	1	1	1	1	79	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:25:03	1	1	1	1	79	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:25:04	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:25:05	1	1	1	1	79	59.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:25:06	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:25:07	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:25:08	1	1	1	1	79	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:09	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:25:10	1	1	1	1	79	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:25:11	1	1	1	1	79	59.75	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:25:12	1	1	1	1	79	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:25:13	1	1	1	1	79	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:25:14	1	1	1	1	79	59.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:25:15	1	1	1	1	79	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:25:16	1	1	1	1	79	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:25:17	1	1	1	1	79	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.125	2004
11.02.2020 12:25:18	1	1	1	1	79	60	0	30000	367.7419355	11390.75368	30000	0	0	30000	39.9375	2004
11.02.2020 12:25:19	1	1	1	1	79	59.75	0	30047.393	378.4946237	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:25:20	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.3125	2004
11.02.2020 12:25:21	1	1	1	1	79	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:25:22	1	1	1	1	79	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:23	1	1	1	1	79	59.75	0	30000	367.7419355	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:25:24	1	1	1	1	79	59.75	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:25	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:25:26	1	1	1	1	79	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:25:27	1	1	1	1	79	59	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:25:28	1	1	1	1	79	59.75	0	29952.607	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:25:29	1	1	1	1	79	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.25	2004
11.02.2020 12:25:30	1	1	1	1	79	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:25:31	1	1	1	1	79	59.5	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:25:32	1	1	1	1	79	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:33	1	1	1	1	79	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:25:34	1	1	1	1	79	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:25:35	1	1	1	1	79	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:25:36	1	1	1	1	79	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:43	1	1	1	1	78.75	59.75	0	30000	356.9892473	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:25:44	1	1	1	1	78.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:25:45	1	1	1	1	78.75	59.25	0	29952.607	352.688172	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:25:46	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:25:47	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:48	1	1	1	1	78.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:25:49	1	1	1	1	78.75	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:50	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:51	1	1	1	1	78.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:25:52	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:25:53	1	1	1	1	78.75	59.5	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.75	2004
11.02.2020 12:25:54	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:25:55	1	1	1	1	78.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:25:56	1	1	1	1	78.75	58.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:57	1	1	1	1	78.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:25:58	1	1	1	1	78.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:25:59	1	1	1	1	78.75	59.75	0	29905.213	363.4408602	10886.03811	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:00	1	1	1	1	79	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:01	1	1	1	1	79	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:26:02	1	1	1	1	79	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:26:03	1	1	1	1	79	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:04	1	1	1	1	79	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:26:05	1	1	1	1	79	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:26:06	1	1	1	1	79	59.75	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:26:07	1	1	1	1	79	59.75	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:26:08	1	1	1	1	79	59.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:26:09	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:10	1	1	1	1	79	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:26:11	1	1	1	1	79	59.5	0	30000	369.8924731	10996.92876	30000	0	0	30000	39.625	2004
11.02.2020 12:26:12	1	1	1	1	79	59.5	0	30000	367.7419355	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:13	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:26:14	1	1	1	1	79	59.5	0	29905.213	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:15	1	1	1	1	79	59.75	0	30047.393	372.0430108	10886.03811	30000	0	0	30000	40	2004
11.02.2020 12:26:16	1	1	1	1	79	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:17	1	1	1	1	79	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:26:18	1	1	1	1	79	59.5	0	29952.607	361.2903226	11014.86696	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:19	1	1	1	1	79	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:21	1	1	1	1	79	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:22	1	1	1	1	79	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:23	1	1	1	1	79	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:26:26	1	1	1	1	79	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:26	1	1	1	1	79	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:27	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:26:28	1	1	1	1	79	59.75	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:26:29	1	1	1	1	79	59.75	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:30	1	1	1	1	78.75	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:26:31	1	1	1	1	78.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:26:32	1	1	1	1	78.75	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:26:33	1	1	1	1	78.75	59.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:26:34	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:35	1	1	1	1	78.75	59.75	0	30047.393	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:26:36	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:26:37	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:26:38	1	1	1	1	78.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.0625	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:26:45	1	1	1	1	79	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:26:46	1	1	1	1	79	59.5	0	30000	367.7419355	10950.45253	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:47	1	1	1	1	79	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:48	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:26:49	1	1	1	1	78.75	59.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:26:50	1	1	1	1	78.75	59.75	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:26:51	1	1	1	1	78.75	59.75	0	30000	367.7419355	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:26:52	1	1	1	1	78.75	59.5	0	30000	363.4408602	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:26:53	1	1	1	1	78.75	59.75	0	29905.213	356.9892473	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:26:54	1	1	1	1	78.75	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:26:55	1	1	1	1	78.75	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.375	2004
11.02.2020 12:26:56	1	1	1	1	78.75	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:26:57	1	1	1	1	78.75	59.75	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:26:58	1	1	1	1	78.75	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.4375	2004
11.02.2020 12:26:59	1	1	1	1	78.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:27:01	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:27:02	1	1	1	1	78.75	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	38.5	2004
11.02.2020 12:27:03	1	1	1	1	78.75	58.5	0	30000	365.5913978	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:27:04	1	1	1	1	78.75	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:27:05	1	1	1	1	78.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:27:06	1	1	1	1	78.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:27:07	1	1	1	1	78.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:27:08	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:27:09	1	1	1	1	78.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:27:10	1	1	1	1	78.75	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.1875	2004
11.02.2020 12:27:11	1	1	1	1	78.75	59	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:12	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:27:13	1	1	1	1	78.75	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:27:14	1	1	1	1	78.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:27:15	1	1	1	1	78.75	59.5	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:27:16	1	1	1	1	78.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:27:17	1	1	1	1	78.75	59.5	0	29952.607	374.1935484	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:27:18	1	1	1	1	78.75	59.75	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	39.375	2004
11.02.2020 12:27:19	1	1	1	1	78.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.125	2004
11.02.2020 12:27:20	1	1	1	1	78.75	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:27:21	1	1	1	1	78.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:22	1	1	1	1	78.75	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:23	1	1	1	1	78.75	59.75	0	30000	359.1397849	10740.08643	30000	0	0	30000	39.3125	2004
11.02.2020 12:27:24	1	1	1	1	78.75	59.25	0	29952.607	356.9892473	10628.3804	30000	0	0	30000	39.375	2004
11.02.2020 12:27:25	1	1	1	1	78.75	59.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:26	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:27:27	1	1	1	1	78.75	59.5	0	29952.607	361.2903226	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:27:28	1	1	1	1	78.75	59.5	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:27:29	1	1	1	1	78.75	59.75	0	29905.213	363.4408602	10773.5167	30000	0	0	30000	38.875	2004
11.02.2020 12:27:30	1	1	1	1	78.75	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:31	1	1	1	1	78.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:27:32	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:33	1	1	1	1	78.75	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:27:34	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:27:35	1	1	1	1	78.75	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:27:36	1	1	1	1	78.75	59.5	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:38	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:39	1	1	1	1	78.75	59.75	0	30000	372.0430108	11031.98978	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:27:40	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.9375	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:47	1	1	1	1	78.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:48	1	1	1	1	78.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:49	1	1	1	1	78.75	59.75	0	30000	363.4408602	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:27:50	1	1	1	1	78.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:27:51	1	1	1	1	78.5	59.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:27:52	1	1	1	1	78.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:27:53	1	1	1	1	78.5	59.25	0	30000	363.4408602	11096.40421	30000	0	0	30000	39.375	2004
11.02.2020 12:27:54	1	1	1	1	78.5	59.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:27:55	1	1	1	1	78.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.25	2004
11.02.2020 12:27:56	1	1	1	1	78.5	60.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:27:57	1	1	1	1	78.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:27:58	1	1	1	1	78.5	59.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:27:59	1	1	1	1	78.5	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:28:00	1	1	1	1	78.5	60	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:28:01	1	1	1	1	78.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:28:02	1	1	1	1	78.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:28:03	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:28:04	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:28:05	1	1	1	1	78.5	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:28:06	1	1	1	1	78.5	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:28:07	1	1	1	1	78.5	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:28:08	1	1	1	1	78.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:28:09	1	1	1	1	78.5	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:28:10	1	1	1	1	78.5	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:28:11	1	1	1	1	78.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:28:12	1	1	1	1	78.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:13	1	1	1	1	78.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:28:14	1	1	1	1	78.5	59.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:15	1	1	1	1	78.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:28:16	1	1	1	1	78.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:18	1	1	1	1	78.5	59.75	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:19	1	1	1	1	78.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:28:20	1	1	1	1	78.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:28:21	1	1	1	1	78.25	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:28:22	1	1	1	1	78.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:23	1	1	1	1	78.25	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:28:24	1	1	1	1	78.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:28:25	1	1	1	1	78.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:28:26	1	1	1	1	78.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:28:27	1	1	1	1	78.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:28:28	1	1	1	1	78.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:28:29	1	1	1	1	78.25	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:28:30	1	1	1	1	78.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:28:31	1	1	1	1	78.5	59.75	0	30000	363.4408602	10675.672	30000	0	0	30000	39.75	2004
11.02.2020 12:28:32	1	1	1	1	78.5	59.75	0	29952.607	359.1397849	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:28:33	1	1	1	1	78.5	59.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:28:34	1	1	1	1	78.5	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:28:35	1	1	1	1	78.5	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.125	2004
11.02.2020 12:28:36	1	1	1	1	78.5	60	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:28:37	1	1	1	1	78.5	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:28:38	1	1	1	1	78.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:28:39	1	1	1	1	78.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:28:40	1	1	1	1	78.5	59.25	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:28:41	1	1	1	1	78.5	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:48	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:28:49	1	1	1	1	78.5	60	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.1875	2004
11.02.2020 12:28:50	1	1	1	1	78.5	59	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:28:51	1	1	1	1	78.5	59.75	0	30000	367.7419355	10740.08643	30000	0	0	30000	40	2004
11.02.2020 12:28:52	1	1	1	1	78.5	60	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.875	2004
11.02.2020 12:28:53	1	1	1	1	78.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:28:54	1	1	1	1	78.5	59.75	0	30094.787	378.4946237	10967.57535	30000	0	0	30000	39.5	2004
11.02.2020 12:28:56	1	1	1	1	78.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:28:57	1	1	1	1	78.5	59	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:28:58	1	1	1	1	78.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:28:59	1	1	1	1	78.5	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:29:00	1	1	1	1	78.5	59.75	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:29:01	1	1	1	1	78.5	59.75	0	30000	367.7419355	11160.81863	30000	0	0	30000	39.25	2004
11.02.2020 12:29:02	1	1	1	1	78.5	59.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:29:03	1	1	1	1	78.5	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:29:04	1	1	1	1	78.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:29:05	1	1	1	1	78.5	59.75	0	30000	378.4946237	11125.75762	30000	0	0	30000	39.6875	2004
11.02.2020 12:29:06	1	1	1	1	78.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:29:07	1	1	1	1	78.5	59.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:29:08	1	1	1	1	78.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:29:09	1	1	1	1	78.5	59.5	0	30000	359.1397849	10628.3804	30000	0	0	30000	39.625	2004
11.02.2020 12:29:10	1	1	1	1	78.5	59.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:11	1	1	1	1	78.5	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:29:12	1	1	1	1	78.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:13	1	1	1	1	78.5	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	40	2004
11.02.2020 12:29:14	1	1	1	1	78.5	60	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.0625	2004
11.02.2020 12:29:15	1	1	1	1	78.5	60	0	29952.607	367.7419355	11079.28139	30000	0	0	30000	39.25	2004
11.02.2020 12:29:16	1	1	1	1	78.5	60	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:29:17	1	1	1	1	78.5	59.75	0	30000	359.1397849	10675.672	30000	0	0	30000	39.5625	2004
11.02.2020 12:29:18	1	1	1	1	78.5	59.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:29:19	1	1	1	1	78.25	59.75	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:29:20	1	1	1	1	78.25	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:29:21	1	1	1	1	78.25	59.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:29:22	1	1	1	1	78.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:29:23	1	1	1	1	78.25	59.25	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:29:24	1	1	1	1	78.25	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:29:25	1	1	1	1	78.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:29:26	1	1	1	1	78.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:29:27	1	1	1	1	78.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:29:28	1	1	1	1	78.25	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:29:29	1	1	1	1	78.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:30	1	1	1	1	78.25	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:29:32	1	1	1	1	78.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.125	2004
11.02.2020 12:29:33	1	1	1	1	78.25	59	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:29:34	1	1	1	1	78.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:29:35	1	1	1	1	78.25	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:29:36	1	1	1	1	78.25	59.25	0	29952.607	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:29:37	1	1	1	1	78.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:38	1	1	1	1	78.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:29:39	1	1	1	1	78.25	59.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:40	1	1	1	1	78.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:29:41	1	1	1	1	78.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:29:42	1	1	1	1	78.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:29:43	1	1	1	1	78.25	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:50	1	1	1	1	78.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:29:51	1	1	1	1	78.25	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:29:52	1	1	1	1	78.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:29:53	1	1	1	1	78.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:29:54	1	1	1	1	78.25	59.75	0	29905.213	352.688172	11049.1126	30000	0	0	30000	39.875	2004
11.02.2020 12:29:55	1	1	1	1	78.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:56	1	1	1	1	78.25	59	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.0625	2004
11.02.2020 12:29:57	1	1	1	1	78.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:29:58	1	1	1	1	78.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:29:59	1	1	1	1	78	59.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 12:30:00	1	1	1	1	78	59.25	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:30:01	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:30:02	1	1	1	1	78	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:30:03	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:04	1	1	1	1	78	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:30:05	1	1	1	1	78	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:30:06	1	1	1	1	78	59.75	0	30000	356.9892473	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:30:07	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:30:08	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:30:10	1	1	1	1	78	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:30:11	1	1	1	1	78	59.75	0	29952.607	359.1397849	11049.1126	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:12	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:30:13	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:30:14	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:30:15	1	1	1	1	78	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:30:16	1	1	1	1	78	58.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:30:17	1	1	1	1	78	59.75	0	29905.213	352.688172	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:30:18	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:30:19	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:20	1	1	1	1	78.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:30:21	1	1	1	1	78.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:30:22	1	1	1	1	78.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:30:23	1	1	1	1	78.25	59.5	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:30:24	1	1	1	1	78.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:30:25	1	1	1	1	78.25	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:30:26	1	1	1	1	78.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:30:27	1	1	1	1	78.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:30:28	1	1	1	1	78.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.125	2004
11.02.2020 12:30:29	1	1	1	1	78.25	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:30	1	1	1	1	78.25	59.75	0	29905.213	356.9892473	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:30:31	1	1	1	1	78.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:32	1	1	1	1	78.25	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:30:33	1	1	1	1	78.25	59.5	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:30:34	1	1	1	1	78.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:30:35	1	1	1	1	78.25	58.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:30:36	1	1	1	1	78.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:30:37	1	1	1	1	78.25	60	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:30:38	1	1	1	1	78.25	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:39	1	1	1	1	78	59.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:30:40	1	1	1	1	78	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:30:41	1	1	1	1	78	59.5	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:30:42	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:30:43	1	1	1	1	78	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:30:44	1	1	1	1	78	59.75	0	30000	356.9892473	10692.79483	30000	0	0	30000	38.8125	2004
11.02.2020 12:30:52	1	1	1	1	78	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:30:52	1	1	1	1	78	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:30:52	1	1	1	1	78	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:30:52	1	1	1	1	78	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:30:52	1	1	1	1	78	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:30:52	1	1	1	1	78	59	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:30:53	1	1	1	1	78	59.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:30:54	1	1	1	1	78	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:30:55	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:30:56	1	1	1	1	78	59.75	0	29952.607	352.688172	10580.27342	30000	0	0	30000	39.5	2004
11.02.2020 12:30:57	1	1	1	1	78	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:30:58	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 12:30:59	1	1	1	1	78	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:00	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:31:01	1	1	1	1	77.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:02	1	1	1	1	77.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:03	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:31:04	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:05	1	1	1	1	77.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:06	1	1	1	1	77.75	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.1875	2004
11.02.2020 12:31:07	1	1	1	1	77.75	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:31:08	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:09	1	1	1	1	77.75	60	0	30000	361.2903226	10773.5167	30000	0	0	30000	38.3125	2004
11.02.2020 12:31:10	1	1	1	1	77.75	58.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:31:11	1	1	1	1	77.75	59.5	0	30000	363.4408602	11049.1126	30000	0	0	30000	40.0625	2004
11.02.2020 12:31:12	1	1	1	1	77.75	60	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:31:13	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:14	1	1	1	1	77.75	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:31:15	1	1	1	1	77.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:31:16	1	1	1	1	77.75	59.75	0	29952.607	367.7419355	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:31:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:31:18	1	1	1	1	77.75	59.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:31:19	1	1	1	1	77.75	59.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:31:20	1	1	1	1	77.75	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:21	1	1	1	1	77.75	59.75	0	29905.213	359.1397849	10886.03811	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:22	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:23	1	1	1	1	77.75	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:31:24	1	1	1	1	77.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:31:26	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:27	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:31:28	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:29	1	1	1	1	77.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:31:30	1	1	1	1	77.5	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:31:31	1	1	1	1	77.5	59	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:31:32	1	1	1	1	77.5	60	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:31:33	1	1	1	1	77.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:31:34	1	1	1	1	77.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:31:35	1	1	1	1	77.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:36	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:31:37	1	1	1	1	77.5	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:38	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:31:39	1	1	1	1	77.5	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.75	2004
11.02.2020 12:31:40	1	1	1	1	77.5	58.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:41	1	1	1	1	77.5	59.75	0	30000	354.8387097	10726.2251	30000	0	0	30000	39.5625	2004
11.02.2020 12:31:42	1	1	1	1	77.5	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.4375	2004
11.02.2020 12:31:43	1	1	1	1	77.5	59.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:31:44	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.1875	2004
11.02.2020 12:31:45	1	1	1	1	77.5	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:31:46	1	1	1	1	77.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:53	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:31:54	1	1	1	1	77.75	60	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:31:55	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:31:56	1	1	1	1	77.75	59.75	0	30000	359.1397849	10838.7465	30000	0	0	30000	39.875	2004
11.02.2020 12:31:57	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:31:58	1	1	1	1	77.75	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:31:59	1	1	1	1	77.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:32:00	1	1	1	1	77.75	59.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:01	1	1	1	1	77.75	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.6875	2004
11.02.2020 12:32:03	1	1	1	1	77.75	59.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:32:04	1	1	1	1	77.75	59.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:32:05	1	1	1	1	77.75	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 12:32:06	1	1	1	1	77.75	59.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:32:07	1	1	1	1	77.75	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:08	1	1	1	1	77.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 12:32:09	1	1	1	1	77.75	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:10	1	1	1	1	77.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:11	1	1	1	1	77.5	59.75	0	30000	346.2365591	10370.72269	30000	0	0	30000	39.9375	2004
11.02.2020 12:32:12	1	1	1	1	77.5	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:13	1	1	1	1	77.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:32:14	1	1	1	1	77.5	59.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:32:15	1	1	1	1	77.5	59.5	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:32:16	1	1	1	1	77.5	59.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:32:17	1	1	1	1	77.5	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 12:32:18	1	1	1	1	77.5	59.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 12:32:19	1	1	1	1	77.5	59.25	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:32:20	1	1	1	1	77.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:21	1	1	1	1	77.5	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:22	1	1	1	1	77.5	59.75	0	30000	356.9892473	10628.3804	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:23	1	1	1	1	77.5	59.75	0	30000	367.7419355	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:32:24	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.3125	2004
11.02.2020 12:32:25	1	1	1	1	77.5	60.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:32:26	1	1	1	1	77.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.25	2004
11.02.2020 12:32:27	1	1	1	1	77.5	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.0625	2004
11.02.2020 12:32:28	1	1	1	1	77.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:32:29	1	1	1	1	77.75	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:32:30	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:32:31	1	1	1	1	77.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:32:32	1	1	1	1	77.75	59.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:32:33	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:34	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:32:35	1	1	1	1	77.75	59.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:36	1	1	1	1	77.75	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:32:37	1	1	1	1	77.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:38	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:32:39	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:40	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:41	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:32:42	1	1	1	1	77.5	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:43	1	1	1	1	77.5	59.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:32:45	1	1	1	1	77.5	59.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:32:46	1	1	1	1	77.5	59.75	0	30000	350.5376344	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:32:47	1	1	1	1	77.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:32:48	1	1	1	1	77.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:55	1	1	1	1	77.5	60	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:32:56	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:32:57	1	1	1	1	77.5	59.75	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	38.9375	2004
11.02.2020 12:32:58	1	1	1	1	77.5	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:32:59	1	1	1	1	77.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:33:00	1	1	1	1	77.5	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:33:01	1	1	1	1	77.5	59.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:33:02	1	1	1	1	77.5	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:33:03	1	1	1	1	77.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:33:04	1	1	1	1	77.5	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:33:05	1	1	1	1	77.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:33:06	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:33:07	1	1	1	1	77.5	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	40.3125	2004
11.02.2020 12:33:08	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:33:09	1	1	1	1	77.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:33:10	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:33:11	1	1	1	1	77.5	59.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.1875	2004
11.02.2020 12:33:12	1	1	1	1	77.5	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:33:13	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10675.672	30000	0	0	30000	39.75	2004
11.02.2020 12:33:14	1	1	1	1	77.5	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:33:15	1	1	1	1	77.5	59.75	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:33:16	1	1	1	1	77.5	59.75	0	30000	359.1397849	10740.08643	30000	0	0	30000	39.8125	2004
11.02.2020 12:33:17	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:33:18	1	1	1	1	77.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 12:33:19	1	1	1	1	77.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:33:20	1	1	1	1	77.5	59.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:33:21	1	1	1	1	77.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:33:23	1	1	1	1	77.5	59.5	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:33:24	1	1	1	1	77.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:33:25	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:33:26	1	1	1	1	77.5	59.75	0	30000	359.1397849	11001.821	30000	0	0	30000	39.4375	2004
11.02.2020 12:33:27	1	1	1	1	77.5	59.25	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:33:28	1	1	1	1	77.5	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:33:29	1	1	1	1	77.5	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:33:30	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:33:31	1	1	1	1	77.25	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:33:32	1	1	1	1	77.25	59.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:34:17	1	1	1	1	77.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:34:18	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:34:19	1	1	1	1	77.5	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:34:20	1	1	1	1	77.5	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:34:21	1	1	1	1	77.5	59.75	0	30047.393	361.2903226	10709.10227	30000	0	0	30000	40.375	2004
11.02.2020 12:34:22	1	1	1	1	77.5	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.0625	2004
11.02.2020 12:34:23	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:34:24	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:34:25	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:34:26	1	1	1	1	77.5	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:34:27	1	1	1	1	77.5	59.75	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:34:28	1	1	1	1	77.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:34:29	1	1	1	1	77.75	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:34:30	1	1	1	1	77.75	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:34:31	1	1	1	1	77.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:34:32	1	1	1	1	77.75	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:34:33	1	1	1	1	77.75	59.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:34:34	1	1	1	1	77.75	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:34:35	1	1	1	1	77.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:34:36	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:37	1	1	1	1	77.75	59.5	0	30000	354.8387097	10628.3804	30000	0	0	30000	39.6875	2004
11.02.2020 12:34:39	1	1	1	1	77.75	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:34:40	1	1	1	1	77.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.375	2004
11.02.2020 12:34:41	1	1	1	1	77.25	59.25	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:34:42	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:34:43	1	1	1	1	77.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:34:44	1	1	1	1	77.25	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:34:45	1	1	1	1	77.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:34:46	1	1	1	1	77.25	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:34:47	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 12:34:48	1	1	1	1	77.25	58.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:34:49	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:50	1	1	1	1	77.25	59.5	0	30000	354.8387097	10628.3804	30000	0	0	30000	39.875	2004
11.02.2020 12:34:51	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:58	1	1	1	1	77.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:34:59	1	1	1	1	77.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.375	2004
11.02.2020 12:35:00	1	1	1	1	77.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:35:01	1	1	1	1	77.25	59.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:35:02	1	1	1	1	77.25	60	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:35:03	1	1	1	1	77.25	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.25	2004
11.02.2020 12:35:04	1	1	1	1	77.25	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:35:05	1	1	1	1	77.25	59.75	0	30000	354.8387097	10628.3804	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:06	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:07	1	1	1	1	77.25	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:35:08	1	1	1	1	77.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:35:09	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.5	2004
11.02.2020 12:35:10	1	1	1	1	77.25	58.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:35:11	1	1	1	1	77.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:35:12	1	1	1	1	77.25	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:35:13	1	1	1	1	77.25	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:35:14	1	1	1	1	77.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:35:15	1	1	1	1	77.25	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.5	2004
11.02.2020 12:35:16	1	1	1	1	77.25	59.5	0	30000	356.9892473	10692.79483	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:18	1	1	1	1	77.25	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:35:19	1	1	1	1	77.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:20	1	1	1	1	77	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:35:21	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:22	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:35:23	1	1	1	1	77	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:24	1	1	1	1	77	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:25	1	1	1	1	77	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:35:26	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:27	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:35:28	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:35:29	1	1	1	1	77	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40	2004
11.02.2020 12:35:30	1	1	1	1	77	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:35:31	1	1	1	1	77	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:32	1	1	1	1	77	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:33	1	1	1	1	77	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:35:34	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:35:35	1	1	1	1	77	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:36	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:35:37	1	1	1	1	77	59.5	0	30000	363.4408602	10886.03811	30000	0	0	30000	39.625	2004
11.02.2020 12:35:38	1	1	1	1	77	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.4375	2004
11.02.2020 12:35:39	1	1	1	1	77	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.1875	2004
11.02.2020 12:35:40	1	1	1	1	77.25	60	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:41	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.25	2004
11.02.2020 12:35:42	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:35:43	1	1	1	1	77.25	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:35:44	1	1	1	1	77.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:35:45	1	1	1	1	77.25	59.75	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:35:46	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:35:47	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:48	1	1	1	1	77.25	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.1875	2004
11.02.2020 12:35:49	1	1	1	1	77	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:35:50	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.1875	2004
11.02.2020 12:35:51	1	1	1	1	77	59	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:35:52	1	1	1	1	77	59.75	0	29905.213	361.2903226	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:00	1	1	1	1	76.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:01	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:36:02	1	1	1	1	76.75	59.25	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:36:03	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:04	1	1	1	1	76.75	59.75	0	30000	363.4408602	10740.08643	30000	0	0	30000	39.625	2004
11.02.2020 12:36:05	1	1	1	1	76.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:06	1	1	1	1	76.75	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:07	1	1	1	1	76.75	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:36:08	1	1	1	1	76.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:36:09	1	1	1	1	76.75	59	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:36:10	1	1	1	1	76.75	59.25	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:11	1	1	1	1	76.75	59.75	0	30000	359.1397849	10499.55155	30000	0	0	30000	39.125	2004
11.02.2020 12:36:12	1	1	1	1	76.75	59	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:36:13	1	1	1	1	76.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:14	1	1	1	1	76.75	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:15	1	1	1	1	76.75	59.75	0	29952.607	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:16	1	1	1	1	76.75	59.75	0	29952.607	359.1397849	10740.08643	30000	0	0	30000	39.875	2004
11.02.2020 12:36:17	1	1	1	1	76.75	59.75	0	29905.213	356.9892473	10692.79483	30000	0	0	30000	38.9375	2004
11.02.2020 12:36:18	1	1	1	1	76.75	58.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:19	1	1	1	1	76.75	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:36:20	1	1	1	1	76.75	59.75	0	29905.213	359.1397849	10675.672	30000	0	0	30000	40.25	2004
11.02.2020 12:36:21	1	1	1	1	76.75	60.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:36:22	1	1	1	1	76.75	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:23	1	1	1	1	76.75	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:24	1	1	1	1	76.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.3125	2004
11.02.2020 12:36:25	1	1	1	1	76.75	59.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:26	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:36:27	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:28	1	1	1	1	76.75	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:36:29	1	1	1	1	77	59.5	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	39.9375	2004
11.02.2020 12:36:30	1	1	1	1	77	59.75	0	30000	365.5913978	11390.75368	30000	0	0	30000	39.5	2004
11.02.2020 12:36:31	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:36:32	1	1	1	1	77	59.5	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:36:33	1	1	1	1	77	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:34	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:36:36	1	1	1	1	77	59.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:36:37	1	1	1	1	77	59.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:36:38	1	1	1	1	77	59.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:36:39	1	1	1	1	77	59.75	0	30000	367.7419355	11225.23306	30000	0	0	30000	39.4375	2004
11.02.2020 12:36:40	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:41	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:36:42	1	1	1	1	77	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:43	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:36:44	1	1	1	1	77	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.375	2004
11.02.2020 12:36:45	1	1	1	1	77	59.25	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:36:46	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:47	1	1	1	1	77	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:36:48	1	1	1	1	77	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:36:49	1	1	1	1	77	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:36:50	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:51	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:36:52	1	1	1	1	77	59.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:36:53	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:36:54	1	1	1	1	77	59.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:01	1	1	1	1	77	59.75	0	29905.213	363.4408602	10967.57535	30000	0	0	30000	39.125	2004
11.02.2020 12:37:02	1	1	1	1	77	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:37:03	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:37:04	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:37:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:06	1	1	1	1	77	59.5	0	30000	363.4408602	10740.08643	30000	0	0	30000	39.25	2004
11.02.2020 12:37:07	1	1	1	1	77	59.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:37:08	1	1	1	1	77	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:37:09	1	1	1	1	77	59.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:10	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:37:11	1	1	1	1	77	59.25	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:13	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:37:14	1	1	1	1	77	59.75	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:37:15	1	1	1	1	77	59.5	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:37:16	1	1	1	1	77	59.75	0	30000	365.5913978	10932.51434	30000	0	0	30000	39.75	2004
11.02.2020 12:37:17	1	1	1	1	77	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.625	2004
11.02.2020 12:37:18	1	1	1	1	77	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:19	1	1	1	1	77	59.5	0	29905.213	356.9892473	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:37:20	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:21	1	1	1	1	77.25	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:22	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:37:23	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:37:24	1	1	1	1	77.25	59.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:37:25	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:37:26	1	1	1	1	77.25	59.75	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:37:27	1	1	1	1	77.25	59.75	0	29905.213	356.9892473	10903.16093	30000	0	0	30000	39.1875	2004
11.02.2020 12:37:28	1	1	1	1	77.25	59	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:37:29	1	1	1	1	77.25	59.75	0	30094.787	369.8924731	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:37:30	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:37:31	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:37:32	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:33	1	1	1	1	77.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:37:34	1	1	1	1	77.25	59.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:37:35	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:37:36	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.25	2004
11.02.2020 12:37:37	1	1	1	1	77.25	60.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:37:38	1	1	1	1	77.25	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:37:39	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:37:40	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:37:41	1	1	1	1	77.25	59.75	0	30000	365.5913978	11131.46522	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:42	1	1	1	1	77.25	59.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:43	1	1	1	1	77.25	59.5	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	39.875	2004
11.02.2020 12:37:44	1	1	1	1	77.25	59.75	0	30047.393	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:37:45	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:37:46	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:37:47	1	1	1	1	77.25	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:37:48	1	1	1	1	77.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:37:49	1	1	1	1	77	59.75	0	29952.607	365.5913978	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:37:53	1	1	1	1	77	59.5	0	30000	361.2903226	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:53	1	1	1	1	77	59.5	0	30000	361.2903226	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:53	1	1	1	1	77	59.5	0	30000	361.2903226	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:54	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:37:55	1	1	1	1	77	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	38.8125	2004
11.02.2020 12:37:56	1	1	1	1	77	58.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:03	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:04	1	1	1	1	77	59.75	0	30000	367.7419355	10903.16093	30000	0	0	30000	39.0625	2004
11.02.2020 12:38:05	1	1	1	1	77	59	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:06	1	1	1	1	77	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:38:07	1	1	1	1	77	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:08	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:09	1	1	1	1	77	59.75	0	29952.607	361.2903226	10757.20925	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:10	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:11	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:12	1	1	1	1	77.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:38:13	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:38:14	1	1	1	1	77.25	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:38:15	1	1	1	1	77.25	59.25	0	30000	356.9892473	10628.3804	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:16	1	1	1	1	77.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:17	1	1	1	1	77.25	59.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:18	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:38:19	1	1	1	1	77.5	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:20	1	1	1	1	77.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:21	1	1	1	1	77.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:22	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:23	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:38:24	1	1	1	1	77.5	59.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:25	1	1	1	1	77.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:38:26	1	1	1	1	77.5	59.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:38:27	1	1	1	1	77.5	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.4375	2004
11.02.2020 12:38:29	1	1	1	1	77.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:38:30	1	1	1	1	77.25	59.75	0	30047.393	367.7419355	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:31	1	1	1	1	77.25	59.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:32	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:33	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:34	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:35	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:36	1	1	1	1	77.25	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:37	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:38	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:39	1	1	1	1	77.25	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:40	1	1	1	1	77.25	59.75	0	30000	359.1397849	10499.55155	30000	0	0	30000	39.75	2004
11.02.2020 12:38:41	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:38:42	1	1	1	1	77.25	59.5	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:38:43	1	1	1	1	77.25	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:38:44	1	1	1	1	77.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:45	1	1	1	1	77.25	59.5	0	30000	363.4408602	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:38:46	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:47	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:38:48	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:38:49	1	1	1	1	77.25	59.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:50	1	1	1	1	77	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:38:51	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:38:52	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:38:53	1	1	1	1	77	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:38:54	1	1	1	1	77	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:55	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:38:56	1	1	1	1	77	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:38:57	1	1	1	1	77	59.75	0	30047.393	361.2903226	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:05	1	1	1	1	77	59.75	0	29952.607	352.688172	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:39:06	1	1	1	1	77	59.5	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:08	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:39:09	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:10	1	1	1	1	76.75	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:11	1	1	1	1	76.75	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.375	2004
11.02.2020 12:39:12	1	1	1	1	76.75	59.25	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:39:13	1	1	1	1	76.75	59.5	0	30047.393	359.1397849	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:39:14	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:15	1	1	1	1	76.75	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:16	1	1	1	1	76.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:17	1	1	1	1	76.75	59.5	0	30000	367.7419355	10886.03811	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:18	1	1	1	1	76.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:19	1	1	1	1	76.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:39:20	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:39:21	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:39:22	1	1	1	1	77	59.25	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:39:23	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:39:24	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:25	1	1	1	1	77	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:39:26	1	1	1	1	77	59.75	0	30000	367.7419355	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:39:27	1	1	1	1	77	59.75	0	30000	363.4408602	10740.08643	30000	0	0	30000	39.1875	2004
11.02.2020 12:39:28	1	1	1	1	77	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:39:29	1	1	1	1	77	59.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:30	1	1	1	1	76.75	59.75	0	29905.213	359.1397849	10628.3804	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:31	1	1	1	1	76.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.3125	2004
11.02.2020 12:39:32	1	1	1	1	76.75	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:39:33	1	1	1	1	76.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:34	1	1	1	1	76.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:35	1	1	1	1	76.75	59.75	0	29952.607	354.8387097	11195.87965	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:36	1	1	1	1	76.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:39:37	1	1	1	1	76.75	59.25	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:38	1	1	1	1	76.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:39:39	1	1	1	1	77	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:39:40	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:41	1	1	1	1	77	59.75	0	30000	356.9892473	10692.79483	30000	0	0	30000	39.5625	2004
11.02.2020 12:39:42	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:39:44	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:39:45	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:46	1	1	1	1	77	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:47	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:39:48	1	1	1	1	77	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:49	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:50	1	1	1	1	76.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.4375	2004
11.02.2020 12:39:51	1	1	1	1	76.75	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:39:52	1	1	1	1	76.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:53	1	1	1	1	76.75	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:39:54	1	1	1	1	76.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:39:55	1	1	1	1	76.75	59	0	30000	363.4408602	10773.5167	30000	0	0	30000	38.875	2004
11.02.2020 12:39:56	1	1	1	1	76.75	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:39:57	1	1	1	1	76.75	59.75	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.1875	2004
11.02.2020 12:39:58	1	1	1	1	76.75	59	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:39:59	1	1	1	1	76.75	59.5	0	30000	367.7419355	10868.09991	30000	0	0	30000	39.75	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:06	1	1	1	1	76.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:07	1	1	1	1	76.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:08	1	1	1	1	76.75	59.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:40:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:40:10	1	1	1	1	77	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:11	1	1	1	1	77	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:40:12	1	1	1	1	77	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:40:13	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:14	1	1	1	1	77	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:15	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:40:16	1	1	1	1	77	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:17	1	1	1	1	77	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:40:18	1	1	1	1	77	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:19	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:20	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:40:21	1	1	1	1	77	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:40:23	1	1	1	1	77	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:40:24	1	1	1	1	77	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:25	1	1	1	1	77	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.9375	2004
11.02.2020 12:40:26	1	1	1	1	77	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:40:27	1	1	1	1	77	59.75	0	30000	359.1397849	10967.57535	30000	0	0	30000	39.5	2004
11.02.2020 12:40:28	1	1	1	1	77	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.5625	2004
11.02.2020 12:40:29	1	1	1	1	77	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 12:40:30	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:40:31	1	1	1	1	77	59.5	0	30000	352.688172	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:32	1	1	1	1	77	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:33	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:40:34	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:35	1	1	1	1	77	59.5	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:40:36	1	1	1	1	77	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:40:37	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:38	1	1	1	1	77	59.5	0	30000	359.1397849	10546.84315	30000	0	0	30000	39.75	2004
11.02.2020 12:40:39	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:40	1	1	1	1	77	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:40:41	1	1	1	1	77	59.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:42	1	1	1	1	77	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:40:43	1	1	1	1	77	59.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:40:44	1	1	1	1	77	58.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:40:45	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:46	1	1	1	1	77	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:40:47	1	1	1	1	77	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40	2004
11.02.2020 12:40:48	1	1	1	1	77	60	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:40:49	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.125	2004
11.02.2020 12:40:50	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:40:51	1	1	1	1	77.25	59.25	0	30000	363.4408602	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:52	1	1	1	1	77.25	59.75	0	30000	359.1397849	10692.79483	30000	0	0	30000	39.6875	2004
11.02.2020 12:40:53	1	1	1	1	77.25	59.5	0	30000	361.2903226	11031.98978	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:40:54	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:40:55	1	1	1	1	77.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:40:56	1	1	1	1	77.25	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:40:57	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:40:58	1	1	1	1	77.25	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:40:59	1	1	1	1	77	59.25	0	30000	356.9892473	10628.3804	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:01	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:41:08	1	1	1	1	77	59.75	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:09	1	1	1	1	77	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:10	1	1	1	1	77.25	59.75	0	29952.607	354.8387097	10675.672	30000	0	0	30000	39.0625	2004
11.02.2020 12:41:11	1	1	1	1	77.25	59	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 12:41:12	1	1	1	1	77.25	59.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:13	1	1	1	1	77.25	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:41:14	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:41:15	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:41:16	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:17	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:18	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	38	2004
11.02.2020 12:41:19	1	1	1	1	77.25	58	0	30000	365.5913978	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:20	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.6875	2004
11.02.2020 12:41:21	1	1	1	1	77	58.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:41:22	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.125	2004
11.02.2020 12:41:23	1	1	1	1	77	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:41:24	1	1	1	1	77	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:25	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:41:26	1	1	1	1	77	60	0	30000	356.9892473	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:27	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.125	2004
11.02.2020 12:41:28	1	1	1	1	77	60	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:29	1	1	1	1	77.25	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:41:30	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:31	1	1	1	1	77.25	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:41:32	1	1	1	1	77.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:33	1	1	1	1	77.25	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:41:34	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.125	2004
11.02.2020 12:41:35	1	1	1	1	77.25	59	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:41:36	1	1	1	1	77.25	59.75	0	30000	354.8387097	10563.96597	30000	0	0	30000	39.5	2004
11.02.2020 12:41:37	1	1	1	1	77.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:41:39	1	1	1	1	77.25	58.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:40	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:41	1	1	1	1	77	59.5	0	30000	354.8387097	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:41:42	1	1	1	1	77	59.75	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:43	1	1	1	1	77	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:41:44	1	1	1	1	77	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:45	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:41:46	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:47	1	1	1	1	77	59.75	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 12:41:48	1	1	1	1	77	58.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:41:49	1	1	1	1	77	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	38.875	2004
11.02.2020 12:41:50	1	1	1	1	77	58.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:41:51	1	1	1	1	77	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:41:52	1	1	1	1	77	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:41:53	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:41:54	1	1	1	1	77	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:41:55	1	1	1	1	77	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.25	2004
11.02.2020 12:41:56	1	1	1	1	77	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.375	2004
11.02.2020 12:41:57	1	1	1	1	77	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:41:58	1	1	1	1	77	59.25	0	30000	369.8924731	10932.51434	30000	0	0	30000	39.75	2004
11.02.2020 12:41:59	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:42:00	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:42:01	1	1	1	1	77	59.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:02	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:09	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:10	1	1	1	1	76.75	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:11	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:42:12	1	1	1	1	76.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:42:13	1	1	1	1	76.75	59	0	29952.607	350.5376344	10451.44457	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:14	1	1	1	1	76.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 12:42:15	1	1	1	1	76.75	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.5625	2004
11.02.2020 12:42:16	1	1	1	1	76.75	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 12:42:18	1	1	1	1	76.75	59.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:42:19	1	1	1	1	76.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:42:20	1	1	1	1	77	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.125	2004
11.02.2020 12:42:21	1	1	1	1	77	59	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:22	1	1	1	1	77	59.75	0	30000	356.9892473	10903.16093	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:42:23	1	1	1	1	77	59.75	0	30000	356.9892473	10790.63952	30000	0	0	30000	39.8125	2004
11.02.2020 12:42:24	1	1	1	1	77	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.5625	2004
11.02.2020 12:42:25	1	1	1	1	77	59.5	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:42:26	1	1	1	1	77	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 12:42:27	1	1	1	1	77	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:42:28	1	1	1	1	77	59.25	0	30000	352.688172	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:42:29	1	1	1	1	77	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:30	1	1	1	1	77.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:42:31	1	1	1	1	77.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 12:42:32	1	1	1	1	77.25	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:42:33	1	1	1	1	77.25	59.75	0	29952.607	354.8387097	10628.3804	30000	0	0	30000	39.25	2004
11.02.2020 12:42:34	1	1	1	1	77.25	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	38.75	2004
11.02.2020 12:42:35	1	1	1	1	77.25	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:42:36	1	1	1	1	77.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:42:37	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:38	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.25	2004
11.02.2020 12:42:39	1	1	1	1	77.25	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:42:40	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:42:41	1	1	1	1	77.25	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 12:42:42	1	1	1	1	77.25	60	0	29905.213	359.1397849	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:42:43	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.25	2004
11.02.2020 12:42:44	1	1	1	1	77.25	60.25	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:42:45	1	1	1	1	77.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:42:46	1	1	1	1	77.25	59.75	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:42:47	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:42:48	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:49	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:42:50	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:42:51	1	1	1	1	77.25	59.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 12:42:52	1	1	1	1	77.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:42:53	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:42:54	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:42:56	1	1	1	1	77.25	59.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:42:57	1	1	1	1	77.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 12:42:58	1	1	1	1	77.25	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:42:59	1	1	1	1	77.25	59.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40	2004
11.02.2020 12:43:00	1	1	1	1	77.25	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:01	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:43:02	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:03	1	1	1	1	77.25	59.75	0	29905.213	352.688172	10370.72269	30000	0	0	30000	39.5	2004
11.02.2020 12:43:04	1	1	1	1	77.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.375	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:11	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:43:12	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:13	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:43:14	1	1	1	1	77.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:15	1	1	1	1	77.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:16	1	1	1	1	77.25	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:43:17	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:18	1	1	1	1	77.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:43:19	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:20	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:21	1	1	1	1	77.25	59.75	0	29905.213	348.3870968	10387.03014	30000	0	0	30000	40.375	2004
11.02.2020 12:43:22	1	1	1	1	77.25	60.25	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:23	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:43:24	1	1	1	1	77.25	60	0	30000	341.9354839	10322.61571	30000	0	0	30000	39.875	2004
11.02.2020 12:43:25	1	1	1	1	77.25	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	38.875	2004
11.02.2020 12:43:26	1	1	1	1	77.25	58.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:43:27	1	1	1	1	77.25	59.5	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:43:28	1	1	1	1	77.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:43:29	1	1	1	1	77.25	59.75	0	30000	359.1397849	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:43:30	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:31	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:43:33	1	1	1	1	77.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:43:34	1	1	1	1	77.25	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:35	1	1	1	1	77.25	59.5	0	30000	346.2365591	10580.27342	30000	0	0	30000	39.1875	2004
11.02.2020 12:43:36	1	1	1	1	77.25	59	0	29952.607	352.688172	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:43:37	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:38	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:43:39	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:43:40	1	1	1	1	77.25	59.75	0	29952.607	346.2365591	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:41	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:42	1	1	1	1	77.25	59.75	0	30000	365.5913978	11114.3424	30000	0	0	30000	39.75	2004
11.02.2020 12:43:43	1	1	1	1	77.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:44	1	1	1	1	77.25	59.5	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:43:45	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:46	1	1	1	1	77.25	59.75	0	30000	359.1397849	10920.28375	30000	0	0	30000	39.5	2004
11.02.2020 12:43:47	1	1	1	1	77.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:43:48	1	1	1	1	77.25	59.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:43:49	1	1	1	1	77.25	59.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.375	2004
11.02.2020 12:43:50	1	1	1	1	77.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:43:51	1	1	1	1	77.25	59.5	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:43:52	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:43:53	1	1	1	1	77.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.75	2004
11.02.2020 12:43:54	1	1	1	1	77.25	58.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:43:55	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:56	1	1	1	1	77.25	59.75	0	30000	367.7419355	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:43:57	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:43:58	1	1	1	1	77.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:43:59	1	1	1	1	77.25	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:44:00	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:44:01	1	1	1	1	77.25	59.5	0	30000	354.8387097	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:44:02	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:44:03	1	1	1	1	77.25	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:04	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:05	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:13	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:44:14	1	1	1	1	77.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.375	2004
11.02.2020 12:44:15	1	1	1	1	77.25	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:44:16	1	1	1	1	77.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:44:17	1	1	1	1	77.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:44:18	1	1	1	1	77.25	59.75	0	30000	359.1397849	10920.28375	30000	0	0	30000	39.75	2004
11.02.2020 12:44:19	1	1	1	1	77.25	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:44:20	1	1	1	1	77.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 12:44:21	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39	2004
11.02.2020 12:44:22	1	1	1	1	77.25	59	0	30000	359.1397849	10628.3804	30000	0	0	30000	39.5625	2004
11.02.2020 12:44:23	1	1	1	1	77.25	59.5	0	30000	359.1397849	10790.63952	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:24	1	1	1	1	77.25	59.75	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:44:25	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:44:26	1	1	1	1	77.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:44:27	1	1	1	1	77.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:44:28	1	1	1	1	77.25	59.5	0	30000	359.1397849	10644.68785	30000	0	0	30000	39.25	2004
11.02.2020 12:44:29	1	1	1	1	77.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:30	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:44:31	1	1	1	1	77.25	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 12:44:32	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:44:33	1	1	1	1	77.25	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.0625	2004
11.02.2020 12:44:34	1	1	1	1	77.25	59	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:44:35	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:44:36	1	1	1	1	77.25	59.75	0	30000	356.9892473	10546.84315	30000	0	0	30000	39.5	2004
11.02.2020 12:44:37	1	1	1	1	77.25	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.1875	2004
11.02.2020 12:44:38	1	1	1	1	77.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:44:39	1	1	1	1	77.25	60	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:44:40	1	1	1	1	77	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:44:41	1	1	1	1	77	59.75	0	30047.393	359.1397849	10790.63952	30000	0	0	30000	39.875	2004
11.02.2020 12:44:42	1	1	1	1	77	59.75	0	30000	359.1397849	10628.3804	30000	0	0	30000	39.25	2004
11.02.2020 12:44:43	1	1	1	1	77	59.25	0	30000	359.1397849	10563.96597	30000	0	0	30000	39.6875	2004
11.02.2020 12:44:44	1	1	1	1	77	59.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:44:45	1	1	1	1	77	59.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.0625	2004
11.02.2020 12:44:46	1	1	1	1	77	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:44:47	1	1	1	1	77	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:44:48	1	1	1	1	77	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:44:49	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 12:44:51	1	1	1	1	77.25	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:44:52	1	1	1	1	77.25	58.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:44:53	1	1	1	1	77.25	59.5	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:44:54	1	1	1	1	77.25	59.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:44:55	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:44:56	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:44:57	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:44:58	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:44:59	1	1	1	1	77.25	59.5	0	30000	365.5913978	10886.03811	30000	0	0	30000	37.9375	2004
11.02.2020 12:45:00	1	1	1	1	77	57.75	0	30000	367.7419355	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:45:01	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:45:02	1	1	1	1	77	59.75	0	29952.607	365.5913978	10757.20925	30000	0	0	30000	40	2004
11.02.2020 12:45:03	1	1	1	1	77	60	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:45:04	1	1	1	1	77	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:45:05	1	1	1	1	77	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:06	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:45:07	1	1	1	1	77	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:14	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	40	2004
11.02.2020 12:45:15	1	1	1	1	77.25	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:45:16	1	1	1	1	77.25	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:45:17	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:45:18	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:45:19	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.25	2004
11.02.2020 12:45:20	1	1	1	1	77.25	60.25	0	30047.393	365.5913978	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:45:21	1	1	1	1	77.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:45:22	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:45:23	1	1	1	1	77.25	59.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:45:24	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:45:25	1	1	1	1	77.25	59.75	0	30047.393	369.8924731	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:45:26	1	1	1	1	77.25	59.5	0	30000	363.4408602	10886.03811	30000	0	0	30000	39.3125	2004
11.02.2020 12:45:27	1	1	1	1	77.25	59.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:45:28	1	1	1	1	77.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:45:30	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:45:31	1	1	1	1	77.25	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:45:32	1	1	1	1	77.25	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:45:33	1	1	1	1	77.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:34	1	1	1	1	77.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:45:35	1	1	1	1	77.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:45:36	1	1	1	1	77.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:37	1	1	1	1	77.25	59.75	0	29905.213	354.8387097	10611.25758	30000	0	0	30000	39.875	2004
11.02.2020 12:45:38	1	1	1	1	77.25	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 12:45:39	1	1	1	1	77.25	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:45:40	1	1	1	1	77	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:45:41	1	1	1	1	77	59.25	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:42	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:45:43	1	1	1	1	77	59.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:45:44	1	1	1	1	77	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.6875	2004
11.02.2020 12:45:45	1	1	1	1	77	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:45:46	1	1	1	1	77	59.75	0	30047.393	359.1397849	10790.63952	30000	0	0	30000	39.875	2004
11.02.2020 12:45:47	1	1	1	1	77	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:45:48	1	1	1	1	77	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:45:49	1	1	1	1	77	59	0	30000	363.4408602	10675.672	30000	0	0	30000	39.875	2004
11.02.2020 12:45:50	1	1	1	1	77	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:45:51	1	1	1	1	77	59.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:52	1	1	1	1	77	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:45:53	1	1	1	1	77	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:45:54	1	1	1	1	77	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:45:55	1	1	1	1	77	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:45:56	1	1	1	1	77	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:45:57	1	1	1	1	77	59.75	0	30000	356.9892473	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:45:58	1	1	1	1	77	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:45:59	1	1	1	1	77	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 12:46:00	1	1	1	1	77	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:46:01	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:46:02	1	1	1	1	77	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:46:03	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:46:04	1	1	1	1	77	59.25	0	30000	363.4408602	10868.09991	30000	0	0	30000	39.875	2004
11.02.2020 12:46:05	1	1	1	1	77	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 12:46:06	1	1	1	1	77	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:46:07	1	1	1	1	77	59.5	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:08	1	1	1	1	77	59.5	0	29905.213	363.4408602	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:16	1	1	1	1	77.25	59.5	0	30000	350.5376344	10435.13712	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:17	1	1	1	1	77.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:46:18	1	1	1	1	77.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:46:19	1	1	1	1	77.25	59.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:46:20	1	1	1	1	77.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.25	2004
11.02.2020 12:46:21	1	1	1	1	77.5	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.125	2004
11.02.2020 12:46:22	1	1	1	1	77.5	59	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:46:23	1	1	1	1	77.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:24	1	1	1	1	77.5	59.5	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:46:25	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:26	1	1	1	1	77.5	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 12:46:27	1	1	1	1	77.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:28	1	1	1	1	77.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.1875	2004
11.02.2020 12:46:29	1	1	1	1	77.5	59	0	30000	363.4408602	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:46:30	1	1	1	1	77.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:46:31	1	1	1	1	77.25	59.5	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:32	1	1	1	1	77.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:33	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:46:34	1	1	1	1	77.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:46:35	1	1	1	1	77.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:36	1	1	1	1	77.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:37	1	1	1	1	77.25	59.75	0	30000	363.4408602	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:46:38	1	1	1	1	77.25	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	40.3125	2004
11.02.2020 12:46:39	1	1	1	1	77.25	60.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 12:46:40	1	1	1	1	77.5	60	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:46:41	1	1	1	1	77.5	60.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.4375	2004
11.02.2020 12:46:42	1	1	1	1	77.5	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:43	1	1	1	1	77.5	59.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	40.0625	2004
11.02.2020 12:46:44	1	1	1	1	77.5	60	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:46:45	1	1	1	1	77.5	59.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:46	1	1	1	1	77.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:46:47	1	1	1	1	77.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:48	1	1	1	1	77.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:50	1	1	1	1	77.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:46:51	1	1	1	1	77.5	59.25	0	30000	378.4946237	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:46:52	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:53	1	1	1	1	77.5	59.75	0	30047.393	363.4408602	10790.63952	30000	0	0	30000	39.75	2004
11.02.2020 12:46:54	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:46:55	1	1	1	1	77.5	59.25	0	30000	359.1397849	10611.25758	30000	0	0	30000	38.75	2004
11.02.2020 12:46:56	1	1	1	1	77.5	58.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:46:57	1	1	1	1	77.5	59.75	0	29905.213	359.1397849	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:46:58	1	1	1	1	77.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:46:59	1	1	1	1	77.5	59.75	0	29905.213	354.8387097	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:47:00	1	1	1	1	77.5	59.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:47:01	1	1	1	1	77.5	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:47:02	1	1	1	1	77.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40	2004
11.02.2020 12:47:03	1	1	1	1	77.5	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:47:04	1	1	1	1	77.5	59.25	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:05	1	1	1	1	77.5	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:47:06	1	1	1	1	77.5	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:47:07	1	1	1	1	77.5	59.75	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:08	1	1	1	1	77.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:47:09	1	1	1	1	77.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	38.25	2004
11.02.2020 12:47:10	1	1	1	1	77.75	58.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:17	1	1	1	1	77.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:18	1	1	1	1	77.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.0625	2004
11.02.2020 12:47:19	1	1	1	1	77.75	60	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:47:20	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:47:21	1	1	1	1	77.75	60.25	0	30094.787	372.0430108	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:47:22	1	1	1	1	77.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:47:23	1	1	1	1	77.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:24	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:47:25	1	1	1	1	77.75	59	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:47:26	1	1	1	1	77.75	59.75	0	30000	363.4408602	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:47:28	1	1	1	1	77.75	59.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:47:29	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:47:30	1	1	1	1	77.75	59.25	0	30000	352.688172	10644.68785	30000	0	0	30000	40	2004
11.02.2020 12:47:31	1	1	1	1	77.75	60	0	30000	352.688172	10709.10227	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:47:32	1	1	1	1	77.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 12:47:33	1	1	1	1	77.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:47:34	1	1	1	1	77.75	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:35	1	1	1	1	77.75	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:36	1	1	1	1	77.75	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:47:37	1	1	1	1	77.75	59.75	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:47:38	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:47:39	1	1	1	1	77.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 12:47:40	1	1	1	1	77.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:41	1	1	1	1	77.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.0625	2004
11.02.2020 12:47:42	1	1	1	1	77.5	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:47:43	1	1	1	1	77.5	59.5	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:44	1	1	1	1	77.5	59.75	0	30000	352.688172	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:47:45	1	1	1	1	77.5	59.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.4375	2004
11.02.2020 12:47:46	1	1	1	1	77.5	59.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.375	2004
11.02.2020 12:47:47	1	1	1	1	77.5	59.25	0	30047.393	359.1397849	10790.63952	30000	0	0	30000	39.625	2004
11.02.2020 12:47:48	1	1	1	1	77.5	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:47:49	1	1	1	1	77.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:47:50	1	1	1	1	78	59.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:47:51	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 12:47:52	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:47:53	1	1	1	1	78	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:47:54	1	1	1	1	78	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:47:55	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:47:56	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:47:57	1	1	1	1	78	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:47:58	1	1	1	1	78	60.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:47:59	1	1	1	1	78	59.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	40	2004
11.02.2020 12:48:00	1	1	1	1	78	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:01	1	1	1	1	78	59.75	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:48:02	1	1	1	1	78	60	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:48:03	1	1	1	1	78	59.25	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:48:04	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:48:05	1	1	1	1	78	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:48:07	1	1	1	1	78	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:48:08	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:48:09	1	1	1	1	78	59.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 12:48:10	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:48:11	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 12:48:12	1	1	1	1	78	59.5	0	30000	359.1397849	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:19	1	1	1	1	78	59	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:19	1	1	1	1	78	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:20	1	1	1	1	78	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 12:48:21	1	1	1	1	78	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:48:22	1	1	1	1	78	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.0625	2004
11.02.2020 12:48:23	1	1	1	1	78	59	0	29952.607	354.8387097	10482.42872	30000	0	0	30000	39.4375	2004
11.02.2020 12:48:24	1	1	1	1	78	59.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:48:25	1	1	1	1	78	59.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:48:26	1	1	1	1	78	59.75	0	30000	352.688172	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:48:27	1	1	1	1	78	60	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 12:48:28	1	1	1	1	78	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:48:29	1	1	1	1	78	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.8125	2004
11.02.2020 12:48:30	1	1	1	1	77.75	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:48:31	1	1	1	1	77.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:48:32	1	1	1	1	77.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:48:33	1	1	1	1	77.75	59.25	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	40.375	2004
11.02.2020 12:48:34	1	1	1	1	77.75	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.0625	2004
11.02.2020 12:48:35	1	1	1	1	77.75	60	0	30000	356.9892473	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 12:48:36	1	1	1	1	77.75	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:48:37	1	1	1	1	77.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:48:38	1	1	1	1	77.75	59.75	0	30000	356.9892473	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:39	1	1	1	1	78	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:40	1	1	1	1	78	59.75	0	29905.213	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:48:41	1	1	1	1	78	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:48:42	1	1	1	1	78	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	38.9375	2004
11.02.2020 12:48:43	1	1	1	1	78	58.75	0	30000	359.1397849	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:48:45	1	1	1	1	78	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:48:46	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:48:47	1	1	1	1	78	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:48:48	1	1	1	1	78	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:48:49	1	1	1	1	78	59.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	40	2004
11.02.2020 12:48:50	1	1	1	1	78	60	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 12:48:51	1	1	1	1	78	59.5	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:48:52	1	1	1	1	78	60	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:48:53	1	1	1	1	78	59.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:48:54	1	1	1	1	78	59.75	0	30000	367.7419355	11195.87965	30000	0	0	30000	39.875	2004
11.02.2020 12:48:55	1	1	1	1	78	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:48:56	1	1	1	1	78	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:48:57	1	1	1	1	78	59.5	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:48:58	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:48:59	1	1	1	1	78	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:49:00	1	1	1	1	78	59.25	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:49:01	1	1	1	1	78	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:49:02	1	1	1	1	78	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:49:03	1	1	1	1	78	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:49:04	1	1	1	1	78	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:49:05	1	1	1	1	78	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:49:06	1	1	1	1	78	59.5	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:07	1	1	1	1	78	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:49:08	1	1	1	1	78	59.5	0	29952.607	363.4408602	11014.86696	30000	0	0	30000	39.375	2004
11.02.2020 12:49:09	1	1	1	1	78	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:49:10	1	1	1	1	78.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:11	1	1	1	1	78.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:49:12	1	1	1	1	78.25	60	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:49:13	1	1	1	1	78.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:21	1	1	1	1	78.5	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.1875	2004
11.02.2020 12:49:24	1	1	1	1	78.5	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.9375	2004
11.02.2020 12:49:24	1	1	1	1	78.5	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.9375	2004
11.02.2020 12:49:24	1	1	1	1	78.5	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	38.9375	2004
11.02.2020 12:49:25	1	1	1	1	78.5	58.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 12:49:26	1	1	1	1	78.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.25	2004
11.02.2020 12:49:27	1	1	1	1	78.5	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 12:49:28	1	1	1	1	78.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:49:29	1	1	1	1	78.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40	2004
11.02.2020 12:49:30	1	1	1	1	78.25	60	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:49:31	1	1	1	1	78.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:32	1	1	1	1	78.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:49:33	1	1	1	1	78.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:49:34	1	1	1	1	78.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:49:35	1	1	1	1	78.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:49:36	1	1	1	1	78.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:49:37	1	1	1	1	78.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.0625	2004
11.02.2020 12:49:38	1	1	1	1	78.25	60	0	29905.213	374.1935484	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:49:39	1	1	1	1	78.25	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40	2004
11.02.2020 12:49:40	1	1	1	1	78.5	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:41	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:49:42	1	1	1	1	78.5	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40	2004
11.02.2020 12:49:43	1	1	1	1	78.5	60	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:49:44	1	1	1	1	78.5	60	0	30000	374.1935484	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:45	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.875	2004
11.02.2020 12:49:46	1	1	1	1	78.5	58.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:49:47	1	1	1	1	78.5	59.25	0	30000	382.7956989	11584.81233	30000	0	0	30000	39.0625	2004
11.02.2020 12:49:48	1	1	1	1	78.5	59	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.3125	2004
11.02.2020 12:49:49	1	1	1	1	78.5	59.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.375	2004
11.02.2020 12:49:50	1	1	1	1	78.5	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.1875	2004
11.02.2020 12:49:51	1	1	1	1	78.5	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 12:49:52	1	1	1	1	78.5	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:49:53	1	1	1	1	78.5	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.875	2004
11.02.2020 12:49:54	1	1	1	1	78.5	58.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	38.6875	2004
11.02.2020 12:49:55	1	1	1	1	78.5	58.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:49:56	1	1	1	1	78.5	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:49:58	1	1	1	1	78.5	59.5	0	30000	365.5913978	11049.1126	30000	0	0	30000	39.8125	2004
11.02.2020 12:49:59	1	1	1	1	78.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:50:00	1	1	1	1	78.25	59.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.625	2004
11.02.2020 12:50:01	1	1	1	1	78.25	58.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:02	1	1	1	1	78.25	59.75	0	30000	363.4408602	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 12:50:03	1	1	1	1	78.25	59.25	0	30000	369.8924731	10950.45253	30000	0	0	30000	40	2004
11.02.2020 12:50:04	1	1	1	1	78.25	60	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:50:05	1	1	1	1	78.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:50:06	1	1	1	1	78.25	60	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:50:07	1	1	1	1	78.25	59.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:50:08	1	1	1	1	78.25	59.5	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	39.3125	2004
11.02.2020 12:50:09	1	1	1	1	78.25	59.25	0	29952.607	363.4408602	10757.20925	30000	0	0	30000	39.25	2004
11.02.2020 12:50:10	1	1	1	1	78.5	59.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:50:11	1	1	1	1	78.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:50:12	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:50:13	1	1	1	1	78.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:50:14	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:50:15	1	1	1	1	78.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:50:22	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:50:22	1	1	1	1	78.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:22	1	1	1	1	78.5	60	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:50:23	1	1	1	1	78.5	59.75	0	29952.607	369.8924731	11225.23306	30000	0	0	30000	39.4375	2004
11.02.2020 12:50:24	1	1	1	1	78.5	59.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	38.125	2004
11.02.2020 12:50:25	1	1	1	1	78.5	58	0	30000	365.5913978	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:50:26	1	1	1	1	78.5	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:27	1	1	1	1	78.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:50:28	1	1	1	1	78.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:50:29	1	1	1	1	78.5	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:50:30	1	1	1	1	78.75	60.25	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:50:31	1	1	1	1	78.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:50:32	1	1	1	1	78.75	59.5	0	30000	378.4946237	11372.81548	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:33	1	1	1	1	78.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	38.9375	2004
11.02.2020 12:50:34	1	1	1	1	78.75	58.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:50:36	1	1	1	1	78.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:50:37	1	1	1	1	78.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:38	1	1	1	1	78.75	59.75	0	30000	378.4946237	10996.92876	30000	0	0	30000	39.375	2004
11.02.2020 12:50:39	1	1	1	1	78.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:50:40	1	1	1	1	79	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:41	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:50:42	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:50:43	1	1	1	1	79	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:50:44	1	1	1	1	79	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:50:45	1	1	1	1	79	59.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:50:46	1	1	1	1	79	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:50:47	1	1	1	1	79	60	0	30000	378.4946237	10996.92876	30000	0	0	30000	39.375	2004
11.02.2020 12:50:48	1	1	1	1	79	59.25	0	30047.393	378.4946237	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:50:49	1	1	1	1	79	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:50:50	1	1	1	1	78.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	38.9375	2004
11.02.2020 12:50:51	1	1	1	1	78.75	58.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:50:52	1	1	1	1	78.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:50:53	1	1	1	1	78.75	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:50:54	1	1	1	1	78.75	59.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:50:55	1	1	1	1	78.75	59.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 12:50:56	1	1	1	1	78.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:50:57	1	1	1	1	78.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:50:58	1	1	1	1	78.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.375	2004
11.02.2020 12:50:59	1	1	1	1	78.75	59.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:00	1	1	1	1	79	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:01	1	1	1	1	79	59.75	0	29952.607	359.1397849	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:51:02	1	1	1	1	79	59.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	40	2004
11.02.2020 12:51:03	1	1	1	1	79	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:51:04	1	1	1	1	79	59.5	0	30000	372.0430108	11519.58253	30000	0	0	30000	39.75	2004
11.02.2020 12:51:05	1	1	1	1	79	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:51:06	1	1	1	1	79	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:51:07	1	1	1	1	79	59.75	0	30000	365.5913978	10757.20925	30000	0	0	30000	40.3125	2004
11.02.2020 12:51:08	1	1	1	1	79	60.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.125	2004
11.02.2020 12:51:09	1	1	1	1	79.25	59.75	0	29952.607	369.8924731	10950.45253	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:10	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.8125	2004
11.02.2020 12:51:11	1	1	1	1	79.25	58.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:51:13	1	1	1	1	79.25	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.375	2004
11.02.2020 12:51:14	1	1	1	1	79.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	38.875	2004
11.02.2020 12:51:15	1	1	1	1	79.25	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 12:51:16	1	1	1	1	79.25	59.25	0	30000	354.8387097	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 12:51:17	1	1	1	1	79.25	58.5	0	30000	354.8387097	10937.40657	30000	0	0	30000	40	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:24	1	1	1	1	78.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:25	1	1	1	1	78.75	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:51:26	1	1	1	1	78.75	59.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:27	1	1	1	1	78.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:51:28	1	1	1	1	78.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:51:29	1	1	1	1	78.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:51:30	1	1	1	1	79.25	59.75	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:51:31	1	1	1	1	79.25	59.75	0	30000	372.0430108	11079.28139	30000	0	0	30000	40.0625	2004
11.02.2020 12:51:32	1	1	1	1	79.25	60	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:51:33	1	1	1	1	79.25	59.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:34	1	1	1	1	79.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:51:35	1	1	1	1	79.25	59.75	0	30000	369.8924731	11225.23306	30000	0	0	30000	40	2004
11.02.2020 12:51:36	1	1	1	1	79.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:37	1	1	1	1	79.25	59.5	0	30000	369.8924731	11143.69581	30000	0	0	30000	39.875	2004
11.02.2020 12:51:38	1	1	1	1	79.25	59.75	0	30000	363.4408602	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:51:39	1	1	1	1	79.25	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.1875	2004
11.02.2020 12:51:40	1	1	1	1	79.25	59	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 12:51:41	1	1	1	1	79.25	59.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.3125	2004
11.02.2020 12:51:42	1	1	1	1	79.25	59.25	0	29952.607	365.5913978	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:51:43	1	1	1	1	79.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:51:44	1	1	1	1	79.25	59.75	0	30000	359.1397849	10628.3804	30000	0	0	30000	39.75	2004
11.02.2020 12:51:45	1	1	1	1	79.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:51:46	1	1	1	1	79.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:51:47	1	1	1	1	79.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
11.02.2020 12:51:48	1	1	1	1	79.25	60.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:49	1	1	1	1	79	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:51:50	1	1	1	1	79	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:51:51	1	1	1	1	79	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:51:52	1	1	1	1	79	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:51:53	1	1	1	1	79	59.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.6875	2004
11.02.2020 12:51:55	1	1	1	1	79	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 12:51:56	1	1	1	1	79	59.25	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:51:57	1	1	1	1	79	59	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:51:58	1	1	1	1	79	59.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:51:59	1	1	1	1	79	59.75	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:00	1	1	1	1	79.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 12:52:01	1	1	1	1	79.25	59.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:52:02	1	1	1	1	79.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:52:03	1	1	1	1	79.25	60	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.875	2004
11.02.2020 12:52:04	1	1	1	1	79.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:05	1	1	1	1	79.25	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:52:06	1	1	1	1	79.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	38.625	2004
11.02.2020 12:52:07	1	1	1	1	79.25	58.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 12:52:08	1	1	1	1	79.25	59.25	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.75	2004
11.02.2020 12:52:09	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:52:10	1	1	1	1	79.25	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:11	1	1	1	1	79.25	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:52:12	1	1	1	1	79.25	59.5	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:13	1	1	1	1	79.25	59.75	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:14	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:15	1	1	1	1	79.25	59.75	0	30000	378.4946237	11178.75683	30000	0	0	30000	39.5	2004
11.02.2020 12:52:16	1	1	1	1	79.25	59.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:17	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:18	1	1	1	1	79.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:26	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:52:27	1	1	1	1	79.5	59.75	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:28	1	1	1	1	79.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:52:29	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:52:30	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:31	1	1	1	1	79.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:52:33	1	1	1	1	79.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.0625	2004
11.02.2020 12:52:34	1	1	1	1	79.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:35	1	1	1	1	79.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:52:36	1	1	1	1	79.75	59.5	0	29905.213	359.1397849	10967.57535	30000	0	0	30000	39.75	2004
11.02.2020 12:52:37	1	1	1	1	79.75	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:38	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:52:39	1	1	1	1	79.75	59.5	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:52:40	1	1	1	1	79.75	59.75	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:52:41	1	1	1	1	79.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:52:42	1	1	1	1	79.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:43	1	1	1	1	79.75	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 12:52:44	1	1	1	1	79.75	59.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:52:45	1	1	1	1	79.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:52:46	1	1	1	1	79.75	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	38.6875	2004
11.02.2020 12:52:47	1	1	1	1	79.75	58.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:48	1	1	1	1	79.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:49	1	1	1	1	79.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:52:50	1	1	1	1	79.75	59.25	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	39.1875	2004
11.02.2020 12:52:51	1	1	1	1	79.75	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 12:52:52	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 12:52:53	1	1	1	1	79.75	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:52:54	1	1	1	1	79.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:52:55	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:52:56	1	1	1	1	79.75	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:52:57	1	1	1	1	79.75	59.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.4375	2004
11.02.2020 12:52:58	1	1	1	1	79.75	59.25	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 12:52:59	1	1	1	1	79.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:53:00	1	1	1	1	79.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:01	1	1	1	1	79.75	59.75	0	30047.393	365.5913978	10920.28375	30000	0	0	30000	39.875	2004
11.02.2020 12:53:02	1	1	1	1	79.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:03	1	1	1	1	79.75	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.625	2004
11.02.2020 12:53:04	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:53:05	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.125	2004
11.02.2020 12:53:06	1	1	1	1	79.75	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.1875	2004
11.02.2020 12:53:07	1	1	1	1	79.75	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.125	2004
11.02.2020 12:53:08	1	1	1	1	79.75	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:53:09	1	1	1	1	79.75	59.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 12:53:10	1	1	1	1	79.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:53:11	1	1	1	1	79.75	59.5	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.875	2004
11.02.2020 12:53:13	1	1	1	1	79.75	59.75	0	29952.607	365.5913978	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 12:53:14	1	1	1	1	79.75	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:53:15	1	1	1	1	79.75	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.125	2004
11.02.2020 12:53:16	1	1	1	1	79.75	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:53:17	1	1	1	1	79.75	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:53:18	1	1	1	1	79.75	60	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:19	1	1	1	1	79.75	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 12:53:20	1	1	1	1	80	59.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:27	1	1	1	1	80	59.25	0	29952.607	369.8924731	11143.69581	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:28	1	1	1	1	80	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:53:29	1	1	1	1	80	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:53:30	1	1	1	1	79.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:53:31	1	1	1	1	79.75	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:53:32	1	1	1	1	79.75	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:53:33	1	1	1	1	79.75	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:53:34	1	1	1	1	79.75	59.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:53:35	1	1	1	1	79.75	59.25	0	30000	365.5913978	11096.40421	30000	0	0	30000	40.125	2004
11.02.2020 12:53:36	1	1	1	1	79.75	60	0	30000	365.5913978	10757.20925	30000	0	0	30000	39.375	2004
11.02.2020 12:53:37	1	1	1	1	79.75	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:53:38	1	1	1	1	79.75	60	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:53:39	1	1	1	1	79.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:53:40	1	1	1	1	79.75	59.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:53:41	1	1	1	1	79.75	60	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 12:53:42	1	1	1	1	79.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.8125	2004
11.02.2020 12:53:43	1	1	1	1	79.75	59.75	0	29952.607	369.8924731	11336.93909	30000	0	0	30000	40	2004
11.02.2020 12:53:44	1	1	1	1	79.75	60	0	30000	365.5913978	11096.40421	30000	0	0	30000	40	2004
11.02.2020 12:53:45	1	1	1	1	79.75	60	0	30000	363.4408602	11031.98978	30000	0	0	30000	40.1875	2004
11.02.2020 12:53:46	1	1	1	1	79.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:53:47	1	1	1	1	79.75	59.75	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:53:48	1	1	1	1	79.75	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:53:49	1	1	1	1	80.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:53:50	1	1	1	1	80.25	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:53:52	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:53:53	1	1	1	1	80.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 12:53:54	1	1	1	1	80.25	59	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:53:55	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:53:56	1	1	1	1	80.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:53:57	1	1	1	1	80.25	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:53:58	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:53:59	1	1	1	1	80.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 12:54:00	1	1	1	1	80.25	59.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:54:01	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 12:54:02	1	1	1	1	80.25	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:54:03	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:54:04	1	1	1	1	80.25	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:54:05	1	1	1	1	80.25	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:54:06	1	1	1	1	80.25	59.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:54:07	1	1	1	1	80.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 12:54:08	1	1	1	1	80.25	59.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:54:09	1	1	1	1	80.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 12:54:10	1	1	1	1	80	59.5	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:54:11	1	1	1	1	80	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:54:12	1	1	1	1	80	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:54:13	1	1	1	1	80	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:14	1	1	1	1	80	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 12:54:15	1	1	1	1	80	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:54:16	1	1	1	1	80	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:54:17	1	1	1	1	80	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:54:18	1	1	1	1	80	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:54:19	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:54:20	1	1	1	1	80	59.75	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:21	1	1	1	1	80	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:54:30	1	1	1	1	80	59.5	0	29952.607	378.4946237	11483.70614	30000	0	0	30000	39.1875	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:30	1	1	1	1	80	59	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:31	1	1	1	1	80	59.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:54:32	1	1	1	1	80	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:33	1	1	1	1	80	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:54:34	1	1	1	1	80	59.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:54:35	1	1	1	1	80	59.75	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:54:36	1	1	1	1	80	60	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	38.9375	2004
11.02.2020 12:54:37	1	1	1	1	80	58.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:38	1	1	1	1	80	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:54:39	1	1	1	1	80	60	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:54:40	1	1	1	1	80	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:54:41	1	1	1	1	80	59.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.4375	2004
11.02.2020 12:54:42	1	1	1	1	80	59.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:43	1	1	1	1	80	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:54:44	1	1	1	1	80	59	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:54:45	1	1	1	1	80	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:54:46	1	1	1	1	80	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.25	2004
11.02.2020 12:54:47	1	1	1	1	80	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:54:48	1	1	1	1	80	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:54:49	1	1	1	1	80	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.375	2004
11.02.2020 12:54:50	1	1	1	1	80	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 12:54:51	1	1	1	1	80	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:54:52	1	1	1	1	80	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:54:53	1	1	1	1	80	59.75	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 12:54:54	1	1	1	1	80	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.0625	2004
11.02.2020 12:54:55	1	1	1	1	80	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:54:56	1	1	1	1	80	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:54:57	1	1	1	1	80	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.8125	2004
11.02.2020 12:54:58	1	1	1	1	80	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	40	2004
11.02.2020 12:54:59	1	1	1	1	80	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:55:00	1	1	1	1	80	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.0625	2004
11.02.2020 12:55:01	1	1	1	1	80	60	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.875	2004
11.02.2020 12:55:02	1	1	1	1	80	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.125	2004
11.02.2020 12:55:03	1	1	1	1	80	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.0625	2004
11.02.2020 12:55:04	1	1	1	1	80	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.375	2004
11.02.2020 12:55:05	1	1	1	1	80	59.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	39.625	2004
11.02.2020 12:55:06	1	1	1	1	80	59.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	39.875	2004
11.02.2020 12:55:08	1	1	1	1	80	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:09	1	1	1	1	80	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:55:10	1	1	1	1	80	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:55:11	1	1	1	1	80	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:55:12	1	1	1	1	80	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.875	2004
11.02.2020 12:55:13	1	1	1	1	80	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:55:14	1	1	1	1	80	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 12:55:15	1	1	1	1	80	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:16	1	1	1	1	80	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 12:55:17	1	1	1	1	80	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.0625	2004
11.02.2020 12:55:18	1	1	1	1	80	59	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:55:19	1	1	1	1	80	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:55:20	1	1	1	1	80	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:55:21	1	1	1	1	80	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:55:22	1	1	1	1	80	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:55:23	1	1	1	1	80	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:30	1	1	1	1	80.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.375	2004
11.02.2020 12:55:31	1	1	1	1	80.25	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:55:32	1	1	1	1	80.25	59.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:55:33	1	1	1	1	80.25	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:55:34	1	1	1	1	80.25	59.5	0	30000	367.7419355	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:55:35	1	1	1	1	80.25	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:55:36	1	1	1	1	80.25	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:55:37	1	1	1	1	80.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:55:38	1	1	1	1	80.25	59.75	0	29905.213	363.4408602	11014.86696	30000	0	0	30000	39.5625	2004
11.02.2020 12:55:39	1	1	1	1	80.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 12:55:40	1	1	1	1	80.5	59.5	0	30000	367.7419355	10757.20925	30000	0	0	30000	39.875	2004
11.02.2020 12:55:41	1	1	1	1	80.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:55:42	1	1	1	1	80.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.4375	2004
11.02.2020 12:55:43	1	1	1	1	80.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:45	1	1	1	1	80.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:46	1	1	1	1	80.5	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:55:47	1	1	1	1	80.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:48	1	1	1	1	80.5	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:55:49	1	1	1	1	80.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:55:50	1	1	1	1	80.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:51	1	1	1	1	80.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 12:55:52	1	1	1	1	80.75	59.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:55:53	1	1	1	1	80.75	59.5	0	30000	372.0430108	11014.86696	30000	0	0	30000	40	2004
11.02.2020 12:55:54	1	1	1	1	80.75	60	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.75	2004
11.02.2020 12:55:55	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:55:56	1	1	1	1	80.75	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:55:57	1	1	1	1	80.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:55:58	1	1	1	1	80.75	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:55:59	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.1875	2004
11.02.2020 12:56:00	1	1	1	1	80.75	59	0	30000	384.9462366	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:56:01	1	1	1	1	80.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40	2004
11.02.2020 12:56:02	1	1	1	1	80.75	60	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 12:56:03	1	1	1	1	80.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 12:56:04	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:56:05	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:56:06	1	1	1	1	80.75	59.75	0	30000	369.8924731	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:56:07	1	1	1	1	80.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 12:56:08	1	1	1	1	80.75	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:56:09	1	1	1	1	80.75	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:56:10	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:56:11	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:12	1	1	1	1	80.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.5	2004
11.02.2020 12:56:13	1	1	1	1	80.75	59.5	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.5	2004
11.02.2020 12:56:14	1	1	1	1	80.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	40	2004
11.02.2020 12:56:15	1	1	1	1	80.75	60	0	30000	352.688172	10644.68785	30000	0	0	30000	39.375	2004
11.02.2020 12:56:16	1	1	1	1	80.75	59.25	0	30000	356.9892473	10692.79483	30000	0	0	30000	39.75	2004
11.02.2020 12:56:17	1	1	1	1	80.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:56:18	1	1	1	1	80.75	59.75	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 12:56:19	1	1	1	1	80.75	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.0625	2004
11.02.2020 12:56:20	1	1	1	1	80.75	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:56:21	1	1	1	1	80.75	59.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	40.4375	2004
11.02.2020 12:56:22	1	1	1	1	80.75	60.25	0	30000	389.2473118	11695.70299	30000	0	0	30000	40.5	2004
11.02.2020 12:56:23	1	1	1	1	80.75	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	38.125	2004
11.02.2020 12:56:25	1	1	1	1	80.75	58	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	39.5625	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:32	1	1	1	1	80.75	59.75	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 12:56:33	1	1	1	1	80.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:56:34	1	1	1	1	80.75	59.75	0	29952.607	365.5913978	10950.45253	30000	0	0	30000	39.75	2004
11.02.2020 12:56:35	1	1	1	1	80.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:56:36	1	1	1	1	80.75	60	0	30047.393	369.8924731	10757.20925	30000	0	0	30000	39.625	2004
11.02.2020 12:56:37	1	1	1	1	80.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40	2004
11.02.2020 12:56:38	1	1	1	1	80.75	60	0	30000	337.6344086	10032.34311	30000	0	0	30000	39.5	2004
11.02.2020 12:56:39	1	1	1	1	80.75	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:40	1	1	1	1	80.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:56:41	1	1	1	1	80.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:42	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:43	1	1	1	1	80.75	59.75	0	29952.607	365.5913978	11014.86696	30000	0	0	30000	39.875	2004
11.02.2020 12:56:44	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:56:45	1	1	1	1	80.75	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.1875	2004
11.02.2020 12:56:46	1	1	1	1	80.75	59	0	30000	365.5913978	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:56:47	1	1	1	1	80.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:56:48	1	1	1	1	80.75	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5625	2004
11.02.2020 12:56:49	1	1	1	1	80.75	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:50	1	1	1	1	81.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:56:51	1	1	1	1	81.25	59.75	0	30047.393	384.9462366	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:56:52	1	1	1	1	81.25	59.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	39.5625	2004
11.02.2020 12:56:53	1	1	1	1	81.25	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:56:54	1	1	1	1	81.25	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.6875	2004
11.02.2020 12:56:55	1	1	1	1	81.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:56:56	1	1	1	1	81.25	59.25	0	29905.213	354.8387097	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:56:57	1	1	1	1	81.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.1875	2004
11.02.2020 12:56:58	1	1	1	1	81.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:56:59	1	1	1	1	81.25	59.75	0	30047.393	363.4408602	10903.16093	30000	0	0	30000	40.0625	2004
11.02.2020 12:57:00	1	1	1	1	80.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 12:57:02	1	1	1	1	80.75	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 12:57:03	1	1	1	1	80.75	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 12:57:04	1	1	1	1	80.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.375	2004
11.02.2020 12:57:05	1	1	1	1	80.75	59.25	0	29952.607	365.5913978	10967.57535	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:57:06	1	1	1	1	80.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:07	1	1	1	1	80.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:57:08	1	1	1	1	80.75	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:09	1	1	1	1	80.75	59.75	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:10	1	1	1	1	81.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:57:11	1	1	1	1	81.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:57:12	1	1	1	1	81.25	59.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:13	1	1	1	1	81.25	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:14	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:57:15	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 12:57:16	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:57:17	1	1	1	1	81.25	59.75	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.8125	2004
11.02.2020 12:57:18	1	1	1	1	81.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:57:19	1	1	1	1	81.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.25	2004
11.02.2020 12:57:20	1	1	1	1	81	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 12:57:21	1	1	1	1	81	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39	2004
11.02.2020 12:57:22	1	1	1	1	81	59	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 12:57:23	1	1	1	1	81	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	40	2004
11.02.2020 12:57:24	1	1	1	1	81	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:57:25	1	1	1	1	81	59.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 12:57:26	1	1	1	1	81	59.75	0	30000	356.9892473	10757.20925	30000	0	0	30000	39.75	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:33	1	1	1	1	81	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:34	1	1	1	1	81	59.75	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	39.3125	2004
11.02.2020 12:57:35	1	1	1	1	81	59.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:57:36	1	1	1	1	81	59.75	0	30000	369.8924731	10868.09991	30000	0	0	30000	38.8125	2004
11.02.2020 12:57:37	1	1	1	1	81	58.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.375	2004
11.02.2020 12:57:38	1	1	1	1	81	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 12:57:39	1	1	1	1	81	59.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.125	2004
11.02.2020 12:57:40	1	1	1	1	81.75	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 12:57:41	1	1	1	1	81.75	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.8125	2004
11.02.2020 12:57:42	1	1	1	1	81.75	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 12:57:43	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
11.02.2020 12:57:45	1	1	1	1	81.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:46	1	1	1	1	81.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:57:47	1	1	1	1	81.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.4375	2004
11.02.2020 12:57:48	1	1	1	1	81.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 12:57:49	1	1	1	1	81.75	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:57:50	1	1	1	1	81	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:51	1	1	1	1	81	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:52	1	1	1	1	81	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 12:57:53	1	1	1	1	81	59	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:57:54	1	1	1	1	81	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:57:55	1	1	1	1	81	59.25	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 12:57:56	1	1	1	1	81	59.5	0	30000	356.9892473	10628.3804	30000	0	0	30000	40	2004
11.02.2020 12:57:57	1	1	1	1	81	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:57:58	1	1	1	1	81	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:57:59	1	1	1	1	81	59.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	39.25	2004
11.02.2020 12:58:00	1	1	1	1	80.5	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:58:01	1	1	1	1	80.5	59.75	0	29952.607	359.1397849	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 12:58:02	1	1	1	1	80.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	38.5625	2004
11.02.2020 12:58:03	1	1	1	1	80.5	58.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:58:04	1	1	1	1	80.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:58:05	1	1	1	1	80.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:06	1	1	1	1	80.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:07	1	1	1	1	80.5	59.75	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	39	2004
11.02.2020 12:58:08	1	1	1	1	80.5	59	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 12:58:09	1	1	1	1	80.5	59.75	0	30000	372.0430108	11031.98978	30000	0	0	30000	40.125	2004
11.02.2020 12:58:10	1	1	1	1	81.25	60	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:58:11	1	1	1	1	81.25	59.75	0	29952.607	354.8387097	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:58:12	1	1	1	1	81.25	59.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.5	2004
11.02.2020 12:58:13	1	1	1	1	81.25	59.5	0	30000	350.5376344	10387.03014	30000	0	0	30000	39.875	2004
11.02.2020 12:58:14	1	1	1	1	81.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 12:58:15	1	1	1	1	81.25	59.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:16	1	1	1	1	81.25	59.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 12:58:17	1	1	1	1	81.25	59.5	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 12:58:18	1	1	1	1	81.25	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:19	1	1	1	1	81.25	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.125	2004
11.02.2020 12:58:20	1	1	1	1	81.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:58:21	1	1	1	1	81.25	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5	2004
11.02.2020 12:58:23	1	1	1	1	81.25	60.25	0	30000	359.1397849	10611.25758	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:24	1	1	1	1	81.25	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.3125	2004
11.02.2020 12:58:25	1	1	1	1	81.25	59.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:58:26	1	1	1	1	81.25	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:58:27	1	1	1	1	81.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:58:28	1	1	1	1	81.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:35	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:36	1	1	1	1	81.25	59.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 12:58:37	1	1	1	1	81.25	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:58:38	1	1	1	1	81.25	59.75	0	30047.393	387.0967742	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 12:58:39	1	1	1	1	81.25	59.25	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 12:58:40	1	1	1	1	81.5	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:58:41	1	1	1	1	81.5	59.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:42	1	1	1	1	81.5	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:43	1	1	1	1	81.5	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 12:58:44	1	1	1	1	81.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:58:45	1	1	1	1	81.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:46	1	1	1	1	81.5	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 12:58:47	1	1	1	1	81.5	59.25	0	30000	380.6451613	11695.70299	30000	0	0	30000	40.0625	2004
11.02.2020 12:58:48	1	1	1	1	81.5	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 12:58:49	1	1	1	1	81.5	59.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 12:58:50	1	1	1	1	81.25	59.75	0	29952.607	384.9462366	11483.70614	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:51	1	1	1	1	81.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.0625	2004
11.02.2020 12:58:52	1	1	1	1	81.25	60	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.75	2004
11.02.2020 12:58:53	1	1	1	1	81.25	58.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.5	2004
11.02.2020 12:58:54	1	1	1	1	81.25	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:55	1	1	1	1	81.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:58:56	1	1	1	1	81.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 12:58:57	1	1	1	1	81.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:58:58	1	1	1	1	81.25	59.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 12:58:59	1	1	1	1	81.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:01	1	1	1	1	81.25	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:59:02	1	1	1	1	81.25	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.0625	2004
11.02.2020 12:59:03	1	1	1	1	81.25	59	0	30000	354.8387097	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:04	1	1	1	1	81.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 12:59:05	1	1	1	1	81.25	60	0	30000	348.3870968	10370.72269	30000	0	0	30000	39.625	2004
11.02.2020 12:59:06	1	1	1	1	81.25	59.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.6875	2004
11.02.2020 12:59:07	1	1	1	1	81.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:08	1	1	1	1	81.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 12:59:09	1	1	1	1	81.25	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:10	1	1	1	1	81.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 12:59:11	1	1	1	1	81.25	59.75	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	40	2004
11.02.2020 12:59:12	1	1	1	1	81.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:13	1	1	1	1	81.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 12:59:14	1	1	1	1	81.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:59:15	1	1	1	1	81.25	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 12:59:16	1	1	1	1	81.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 12:59:17	1	1	1	1	81.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 12:59:18	1	1	1	1	81.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:19	1	1	1	1	81.25	59.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 12:59:20	1	1	1	1	81.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:21	1	1	1	1	81.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.25	2004
11.02.2020 12:59:22	1	1	1	1	81.5	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:23	1	1	1	1	81.5	59.75	0	30000	337.6344086	10048.65056	30000	0	0	30000	38.8125	2004
11.02.2020 12:59:24	1	1	1	1	81.5	58.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:25	1	1	1	1	81.5	59.75	0	29905.213	348.3870968	10499.55155	30000	0	0	30000	39.25	2004
11.02.2020 12:59:26	1	1	1	1	81.5	59.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 12:59:27	1	1	1	1	81.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 12:59:28	1	1	1	1	81.5	59.75	0	30000	391.3978495	11723.42565	30000	0	0	30000	39.75	2004
11.02.2020 12:59:29	1	1	1	1	81.5	59.75	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 12:59:36	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:36	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.375	2004
11.02.2020 12:59:37	1	1	1	1	81.75	60.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	39.625	2004
11.02.2020 12:59:39	1	1	1	1	81.75	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:40	1	1	1	1	81.75	60.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:59:41	1	1	1	1	81.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.25	2004
11.02.2020 12:59:42	1	1	1	1	81.75	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 12:59:43	1	1	1	1	81.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 12:59:44	1	1	1	1	81.75	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:45	1	1	1	1	81.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 12:59:46	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 12:59:47	1	1	1	1	81.75	59.5	0	30000	322.5806452	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:48	1	1	1	1	81.75	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:49	1	1	1	1	81.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 12:59:50	1	1	1	1	81.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:51	1	1	1	1	81.75	59.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 12:59:52	1	1	1	1	81.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 12:59:53	1	1	1	1	81.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 12:59:54	1	1	1	1	81.75	59.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:55	1	1	1	1	81.75	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 12:59:56	1	1	1	1	81.75	59.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 12:59:57	1	1	1	1	81.75	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:58	1	1	1	1	81.75	59.75	0	30000	380.6451613	11437.22991	30000	0	0	30000	39.8125	2004
11.02.2020 12:59:59	1	1	1	1	81.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:00	1	1	1	1	82	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:01	1	1	1	1	82	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:00:02	1	1	1	1	82	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:03	1	1	1	1	82	59.75	0	29905.213	361.2903226	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 13:00:04	1	1	1	1	82	59.75	0	30000	365.5913978	10886.03811	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:05	1	1	1	1	82	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:00:06	1	1	1	1	82	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:07	1	1	1	1	82	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:08	1	1	1	1	82	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:00:09	1	1	1	1	82	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:00:10	1	1	1	1	81.75	59.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 13:00:11	1	1	1	1	81.75	60	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:12	1	1	1	1	81.75	59.75	0	29905.213	335.483871	10257.38592	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:13	1	1	1	1	81.75	59.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:14	1	1	1	1	81.75	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.0625	2004
11.02.2020 13:00:15	1	1	1	1	81.75	60	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:17	1	1	1	1	81.75	59.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:18	1	1	1	1	81.75	60.25	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:00:19	1	1	1	1	81.75	59.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	40.0625	2004
11.02.2020 13:00:20	1	1	1	1	82.25	60	0	30000	400	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:21	1	1	1	1	82.25	59.75	0	30000	380.6451613	11336.93909	30000	0	0	30000	39.375	2004
11.02.2020 13:00:22	1	1	1	1	82.25	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 13:00:23	1	1	1	1	82.25	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.875	2004
11.02.2020 13:00:24	1	1	1	1	82.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.4375	2004
11.02.2020 13:00:25	1	1	1	1	82.25	59.25	0	30000	369.8924731	11049.1126	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:26	1	1	1	1	82.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40	2004
11.02.2020 13:00:27	1	1	1	1	82.25	60	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:00:28	1	1	1	1	82.25	59.5	0	30000	400	11999.83693	30000	0	0	30000	39.4375	2004
11.02.2020 13:00:29	1	1	1	1	82.25	59.25	0	30000	400	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:00:30	1	1	1	1	81.75	59.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	39.875	2004
11.02.2020 13:00:31	1	1	1	1	81.75	59.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:38	1	1	1	1	81.75	59.75	0	30000	365.5913978	11178.75683	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:39	1	1	1	1	81.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:00:40	1	1	1	1	81.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:41	1	1	1	1	81.75	59.75	0	29905.213	352.688172	10773.5167	30000	0	0	30000	40	2004
11.02.2020 13:00:42	1	1	1	1	81.75	60	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:43	1	1	1	1	81.75	59.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	38.875	2004
11.02.2020 13:00:44	1	1	1	1	81.75	58.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 13:00:45	1	1	1	1	81.75	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:00:46	1	1	1	1	81.75	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:47	1	1	1	1	81.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.5625	2004
11.02.2020 13:00:48	1	1	1	1	81.75	59.5	0	29905.213	363.4408602	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 13:00:51	1	1	1	1	82	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 13:00:51	1	1	1	1	82	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 13:00:51	1	1	1	1	82	59	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:00:52	1	1	1	1	82	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:53	1	1	1	1	82	59.75	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:00:54	1	1	1	1	82	60	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:56	1	1	1	1	82	59.75	0	29952.607	380.6451613	11319.0009	30000	0	0	30000	40.1875	2004
11.02.2020 13:00:57	1	1	1	1	82	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.0625	2004
11.02.2020 13:00:58	1	1	1	1	82	60	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:00:59	1	1	1	1	82	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 13:01:00	1	1	1	1	82.25	59.5	0	30000	367.7419355	10773.5167	30000	0	0	30000	40	2004
11.02.2020 13:01:01	1	1	1	1	82.25	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:01:02	1	1	1	1	82.25	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:01:03	1	1	1	1	82.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.375	2004
11.02.2020 13:01:04	1	1	1	1	82.25	59.25	0	30000	352.688172	10644.68785	30000	0	0	30000	39.0625	2004
11.02.2020 13:01:05	1	1	1	1	82.25	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5625	2004
11.02.2020 13:01:06	1	1	1	1	82.25	59.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	39.875	2004
11.02.2020 13:01:07	1	1	1	1	82.25	59.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:01:08	1	1	1	1	82.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:09	1	1	1	1	82.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.125	2004
11.02.2020 13:01:10	1	1	1	1	82.25	60	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	38.9375	2004
11.02.2020 13:01:11	1	1	1	1	82.25	58.75	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:01:12	1	1	1	1	82.25	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	40	2004
11.02.2020 13:01:13	1	1	1	1	82.25	60	0	30000	384.9462366	11530.18237	30000	0	0	30000	39.75	2004
11.02.2020 13:01:14	1	1	1	1	82.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 13:01:15	1	1	1	1	82.25	59.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:16	1	1	1	1	82.25	59.75	0	30000	382.7956989	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:01:17	1	1	1	1	82.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.875	2004
11.02.2020 13:01:18	1	1	1	1	82.25	59.75	0	29952.607	361.2903226	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 13:01:19	1	1	1	1	82.25	59.25	0	29952.607	367.7419355	11014.86696	30000	0	0	30000	39.1875	2004
11.02.2020 13:01:20	1	1	1	1	82.25	59	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:21	1	1	1	1	82.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:22	1	1	1	1	82.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:23	1	1	1	1	82.25	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 13:01:24	1	1	1	1	82.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40	2004
11.02.2020 13:01:25	1	1	1	1	82.25	60	0	30000	352.688172	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:01:26	1	1	1	1	82.25	59.75	0	30000	322.5806452	9483.597423	30000	0	0	30000	39.375	2004
11.02.2020 13:01:27	1	1	1	1	82.25	59.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 13:01:28	1	1	1	1	82.25	59.75	0	29952.607	352.688172	10644.68785	30000	0	0	30000	40	2004
11.02.2020 13:01:29	1	1	1	1	82.25	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:01:30	1	1	1	1	82.5	60	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 13:01:32	1	1	1	1	82.5	59.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	40.25	2004
11.02.2020 13:01:33	1	1	1	1	82.5	60.25	0	30000	400	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:40	1	1	1	1	83	58.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:01:41	1	1	1	1	83	59.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.25	2004
11.02.2020 13:01:42	1	1	1	1	83	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:01:43	1	1	1	1	83	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 13:01:44	1	1	1	1	83	59.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	39.9375	2004
11.02.2020 13:01:45	1	1	1	1	83	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 13:01:46	1	1	1	1	83	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:01:47	1	1	1	1	83	59.75	0	30000	329.0322581	9855.407279	30000	0	0	30000	39.6875	2004
11.02.2020 13:01:48	1	1	1	1	83	59.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:01:49	1	1	1	1	83	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 13:01:50	1	1	1	1	82.25	59.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:01:51	1	1	1	1	82.25	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.5	2004
11.02.2020 13:01:52	1	1	1	1	82.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:01:53	1	1	1	1	82.25	59.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	40	2004
11.02.2020 13:01:54	1	1	1	1	82.25	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:01:55	1	1	1	1	82.25	59.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:01:56	1	1	1	1	82.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:01:57	1	1	1	1	82.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 13:01:58	1	1	1	1	82.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:01:59	1	1	1	1	82.25	59.75	0	30000	363.4408602	10886.03811	30000	0	0	30000	39.5	2004
11.02.2020 13:02:00	1	1	1	1	82.25	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:01	1	1	1	1	82.25	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 13:02:02	1	1	1	1	82.25	59.5	0	29952.607	348.3870968	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:02:03	1	1	1	1	82.25	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 13:02:04	1	1	1	1	82.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 13:02:05	1	1	1	1	82.25	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:02:06	1	1	1	1	82.25	59.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 13:02:07	1	1	1	1	82.25	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:02:08	1	1	1	1	82.25	59.5	0	30047.393	311.827957	9290.354143	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:09	1	1	1	1	82.25	59.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:10	1	1	1	1	82.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:02:12	1	1	1	1	82.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:02:13	1	1	1	1	82.25	59.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	39.5	2004
11.02.2020 13:02:14	1	1	1	1	82.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:02:15	1	1	1	1	82.25	59.75	0	30000	412.9032258	12620.33539	30000	0	0	30000	39.5	2004
11.02.2020 13:02:16	1	1	1	1	82.25	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.3125	2004
11.02.2020 13:02:17	1	1	1	1	82.25	59.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:18	1	1	1	1	82.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:19	1	1	1	1	82.25	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 13:02:20	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 13:02:21	1	1	1	1	82.75	59.25	0	30094.787	378.4946237	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 13:02:22	1	1	1	1	82.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:02:23	1	1	1	1	82.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:24	1	1	1	1	82.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.4375	2004
11.02.2020 13:02:25	1	1	1	1	82.75	59.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:02:26	1	1	1	1	82.75	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 13:02:27	1	1	1	1	82.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:02:28	1	1	1	1	82.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:02:29	1	1	1	1	82.75	59.75	0	30000	346.2365591	10241.89384	30000	0	0	30000	39.75	2004
11.02.2020 13:02:30	1	1	1	1	82.5	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:02:31	1	1	1	1	82.5	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:32	1	1	1	1	82.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:02:33	1	1	1	1	82.5	59.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 13:02:34	1	1	1	1	82.5	59.75	0	30000	400	11999.83693	30000	0	0	30000	39.1875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:41	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:02:42	1	1	1	1	82.75	59.75	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	39.875	2004
11.02.2020 13:02:43	1	1	1	1	82.75	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.4375	2004
11.02.2020 13:02:44	1	1	1	1	82.75	59.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 13:02:45	1	1	1	1	82.75	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:02:46	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:02:47	1	1	1	1	82.75	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:02:48	1	1	1	1	82.75	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:02:49	1	1	1	1	82.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:02:50	1	1	1	1	82.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 13:02:52	1	1	1	1	82.75	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
11.02.2020 13:02:53	1	1	1	1	82.75	60	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	39.4375	2004
11.02.2020 13:02:54	1	1	1	1	82.75	60	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.5625	2004
11.02.2020 13:02:55	1	1	1	1	82.75	59.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.75	2004
11.02.2020 13:02:56	1	1	1	1	82.75	59.75	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	39.875	2004
11.02.2020 13:02:57	1	1	1	1	82.75	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 13:02:58	1	1	1	1	82.75	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:02:59	1	1	1	1	82.75	59.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:03:00	1	1	1	1	82.75	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:03:01	1	1	1	1	82.75	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.875	2004
11.02.2020 13:03:02	1	1	1	1	82.75	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:03	1	1	1	1	82.75	59.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.75	2004
11.02.2020 13:03:04	1	1	1	1	82.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 13:03:05	1	1	1	1	82.75	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:06	1	1	1	1	82.75	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.4375	2004
11.02.2020 13:03:07	1	1	1	1	82.75	59.25	0	30000	359.1397849	10499.55155	30000	0	0	30000	39.75	2004
11.02.2020 13:03:08	1	1	1	1	82.75	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:03:09	1	1	1	1	82.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:10	1	1	1	1	82.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.5	2004
11.02.2020 13:03:11	1	1	1	1	82.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.1875	2004
11.02.2020 13:03:12	1	1	1	1	82.5	59	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 13:03:13	1	1	1	1	82.5	59.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	39.9375	2004
11.02.2020 13:03:14	1	1	1	1	82.5	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.125	2004
11.02.2020 13:03:15	1	1	1	1	82.5	59	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5625	2004
11.02.2020 13:03:16	1	1	1	1	82.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:03:17	1	1	1	1	82.5	59.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	39.5625	2004
11.02.2020 13:03:18	1	1	1	1	82.5	59.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	39	2004
11.02.2020 13:03:19	1	1	1	1	82.5	59	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:03:20	1	1	1	1	82.75	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:03:21	1	1	1	1	82.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 13:03:22	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39	2004
11.02.2020 13:03:23	1	1	1	1	82.75	59	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	39.75	2004
11.02.2020 13:03:24	1	1	1	1	82.75	59.75	0	30000	402.1505376	11871.00807	30000	0	0	30000	40	2004
11.02.2020 13:03:25	1	1	1	1	82.75	60	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:03:26	1	1	1	1	82.75	59.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.3125	2004
11.02.2020 13:03:27	1	1	1	1	82.75	59.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:28	1	1	1	1	82.75	59.75	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:03:29	1	1	1	1	82.75	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.4375	2004
11.02.2020 13:03:31	1	1	1	1	82.75	59.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 13:03:32	1	1	1	1	82.75	59	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:03:33	1	1	1	1	82.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:03:34	1	1	1	1	82.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:03:35	1	1	1	1	82.75	59.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.5	2004
11.02.2020 13:03:36	1	1	1	1	82.75	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:03:43	1	1	1	1	82.75	59.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.75	2004
11.02.2020 13:03:44	1	1	1	1	82.75	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.9375	2004
11.02.2020 13:03:45	1	1	1	1	82.75	59.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:03:46	1	1	1	1	82.75	59.75	0	30047.393	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:47	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:03:48	1	1	1	1	82.75	59.75	0	30000	372.0430108	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 13:03:49	1	1	1	1	82.75	59.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 13:03:50	1	1	1	1	82.75	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:03:51	1	1	1	1	82.75	59.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.0625	2004
11.02.2020 13:03:52	1	1	1	1	82.75	60	0	29905.213	369.8924731	11079.28139	30000	0	0	30000	39.75	2004
11.02.2020 13:03:53	1	1	1	1	82.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 13:03:54	1	1	1	1	82.75	59.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 13:03:55	1	1	1	1	82.75	59.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	39.875	2004
11.02.2020 13:03:56	1	1	1	1	82.75	59.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:03:57	1	1	1	1	82.75	59.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:03:58	1	1	1	1	82.75	59.75	0	29952.607	335.483871	9967.928682	30000	0	0	30000	39.75	2004
11.02.2020 13:03:59	1	1	1	1	82.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:04:00	1	1	1	1	82.5	59.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	40	2004
11.02.2020 13:04:01	1	1	1	1	82.5	60	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 13:04:02	1	1	1	1	82.5	59.75	0	30000	359.1397849	10675.672	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:03	1	1	1	1	82.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:04:04	1	1	1	1	82.5	59.5	0	30000	354.8387097	10790.63952	30000	0	0	30000	39.9375	2004
11.02.2020 13:04:05	1	1	1	1	82.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:06	1	1	1	1	82.5	59.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	40.3125	2004
11.02.2020 13:04:08	1	1	1	1	82.5	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:04:09	1	1	1	1	82.5	59.75	0	30000	350.5376344	10387.03014	30000	0	0	30000	40	2004
11.02.2020 13:04:10	1	1	1	1	82.5	60	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.1875	2004
11.02.2020 13:04:11	1	1	1	1	83	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:04:12	1	1	1	1	83	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 13:04:13	1	1	1	1	83	59.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:14	1	1	1	1	83	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 13:04:15	1	1	1	1	83	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.9375	2004
11.02.2020 13:04:16	1	1	1	1	83	59.75	0	30000	372.0430108	11014.86696	30000	0	0	30000	40	2004
11.02.2020 13:04:17	1	1	1	1	83	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 13:04:18	1	1	1	1	83	59.5	0	30000	337.6344086	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:04:19	1	1	1	1	83	59.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:20	1	1	1	1	82.75	59.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	38.75	2004
11.02.2020 13:04:21	1	1	1	1	82.75	58.75	0	30000	350.5376344	10499.55155	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:22	1	1	1	1	82.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.8125	2004
11.02.2020 13:04:23	1	1	1	1	82.75	58.75	0	29905.213	395.6989247	11999.83693	30000	0	0	30000	39.5	2004
11.02.2020 13:04:24	1	1	1	1	82.75	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.0625	2004
11.02.2020 13:04:25	1	1	1	1	82.75	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:26	1	1	1	1	82.75	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:04:27	1	1	1	1	82.75	59.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:04:28	1	1	1	1	82.75	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 13:04:29	1	1	1	1	82.75	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.125	2004
11.02.2020 13:04:30	1	1	1	1	83.5	60	0	29952.607	363.4408602	10773.5167	30000	0	0	30000	39.125	2004
11.02.2020 13:04:31	1	1	1	1	83.5	59	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:04:32	1	1	1	1	83.5	59.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.3125	2004
11.02.2020 13:04:33	1	1	1	1	83.5	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:04:34	1	1	1	1	83.5	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 13:04:35	1	1	1	1	83.5	59.5	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	39.8125	2004
11.02.2020 13:04:36	1	1	1	1	83.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 13:04:37	1	1	1	1	83.5	59.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.125	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:04:45	1	1	1	1	83.25	59.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.1875	2004
11.02.2020 13:04:46	1	1	1	1	83.25	59	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.3125	2004
11.02.2020 13:04:48	1	1	1	1	83.25	59.25	0	30000	341.9354839	10161.17196	30000	0	0	30000	38.5	2004
11.02.2020 13:04:49	1	1	1	1	83.25	58.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.375	2004
11.02.2020 13:04:50	1	1	1	1	83.25	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.1875	2004
11.02.2020 13:04:51	1	1	1	1	83.75	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.25	2004
11.02.2020 13:04:52	1	1	1	1	83.75	60	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.4375	2004
11.02.2020 13:04:53	1	1	1	1	83.75	59.25	0	29952.607	397.8494624	11916.66893	30000	0	0	30000	39.875	2004
11.02.2020 13:04:54	1	1	1	1	83.75	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 13:04:55	1	1	1	1	83.75	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.125	2004
11.02.2020 13:04:56	1	1	1	1	83.75	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 13:04:57	1	1	1	1	83.75	59.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	39.5	2004
11.02.2020 13:04:58	1	1	1	1	83.75	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:04:59	1	1	1	1	83.75	59.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 13:05:00	1	1	1	1	83.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:01	1	1	1	1	83.5	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:05:02	1	1	1	1	83.5	59.75	0	30047.393	369.8924731	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 13:05:03	1	1	1	1	83.5	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 13:05:04	1	1	1	1	83.5	59.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	40	2004
11.02.2020 13:05:05	1	1	1	1	83.5	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 13:05:06	1	1	1	1	83.5	60	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:07	1	1	1	1	83.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:05:08	1	1	1	1	83.5	59.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:05:09	1	1	1	1	83.5	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:10	1	1	1	1	83.5	59.75	0	29905.213	369.8924731	11208.11024	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:05:11	1	1	1	1	83.5	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 13:05:12	1	1	1	1	83.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 13:05:13	1	1	1	1	83.5	59.25	0	30000	369.8924731	11079.28139	30000	0	0	30000	39.75	2004
11.02.2020 13:05:14	1	1	1	1	83.5	59.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:05:15	1	1	1	1	83.5	59.75	0	30000	389.2473118	11889.76164	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:16	1	1	1	1	83.5	59.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	40	2004
11.02.2020 13:05:17	1	1	1	1	83.5	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:05:18	1	1	1	1	83.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:05:19	1	1	1	1	83.5	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:20	1	1	1	1	83.75	59.75	0	30000	298.9247312	9160.709918	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:21	1	1	1	1	83.75	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:22	1	1	1	1	83.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.0625	2004
11.02.2020 13:05:23	1	1	1	1	83.75	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:25	1	1	1	1	83.75	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 13:05:26	1	1	1	1	83.75	59.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.0625	2004
11.02.2020 13:05:27	1	1	1	1	83.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.625	2004
11.02.2020 13:05:28	1	1	1	1	83.75	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
11.02.2020 13:05:29	1	1	1	1	83.75	59.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.375	2004
11.02.2020 13:05:30	1	1	1	1	84.5	59.25	0	30047.393	417.2043011	12580.38214	30000	0	0	30000	39.875	2004
11.02.2020 13:05:31	1	1	1	1	84.5	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:05:32	1	1	1	1	84.5	59.75	0	29952.607	382.7956989	11483.70614	30000	0	0	30000	39.25	2004
11.02.2020 13:05:33	1	1	1	1	84.5	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 13:05:34	1	1	1	1	84.5	59.75	0	30047.393	378.4946237	11225.23306	30000	0	0	30000	40	2004
11.02.2020 13:05:35	1	1	1	1	84.5	60	0	30000	372.0430108	10950.45253	30000	0	0	30000	39.875	2004
11.02.2020 13:05:36	1	1	1	1	84.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 13:05:37	1	1	1	1	84.5	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 13:05:38	1	1	1	1	84.5	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:05:39	1	1	1	1	84.5	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:46	1	1	1	1	84	59.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	39.8125	2004
11.02.2020 13:05:47	1	1	1	1	84	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 13:05:48	1	1	1	1	84	59.75	0	30000	406.4516129	12045.49778	30000	0	0	30000	39.1875	2004
11.02.2020 13:05:49	1	1	1	1	84	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.0625	2004
11.02.2020 13:05:50	1	1	1	1	84.5	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.875	2004
11.02.2020 13:05:51	1	1	1	1	84.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40	2004
11.02.2020 13:05:52	1	1	1	1	84.5	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 13:05:53	1	1	1	1	84.5	59	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.4375	2004
11.02.2020 13:05:54	1	1	1	1	84.5	59.25	0	30000	412.9032258	12064.25135	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:05:55	1	1	1	1	84.5	59.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:05:56	1	1	1	1	84.5	59.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	39.625	2004
11.02.2020 13:05:57	1	1	1	1	84.5	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:05:58	1	1	1	1	84.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 13:05:59	1	1	1	1	84.5	59.25	0	30000	365.5913978	10757.20925	30000	0	0	30000	39.6875	2004
11.02.2020 13:06:00	1	1	1	1	84.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:06:01	1	1	1	1	84.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.625	2004
11.02.2020 13:06:02	1	1	1	1	84.25	59.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.375	2004
11.02.2020 13:06:03	1	1	1	1	84.25	59.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 13:06:05	1	1	1	1	84.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.3125	2004
11.02.2020 13:06:06	1	1	1	1	84.25	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.0625	2004
11.02.2020 13:06:07	1	1	1	1	84.25	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.0625	2004
11.02.2020 13:06:08	1	1	1	1	84.25	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	40	2004
11.02.2020 13:06:09	1	1	1	1	84.25	59.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:06:10	1	1	1	1	84.5	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.5625	2004
11.02.2020 13:06:11	1	1	1	1	84.5	59.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:06:12	1	1	1	1	84.5	59.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	39.625	2004
11.02.2020 13:06:13	1	1	1	1	84.5	59.5	0	30047.393	395.6989247	11741.36385	30000	0	0	30000	39.625	2004
11.02.2020 13:06:14	1	1	1	1	84.5	59.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	39.6875	2004
11.02.2020 13:06:15	1	1	1	1	84.5	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:16	1	1	1	1	84.5	59.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	40.0625	2004
11.02.2020 13:06:17	1	1	1	1	84.5	60	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:18	1	1	1	1	84.5	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.0625	2004
11.02.2020 13:06:19	1	1	1	1	84.5	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:20	1	1	1	1	84.75	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 13:06:21	1	1	1	1	84.75	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:06:22	1	1	1	1	84.75	59.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	39.875	2004
11.02.2020 13:06:23	1	1	1	1	84.75	59.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:24	1	1	1	1	84.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 13:06:25	1	1	1	1	84.75	59	0	30000	402.1505376	12128.66578	30000	0	0	30000	39.875	2004
11.02.2020 13:06:26	1	1	1	1	84.75	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.875	2004
11.02.2020 13:06:27	1	1	1	1	84.75	59.75	0	30000	406.4516129	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 13:06:28	1	1	1	1	84.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:29	1	1	1	1	84.75	59.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:06:30	1	1	1	1	85	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:31	1	1	1	1	85	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.4375	2004
11.02.2020 13:06:32	1	1	1	1	85	59.25	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	40	2004
11.02.2020 13:06:33	1	1	1	1	85	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:34	1	1	1	1	85	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:35	1	1	1	1	85	59.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	38.0625	2004
11.02.2020 13:06:36	1	1	1	1	85	58	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 13:06:37	1	1	1	1	85	59.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	38.9375	2004
11.02.2020 13:06:38	1	1	1	1	85	58.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:06:39	1	1	1	1	85	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 13:06:41	1	1	1	1	85	59	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:48	1	1	1	1	85	59.5	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:06:49	1	1	1	1	85	59.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:50	1	1	1	1	85.25	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.875	2004
11.02.2020 13:06:51	1	1	1	1	85.25	59.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:52	1	1	1	1	85.25	59.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:06:53	1	1	1	1	85.25	59.75	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	40	2004
11.02.2020 13:06:54	1	1	1	1	85.25	60	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.875	2004
11.02.2020 13:06:55	1	1	1	1	85.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 13:06:56	1	1	1	1	85.25	59.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 13:06:57	1	1	1	1	85.25	59.75	0	30094.787	395.6989247	11676.94942	30000	0	0	30000	39.5625	2004
11.02.2020 13:06:58	1	1	1	1	85.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 13:06:59	1	1	1	1	85.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:00	1	1	1	1	85.5	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.875	2004
11.02.2020 13:07:01	1	1	1	1	85.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 13:07:02	1	1	1	1	85.5	59.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:03	1	1	1	1	85.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 13:07:04	1	1	1	1	85.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40	2004
11.02.2020 13:07:05	1	1	1	1	85.5	60	0	30000	363.4408602	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:06	1	1	1	1	85.5	59.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:07	1	1	1	1	85.5	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 13:07:08	1	1	1	1	85.5	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:07:09	1	1	1	1	85.5	59.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.5	2004
11.02.2020 13:07:10	1	1	1	1	85.5	59.5	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 13:07:11	1	1	1	1	85.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 13:07:12	1	1	1	1	85.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:07:13	1	1	1	1	85.5	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40	2004
11.02.2020 13:07:14	1	1	1	1	85.5	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.875	2004
11.02.2020 13:07:15	1	1	1	1	85.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 13:07:16	1	1	1	1	85.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:17	1	1	1	1	85.5	59.75	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 13:07:18	1	1	1	1	85.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.25	2004
11.02.2020 13:07:19	1	1	1	1	85.5	59.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:07:20	1	1	1	1	85.5	59.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:22	1	1	1	1	85.5	59.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.875	2004
11.02.2020 13:07:23	1	1	1	1	85.5	59.75	0	30000	384.9462366	11401.35352	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:07:24	1	1	1	1	85.5	60.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.25	2004
11.02.2020 13:07:25	1	1	1	1	85.5	60.25	0	29952.607	397.8494624	11852.2545	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:26	1	1	1	1	85.5	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 13:07:27	1	1	1	1	85.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:28	1	1	1	1	85.5	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40	2004
11.02.2020 13:07:29	1	1	1	1	85.5	60	0	30000	384.9462366	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:07:30	1	1	1	1	86	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:31	1	1	1	1	86	59.75	0	30000	372.0430108	11079.28139	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:32	1	1	1	1	86	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:33	1	1	1	1	86	59.75	0	30000	387.0967742	11401.35352	30000	0	0	30000	39.0625	2004
11.02.2020 13:07:34	1	1	1	1	86	59	0	30000	387.0967742	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:07:35	1	1	1	1	86	59.75	0	30000	404.3010753	12148.23472	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:36	1	1	1	1	86	59.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.875	2004
11.02.2020 13:07:37	1	1	1	1	86	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.875	2004
11.02.2020 13:07:38	1	1	1	1	86	59.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:07:39	1	1	1	1	86	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 13:07:40	1	1	1	1	86	58.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.75	2004
11.02.2020 13:07:41	1	1	1	1	86	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.0625	2004
11.02.2020 13:07:42	1	1	1	1	86	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:49	1	1	1	1	86	59.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:50	1	1	1	1	86	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:07:51	1	1	1	1	86	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:07:52	1	1	1	1	86	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.6875	2004
11.02.2020 13:07:53	1	1	1	1	86	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:07:54	1	1	1	1	86	59.5	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	40.0625	2004
11.02.2020 13:07:55	1	1	1	1	86	60	0	30000	421.5053763	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 13:07:56	1	1	1	1	86	59.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 13:07:57	1	1	1	1	86	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:07:59	1	1	1	1	86	59.5	0	30094.787	427.9569892	12773.62542	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:00	1	1	1	1	86	59.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:08:01	1	1	1	1	86.25	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:08:02	1	1	1	1	86.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.125	2004
11.02.2020 13:08:03	1	1	1	1	86.25	60	0	30094.787	412.9032258	12109.91221	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:04	1	1	1	1	86.25	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 13:08:05	1	1	1	1	86.25	59.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 13:08:06	1	1	1	1	86.25	59.5	0	30000	384.9462366	11935.4225	30000	0	0	30000	39.875	2004
11.02.2020 13:08:07	1	1	1	1	86.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:08:08	1	1	1	1	86.25	59.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	39.625	2004
11.02.2020 13:08:09	1	1	1	1	86.25	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:10	1	1	1	1	86.25	59.75	0	30000	404.3010753	12045.49778	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:11	1	1	1	1	86.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 13:08:12	1	1	1	1	86.25	59.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:08:13	1	1	1	1	86.25	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:14	1	1	1	1	86.25	59.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:15	1	1	1	1	86.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 13:08:16	1	1	1	1	86.25	59.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:17	1	1	1	1	86.25	59.75	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:18	1	1	1	1	86.25	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 13:08:19	1	1	1	1	86.25	59.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	39.4375	2004
11.02.2020 13:08:20	1	1	1	1	86.25	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:08:21	1	1	1	1	86.25	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 13:08:22	1	1	1	1	86.25	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:08:23	1	1	1	1	86.25	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:24	1	1	1	1	86.25	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 13:08:25	1	1	1	1	86.25	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.75	2004
11.02.2020 13:08:26	1	1	1	1	86.25	59.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:27	1	1	1	1	86.25	59.75	0	29905.213	438.7096774	13269.37189	30000	0	0	30000	39.625	2004
11.02.2020 13:08:28	1	1	1	1	86.25	59.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 13:08:29	1	1	1	1	86.25	58.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.375	2004
11.02.2020 13:08:30	1	1	1	1	86	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 13:08:31	1	1	1	1	86	59.25	0	30000	352.688172	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:08:32	1	1	1	1	86	59.75	0	30000	380.6451613	11455.1681	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:33	1	1	1	1	86	59.75	0	29905.213	352.688172	10903.16093	30000	0	0	30000	39.6875	2004
11.02.2020 13:08:34	1	1	1	1	86	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:35	1	1	1	1	86	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:08:37	1	1	1	1	86	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 13:08:38	1	1	1	1	86	59.5	0	30000	412.9032258	12620.33539	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:39	1	1	1	1	86	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:08:40	1	1	1	1	86	59.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.1875	2004
11.02.2020 13:08:41	1	1	1	1	86.5	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 13:08:42	1	1	1	1	86.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
11.02.2020 13:08:43	1	1	1	1	86.5	59.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 13:08:44	1	1	1	1	86.5	59.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	39.375	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004
11.02.2020 13:08:51	1	1	1	1	86.5	59.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	39.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:08:52	1	1	1	1	86.5	59.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:53	1	1	1	1	86.5	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:08:54	1	1	1	1	86.5	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 13:08:55	1	1	1	1	86.5	59.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	39.6875	2004
11.02.2020 13:08:56	1	1	1	1	86.5	59.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 13:08:57	1	1	1	1	86.5	59.75	0	30000	415.0537634	12154.7577	30000	0	0	30000	39.9375	2004
11.02.2020 13:08:58	1	1	1	1	86.5	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 13:08:59	1	1	1	1	86.5	59.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	39.5625	2004
11.02.2020 13:09:00	1	1	1	1	86.5	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.375	2004
11.02.2020 13:09:01	1	1	1	1	86.5	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:09:02	1	1	1	1	86.5	59.5	0	30000	419.3548387	12773.62542	30000	0	0	30000	39.3125	2004
11.02.2020 13:09:03	1	1	1	1	86.5	59.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 13:09:04	1	1	1	1	86.5	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:09:05	1	1	1	1	86.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:06	1	1	1	1	86.5	59.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:09:07	1	1	1	1	86.5	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 13:09:08	1	1	1	1	86.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 13:09:09	1	1	1	1	86.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:10	1	1	1	1	86.5	59.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.625	2004
11.02.2020 13:09:11	1	1	1	1	86.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:09:12	1	1	1	1	86.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:14	1	1	1	1	86.5	59.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.9375	2004
11.02.2020 13:09:15	1	1	1	1	86.5	59.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:16	1	1	1	1	86.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
11.02.2020 13:09:17	1	1	1	1	86.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:18	1	1	1	1	86.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:19	1	1	1	1	86.5	59.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.0625	2004
11.02.2020 13:09:20	1	1	1	1	87.5	59.75	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	39.875	2004
11.02.2020 13:09:21	1	1	1	1	87.5	59.75	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	39.5625	2004
11.02.2020 13:09:22	1	1	1	1	87.5	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 13:09:23	1	1	1	1	87.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.875	2004
11.02.2020 13:09:24	1	1	1	1	87.5	59.75	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	39.3125	2004
11.02.2020 13:09:25	1	1	1	1	87.5	59.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:26	1	1	1	1	87.5	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:09:27	1	1	1	1	87.5	59.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 13:09:28	1	1	1	1	87.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 13:09:29	1	1	1	1	87.5	59	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.875	2004
11.02.2020 13:09:30	1	1	1	1	86.75	59.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	39.6875	2004
11.02.2020 13:09:31	1	1	1	1	86.75	59.5	0	29905.213	438.7096774	13225.34178	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:32	1	1	1	1	86.75	59.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 13:09:33	1	1	1	1	86.75	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:34	1	1	1	1	86.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 13:09:35	1	1	1	1	86.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:09:36	1	1	1	1	86.75	59.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:37	1	1	1	1	86.75	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.3125	2004
11.02.2020 13:09:38	1	1	1	1	86.75	59.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	39.75	2004
11.02.2020 13:09:39	1	1	1	1	86.75	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.625	2004
11.02.2020 13:09:40	1	1	1	1	87.5	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5	2004
11.02.2020 13:09:41	1	1	1	1	87.5	59.5	0	30000	443.0107527	13396.57	30000	0	0	30000	39.875	2004
11.02.2020 13:09:42	1	1	1	1	87.5	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
11.02.2020 13:09:43	1	1	1	1	87.5	60	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:09:44	1	1	1	1	87.5	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.4375	2004
11.02.2020 13:09:45	1	1	1	1	87.5	59.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	39.875	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:09:53	1	1	1	1	87.25	59.75	0	30000	436.5591398	12967.68407	30000	0	0	30000	39.625	2004
11.02.2020 13:09:55	1	1	1	1	87.25	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 13:09:56	1	1	1	1	87.25	59.75	0	30000	427.9569892	12669.25774	30000	0	0	30000	39.75	2004
11.02.2020 13:09:57	1	1	1	1	87.25	59.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	39.625	2004
11.02.2020 13:09:58	1	1	1	1	87.25	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
11.02.2020 13:09:59	1	1	1	1	87.25	59.5	0	30000	443.0107527	13160.92735	30000	0	0	30000	40	2004
11.02.2020 13:10:00	1	1	1	1	87.25	60	0	30000	438.7096774	13225.34178	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:01	1	1	1	1	87.75	59.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:02	1	1	1	1	87.75	59.75	0	30000	419.3548387	12729.5953	30000	0	0	30000	39.5	2004
11.02.2020 13:10:03	1	1	1	1	87.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 13:10:04	1	1	1	1	87.75	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.25	2004
11.02.2020 13:10:05	1	1	1	1	87.75	59.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:06	1	1	1	1	87.75	59.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:07	1	1	1	1	87.75	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:08	1	1	1	1	87.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.1875	2004
11.02.2020 13:10:09	1	1	1	1	87.75	59	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:10	1	1	1	1	87.25	59.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.625	2004
11.02.2020 13:10:11	1	1	1	1	87.25	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.6875	2004
11.02.2020 13:10:12	1	1	1	1	87.25	59.5	0	30000	440.8602151	13310.95589	30000	0	0	30000	39.75	2004
11.02.2020 13:10:13	1	1	1	1	87.25	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.4375	2004
11.02.2020 13:10:14	1	1	1	1	87.25	59.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	38.9375	2004
11.02.2020 13:10:15	1	1	1	1	87.25	58.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:10:16	1	1	1	1	87.25	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:10:17	1	1	1	1	87.25	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.625	2004
11.02.2020 13:10:18	1	1	1	1	87.25	59.5	0	29952.607	400	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 13:10:19	1	1	1	1	87.25	59.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:10:20	1	1	1	1	87.25	59.75	0	29905.213	389.2473118	11659.01122	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:21	1	1	1	1	87.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:22	1	1	1	1	87.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 13:10:23	1	1	1	1	87.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:24	1	1	1	1	87.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:10:25	1	1	1	1	87.25	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40	2004
11.02.2020 13:10:26	1	1	1	1	87.25	60	0	30000	425.8064516	12754.05648	30000	0	0	30000	39.5625	2004
11.02.2020 13:10:27	1	1	1	1	87.25	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:28	1	1	1	1	87.25	59.75	0	30000	464.516129	13870.30142	30000	0	0	30000	39.625	2004
11.02.2020 13:10:29	1	1	1	1	87.25	59.5	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	39.75	2004
11.02.2020 13:10:30	1	1	1	1	88	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:31	1	1	1	1	88	59.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:33	1	1	1	1	88	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.6875	2004
11.02.2020 13:10:34	1	1	1	1	88	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.0625	2004
11.02.2020 13:10:35	1	1	1	1	88	59	0	30000	400	11999.83693	30000	0	0	30000	39.875	2004
11.02.2020 13:10:36	1	1	1	1	88	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40	2004
11.02.2020 13:10:37	1	1	1	1	88	60	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 13:10:38	1	1	1	1	88	60	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.375	2004
11.02.2020 13:10:39	1	1	1	1	88	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 13:10:40	1	1	1	1	87.75	59.5	0	30000	404.3010753	12045.49778	30000	0	0	30000	39.6875	2004
11.02.2020 13:10:41	1	1	1	1	87.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39	2004
11.02.2020 13:10:42	1	1	1	1	87.75	59	0	30000	400	12064.25135	30000	0	0	30000	39.9375	2004
11.02.2020 13:10:43	1	1	1	1	87.75	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 13:10:44	1	1	1	1	87.75	59.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:10:45	1	1	1	1	87.75	59.5	0	30000	380.6451613	11401.35352	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:46	1	1	1	1	87.75	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:10:47	1	1	1	1	87.75	59.75	0	30000	395.6989247	12064.25135	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:54	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:55	1	1	1	1	87.75	59.75	0	30000	404.3010753	12174.32664	30000	0	0	30000	39.625	2004
11.02.2020 13:10:56	1	1	1	1	87.75	59.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 13:10:57	1	1	1	1	87.75	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.875	2004
11.02.2020 13:10:58	1	1	1	1	87.75	59.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	39.8125	2004
11.02.2020 13:10:59	1	1	1	1	87.75	59.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:00	1	1	1	1	87.75	59.75	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	39.5625	2004
11.02.2020 13:11:01	1	1	1	1	87.75	59.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	40	2004
11.02.2020 13:11:02	1	1	1	1	87.75	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:03	1	1	1	1	87.75	59.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:11:04	1	1	1	1	87.75	59.75	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	38.875	2004
11.02.2020 13:11:05	1	1	1	1	87.75	58.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.875	2004
11.02.2020 13:11:06	1	1	1	1	87.75	59.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	40	2004
11.02.2020 13:11:07	1	1	1	1	87.75	60	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:08	1	1	1	1	87.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 13:11:09	1	1	1	1	87.75	59.25	0	30000	369.8924731	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 13:11:11	1	1	1	1	87.5	59.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 13:11:12	1	1	1	1	87.5	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:11:13	1	1	1	1	87.5	59.75	0	30000	389.2473118	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:11:14	1	1	1	1	87.5	59.5	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	39.875	2004
11.02.2020 13:11:15	1	1	1	1	87.5	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.25	2004
11.02.2020 13:11:16	1	1	1	1	87.5	60.25	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:11:17	1	1	1	1	87.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:18	1	1	1	1	87.5	60	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 13:11:19	1	1	1	1	87.5	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.125	2004
11.02.2020 13:11:20	1	1	1	1	87.75	59.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:21	1	1	1	1	87.75	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.0625	2004
11.02.2020 13:11:22	1	1	1	1	87.75	60	0	30000	443.0107527	13375.37032	30000	0	0	30000	39.4375	2004
11.02.2020 13:11:23	1	1	1	1	87.75	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.375	2004
11.02.2020 13:11:24	1	1	1	1	87.75	59.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.0625	2004
11.02.2020 13:11:25	1	1	1	1	87.75	60	0	30000	436.5591398	13096.51292	30000	0	0	30000	39.875	2004
11.02.2020 13:11:26	1	1	1	1	87.75	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40	2004
11.02.2020 13:11:27	1	1	1	1	87.75	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.875	2004
11.02.2020 13:11:28	1	1	1	1	87.75	59.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:29	1	1	1	1	87.75	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:11:30	1	1	1	1	87.25	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:31	1	1	1	1	87.25	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 13:11:32	1	1	1	1	87.25	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:33	1	1	1	1	87.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:11:34	1	1	1	1	87.25	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:35	1	1	1	1	87.25	59.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 13:11:36	1	1	1	1	87.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.4375	2004
11.02.2020 13:11:37	1	1	1	1	87.25	59.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.75	2004
11.02.2020 13:11:38	1	1	1	1	87.25	59.75	0	29952.607	348.3870968	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:39	1	1	1	1	87.25	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.6875	2004
11.02.2020 13:11:40	1	1	1	1	87	59.5	0	30047.393	318.2795699	9290.354143	30000	0	0	30000	40	2004
11.02.2020 13:11:41	1	1	1	1	87	60	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	39.6875	2004
11.02.2020 13:11:42	1	1	1	1	87	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:43	1	1	1	1	87	60	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:44	1	1	1	1	87	59.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	40.0625	2004
11.02.2020 13:11:45	1	1	1	1	87	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.375	2004
11.02.2020 13:11:46	1	1	1	1	87	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
11.02.2020 13:11:47	1	1	1	1	87	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:11:48	1	1	1	1	87	59.5	0	30000	423.655914	12580.38214	30000	0	0	30000	39.8125	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:56	1	1	1	1	87.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:11:57	1	1	1	1	87.5	60	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.4375	2004
11.02.2020 13:11:58	1	1	1	1	87.5	60.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.9375	2004
11.02.2020 13:11:59	1	1	1	1	87.5	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.875	2004
11.02.2020 13:12:00	1	1	1	1	87.25	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.0625	2004
11.02.2020 13:12:01	1	1	1	1	87.25	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:02	1	1	1	1	87.25	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:03	1	1	1	1	87.25	59.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	40.0625	2004
11.02.2020 13:12:04	1	1	1	1	87.25	60	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40	2004
11.02.2020 13:12:05	1	1	1	1	87.25	60	0	30000	404.3010753	12109.91221	30000	0	0	30000	39.5	2004
11.02.2020 13:12:06	1	1	1	1	87.25	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 13:12:07	1	1	1	1	87.25	59.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	39.4375	2004
11.02.2020 13:12:08	1	1	1	1	87.25	59.25	0	30000	400	12064.25135	30000	0	0	30000	39.875	2004
11.02.2020 13:12:09	1	1	1	1	87.25	59.75	0	30000	400	11935.4225	30000	0	0	30000	39.875	2004
11.02.2020 13:12:10	1	1	1	1	87.25	59.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:11	1	1	1	1	87.25	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:12:12	1	1	1	1	87.25	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:13	1	1	1	1	87.25	59.75	0	30000	387.0967742	11382.59995	30000	0	0	30000	39.5	2004
11.02.2020 13:12:14	1	1	1	1	87.25	59.5	0	30000	384.9462366	11566.05876	30000	0	0	30000	39.75	2004
11.02.2020 13:12:15	1	1	1	1	87.25	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:18	1	1	1	1	87.25	59.5	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:12:18	1	1	1	1	87.25	59.5	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:12:19	1	1	1	1	87.25	59.5	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:12:19	1	1	1	1	87.25	59.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	40	2004
11.02.2020 13:12:20	1	1	1	1	87	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:12:21	1	1	1	1	87	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:22	1	1	1	1	87	59.75	0	30000	367.7419355	11114.3424	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:23	1	1	1	1	87	59.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 13:12:24	1	1	1	1	87	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 13:12:25	1	1	1	1	87	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:27	1	1	1	1	87	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:28	1	1	1	1	87	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:29	1	1	1	1	87	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:12:30	1	1	1	1	87	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:12:31	1	1	1	1	87	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.4375	2004
11.02.2020 13:12:32	1	1	1	1	87	60.25	0	30047.393	346.2365591	10403.33759	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:12:33	1	1	1	1	87	59.75	0	30000	348.3870968	10257.38592	30000	0	0	30000	40.25	2004
11.02.2020 13:12:34	1	1	1	1	87	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.0625	2004
11.02.2020 13:12:35	1	1	1	1	87	59.5	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:36	1	1	1	1	87	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 13:12:37	1	1	1	1	87	59.5	0	30000	348.3870968	10661.81067	30000	0	0	30000	39.75	2004
11.02.2020 13:12:38	1	1	1	1	87	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.0625	2004
11.02.2020 13:12:39	1	1	1	1	87	60	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.875	2004
11.02.2020 13:12:40	1	1	1	1	86.75	59.75	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:41	1	1	1	1	86.75	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:12:42	1	1	1	1	86.75	59.75	0	29905.213	339.7849462	10096.75754	30000	0	0	30000	40.125	2004
11.02.2020 13:12:43	1	1	1	1	86.75	60	0	30000	352.688172	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:12:44	1	1	1	1	86.75	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.875	2004
11.02.2020 13:12:45	1	1	1	1	86.75	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:12:46	1	1	1	1	86.75	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40	2004
11.02.2020 13:12:47	1	1	1	1	86.75	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:12:48	1	1	1	1	86.75	59.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 13:12:49	1	1	1	1	86.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:12:50	1	1	1	1	86.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:57	1	1	1	1	86.75	59.25	0	30047.393	363.4408602	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:12:58	1	1	1	1	86.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:12:59	1	1	1	1	86.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:13:00	1	1	1	1	86.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:13:01	1	1	1	1	86.75	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	38.875	2004
11.02.2020 13:13:02	1	1	1	1	86.75	58.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	39.9375	2004
11.02.2020 13:13:04	1	1	1	1	86.75	59.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.5	2004
11.02.2020 13:13:05	1	1	1	1	86.75	59.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 13:13:06	1	1	1	1	86.75	59.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.0625	2004
11.02.2020 13:13:07	1	1	1	1	86.75	60	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
11.02.2020 13:13:08	1	1	1	1	86.75	59.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	39.5	2004
11.02.2020 13:13:09	1	1	1	1	86.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.875	2004
11.02.2020 13:13:10	1	1	1	1	86.75	59.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.125	2004
11.02.2020 13:13:11	1	1	1	1	86.75	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 13:13:12	1	1	1	1	86.75	59.5	0	29952.607	378.4946237	11530.18237	30000	0	0	30000	40.25	2004
11.02.2020 13:13:13	1	1	1	1	86.75	60	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5	2004
11.02.2020 13:13:14	1	1	1	1	86.75	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.3125	2004
11.02.2020 13:13:15	1	1	1	1	86.75	59.25	0	30000	369.8924731	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 13:13:16	1	1	1	1	86.75	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:13:17	1	1	1	1	86.75	59.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:13:18	1	1	1	1	86.75	59.5	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	39.75	2004
11.02.2020 13:13:19	1	1	1	1	86.75	59.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	39.5625	2004
11.02.2020 13:13:20	1	1	1	1	86.5	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.5625	2004
11.02.2020 13:13:21	1	1	1	1	86.5	59.5	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:13:22	1	1	1	1	86.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:13:23	1	1	1	1	86.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 13:13:24	1	1	1	1	86.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.1875	2004
11.02.2020 13:13:25	1	1	1	1	86.5	59	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.4375	2004
11.02.2020 13:13:26	1	1	1	1	86.5	59.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	39.3125	2004
11.02.2020 13:13:27	1	1	1	1	86.5	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:13:28	1	1	1	1	86.5	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 13:13:29	1	1	1	1	86.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.4375	2004
11.02.2020 13:13:30	1	1	1	1	86.75	59.25	0	29905.213	354.8387097	10628.3804	30000	0	0	30000	39.75	2004
11.02.2020 13:13:31	1	1	1	1	86.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 13:13:32	1	1	1	1	86.75	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:13:33	1	1	1	1	86.75	59.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	40.0625	2004
11.02.2020 13:13:34	1	1	1	1	86.75	60	0	30000	359.1397849	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 13:13:35	1	1	1	1	86.75	60	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:13:36	1	1	1	1	86.75	59.75	0	30000	359.1397849	10628.3804	30000	0	0	30000	40	2004
11.02.2020 13:13:37	1	1	1	1	86.75	60	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:13:38	1	1	1	1	86.75	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:13:39	1	1	1	1	86.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:13:40	1	1	1	1	86.5	59.75	0	30000	350.5376344	10743.34792	30000	0	0	30000	39.75	2004
11.02.2020 13:13:41	1	1	1	1	86.5	59.75	0	29905.213	352.688172	10644.68785	30000	0	0	30000	39.4375	2004
11.02.2020 13:13:43	1	1	1	1	86.5	59.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.75	2004
11.02.2020 13:13:44	1	1	1	1	86.5	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 13:13:45	1	1	1	1	86.5	59.75	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:13:46	1	1	1	1	86.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.9375	2004
11.02.2020 13:13:47	1	1	1	1	86.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:13:48	1	1	1	1	86.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:13:49	1	1	1	1	86.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:13:50	1	1	1	1	86.5	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.4375	2004
11.02.2020 13:13:51	1	1	1	1	86.75	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 13:13:52	1	1	1	1	86.75	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:13:59	1	1	1	1	86.75	59.75	0	30000	356.9892473	10580.27342	30000	0	0	30000	39.875	2004
11.02.2020 13:14:00	1	1	1	1	86.5	59.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:14:01	1	1	1	1	86.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:14:02	1	1	1	1	86.5	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 13:14:03	1	1	1	1	86.5	59.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:14:04	1	1	1	1	86.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:14:05	1	1	1	1	86.5	60	0	30000	354.8387097	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 13:14:06	1	1	1	1	86.5	59.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:07	1	1	1	1	86.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 13:14:08	1	1	1	1	86.5	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 13:14:09	1	1	1	1	86.5	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:14:10	1	1	1	1	86.25	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:11	1	1	1	1	86.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 13:14:12	1	1	1	1	86.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:13	1	1	1	1	86.25	59.75	0	30000	348.3870968	10370.72269	30000	0	0	30000	39.75	2004
11.02.2020 13:14:14	1	1	1	1	86.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.0625	2004
11.02.2020 13:14:15	1	1	1	1	86.25	60	0	30000	354.8387097	10580.27342	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:16	1	1	1	1	86.25	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:17	1	1	1	1	86.25	59.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 13:14:18	1	1	1	1	86.25	59.5	0	30000	352.688172	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:14:19	1	1	1	1	86.25	59.75	0	30000	354.8387097	10418.0143	30000	0	0	30000	39.75	2004
11.02.2020 13:14:21	1	1	1	1	85.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:14:22	1	1	1	1	85.75	59.75	0	30000	350.5376344	10418.0143	30000	0	0	30000	40	2004
11.02.2020 13:14:23	1	1	1	1	85.75	60	0	30094.787	354.8387097	10451.44457	30000	0	0	30000	39.75	2004
11.02.2020 13:14:24	1	1	1	1	85.75	59.75	0	30047.393	350.5376344	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:14:25	1	1	1	1	85.75	60	0	30000	352.688172	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:26	1	1	1	1	85.75	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 13:14:27	1	1	1	1	85.75	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40	2004
11.02.2020 13:14:28	1	1	1	1	85.75	60	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 13:14:29	1	1	1	1	85.75	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:14:30	1	1	1	1	85.75	60	0	30000	359.1397849	10611.25758	30000	0	0	30000	39.875	2004
11.02.2020 13:14:31	1	1	1	1	85.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:14:32	1	1	1	1	85.75	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:33	1	1	1	1	85.75	59.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:14:34	1	1	1	1	85.75	59.75	0	30000	348.3870968	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 13:14:35	1	1	1	1	85.75	59.5	0	30094.787	352.688172	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 13:14:36	1	1	1	1	85.75	60	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	39.75	2004
11.02.2020 13:14:37	1	1	1	1	85.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.625	2004
11.02.2020 13:14:38	1	1	1	1	85.75	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.3125	2004
11.02.2020 13:14:39	1	1	1	1	85.75	59.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:40	1	1	1	1	85.5	59.75	0	29905.213	352.688172	10499.55155	30000	0	0	30000	39.875	2004
11.02.2020 13:14:41	1	1	1	1	85.5	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:42	1	1	1	1	85.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:43	1	1	1	1	85.5	59.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.5625	2004
11.02.2020 13:14:44	1	1	1	1	85.5	59.5	0	30000	352.688172	10644.68785	30000	0	0	30000	39.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:14:45	1	1	1	1	85.5	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 13:14:46	1	1	1	1	85.5	59.75	0	29952.607	344.0860215	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:47	1	1	1	1	85.5	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:14:48	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:14:49	1	1	1	1	85.5	59.75	0	30000	352.688172	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:14:50	1	1	1	1	85.5	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
11.02.2020 13:14:51	1	1	1	1	85.5	59.75	0	30000	346.2365591	10370.72269	30000	0	0	30000	39.9375	2004
11.02.2020 13:14:52	1	1	1	1	85.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:14:53	1	1	1	1	85.5	60	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:01	1	1	1	1	85.5	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:02	1	1	1	1	85.5	60	0	29952.607	350.5376344	10499.55155	30000	0	0	30000	39.875	2004
11.02.2020 13:15:03	1	1	1	1	85.5	59.75	0	30000	346.2365591	10241.89384	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:04	1	1	1	1	85.5	59.75	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:15:05	1	1	1	1	85.5	59.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	40.1875	2004
11.02.2020 13:15:06	1	1	1	1	85.5	60	0	30000	348.3870968	10451.44457	30000	0	0	30000	39.75	2004
11.02.2020 13:15:07	1	1	1	1	85.5	59.75	0	30000	348.3870968	10241.89384	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:08	1	1	1	1	85.5	60.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:09	1	1	1	1	85.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:10	1	1	1	1	85.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:11	1	1	1	1	85.25	59.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	40	2004
11.02.2020 13:15:12	1	1	1	1	85.25	60	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:13	1	1	1	1	85.25	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:15:14	1	1	1	1	85.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:15:15	1	1	1	1	85.25	59.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:15:16	1	1	1	1	85.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:17	1	1	1	1	85.25	59.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	39.75	2004
11.02.2020 13:15:18	1	1	1	1	85.25	59.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.875	2004
11.02.2020 13:15:19	1	1	1	1	85.25	59.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:20	1	1	1	1	85.25	59.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 13:15:21	1	1	1	1	85.25	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	40	2004
11.02.2020 13:15:22	1	1	1	1	85.25	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:23	1	1	1	1	85.25	59.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.5	2004
11.02.2020 13:15:24	1	1	1	1	85.25	59.5	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:15:25	1	1	1	1	85.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:15:26	1	1	1	1	85.25	59.75	0	30000	344.0860215	10532.16644	30000	0	0	30000	39.75	2004
11.02.2020 13:15:27	1	1	1	1	85.25	59.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	39.625	2004
11.02.2020 13:15:28	1	1	1	1	85.25	59.5	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:15:29	1	1	1	1	85.25	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:15:30	1	1	1	1	85.25	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.5625	2004
11.02.2020 13:15:31	1	1	1	1	85.25	59.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	39.75	2004
11.02.2020 13:15:32	1	1	1	1	85.25	59.75	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.0625	2004
11.02.2020 13:15:33	1	1	1	1	85.25	60	0	30000	337.6344086	10048.65056	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:34	1	1	1	1	85.25	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40	2004
11.02.2020 13:15:35	1	1	1	1	85.25	60	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:36	1	1	1	1	85.25	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:38	1	1	1	1	85.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.9375	2004
11.02.2020 13:15:39	1	1	1	1	85.25	59.75	0	30000	346.2365591	10322.61571	30000	0	0	30000	39.75	2004
11.02.2020 13:15:40	1	1	1	1	85.25	59.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:41	1	1	1	1	85.25	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:15:42	1	1	1	1	85.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:15:43	1	1	1	1	85.25	59.75	0	30000	339.7849462	10273.69337	30000	0	0	30000	39.875	2004
11.02.2020 13:15:44	1	1	1	1	85.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:15:45	1	1	1	1	85.25	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.375	2004
11.02.2020 13:15:46	1	1	1	1	85.25	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:47	1	1	1	1	85.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:15:48	1	1	1	1	85.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:15:49	1	1	1	1	85.25	60	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	39.5	2004
11.02.2020 13:15:50	1	1	1	1	85.25	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.625	2004
11.02.2020 13:15:51	1	1	1	1	85.25	59.5	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:15:52	1	1	1	1	85.25	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.5	2004
11.02.2020 13:15:53	1	1	1	1	85.25	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.8125	2004
11.02.2020 13:15:54	1	1	1	1	85.25	59.75	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	38.9375	2004
11.02.2020 13:15:55	1	1	1	1	85.25	58.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:02	1	1	1	1	85	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.375	2004
11.02.2020 13:16:03	1	1	1	1	85	59.25	0	30000	335.483871	10064.14264	30000	0	0	30000	40	2004
11.02.2020 13:16:04	1	1	1	1	85	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:16:05	1	1	1	1	85	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:16:06	1	1	1	1	85	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:16:07	1	1	1	1	85	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40	2004
11.02.2020 13:16:08	1	1	1	1	85	60	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.125	2004
11.02.2020 13:16:09	1	1	1	1	85	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:16:10	1	1	1	1	85	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:16:11	1	1	1	1	85	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:16:12	1	1	1	1	85	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:16:13	1	1	1	1	85	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:16:14	1	1	1	1	85	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.4375	2004
11.02.2020 13:16:15	1	1	1	1	85	59.25	0	30000	335.483871	10064.14264	30000	0	0	30000	39.4375	2004
11.02.2020 13:16:17	1	1	1	1	85	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:16:18	1	1	1	1	85	60	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.625	2004
11.02.2020 13:16:19	1	1	1	1	85	59.5	0	29905.213	331.1827957	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:16:20	1	1	1	1	85	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.6875	2004
11.02.2020 13:16:21	1	1	1	1	84.5	59.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:16:22	1	1	1	1	84.5	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:16:23	1	1	1	1	84.5	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.4375	2004
11.02.2020 13:16:24	1	1	1	1	84.5	60.25	0	30094.787	339.7849462	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:16:25	1	1	1	1	84.5	59.75	0	30047.393	341.9354839	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 13:16:26	1	1	1	1	84.5	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.125	2004
11.02.2020 13:16:27	1	1	1	1	84.5	59.75	0	29952.607	331.1827957	10128.55706	30000	0	0	30000	39.125	2004
11.02.2020 13:16:28	1	1	1	1	84.5	59	0	30000	335.483871	9999.728209	30000	0	0	30000	40	2004
11.02.2020 13:16:29	1	1	1	1	84.5	60	0	30000	335.483871	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:16:30	1	1	1	1	84.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:16:31	1	1	1	1	84.75	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	40	2004
11.02.2020 13:16:32	1	1	1	1	84.75	60	0	30000	335.483871	10048.65056	30000	0	0	30000	39.875	2004
11.02.2020 13:16:33	1	1	1	1	84.75	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.5625	2004
11.02.2020 13:16:34	1	1	1	1	84.75	59.5	0	30000	335.483871	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:16:35	1	1	1	1	84.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:16:36	1	1	1	1	84.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.5	2004
11.02.2020 13:16:37	1	1	1	1	84.75	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:16:38	1	1	1	1	84.75	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:16:39	1	1	1	1	84.75	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.0625	2004
11.02.2020 13:16:40	1	1	1	1	84.5	60	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:16:41	1	1	1	1	84.5	60	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:16:42	1	1	1	1	84.5	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
11.02.2020 13:16:43	1	1	1	1	84.5	60	0	30000	344.0860215	10322.61571	30000	0	0	30000	40	2004
11.02.2020 13:16:44	1	1	1	1	84.5	60	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	40	2004
11.02.2020 13:16:45	1	1	1	1	84.5	60	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:16:46	1	1	1	1	84.5	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:16:47	1	1	1	1	84.5	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:16:48	1	1	1	1	84.5	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	40	2004
11.02.2020 13:16:49	1	1	1	1	84.5	60	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.4375	2004
11.02.2020 13:16:50	1	1	1	1	84.25	59.25	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	40	2004
11.02.2020 13:16:51	1	1	1	1	84.25	60	0	30000	339.7849462	10113.06499	30000	0	0	30000	39.625	2004
11.02.2020 13:16:52	1	1	1	1	84.25	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:16:54	1	1	1	1	84.25	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 13:16:55	1	1	1	1	84.25	59.75	0	30000	335.483871	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:16:56	1	1	1	1	84.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.3125	2004
11.02.2020 13:16:57	1	1	1	1	84.25	59.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:04	1	1	1	1	84	60	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:05	1	1	1	1	84	59.75	0	30000	337.6344086	9903.514255	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:06	1	1	1	1	84	59.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:17:07	1	1	1	1	84	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:17:08	1	1	1	1	84	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.6875	2004
11.02.2020 13:17:09	1	1	1	1	84	59.5	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:17:10	1	1	1	1	84	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:17:11	1	1	1	1	84	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:17:12	1	1	1	1	84	59.5	0	30000	341.9354839	10113.06499	30000	0	0	30000	40	2004
11.02.2020 13:17:13	1	1	1	1	84	60	0	30000	335.483871	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:17:14	1	1	1	1	84	60	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.625	2004
11.02.2020 13:17:15	1	1	1	1	84	59.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.875	2004
11.02.2020 13:17:16	1	1	1	1	84	59.75	0	30094.787	350.5376344	10549.28927	30000	0	0	30000	40.125	2004
11.02.2020 13:17:17	1	1	1	1	84	60	0	30000	339.7849462	10177.47941	30000	0	0	30000	39.875	2004
11.02.2020 13:17:18	1	1	1	1	84	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:19	1	1	1	1	84	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40	2004
11.02.2020 13:17:20	1	1	1	1	84	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:17:21	1	1	1	1	84	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:22	1	1	1	1	84	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:17:23	1	1	1	1	84	59.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.625	2004
11.02.2020 13:17:24	1	1	1	1	84	59.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:17:25	1	1	1	1	84	59.75	0	29952.607	335.483871	9999.728209	30000	0	0	30000	39.4375	2004
11.02.2020 13:17:26	1	1	1	1	84	59.25	0	30000	339.7849462	10241.89384	30000	0	0	30000	40.125	2004
11.02.2020 13:17:27	1	1	1	1	84	60	0	29905.213	339.7849462	10192.97149	30000	0	0	30000	39.8125	2004
11.02.2020 13:17:28	1	1	1	1	84	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:29	1	1	1	1	84	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40	2004
11.02.2020 13:17:30	1	1	1	1	84	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.5	2004
11.02.2020 13:17:31	1	1	1	1	84	59.5	0	30000	350.5376344	10709.10227	30000	0	0	30000	39.875	2004
11.02.2020 13:17:33	1	1	1	1	84	59.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.875	2004
11.02.2020 13:17:34	1	1	1	1	84	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:35	1	1	1	1	84	59.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	40	2004
11.02.2020 13:17:36	1	1	1	1	84	60	0	30000	341.9354839	10113.06499	30000	0	0	30000	40	2004
11.02.2020 13:17:37	1	1	1	1	84	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:17:38	1	1	1	1	84	59.75	0	30000	333.3333333	9984.236132	30000	0	0	30000	39.75	2004
11.02.2020 13:17:39	1	1	1	1	84	59.75	0	29952.607	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:17:40	1	1	1	1	84	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.5625	2004
11.02.2020 13:17:41	1	1	1	1	83.75	59.5	0	30000	341.9354839	9903.514255	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:17:42	1	1	1	1	83.75	60	0	29905.213	337.6344086	10113.06499	30000	0	0	30000	40.25	2004
11.02.2020 13:17:43	1	1	1	1	83.75	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:17:44	1	1	1	1	83.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:17:45	1	1	1	1	83.75	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:17:46	1	1	1	1	83.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:47	1	1	1	1	83.75	59.75	0	30000	352.688172	10499.55155	30000	0	0	30000	39.875	2004
11.02.2020 13:17:48	1	1	1	1	83.75	59.75	0	29952.607	341.9354839	10192.97149	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:49	1	1	1	1	83.75	59.75	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	39.5	2004
11.02.2020 13:17:50	1	1	1	1	83.5	59.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:17:51	1	1	1	1	83.5	59.75	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	40	2004
11.02.2020 13:17:52	1	1	1	1	83.5	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.6875	2004
11.02.2020 13:17:53	1	1	1	1	83.5	59.5	0	30000	339.7849462	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:17:54	1	1	1	1	83.5	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.5	2004
11.02.2020 13:17:55	1	1	1	1	83.5	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	40	2004
11.02.2020 13:17:56	1	1	1	1	83.5	60	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:17:57	1	1	1	1	83.5	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	40	2004
11.02.2020 13:17:58	1	1	1	1	83.5	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:06	1	1	1	1	83.25	59.75	0	30000	337.6344086	10209.27894	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:07	1	1	1	1	83.25	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:18:08	1	1	1	1	83.25	59.75	0	30000	341.9354839	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:18:09	1	1	1	1	83.25	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.4375	2004
11.02.2020 13:18:11	1	1	1	1	83.25	59.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:12	1	1	1	1	83.25	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:18:13	1	1	1	1	83.25	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:18:14	1	1	1	1	83.25	60	0	30000	335.483871	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:15	1	1	1	1	83.25	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.4375	2004
11.02.2020 13:18:16	1	1	1	1	83.25	59.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:17	1	1	1	1	83.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:18	1	1	1	1	83.25	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.375	2004
11.02.2020 13:18:19	1	1	1	1	83.25	59.25	0	30000	346.2365591	10322.61571	30000	0	0	30000	40	2004
11.02.2020 13:18:20	1	1	1	1	83.25	60	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.125	2004
11.02.2020 13:18:21	1	1	1	1	83.25	60.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:22	1	1	1	1	83.25	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.375	2004
11.02.2020 13:18:23	1	1	1	1	83.25	59.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.4375	2004
11.02.2020 13:18:24	1	1	1	1	83.25	59.25	0	30047.393	346.2365591	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:18:25	1	1	1	1	83.25	60	0	30000	339.7849462	10128.55706	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:18:26	1	1	1	1	83.25	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:18:27	1	1	1	1	83.25	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:18:28	1	1	1	1	83.25	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	40	2004
11.02.2020 13:18:29	1	1	1	1	83.25	60	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.75	2004
11.02.2020 13:18:30	1	1	1	1	83	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:31	1	1	1	1	83	59.75	0	30000	337.6344086	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:18:32	1	1	1	1	83	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:33	1	1	1	1	83	59.75	0	30000	337.6344086	10484.05947	30000	0	0	30000	39.75	2004
11.02.2020 13:18:34	1	1	1	1	83	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 13:18:35	1	1	1	1	83	59.5	0	30000	335.483871	9999.728209	30000	0	0	30000	38.8125	2004
11.02.2020 13:18:36	1	1	1	1	83	58.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:18:37	1	1	1	1	83	59.75	0	29905.213	339.7849462	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:38	1	1	1	1	83	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:39	1	1	1	1	83	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:40	1	1	1	1	82.75	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	40	2004
11.02.2020 13:18:41	1	1	1	1	82.75	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.5	2004
11.02.2020 13:18:42	1	1	1	1	82.75	59.5	0	30000	335.483871	10064.14264	30000	0	0	30000	39.5625	2004
11.02.2020 13:18:43	1	1	1	1	82.75	59.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:44	1	1	1	1	82.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:18:46	1	1	1	1	82.75	59.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:47	1	1	1	1	82.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:18:48	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:18:49	1	1	1	1	82.75	59.75	0	29952.607	335.483871	10064.14264	30000	0	0	30000	39.5625	2004
11.02.2020 13:18:50	1	1	1	1	82.75	59.5	0	29952.607	331.1827957	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:18:51	1	1	1	1	82.75	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:18:52	1	1	1	1	82.75	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:18:53	1	1	1	1	82.75	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:54	1	1	1	1	82.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:55	1	1	1	1	82.75	59.75	0	30000	337.6344086	9967.928682	30000	0	0	30000	39.8125	2004
11.02.2020 13:18:56	1	1	1	1	82.75	59.75	0	30000	341.9354839	10549.28927	30000	0	0	30000	40.125	2004
11.02.2020 13:18:57	1	1	1	1	82.75	60	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.0625	2004
11.02.2020 13:18:58	1	1	1	1	82.75	60	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	40.3125	2004
11.02.2020 13:18:59	1	1	1	1	82.75	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	39.625	2004
11.02.2020 13:19:00	1	1	1	1	82.75	59	0	30000	337.6344086	10290.00082	30000	0	0	30000	39.875	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:07	1	1	1	1	82.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:19:08	1	1	1	1	82.75	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:09	1	1	1	1	82.75	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:19:10	1	1	1	1	82.75	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:19:11	1	1	1	1	82.75	59.75	0	30000	344.0860215	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:19:12	1	1	1	1	82.75	60	0	30000	335.483871	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:19:13	1	1	1	1	82.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:19:14	1	1	1	1	82.75	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.125	2004
11.02.2020 13:19:15	1	1	1	1	82.75	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:16	1	1	1	1	82.75	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.625	2004
11.02.2020 13:19:17	1	1	1	1	82.75	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:18	1	1	1	1	82.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:19:19	1	1	1	1	82.75	60	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:20	1	1	1	1	82.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:19:21	1	1	1	1	82.5	60	0	30000	331.1827957	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:22	1	1	1	1	82.5	59.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:19:23	1	1	1	1	82.5	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	40	2004
11.02.2020 13:19:24	1	1	1	1	82.5	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:19:26	1	1	1	1	82.5	59.75	0	30000	326.8817204	9726.578425	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:27	1	1	1	1	82.5	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:28	1	1	1	1	82.5	59.75	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:29	1	1	1	1	82.5	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:30	1	1	1	1	82.5	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:31	1	1	1	1	82.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:19:32	1	1	1	1	82.75	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:19:33	1	1	1	1	82.75	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.0625	2004
11.02.2020 13:19:34	1	1	1	1	82.75	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.5	2004
11.02.2020 13:19:35	1	1	1	1	82.75	59.5	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:19:36	1	1	1	1	82.75	60	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	40.0625	2004
11.02.2020 13:19:37	1	1	1	1	82.75	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:38	1	1	1	1	82.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
11.02.2020 13:19:39	1	1	1	1	82.75	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.5	2004
11.02.2020 13:19:40	1	1	1	1	82.5	59.5	0	29905.213	322.5806452	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:41	1	1	1	1	82.5	59.75	0	30000	322.5806452	9468.920719	30000	0	0	30000	39.875	2004
11.02.2020 13:19:42	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:43	1	1	1	1	82.5	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:19:44	1	1	1	1	82.5	60	0	30000	326.8817204	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:19:45	1	1	1	1	82.5	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:19:46	1	1	1	1	82.5	60	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:47	1	1	1	1	82.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.625	2004
11.02.2020 13:19:48	1	1	1	1	82.5	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.5625	2004
11.02.2020 13:19:49	1	1	1	1	82.5	59.5	0	29905.213	318.2795699	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:19:50	1	1	1	1	82.75	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:51	1	1	1	1	82.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.5625	2004
11.02.2020 13:19:52	1	1	1	1	82.75	59.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:19:53	1	1	1	1	82.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:19:54	1	1	1	1	82.75	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:55	1	1	1	1	82.75	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.9375	2004
11.02.2020 13:19:56	1	1	1	1	82.75	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.625	2004
11.02.2020 13:19:57	1	1	1	1	82.75	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.6875	2004
11.02.2020 13:19:58	1	1	1	1	82.75	59.5	0	30000	324.7311828	9676.840703	30000	0	0	30000	40.1875	2004
11.02.2020 13:19:59	1	1	1	1	82.75	60	0	30000	320.4301075	9548.01185	30000	0	0	30000	40	2004
11.02.2020 13:20:00	1	1	1	1	82.5	60	0	29952.607	322.5806452	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:20:01	1	1	1	1	82.5	59.75	0	30000	320.4301075	9597.749572	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:09	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:10	1	1	1	1	82.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.5	2004
11.02.2020 13:20:11	1	1	1	1	82.25	59.5	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:20:12	1	1	1	1	82.25	59.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:20:13	1	1	1	1	82.25	59.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:20:14	1	1	1	1	82.25	60	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	39.375	2004
11.02.2020 13:20:15	1	1	1	1	82.25	59.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
11.02.2020 13:20:16	1	1	1	1	82.25	60	0	30000	322.5806452	9756.747207	30000	0	0	30000	39.75	2004
11.02.2020 13:20:17	1	1	1	1	82.25	59.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:20:18	1	1	1	1	82.25	60.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:20:19	1	1	1	1	82.25	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:20	1	1	1	1	82.25	59.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:20:21	1	1	1	1	82.25	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.75	2004
11.02.2020 13:20:22	1	1	1	1	82.25	59.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	39.875	2004
11.02.2020 13:20:23	1	1	1	1	82.25	59.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	39.625	2004
11.02.2020 13:20:24	1	1	1	1	82.25	59.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:20:25	1	1	1	1	82.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:20:26	1	1	1	1	82.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:27	1	1	1	1	82.25	59.75	0	30000	316.1290323	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:28	1	1	1	1	82.25	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	39.75	2004
11.02.2020 13:20:29	1	1	1	1	82.25	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:20:30	1	1	1	1	82	60	0	30000	320.4301075	9837.469084	30000	0	0	30000	39.875	2004
11.02.2020 13:20:31	1	1	1	1	82	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.0625	2004
11.02.2020 13:20:32	1	1	1	1	82	60	0	30000	318.2795699	9419.182997	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:33	1	1	1	1	82	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:20:34	1	1	1	1	82	59.75	0	30000	318.2795699	9354.76857	30000	0	0	30000	40	2004
11.02.2020 13:20:35	1	1	1	1	82	60	0	30000	318.2795699	9468.920719	30000	0	0	30000	40.0625	2004
11.02.2020 13:20:36	1	1	1	1	82	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:20:37	1	1	1	1	82	60	0	29905.213	313.9784946	9533.335145	30000	0	0	30000	39.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:20:38	1	1	1	1	82	59.75	0	29952.607	311.827957	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:20:39	1	1	1	1	82	59.75	0	30000	318.2795699	9468.920719	30000	0	0	30000	39.75	2004
11.02.2020 13:20:40	1	1	1	1	82	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:41	1	1	1	1	82	59.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.0625	2004
11.02.2020 13:20:43	1	1	1	1	82	60	0	30000	318.2795699	9468.920719	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:44	1	1	1	1	82	59.75	0	30000	322.5806452	9548.01185	30000	0	0	30000	39.875	2004
11.02.2020 13:20:45	1	1	1	1	82	59.75	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:46	1	1	1	1	82	59.75	0	30000	320.4301075	9468.920719	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:47	1	1	1	1	82	59.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:20:48	1	1	1	1	82	59.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:20:49	1	1	1	1	82	60	0	29905.213	318.2795699	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:20:50	1	1	1	1	82	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.5625	2004
11.02.2020 13:20:51	1	1	1	1	81.75	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:20:52	1	1	1	1	81.75	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:20:53	1	1	1	1	81.75	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.375	2004
11.02.2020 13:20:54	1	1	1	1	81.75	60.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:20:55	1	1	1	1	81.75	59.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.1875	2004
11.02.2020 13:20:56	1	1	1	1	81.75	60	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.25	2004
11.02.2020 13:20:57	1	1	1	1	81.75	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:20:58	1	1	1	1	81.75	59.75	0	30000	318.2795699	9404.506292	30000	0	0	30000	39.6875	2004
11.02.2020 13:20:59	1	1	1	1	81.75	59.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:21:00	1	1	1	1	81.5	59.75	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	40	2004
11.02.2020 13:21:01	1	1	1	1	81.5	60	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.5625	2004
11.02.2020 13:21:02	1	1	1	1	81.5	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.875	2004
11.02.2020 13:21:03	1	1	1	1	81.5	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	39.875	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:10	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:11	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:11	1	1	1	1	81.5	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:21:12	1	1	1	1	81.5	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	40	2004
11.02.2020 13:21:13	1	1	1	1	81.5	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:14	1	1	1	1	81.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.3125	2004
11.02.2020 13:21:15	1	1	1	1	81.5	59.25	0	30000	326.8817204	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:21:16	1	1	1	1	81.5	59.75	0	30000	318.2795699	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:17	1	1	1	1	81.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:21:18	1	1	1	1	81.5	60	0	30000	320.4301075	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:21:19	1	1	1	1	81.5	59.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:21	1	1	1	1	81.5	59.75	0	30000	316.1290323	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:22	1	1	1	1	81.5	59.75	0	30000	318.2795699	9806.484929	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:21:23	1	1	1	1	81.5	59.75	0	30000	326.8817204	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:21:24	1	1	1	1	81.5	59.75	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:25	1	1	1	1	81.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:21:26	1	1	1	1	81.5	60	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:27	1	1	1	1	81.5	59.75	0	29952.607	318.2795699	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:28	1	1	1	1	81.5	59.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:21:29	1	1	1	1	81.5	59.75	0	30000	322.5806452	9517.843068	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:30	1	1	1	1	81.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:21:31	1	1	1	1	81.5	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	40.1875	2004
11.02.2020 13:21:32	1	1	1	1	81.5	60	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:21:33	1	1	1	1	81.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:34	1	1	1	1	81.5	60	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.3125	2004
11.02.2020 13:21:35	1	1	1	1	81.5	59.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:36	1	1	1	1	81.5	59.75	0	29952.607	318.2795699	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:21:37	1	1	1	1	81.5	59.5	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:21:38	1	1	1	1	81.5	60	0	30000	329.0322581	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:21:39	1	1	1	1	81.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:21:40	1	1	1	1	81	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:21:41	1	1	1	1	81	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 13:21:42	1	1	1	1	81	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:43	1	1	1	1	81	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:44	1	1	1	1	81	59.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	39.75	2004
11.02.2020 13:21:45	1	1	1	1	81	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:46	1	1	1	1	81	59.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.875	2004
11.02.2020 13:21:47	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:21:48	1	1	1	1	81	59.5	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	39.6875	2004
11.02.2020 13:21:49	1	1	1	1	81	59.5	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 13:21:50	1	1	1	1	81.25	59.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:21:51	1	1	1	1	81.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:21:52	1	1	1	1	81.25	60	0	30000	313.9784946	9483.597423	30000	0	0	30000	39.75	2004
11.02.2020 13:21:53	1	1	1	1	81.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:21:54	1	1	1	1	81.25	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:21:55	1	1	1	1	81.25	59.75	0	29905.213	311.827957	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:56	1	1	1	1	81.25	59.75	0	29952.607	316.1290323	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:21:57	1	1	1	1	81.25	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:21:59	1	1	1	1	81.25	59.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:00	1	1	1	1	81.25	59.5	0	30000	322.5806452	9597.749572	30000	0	0	30000	39.875	2004
11.02.2020 13:22:01	1	1	1	1	81	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.5	2004
11.02.2020 13:22:02	1	1	1	1	81	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:03	1	1	1	1	81	59.75	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:04	1	1	1	1	81	59.75	0	29952.607	320.4301075	9483.597423	30000	0	0	30000	39.875	2004
11.02.2020 13:22:05	1	1	1	1	81	59.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.875	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:12	1	1	1	1	81	60.25	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:13	1	1	1	1	81	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:14	1	1	1	1	81	59.75	0	29905.213	324.7311828	9790.992852	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:15	1	1	1	1	81	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.6875	2004
11.02.2020 13:22:16	1	1	1	1	81	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.0625	2004
11.02.2020 13:22:17	1	1	1	1	81	60	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.5	2004
11.02.2020 13:22:18	1	1	1	1	81	59.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:19	1	1	1	1	81	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 13:22:20	1	1	1	1	81	59.5	0	30000	326.8817204	10031.52774	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:21	1	1	1	1	81	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:22	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:23	1	1	1	1	81	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:24	1	1	1	1	81	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:25	1	1	1	1	81	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:22:26	1	1	1	1	81	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:27	1	1	1	1	81	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:22:28	1	1	1	1	81	59.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:22:29	1	1	1	1	81	60	0	30000	313.9784946	9419.182997	30000	0	0	30000	39.875	2004
11.02.2020 13:22:30	1	1	1	1	80.75	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	40	2004
11.02.2020 13:22:31	1	1	1	1	80.75	60	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:22:32	1	1	1	1	80.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:22:33	1	1	1	1	80.75	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.625	2004
11.02.2020 13:22:34	1	1	1	1	80.75	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	40	2004
11.02.2020 13:22:35	1	1	1	1	80.75	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:36	1	1	1	1	80.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:22:38	1	1	1	1	80.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:22:39	1	1	1	1	80.75	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:22:40	1	1	1	1	80.75	59.75	0	30000	322.5806452	9662.163999	30000	0	0	30000	39.75	2004
11.02.2020 13:22:41	1	1	1	1	81	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.5625	2004
11.02.2020 13:22:42	1	1	1	1	81	59.5	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:22:43	1	1	1	1	81	59.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:22:44	1	1	1	1	81	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.3125	2004
11.02.2020 13:22:45	1	1	1	1	81	59.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40.0625	2004
11.02.2020 13:22:46	1	1	1	1	81	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.0625	2004
11.02.2020 13:22:47	1	1	1	1	81	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:48	1	1	1	1	81	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:22:49	1	1	1	1	81	60	0	30000	329.0322581	9806.484929	30000	0	0	30000	40.375	2004
11.02.2020 13:22:50	1	1	1	1	81	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:22:51	1	1	1	1	80.75	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40	2004
11.02.2020 13:22:52	1	1	1	1	80.75	60.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:53	1	1	1	1	80.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:54	1	1	1	1	80.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:22:55	1	1	1	1	80.75	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:22:56	1	1	1	1	80.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:22:57	1	1	1	1	80.75	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:22:58	1	1	1	1	80.75	59.75	0	30000	322.5806452	9597.749572	30000	0	0	30000	39	2004
11.02.2020 13:22:59	1	1	1	1	80.75	59	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:00	1	1	1	1	80.75	59.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:01	1	1	1	1	80.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:23:02	1	1	1	1	80.75	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:03	1	1	1	1	80.75	59.75	0	30000	326.8817204	9726.578425	30000	0	0	30000	40	2004
11.02.2020 13:23:04	1	1	1	1	80.75	60	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:23:05	1	1	1	1	80.75	59.75	0	30000	322.5806452	9597.749572	30000	0	0	30000	40	2004
11.02.2020 13:23:06	1	1	1	1	80.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:14	1	1	1	1	81	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:15	1	1	1	1	81	59.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.5625	2004
11.02.2020 13:23:16	1	1	1	1	81	59.5	0	29952.607	311.827957	9548.01185	30000	0	0	30000	39.5625	2004
11.02.2020 13:23:17	1	1	1	1	81	59.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.625	2004
11.02.2020 13:23:18	1	1	1	1	81	59.5	0	29905.213	313.9784946	9419.182997	30000	0	0	30000	39.75	2004
11.02.2020 13:23:19	1	1	1	1	81	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40	2004
11.02.2020 13:23:20	1	1	1	1	81	60	0	30000	316.1290323	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:23:21	1	1	1	1	80.75	60	0	29952.607	320.4301075	9548.01185	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:22	1	1	1	1	80.75	59.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:23	1	1	1	1	80.75	59.75	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:24	1	1	1	1	80.75	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.875	2004
11.02.2020 13:23:25	1	1	1	1	80.75	59.75	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	40	2004
11.02.2020 13:23:26	1	1	1	1	80.75	60	0	30000	318.2795699	9483.597423	30000	0	0	30000	40	2004
11.02.2020 13:23:27	1	1	1	1	80.75	60	0	30000	313.9784946	9419.182997	30000	0	0	30000	39.75	2004
11.02.2020 13:23:28	1	1	1	1	80.75	59.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:29	1	1	1	1	80.75	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
11.02.2020 13:23:30	1	1	1	1	80.75	60	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:31	1	1	1	1	81	59.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.6875	2004
11.02.2020 13:23:32	1	1	1	1	81	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:33	1	1	1	1	81	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:23:34	1	1	1	1	81	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:23:35	1	1	1	1	81	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:23:36	1	1	1	1	81	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:23:37	1	1	1	1	81	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:23:38	1	1	1	1	81	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:23:39	1	1	1	1	81	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:40	1	1	1	1	80.5	59.75	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:23:41	1	1	1	1	80.5	60	0	30000	331.1827957	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:23:42	1	1	1	1	80.5	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:43	1	1	1	1	80.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:23:46	1	1	1	1	80.5	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.625	2004
11.02.2020 13:23:46	1	1	1	1	80.5	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.625	2004
11.02.2020 13:23:46	1	1	1	1	80.5	59.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.0625	2004
11.02.2020 13:23:47	1	1	1	1	80.5	60	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.875	2004
11.02.2020 13:23:48	1	1	1	1	80.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:49	1	1	1	1	80.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:23:50	1	1	1	1	80.5	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.25	2004
11.02.2020 13:23:51	1	1	1	1	80.5	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.375	2004
11.02.2020 13:23:52	1	1	1	1	80.5	59.25	0	29952.607	335.483871	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:54	1	1	1	1	80.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:23:55	1	1	1	1	80.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:56	1	1	1	1	80.5	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:57	1	1	1	1	80.5	59.75	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	39.625	2004
11.02.2020 13:23:58	1	1	1	1	80.5	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:23:59	1	1	1	1	80.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:24:00	1	1	1	1	80.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:01	1	1	1	1	80.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:02	1	1	1	1	80.5	59.75	0	29905.213	322.5806452	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:24:03	1	1	1	1	80.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:04	1	1	1	1	80.5	59.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:24:05	1	1	1	1	80.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:06	1	1	1	1	80.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.4375	2004
11.02.2020 13:24:07	1	1	1	1	80.5	59.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:08	1	1	1	1	80.5	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.4375	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:15	1	1	1	1	80.5	59.75	0	30000	316.1290323	9837.469084	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:16	1	1	1	1	80.5	59	0	30000	320.4301075	9806.484929	30000	0	0	30000	39.5625	2004
11.02.2020 13:24:17	1	1	1	1	80.5	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:24:18	1	1	1	1	80.5	59.75	0	30047.393	329.0322581	9806.484929	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:24:19	1	1	1	1	80.5	59.5	0	30142.18	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:20	1	1	1	1	80.25	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:24:21	1	1	1	1	80.25	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:22	1	1	1	1	80.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.6875	2004
11.02.2020 13:24:23	1	1	1	1	80.25	59.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	39.75	2004
11.02.2020 13:24:24	1	1	1	1	80.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:24:25	1	1	1	1	80.25	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.6875	2004
11.02.2020 13:24:26	1	1	1	1	80.25	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:24:27	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:24:28	1	1	1	1	80.25	60	0	29952.607	324.7311828	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:24:29	1	1	1	1	80.25	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:24:31	1	1	1	1	80.25	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:32	1	1	1	1	80.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40	2004
11.02.2020 13:24:33	1	1	1	1	80.25	60	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.4375	2004
11.02.2020 13:24:34	1	1	1	1	80.25	59.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:24:35	1	1	1	1	80.25	59.75	0	29905.213	316.1290323	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:24:36	1	1	1	1	80.25	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:37	1	1	1	1	80.25	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:38	1	1	1	1	80.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:39	1	1	1	1	80.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:40	1	1	1	1	80.25	59.75	0	29952.607	320.4301075	9597.749572	30000	0	0	30000	39.8125	2004
11.02.2020 13:24:41	1	1	1	1	80.25	59.75	0	30000	320.4301075	9597.749572	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:42	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:24:43	1	1	1	1	80.25	59.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	40.0625	2004
11.02.2020 13:24:44	1	1	1	1	80.25	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:24:45	1	1	1	1	80.25	59.75	0	30000	324.7311828	9806.484929	30000	0	0	30000	40.125	2004
11.02.2020 13:24:46	1	1	1	1	80.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.25	2004
11.02.2020 13:24:47	1	1	1	1	80.25	59.25	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	39.4375	2004
11.02.2020 13:24:48	1	1	1	1	80.25	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.0625	2004
11.02.2020 13:24:49	1	1	1	1	80.25	59	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:24:50	1	1	1	1	80	59.75	0	29905.213	326.8817204	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:24:51	1	1	1	1	80	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 13:24:52	1	1	1	1	80	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.375	2004
11.02.2020 13:24:53	1	1	1	1	80	59.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:24:54	1	1	1	1	80	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 13:24:55	1	1	1	1	80	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:24:56	1	1	1	1	80	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	39	2004
11.02.2020 13:24:57	1	1	1	1	80	59	0	29952.607	318.2795699	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:24:58	1	1	1	1	80	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:24:59	1	1	1	1	80	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:25:00	1	1	1	1	80.25	60	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:25:01	1	1	1	1	80.25	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:25:02	1	1	1	1	80.25	59.75	0	30047.393	322.5806452	9806.484929	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:25:03	1	1	1	1	80.25	59.75	0	30000	326.8817204	9726.578425	30000	0	0	30000	39.125	2004
11.02.2020 13:25:04	1	1	1	1	80.25	59	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:25:05	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:06	1	1	1	1	80.25	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.875	2004
11.02.2020 13:25:07	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:09	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:10	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:17	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:18	1	1	1	1	80	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.6875	2004
11.02.2020 13:25:19	1	1	1	1	80	59.5	0	30000	326.8817204	9646.671921	30000	0	0	30000	39.3125	2004
11.02.2020 13:25:20	1	1	1	1	80	59.25	0	30000	326.8817204	9790.992852	30000	0	0	30000	40	2004
11.02.2020 13:25:21	1	1	1	1	80.25	60	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:22	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.0625	2004
11.02.2020 13:25:23	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40	2004
11.02.2020 13:25:24	1	1	1	1	80.25	60	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.5625	2004
11.02.2020 13:25:25	1	1	1	1	80.25	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:25:26	1	1	1	1	80.25	59.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:27	1	1	1	1	80.25	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.625	2004
11.02.2020 13:25:28	1	1	1	1	80.25	59.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:25:29	1	1	1	1	80.25	59.75	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:25:30	1	1	1	1	80.25	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:25:31	1	1	1	1	80.25	59.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:25:32	1	1	1	1	80.25	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.5	2004
11.02.2020 13:25:33	1	1	1	1	80.25	59.5	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:34	1	1	1	1	80.25	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.5	2004
11.02.2020 13:25:35	1	1	1	1	80.25	59.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:36	1	1	1	1	80.25	59.75	0	30000	326.8817204	9597.749572	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:37	1	1	1	1	80.25	59.75	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:25:38	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:25:39	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:40	1	1	1	1	80.25	59.75	0	30000	326.8817204	9775.500775	30000	0	0	30000	40	2004
11.02.2020 13:25:41	1	1	1	1	80.25	60	0	29952.607	326.8817204	9790.992852	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:42	1	1	1	1	80.25	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.5	2004
11.02.2020 13:25:43	1	1	1	1	80.25	59.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:25:44	1	1	1	1	80.25	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:25:46	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:47	1	1	1	1	80.25	59.75	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:25:48	1	1	1	1	80.25	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.625	2004
11.02.2020 13:25:49	1	1	1	1	80.25	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	40	2004
11.02.2020 13:25:50	1	1	1	1	80.25	60	0	30000	320.4301075	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:25:51	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:52	1	1	1	1	80.25	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:25:53	1	1	1	1	80.25	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.375	2004
11.02.2020 13:25:54	1	1	1	1	80.25	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.5625	2004
11.02.2020 13:25:55	1	1	1	1	80.25	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:25:56	1	1	1	1	80.25	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:25:57	1	1	1	1	80.25	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:25:58	1	1	1	1	80.25	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.1875	2004
11.02.2020 13:25:59	1	1	1	1	80.25	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.1875	2004
11.02.2020 13:26:00	1	1	1	1	80.25	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:01	1	1	1	1	80.25	59.5	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:26:02	1	1	1	1	80.25	60	0	30000	318.2795699	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:26:03	1	1	1	1	80.25	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:26:04	1	1	1	1	80.25	59.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.875	2004
11.02.2020 13:26:05	1	1	1	1	80.25	59.75	0	30000	320.4301075	9548.01185	30000	0	0	30000	39.8125	2004
11.02.2020 13:26:06	1	1	1	1	80.25	59.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:26:07	1	1	1	1	80.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:26:08	1	1	1	1	80.25	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.1875	2004
11.02.2020 13:26:09	1	1	1	1	80.25	59	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.5	2004
11.02.2020 13:26:10	1	1	1	1	80	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:11	1	1	1	1	80	59.75	0	30000	322.5806452	9612.426277	30000	0	0	30000	40	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:19	1	1	1	1	80	59.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:20	1	1	1	1	79.75	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:26:22	1	1	1	1	79.75	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.25	2004
11.02.2020 13:26:23	1	1	1	1	79.75	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.75	2004
11.02.2020 13:26:24	1	1	1	1	79.75	59.75	0	30047.393	322.5806452	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:26:25	1	1	1	1	79.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:26:26	1	1	1	1	79.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.625	2004
11.02.2020 13:26:27	1	1	1	1	79.75	59.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:26:28	1	1	1	1	79.75	59.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:29	1	1	1	1	79.75	59.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39	2004
11.02.2020 13:26:30	1	1	1	1	79.75	59	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.6875	2004
11.02.2020 13:26:31	1	1	1	1	80	59.5	0	30000	326.8817204	9676.840703	30000	0	0	30000	39.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:26:32	1	1	1	1	80	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.1875	2004
11.02.2020 13:26:33	1	1	1	1	80	59	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.6875	2004
11.02.2020 13:26:34	1	1	1	1	80	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39	2004
11.02.2020 13:26:35	1	1	1	1	80	59	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:26:36	1	1	1	1	80	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.3125	2004
11.02.2020 13:26:37	1	1	1	1	80	59.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.4375	2004
11.02.2020 13:26:38	1	1	1	1	80	59.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40	2004
11.02.2020 13:26:39	1	1	1	1	80	60	0	30000	329.0322581	10064.14264	30000	0	0	30000	39.625	2004
11.02.2020 13:26:40	1	1	1	1	80	59.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:26:41	1	1	1	1	80	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:26:42	1	1	1	1	80	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:26:43	1	1	1	1	80	59.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.25	2004
11.02.2020 13:26:44	1	1	1	1	80	59.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.5625	2004
11.02.2020 13:26:45	1	1	1	1	80	59.5	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.625	2004
11.02.2020 13:26:46	1	1	1	1	80	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:26:47	1	1	1	1	80	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:48	1	1	1	1	80	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.875	2004
11.02.2020 13:26:49	1	1	1	1	80	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:50	1	1	1	1	79.75	59.75	0	30000	335.483871	9967.928682	30000	0	0	30000	39.75	2004
11.02.2020 13:26:51	1	1	1	1	79.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:26:52	1	1	1	1	79.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:26:53	1	1	1	1	79.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:26:54	1	1	1	1	79.75	59.5	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:26:55	1	1	1	1	79.75	59.75	0	30047.393	331.1827957	9950.80586	30000	0	0	30000	39.8125	2004
11.02.2020 13:26:56	1	1	1	1	79.75	59.75	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:26:57	1	1	1	1	79.75	59.75	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:26:58	1	1	1	1	79.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.625	2004
11.02.2020 13:26:59	1	1	1	1	79.75	59.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:00	1	1	1	1	79.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:01	1	1	1	1	79.75	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:27:03	1	1	1	1	79.75	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:27:04	1	1	1	1	79.75	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:27:05	1	1	1	1	79.75	59.5	0	30047.393	335.483871	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:27:06	1	1	1	1	79.75	59.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:07	1	1	1	1	79.75	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.5625	2004
11.02.2020 13:27:08	1	1	1	1	79.75	59.5	0	30000	337.6344086	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:27:09	1	1	1	1	79.75	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:27:10	1	1	1	1	79.75	59.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:11	1	1	1	1	79.75	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.5625	2004
11.02.2020 13:27:12	1	1	1	1	79.75	59.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:13	1	1	1	1	79.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:20	1	1	1	1	79.75	60	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.1875	2004
11.02.2020 13:27:21	1	1	1	1	79.75	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:27:22	1	1	1	1	79.75	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:27:23	1	1	1	1	79.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40	2004
11.02.2020 13:27:24	1	1	1	1	79.75	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:27:25	1	1	1	1	79.75	59.75	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:27:26	1	1	1	1	79.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:27:27	1	1	1	1	79.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	38.5625	2004
11.02.2020 13:27:28	1	1	1	1	79.75	58.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:27:29	1	1	1	1	79.75	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:30	1	1	1	1	79.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:27:31	1	1	1	1	79.75	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	38.9375	2004
11.02.2020 13:27:32	1	1	1	1	79.75	58.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:27:33	1	1	1	1	79.75	59.75	0	30000	326.8817204	9886.391433	30000	0	0	30000	39.625	2004
11.02.2020 13:27:34	1	1	1	1	79.75	59.5	0	29905.213	326.8817204	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:27:35	1	1	1	1	79.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.375	2004
11.02.2020 13:27:36	1	1	1	1	79.75	59.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.1875	2004
11.02.2020 13:27:37	1	1	1	1	79.75	59	0	30000	329.0322581	9790.992852	30000	0	0	30000	38.9375	2004
11.02.2020 13:27:38	1	1	1	1	79.75	58.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.9375	2004
11.02.2020 13:27:39	1	1	1	1	79.75	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:27:40	1	1	1	1	79.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:27:41	1	1	1	1	79.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:27:43	1	1	1	1	79.5	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:44	1	1	1	1	79.5	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:27:45	1	1	1	1	79.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:46	1	1	1	1	79.5	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:27:47	1	1	1	1	79.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:48	1	1	1	1	79.5	59.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	39.6875	2004
11.02.2020 13:27:49	1	1	1	1	79.5	59.5	0	30047.393	337.6344086	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:27:50	1	1	1	1	79.5	59.75	0	29952.607	331.1827957	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:27:51	1	1	1	1	79.5	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:27:52	1	1	1	1	79.5	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.9375	2004
11.02.2020 13:27:53	1	1	1	1	79.5	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:27:54	1	1	1	1	79.5	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.4375	2004
11.02.2020 13:27:55	1	1	1	1	79.5	59.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	38.9375	2004
11.02.2020 13:27:56	1	1	1	1	79.5	58.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.1875	2004
11.02.2020 13:27:57	1	1	1	1	79.5	59	0	30000	335.483871	10064.14264	30000	0	0	30000	40.3125	2004
11.02.2020 13:27:58	1	1	1	1	79.5	60.25	0	30000	335.483871	10209.27894	30000	0	0	30000	40.3125	2004
11.02.2020 13:27:59	1	1	1	1	79.5	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:28:00	1	1	1	1	79.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.0625	2004
11.02.2020 13:28:01	1	1	1	1	79.5	60	0	29952.607	333.3333333	10192.97149	30000	0	0	30000	39.5	2004
11.02.2020 13:28:02	1	1	1	1	79.5	59.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:28:03	1	1	1	1	79.5	59.75	0	29905.213	335.483871	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:28:04	1	1	1	1	79.5	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:28:05	1	1	1	1	79.5	59.75	0	30000	339.7849462	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:06	1	1	1	1	79.5	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:07	1	1	1	1	79.5	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:08	1	1	1	1	79.5	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.5625	2004
11.02.2020 13:28:09	1	1	1	1	79.5	59.5	0	30000	337.6344086	9839.099829	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:10	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.25	2004
11.02.2020 13:28:11	1	1	1	1	79	59.25	0	30000	335.483871	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:28:12	1	1	1	1	79	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:28:13	1	1	1	1	79	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.375	2004
11.02.2020 13:28:14	1	1	1	1	79	59.25	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:22	1	1	1	1	79	60	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:23	1	1	1	1	79	59.75	0	29952.607	326.8817204	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:28:24	1	1	1	1	79	59.75	0	30000	333.3333333	10128.55706	30000	0	0	30000	39.5	2004
11.02.2020 13:28:25	1	1	1	1	79	59.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:28:26	1	1	1	1	79	59.75	0	30000	335.483871	10113.06499	30000	0	0	30000	39.75	2004
11.02.2020 13:28:27	1	1	1	1	79	59.75	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	39.875	2004
11.02.2020 13:28:28	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:28:29	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:30	1	1	1	1	79	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.875	2004
11.02.2020 13:28:31	1	1	1	1	79	59.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:32	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.9375	2004
11.02.2020 13:28:33	1	1	1	1	79	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:28:34	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:35	1	1	1	1	79	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.25	2004
11.02.2020 13:28:36	1	1	1	1	79	59.25	0	30000	335.483871	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:28:37	1	1	1	1	79	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.125	2004
11.02.2020 13:28:38	1	1	1	1	79	60	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 13:28:39	1	1	1	1	79	59.75	0	30000	331.1827957	10160.35659	30000	0	0	30000	39.75	2004
11.02.2020 13:28:40	1	1	1	1	79	59.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:28:41	1	1	1	1	79	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:42	1	1	1	1	79	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:28:43	1	1	1	1	79	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:28:44	1	1	1	1	79	59.75	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:28:45	1	1	1	1	79	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:46	1	1	1	1	79	59.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:28:47	1	1	1	1	79	59.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:48	1	1	1	1	79	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.5	2004
11.02.2020 13:28:49	1	1	1	1	79	59.5	0	29952.607	331.1827957	9775.500775	30000	0	0	30000	39.75	2004
11.02.2020 13:28:50	1	1	1	1	79	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	38.9375	2004
11.02.2020 13:28:51	1	1	1	1	79	58.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:52	1	1	1	1	79	59.75	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	39.625	2004
11.02.2020 13:28:53	1	1	1	1	79	59.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:28:54	1	1	1	1	79	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.5625	2004
11.02.2020 13:28:55	1	1	1	1	79	59.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.25	2004
11.02.2020 13:28:56	1	1	1	1	79	59.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 13:28:57	1	1	1	1	79	59.5	0	30000	335.483871	9855.407279	30000	0	0	30000	39.8125	2004
11.02.2020 13:28:58	1	1	1	1	79	59.75	0	30000	335.483871	10209.27894	30000	0	0	30000	39.9375	2004
11.02.2020 13:28:59	1	1	1	1	79	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:29:01	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.25	2004
11.02.2020 13:29:02	1	1	1	1	78.75	59.25	0	30000	333.3333333	9984.236132	30000	0	0	30000	39.625	2004
11.02.2020 13:29:03	1	1	1	1	78.75	59.5	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	38.875	2004
11.02.2020 13:29:04	1	1	1	1	78.75	58.75	0	30000	335.483871	9999.728209	30000	0	0	30000	38.875	2004
11.02.2020 13:29:05	1	1	1	1	78.75	58.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:06	1	1	1	1	78.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:29:07	1	1	1	1	78.75	59.75	0	30000	335.483871	9984.236132	30000	0	0	30000	39.75	2004
11.02.2020 13:29:08	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:29:09	1	1	1	1	78.75	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:29:10	1	1	1	1	78.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.5	2004
11.02.2020 13:29:11	1	1	1	1	79	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:29:12	1	1	1	1	79	59.75	0	30047.393	333.3333333	9999.728209	30000	0	0	30000	39.6875	2004
11.02.2020 13:29:13	1	1	1	1	79	59.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:29:14	1	1	1	1	79	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:29:15	1	1	1	1	79	59.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	38.875	2004
11.02.2020 13:29:16	1	1	1	1	79	58.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.3125	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:23	1	1	1	1	78.75	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:29:24	1	1	1	1	78.75	59.75	0	30000	335.483871	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:29:25	1	1	1	1	78.75	59.75	0	30000	335.483871	9870.899356	30000	0	0	30000	39.5	2004
11.02.2020 13:29:26	1	1	1	1	78.75	59.5	0	29952.607	331.1827957	9967.928682	30000	0	0	30000	39.75	2004
11.02.2020 13:29:27	1	1	1	1	78.75	59.75	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:29:28	1	1	1	1	78.75	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.5	2004
11.02.2020 13:29:29	1	1	1	1	78.75	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.875	2004
11.02.2020 13:29:30	1	1	1	1	78.75	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:29:31	1	1	1	1	78.75	59.75	0	30000	335.483871	9935.313783	30000	0	0	30000	39.5625	2004
11.02.2020 13:29:32	1	1	1	1	78.75	59.5	0	30000	335.483871	10128.55706	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:33	1	1	1	1	78.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.9375	2004
11.02.2020 13:29:34	1	1	1	1	78.75	59.75	0	30000	337.6344086	10192.97149	30000	0	0	30000	39.875	2004
11.02.2020 13:29:35	1	1	1	1	78.75	59.75	0	30000	335.483871	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:36	1	1	1	1	78.75	59.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	40	2004
11.02.2020 13:29:38	1	1	1	1	78.75	60	0	30000	331.1827957	9855.407279	30000	0	0	30000	39.5625	2004
11.02.2020 13:29:39	1	1	1	1	78.75	59.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.625	2004
11.02.2020 13:29:40	1	1	1	1	78.75	59.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.9375	2004
11.02.2020 13:29:41	1	1	1	1	78.75	59.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.4375	2004
11.02.2020 13:29:42	1	1	1	1	78.75	59.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:29:43	1	1	1	1	78.75	59.75	0	30047.393	339.7849462	9935.313783	30000	0	0	30000	39.875	2004
11.02.2020 13:29:44	1	1	1	1	78.75	59.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:45	1	1	1	1	78.75	59.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	39.75	2004
11.02.2020 13:29:46	1	1	1	1	78.75	59.75	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	39.4375	2004
11.02.2020 13:29:47	1	1	1	1	78.75	59.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.75	2004
11.02.2020 13:29:48	1	1	1	1	78.75	59.75	0	30000	329.0322581	9855.407279	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:49	1	1	1	1	78.75	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:29:50	1	1	1	1	78.75	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:29:51	1	1	1	1	78.5	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.5625	2004
11.02.2020 13:29:52	1	1	1	1	78.5	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:29:53	1	1	1	1	78.5	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:29:54	1	1	1	1	78.5	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.3125	2004
11.02.2020 13:29:55	1	1	1	1	78.5	59.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	40.375	2004
11.02.2020 13:29:56	1	1	1	1	78.5	60.25	0	29952.607	329.0322581	9790.992852	30000	0	0	30000	39.6875	2004
11.02.2020 13:29:57	1	1	1	1	78.5	59.5	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:29:58	1	1	1	1	78.5	60	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:29:59	1	1	1	1	78.5	59.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.625	2004
11.02.2020 13:30:00	1	1	1	1	79	59.5	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:30:01	1	1	1	1	79	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:30:02	1	1	1	1	79	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.6875	2004
11.02.2020 13:30:03	1	1	1	1	79	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:04	1	1	1	1	79	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.875	2004
11.02.2020 13:30:05	1	1	1	1	79	59.75	0	30000	288.172043	8708.993559	30000	0	0	30000	39.6875	2004
11.02.2020 13:30:06	1	1	1	1	79	59.5	0	30000	352.688172	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 13:30:07	1	1	1	1	79	59.5	0	30000	266.6666667	7935.205066	30000	0	0	30000	39.75	2004
11.02.2020 13:30:08	1	1	1	1	79	59.75	0	30000	150.5376344	4515.532846	30000	0	0	30000	39.9375	2004
11.02.2020 13:30:09	1	1	1	1	79	59.75	0	30000	152.688172	4579.947273	30000	0	0	30000	39.9375	2004
11.02.2020 13:30:10	1	1	1	1	79	59.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	39.9375	2004
11.02.2020 13:30:11	1	1	1	1	79	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:30:12	1	1	1	1	79	59.75	0	30000	161.2903226	4902.834778	30000	0	0	30000	40.0625	2004
11.02.2020 13:30:13	1	1	1	1	79	60	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.875	2004
11.02.2020 13:30:14	1	1	1	1	79	59.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	39.1875	2004
11.02.2020 13:30:15	1	1	1	1	79	59	0	29952.607	189.2473118	5677.438643	30000	0	0	30000	39.75	2004
11.02.2020 13:30:16	1	1	1	1	79	59.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	39.3125	2004
11.02.2020 13:30:18	1	1	1	1	79	59.25	0	30000	182.7956989	5354.551137	30000	0	0	30000	39	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:25	1	1	1	1	84.75	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:26	1	1	1	1	84.75	59.75	0	29952.607	232.2580645	6902.943495	30000	0	0	30000	39.9375	2004
11.02.2020 13:30:27	1	1	1	1	84.75	59.75	0	30000	236.5591398	7225.831	30000	0	0	30000	39.875	2004
11.02.2020 13:30:28	1	1	1	1	84.75	59.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:29	1	1	1	1	84.75	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40	2004
11.02.2020 13:30:30	1	1	1	1	84.75	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 13:30:31	1	1	1	1	85.75	59.5	0	29905.213	395.6989247	11659.01122	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:32	1	1	1	1	85.75	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.3125	2004
11.02.2020 13:30:33	1	1	1	1	85.75	59.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	40	2004
11.02.2020 13:30:34	1	1	1	1	85.75	60	0	30000	518.2795699	15548.338	30000	0	0	30000	38.9375	2004
11.02.2020 13:30:35	1	1	1	1	85.75	58.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	40.0625	2004
11.02.2020 13:30:36	1	1	1	1	85.75	60	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:37	1	1	1	1	85.75	59.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	39.75	2004
11.02.2020 13:30:38	1	1	1	1	85.75	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.875	2004
11.02.2020 13:30:39	1	1	1	1	85.75	59.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	39.5	2004
11.02.2020 13:30:40	1	1	1	1	91.25	59.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	39.875	2004
11.02.2020 13:30:41	1	1	1	1	91.25	59.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.625	2004
11.02.2020 13:30:42	1	1	1	1	91.25	59.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.625	2004
11.02.2020 13:30:43	1	1	1	1	91.25	59.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.75	2004
11.02.2020 13:30:44	1	1	1	1	91.25	59.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	39.3125	2004
11.02.2020 13:30:45	1	1	1	1	91.25	59.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.6875	2004
11.02.2020 13:30:46	1	1	1	1	91.25	59.5	0	28293.839	561.2903226	15995.16212	30000	0	0	30000	39.5625	2004
11.02.2020 13:30:47	1	1	1	1	91.25	59.5	0	29099.526	550.5376344	15832.08763	30000	0	0	30000	39.75	2004
11.02.2020 13:30:48	1	1	1	1	91.25	59.75	0	30047.393	505.3763441	14902.56299	30000	0	0	30000	39	2004
11.02.2020 13:30:49	1	1	1	1	91.25	59	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.375	2004
11.02.2020 13:30:50	1	1	1	1	98.5	59.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.5	2004
11.02.2020 13:30:51	1	1	1	1	98.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.9375	2004
11.02.2020 13:30:52	1	1	1	1	98.5	59.75	0	30000	294.6236559	8774.223358	30000	0	0	30000	38.75	2004
11.02.2020 13:30:53	1	1	1	1	98.5	58.75	0	30000	311.827957	9419.182997	30000	0	0	30000	39.5	2004
11.02.2020 13:30:55	1	1	1	1	98.5	59.5	0	30000	316.1290323	9468.920719	30000	0	0	30000	39.75	2004
11.02.2020 13:30:56	1	1	1	1	98.5	59.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:30:57	1	1	1	1	98.5	58.5	0	29952.607	268.8172043	8064.033919	30000	0	0	30000	39.75	2004
11.02.2020 13:30:58	1	1	1	1	98.5	59.75	0	30000	225.8064516	6644.470416	30000	0	0	30000	39.8125	2004
11.02.2020 13:30:59	1	1	1	1	98.5	59.75	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	39.75	2004
11.02.2020 13:31:00	1	1	1	1	98.5	59.75	0	30000	191.3978495	5741.85307	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:01	1	1	1	1	97	59.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	38.875	2004
11.02.2020 13:31:02	1	1	1	1	97	58.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:03	1	1	1	1	97	59.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.375	2004
11.02.2020 13:31:04	1	1	1	1	97	59.25	0	30000	189.2473118	5668.469546	30000	0	0	30000	39.75	2004
11.02.2020 13:31:05	1	1	1	1	97	59.75	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	39.5	2004
11.02.2020 13:31:06	1	1	1	1	97	59.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	39.875	2004
11.02.2020 13:31:07	1	1	1	1	97	59.75	0	30000	137.6344086	4193.460713	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:08	1	1	1	1	97	59.75	0	30000	163.4408602	5031.663632	30000	0	0	30000	39.875	2004
11.02.2020 13:31:09	1	1	1	1	97	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.5625	2004
11.02.2020 13:31:10	1	1	1	1	97	59.5	0	30000	169.8924731	5031.663632	30000	0	0	30000	39.75	2004
11.02.2020 13:31:11	1	1	1	1	93.25	59.75	0	30000	139.7849462	4257.875139	30000	0	0	30000	39.625	2004
11.02.2020 13:31:12	1	1	1	1	93.25	59.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.75	2004
11.02.2020 13:31:13	1	1	1	1	93.25	59.75	0	29952.607	169.8924731	5096.078058	30000	0	0	30000	40.0625	2004
11.02.2020 13:31:14	1	1	1	1	93.25	60	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.625	2004
11.02.2020 13:31:15	1	1	1	1	93.25	59.5	0	30000	137.6344086	4135.569266	30000	0	0	30000	39.875	2004
11.02.2020 13:31:16	1	1	1	1	93.25	59.75	0	29905.213	103.2258065	3096.784714	30000	0	0	30000	39.6875	2004
11.02.2020 13:31:17	1	1	1	1	93.25	59.5	0	30000	122.5806452	3677.329927	30000	0	0	30000	39.25	2004
11.02.2020 13:31:18	1	1	1	1	93.25	59.25	0	30000	144.0860215	4315.766586	30000	0	0	30000	39.75	2004
11.02.2020 13:31:19	1	1	1	1	93.25	59.75	0	30000	120.4301075	3677.329927	30000	0	0	30000	39.75	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	29905.213	94.62365591	2838.311635	30000	0	0	30000	39.875	2004
11.02.2020 13:31:27	1	1	1	1	90.75	59.75	0	30000	83.87096774	2645.068355	30000	0	0	30000	39.9375	2004
11.02.2020 13:31:28	1	1	1	1	90.75	59.75	0	30000	92.47311828	2773.897209	30000	0	0	30000	39.75	2004
11.02.2020 13:31:29	1	1	1	1	90.75	59.75	0	29952.607	83.87096774	2645.068355	30000	0	0	30000	39.9375	2004
11.02.2020 13:31:30	1	1	1	1	90.25	59.75	0	30000	103.2258065	3096.784714	30000	0	0	30000	39.875	2004
11.02.2020 13:31:31	1	1	1	1	90.25	59.75	0	30000	113.9784946	3483.271274	30000	0	0	30000	39.1875	2004
11.02.2020 13:31:32	1	1	1	1	90.25	59	0	30000	120.4301075	3612.9155	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:34	1	1	1	1	90.25	59.75	0	30047.393	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:35	1	1	1	1	90.25	59.75	0	30000	189.2473118	5612.208844	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:36	1	1	1	1	90.25	59.75	0	29952.607	184.9462366	5612.208844	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:37	1	1	1	1	90.25	59.75	0	29905.213	169.8924731	5096.078058	30000	0	0	30000	39.5	2004
11.02.2020 13:31:38	1	1	1	1	90.25	59.5	0	29952.607	178.4946237	5612.208844	30000	0	0	30000	39.625	2004
11.02.2020 13:31:39	1	1	1	1	90.25	59.5	0	30000	206.4516129	6174.000489	30000	0	0	30000	39.5	2004
11.02.2020 13:31:40	1	1	1	1	90.25	59.5	0	30000	191.3978495	5741.85307	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:31:41	1	1	1	1	90.75	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.9375	2004
11.02.2020 13:31:42	1	1	1	1	90.75	59.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	40	2004
11.02.2020 13:31:43	1	1	1	1	90.75	60	0	30000	191.3978495	5741.85307	30000	0	0	30000	39.9375	2004
11.02.2020 13:31:44	1	1	1	1	90.75	59.75	0	30000	174.1935484	5096.078058	30000	0	0	30000	39.875	2004
11.02.2020 13:31:45	1	1	1	1	90.75	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.8125	2004
11.02.2020 13:31:46	1	1	1	1	90.75	59.75	0	29952.607	169.8924731	5492.349088	30000	0	0	30000	39.9375	2004
11.02.2020 13:31:47	1	1	1	1	90.75	59.75	0	30000	169.8924731	5088.739706	30000	0	0	30000	40	2004
11.02.2020 13:31:48	1	1	1	1	90.75	60	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.875	2004
11.02.2020 13:31:49	1	1	1	1	90.75	59.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	38.3125	2004
11.02.2020 13:31:50	1	1	1	1	90.75	58.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	39.75	2004
11.02.2020 13:31:51	1	1	1	1	92.75	59.75	0	29952.607	165.5913978	5031.663632	30000	0	0	30000	39.625	2004
11.02.2020 13:31:52	1	1	1	1	92.75	59.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:31:53	1	1	1	1	92.75	60	0	30000	152.688172	4709.591498	30000	0	0	30000	39.125	2004
11.02.2020 13:31:54	1	1	1	1	92.75	59	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.5625	2004
11.02.2020 13:31:55	1	1	1	1	92.75	59.5	0	30000	176.344086	5354.551137	30000	0	0	30000	39.3125	2004
11.02.2020 13:31:56	1	1	1	1	92.75	59.25	0	30000	169.8924731	4951.757128	30000	0	0	30000	39.4375	2004
11.02.2020 13:31:57	1	1	1	1	92.75	59.25	0	29952.607	156.9892473	4774.005925	30000	0	0	30000	38.625	2004
11.02.2020 13:31:58	1	1	1	1	92.75	58.5	0	29952.607	163.4408602	4902.834778	30000	0	0	30000	38.8125	2004
11.02.2020 13:31:59	1	1	1	1	92.75	58.75	0	30000	152.688172	4579.947273	30000	0	0	30000	39.375	2004
11.02.2020 13:32:00	1	1	1	1	93.5	59.25	0	30000	159.1397849	4838.420352	30000	0	0	30000	39.375	2004
11.02.2020 13:32:01	1	1	1	1	93.5	59.25	0	30000	152.688172	4579.947273	30000	0	0	30000	39.875	2004
11.02.2020 13:32:02	1	1	1	1	93.5	59.75	0	30000	163.4408602	4902.834778	30000	0	0	30000	38.9375	2004
11.02.2020 13:32:03	1	1	1	1	93.5	58.75	0	30047.393	150.5376344	4515.532846	30000	0	0	30000	38.4375	2004
11.02.2020 13:32:04	1	1	1	1	93.5	58.25	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.75	2004
11.02.2020 13:32:05	1	1	1	1	93.5	59.75	0	29952.607	156.9892473	4774.005925	30000	0	0	30000	39.25	2004
11.02.2020 13:32:06	1	1	1	1	93.5	59.25	0	29952.607	148.3870968	4451.118419	30000	0	0	30000	39.4375	2004
11.02.2020 13:32:07	1	1	1	1	93.5	59.25	0	30000	150.5376344	4515.532846	30000	0	0	30000	39.75	2004
11.02.2020 13:32:08	1	1	1	1	93.5	59.75	0	29905.213	137.6344086	4129.046286	30000	0	0	30000	38.9375	2004
11.02.2020 13:32:09	1	1	1	1	93.5	58.75	0	30000	148.3870968	4315.766586	30000	0	0	30000	38.75	2004
11.02.2020 13:32:11	1	1	1	1	94.5	58.75	0	30000	126.8817204	3870.573207	30000	0	0	30000	39.875	2004
11.02.2020 13:32:12	1	1	1	1	94.5	59.75	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	39.125	2004
11.02.2020 13:32:13	1	1	1	1	94.5	59	0	30000	139.7849462	4193.460713	30000	0	0	30000	39.9375	2004
11.02.2020 13:32:14	1	1	1	1	94.5	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.5625	2004
11.02.2020 13:32:15	1	1	1	1	94.5	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	40	2004
11.02.2020 13:32:16	1	1	1	1	94.5	60	0	30000	141.9354839	4129.046286	30000	0	0	30000	40.1875	2004
11.02.2020 13:32:17	1	1	1	1	94.5	60	0	30000	137.6344086	4129.046286	30000	0	0	30000	38.5625	2004
11.02.2020 13:32:18	1	1	1	1	94.5	58.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:19	1	1	1	1	94.5	59.5	0	29952.607	139.7849462	4193.460713	30000	0	0	30000	39.0625	2004
11.02.2020 13:32:20	1	1	1	1	94.5	59	0	29952.607	150.5376344	4579.947273	30000	0	0	30000	39.4375	2004
11.02.2020 13:32:21	1	1	1	1	95.75	59.25	0	30000	152.688172	4579.947273	30000	0	0	30000	39.25	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:28	1	1	1	1	95.75	60	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:29	1	1	1	1	95.75	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	40.3125	2004
11.02.2020 13:32:30	1	1	1	1	95.75	60.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.75	2004
11.02.2020 13:32:31	1	1	1	1	96.75	60	0	30000	165.5913978	4902.834778	30000	0	0	30000	39.75	2004
11.02.2020 13:32:32	1	1	1	1	96.75	59.75	0	30000	141.9354839	4257.875139	30000	0	0	30000	39.5	2004
11.02.2020 13:32:33	1	1	1	1	96.75	59.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:34	1	1	1	1	96.75	59.5	0	30000	167.7419355	5096.078058	30000	0	0	30000	39.9375	2004
11.02.2020 13:32:35	1	1	1	1	96.75	59.75	0	30047.393	169.8924731	5031.663632	30000	0	0	30000	38.875	2004
11.02.2020 13:32:36	1	1	1	1	96.75	58.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	39.875	2004
11.02.2020 13:32:37	1	1	1	1	96.75	59.75	0	30000	152.688172	4579.947273	30000	0	0	30000	39.75	2004
11.02.2020 13:32:38	1	1	1	1	96.75	59.75	0	30000	165.5913978	4967.249205	30000	0	0	30000	39.5	2004
11.02.2020 13:32:39	1	1	1	1	96.75	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	39.75	2004
11.02.2020 13:32:40	1	1	1	1	97	59.75	0	30000	152.688172	4579.947273	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:41	1	1	1	1	97	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:42	1	1	1	1	97	59.75	0	30000	152.688172	4709.591498	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:43	1	1	1	1	97	59.75	0	30000	152.688172	4579.947273	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:44	1	1	1	1	97	59.5	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 13:32:45	1	1	1	1	97	59.75	0	30000	120.4301075	3483.271274	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:46	1	1	1	1	97	59.75	0	30000	129.0322581	3870.573207	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:47	1	1	1	1	97	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 13:32:48	1	1	1	1	97	59.75	0	30000	139.7849462	4129.046286	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:49	1	1	1	1	97	59.75	0	30000	113.9784946	3418.856848	30000	0	0	30000	39.75	2004
11.02.2020 13:32:51	1	1	1	1	97.5	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.1875	2004
11.02.2020 13:32:52	1	1	1	1	97.5	59	0	30000	129.0322581	3806.15878	30000	0	0	30000	39.0625	2004
11.02.2020 13:32:53	1	1	1	1	97.5	59	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	39.8125	2004
11.02.2020 13:32:54	1	1	1	1	97.5	59.75	0	30000	139.7849462	4322.289566	30000	0	0	30000	39.6875	2004
11.02.2020 13:32:55	1	1	1	1	97.5	59.5	0	29905.213	109.6774194	3607.207893	30000	0	0	30000	39.9375	2004
11.02.2020 13:32:56	1	1	1	1	97.5	59.75	0	30000	126.8817204	3806.15878	30000	0	0	30000	39.75	2004
11.02.2020 13:32:57	1	1	1	1	97.5	59.75	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	39.9375	2004
11.02.2020 13:32:58	1	1	1	1	97.5	59.75	0	30000	137.6344086	4328.812546	30000	0	0	30000	39.5	2004
11.02.2020 13:32:59	1	1	1	1	97.5	59.5	0	29952.607	137.6344086	4129.046286	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:00	1	1	1	1	97.5	59.5	0	30000	139.7849462	4193.460713	30000	0	0	30000	38.5	2004
11.02.2020 13:33:01	1	1	1	1	97.75	58.5	0	30047.393	139.7849462	4129.046286	30000	0	0	30000	38.875	2004
11.02.2020 13:33:02	1	1	1	1	97.75	58.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.8125	2004
11.02.2020 13:33:03	1	1	1	1	97.75	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 13:33:04	1	1	1	1	97.75	59.75	0	30000	141.9354839	4193.460713	30000	0	0	30000	39.5625	2004
11.02.2020 13:33:05	1	1	1	1	97.75	59.5	0	30000	144.0860215	4451.118419	30000	0	0	30000	39.75	2004
11.02.2020 13:33:06	1	1	1	1	97.75	59.75	0	30000	150.5376344	4451.118419	30000	0	0	30000	39.9375	2004
11.02.2020 13:33:07	1	1	1	1	97.75	59.75	0	30000	163.4408602	4838.420352	30000	0	0	30000	39.875	2004
11.02.2020 13:33:08	1	1	1	1	97.75	59.75	0	30000	150.5376344	4515.532846	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:33:09	1	1	1	1	97.75	59.5	0	30000	139.7849462	4193.460713	30000	0	0	30000	39.875	2004
11.02.2020 13:33:10	1	1	1	1	97.75	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	40.125	2004
11.02.2020 13:33:11	1	1	1	1	98.25	60	0	30000	137.6344086	4193.460713	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:12	1	1	1	1	98.25	59.5	0	30000	152.688172	4579.947273	30000	0	0	30000	39.875	2004
11.02.2020 13:33:13	1	1	1	1	98.25	60	0	29905.213	139.7849462	4193.460713	30000	0	0	30000	39.875	2004
11.02.2020 13:33:14	1	1	1	1	98.25	59.75	0	30000	165.5913978	5031.663632	30000	0	0	30000	37.8125	2004
11.02.2020 13:33:15	1	1	1	1	98.25	57.75	0	30000	156.9892473	4709.591498	30000	0	0	30000	39.625	2004
11.02.2020 13:33:16	1	1	1	1	98.25	59.5	0	30000	152.688172	4515.532846	30000	0	0	30000	39.875	2004
11.02.2020 13:33:17	1	1	1	1	98.25	59.75	0	30000	144.0860215	4451.118419	30000	0	0	30000	39.625	2004
11.02.2020 13:33:18	1	1	1	1	98.25	59.5	0	30000	144.0860215	4193.460713	30000	0	0	30000	39.75	2004
11.02.2020 13:33:19	1	1	1	1	98.25	59.75	0	30000	167.7419355	4967.249205	30000	0	0	30000	39.875	2004
11.02.2020 13:33:20	1	1	1	1	99.5	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.75	2004
11.02.2020 13:33:21	1	1	1	1	99.5	59.75	0	30000	163.4408602	4967.249205	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:22	1	1	1	1	99.5	59.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	39.5	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	99.5	58.25	0	30000	180.6451613	5354.551137	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:30	1	1	1	1	100.3	59.5	0	29952.607	159.1397849	4838.420352	30000	0	0	30000	39.6875	2004
11.02.2020 13:33:32	1	1	1	1	100.3	59.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	39.5625	2004
11.02.2020 13:33:33	1	1	1	1	100.3	59.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.75	2004
11.02.2020 13:33:34	1	1	1	1	100.3	59.75	0	30000	156.9892473	4774.005925	30000	0	0	30000	39.75	2004
11.02.2020 13:33:35	1	1	1	1	100.3	59.75	0	30000	178.4946237	5354.551137	30000	0	0	30000	39.75	2004
11.02.2020 13:33:36	1	1	1	1	100.3	59.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.75	2004
11.02.2020 13:33:37	1	1	1	1	100.3	59.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	39.75	2004
11.02.2020 13:33:38	1	1	1	1	100.3	59.75	0	30000	191.3978495	5741.85307	30000	0	0	30000	39.75	2004
11.02.2020 13:33:39	1	1	1	1	100.3	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 13:33:40	1	1	1	1	100.3	59.75	0	30000	180.6451613	5483.379991	30000	0	0	30000	39.8125	2004
11.02.2020 13:33:41	1	1	1	1	102.3	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.75	2004
11.02.2020 13:33:42	1	1	1	1	102.3	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	39.75	2004
11.02.2020 13:33:43	1	1	1	1	102.3	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.625	2004
11.02.2020 13:33:44	1	1	1	1	102.3	59.5	0	30000	206.4516129	5870.681923	30000	0	0	30000	39.75	2004
11.02.2020 13:33:45	1	1	1	1	102.3	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.75	2004
11.02.2020 13:33:46	1	1	1	1	102.3	59.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	39.0625	2004
11.02.2020 13:33:47	1	1	1	1	102.3	59	0	30000	167.7419355	5031.663632	30000	0	0	30000	39.75	2004
11.02.2020 13:33:48	1	1	1	1	102.3	59.75	0	30000	184.9462366	5547.794417	30000	0	0	30000	40	2004
11.02.2020 13:33:49	1	1	1	1	102.3	60	0	30000	195.6989247	6193.569429	30000	0	0	30000	39.75	2004
11.02.2020 13:33:50	1	1	1	1	102.3	59.75	0	30000	225.8064516	6774.114641	30000	0	0	30000	40.25	2004
11.02.2020 13:33:51	1	1	1	1	103.8	60.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	39.5	2004
11.02.2020 13:33:52	1	1	1	1	103.8	59.5	0	30000	264.516129	7870.79064	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:33:53	1	1	1	1	103.8	58.75	0	30000	262.3655914	7741.961786	30000	0	0	30000	39.25	2004
11.02.2020 13:33:54	1	1	1	1	103.8	59.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	38.625	2004
11.02.2020 13:33:55	1	1	1	1	103.8	58.5	0	30000	215.0537634	6515.641562	30000	0	0	30000	39.75	2004
11.02.2020 13:33:56	1	1	1	1	103.8	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.125	2004
11.02.2020 13:33:57	1	1	1	1	103.8	59	0	29952.607	88.17204301	2645.068355	30000	0	0	30000	39.9375	2004
11.02.2020 13:33:58	1	1	1	1	103.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.625	2004
11.02.2020 13:33:59	1	1	1	1	103.8	59.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 13:34:00	1	1	1	1	105.3	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.8125	2004
11.02.2020 13:34:01	1	1	1	1	105.3	59.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	39.5	2004
11.02.2020 13:34:02	1	1	1	1	105.3	59.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:03	1	1	1	1	105.3	59.5	0	30000	230.1075269	6967.357921	30000	0	0	30000	39.75	2004
11.02.2020 13:34:04	1	1	1	1	105.3	59.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	39.75	2004
11.02.2020 13:34:05	1	1	1	1	105.3	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:06	1	1	1	1	105.3	59.5	0	30000	258.0645161	7806.376213	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:07	1	1	1	1	105.3	59.5	0	30000	208.6021505	6257.983856	30000	0	0	30000	39.75	2004
11.02.2020 13:34:09	1	1	1	1	105.3	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.3125	2004
11.02.2020 13:34:10	1	1	1	1	105.3	59.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.0625	2004
11.02.2020 13:34:11	1	1	1	1	106.5	59	0	29952.607	253.7634409	7612.31756	30000	0	0	30000	39.75	2004
11.02.2020 13:34:12	1	1	1	1	106.5	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.8125	2004
11.02.2020 13:34:13	1	1	1	1	106.5	59.75	0	30000	253.7634409	7612.31756	30000	0	0	30000	39.75	2004
11.02.2020 13:34:14	1	1	1	1	106.5	59.75	0	29905.213	219.3548387	6644.470416	30000	0	0	30000	39.75	2004
11.02.2020 13:34:15	1	1	1	1	106.5	59.75	0	30000	191.3978495	5677.438643	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:16	1	1	1	1	106.5	59.5	0	30000	219.3548387	6774.114641	30000	0	0	30000	39.75	2004
11.02.2020 13:34:17	1	1	1	1	106.5	59.75	0	30000	215.0537634	6451.227136	30000	0	0	30000	39.875	2004
11.02.2020 13:34:18	1	1	1	1	106.5	59.75	0	29952.607	169.8924731	5096.078058	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:19	1	1	1	1	106.5	59.5	0	30000	210.7526882	6257.983856	30000	0	0	30000	39.375	2004
11.02.2020 13:34:20	1	1	1	1	106.5	59.25	0	30000	215.0537634	6515.641562	30000	0	0	30000	39.75	2004
11.02.2020 13:34:21	1	1	1	1	107.8	59.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	39	2004
11.02.2020 13:34:22	1	1	1	1	107.8	59	0	30000	206.4516129	6193.569429	30000	0	0	30000	39.75	2004
11.02.2020 13:34:23	1	1	1	1	107.8	59.75	0	30047.393	221.5053763	6580.055989	30000	0	0	30000	38.6875	2004
11.02.2020 13:34:24	1	1	1	1	107.8	58.5	0	30000	240.8602151	7225.831	30000	0	0	30000	39.75	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:31	1	1	1	1	109.8	59.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.875	2004
11.02.2020 13:34:32	1	1	1	1	109.8	59.75	0	30000	219.3548387	6580.055989	30000	0	0	30000	39.5625	2004
11.02.2020 13:34:33	1	1	1	1	109.8	59.5	0	30000	240.8602151	7225.831	30000	0	0	30000	39.1875	2004
11.02.2020 13:34:34	1	1	1	1	109.8	59	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:35	1	1	1	1	109.8	59.5	0	29952.607	232.2580645	7096.186775	30000	0	0	30000	39.75	2004
11.02.2020 13:34:36	1	1	1	1	109.8	59.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:34:37	1	1	1	1	109.8	59.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	39.375	2004
11.02.2020 13:34:38	1	1	1	1	109.8	59.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.125	2004
11.02.2020 13:34:39	1	1	1	1	109.8	59	0	30000	251.6129032	7483.488707	30000	0	0	30000	39.5625	2004
11.02.2020 13:34:40	1	1	1	1	112.3	59.5	0	29952.607	227.9569892	6902.943495	30000	0	0	30000	39.125	2004
11.02.2020 13:34:41	1	1	1	1	112.3	59	0	30000	212.9032258	6377.028239	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:42	1	1	1	1	112.3	59.5	0	30000	262.3655914	7935.205066	30000	0	0	30000	39.75	2004
11.02.2020 13:34:43	1	1	1	1	112.3	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.625	2004
11.02.2020 13:34:44	1	1	1	1	112.3	59.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.75	2004
11.02.2020 13:34:45	1	1	1	1	112.3	59.75	0	30047.393	227.9569892	6774.114641	30000	0	0	30000	39.5	2004
11.02.2020 13:34:46	1	1	1	1	112.3	59.5	0	29952.607	247.311828	7419.07428	30000	0	0	30000	39.4375	2004
11.02.2020 13:34:47	1	1	1	1	112.3	59.25	0	29952.607	227.9569892	6774.114641	30000	0	0	30000	39.5	2004
11.02.2020 13:34:48	1	1	1	1	112.3	59.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.625	2004
11.02.2020 13:34:50	1	1	1	1	112.3	59.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	39.625	2004
11.02.2020 13:34:51	1	1	1	1	113.8	59.5	0	30000	255.9139785	7676.731987	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:52	1	1	1	1	113.8	59.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	39.1875	2004
11.02.2020 13:34:53	1	1	1	1	113.8	59	0	30000	225.8064516	6838.529068	30000	0	0	30000	39.6875	2004
11.02.2020 13:34:54	1	1	1	1	113.8	59.5	0	30000	253.7634409	7600.902346	30000	0	0	30000	39.5	2004
11.02.2020 13:34:55	1	1	1	1	113.8	59.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.5	2004
11.02.2020 13:34:56	1	1	1	1	113.8	59.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	39.1875	2004
11.02.2020 13:34:57	1	1	1	1	113.8	59	0	30000	223.655914	6644.470416	30000	0	0	30000	39.75	2004
11.02.2020 13:34:58	1	1	1	1	113.8	59.75	0	29952.607	389.2473118	11511.4288	30000	0	0	30000	39.0625	2004
11.02.2020 13:34:59	1	1	1	1	113.8	59	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	39.75	2004
11.02.2020 13:35:00	1	1	1	1	113.8	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.5625	2004
11.02.2020 13:35:01	1	1	1	1	114.8	59.5	0	29241.706	554.8387097	16035.11538	30000	0	0	30000	39.625	2004
11.02.2020 13:35:02	1	1	1	1	114.8	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.4375	2004
11.02.2020 13:35:03	1	1	1	1	114.8	59.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:04	1	1	1	1	114.8	59.5	0	30000	384.9462366	11511.4288	30000	0	0	30000	39.375	2004
11.02.2020 13:35:05	1	1	1	1	114.8	59.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:06	1	1	1	1	114.8	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:35:07	1	1	1	1	114.8	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 13:35:08	1	1	1	1	114.8	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.4375	2004
11.02.2020 13:35:09	1	1	1	1	114.8	59.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	40	2004
11.02.2020 13:35:10	1	1	1	1	114.8	60	0	30000	316.1290323	9354.76857	30000	0	0	30000	39.3125	2004
11.02.2020 13:35:14	1	1	1	1	112.3	59.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.625	2004
11.02.2020 13:35:14	1	1	1	1	112.3	59.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.625	2004
11.02.2020 13:35:14	1	1	1	1	112.3	59.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.625	2004
11.02.2020 13:35:14	1	1	1	1	112.3	59.5	0	29952.607	281.7204301	8451.335852	30000	0	0	30000	39.375	2004
11.02.2020 13:35:15	1	1	1	1	112.3	59.25	0	30000	281.7204301	8451.335852	30000	0	0	30000	39.625	2004
11.02.2020 13:35:16	1	1	1	1	112.3	59.5	0	30000	277.4193548	8258.092572	30000	0	0	30000	39.75	2004
11.02.2020 13:35:17	1	1	1	1	112.3	59.75	0	30000	253.7634409	7676.731987	30000	0	0	30000	39.5625	2004
11.02.2020 13:35:18	1	1	1	1	112.3	59.5	0	30000	264.516129	7922.974479	30000	0	0	30000	39.625	2004
11.02.2020 13:35:19	1	1	1	1	112.3	59.5	0	29952.607	279.5698925	8386.921425	30000	0	0	30000	39.3125	2004
11.02.2020 13:35:20	1	1	1	1	111.3	59.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:35:21	1	1	1	1	111.3	59.25	0	30000	273.1182796	8192.862773	30000	0	0	30000	39.625	2004
11.02.2020 13:35:22	1	1	1	1	111.3	59.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.75	2004
11.02.2020 13:35:23	1	1	1	1	111.3	59.75	0	30000	288.172043	8708.993559	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:24	1	1	1	1	111.3	59.5	0	29952.607	281.7204301	8708.993559	30000	0	0	30000	39.5	2004
11.02.2020 13:35:25	1	1	1	1	111.3	59.5	0	30000	288.172043	8644.579132	30000	0	0	30000	39.625	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:33	1	1	1	1	110	59.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.8125	2004
11.02.2020 13:35:34	1	1	1	1	110	59.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.4375	2004
11.02.2020 13:35:35	1	1	1	1	110	59.25	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:36	1	1	1	1	110	59.5	0	29952.607	273.1182796	8258.092572	30000	0	0	30000	39.5	2004
11.02.2020 13:35:37	1	1	1	1	110	59.5	0	30000	288.172043	8644.579132	30000	0	0	30000	38.6875	2004
11.02.2020 13:35:38	1	1	1	1	110	58.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:39	1	1	1	1	110	59.5	0	30000	260.2150538	7935.205066	30000	0	0	30000	39.1875	2004
11.02.2020 13:35:40	1	1	1	1	110	59	0	30000	273.1182796	8128.448346	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:41	1	1	1	1	109.5	59.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:42	1	1	1	1	109.5	59.5	0	29952.607	301.0752688	9031.881064	30000	0	0	30000	39.625	2004
11.02.2020 13:35:43	1	1	1	1	109.5	59.5	0	30000	298.9247312	8903.052211	30000	0	0	30000	39.5	2004
11.02.2020 13:35:44	1	1	1	1	109.5	59.5	0	30000	286.0215054	8708.993559	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:45	1	1	1	1	109.5	59.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.875	2004
11.02.2020 13:35:46	1	1	1	1	109.5	59.75	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	39.25	2004
11.02.2020 13:35:47	1	1	1	1	109.5	59.25	0	30000	305.3763441	9082.434159	30000	0	0	30000	40.125	2004
11.02.2020 13:35:48	1	1	1	1	109.5	60	0	30000	322.5806452	9612.426277	30000	0	0	30000	39.4375	2004
11.02.2020 13:35:49	1	1	1	1	109.5	59.25	0	30000	324.7311828	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:35:50	1	1	1	1	110	59.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.375	2004
11.02.2020 13:35:51	1	1	1	1	110	59.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.375	2004
11.02.2020 13:35:52	1	1	1	1	110	59.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:53	1	1	1	1	110	59.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:54	1	1	1	1	110	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5	2004
11.02.2020 13:35:55	1	1	1	1	110	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 13:35:56	1	1	1	1	110	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 13:35:57	1	1	1	1	110	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 13:35:58	1	1	1	1	110	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.3125	2004
11.02.2020 13:35:59	1	1	1	1	110	59.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	39.0625	2004
11.02.2020 13:36:00	1	1	1	1	111.8	59	0	29952.607	352.688172	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:36:01	1	1	1	1	111.8	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:02	1	1	1	1	111.8	59.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.5	2004
11.02.2020 13:36:03	1	1	1	1	111.8	59.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 13:36:04	1	1	1	1	111.8	59.5	0	30000	359.1397849	11031.98978	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:36:05	1	1	1	1	111.8	59.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:07	1	1	1	1	111.8	59.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	39.625	2004
11.02.2020 13:36:08	1	1	1	1	111.8	59.5	0	30000	374.1935484	11225.23306	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:09	1	1	1	1	111.8	59.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:10	1	1	1	1	111.8	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:36:11	1	1	1	1	113.3	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.4375	2004
11.02.2020 13:36:12	1	1	1	1	113.3	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:13	1	1	1	1	113.3	59.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	39.1875	2004
11.02.2020 13:36:14	1	1	1	1	113.3	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:15	1	1	1	1	113.3	59.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:16	1	1	1	1	113.3	59.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:17	1	1	1	1	113.3	59.5	0	29952.607	400	11935.4225	30000	0	0	30000	38.0625	2004
11.02.2020 13:36:18	1	1	1	1	113.3	58	0	30094.787	400	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 13:36:19	1	1	1	1	113.3	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 13:36:20	1	1	1	1	113.3	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.0625	2004
11.02.2020 13:36:21	1	1	1	1	114.3	59	0	30047.393	378.4946237	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:36:22	1	1	1	1	114.3	59.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:23	1	1	1	1	114.3	59.5	0	30000	389.2473118	11612.53499	30000	0	0	30000	39.125	2004
11.02.2020 13:36:24	1	1	1	1	114.3	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:36:25	1	1	1	1	114.3	59.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.0625	2004
11.02.2020 13:36:26	1	1	1	1	114.3	60	0	29952.607	419.3548387	12858.42416	30000	0	0	30000	39.625	2004
11.02.2020 13:36:27	1	1	1	1	114.3	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.8125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:34	1	1	1	1	116.3	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:36:35	1	1	1	1	116.3	59	0	30000	427.9569892	12773.62542	30000	0	0	30000	39.625	2004
11.02.2020 13:36:36	1	1	1	1	116.3	59.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:37	1	1	1	1	116.3	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:38	1	1	1	1	116.3	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.625	2004
11.02.2020 13:36:39	1	1	1	1	116.3	59.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	39.375	2004
11.02.2020 13:36:40	1	1	1	1	117.8	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:41	1	1	1	1	117.8	59.5	0	29905.213	432.2580645	12967.68407	30000	0	0	30000	39.25	2004
11.02.2020 13:36:42	1	1	1	1	117.8	59.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
11.02.2020 13:36:43	1	1	1	1	117.8	59.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	39.5	2004
11.02.2020 13:36:45	1	1	1	1	117.8	59.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	39.625	2004
11.02.2020 13:36:46	1	1	1	1	117.8	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:47	1	1	1	1	117.8	59.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	39.4375	2004
11.02.2020 13:36:48	1	1	1	1	117.8	59.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.5	2004
11.02.2020 13:36:49	1	1	1	1	117.8	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:36:50	1	1	1	1	117.8	59	0	30000	438.7096774	13354.17063	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:51	1	1	1	1	118.5	59.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:52	1	1	1	1	118.5	59.5	0	30000	464.516129	13805.88699	30000	0	0	30000	39.5625	2004
11.02.2020 13:36:53	1	1	1	1	118.5	59.5	0	29905.213	455.9139785	13935.53122	30000	0	0	30000	39.6875	2004
11.02.2020 13:36:54	1	1	1	1	118.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
11.02.2020 13:36:55	1	1	1	1	118.5	59	0	30000	481.7204301	14428.83157	30000	0	0	30000	38.4375	2004
11.02.2020 13:36:56	1	1	1	1	118.5	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
11.02.2020 13:36:57	1	1	1	1	118.5	59.25	0	30000	464.516129	13805.88699	30000	0	0	30000	39.3125	2004
11.02.2020 13:36:58	1	1	1	1	118.5	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.3125	2004
11.02.2020 13:36:59	1	1	1	1	118.5	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.6875	2004
11.02.2020 13:37:00	1	1	1	1	118.5	59.5	0	30000	483.8709677	14451.662	30000	0	0	30000	39	2004
11.02.2020 13:37:01	1	1	1	1	118.5	59	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.8125	2004
11.02.2020 13:37:02	1	1	1	1	118.5	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:37:03	1	1	1	1	118.5	59.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	39.5	2004
11.02.2020 13:37:04	1	1	1	1	118.5	59.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.125	2004
11.02.2020 13:37:05	1	1	1	1	118.5	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:06	1	1	1	1	118.5	59.25	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	38.75	2004
11.02.2020 13:37:07	1	1	1	1	118.5	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	38.8125	2004
11.02.2020 13:37:08	1	1	1	1	118.5	58.75	0	30000	498.9247312	14967.79279	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:09	1	1	1	1	118.5	59.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.5	2004
11.02.2020 13:37:10	1	1	1	1	121	59.5	0	29905.213	509.6774194	15677.16685	30000	0	0	30000	38.875	2004
11.02.2020 13:37:11	1	1	1	1	121	58.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.125	2004
11.02.2020 13:37:12	1	1	1	1	121	59	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.1875	2004
11.02.2020 13:37:13	1	1	1	1	121	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:14	1	1	1	1	121	59.25	0	30000	520.4301075	15652.70568	30000	0	0	30000	38.75	2004
11.02.2020 13:37:15	1	1	1	1	121	58.75	0	30000	522.5806452	15805.99571	30000	0	0	30000	39.5	2004
11.02.2020 13:37:16	1	1	1	1	121	59.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	39.125	2004
11.02.2020 13:37:17	1	1	1	1	121	59	0	30000	531.1827957	15934.82456	30000	0	0	30000	39.75	2004
11.02.2020 13:37:18	1	1	1	1	121	59.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:19	1	1	1	1	121	59.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.1875	2004
11.02.2020 13:37:20	1	1	1	1	123.5	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.625	2004
11.02.2020 13:37:22	1	1	1	1	123.5	59.5	0	30000	522.5806452	15960.10111	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:23	1	1	1	1	123.5	59.25	0	30000	529.0322581	16000.05436	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:24	1	1	1	1	123.5	59.5	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:25	1	1	1	1	123.5	59.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	39.0625	2004
11.02.2020 13:37:26	1	1	1	1	123.5	59	0	30000	535.483871	16064.46878	30000	0	0	30000	38.75	2004
11.02.2020 13:37:27	1	1	1	1	123.5	58.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	39.25	2004
11.02.2020 13:37:28	1	1	1	1	123.5	59.25	0	30000	518.2795699	15306.17237	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:29	1	1	1	1	123.5	59.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	38.5625	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:36	1	1	1	1	125	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.125	2004
11.02.2020 13:37:37	1	1	1	1	125	59	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	39.75	2004
11.02.2020 13:37:38	1	1	1	1	125	59.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:39	1	1	1	1	125	59.25	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	39.1875	2004
11.02.2020 13:37:40	1	1	1	1	125	59	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	39.3125	2004
11.02.2020 13:37:41	1	1	1	1	127	59.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.1875	2004
11.02.2020 13:37:42	1	1	1	1	127	59	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	39.625	2004
11.02.2020 13:37:43	1	1	1	1	127	59.5	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	38.6875	2004
11.02.2020 13:37:44	1	1	1	1	127	58.5	0	29810.427	541.9354839	16181.06705	30000	0	0	30000	39.6875	2004
11.02.2020 13:37:45	1	1	1	1	127	59.5	0	29620.853	539.7849462	15899.76354	30000	0	0	30000	39.6875	2004
11.02.2020 13:37:46	1	1	1	1	127	59.5	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	39.1875	2004
11.02.2020 13:37:47	1	1	1	1	127	59.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:48	1	1	1	1	127	59.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	39.5	2004
11.02.2020 13:37:49	1	1	1	1	127	59.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	39.625	2004
11.02.2020 13:37:50	1	1	1	1	128.5	59.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	39.625	2004
11.02.2020 13:37:51	1	1	1	1	128.5	59.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	38.9375	2004
11.02.2020 13:37:52	1	1	1	1	128.5	58.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	39.4375	2004
11.02.2020 13:37:53	1	1	1	1	128.5	59.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	39.75	2004
11.02.2020 13:37:54	1	1	1	1	128.5	59.75	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	38.625	2004
11.02.2020 13:37:55	1	1	1	1	128.5	58.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	39.6875	2004
11.02.2020 13:37:56	1	1	1	1	128.5	59.5	0	29810.427	535.483871	15911.99413	30000	0	0	30000	39.5625	2004
11.02.2020 13:37:57	1	1	1	1	128.5	59.5	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	39.375	2004
11.02.2020 13:37:58	1	1	1	1	128.5	59.25	0	29857.82	535.483871	16052.2382	30000	0	0	30000	38.3125	2004
11.02.2020 13:37:59	1	1	1	1	128.5	58.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 13:38:00	1	1	1	1	131	59.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	39.4375	2004
11.02.2020 13:38:02	1	1	1	1	131	59.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:03	1	1	1	1	131	59.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.1875	2004
11.02.2020 13:38:04	1	1	1	1	131	59	0	29336.493	541.9354839	16013.10032	30000	0	0	30000	39	2004
11.02.2020 13:38:05	1	1	1	1	131	59	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:06	1	1	1	1	131	59.5	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	39.75	2004
11.02.2020 13:38:07	1	1	1	1	131	59.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.75	2004
11.02.2020 13:38:08	1	1	1	1	131	59.75	0	28957.346	554.8387097	16101.97592	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:09	1	1	1	1	131	59.5	0	29383.886	552.688172	15998.42361	30000	0	0	30000	39.125	2004
11.02.2020 13:38:10	1	1	1	1	131	59	0	29289.1	544.0860215	16213.68195	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:11	1	1	1	1	133.5	59.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	39.5	2004
11.02.2020 13:38:12	1	1	1	1	133.5	59.5	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	39.5625	2004
11.02.2020 13:38:13	1	1	1	1	133.5	59.5	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	39.3125	2004
11.02.2020 13:38:14	1	1	1	1	133.5	59.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:15	1	1	1	1	133.5	59.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.75	2004
11.02.2020 13:38:16	1	1	1	1	133.5	59.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:17	1	1	1	1	133.5	59.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	39.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:38:18	1	1	1	1	133.5	59	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	39.75	2004
11.02.2020 13:38:19	1	1	1	1	133.5	59.75	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	39.5625	2004
11.02.2020 13:38:20	1	1	1	1	133.5	59.5	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	39.3125	2004
11.02.2020 13:38:21	1	1	1	1	135.3	59.25	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	39.5	2004
11.02.2020 13:38:22	1	1	1	1	135.3	59.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.0625	2004
11.02.2020 13:38:23	1	1	1	1	135.3	60	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	39.75	2004
11.02.2020 13:38:24	1	1	1	1	135.3	59.75	0	29526.066	535.483871	16052.2382	30000	0	0	30000	40.0625	2004
11.02.2020 13:38:25	1	1	1	1	135.3	59.75	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	39.75	2004
11.02.2020 13:38:26	1	1	1	1	135.3	59.75	0	29478.673	535.483871	15784.79602	30000	0	0	30000	39.8125	2004
11.02.2020 13:38:27	1	1	1	1	135.3	59.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	39.375	2004
11.02.2020 13:38:28	1	1	1	1	135.3	59.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.1875	2004
11.02.2020 13:38:29	1	1	1	1	135.3	59	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	39.5625	2004
11.02.2020 13:38:30	1	1	1	1	136.8	59.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.625	2004
11.02.2020 13:38:37	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:37	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:37	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:37	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:37	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:38	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:38	1	1	1	1	136.8	59.5	0	29668.246	535.483871	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:38	1	1	1	1	136.8	59.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.25	2004
11.02.2020 13:38:39	1	1	1	1	136.8	59.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	39.3125	2004
11.02.2020 13:38:41	1	1	1	1	137.8	59.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.8125	2004
11.02.2020 13:38:42	1	1	1	1	137.8	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.5	2004
11.02.2020 13:38:43	1	1	1	1	137.8	59.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	39.25	2004
11.02.2020 13:38:44	1	1	1	1	137.8	59.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	39.0625	2004
11.02.2020 13:38:45	1	1	1	1	137.8	59	0	30000	533.3333333	16000.05436	30000	0	0	30000	38.75	2004
11.02.2020 13:38:46	1	1	1	1	137.8	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.4375	2004
11.02.2020 13:38:47	1	1	1	1	137.8	59.25	0	30000	488.172043	14622.07485	30000	0	0	30000	39.125	2004
11.02.2020 13:38:48	1	1	1	1	137.8	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
11.02.2020 13:38:49	1	1	1	1	137.8	59	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.4375	2004
11.02.2020 13:38:50	1	1	1	1	137.8	59.25	0	29905.213	488.172043	14902.56299	30000	0	0	30000	39.125	2004
11.02.2020 13:38:51	1	1	1	1	138.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.6875	2004
11.02.2020 13:38:52	1	1	1	1	138.5	58.5	0	30000	531.1827957	15805.99571	30000	0	0	30000	39.625	2004
11.02.2020 13:38:53	1	1	1	1	138.5	59.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:54	1	1	1	1	138.5	59.5	0	30000	488.172043	14580.49085	30000	0	0	30000	39.5625	2004
11.02.2020 13:38:55	1	1	1	1	138.5	59.5	0	29905.213	516.1290323	15677.16685	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:56	1	1	1	1	138.5	59.5	0	29905.213	533.3333333	16193.29764	30000	0	0	30000	39.375	2004
11.02.2020 13:38:57	1	1	1	1	138.5	59.25	0	29810.427	531.1827957	15987.82377	30000	0	0	30000	39.6875	2004
11.02.2020 13:38:58	1	1	1	1	138.5	59.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.5	2004
11.02.2020 13:38:59	1	1	1	1	138.5	59.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.1875	2004
11.02.2020 13:39:00	1	1	1	1	138.5	59	0	29905.213	537.6344086	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:39:01	1	1	1	1	140	59.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:39:02	1	1	1	1	140	59.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:03	1	1	1	1	140	59.25	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:04	1	1	1	1	140	59.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	39.9375	2004
11.02.2020 13:39:05	1	1	1	1	140	59.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39	2004
11.02.2020 13:39:06	1	1	1	1	140	59	0	29573.46	537.6344086	16115.83725	30000	0	0	30000	39.625	2004
11.02.2020 13:39:07	1	1	1	1	140	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:39:08	1	1	1	1	140	59.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	39.5	2004
11.02.2020 13:39:09	1	1	1	1	140	59.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	39.625	2004
11.02.2020 13:39:10	1	1	1	1	141	59.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	39.625	2004
11.02.2020 13:39:11	1	1	1	1	141	59.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.625	2004
11.02.2020 13:39:12	1	1	1	1	141	59.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	39.625	2004
11.02.2020 13:39:13	1	1	1	1	141	59.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 13:39:14	1	1	1	1	141	59.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	39.75	2004
11.02.2020 13:39:15	1	1	1	1	141	59.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:16	1	1	1	1	141	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:17	1	1	1	1	141	59.5	0	29715.64	529.0322581	15911.99413	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:18	1	1	1	1	141	59.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	39.6875	2004
11.02.2020 13:39:20	1	1	1	1	141	59.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	39.8125	2004
11.02.2020 13:39:21	1	1	1	1	142.5	59.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	39.75	2004
11.02.2020 13:39:22	1	1	1	1	142.5	59.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.5	2004
11.02.2020 13:39:23	1	1	1	1	142.5	59.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	39.875	2004
11.02.2020 13:39:24	1	1	1	1	142.5	59.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	39.625	2004
11.02.2020 13:39:25	1	1	1	1	142.5	59.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	39.125	2004
11.02.2020 13:39:26	1	1	1	1	142.5	59	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:27	1	1	1	1	142.5	59.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:28	1	1	1	1	142.5	59.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:29	1	1	1	1	142.5	59.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	39.8125	2004
11.02.2020 13:39:30	1	1	1	1	142.5	59.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	39.5	2004
11.02.2020 13:39:31	1	1	1	1	143	59.5	0	29668.246	535.483871	15911.99413	30000	0	0	30000	39.375	2004
11.02.2020 13:39:32	1	1	1	1	143	59.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	38.75	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:39	1	1	1	1	143	59.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	39.4375	2004
11.02.2020 13:39:40	1	1	1	1	143	59.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	39.875	2004
11.02.2020 13:39:41	1	1	1	1	144	59.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.6875	2004
11.02.2020 13:39:42	1	1	1	1	144	59.5	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	40.0625	2004
11.02.2020 13:39:43	1	1	1	1	144	60	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	39.8125	2004
11.02.2020 13:39:44	1	1	1	1	144	59.25	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	39.5625	2004
11.02.2020 13:39:45	1	1	1	1	144	59.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:39:46	1	1	1	1	144	59.75	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	38.6875	2004
11.02.2020 13:39:47	1	1	1	1	144	58.5	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	39.0625	2004
11.02.2020 13:39:48	1	1	1	1	144	59	0	29478.673	544.0860215	16255.26595	30000	0	0	30000	39.5	2004
11.02.2020 13:39:49	1	1	1	1	144	59.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	39.8125	2004
11.02.2020 13:39:50	1	1	1	1	145	59.75	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	39.6875	2004
11.02.2020 13:39:51	1	1	1	1	145	59.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	39.5	2004
11.02.2020 13:39:52	1	1	1	1	145	59.5	0	29478.673	546.2365591	16075.884	30000	0	0	30000	39.75	2004
11.02.2020 13:39:53	1	1	1	1	145	59.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	39.25	2004
11.02.2020 13:39:54	1	1	1	1	145	59.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	39	2004
11.02.2020 13:39:55	1	1	1	1	145	59	0	28909.953	552.688172	16004.13122	30000	0	0	30000	38.9375	2004
11.02.2020 13:39:56	1	1	1	1	145	58.75	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	39.75	2004
11.02.2020 13:39:58	1	1	1	1	145	59.75	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	39.75	2004
11.02.2020 13:39:59	1	1	1	1	145	59.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	39.375	2004
11.02.2020 13:40:00	1	1	1	1	145	59.25	0	29620.853	535.483871	15797.84198	30000	0	0	30000	39.75	2004
11.02.2020 13:40:01	1	1	1	1	144.5	59.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	39.625	2004
11.02.2020 13:40:02	1	1	1	1	144.5	59.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	39.625	2004
11.02.2020 13:40:03	1	1	1	1	144.5	59.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:04	1	1	1	1	144.5	59.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:05	1	1	1	1	144.5	59.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	39.375	2004
11.02.2020 13:40:06	1	1	1	1	144.5	59.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	39.75	2004
11.02.2020 13:40:07	1	1	1	1	144.5	59.75	0	29715.64	533.3333333	15898.94817	30000	0	0	30000	39.1875	2004
11.02.2020 13:40:08	1	1	1	1	144.5	59	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:09	1	1	1	1	144.5	59.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	39.6875	2004
11.02.2020 13:40:10	1	1	1	1	144.5	59.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.5	2004
11.02.2020 13:40:11	1	1	1	1	143	59.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	39.5	2004
11.02.2020 13:40:12	1	1	1	1	143	59.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	39.0625	2004
11.02.2020 13:40:13	1	1	1	1	143	59	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.4375	2004
11.02.2020 13:40:14	1	1	1	1	143	59.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	39.4375	2004
11.02.2020 13:40:15	1	1	1	1	143	59.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 13:40:16	1	1	1	1	143	59.75	0	29905.213	539.7849462	16168.02109	30000	0	0	30000	39.125	2004
11.02.2020 13:40:17	1	1	1	1	143	59	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	39.625	2004
11.02.2020 13:40:18	1	1	1	1	143	59.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	39.75	2004
11.02.2020 13:40:19	1	1	1	1	143	59.75	0	29810.427	539.7849462	16103.60666	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:20	1	1	1	1	143	59.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.0625	2004
11.02.2020 13:40:21	1	1	1	1	141.8	60	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	39.75	2004
11.02.2020 13:40:22	1	1	1	1	141.8	59.75	0	29668.246	533.3333333	15823.11853	30000	0	0	30000	39.6875	2004
11.02.2020 13:40:23	1	1	1	1	141.8	59.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	39.1875	2004
11.02.2020 13:40:24	1	1	1	1	141.8	59	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	39.25	2004
11.02.2020 13:40:25	1	1	1	1	141.8	59.25	0	29668.246	537.6344086	15733.42755	30000	0	0	30000	39.75	2004
11.02.2020 13:40:26	1	1	1	1	141.8	59.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:27	1	1	1	1	141.8	59.25	0	29857.82	541.9354839	16090.5607	30000	0	0	30000	39.5	2004
11.02.2020 13:40:28	1	1	1	1	141.8	59.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	39.5	2004
11.02.2020 13:40:29	1	1	1	1	141.8	59.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:40:30	1	1	1	1	140.5	59.75	0	29715.64	537.6344086	16154.97513	30000	0	0	30000	38.9375	2004
11.02.2020 13:40:31	1	1	1	1	140.5	58.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.6875	2004
11.02.2020 13:40:32	1	1	1	1	140.5	59.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	39.625	2004
11.02.2020 13:40:33	1	1	1	1	140.5	59.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	39.625	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:41	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:42	1	1	1	1	139.5	59.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.75	2004
11.02.2020 13:40:43	1	1	1	1	139.5	59.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	39.5	2004
11.02.2020 13:40:44	1	1	1	1	139.5	59.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:45	1	1	1	1	139.5	59.5	0	29810.427	535.483871	16052.2382	30000	0	0	30000	39.375	2004
11.02.2020 13:40:46	1	1	1	1	139.5	59.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:47	1	1	1	1	139.5	59.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	39.8125	2004
11.02.2020 13:40:48	1	1	1	1	139.5	59.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	39.75	2004
11.02.2020 13:40:49	1	1	1	1	139.5	59.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	39.8125	2004
11.02.2020 13:40:50	1	1	1	1	139.5	59.75	0	29573.46	535.483871	15988.63914	30000	0	0	30000	39.75	2004
11.02.2020 13:40:51	1	1	1	1	137.8	59.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.5	2004
11.02.2020 13:40:52	1	1	1	1	137.8	59.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	39.75	2004
11.02.2020 13:40:53	1	1	1	1	137.8	59.75	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	39.75	2004
11.02.2020 13:40:54	1	1	1	1	137.8	59.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.75	2004
11.02.2020 13:40:55	1	1	1	1	137.8	59.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	39.1875	2004
11.02.2020 13:40:56	1	1	1	1	137.8	59	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.5625	2004
11.02.2020 13:40:57	1	1	1	1	137.8	59.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:40:58	1	1	1	1	137.8	59.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.3125	2004
11.02.2020 13:40:59	1	1	1	1	137.8	60	0	29857.82	535.483871	15834.53374	30000	0	0	30000	39.25	2004
11.02.2020 13:41:00	1	1	1	1	136.8	59.25	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	38.875	2004
11.02.2020 13:41:01	1	1	1	1	136.8	58.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.25	2004
11.02.2020 13:41:02	1	1	1	1	136.8	59.25	0	29905.213	522.5806452	15974.77781	30000	0	0	30000	39.6875	2004
11.02.2020 13:41:03	1	1	1	1	136.8	59.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.5625	2004
11.02.2020 13:41:04	1	1	1	1	136.8	59.5	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	39.625	2004
11.02.2020 13:41:05	1	1	1	1	136.8	59.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	39.1875	2004
11.02.2020 13:41:06	1	1	1	1	136.8	59	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	39.75	2004
11.02.2020 13:41:07	1	1	1	1	136.8	59.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	39.5	2004
11.02.2020 13:41:08	1	1	1	1	136.8	59.5	0	30000	531.1827957	15677.16685	30000	0	0	30000	39	2004
11.02.2020 13:41:09	1	1	1	1	136.8	59	0	30000	529.0322581	15781.53453	30000	0	0	30000	39.75	2004
11.02.2020 13:41:10	1	1	1	1	135	59.75	0	30000	526.8817204	15934.82456	30000	0	0	30000	39.5	2004
11.02.2020 13:41:12	1	1	1	1	135	59.5	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	39.5625	2004
11.02.2020 13:41:13	1	1	1	1	135	59.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.75	2004
11.02.2020 13:41:14	1	1	1	1	135	59.75	0	30000	531.1827957	15910.36338	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:41:15	1	1	1	1	135	58.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	39.8125	2004
11.02.2020 13:41:16	1	1	1	1	135	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.375	2004
11.02.2020 13:41:17	1	1	1	1	135	59.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	39.4375	2004
11.02.2020 13:41:18	1	1	1	1	135	59.25	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	39.8125	2004
11.02.2020 13:41:19	1	1	1	1	135	59.75	0	30047.393	522.5806452	15741.58128	30000	0	0	30000	39.5625	2004
11.02.2020 13:41:20	1	1	1	1	135	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:41:21	1	1	1	1	133.8	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.6875	2004
11.02.2020 13:41:22	1	1	1	1	133.8	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.625	2004
11.02.2020 13:41:23	1	1	1	1	133.8	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:41:24	1	1	1	1	133.8	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.5625	2004
11.02.2020 13:41:25	1	1	1	1	133.8	59.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.5	2004
11.02.2020 13:41:26	1	1	1	1	133.8	59.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	39	2004
11.02.2020 13:41:27	1	1	1	1	133.8	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:41:28	1	1	1	1	133.8	59.75	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	39.6875	2004
11.02.2020 13:41:29	1	1	1	1	133.8	59.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.75	2004
11.02.2020 13:41:30	1	1	1	1	133.8	59.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	39.0625	2004
11.02.2020 13:41:31	1	1	1	1	132.5	59	0	30047.393	505.3763441	15096.62164	30000	0	0	30000	39.6875	2004
11.02.2020 13:41:32	1	1	1	1	132.5	59.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	39.375	2004
11.02.2020 13:41:33	1	1	1	1	132.5	59.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.5	2004
11.02.2020 13:41:34	1	1	1	1	132.5	59.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.8125	2004
11.02.2020 13:41:35	1	1	1	1	132.5	59.75	0	30047.393	505.3763441	15161.03607	30000	0	0	30000	39.25	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	58.75	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
11.02.2020 13:41:43	1	1	1	1	130.8	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39	2004
11.02.2020 13:41:44	1	1	1	1	130.8	59	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.125	2004
11.02.2020 13:41:45	1	1	1	1	130.8	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.3125	2004
11.02.2020 13:41:46	1	1	1	1	130.8	59.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	39.25	2004
11.02.2020 13:41:47	1	1	1	1	130.8	59.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	39.125	2004
11.02.2020 13:41:48	1	1	1	1	130.8	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
11.02.2020 13:41:49	1	1	1	1	130.8	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
11.02.2020 13:41:51	1	1	1	1	129.3	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
11.02.2020 13:41:52	1	1	1	1	129.3	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.1875	2004
11.02.2020 13:41:53	1	1	1	1	129.3	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
11.02.2020 13:41:54	1	1	1	1	129.3	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
11.02.2020 13:41:55	1	1	1	1	129.3	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
11.02.2020 13:41:56	1	1	1	1	129.3	59.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
11.02.2020 13:41:57	1	1	1	1	129.3	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
11.02.2020 13:41:58	1	1	1	1	129.3	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:41:59	1	1	1	1	129.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
11.02.2020 13:42:00	1	1	1	1	129.3	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.125	2004
11.02.2020 13:42:01	1	1	1	1	128	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
11.02.2020 13:42:02	1	1	1	1	128	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:42:03	1	1	1	1	128	59.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.1875	2004
11.02.2020 13:42:04	1	1	1	1	128	59	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.5625	2004
11.02.2020 13:42:05	1	1	1	1	128	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
11.02.2020 13:42:06	1	1	1	1	128	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
11.02.2020 13:42:07	1	1	1	1	128	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
11.02.2020 13:42:08	1	1	1	1	128	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
11.02.2020 13:42:09	1	1	1	1	128	59.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	39.4375	2004
11.02.2020 13:42:10	1	1	1	1	128	59.25	0	30000	464.516129	13977.93058	30000	0	0	30000	39.4375	2004
11.02.2020 13:42:11	1	1	1	1	127	59.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.6875	2004
11.02.2020 13:42:12	1	1	1	1	127	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.5	2004
11.02.2020 13:42:13	1	1	1	1	127	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.9375	2004
11.02.2020 13:42:14	1	1	1	1	127	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
11.02.2020 13:42:15	1	1	1	1	127	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
11.02.2020 13:42:16	1	1	1	1	127	58.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.1875	2004
11.02.2020 13:42:17	1	1	1	1	127	59	0	30000	464.516129	13935.53122	30000	0	0	30000	39.4375	2004
11.02.2020 13:42:18	1	1	1	1	127	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.3125	2004
11.02.2020 13:42:19	1	1	1	1	127	59.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	39.0625	2004
11.02.2020 13:42:20	1	1	1	1	125.5	59	0	30000	455.9139785	13612.64371	30000	0	0	30000	39.25	2004
11.02.2020 13:42:21	1	1	1	1	125.5	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
11.02.2020 13:42:22	1	1	1	1	125.5	59.75	0	30000	453.7634409	13312.58663	30000	0	0	30000	39.75	2004
11.02.2020 13:42:23	1	1	1	1	125.5	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.875	2004
11.02.2020 13:42:24	1	1	1	1	125.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.3125	2004
11.02.2020 13:42:25	1	1	1	1	125.5	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.625	2004
11.02.2020 13:42:26	1	1	1	1	125.5	59.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.75	2004
11.02.2020 13:42:27	1	1	1	1	125.5	59.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	39.625	2004
11.02.2020 13:42:28	1	1	1	1	125.5	59.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	39.8125	2004
11.02.2020 13:42:30	1	1	1	1	125.5	59.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.75	2004
11.02.2020 13:42:31	1	1	1	1	124.5	59.75	0	30000	458.0645161	13312.58663	30000	0	0	30000	39.25	2004
11.02.2020 13:42:32	1	1	1	1	124.5	59.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.75	2004
11.02.2020 13:42:33	1	1	1	1	124.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5	2004
11.02.2020 13:42:34	1	1	1	1	124.5	59.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.5	2004
11.02.2020 13:42:35	1	1	1	1	124.5	59.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.75	2004
11.02.2020 13:42:36	1	1	1	1	124.5	59.75	0	30000	445.1612903	13248.17221	30000	0	0	30000	39.375	2004
11.02.2020 13:42:37	1	1	1	1	124.5	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:44	1	1	1	1	123	58	0	30000	432.2580645	13160.92735	30000	0	0	30000	39.9375	2004
11.02.2020 13:42:45	1	1	1	1	123	59.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	39.75	2004
11.02.2020 13:42:46	1	1	1	1	123	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.5	2004
11.02.2020 13:42:47	1	1	1	1	123	59.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	39.75	2004
11.02.2020 13:42:48	1	1	1	1	123	59.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	39.125	2004
11.02.2020 13:42:49	1	1	1	1	123	59	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	39.6875	2004
11.02.2020 13:42:50	1	1	1	1	123	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
11.02.2020 13:42:51	1	1	1	1	122	59.75	0	30047.393	438.7096774	12838.03984	30000	0	0	30000	38.75	2004
11.02.2020 13:42:52	1	1	1	1	122	58.75	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	39.75	2004
11.02.2020 13:42:53	1	1	1	1	122	59.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.0625	2004
11.02.2020 13:42:54	1	1	1	1	122	60	0	30000	438.7096774	13096.51292	30000	0	0	30000	39.6875	2004
11.02.2020 13:42:55	1	1	1	1	122	59	0	30000	434.4086022	13096.51292	30000	0	0	30000	39.75	2004
11.02.2020 13:42:56	1	1	1	1	122	59.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	39.125	2004
11.02.2020 13:42:57	1	1	1	1	122	59	0	30000	438.7096774	13096.51292	30000	0	0	30000	39.8125	2004
11.02.2020 13:42:58	1	1	1	1	122	59.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	39.75	2004
11.02.2020 13:42:59	1	1	1	1	122	59.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	39.8125	2004
11.02.2020 13:43:00	1	1	1	1	120.5	59.75	0	30094.787	445.1612903	13096.51292	30000	0	0	30000	39.125	2004
11.02.2020 13:43:01	1	1	1	1	120.5	59	0	30000	427.9569892	12818.4709	30000	0	0	30000	39.75	2004
11.02.2020 13:43:02	1	1	1	1	120.5	59.75	0	29952.607	438.7096774	13119.34335	30000	0	0	30000	39.6875	2004
11.02.2020 13:43:03	1	1	1	1	120.5	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.375	2004
11.02.2020 13:43:04	1	1	1	1	120.5	59.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	39.875	2004
11.02.2020 13:43:05	1	1	1	1	120.5	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:06	1	1	1	1	120.5	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
11.02.2020 13:43:07	1	1	1	1	120.5	59.5	0	30000	427.9569892	13160.92735	30000	0	0	30000	39.8125	2004
11.02.2020 13:43:09	1	1	1	1	120.5	59.75	0	30000	427.9569892	12754.05648	30000	0	0	30000	39.75	2004
11.02.2020 13:43:10	1	1	1	1	120.5	59.75	0	30000	423.655914	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 13:43:11	1	1	1	1	119.5	59.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.75	2004
11.02.2020 13:43:12	1	1	1	1	119.5	59.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	39.5	2004
11.02.2020 13:43:13	1	1	1	1	119.5	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:43:14	1	1	1	1	119.5	59.5	0	30000	423.655914	12773.62542	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:15	1	1	1	1	119.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 13:43:16	1	1	1	1	119.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	38.5	2004
11.02.2020 13:43:17	1	1	1	1	119.5	58.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 13:43:18	1	1	1	1	119.5	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:43:19	1	1	1	1	119.5	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	38.9375	2004
11.02.2020 13:43:20	1	1	1	1	119.5	58.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	39.5	2004
11.02.2020 13:43:21	1	1	1	1	118.8	59.5	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:22	1	1	1	1	118.8	59.5	0	30000	423.655914	12709.21099	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:23	1	1	1	1	118.8	59.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.4375	2004
11.02.2020 13:43:24	1	1	1	1	118.8	59.25	0	30000	412.9032258	12406.7078	30000	0	0	30000	39.1875	2004
11.02.2020 13:43:25	1	1	1	1	118.8	59	0	30000	419.3548387	12580.38214	30000	0	0	30000	39	2004
11.02.2020 13:43:26	1	1	1	1	118.8	59	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:43:27	1	1	1	1	118.8	59.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	39.375	2004
11.02.2020 13:43:28	1	1	1	1	118.8	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:43:29	1	1	1	1	118.8	59.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.75	2004
11.02.2020 13:43:30	1	1	1	1	118.8	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 13:43:31	1	1	1	1	117.5	59.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	39.375	2004
11.02.2020 13:43:32	1	1	1	1	117.5	59.25	0	30000	423.655914	12580.38214	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:33	1	1	1	1	117.5	59	0	30000	412.9032258	12367.56992	30000	0	0	30000	39.5	2004
11.02.2020 13:43:34	1	1	1	1	117.5	59.5	0	30000	417.2043011	12387.13886	30000	0	0	30000	38.75	2004
11.02.2020 13:43:35	1	1	1	1	117.5	58.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 13:43:36	1	1	1	1	117.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004
11.02.2020 13:43:37	1	1	1	1	117.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.5	2004
11.02.2020 13:43:38	1	1	1	1	117.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:46	1	1	1	1	116.8	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.3125	2004
11.02.2020 13:43:47	1	1	1	1	116.8	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
11.02.2020 13:43:48	1	1	1	1	116.8	59.75	0	30000	406.4516129	12193.08021	30000	0	0	30000	39.4375	2004
11.02.2020 13:43:49	1	1	1	1	116.8	59.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 13:43:50	1	1	1	1	116.8	59.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	39.8125	2004
11.02.2020 13:43:51	1	1	1	1	115.5	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.875	2004
11.02.2020 13:43:52	1	1	1	1	115.5	59.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	39.75	2004
11.02.2020 13:43:53	1	1	1	1	115.5	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:54	1	1	1	1	115.5	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.4375	2004
11.02.2020 13:43:55	1	1	1	1	115.5	59.25	0	30000	400	11935.4225	30000	0	0	30000	39.1875	2004
11.02.2020 13:43:56	1	1	1	1	115.5	59	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 13:43:57	1	1	1	1	115.5	59.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	39.75	2004
11.02.2020 13:43:58	1	1	1	1	115.5	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.5625	2004
11.02.2020 13:43:59	1	1	1	1	115.5	59.5	0	29905.213	395.6989247	11916.66893	30000	0	0	30000	39.5	2004
11.02.2020 13:44:00	1	1	1	1	115.5	59.5	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	39.6875	2004
11.02.2020 13:44:01	1	1	1	1	114.5	59.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:02	1	1	1	1	114.5	59.75	0	30000	389.2473118	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:44:03	1	1	1	1	114.5	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:44:04	1	1	1	1	114.5	59.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:05	1	1	1	1	114.5	59.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	39.1875	2004
11.02.2020 13:44:06	1	1	1	1	114.5	59	0	30000	387.0967742	11676.94942	30000	0	0	30000	39.1875	2004
11.02.2020 13:44:07	1	1	1	1	114.5	59	0	30000	384.9462366	11530.18237	30000	0	0	30000	38	2004
11.02.2020 13:44:08	1	1	1	1	114.5	58	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:09	1	1	1	1	114.5	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.1875	2004
11.02.2020 13:44:10	1	1	1	1	114.5	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:44:11	1	1	1	1	113.8	60	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:44:12	1	1	1	1	113.8	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.125	2004
11.02.2020 13:44:13	1	1	1	1	113.8	59.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	39.75	2004
11.02.2020 13:44:14	1	1	1	1	113.8	59.75	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	39.5	2004
11.02.2020 13:44:15	1	1	1	1	113.8	59.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	38.8125	2004
11.02.2020 13:44:16	1	1	1	1	113.8	58.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	39.3125	2004
11.02.2020 13:44:17	1	1	1	1	113.8	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:44:18	1	1	1	1	113.8	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40	2004
11.02.2020 13:44:19	1	1	1	1	113.8	60	0	30000	380.6451613	11676.94942	30000	0	0	30000	39.125	2004
11.02.2020 13:44:20	1	1	1	1	113	59	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:21	1	1	1	1	113	59.75	0	30000	382.7956989	11908.51521	30000	0	0	30000	39.3125	2004
11.02.2020 13:44:22	1	1	1	1	113	59.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:44:23	1	1	1	1	113	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:44:24	1	1	1	1	113	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:26	1	1	1	1	113	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004
11.02.2020 13:44:27	1	1	1	1	113	59.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 13:44:28	1	1	1	1	113	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 13:44:29	1	1	1	1	113	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:44:30	1	1	1	1	113	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 13:44:31	1	1	1	1	112	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:44:32	1	1	1	1	112	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:44:33	1	1	1	1	112	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 13:44:34	1	1	1	1	112	59	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:44:35	1	1	1	1	112	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:44:36	1	1	1	1	112	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:37	1	1	1	1	112	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.5	2004
11.02.2020 13:44:38	1	1	1	1	112	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:44:39	1	1	1	1	112	59.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:40	1	1	1	1	112	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:47	1	1	1	1	111	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.625	2004
11.02.2020 13:44:48	1	1	1	1	111	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 13:44:49	1	1	1	1	111	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.875	2004
11.02.2020 13:44:50	1	1	1	1	111	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.1875	2004
11.02.2020 13:44:51	1	1	1	1	110	59	0	30000	369.8924731	10996.92876	30000	0	0	30000	39.6875	2004
11.02.2020 13:44:52	1	1	1	1	110	60.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:44:53	1	1	1	1	110	59.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:44:54	1	1	1	1	110	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:44:55	1	1	1	1	110	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:44:56	1	1	1	1	110	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.4375	2004
11.02.2020 13:44:57	1	1	1	1	110	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:44:58	1	1	1	1	110	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.625	2004
11.02.2020 13:44:59	1	1	1	1	110	59.5	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:45:00	1	1	1	1	108.8	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 13:45:01	1	1	1	1	108.8	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:45:02	1	1	1	1	108.8	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:45:04	1	1	1	1	108.8	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:45:05	1	1	1	1	108.8	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.875	2004
11.02.2020 13:45:06	1	1	1	1	108.8	59.75	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:45:07	1	1	1	1	108.8	59.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:45:08	1	1	1	1	108.8	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:45:09	1	1	1	1	108.8	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 13:45:10	1	1	1	1	108.8	59.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:45:11	1	1	1	1	108.3	59.75	0	29952.607	348.3870968	10435.13712	30000	0	0	30000	39.625	2004
11.02.2020 13:45:12	1	1	1	1	108.3	59.5	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:13	1	1	1	1	108.3	59.5	0	30000	344.0860215	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 13:45:14	1	1	1	1	108.3	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 13:45:15	1	1	1	1	108.3	59.5	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	39.75	2004
11.02.2020 13:45:16	1	1	1	1	108.3	59.75	0	30000	344.0860215	10192.97149	30000	0	0	30000	39.75	2004
11.02.2020 13:45:17	1	1	1	1	108.3	59.75	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:18	1	1	1	1	108.3	59.5	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	39.75	2004
11.02.2020 13:45:19	1	1	1	1	108.3	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:45:20	1	1	1	1	108.3	59.75	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	39.5	2004
11.02.2020 13:45:21	1	1	1	1	108	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.3125	2004
11.02.2020 13:45:22	1	1	1	1	108	59.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	39.625	2004
11.02.2020 13:45:23	1	1	1	1	108	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.25	2004
11.02.2020 13:45:24	1	1	1	1	108	59.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:45:25	1	1	1	1	108	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.875	2004
11.02.2020 13:45:26	1	1	1	1	108	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:45:27	1	1	1	1	108	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40	2004
11.02.2020 13:45:28	1	1	1	1	108	60	0	30000	341.9354839	10370.72269	30000	0	0	30000	39.5	2004
11.02.2020 13:45:29	1	1	1	1	108	59.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.0625	2004
11.02.2020 13:45:30	1	1	1	1	108	60	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:45:31	1	1	1	1	107.5	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.1875	2004
11.02.2020 13:45:32	1	1	1	1	107.5	60	0	30000	341.9354839	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:33	1	1	1	1	107.5	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:45:34	1	1	1	1	107.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:45:35	1	1	1	1	107.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.9375	2004
11.02.2020 13:45:36	1	1	1	1	107.5	59.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	39.75	2004
11.02.2020 13:45:37	1	1	1	1	107.5	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.5	2004
11.02.2020 13:45:38	1	1	1	1	107.5	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:45:39	1	1	1	1	107.5	59.75	0	30047.393	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
11.02.2020 13:45:41	1	1	1	1	106.8	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	39.0625	2004
11.02.2020 13:45:42	1	1	1	1	106.8	59	0	30000	335.483871	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:49	1	1	1	1	106.8	59.25	0	29905.213	324.7311828	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:50	1	1	1	1	106.8	59.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:45:51	1	1	1	1	106.5	59.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:45:52	1	1	1	1	106.5	59.75	0	30000	324.7311828	9741.25513	30000	0	0	30000	39.5625	2004
11.02.2020 13:45:53	1	1	1	1	106.5	59.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	39	2004
11.02.2020 13:45:54	1	1	1	1	106.5	59	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:55	1	1	1	1	106.5	59.5	0	30000	335.483871	10048.65056	30000	0	0	30000	39.75	2004
11.02.2020 13:45:56	1	1	1	1	106.5	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.125	2004
11.02.2020 13:45:57	1	1	1	1	106.5	59	0	30000	320.4301075	9741.25513	30000	0	0	30000	39.6875	2004
11.02.2020 13:45:58	1	1	1	1	106.5	59.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.3125	2004
11.02.2020 13:45:59	1	1	1	1	106.5	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.3125	2004
11.02.2020 13:46:00	1	1	1	1	106.5	59.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.4375	2004
11.02.2020 13:46:01	1	1	1	1	105.8	59.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	39.875	2004
11.02.2020 13:46:02	1	1	1	1	105.8	59.75	0	30000	326.8817204	9582.257495	30000	0	0	30000	39.5625	2004
11.02.2020 13:46:03	1	1	1	1	105.8	59.5	0	30000	326.8817204	9756.747207	30000	0	0	30000	39.3125	2004
11.02.2020 13:46:04	1	1	1	1	105.8	59.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.625	2004
11.02.2020 13:46:05	1	1	1	1	105.8	59.5	0	29952.607	322.5806452	9612.426277	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:06	1	1	1	1	105.8	59.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	39.9375	2004
11.02.2020 13:46:07	1	1	1	1	105.8	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:46:08	1	1	1	1	105.8	59.75	0	30000	320.4301075	9597.749572	30000	0	0	30000	39.6875	2004
11.02.2020 13:46:09	1	1	1	1	105.8	59.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	39.5	2004
11.02.2020 13:46:10	1	1	1	1	105.8	59.5	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:11	1	1	1	1	105.8	59.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:12	1	1	1	1	105.8	59.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:13	1	1	1	1	105.8	59.75	0	29952.607	311.827957	9419.182997	30000	0	0	30000	39.25	2004
11.02.2020 13:46:14	1	1	1	1	105.8	59.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:15	1	1	1	1	105.8	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:16	1	1	1	1	105.8	59.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:17	1	1	1	1	105.8	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	39.6875	2004
11.02.2020 13:46:19	1	1	1	1	105.8	59.5	0	29952.607	309.6774194	9275.677439	30000	0	0	30000	39.8125	2004
11.02.2020 13:46:20	1	1	1	1	105.8	59.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	39.1875	2004
11.02.2020 13:46:21	1	1	1	1	105	59	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.5625	2004
11.02.2020 13:46:22	1	1	1	1	105	59.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.6875	2004
11.02.2020 13:46:23	1	1	1	1	105	59.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	39.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:47:08	1	1	1	1	104	59.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.8125	2004
11.02.2020 13:47:09	1	1	1	1	104	59.75	0	30000	303.2258065	9160.709918	30000	0	0	30000	39.75	2004
11.02.2020 13:47:10	1	1	1	1	104	59.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	39.125	2004
11.02.2020 13:47:11	1	1	1	1	104.3	59	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.75	2004
11.02.2020 13:47:12	1	1	1	1	104.3	59.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	39.75	2004
11.02.2020 13:47:13	1	1	1	1	104.3	59.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	39.75	2004
11.02.2020 13:47:14	1	1	1	1	104.3	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.3125	2004
11.02.2020 13:47:15	1	1	1	1	104.3	59.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.8125	2004
11.02.2020 13:47:16	1	1	1	1	104.3	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.5625	2004
11.02.2020 13:47:17	1	1	1	1	104.3	59.5	0	30000	307.5268817	9211.263012	30000	0	0	30000	39.625	2004
11.02.2020 13:47:18	1	1	1	1	104.3	59.5	0	30000	301.0752688	8967.466638	30000	0	0	30000	39.375	2004
11.02.2020 13:47:19	1	1	1	1	104.3	59.25	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	39.75	2004
11.02.2020 13:47:20	1	1	1	1	104.3	59.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	40.125	2004
11.02.2020 13:47:21	1	1	1	1	104	60	0	30000	296.7741935	8810.099747	30000	0	0	30000	39.5625	2004
11.02.2020 13:47:22	1	1	1	1	104	59.5	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	40.125	2004
11.02.2020 13:47:23	1	1	1	1	104	60	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.8125	2004
11.02.2020 13:47:24	1	1	1	1	104	59.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.3125	2004
11.02.2020 13:47:25	1	1	1	1	104	59.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.375	2004
11.02.2020 13:47:26	1	1	1	1	104	59.25	0	30000	301.0752688	8838.637784	30000	0	0	30000	39.75	2004
11.02.2020 13:47:27	1	1	1	1	104	59.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	39.3125	2004
11.02.2020 13:47:28	1	1	1	1	104	59.25	0	30000	303.2258065	9031.881064	30000	0	0	30000	39.75	2004
11.02.2020 13:47:29	1	1	1	1	104	59.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.75	2004
11.02.2020 13:47:30	1	1	1	1	103.8	59.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.5625	2004
11.02.2020 13:47:31	1	1	1	1	103.8	59.5	0	29952.607	296.7741935	8838.637784	30000	0	0	30000	39	2004
11.02.2020 13:47:32	1	1	1	1	103.8	59	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:47:33	1	1	1	1	103.8	59.75	0	30047.393	301.0752688	9110.972196	30000	0	0	30000	39.8125	2004
11.02.2020 13:47:35	1	1	1	1	103.8	59.75	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	39.125	2004
11.02.2020 13:47:36	1	1	1	1	103.8	59	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.0625	2004
11.02.2020 13:47:37	1	1	1	1	103.8	59	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:47:38	1	1	1	1	103.8	59.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.5	2004
11.02.2020 13:47:40	1	1	1	1	103.8	59.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:47:40	1	1	1	1	103.8	59.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:47:41	1	1	1	1	103.5	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.5	2004
11.02.2020 13:47:42	1	1	1	1	103.5	59.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:47:43	1	1	1	1	103.5	59.75	0	30047.393	303.2258065	9096.295491	30000	0	0	30000	39.5	2004
11.02.2020 13:47:44	1	1	1	1	103.5	59.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	39.375	2004
11.02.2020 13:47:45	1	1	1	1	103.5	59.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.4375	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:47:52	1	1	1	1	103.3	59.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	39.875	2004
11.02.2020 13:47:53	1	1	1	1	103.3	59.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.3125	2004
11.02.2020 13:47:54	1	1	1	1	103.3	59.25	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	39.75	2004
11.02.2020 13:47:55	1	1	1	1	103.3	59.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.75	2004
11.02.2020 13:47:56	1	1	1	1	103.3	59.75	0	29952.607	305.3763441	9003.343027	30000	0	0	30000	39.625	2004
11.02.2020 13:47:57	1	1	1	1	103.3	59.5	0	30000	298.9247312	9110.972196	30000	0	0	30000	39.8125	2004
11.02.2020 13:47:58	1	1	1	1	103.3	59.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.75	2004
11.02.2020 13:47:59	1	1	1	1	103.3	59.75	0	30094.787	313.9784946	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:48:00	1	1	1	1	103.3	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40	2004
11.02.2020 13:48:01	1	1	1	1	103.3	60	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.9375	2004
11.02.2020 13:48:02	1	1	1	1	103.3	59.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.9375	2004
11.02.2020 13:48:03	1	1	1	1	103.3	60	0	29905.213	301.0752688	9096.295491	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:04	1	1	1	1	103.3	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.75	2004
11.02.2020 13:48:05	1	1	1	1	103.3	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:06	1	1	1	1	103.3	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	39.375	2004
11.02.2020 13:48:07	1	1	1	1	103.3	59.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	39.75	2004
11.02.2020 13:48:08	1	1	1	1	103.3	59.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	39.6875	2004
11.02.2020 13:48:09	1	1	1	1	103.3	59.5	0	30000	311.827957	9354.76857	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:11	1	1	1	1	103.5	59.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:12	1	1	1	1	103.5	59.75	0	30000	307.5268817	9290.354143	30000	0	0	30000	39.6875	2004
11.02.2020 13:48:13	1	1	1	1	103.5	59.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	39.875	2004
11.02.2020 13:48:14	1	1	1	1	103.5	59.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	39.75	2004
11.02.2020 13:48:15	1	1	1	1	103.5	59.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	39.75	2004
11.02.2020 13:48:16	1	1	1	1	103.5	59.75	0	30000	313.9784946	9324.599788	30000	0	0	30000	39.4375	2004
11.02.2020 13:48:17	1	1	1	1	103.5	59.25	0	30000	316.1290323	9468.920719	30000	0	0	30000	39.6875	2004
11.02.2020 13:48:18	1	1	1	1	103.5	59.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.375	2004
11.02.2020 13:48:19	1	1	1	1	103.5	59.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	39.75	2004
11.02.2020 13:48:20	1	1	1	1	103.5	59.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	39.75	2004
11.02.2020 13:48:21	1	1	1	1	103.3	59.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.625	2004
11.02.2020 13:48:22	1	1	1	1	103.3	59.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:23	1	1	1	1	103.3	59.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:48:24	1	1	1	1	103.3	59.75	0	30000	329.0322581	9806.484929	30000	0	0	30000	39.75	2004
11.02.2020 13:48:25	1	1	1	1	103.3	59.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.4375	2004
11.02.2020 13:48:26	1	1	1	1	103.3	59.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.625	2004
11.02.2020 13:48:27	1	1	1	1	103.3	59.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	39.75	2004
11.02.2020 13:48:28	1	1	1	1	103.3	59.75	0	30000	333.3333333	9935.313783	30000	0	0	30000	39.5	2004
11.02.2020 13:48:29	1	1	1	1	103.3	59.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:30	1	1	1	1	103.3	59.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	39.25	2004
11.02.2020 13:48:31	1	1	1	1	103.8	59.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	39.625	2004
11.02.2020 13:48:32	1	1	1	1	103.8	59.5	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
11.02.2020 13:48:33	1	1	1	1	103.8	59.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	39.75	2004
11.02.2020 13:48:34	1	1	1	1	103.8	59.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	39.625	2004
11.02.2020 13:48:35	1	1	1	1	103.8	59.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:48:36	1	1	1	1	103.8	59.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 13:48:37	1	1	1	1	103.8	59.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:38	1	1	1	1	103.8	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:48:39	1	1	1	1	103.8	59.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.3125	2004
11.02.2020 13:48:40	1	1	1	1	103.8	60.25	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	38.875	2004
11.02.2020 13:48:41	1	1	1	1	104.3	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:42	1	1	1	1	104.3	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.875	2004
11.02.2020 13:48:43	1	1	1	1	104.3	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:44	1	1	1	1	104.3	59.75	0	29952.607	361.2903226	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 13:48:45	1	1	1	1	104.3	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39	2004
11.02.2020 13:48:46	1	1	1	1	104.3	59	0	30047.393	356.9892473	10726.2251	30000	0	0	30000	39.8125	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:54	1	1	1	1	104.8	59.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	39.625	2004
11.02.2020 13:48:55	1	1	1	1	104.8	59.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	39	2004
11.02.2020 13:48:56	1	1	1	1	104.8	59	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 13:48:57	1	1	1	1	104.8	59.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	39.5	2004
11.02.2020 13:48:58	1	1	1	1	104.8	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:48:59	1	1	1	1	104.8	59.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:49:00	1	1	1	1	104.8	59.75	0	30000	369.8924731	11014.86696	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:01	1	1	1	1	105	59.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	39.75	2004
11.02.2020 13:49:02	1	1	1	1	105	59.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:03	1	1	1	1	105	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	38.9375	2004
11.02.2020 13:49:04	1	1	1	1	105	58.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.4375	2004
11.02.2020 13:49:05	1	1	1	1	105	59.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:06	1	1	1	1	105	59.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:07	1	1	1	1	105	59.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 13:49:08	1	1	1	1	105	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:09	1	1	1	1	105	59.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:10	1	1	1	1	105	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:11	1	1	1	1	105.5	59.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:12	1	1	1	1	105.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 13:49:13	1	1	1	1	105.5	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.3125	2004
11.02.2020 13:49:14	1	1	1	1	105.5	59.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:15	1	1	1	1	105.5	59.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:16	1	1	1	1	105.5	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:17	1	1	1	1	105.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.125	2004
11.02.2020 13:49:18	1	1	1	1	105.5	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 13:49:19	1	1	1	1	105.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:49:20	1	1	1	1	106.3	59.75	0	30000	352.688172	10644.68785	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:21	1	1	1	1	106.3	59.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:49:22	1	1	1	1	106.3	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:23	1	1	1	1	106.3	59.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	39.625	2004
11.02.2020 13:49:24	1	1	1	1	106.3	59.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:49:25	1	1	1	1	106.3	59.75	0	29905.213	346.2365591	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:49:27	1	1	1	1	106.3	59.75	0	30000	352.688172	10580.27342	30000	0	0	30000	39.5	2004
11.02.2020 13:49:28	1	1	1	1	106.3	59.5	0	29952.607	352.688172	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:29	1	1	1	1	106.3	59.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 13:49:30	1	1	1	1	106.3	59.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	39.625	2004
11.02.2020 13:49:31	1	1	1	1	106.5	59.5	0	29905.213	350.5376344	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:32	1	1	1	1	106.5	59.75	0	29952.607	356.9892473	10740.08643	30000	0	0	30000	39.75	2004
11.02.2020 13:49:33	1	1	1	1	106.5	59.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:34	1	1	1	1	106.5	59.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.75	2004
11.02.2020 13:49:35	1	1	1	1	106.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:36	1	1	1	1	106.5	59.5	0	29905.213	350.5376344	10709.10227	30000	0	0	30000	39.625	2004
11.02.2020 13:49:37	1	1	1	1	106.5	59.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:38	1	1	1	1	106.5	59.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.375	2004
11.02.2020 13:49:39	1	1	1	1	106.5	59.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:40	1	1	1	1	106.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:49:41	1	1	1	1	106.5	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.9375	2004
11.02.2020 13:49:42	1	1	1	1	106.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:49:43	1	1	1	1	106.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.9375	2004
11.02.2020 13:49:44	1	1	1	1	106.5	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:45	1	1	1	1	106.5	59.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	39.625	2004
11.02.2020 13:49:46	1	1	1	1	106.5	59.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:47	1	1	1	1	106.5	59.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	39.6875	2004
11.02.2020 13:49:48	1	1	1	1	106.5	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:49:56	1	1	1	1	107.3	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.1875	2004
11.02.2020 13:49:57	1	1	1	1	107.3	59	0	30047.393	387.0967742	11548.12057	30000	0	0	30000	40.0625	2004
11.02.2020 13:49:58	1	1	1	1	107.3	60	0	30000	380.6451613	11419.29171	30000	0	0	30000	38.625	2004
11.02.2020 13:49:59	1	1	1	1	107.3	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
11.02.2020 13:50:00	1	1	1	1	107.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.375	2004
11.02.2020 13:50:01	1	1	1	1	107.5	59.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:02	1	1	1	1	107.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:03	1	1	1	1	107.5	59.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	39.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:50:04	1	1	1	1	107.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:05	1	1	1	1	107.5	59.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	39.5	2004
11.02.2020 13:50:07	1	1	1	1	107.5	59.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:08	1	1	1	1	107.5	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.625	2004
11.02.2020 13:50:09	1	1	1	1	107.5	59.5	0	30047.393	367.7419355	10903.16093	30000	0	0	30000	39.875	2004
11.02.2020 13:50:10	1	1	1	1	107.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.8125	2004
11.02.2020 13:50:11	1	1	1	1	108.8	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:50:12	1	1	1	1	108.8	59.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:50:13	1	1	1	1	108.8	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.6875	2004
11.02.2020 13:50:14	1	1	1	1	108.8	59.5	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	39.75	2004
11.02.2020 13:50:15	1	1	1	1	108.8	59.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:16	1	1	1	1	108.8	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.75	2004
11.02.2020 13:50:17	1	1	1	1	108.8	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.0625	2004
11.02.2020 13:50:18	1	1	1	1	108.8	59	0	30000	369.8924731	11160.81863	30000	0	0	30000	39.6875	2004
11.02.2020 13:50:19	1	1	1	1	108.8	59.5	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:20	1	1	1	1	108.8	59.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 13:50:21	1	1	1	1	109.3	59.75	0	30000	378.4946237	11584.81233	30000	0	0	30000	39.875	2004
11.02.2020 13:50:22	1	1	1	1	109.3	59.75	0	30000	372.0430108	11178.75683	30000	0	0	30000	39.625	2004
11.02.2020 13:50:23	1	1	1	1	109.3	59.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:24	1	1	1	1	109.3	59.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.6875	2004
11.02.2020 13:50:25	1	1	1	1	109.3	59.5	0	30000	389.2473118	11419.29171	30000	0	0	30000	39.3125	2004
11.02.2020 13:50:26	1	1	1	1	109.3	59.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	39.4375	2004
11.02.2020 13:50:27	1	1	1	1	109.3	59.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.375	2004
11.02.2020 13:50:28	1	1	1	1	109.3	59.25	0	30047.393	395.6989247	11676.94942	30000	0	0	30000	39.5	2004
11.02.2020 13:50:29	1	1	1	1	109.3	59.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:50:30	1	1	1	1	109.3	59.75	0	30000	400	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 13:50:31	1	1	1	1	109.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.875	2004
11.02.2020 13:50:32	1	1	1	1	109.5	59.75	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 13:50:33	1	1	1	1	109.5	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.125	2004
11.02.2020 13:50:34	1	1	1	1	109.5	60	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:50:35	1	1	1	1	109.5	59.75	0	30000	384.9462366	11336.93909	30000	0	0	30000	39.5	2004
11.02.2020 13:50:36	1	1	1	1	109.5	60	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.75	2004
11.02.2020 13:50:37	1	1	1	1	109.5	59.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	39.5	2004
11.02.2020 13:50:38	1	1	1	1	109.5	59.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	39.8125	2004
11.02.2020 13:50:39	1	1	1	1	109.5	59.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.75	2004
11.02.2020 13:50:40	1	1	1	1	110.5	59.75	0	30000	365.5913978	11096.40421	30000	0	0	30000	39.8125	2004
11.02.2020 13:50:41	1	1	1	1	110.5	59.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	39.625	2004
11.02.2020 13:50:42	1	1	1	1	110.5	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.5	2004
11.02.2020 13:50:44	1	1	1	1	110.5	59.5	0	30000	352.688172	10580.27342	30000	0	0	30000	39.75	2004
11.02.2020 13:50:45	1	1	1	1	110.5	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.375	2004
11.02.2020 13:50:46	1	1	1	1	110.5	59.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	39.75	2004
11.02.2020 13:50:47	1	1	1	1	110.5	59.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	39.75	2004
11.02.2020 13:50:48	1	1	1	1	110.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:50:49	1	1	1	1	110.5	59.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	39.5	2004
11.02.2020 13:50:50	1	1	1	1	110.5	59.5	0	29905.213	361.2903226	11096.40421	30000	0	0	30000	39.25	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:57	1	1	1	1	111	59.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	39.5625	2004
11.02.2020 13:50:58	1	1	1	1	111	59.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.75	2004
11.02.2020 13:50:59	1	1	1	1	111	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.3125	2004
11.02.2020 13:51:00	1	1	1	1	111	59.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.25	2004
11.02.2020 13:51:01	1	1	1	1	111.5	59.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
11.02.2020 13:51:02	1	1	1	1	111.5	59.75	0	30047.393	354.8387097	10257.38592	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:03	1	1	1	1	111.5	59.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:04	1	1	1	1	111.5	59.5	0	30000	339.7849462	9984.236132	30000	0	0	30000	39.75	2004
11.02.2020 13:51:05	1	1	1	1	111.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:06	1	1	1	1	111.5	59.5	0	30000	341.9354839	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:07	1	1	1	1	111.5	59.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:08	1	1	1	1	111.5	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:09	1	1	1	1	111.5	59.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	39.75	2004
11.02.2020 13:51:10	1	1	1	1	111.5	59.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:11	1	1	1	1	111.8	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.875	2004
11.02.2020 13:51:12	1	1	1	1	111.8	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
11.02.2020 13:51:13	1	1	1	1	111.8	59.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	39.875	2004
11.02.2020 13:51:14	1	1	1	1	111.8	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.625	2004
11.02.2020 13:51:15	1	1	1	1	111.8	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:16	1	1	1	1	111.8	59.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:17	1	1	1	1	111.8	59.5	0	30000	404.3010753	12045.49778	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:18	1	1	1	1	111.8	59.75	0	30000	404.3010753	11916.66893	30000	0	0	30000	40	2004
11.02.2020 13:51:19	1	1	1	1	111.8	60	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:21	1	1	1	1	112.8	59.5	0	29952.607	387.0967742	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:51:22	1	1	1	1	112.8	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:23	1	1	1	1	112.8	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.4375	2004
11.02.2020 13:51:24	1	1	1	1	112.8	59.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:25	1	1	1	1	112.8	59.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:51:26	1	1	1	1	112.8	59.75	0	30000	423.655914	12773.62542	30000	0	0	30000	39.75	2004
11.02.2020 13:51:27	1	1	1	1	112.8	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:28	1	1	1	1	112.8	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:29	1	1	1	1	112.8	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.75	2004
11.02.2020 13:51:30	1	1	1	1	112.8	59.75	0	30000	423.655914	12709.21099	30000	0	0	30000	39.75	2004
11.02.2020 13:51:31	1	1	1	1	114	59.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:51:32	1	1	1	1	114	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:51:33	1	1	1	1	114	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:34	1	1	1	1	114	59.5	0	30000	400	11935.4225	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:35	1	1	1	1	114	59.75	0	30000	389.2473118	11659.01122	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:36	1	1	1	1	114	59.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	39.75	2004
11.02.2020 13:51:37	1	1	1	1	114	59.75	0	29905.213	378.4946237	11143.69581	30000	0	0	30000	39.8125	2004
11.02.2020 13:51:38	1	1	1	1	114	59.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	39.75	2004
11.02.2020 13:51:39	1	1	1	1	114	59.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	39.75	2004
11.02.2020 13:51:40	1	1	1	1	114	59.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
11.02.2020 13:51:41	1	1	1	1	115.5	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.75	2004
11.02.2020 13:51:42	1	1	1	1	115.5	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.1875	2004
11.02.2020 13:51:43	1	1	1	1	115.5	59	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:44	1	1	1	1	115.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.1875	2004
11.02.2020 13:51:45	1	1	1	1	115.5	59	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
11.02.2020 13:51:46	1	1	1	1	115.5	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.125	2004
11.02.2020 13:51:47	1	1	1	1	115.5	59	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.6875	2004
11.02.2020 13:51:48	1	1	1	1	115.5	59.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.1875	2004
11.02.2020 13:51:49	1	1	1	1	115.5	59	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.5625	2004
11.02.2020 13:51:50	1	1	1	1	115.5	59.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	39.1875	2004
11.02.2020 13:51:51	1	1	1	1	116.3	59	0	30000	404.3010753	12387.13886	30000	0	0	30000	39.25	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	116.3	59.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:00	1	1	1	1	117	59.75	0	30000	391.3978495	11723.42565	30000	0	0	30000	39.4375	2004
11.02.2020 13:52:01	1	1	1	1	117	59.25	0	30000	404.3010753	11871.00807	30000	0	0	30000	39.625	2004
11.02.2020 13:52:02	1	1	1	1	117	59.5	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	39.75	2004
11.02.2020 13:52:03	1	1	1	1	117	59.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	38.625	2004
11.02.2020 13:52:05	1	1	1	1	117	58.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:06	1	1	1	1	117	59.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	39.875	2004
11.02.2020 13:52:07	1	1	1	1	117	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:08	1	1	1	1	117	59.5	0	30000	423.655914	12560.8132	30000	0	0	30000	39.5625	2004
11.02.2020 13:52:09	1	1	1	1	117	59.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:10	1	1	1	1	117	59.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:52:11	1	1	1	1	117.5	59.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.625	2004
11.02.2020 13:52:12	1	1	1	1	117.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.625	2004
11.02.2020 13:52:13	1	1	1	1	117.5	59.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	38.5	2004
11.02.2020 13:52:14	1	1	1	1	117.5	58.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	39.875	2004
11.02.2020 13:52:15	1	1	1	1	117.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.75	2004
11.02.2020 13:52:16	1	1	1	1	117.5	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:52:17	1	1	1	1	117.5	59.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.125	2004
11.02.2020 13:52:18	1	1	1	1	117.5	59	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5	2004
11.02.2020 13:52:19	1	1	1	1	117.5	59.5	0	30047.393	464.516129	13935.53122	30000	0	0	30000	39.125	2004
11.02.2020 13:52:20	1	1	1	1	117.5	59	0	30000	464.516129	13935.53122	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:21	1	1	1	1	118	59.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	39.3125	2004
11.02.2020 13:52:22	1	1	1	1	118	59.25	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:23	1	1	1	1	118	59.5	0	29905.213	464.516129	13935.53122	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:24	1	1	1	1	118	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.5	2004
11.02.2020 13:52:25	1	1	1	1	118	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.3125	2004
11.02.2020 13:52:26	1	1	1	1	118	59.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.75	2004
11.02.2020 13:52:27	1	1	1	1	118	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.125	2004
11.02.2020 13:52:28	1	1	1	1	118	59	0	30000	451.6129032	13677.05814	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:29	1	1	1	1	118	59.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.75	2004
11.02.2020 13:52:30	1	1	1	1	118	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.5	2004
11.02.2020 13:52:31	1	1	1	1	119.5	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.75	2004
11.02.2020 13:52:32	1	1	1	1	119.5	59.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	39.75	2004
11.02.2020 13:52:33	1	1	1	1	119.5	59.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	39.9375	2004
11.02.2020 13:52:34	1	1	1	1	119.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.75	2004
11.02.2020 13:52:35	1	1	1	1	119.5	59.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	39.5625	2004
11.02.2020 13:52:36	1	1	1	1	119.5	60	0	30000	466.6666667	14497.32286	30000	0	0	30000	39.4375	2004
11.02.2020 13:52:37	1	1	1	1	119.5	59.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	39.75	2004
11.02.2020 13:52:38	1	1	1	1	119.5	59.75	0	30000	464.516129	13805.88699	30000	0	0	30000	39.25	2004
11.02.2020 13:52:39	1	1	1	1	119.5	59.25	0	30000	451.6129032	13677.05814	30000	0	0	30000	39.875	2004
11.02.2020 13:52:40	1	1	1	1	120.5	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.6875	2004
11.02.2020 13:52:41	1	1	1	1	120.5	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
11.02.2020 13:52:42	1	1	1	1	120.5	59.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	39.125	2004
11.02.2020 13:52:44	1	1	1	1	120.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
11.02.2020 13:52:45	1	1	1	1	120.5	59.75	0	29952.607	470.9677419	14451.662	30000	0	0	30000	38.75	2004
11.02.2020 13:52:46	1	1	1	1	120.5	58.75	0	30000	488.172043	14580.49085	30000	0	0	30000	39.375	2004
11.02.2020 13:52:47	1	1	1	1	120.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
11.02.2020 13:52:48	1	1	1	1	120.5	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.125	2004
11.02.2020 13:52:49	1	1	1	1	120.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
11.02.2020 13:52:50	1	1	1	1	120.5	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.3125	2004
11.02.2020 13:52:51	1	1	1	1	121.3	59.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.4375	2004
11.02.2020 13:52:52	1	1	1	1	121.3	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
11.02.2020 13:52:53	1	1	1	1	121.3	59.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.625	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:00	1	1	1	1	121.3	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:53:01	1	1	1	1	122.5	59.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
11.02.2020 13:53:02	1	1	1	1	122.5	59.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.5625	2004
11.02.2020 13:53:03	1	1	1	1	122.5	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.5	2004
11.02.2020 13:53:04	1	1	1	1	122.5	59.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
11.02.2020 13:53:05	1	1	1	1	122.5	59.75	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	39.9375	2004
11.02.2020 13:53:06	1	1	1	1	122.5	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.9375	2004
11.02.2020 13:53:07	1	1	1	1	122.5	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.875	2004
11.02.2020 13:53:08	1	1	1	1	122.5	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
11.02.2020 13:53:09	1	1	1	1	122.5	59.75	0	29905.213	498.9247312	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:53:10	1	1	1	1	122.5	59.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.3125	2004
11.02.2020 13:53:11	1	1	1	1	123.5	59.25	0	30000	509.6774194	15137.39026	30000	0	0	30000	39.5	2004
11.02.2020 13:53:12	1	1	1	1	123.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.8125	2004
11.02.2020 13:53:13	1	1	1	1	123.5	59.75	0	30047.393	520.4301075	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:53:14	1	1	1	1	123.5	59.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.0625	2004
11.02.2020 13:53:15	1	1	1	1	123.5	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:16	1	1	1	1	123.5	59.75	0	30000	535.483871	15627.42913	30000	0	0	30000	39.125	2004
11.02.2020 13:53:17	1	1	1	1	123.5	59	0	30000	518.2795699	15677.16685	30000	0	0	30000	39.625	2004
11.02.2020 13:53:18	1	1	1	1	123.5	59.5	0	30000	516.1290323	15548.338	30000	0	0	30000	39.375	2004
11.02.2020 13:53:19	1	1	1	1	123.5	59.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.375	2004
11.02.2020 13:53:20	1	1	1	1	124.5	59.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.3125	2004
11.02.2020 13:53:22	1	1	1	1	124.5	59.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	39.8125	2004
11.02.2020 13:53:23	1	1	1	1	124.5	59.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:24	1	1	1	1	124.5	59.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	39.75	2004
11.02.2020 13:53:25	1	1	1	1	124.5	59.75	0	30000	518.2795699	15612.75243	30000	0	0	30000	39.5625	2004
11.02.2020 13:53:26	1	1	1	1	124.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.9375	2004
11.02.2020 13:53:27	1	1	1	1	124.5	59.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.75	2004
11.02.2020 13:53:28	1	1	1	1	124.5	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.1875	2004
11.02.2020 13:53:29	1	1	1	1	124.5	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
11.02.2020 13:53:30	1	1	1	1	124.5	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.625	2004
11.02.2020 13:53:31	1	1	1	1	125.3	59.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	39	2004
11.02.2020 13:53:32	1	1	1	1	125.3	59	0	30047.393	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:53:33	1	1	1	1	125.3	59.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:53:34	1	1	1	1	125.3	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.875	2004
11.02.2020 13:53:35	1	1	1	1	125.3	58.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
11.02.2020 13:53:36	1	1	1	1	125.3	59.5	0	30000	511.827957	15289.86492	30000	0	0	30000	39.5	2004
11.02.2020 13:53:37	1	1	1	1	125.3	59.5	0	30000	511.827957	15289.86492	30000	0	0	30000	39.4375	2004
11.02.2020 13:53:38	1	1	1	1	125.3	59.25	0	30000	518.2795699	15548.338	30000	0	0	30000	38.9375	2004
11.02.2020 13:53:39	1	1	1	1	125.3	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	39.25	2004
11.02.2020 13:53:40	1	1	1	1	125.3	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.4375	2004
11.02.2020 13:53:41	1	1	1	1	125.5	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:53:42	1	1	1	1	125.5	59.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	39.375	2004
11.02.2020 13:53:43	1	1	1	1	125.5	59.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.875	2004
11.02.2020 13:53:44	1	1	1	1	125.5	59.75	0	29905.213	524.7311828	15781.53453	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:53:45	1	1	1	1	125.5	59.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.375	2004
11.02.2020 13:53:46	1	1	1	1	125.5	59.25	0	30000	516.1290323	15395.04797	30000	0	0	30000	39.1875	2004
11.02.2020 13:53:47	1	1	1	1	125.5	59	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.625	2004
11.02.2020 13:53:48	1	1	1	1	125.5	59.5	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	39.5	2004
11.02.2020 13:53:49	1	1	1	1	125.5	59.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.4375	2004
11.02.2020 13:53:50	1	1	1	1	125.5	59.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	39.75	2004
11.02.2020 13:53:51	1	1	1	1	126.5	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.8125	2004
11.02.2020 13:53:52	1	1	1	1	126.5	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.75	2004
11.02.2020 13:53:53	1	1	1	1	126.5	59.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.25	2004
11.02.2020 13:53:54	1	1	1	1	126.5	60.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:03	1	1	1	1	127.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.3125	2004
11.02.2020 13:54:04	1	1	1	1	127.5	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	39.625	2004
11.02.2020 13:54:05	1	1	1	1	127.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.5	2004
11.02.2020 13:54:06	1	1	1	1	127.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:54:07	1	1	1	1	127.5	59.75	0	30047.393	520.4301075	15483.92357	30000	0	0	30000	39.6875	2004
11.02.2020 13:54:08	1	1	1	1	127.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.8125	2004
11.02.2020 13:54:09	1	1	1	1	127.5	59.75	0	30000	509.6774194	15201.80469	30000	0	0	30000	39.75	2004
11.02.2020 13:54:10	1	1	1	1	127.5	59.75	0	30000	501.0752688	14879.73256	30000	0	0	30000	39.75	2004
11.02.2020 13:54:11	1	1	1	1	128	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:12	1	1	1	1	128	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
11.02.2020 13:54:13	1	1	1	1	128	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.875	2004
11.02.2020 13:54:14	1	1	1	1	128	59.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.9375	2004
11.02.2020 13:54:15	1	1	1	1	128	58.75	0	30000	535.483871	16064.46878	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:16	1	1	1	1	128	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.9375	2004
11.02.2020 13:54:17	1	1	1	1	128	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
11.02.2020 13:54:18	1	1	1	1	128	59	0	29905.213	516.1290323	15548.338	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:19	1	1	1	1	128	59.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	39.8125	2004
11.02.2020 13:54:20	1	1	1	1	128	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:54:21	1	1	1	1	128.3	59.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	39.4375	2004
11.02.2020 13:54:22	1	1	1	1	128.3	59.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	39.1875	2004
11.02.2020 13:54:23	1	1	1	1	128.3	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:54:24	1	1	1	1	128.3	59.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:25	1	1	1	1	128.3	59.5	0	30000	516.1290323	15548.338	30000	0	0	30000	39.8125	2004
11.02.2020 13:54:26	1	1	1	1	128.3	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:54:27	1	1	1	1	128.3	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.875	2004
11.02.2020 13:54:28	1	1	1	1	128.3	58.75	0	30047.393	533.3333333	15805.99571	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:54:29	1	1	1	1	128.3	59.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:30	1	1	1	1	128.3	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.1875	2004
11.02.2020 13:54:31	1	1	1	1	128.8	59	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.125	2004
11.02.2020 13:54:32	1	1	1	1	128.8	60	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.1875	2004
11.02.2020 13:54:33	1	1	1	1	128.8	59	0	30000	509.6774194	15112.92909	30000	0	0	30000	39.4375	2004
11.02.2020 13:54:34	1	1	1	1	128.8	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:54:35	1	1	1	1	128.8	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.6875	2004
11.02.2020 13:54:36	1	1	1	1	128.8	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
11.02.2020 13:54:37	1	1	1	1	128.8	59.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.875	2004
11.02.2020 13:54:38	1	1	1	1	128.8	59.75	0	29952.607	511.827957	15354.27935	30000	0	0	30000	39	2004
11.02.2020 13:54:40	1	1	1	1	128.8	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.6875	2004
11.02.2020 13:54:41	1	1	1	1	129.3	59.5	0	30047.393	533.3333333	15805.99571	30000	0	0	30000	39.375	2004
11.02.2020 13:54:42	1	1	1	1	129.3	59.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	39.375	2004
11.02.2020 13:54:43	1	1	1	1	129.3	59.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	38.5	2004
11.02.2020 13:54:44	1	1	1	1	129.3	58.5	0	30000	533.3333333	15974.77781	30000	0	0	30000	39.5	2004
11.02.2020 13:54:45	1	1	1	1	129.3	59.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.6875	2004
11.02.2020 13:54:46	1	1	1	1	129.3	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
11.02.2020 13:54:47	1	1	1	1	129.3	59	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.5625	2004
11.02.2020 13:54:48	1	1	1	1	129.3	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.4375	2004
11.02.2020 13:54:49	1	1	1	1	129.3	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
11.02.2020 13:54:50	1	1	1	1	129.3	59.75	0	30000	511.827957	15112.92909	30000	0	0	30000	39.5	2004
11.02.2020 13:54:51	1	1	1	1	129.8	59.5	0	29905.213	511.827957	15483.92357	30000	0	0	30000	39.9375	2004
11.02.2020 13:54:52	1	1	1	1	129.8	59.75	0	30000	518.2795699	15459.4624	30000	0	0	30000	38.6875	2004
11.02.2020 13:54:53	1	1	1	1	129.8	58.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	39.875	2004
11.02.2020 13:54:54	1	1	1	1	129.8	59.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.8125	2004
11.02.2020 13:54:55	1	1	1	1	129.8	59.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.6875	2004
11.02.2020 13:54:56	1	1	1	1	129.8	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.75	2004
11.02.2020 13:55:04	1	1	1	1	130	59.75	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	39.75	2004
11.02.2020 13:55:05	1	1	1	1	130	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.75	2004
11.02.2020 13:55:06	1	1	1	1	130	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.625	2004
11.02.2020 13:55:07	1	1	1	1	130	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.6875	2004
11.02.2020 13:55:08	1	1	1	1	130	59.5	0	30000	516.1290323	15508.38475	30000	0	0	30000	39.3125	2004
11.02.2020 13:55:09	1	1	1	1	130	59.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.6875	2004
11.02.2020 13:55:10	1	1	1	1	130	59.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.5	2004
11.02.2020 13:55:11	1	1	1	1	130	59.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.875	2004
11.02.2020 13:55:12	1	1	1	1	130	59.75	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:55:13	1	1	1	1	130	60	0	30000	529.0322581	15677.16685	30000	0	0	30000	39.5625	2004
11.02.2020 13:55:14	1	1	1	1	130	59.75	0	30000	526.8817204	15831.27225	30000	0	0	30000	38.75	2004
11.02.2020 13:55:15	1	1	1	1	130	58.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.875	2004
11.02.2020 13:55:16	1	1	1	1	130	59.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:55:17	1	1	1	1	130	59.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:18	1	1	1	1	130	59.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	39.9375	2004
11.02.2020 13:55:20	1	1	1	1	130	59.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.6875	2004
11.02.2020 13:55:21	1	1	1	1	131.3	59.5	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	39.375	2004
11.02.2020 13:55:22	1	1	1	1	131.3	59.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	39.75	2004
11.02.2020 13:55:23	1	1	1	1	131.3	59.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.5	2004
11.02.2020 13:55:24	1	1	1	1	131.3	59.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	39.75	2004
11.02.2020 13:55:25	1	1	1	1	131.3	59.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.75	2004
11.02.2020 13:55:26	1	1	1	1	131.3	59.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:27	1	1	1	1	131.3	59.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:28	1	1	1	1	131.3	59.75	0	30000	533.3333333	15870.41013	30000	0	0	30000	39.625	2004
11.02.2020 13:55:29	1	1	1	1	131.3	59.5	0	29905.213	526.8817204	15781.53453	30000	0	0	30000	39.75	2004
11.02.2020 13:55:30	1	1	1	1	131.3	59.75	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	39.875	2004
11.02.2020 13:55:31	1	1	1	1	131.3	59.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.4375	2004
11.02.2020 13:55:32	1	1	1	1	131.3	59.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.75	2004
11.02.2020 13:55:33	1	1	1	1	131.3	59.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.6875	2004
11.02.2020 13:55:34	1	1	1	1	131.3	59.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	39.6875	2004
11.02.2020 13:55:35	1	1	1	1	131.3	59.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.1875	2004
11.02.2020 13:55:36	1	1	1	1	131.3	59	0	29715.64	535.483871	15975.59318	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:37	1	1	1	1	131.3	59.75	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	39.625	2004
11.02.2020 13:55:38	1	1	1	1	131.3	59.5	0	29857.82	535.483871	16052.2382	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:39	1	1	1	1	131.3	59.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	39.25	2004
11.02.2020 13:55:40	1	1	1	1	131.3	59.25	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	39.3125	2004
11.02.2020 13:55:41	1	1	1	1	132.3	59.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.625	2004
11.02.2020 13:55:42	1	1	1	1	132.3	59.5	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	39.75	2004
11.02.2020 13:55:43	1	1	1	1	132.3	59.75	0	29620.853	529.0322581	15823.11853	30000	0	0	30000	39.9375	2004
11.02.2020 13:55:44	1	1	1	1	132.3	59.75	0	29715.64	537.6344086	15988.63914	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:45	1	1	1	1	132.3	59.75	0	29905.213	544.0860215	16077.51474	30000	0	0	30000	39.625	2004
11.02.2020 13:55:46	1	1	1	1	132.3	59.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	39.5	2004
11.02.2020 13:55:47	1	1	1	1	132.3	59.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40	2004
11.02.2020 13:55:48	1	1	1	1	132.3	60	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	39.5	2004
11.02.2020 13:55:49	1	1	1	1	132.3	59.5	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	39.5625	2004
11.02.2020 13:55:50	1	1	1	1	132.3	59.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40	2004
11.02.2020 13:55:51	1	1	1	1	133	60	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	39.625	2004
11.02.2020 13:55:52	1	1	1	1	133	59.5	0	30000	533.3333333	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:55:53	1	1	1	1	133	59.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:55:54	1	1	1	1	133	59.75	0	29715.64	529.0322581	16103.60666	30000	0	0	30000	39.8125	2004
11.02.2020 13:55:55	1	1	1	1	133	59.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	39.9375	2004
11.02.2020 13:55:56	1	1	1	1	133	59.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:55:57	1	1	1	1	133	59.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	39.25	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	39.625	2004
11.02.2020 13:56:06	1	1	1	1	133.5	59.5	0	29952.607	535.483871	15974.77781	30000	0	0	30000	39.4375	2004
11.02.2020 13:56:07	1	1	1	1	133.5	59.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	39.75	2004
11.02.2020 13:56:08	1	1	1	1	133.5	59.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	39.9375	2004
11.02.2020 13:56:09	1	1	1	1	133.5	59.75	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	39.75	2004
11.02.2020 13:56:10	1	1	1	1	133.5	59.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	39.875	2004
11.02.2020 13:56:11	1	1	1	1	133.3	59.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	39.625	2004
11.02.2020 13:56:12	1	1	1	1	133.3	59.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:13	1	1	1	1	133.3	59.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	39.5625	2004
11.02.2020 13:56:14	1	1	1	1	133.3	59.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	39.3125	2004
11.02.2020 13:56:15	1	1	1	1	133.3	59.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:16	1	1	1	1	133.3	59.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	39.75	2004
11.02.2020 13:56:17	1	1	1	1	133.3	59.75	0	29715.64	535.483871	16154.97513	30000	0	0	30000	39.125	2004
11.02.2020 13:56:18	1	1	1	1	133.3	59	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	39.75	2004
11.02.2020 13:56:19	1	1	1	1	133.3	59.75	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	39.4375	2004
11.02.2020 13:56:20	1	1	1	1	133.3	59.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:21	1	1	1	1	134	59.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40.0625	2004
11.02.2020 13:56:22	1	1	1	1	134	60	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	39.625	2004
11.02.2020 13:56:23	1	1	1	1	134	59.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40	2004
11.02.2020 13:56:24	1	1	1	1	134	60	0	29478.673	537.6344086	15885.90221	30000	0	0	30000	40	2004
11.02.2020 13:56:25	1	1	1	1	134	60	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	39.625	2004
11.02.2020 13:56:26	1	1	1	1	134	59.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	39.75	2004
11.02.2020 13:56:27	1	1	1	1	134	59.75	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	39.875	2004
11.02.2020 13:56:28	1	1	1	1	134	59.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	39.875	2004
11.02.2020 13:56:29	1	1	1	1	134	59.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	39.5625	2004
11.02.2020 13:56:30	1	1	1	1	134	59.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.125	2004
11.02.2020 13:56:31	1	1	1	1	135.5	60	0	29526.066	544.0860215	15873.67162	30000	0	0	30000	39.9375	2004
11.02.2020 13:56:32	1	1	1	1	135.5	60	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	39.75	2004
11.02.2020 13:56:33	1	1	1	1	135.5	59.75	0	29857.82	541.9354839	16090.5607	30000	0	0	30000	39.75	2004
11.02.2020 13:56:34	1	1	1	1	135.5	59.75	0	29810.427	535.483871	16090.5607	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:36	1	1	1	1	135.5	59.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	39.5	2004
11.02.2020 13:56:37	1	1	1	1	135.5	59.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.0625	2004
11.02.2020 13:56:38	1	1	1	1	135.5	60	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	39.875	2004
11.02.2020 13:56:39	1	1	1	1	135.5	59.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:40	1	1	1	1	135.5	59.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:41	1	1	1	1	136.3	59.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:56:42	1	1	1	1	136.3	59.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	39.375	2004
11.02.2020 13:56:43	1	1	1	1	136.3	59.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	39.1875	2004
11.02.2020 13:56:44	1	1	1	1	136.3	59	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	40	2004
11.02.2020 13:56:45	1	1	1	1	136.3	60	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	39.75	2004
11.02.2020 13:56:46	1	1	1	1	136.3	59.75	0	29810.427	544.0860215	16040.00761	30000	0	0	30000	39.75	2004
11.02.2020 13:56:47	1	1	1	1	136.3	59.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	39.9375	2004
11.02.2020 13:56:48	1	1	1	1	136.3	59.75	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	39.25	2004
11.02.2020 13:56:49	1	1	1	1	136.3	59.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	39.875	2004
11.02.2020 13:56:50	1	1	1	1	136.3	59.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:56:51	1	1	1	1	136.3	59.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	39.75	2004
11.02.2020 13:56:52	1	1	1	1	136.3	59.75	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	39.875	2004
11.02.2020 13:56:53	1	1	1	1	136.3	59.75	0	29620.853	539.7849462	16026.96165	30000	0	0	30000	39.5	2004
11.02.2020 13:56:54	1	1	1	1	136.3	59.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	39.75	2004
11.02.2020 13:56:55	1	1	1	1	136.3	59.75	0	29431.28	535.483871	16064.46878	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:56	1	1	1	1	136.3	59.75	0	29431.28	535.483871	16000.86973	30000	0	0	30000	39.75	2004
11.02.2020 13:56:57	1	1	1	1	136.3	59.75	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	39.8125	2004
11.02.2020 13:56:58	1	1	1	1	136.3	59.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	39.75	2004
11.02.2020 13:56:59	1	1	1	1	136.3	59.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	39.75	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:07	1	1	1	1	137.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:08	1	1	1	1	137.3	60.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:09	1	1	1	1	137.3	59.75	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	40.25	2004
11.02.2020 13:57:10	1	1	1	1	137.3	60.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	39.75	2004
11.02.2020 13:57:11	1	1	1	1	138.5	59.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	40.1875	2004
11.02.2020 13:57:12	1	1	1	1	138.5	59.75	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	39.6875	2004
11.02.2020 13:57:13	1	1	1	1	138.5	59.5	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	39.75	2004
11.02.2020 13:57:14	1	1	1	1	138.5	59.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	39.875	2004
11.02.2020 13:57:15	1	1	1	1	138.5	59.75	0	29336.493	541.9354839	16075.884	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:17	1	1	1	1	138.5	59.75	0	29478.673	546.2365591	15885.90221	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:18	1	1	1	1	138.5	59.5	0	29241.706	541.9354839	15960.91648	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:19	1	1	1	1	138.5	59.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	39.625	2004
11.02.2020 13:57:20	1	1	1	1	138.5	59.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	39.6875	2004
11.02.2020 13:57:21	1	1	1	1	138.3	59.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:22	1	1	1	1	138.3	59.5	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	39.75	2004
11.02.2020 13:57:23	1	1	1	1	138.3	59.75	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:24	1	1	1	1	138.3	59.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:25	1	1	1	1	138.3	59.75	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:57:26	1	1	1	1	138.3	59.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:27	1	1	1	1	138.3	59.75	0	29146.919	544.0860215	15707.33563	30000	0	0	30000	39.75	2004
11.02.2020 13:57:28	1	1	1	1	138.3	59.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	39.625	2004
11.02.2020 13:57:29	1	1	1	1	138.3	59.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.0625	2004
11.02.2020 13:57:30	1	1	1	1	138.3	60	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	39.375	2004
11.02.2020 13:57:31	1	1	1	1	139	59.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:32	1	1	1	1	139	59.5	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	39.625	2004
11.02.2020 13:57:33	1	1	1	1	139	59.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	39.75	2004
11.02.2020 13:57:34	1	1	1	1	139	59.75	0	29336.493	552.688172	15909.54801	30000	0	0	30000	39.375	2004
11.02.2020 13:57:35	1	1	1	1	139	59.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	39.875	2004
11.02.2020 13:57:36	1	1	1	1	139	59.75	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	39.125	2004
11.02.2020 13:57:37	1	1	1	1	139	59	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	39.875	2004
11.02.2020 13:57:38	1	1	1	1	139	59.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.6875	2004
11.02.2020 13:57:39	1	1	1	1	139	59.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:40	1	1	1	1	139	59.75	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	39.875	2004
11.02.2020 13:57:41	1	1	1	1	139.3	59.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:42	1	1	1	1	139.3	59.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:43	1	1	1	1	139.3	59.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:44	1	1	1	1	139.3	59.75	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:45	1	1	1	1	139.3	59.5	0	29146.919	544.0860215	16213.68195	30000	0	0	30000	39.8125	2004
11.02.2020 13:57:46	1	1	1	1	139.3	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.625	2004
11.02.2020 13:57:47	1	1	1	1	139.3	59.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.5	2004
11.02.2020 13:57:48	1	1	1	1	139.3	59.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	40.25	2004
11.02.2020 13:57:49	1	1	1	1	139.3	60	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	39.75	2004
11.02.2020 13:57:50	1	1	1	1	140.3	59.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:51	1	1	1	1	140.3	59.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.0625	2004
11.02.2020 13:57:53	1	1	1	1	140.3	60	0	29052.133	550.5376344	15806.81108	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:54	1	1	1	1	140.3	59.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:55	1	1	1	1	140.3	59.75	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	39.9375	2004
11.02.2020 13:57:56	1	1	1	1	140.3	59.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	39.5625	2004
11.02.2020 13:57:57	1	1	1	1	140.3	59.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	39.5	2004
11.02.2020 13:57:58	1	1	1	1	140.3	59.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.125	2004
11.02.2020 13:57:59	1	1	1	1	140.3	60	0	29052.133	552.688172	15942.16291	30000	0	0	30000	39.5625	2004
11.02.2020 13:58:00	1	1	1	1	140.3	59.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	40	2004
11.02.2020 13:58:01	1	1	1	1	141.3	60	0	28957.346	541.9354839	16020.43867	30000	0	0	30000	39.875	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:58:11	1	1	1	1	141.3	59.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:11	1	1	1	1	141.3	59.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40	2004
11.02.2020 13:58:12	1	1	1	1	141.3	60	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	39.875	2004
11.02.2020 13:58:13	1	1	1	1	141.3	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.75	2004
11.02.2020 13:58:14	1	1	1	1	141.3	59.75	0	29099.526	550.5376344	15630.69062	30000	0	0	30000	40.1875	2004
11.02.2020 13:58:15	1	1	1	1	141.3	60	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	39.75	2004
11.02.2020 13:58:16	1	1	1	1	141.3	59.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.875	2004
11.02.2020 13:58:17	1	1	1	1	141.3	59.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	39.4375	2004
11.02.2020 13:58:18	1	1	1	1	141.3	59.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	39.875	2004
11.02.2020 13:58:19	1	1	1	1	141.3	59.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:20	1	1	1	1	141.3	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:21	1	1	1	1	141.8	59.75	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	39.8125	2004
11.02.2020 13:58:22	1	1	1	1	141.8	59.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	40	2004
11.02.2020 13:58:23	1	1	1	1	141.8	60	0	29099.526	550.5376344	15744.0274	30000	0	0	30000	39.75	2004
11.02.2020 13:58:24	1	1	1	1	141.8	59.75	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	40	2004
11.02.2020 13:58:25	1	1	1	1	141.8	60	0	29052.133	552.688172	16056.31506	30000	0	0	30000	39.625	2004
11.02.2020 13:58:26	1	1	1	1	141.8	59.5	0	28862.559	544.0860215	15889.97907	30000	0	0	30000	39.5	2004
11.02.2020 13:58:27	1	1	1	1	141.8	59.75	0	29146.919	552.688172	16082.40698	30000	0	0	30000	39.75	2004
11.02.2020 13:58:28	1	1	1	1	141.8	59.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	39.75	2004
11.02.2020 13:58:29	1	1	1	1	141.8	59.75	0	29004.739	554.8387097	16128.88321	30000	0	0	30000	39.875	2004
11.02.2020 13:58:31	1	1	1	1	142.8	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.875	2004
11.02.2020 13:58:32	1	1	1	1	142.8	59.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40	2004
11.02.2020 13:58:33	1	1	1	1	142.8	60	0	28957.346	552.688172	15951.94738	30000	0	0	30000	39.8125	2004
11.02.2020 13:58:34	1	1	1	1	142.8	59.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:35	1	1	1	1	142.8	60	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	39.75	2004
11.02.2020 13:58:36	1	1	1	1	142.8	59.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.3125	2004
11.02.2020 13:58:37	1	1	1	1	142.8	59.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	39.875	2004
11.02.2020 13:58:38	1	1	1	1	142.8	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.25	2004
11.02.2020 13:58:39	1	1	1	1	142.8	60.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.75	2004
11.02.2020 13:58:40	1	1	1	1	142.8	59.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40	2004
11.02.2020 13:58:41	1	1	1	1	143.3	60	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:42	1	1	1	1	143.3	59.75	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	40	2004
11.02.2020 13:58:43	1	1	1	1	143.3	60	0	28815.166	552.688172	16049.79208	30000	0	0	30000	40.125	2004
11.02.2020 13:58:44	1	1	1	1	143.3	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.125	2004
11.02.2020 13:58:45	1	1	1	1	143.3	60	0	28815.166	552.688172	16049.79208	30000	0	0	30000	39.9375	2004
11.02.2020 13:58:46	1	1	1	1	143.3	59.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	39.6875	2004
11.02.2020 13:58:47	1	1	1	1	143.3	59.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:48	1	1	1	1	143.3	60	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40	2004
11.02.2020 13:58:49	1	1	1	1	143.3	60	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:50	1	1	1	1	143.3	60	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	39.625	2004
11.02.2020 13:58:51	1	1	1	1	144.5	59.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:52	1	1	1	1	144.5	60	0	28862.559	554.8387097	16075.884	30000	0	0	30000	40.0625	2004
11.02.2020 13:58:53	1	1	1	1	144.5	60	0	28862.559	556.9892473	16101.97592	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:58:54	1	1	1	1	144.5	59.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	39.875	2004
11.02.2020 13:58:55	1	1	1	1	144.5	59.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.125	2004
11.02.2020 13:58:56	1	1	1	1	144.5	60	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	39.75	2004
11.02.2020 13:58:57	1	1	1	1	144.5	59.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.875	2004
11.02.2020 13:58:58	1	1	1	1	144.5	59.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	39.625	2004
11.02.2020 13:58:59	1	1	1	1	144.5	59.5	0	28815.166	554.8387097	15951.94738	30000	0	0	30000	39.75	2004
11.02.2020 13:59:00	1	1	1	1	144.5	59.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40	2004
11.02.2020 13:59:01	1	1	1	1	144.5	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40	2004
11.02.2020 13:59:02	1	1	1	1	144.5	60	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	40.125	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:11	1	1	1	1	146	59.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:14	1	1	1	1	146	60	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:14	1	1	1	1	146	60	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:14	1	1	1	1	146	60	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:15	1	1	1	1	146	60	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	39.3125	2004
11.02.2020 13:59:16	1	1	1	1	146	59.25	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	39.75	2004
11.02.2020 13:59:17	1	1	1	1	146	59.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	39.875	2004
11.02.2020 13:59:18	1	1	1	1	146	59.75	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:19	1	1	1	1	146	59.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:20	1	1	1	1	146	60	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:21	1	1	1	1	146.5	59.75	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	40.125	2004
11.02.2020 13:59:22	1	1	1	1	146.5	60	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.125	2004
11.02.2020 13:59:23	1	1	1	1	146.5	60	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	39.75	2004
11.02.2020 13:59:24	1	1	1	1	146.5	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	39.8125	2004
11.02.2020 13:59:25	1	1	1	1	146.5	59.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	39.5625	2004
11.02.2020 13:59:26	1	1	1	1	146.5	59.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40	2004
11.02.2020 13:59:27	1	1	1	1	146.5	60	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	39.75	2004
11.02.2020 13:59:28	1	1	1	1	146.5	59.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.125	2004
11.02.2020 13:59:29	1	1	1	1	146.5	60	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.1875	2004
11.02.2020 13:59:30	1	1	1	1	146.5	60	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:31	1	1	1	1	147.5	60	0	28672.986	563.4408602	16066.9149	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:32	1	1	1	1	147.5	59.75	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:33	1	1	1	1	147.5	60	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	39.75	2004
11.02.2020 13:59:34	1	1	1	1	147.5	59.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	39.625	2004
11.02.2020 13:59:35	1	1	1	1	147.5	59.5	0	28625.592	561.2903226	16190.03615	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:36	1	1	1	1	147.5	59.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	39.8125	2004
11.02.2020 13:59:37	1	1	1	1	147.5	59.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 13:59:38	1	1	1	1	147.5	59.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	39.8125	2004
11.02.2020 13:59:39	1	1	1	1	147.5	59.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.25	2004
11.02.2020 13:59:40	1	1	1	1	147.5	60.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40	2004
11.02.2020 13:59:41	1	1	1	1	148.3	60	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:42	1	1	1	1	148.3	59.75	0	28293.839	559.1397849	16002.50048	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:43	1	1	1	1	148.3	60	0	28436.019	567.7419355	15907.10189	30000	0	0	30000	40.1875	2004
11.02.2020 13:59:44	1	1	1	1	148.3	60	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:45	1	1	1	1	148.3	60	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	40.1875	2004
11.02.2020 13:59:46	1	1	1	1	148.3	60	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	40.1875	2004
11.02.2020 13:59:47	1	1	1	1	148.3	59.75	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	39.875	2004
11.02.2020 13:59:48	1	1	1	1	148.3	59.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.0625	2004
11.02.2020 13:59:49	1	1	1	1	148.3	60	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	39.875	2004
11.02.2020 13:59:51	1	1	1	1	149.3	59.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.25	2004
11.02.2020 13:59:52	1	1	1	1	149.3	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:53	1	1	1	1	149.3	59.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:54	1	1	1	1	149.3	59.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.125	2004
11.02.2020 13:59:55	1	1	1	1	149.3	60	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	40.1875	2004
11.02.2020 13:59:56	1	1	1	1	149.3	60	0	28436.019	567.7419355	16205.52823	30000	0	0	30000	40	2004
11.02.2020 13:59:57	1	1	1	1	149.3	60	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	39.9375	2004
11.02.2020 13:59:58	1	1	1	1	149.3	59.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	39.75	2004
11.02.2020 13:59:59	1	1	1	1	149.3	59.75	0	28341.232	567.7419355	16117.468	30000	0	0	30000	40.125	2004
11.02.2020 14:00:00	1	1	1	1	149.3	60	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	40	2004
11.02.2020 14:00:01	1	1	1	1	150	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40	2004
11.02.2020 14:00:02	1	1	1	1	150	60	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	40	2004
11.02.2020 14:00:03	1	1	1	1	150	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.875	2004
11.02.2020 14:00:04	1	1	1	1	150	59.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.625	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	39.875	2004
11.02.2020 14:00:15	1	1	1	1	151	59.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	40.1875	2004
11.02.2020 14:00:16	1	1	1	1	151	60	0	27914.692	567.7419355	15761.15022	30000	0	0	30000	39.5625	2004
11.02.2020 14:00:17	1	1	1	1	151	59.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	39.8125	2004
11.02.2020 14:00:18	1	1	1	1	151	59.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39.875	2004
11.02.2020 14:00:19	1	1	1	1	151	59.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.5625	2004
11.02.2020 14:00:20	1	1	1	1	151	59.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.1875	2004
11.02.2020 14:00:21	1	1	1	1	152	60	0	28009.479	567.7419355	15814.9648	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:00:22	1	1	1	1	152	59.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.4375	2004
11.02.2020 14:00:23	1	1	1	1	152	60.25	0	28009.479	567.7419355	15875.30237	30000	0	0	30000	39.875	2004
11.02.2020 14:00:24	1	1	1	1	152	60	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	39.9375	2004
11.02.2020 14:00:26	1	1	1	1	152	59.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40	2004
11.02.2020 14:00:27	1	1	1	1	152	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.125	2004
11.02.2020 14:00:28	1	1	1	1	152	60	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	40.125	2004
11.02.2020 14:00:29	1	1	1	1	152	60	0	27914.692	576.344086	15941.34754	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:30	1	1	1	1	152	60	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	39.8125	2004
11.02.2020 14:00:31	1	1	1	1	152.8	59.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.75	2004
11.02.2020 14:00:32	1	1	1	1	152.8	59.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.6875	2004
11.02.2020 14:00:33	1	1	1	1	152.8	59.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.125	2004
11.02.2020 14:00:34	1	1	1	1	152.8	60	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	39.9375	2004
11.02.2020 14:00:35	1	1	1	1	152.8	59.75	0	27962.085	572.0430108	15788.05751	30000	0	0	30000	40	2004
11.02.2020 14:00:36	1	1	1	1	152.8	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:37	1	1	1	1	152.8	60	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:38	1	1	1	1	152.8	60	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:39	1	1	1	1	152.8	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:40	1	1	1	1	152.8	60	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.875	2004
11.02.2020 14:00:41	1	1	1	1	154	59.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.125	2004
11.02.2020 14:00:42	1	1	1	1	154	60	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:43	1	1	1	1	154	60	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:44	1	1	1	1	154	60	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.1875	2004
11.02.2020 14:00:45	1	1	1	1	154	60	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	39.875	2004
11.02.2020 14:00:46	1	1	1	1	154	59.75	0	27867.299	569.8924731	15761.15022	30000	0	0	30000	40	2004
11.02.2020 14:00:47	1	1	1	1	154	60	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.625	2004
11.02.2020 14:00:48	1	1	1	1	154	59.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	40.1875	2004
11.02.2020 14:00:49	1	1	1	1	154	60	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.75	2004
11.02.2020 14:00:50	1	1	1	1	154	59.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	40.125	2004
11.02.2020 14:00:51	1	1	1	1	154.5	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40	2004
11.02.2020 14:00:52	1	1	1	1	154.5	60	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.875	2004
11.02.2020 14:00:53	1	1	1	1	154.5	59.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	40.0625	2004
11.02.2020 14:00:54	1	1	1	1	154.5	60	0	27867.299	572.0430108	16148.45215	30000	0	0	30000	39.4375	2004
11.02.2020 14:00:55	1	1	1	1	154.5	59.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	39.9375	2004
11.02.2020 14:00:56	1	1	1	1	154.5	59.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.1875	2004
11.02.2020 14:00:57	1	1	1	1	154.5	60	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	40	2004
11.02.2020 14:00:58	1	1	1	1	154.5	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.125	2004
11.02.2020 14:00:59	1	1	1	1	154.5	60	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	40.25	2004
11.02.2020 14:01:00	1	1	1	1	154.5	60.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	40.3125	2004
11.02.2020 14:01:01	1	1	1	1	155.3	60.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.75	2004
11.02.2020 14:01:02	1	1	1	1	155.3	60	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.0625	2004
11.02.2020 14:01:04	1	1	1	1	155.3	60	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40	2004
11.02.2020 14:01:05	1	1	1	1	155.3	60	0	27962.085	574.1935484	15881.00997	30000	0	0	30000	39.5	2004
11.02.2020 14:01:06	1	1	1	1	155.3	59.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:15	1	1	1	1	156	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	39.875	2004
11.02.2020 14:01:16	1	1	1	1	156	59.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.875	2004
11.02.2020 14:01:17	1	1	1	1	156	59.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.0625	2004
11.02.2020 14:01:18	1	1	1	1	156	60	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	39.875	2004
11.02.2020 14:01:19	1	1	1	1	156	59.75	0	28009.479	576.344086	16115.83725	30000	0	0	30000	39.8125	2004
11.02.2020 14:01:20	1	1	1	1	156	59.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	39.9375	2004
11.02.2020 14:01:21	1	1	1	1	157	59.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	40.0625	2004
11.02.2020 14:01:22	1	1	1	1	157	60	0	27867.299	576.344086	16061.20729	30000	0	0	30000	39.875	2004
11.02.2020 14:01:23	1	1	1	1	157	59.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.1875	2004
11.02.2020 14:01:24	1	1	1	1	157	60	0	27725.118	576.344086	15924.22472	30000	0	0	30000	39.375	2004
11.02.2020 14:01:25	1	1	1	1	157	59.25	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	39.875	2004
11.02.2020 14:01:26	1	1	1	1	157	59.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	39.75	2004
11.02.2020 14:01:27	1	1	1	1	157	59.75	0	27867.299	576.344086	15881.00997	30000	0	0	30000	39.9375	2004
11.02.2020 14:01:28	1	1	1	1	157	59.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.1875	2004
11.02.2020 14:01:29	1	1	1	1	157	60	0	27962.085	578.4946237	16148.45215	30000	0	0	30000	39.8125	2004
11.02.2020 14:01:30	1	1	1	1	157	59.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	40.125	2004
11.02.2020 14:01:31	1	1	1	1	158	60	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40	2004
11.02.2020 14:01:32	1	1	1	1	158	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
11.02.2020 14:01:33	1	1	1	1	158	59.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.625	2004
11.02.2020 14:01:34	1	1	1	1	158	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
11.02.2020 14:01:35	1	1	1	1	158	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
11.02.2020 14:01:36	1	1	1	1	158	59.5	0	27535.545	576.344086	15929.11695	30000	0	0	30000	40.125	2004
11.02.2020 14:01:37	1	1	1	1	158	60	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.75	2004
11.02.2020 14:01:38	1	1	1	1	158	59.75	0	27914.692	576.344086	15941.34754	30000	0	0	30000	40.5	2004
11.02.2020 14:01:39	1	1	1	1	158	60.5	0	27819.905	580.6451613	15924.22472	30000	0	0	30000	39.75	2004
11.02.2020 14:01:40	1	1	1	1	158	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40	2004
11.02.2020 14:01:41	1	1	1	1	158.8	60.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.375	2004
11.02.2020 14:01:43	1	1	1	1	158.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.9375	2004
11.02.2020 14:01:44	1	1	1	1	158.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
11.02.2020 14:01:45	1	1	1	1	158.8	59.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	40.1875	2004
11.02.2020 14:01:46	1	1	1	1	158.8	60	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	40.3125	2004
11.02.2020 14:01:47	1	1	1	1	158.8	60.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.125	2004
11.02.2020 14:01:48	1	1	1	1	158.8	59	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	39.4375	2004
11.02.2020 14:01:49	1	1	1	1	158.8	59.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.1875	2004
11.02.2020 14:01:50	1	1	1	1	158.8	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:01:51	1	1	1	1	159.5	59.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:01:52	1	1	1	1	159.5	60.25	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	40	2004
11.02.2020 14:01:53	1	1	1	1	159.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.9375	2004
11.02.2020 14:01:54	1	1	1	1	159.5	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.25	2004
11.02.2020 14:01:55	1	1	1	1	159.5	59.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.125	2004
11.02.2020 14:01:56	1	1	1	1	159.5	60	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40	2004
11.02.2020 14:01:57	1	1	1	1	159.5	60	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.75	2004
11.02.2020 14:01:58	1	1	1	1	159.5	59.75	0	27535.545	576.344086	15756.25798	30000	0	0	30000	39.75	2004
11.02.2020 14:01:59	1	1	1	1	159.5	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:00	1	1	1	1	159.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.25	2004
11.02.2020 14:02:01	1	1	1	1	160.5	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:02	1	1	1	1	160.5	60	0	27725.118	576.344086	15983.74691	30000	0	0	30000	40.125	2004
11.02.2020 14:02:03	1	1	1	1	160.5	60	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	40.125	2004
11.02.2020 14:02:04	1	1	1	1	160.5	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.875	2004
11.02.2020 14:02:05	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:06	1	1	1	1	160.5	59.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.125	2004
11.02.2020 14:02:07	1	1	1	1	160.5	60	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	40.25	2004
11.02.2020 14:02:15	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:02:15	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:02:15	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:02:15	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:02:15	1	1	1	1	160.5	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:02:15	1	1	1	1	160.5	60	0	27582.938	576.344086	15837.79523	30000	0	0	30000	39.5	2004
11.02.2020 14:02:16	1	1	1	1	160.5	59.5	0	27535.545	576.344086	15929.11695	30000	0	0	30000	40.25	2004
11.02.2020 14:02:17	1	1	1	1	160.5	60.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	40.5	2004
11.02.2020 14:02:18	1	1	1	1	160.5	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.75	2004
11.02.2020 14:02:19	1	1	1	1	160.5	59.75	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	40.125	2004
11.02.2020 14:02:21	1	1	1	1	161.5	60	0	27440.758	580.6451613	15956.02424	30000	0	0	30000	40.125	2004
11.02.2020 14:02:22	1	1	1	1	161.5	60	0	27345.972	576.344086	15701.62803	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:23	1	1	1	1	161.5	60	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40	2004
11.02.2020 14:02:24	1	1	1	1	161.5	60	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	40.125	2004
11.02.2020 14:02:25	1	1	1	1	161.5	60	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:26	1	1	1	1	161.5	60	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	40.125	2004
11.02.2020 14:02:27	1	1	1	1	161.5	60	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:28	1	1	1	1	161.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:29	1	1	1	1	161.5	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:30	1	1	1	1	161.5	60	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:31	1	1	1	1	162.8	60	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.75	2004
11.02.2020 14:02:32	1	1	1	1	162.8	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:33	1	1	1	1	162.8	60	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:34	1	1	1	1	162.8	60	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	40.125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:02:35	1	1	1	1	162.8	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:36	1	1	1	1	162.8	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.125	2004
11.02.2020 14:02:37	1	1	1	1	162.8	60	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:38	1	1	1	1	162.8	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40	2004
11.02.2020 14:02:39	1	1	1	1	162.8	60	0	27440.758	572.0430108	15929.11695	30000	0	0	30000	39.875	2004
11.02.2020 14:02:40	1	1	1	1	162.8	59.75	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:41	1	1	1	1	163.8	60	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.3125	2004
11.02.2020 14:02:42	1	1	1	1	163.8	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.25	2004
11.02.2020 14:02:43	1	1	1	1	163.8	60.25	0	27345.972	578.4946237	15701.62803	30000	0	0	30000	39.75	2004
11.02.2020 14:02:44	1	1	1	1	163.8	59.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40	2004
11.02.2020 14:02:45	1	1	1	1	163.8	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:46	1	1	1	1	163.8	59.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:47	1	1	1	1	163.8	59.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.3125	2004
11.02.2020 14:02:48	1	1	1	1	163.8	59.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:49	1	1	1	1	163.8	60	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.875	2004
11.02.2020 14:02:50	1	1	1	1	163.8	59.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:51	1	1	1	1	164.5	59.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:52	1	1	1	1	164.5	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:53	1	1	1	1	164.5	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.0625	2004
11.02.2020 14:02:54	1	1	1	1	164.5	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.1875	2004
11.02.2020 14:02:55	1	1	1	1	164.5	60	0	27440.758	576.344086	15814.9648	30000	0	0	30000	40.125	2004
11.02.2020 14:02:56	1	1	1	1	164.5	60	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.75	2004
11.02.2020 14:02:57	1	1	1	1	164.5	59.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	39.9375	2004
11.02.2020 14:02:58	1	1	1	1	164.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.125	2004
11.02.2020 14:03:00	1	1	1	1	164.5	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.8125	2004
11.02.2020 14:03:01	1	1	1	1	165.8	59.75	0	27582.938	584.9462366	15814.9648	30000	0	0	30000	39.75	2004
11.02.2020 14:03:02	1	1	1	1	165.8	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.125	2004
11.02.2020 14:03:03	1	1	1	1	165.8	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.125	2004
11.02.2020 14:03:04	1	1	1	1	165.8	60	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.375	2004
11.02.2020 14:03:05	1	1	1	1	165.8	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:06	1	1	1	1	165.8	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.125	2004
11.02.2020 14:03:07	1	1	1	1	165.8	60	0	27345.972	576.344086	15819.04167	30000	0	0	30000	40.125	2004
11.02.2020 14:03:08	1	1	1	1	165.8	60	0	27582.938	587.0967742	15873.67162	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:09	1	1	1	1	165.8	59.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.875	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:16	1	1	1	1	165.8	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40	2004
11.02.2020 14:03:17	1	1	1	1	165.8	60	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	40.125	2004
11.02.2020 14:03:18	1	1	1	1	165.8	60	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:03:19	1	1	1	1	165.8	59.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	39.75	2004
11.02.2020 14:03:20	1	1	1	1	165.8	59.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:21	1	1	1	1	166.3	60	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:22	1	1	1	1	166.3	60	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:23	1	1	1	1	166.3	60	0	27440.758	580.6451613	16165.57497	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:24	1	1	1	1	166.3	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:25	1	1	1	1	166.3	59.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:26	1	1	1	1	166.3	60	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:27	1	1	1	1	166.3	59.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.875	2004
11.02.2020 14:03:28	1	1	1	1	166.3	59.75	0	27440.758	589.2473118	15936.4553	30000	0	0	30000	39.625	2004
11.02.2020 14:03:29	1	1	1	1	166.3	59.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:30	1	1	1	1	166.3	59.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	40.125	2004
11.02.2020 14:03:31	1	1	1	1	167.3	60	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:32	1	1	1	1	167.3	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.875	2004
11.02.2020 14:03:33	1	1	1	1	167.3	59.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	39.8125	2004
11.02.2020 14:03:34	1	1	1	1	167.3	59.75	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	40.375	2004
11.02.2020 14:03:35	1	1	1	1	167.3	60.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:37	1	1	1	1	167.3	59.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:38	1	1	1	1	167.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.75	2004
11.02.2020 14:03:39	1	1	1	1	167.3	59.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	39.8125	2004
11.02.2020 14:03:40	1	1	1	1	167.3	59.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	39.6875	2004
11.02.2020 14:03:41	1	1	1	1	168	59.5	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	39.6875	2004
11.02.2020 14:03:42	1	1	1	1	168	59.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	39.75	2004
11.02.2020 14:03:43	1	1	1	1	168	59.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:44	1	1	1	1	168	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:45	1	1	1	1	168	60	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:46	1	1	1	1	168	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:47	1	1	1	1	168	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:48	1	1	1	1	168	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.1875	2004
11.02.2020 14:03:49	1	1	1	1	168	60	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:03:50	1	1	1	1	168	60	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:51	1	1	1	1	168.5	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.25	2004
11.02.2020 14:03:52	1	1	1	1	168.5	60.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.9375	2004
11.02.2020 14:03:53	1	1	1	1	168.5	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:54	1	1	1	1	168.5	60	0	27345.972	587.0967742	15909.54801	30000	0	0	30000	39.8125	2004
11.02.2020 14:03:55	1	1	1	1	168.5	59.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.8125	2004
11.02.2020 14:03:56	1	1	1	1	168.5	59.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.125	2004
11.02.2020 14:03:57	1	1	1	1	168.5	60	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	40.0625	2004
11.02.2020 14:03:58	1	1	1	1	168.5	60	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.125	2004
11.02.2020 14:03:59	1	1	1	1	168.5	60	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.1875	2004
11.02.2020 14:04:00	1	1	1	1	168.5	60	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.875	2004
11.02.2020 14:04:01	1	1	1	1	168.3	59.75	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	39.9375	2004
11.02.2020 14:04:02	1	1	1	1	168.3	59.75	0	27109.005	578.4946237	15885.08684	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:04:03	1	1	1	1	168.3	60	0	27440.758	587.0967742	16345.77229	30000	0	0	30000	39.9375	2004
11.02.2020 14:04:04	1	1	1	1	168.3	59.75	0	27345.972	589.2473118	15909.54801	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:05	1	1	1	1	168.3	60	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:06	1	1	1	1	168.3	60	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	40.125	2004
11.02.2020 14:04:07	1	1	1	1	168.3	60	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:08	1	1	1	1	168.3	60	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	39.3125	2004
11.02.2020 14:04:09	1	1	1	1	168.3	59.25	0	27345.972	591.3978495	16026.96165	30000	0	0	30000	40.125	2004
11.02.2020 14:04:10	1	1	1	1	168.3	60	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:18	1	1	1	1	168.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:04:19	1	1	1	1	168.3	59.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40	2004
11.02.2020 14:04:20	1	1	1	1	168.3	60	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	39.875	2004
11.02.2020 14:04:21	1	1	1	1	168	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40	2004
11.02.2020 14:04:22	1	1	1	1	168	60	0	27298.578	591.3978495	15968.25483	30000	0	0	30000	39.75	2004
11.02.2020 14:04:23	1	1	1	1	168	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.8125	2004
11.02.2020 14:04:24	1	1	1	1	168	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.6875	2004
11.02.2020 14:04:25	1	1	1	1	168	59.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.8125	2004
11.02.2020 14:04:26	1	1	1	1	168	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.75	2004
11.02.2020 14:04:27	1	1	1	1	168	59.75	0	27298.578	582.7956989	15850.84119	30000	0	0	30000	39.0625	2004
11.02.2020 14:04:28	1	1	1	1	168	59	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.9375	2004
11.02.2020 14:04:29	1	1	1	1	168	59.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	39.6875	2004
11.02.2020 14:04:30	1	1	1	1	168	59.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	40	2004
11.02.2020 14:04:31	1	1	1	1	168	60	0	27061.611	587.0967742	15832.08763	30000	0	0	30000	40.125	2004
11.02.2020 14:04:32	1	1	1	1	168	60	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	40	2004
11.02.2020 14:04:33	1	1	1	1	168	60	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	39.75	2004
11.02.2020 14:04:34	1	1	1	1	168	59.75	0	27109.005	587.0967742	15829.64151	30000	0	0	30000	39.75	2004
11.02.2020 14:04:35	1	1	1	1	168	59.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	39.9375	2004
11.02.2020 14:04:36	1	1	1	1	168	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:04:37	1	1	1	1	168	60	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	40	2004
11.02.2020 14:04:38	1	1	1	1	168	60	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:39	1	1	1	1	168	60	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	39.75	2004
11.02.2020 14:04:40	1	1	1	1	168	59.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.875	2004
11.02.2020 14:04:41	1	1	1	1	167.3	59.75	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:42	1	1	1	1	167.3	60	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:43	1	1	1	1	167.3	60	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	40.125	2004
11.02.2020 14:04:44	1	1	1	1	167.3	60	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.125	2004
11.02.2020 14:04:45	1	1	1	1	167.3	60	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	39.75	2004
11.02.2020 14:04:46	1	1	1	1	167.3	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:04:47	1	1	1	1	167.3	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	39.875	2004
11.02.2020 14:04:48	1	1	1	1	167.3	59.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:49	1	1	1	1	167.3	60	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	39.375	2004
11.02.2020 14:04:50	1	1	1	1	167.3	59.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40	2004
11.02.2020 14:04:51	1	1	1	1	168	60	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	39.9375	2004
11.02.2020 14:04:52	1	1	1	1	168	59.75	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	40.125	2004
11.02.2020 14:04:53	1	1	1	1	168	60	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.125	2004
11.02.2020 14:04:54	1	1	1	1	168	60	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	40.125	2004
11.02.2020 14:04:55	1	1	1	1	168	60	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	40.5625	2004
11.02.2020 14:04:56	1	1	1	1	168	60.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	39.8125	2004
11.02.2020 14:04:58	1	1	1	1	168	60	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	40.0625	2004
11.02.2020 14:04:59	1	1	1	1	168	60	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:00	1	1	1	1	168	60	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	39.9375	2004
11.02.2020 14:05:01	1	1	1	1	168.3	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:02	1	1	1	1	168.3	60	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	39.625	2004
11.02.2020 14:05:03	1	1	1	1	168.3	59.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:05:04	1	1	1	1	168.3	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40	2004
11.02.2020 14:05:05	1	1	1	1	168.3	60	0	27109.005	584.9462366	16320.49575	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:06	1	1	1	1	168.3	60	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	39.9375	2004
11.02.2020 14:05:07	1	1	1	1	168.3	59.75	0	27298.578	584.9462366	15942.97828	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:08	1	1	1	1	168.3	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:09	1	1	1	1	168.3	60	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	39.4375	2004
11.02.2020 14:05:10	1	1	1	1	168.3	59.25	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:11	1	1	1	1	169.5	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40	2004
11.02.2020 14:05:12	1	1	1	1	169.5	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:19	1	1	1	1	169.5	59.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:20	1	1	1	1	169.5	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:21	1	1	1	1	170.3	60	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	39.9375	2004
11.02.2020 14:05:22	1	1	1	1	170.3	59.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:23	1	1	1	1	170.3	60	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	39.875	2004
11.02.2020 14:05:24	1	1	1	1	170.3	59.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40	2004
11.02.2020 14:05:25	1	1	1	1	170.3	60	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:26	1	1	1	1	170.3	60	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	39.875	2004
11.02.2020 14:05:27	1	1	1	1	170.3	59.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	40.125	2004
11.02.2020 14:05:28	1	1	1	1	170.3	60	0	27061.611	589.2473118	15915.25562	30000	0	0	30000	39.25	2004
11.02.2020 14:05:29	1	1	1	1	170.3	59.25	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:30	1	1	1	1	170.3	60	0	27061.611	589.2473118	15975.59318	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:05:31	1	1	1	1	170	60	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.875	2004
11.02.2020 14:05:32	1	1	1	1	170	59.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.75	2004
11.02.2020 14:05:34	1	1	1	1	170	59.75	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	39.8125	2004
11.02.2020 14:05:35	1	1	1	1	170	59.75	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	40.125	2004
11.02.2020 14:05:36	1	1	1	1	170	60	0	27298.578	584.9462366	16261.78893	30000	0	0	30000	39.75	2004
11.02.2020 14:05:37	1	1	1	1	170	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:05:38	1	1	1	1	170	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:39	1	1	1	1	170	60	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	40.125	2004
11.02.2020 14:05:40	1	1	1	1	170	60	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:05:41	1	1	1	1	170.5	60.25	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:42	1	1	1	1	170.5	60	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:43	1	1	1	1	170.5	60	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.6875	2004
11.02.2020 14:05:44	1	1	1	1	170.5	59.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	39.625	2004
11.02.2020 14:05:45	1	1	1	1	170.5	59.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	39.875	2004
11.02.2020 14:05:46	1	1	1	1	170.5	59.75	0	27156.398	595.6989247	15973.96244	30000	0	0	30000	39.9375	2004
11.02.2020 14:05:47	1	1	1	1	170.5	59.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.875	2004
11.02.2020 14:05:48	1	1	1	1	170.5	59.75	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	39.8125	2004
11.02.2020 14:05:49	1	1	1	1	170.5	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.0625	2004
11.02.2020 14:05:50	1	1	1	1	170.5	60	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:51	1	1	1	1	170.8	60	0	26966.825	584.9462366	15947.87052	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:52	1	1	1	1	170.8	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:53	1	1	1	1	170.8	60	0	27014.218	587.0967742	16004.13122	30000	0	0	30000	40.3125	2004
11.02.2020 14:05:54	1	1	1	1	170.8	60.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:55	1	1	1	1	170.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.4375	2004
11.02.2020 14:05:56	1	1	1	1	170.8	59.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.1875	2004
11.02.2020 14:05:57	1	1	1	1	170.8	60	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	40	2004
11.02.2020 14:05:58	1	1	1	1	170.8	60	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.125	2004
11.02.2020 14:05:59	1	1	1	1	170.8	60	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:00	1	1	1	1	170.8	60	0	27156.398	591.3978495	15887.53295	30000	0	0	30000	39.875	2004
11.02.2020 14:06:01	1	1	1	1	171.3	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.625	2004
11.02.2020 14:06:02	1	1	1	1	171.3	59.5	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:03	1	1	1	1	171.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.8125	2004
11.02.2020 14:06:04	1	1	1	1	171.3	59.75	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:05	1	1	1	1	171.3	60	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	39.75	2004
11.02.2020 14:06:06	1	1	1	1	171.3	59.75	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	40	2004
11.02.2020 14:06:07	1	1	1	1	171.3	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:08	1	1	1	1	171.3	59.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	40	2004
11.02.2020 14:06:09	1	1	1	1	171.3	60	0	27014.218	591.3978495	15715.48936	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:10	1	1	1	1	171.3	60.25	0	27061.611	587.0967742	15829.64151	30000	0	0	30000	40	2004
11.02.2020 14:06:11	1	1	1	1	171.3	60	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.5	2004
11.02.2020 14:06:13	1	1	1	1	171.3	60.5	0	27014.218	595.6989247	16005.76197	30000	0	0	30000	40.125	2004
11.02.2020 14:06:14	1	1	1	1	171.3	60	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:21	1	1	1	1	172.3	60.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:22	1	1	1	1	172.3	60.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	39.875	2004
11.02.2020 14:06:23	1	1	1	1	172.3	59.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.625	2004
11.02.2020 14:06:24	1	1	1	1	172.3	59.5	0	27298.578	589.2473118	16172.09795	30000	0	0	30000	39.875	2004
11.02.2020 14:06:25	1	1	1	1	172.3	59.75	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:26	1	1	1	1	172.3	60.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:27	1	1	1	1	172.3	60.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	39.4375	2004
11.02.2020 14:06:28	1	1	1	1	172.3	59.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:29	1	1	1	1	172.3	59.75	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:30	1	1	1	1	172.3	59.75	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:31	1	1	1	1	171.8	60	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:32	1	1	1	1	171.8	60	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	40.25	2004
11.02.2020 14:06:33	1	1	1	1	171.8	60.25	0	27061.611	591.3978495	15945.4244	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:34	1	1	1	1	171.8	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.0625	2004
11.02.2020 14:06:35	1	1	1	1	171.8	60	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	39.875	2004
11.02.2020 14:06:36	1	1	1	1	171.8	59.75	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:37	1	1	1	1	171.8	59.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	39.5	2004
11.02.2020 14:06:38	1	1	1	1	171.8	59.5	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:39	1	1	1	1	171.8	60.25	0	26777.251	597.8494624	15922.59397	30000	0	0	30000	40.25	2004
11.02.2020 14:06:40	1	1	1	1	171.8	60.25	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:41	1	1	1	1	172	60.25	0	27061.611	593.5483871	15945.4244	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:42	1	1	1	1	172	60.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:43	1	1	1	1	172	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.125	2004
11.02.2020 14:06:44	1	1	1	1	172	60	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:45	1	1	1	1	172	60	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:46	1	1	1	1	172	60	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.0625	2004
11.02.2020 14:06:47	1	1	1	1	172	60	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:48	1	1	1	1	172	60	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	39.75	2004
11.02.2020 14:06:49	1	1	1	1	172	59.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:50	1	1	1	1	172	59.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.3125	2004
11.02.2020 14:06:52	1	1	1	1	172	60.25	0	27061.611	597.8494624	16236.51238	30000	0	0	30000	40.0625	2004
11.02.2020 14:06:53	1	1	1	1	172	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:06:54	1	1	1	1	172	59.75	0	27014.218	593.5483871	15889.97907	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:55	1	1	1	1	172	60	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	40.1875	2004
11.02.2020 14:06:56	1	1	1	1	172	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.0625	2004
11.02.2020 14:06:57	1	1	1	1	172	60	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	40.25	2004
11.02.2020 14:06:58	1	1	1	1	172	60.25	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	39.8125	2004
11.02.2020 14:06:59	1	1	1	1	172	59.75	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:07:00	1	1	1	1	172	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.8125	2004
11.02.2020 14:07:01	1	1	1	1	171.8	59.75	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	39.25	2004
11.02.2020 14:07:02	1	1	1	1	171.8	59.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.3125	2004
11.02.2020 14:07:03	1	1	1	1	171.8	60.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.25	2004
11.02.2020 14:07:04	1	1	1	1	171.8	60.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	39.75	2004
11.02.2020 14:07:05	1	1	1	1	171.8	59.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:07:06	1	1	1	1	171.8	59.75	0	27156.398	593.5483871	16176.99019	30000	0	0	30000	40.125	2004
11.02.2020 14:07:07	1	1	1	1	171.8	60	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	40.125	2004
11.02.2020 14:07:08	1	1	1	1	171.8	60	0	26777.251	593.5483871	15863.88715	30000	0	0	30000	39.5625	2004
11.02.2020 14:07:09	1	1	1	1	171.8	59.5	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.125	2004
11.02.2020 14:07:10	1	1	1	1	171.8	60	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	40.25	2004
11.02.2020 14:07:11	1	1	1	1	173	60.25	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	40.125	2004
11.02.2020 14:07:12	1	1	1	1	173	60	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	39.625	2004
11.02.2020 14:07:13	1	1	1	1	173	59.5	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	40.125	2004
11.02.2020 14:07:14	1	1	1	1	173	60	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	39.875	2004
11.02.2020 14:07:15	1	1	1	1	173	59.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:23	1	1	1	1	173.8	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:24	1	1	1	1	173.8	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40	2004
11.02.2020 14:07:25	1	1	1	1	173.8	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:07:26	1	1	1	1	173.8	59.75	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	40.125	2004
11.02.2020 14:07:27	1	1	1	1	173.8	60	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	40.3125	2004
11.02.2020 14:07:29	1	1	1	1	173.8	60.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	40.4375	2004
11.02.2020 14:07:30	1	1	1	1	173.8	60.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:07:31	1	1	1	1	173.8	60.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40.3125	2004
11.02.2020 14:07:32	1	1	1	1	174.8	60	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:33	1	1	1	1	174.8	60	0	27014.218	595.6989247	16178.62093	30000	0	0	30000	40.125	2004
11.02.2020 14:07:34	1	1	1	1	174.8	60	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	40.125	2004
11.02.2020 14:07:35	1	1	1	1	174.8	60	0	26919.431	597.8494624	15978.0393	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:36	1	1	1	1	174.8	60	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	39.75	2004
11.02.2020 14:07:37	1	1	1	1	174.8	59.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	39.9375	2004
11.02.2020 14:07:38	1	1	1	1	174.8	59.75	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	40	2004
11.02.2020 14:07:39	1	1	1	1	174.8	60	0	27061.611	595.6989247	16063.65341	30000	0	0	30000	39.625	2004
11.02.2020 14:07:40	1	1	1	1	174.8	59.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	39.8125	2004
11.02.2020 14:07:41	1	1	1	1	175.5	59.75	0	26872.038	589.2473118	16121.54486	30000	0	0	30000	40.25	2004
11.02.2020 14:07:42	1	1	1	1	175.5	60.25	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	39.875	2004
11.02.2020 14:07:43	1	1	1	1	175.5	59.75	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	40.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:07:44	1	1	1	1	175.5	60.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:45	1	1	1	1	175.5	60	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	39.9375	2004
11.02.2020 14:07:46	1	1	1	1	175.5	59.75	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	39.875	2004
11.02.2020 14:07:47	1	1	1	1	175.5	59.75	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	40.125	2004
11.02.2020 14:07:48	1	1	1	1	175.5	60	0	27298.578	593.5483871	16031.85389	30000	0	0	30000	40.125	2004
11.02.2020 14:07:49	1	1	1	1	175.5	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:50	1	1	1	1	175.5	60	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	39.75	2004
11.02.2020 14:07:51	1	1	1	1	176.3	59.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	39.875	2004
11.02.2020 14:07:52	1	1	1	1	176.3	59.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.375	2004
11.02.2020 14:07:53	1	1	1	1	176.3	59.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	40.1875	2004
11.02.2020 14:07:54	1	1	1	1	176.3	60	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40	2004
11.02.2020 14:07:55	1	1	1	1	176.3	60	0	26682.464	593.5483871	15951.13201	30000	0	0	30000	40	2004
11.02.2020 14:07:56	1	1	1	1	176.3	60	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	39.75	2004
11.02.2020 14:07:57	1	1	1	1	176.3	59.75	0	26824.645	593.5483871	15951.13201	30000	0	0	30000	40.125	2004
11.02.2020 14:07:58	1	1	1	1	176.3	60	0	26919.431	591.3978495	15833.71837	30000	0	0	30000	39.75	2004
11.02.2020 14:07:59	1	1	1	1	176.3	59.75	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	40.0625	2004
11.02.2020 14:08:00	1	1	1	1	176.3	60	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	40	2004
11.02.2020 14:08:01	1	1	1	1	176	60	0	27156.398	595.6989247	16031.85389	30000	0	0	30000	40.375	2004
11.02.2020 14:08:02	1	1	1	1	176	60.25	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	40	2004
11.02.2020 14:08:03	1	1	1	1	176	60	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	40.25	2004
11.02.2020 14:08:04	1	1	1	1	176	60.25	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	40	2004
11.02.2020 14:08:05	1	1	1	1	176	60	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:08:06	1	1	1	1	176	60	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.25	2004
11.02.2020 14:08:07	1	1	1	1	176	60.25	0	26682.464	593.5483871	15779.90379	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:09	1	1	1	1	176	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:10	1	1	1	1	176	60	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	40.125	2004
11.02.2020 14:08:11	1	1	1	1	176	60	0	26682.464	593.5483871	15835.34912	30000	0	0	30000	40.375	2004
11.02.2020 14:08:12	1	1	1	1	176.3	59.5	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	39.875	2004
11.02.2020 14:08:13	1	1	1	1	176.3	59.75	0	27014.218	593.5483871	16005.76197	30000	0	0	30000	40.375	2004
11.02.2020 14:08:14	1	1	1	1	176.3	60.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	40.25	2004
11.02.2020 14:08:15	1	1	1	1	176.3	60.25	0	26966.825	587.0967742	16063.65341	30000	0	0	30000	40.25	2004
11.02.2020 14:08:16	1	1	1	1	176.3	60.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.375	2004
11.02.2020 14:08:17	1	1	1	1	176.3	60.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.375	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:24	1	1	1	1	177	60	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:25	1	1	1	1	177	60	0	26966.825	597.8494624	16005.76197	30000	0	0	30000	40.0625	2004
11.02.2020 14:08:26	1	1	1	1	177	60	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	40.375	2004
11.02.2020 14:08:27	1	1	1	1	177	60.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:08:28	1	1	1	1	177	60.25	0	26824.645	600	16094.63757	30000	0	0	30000	40	2004
11.02.2020 14:08:29	1	1	1	1	177	60	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.3125	2004
11.02.2020 14:08:30	1	1	1	1	177	60.25	0	26966.825	597.8494624	16092.19145	30000	0	0	30000	40.125	2004
11.02.2020 14:08:31	1	1	1	1	176.8	60	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	39.6875	2004
11.02.2020 14:08:32	1	1	1	1	176.8	59.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40	2004
11.02.2020 14:08:33	1	1	1	1	176.8	60	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.25	2004
11.02.2020 14:08:34	1	1	1	1	176.8	60.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	39.75	2004
11.02.2020 14:08:35	1	1	1	1	176.8	59.75	0	27061.611	589.2473118	15889.97907	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:36	1	1	1	1	176.8	60	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	40.125	2004
11.02.2020 14:08:37	1	1	1	1	176.8	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.125	2004
11.02.2020 14:08:38	1	1	1	1	176.8	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:08:39	1	1	1	1	176.8	59.75	0	26824.645	587.0967742	15978.0393	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:40	1	1	1	1	176.8	60	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	39.75	2004
11.02.2020 14:08:41	1	1	1	1	175.5	59.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	40.25	2004
11.02.2020 14:08:42	1	1	1	1	175.5	60.25	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	40.25	2004
11.02.2020 14:08:43	1	1	1	1	175.5	60.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	40.375	2004
11.02.2020 14:08:44	1	1	1	1	175.5	60.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:08:45	1	1	1	1	175.5	59.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	39.75	2004
11.02.2020 14:08:46	1	1	1	1	175.5	59.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:48	1	1	1	1	175.5	60	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:49	1	1	1	1	175.5	60	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	39.8125	2004
11.02.2020 14:08:50	1	1	1	1	175.5	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:08:51	1	1	1	1	175.5	60.5	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	40.1875	2004
11.02.2020 14:08:52	1	1	1	1	174	60	0	26966.825	593.5483871	16035.93075	30000	0	0	30000	40.375	2004
11.02.2020 14:08:53	1	1	1	1	174	60.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.4375	2004
11.02.2020 14:08:54	1	1	1	1	174	60.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	39.25	2004
11.02.2020 14:08:55	1	1	1	1	174	59.25	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	40.125	2004
11.02.2020 14:08:56	1	1	1	1	174	60	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	40.125	2004
11.02.2020 14:08:57	1	1	1	1	174	60	0	26824.645	587.0967742	15920.14785	30000	0	0	30000	39.8125	2004
11.02.2020 14:08:58	1	1	1	1	174	59.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	40.25	2004
11.02.2020 14:08:59	1	1	1	1	174	60.25	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	39.9375	2004
11.02.2020 14:09:00	1	1	1	1	174	59.75	0	26682.464	591.3978495	15951.94738	30000	0	0	30000	40.375	2004
11.02.2020 14:09:01	1	1	1	1	175	60.25	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	40.375	2004
11.02.2020 14:09:02	1	1	1	1	175	60.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.4375	2004
11.02.2020 14:09:03	1	1	1	1	175	60.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.0625	2004
11.02.2020 14:09:04	1	1	1	1	175	60	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	39.75	2004
11.02.2020 14:09:05	1	1	1	1	175	59.75	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	39.6875	2004
11.02.2020 14:09:06	1	1	1	1	175	59.5	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	39.875	2004
11.02.2020 14:09:07	1	1	1	1	175	59.75	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:08	1	1	1	1	175	60.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	39.875	2004
11.02.2020 14:09:09	1	1	1	1	175	59.75	0	26777.251	587.0967742	16065.28416	30000	0	0	30000	40	2004
11.02.2020 14:09:10	1	1	1	1	175	60	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	39.6875	2004
11.02.2020 14:09:11	1	1	1	1	175.5	59.5	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:09:12	1	1	1	1	175.5	60	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	39.875	2004
11.02.2020 14:09:13	1	1	1	1	175.5	59.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	39.75	2004
11.02.2020 14:09:14	1	1	1	1	175.5	59.75	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.1875	2004
11.02.2020 14:09:15	1	1	1	1	175.5	60	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	40.375	2004
11.02.2020 14:09:16	1	1	1	1	175.5	60.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.25	2004
11.02.2020 14:09:17	1	1	1	1	175.5	60.25	0	26824.645	595.6989247	15921.7786	30000	0	0	30000	40.1875	2004
11.02.2020 14:09:18	1	1	1	1	175.5	60	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	39.75	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.25	2004
11.02.2020 14:09:26	1	1	1	1	174.8	60.25	0	26872.038	589.2473118	15978.0393	30000	0	0	30000	40.1875	2004
11.02.2020 14:09:27	1	1	1	1	174.8	60	0	26872.038	597.8494624	16094.63757	30000	0	0	30000	39.9375	2004
11.02.2020 14:09:29	1	1	1	1	174.8	59.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	40.5625	2004
11.02.2020 14:09:30	1	1	1	1	174.8	60.5	0	26682.464	587.0967742	15951.13201	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:31	1	1	1	1	174.8	60.25	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	40.6875	2004
11.02.2020 14:09:32	1	1	1	1	173.8	60.5	0	26824.645	591.3978495	16065.28416	30000	0	0	30000	40.375	2004
11.02.2020 14:09:33	1	1	1	1	173.8	60.25	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	40.125	2004
11.02.2020 14:09:34	1	1	1	1	173.8	60	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.375	2004
11.02.2020 14:09:35	1	1	1	1	173.8	60.25	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:36	1	1	1	1	173.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:37	1	1	1	1	173.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.25	2004
11.02.2020 14:09:38	1	1	1	1	173.8	60.25	0	26872.038	602.1505376	16181.06705	30000	0	0	30000	40.0625	2004
11.02.2020 14:09:39	1	1	1	1	173.8	60	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	40.25	2004
11.02.2020 14:09:40	1	1	1	1	173.8	60.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.1875	2004
11.02.2020 14:09:41	1	1	1	1	173	60	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	40.125	2004
11.02.2020 14:09:42	1	1	1	1	173	60	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	40.375	2004
11.02.2020 14:09:43	1	1	1	1	173	60.25	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	39.875	2004
11.02.2020 14:09:44	1	1	1	1	173	59.75	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:45	1	1	1	1	173	60.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:46	1	1	1	1	173	60.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.0625	2004
11.02.2020 14:09:47	1	1	1	1	173	60	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	40.4375	2004
11.02.2020 14:09:48	1	1	1	1	173	60.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	39.875	2004
11.02.2020 14:09:49	1	1	1	1	173	59.75	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:50	1	1	1	1	173	60.25	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:09:51	1	1	1	1	173	60.25	0	26777.251	597.8494624	16152.52901	30000	0	0	30000	40.25	2004
11.02.2020 14:09:52	1	1	1	1	173	60.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	40.375	2004
11.02.2020 14:09:53	1	1	1	1	173	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:54	1	1	1	1	173	60.25	0	26682.464	591.3978495	16267.49653	30000	0	0	30000	40.3125	2004
11.02.2020 14:09:55	1	1	1	1	173	60.25	0	26919.431	602.1505376	16035.93075	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:09:56	1	1	1	1	173	59.75	0	26587.678	593.5483871	15837.79523	30000	0	0	30000	40.1875	2004
11.02.2020 14:09:57	1	1	1	1	173	60	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	40.25	2004
11.02.2020 14:09:58	1	1	1	1	173	60.25	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	39.875	2004
11.02.2020 14:09:59	1	1	1	1	173	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:00	1	1	1	1	173	60.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40	2004
11.02.2020 14:10:01	1	1	1	1	174	60	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.25	2004
11.02.2020 14:10:02	1	1	1	1	174	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:03	1	1	1	1	174	60.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:04	1	1	1	1	174	60.25	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	40.125	2004
11.02.2020 14:10:05	1	1	1	1	174	60	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:07	1	1	1	1	174	60.25	0	26777.251	595.6989247	15779.90379	30000	0	0	30000	40.125	2004
11.02.2020 14:10:08	1	1	1	1	174	60	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	40.1875	2004
11.02.2020 14:10:09	1	1	1	1	174	60	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	40.6875	2004
11.02.2020 14:10:10	1	1	1	1	174	60.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.375	2004
11.02.2020 14:10:11	1	1	1	1	174	60.25	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	40.4375	2004
11.02.2020 14:10:12	1	1	1	1	174.5	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.0625	2004
11.02.2020 14:10:13	1	1	1	1	174.5	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:10:14	1	1	1	1	174.5	60.25	0	26587.678	606.4516129	15981.30079	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:15	1	1	1	1	174.5	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.4375	2004
11.02.2020 14:10:16	1	1	1	1	174.5	60.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	40.375	2004
11.02.2020 14:10:17	1	1	1	1	174.5	60.25	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	40.375	2004
11.02.2020 14:10:18	1	1	1	1	174.5	60.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.4375	2004
11.02.2020 14:10:19	1	1	1	1	174.5	60.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	40.125	2004
11.02.2020 14:10:20	1	1	1	1	174.5	60	0	26824.645	602.1505376	16036.74612	30000	0	0	30000	40.5	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:27	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:28	1	1	1	1	174	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.875	2004
11.02.2020 14:10:29	1	1	1	1	174	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:30	1	1	1	1	174	60.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.1875	2004
11.02.2020 14:10:31	1	1	1	1	174.5	60	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	40.5625	2004
11.02.2020 14:10:32	1	1	1	1	174.5	60.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.25	2004
11.02.2020 14:10:33	1	1	1	1	174.5	60.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.5	2004
11.02.2020 14:10:34	1	1	1	1	174.5	60.5	0	26540.284	595.6989247	15867.14864	30000	0	0	30000	40.4375	2004
11.02.2020 14:10:35	1	1	1	1	174.5	60.25	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:36	1	1	1	1	174.5	60.25	0	26682.464	593.5483871	16123.99098	30000	0	0	30000	40.125	2004
11.02.2020 14:10:37	1	1	1	1	174.5	60	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	40.375	2004
11.02.2020 14:10:38	1	1	1	1	174.5	60.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:10:41	1	1	1	1	174.5	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:10:41	1	1	1	1	174.5	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:41	1	1	1	1	174	60.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.125	2004
11.02.2020 14:10:42	1	1	1	1	174	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
11.02.2020 14:10:43	1	1	1	1	174	59.75	0	26635.071	600	16009.02346	30000	0	0	30000	40.125	2004
11.02.2020 14:10:44	1	1	1	1	174	60	0	26777.251	593.5483871	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:45	1	1	1	1	174	60.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	40.375	2004
11.02.2020 14:10:46	1	1	1	1	174	60.25	0	26445.498	597.8494624	15781.53453	30000	0	0	30000	40.0625	2004
11.02.2020 14:10:48	1	1	1	1	174	60	0	26682.464	602.1505376	15837.79523	30000	0	0	30000	40.3125	2004
11.02.2020 14:10:49	1	1	1	1	174	60.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
11.02.2020 14:10:50	1	1	1	1	174	59.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.1875	2004
11.02.2020 14:10:51	1	1	1	1	174	60	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	40.125	2004
11.02.2020 14:10:52	1	1	1	1	173.5	60.25	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	39.9375	2004
11.02.2020 14:10:53	1	1	1	1	173.5	59.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	39.75	2004
11.02.2020 14:10:54	1	1	1	1	173.5	59.75	0	26777.251	602.1505376	16209.60509	30000	0	0	30000	40.1875	2004
11.02.2020 14:10:55	1	1	1	1	173.5	60	0	26729.858	604.3010753	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:10:56	1	1	1	1	173.5	60.25	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:10:57	1	1	1	1	173.5	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
11.02.2020 14:10:58	1	1	1	1	173.5	60.5	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	40.0625	2004
11.02.2020 14:10:59	1	1	1	1	173.5	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
11.02.2020 14:11:00	1	1	1	1	173.5	60.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.375	2004
11.02.2020 14:11:01	1	1	1	1	173.5	60.25	0	26777.251	602.1505376	16209.60509	30000	0	0	30000	40.375	2004
11.02.2020 14:11:02	1	1	1	1	173.5	60.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.25	2004
11.02.2020 14:11:03	1	1	1	1	173.5	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.25	2004
11.02.2020 14:11:04	1	1	1	1	173.5	60.25	0	26540.284	595.6989247	15924.22472	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:05	1	1	1	1	173.5	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5	2004
11.02.2020 14:11:06	1	1	1	1	173.5	60.5	0	26729.858	600	15951.94738	30000	0	0	30000	39.9375	2004
11.02.2020 14:11:07	1	1	1	1	173.5	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	40.375	2004
11.02.2020 14:11:08	1	1	1	1	173.5	60.25	0	26682.464	600	16009.02346	30000	0	0	30000	40.1875	2004
11.02.2020 14:11:09	1	1	1	1	173.5	60	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	40.375	2004
11.02.2020 14:11:10	1	1	1	1	173.5	60.25	0	26587.678	602.1505376	16038.37687	30000	0	0	30000	40	2004
11.02.2020 14:11:11	1	1	1	1	174.3	60	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.125	2004
11.02.2020 14:11:12	1	1	1	1	174.3	60	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	39.9375	2004
11.02.2020 14:11:13	1	1	1	1	174.3	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:14	1	1	1	1	174.3	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:11:15	1	1	1	1	174.3	60.25	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	40	2004
11.02.2020 14:11:16	1	1	1	1	174.3	60	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	40.25	2004
11.02.2020 14:11:17	1	1	1	1	174.3	60.25	0	26777.251	597.8494624	16181.06705	30000	0	0	30000	40.25	2004
11.02.2020 14:11:18	1	1	1	1	174.3	60.25	0	26540.284	595.6989247	15924.22472	30000	0	0	30000	40	2004
11.02.2020 14:11:19	1	1	1	1	174.3	60	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	40.4375	2004
11.02.2020 14:11:20	1	1	1	1	174.3	60.25	0	26635.071	595.6989247	15894.87131	30000	0	0	30000	40.5625	2004
11.02.2020 14:11:21	1	1	1	1	174.5	60.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:29	1	1	1	1	174.5	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:30	1	1	1	1	174.5	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.25	2004
11.02.2020 14:11:31	1	1	1	1	174.3	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:32	1	1	1	1	174.3	60.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.25	2004
11.02.2020 14:11:33	1	1	1	1	174.3	60.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.375	2004
11.02.2020 14:11:34	1	1	1	1	174.3	60.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:35	1	1	1	1	174.3	60.25	0	26445.498	602.1505376	15867.14864	30000	0	0	30000	39.75	2004
11.02.2020 14:11:36	1	1	1	1	174.3	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:37	1	1	1	1	174.3	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.8125	2004
11.02.2020 14:11:38	1	1	1	1	174.3	59.75	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	40.1875	2004
11.02.2020 14:11:39	1	1	1	1	174.3	60	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.5625	2004
11.02.2020 14:11:40	1	1	1	1	174.3	60.5	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	40.375	2004
11.02.2020 14:11:41	1	1	1	1	174.5	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004
11.02.2020 14:11:42	1	1	1	1	174.5	60	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:43	1	1	1	1	174.5	60.25	0	26682.464	597.8494624	16181.06705	30000	0	0	30000	40.5625	2004
11.02.2020 14:11:44	1	1	1	1	174.5	60.5	0	26635.071	602.1505376	15894.87131	30000	0	0	30000	40.25	2004
11.02.2020 14:11:45	1	1	1	1	174.5	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
11.02.2020 14:11:46	1	1	1	1	174.5	60.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	40.4375	2004
11.02.2020 14:11:47	1	1	1	1	174.5	60.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	40.125	2004
11.02.2020 14:11:48	1	1	1	1	174.5	60	0	26492.891	595.6989247	15981.30079	30000	0	0	30000	40.6875	2004
11.02.2020 14:11:49	1	1	1	1	174.5	60.5	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	39.875	2004
11.02.2020 14:11:50	1	1	1	1	174.5	59.75	0	26919.431	602.1505376	16209.60509	30000	0	0	30000	40.25	2004
11.02.2020 14:11:51	1	1	1	1	174.8	60.25	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:52	1	1	1	1	174.8	60.25	0	26635.071	597.8494624	15894.87131	30000	0	0	30000	40.125	2004
11.02.2020 14:11:53	1	1	1	1	174.8	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:11:54	1	1	1	1	174.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:55	1	1	1	1	174.8	60.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	40.25	2004
11.02.2020 14:11:56	1	1	1	1	174.8	60.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
11.02.2020 14:11:57	1	1	1	1	174.8	59.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	40.3125	2004
11.02.2020 14:11:58	1	1	1	1	174.8	60.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	40.375	2004
11.02.2020 14:11:59	1	1	1	1	174.8	60.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:00	1	1	1	1	174.8	60	0	26587.678	600	16009.83883	30000	0	0	30000	40.3125	2004
11.02.2020 14:12:01	1	1	1	1	175.5	60.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:02	1	1	1	1	175.5	60	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.375	2004
11.02.2020 14:12:03	1	1	1	1	175.5	60.25	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	40.5	2004
11.02.2020 14:12:04	1	1	1	1	175.5	60.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:12:05	1	1	1	1	175.5	60.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:12:07	1	1	1	1	175.5	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
11.02.2020 14:12:08	1	1	1	1	175.5	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:12:09	1	1	1	1	175.5	60.25	0	26587.678	595.6989247	15951.94738	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:10	1	1	1	1	175.5	60	0	26777.251	604.3010753	16181.06705	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:11	1	1	1	1	175.5	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:12	1	1	1	1	176	60.25	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
11.02.2020 14:12:13	1	1	1	1	176	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:14	1	1	1	1	176	60.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.5	2004
11.02.2020 14:12:15	1	1	1	1	176	60.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:16	1	1	1	1	176	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:17	1	1	1	1	176	60	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	40.375	2004
11.02.2020 14:12:18	1	1	1	1	176	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.5	2004
11.02.2020 14:12:19	1	1	1	1	176	60.5	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	40.625	2004
11.02.2020 14:12:20	1	1	1	1	176	60.5	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	39.125	2004
11.02.2020 14:12:21	1	1	1	1	177	59	0	26635.071	597.8494624	16181.06705	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:22	1	1	1	1	177	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.375	2004
11.02.2020 14:12:23	1	1	1	1	177	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.1875	2004
11.02.2020 14:12:31	1	1	1	1	177.5	60	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	40.5	2004
11.02.2020 14:12:32	1	1	1	1	177.5	60.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:12:33	1	1	1	1	177.5	60.25	0	26398.104	602.1505376	16209.60509	30000	0	0	30000	40.25	2004
11.02.2020 14:12:34	1	1	1	1	177.5	60.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	39.9375	2004
11.02.2020 14:12:35	1	1	1	1	177.5	59.75	0	26540.284	604.3010753	16009.02346	30000	0	0	30000	40.5625	2004
11.02.2020 14:12:36	1	1	1	1	177.5	60.5	0	26635.071	604.3010753	16123.99098	30000	0	0	30000	40.3125	2004
11.02.2020 14:12:37	1	1	1	1	177.5	60.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.8125	2004
11.02.2020 14:12:38	1	1	1	1	177.5	59.75	0	26398.104	602.1505376	15867.14864	30000	0	0	30000	39.75	2004
11.02.2020 14:12:39	1	1	1	1	177.5	59.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	40.3125	2004
11.02.2020 14:12:40	1	1	1	1	177.5	60.25	0	26540.284	604.3010753	15980.48542	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:41	1	1	1	1	178	60.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.125	2004
11.02.2020 14:12:42	1	1	1	1	178	60	0	26587.678	593.5483871	16066.9149	30000	0	0	30000	40.3125	2004
11.02.2020 14:12:43	1	1	1	1	178	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:12:44	1	1	1	1	178	60.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:45	1	1	1	1	178	60.25	0	26587.678	604.3010753	15837.79523	30000	0	0	30000	40.0625	2004
11.02.2020 14:12:47	1	1	1	1	178	60	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	40.4375	2004
11.02.2020 14:12:48	1	1	1	1	178	60.25	0	26587.678	606.4516129	16181.06705	30000	0	0	30000	40.375	2004
11.02.2020 14:12:49	1	1	1	1	178	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004
11.02.2020 14:12:50	1	1	1	1	178	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.625	2004
11.02.2020 14:12:51	1	1	1	1	178	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
11.02.2020 14:12:52	1	1	1	1	177.8	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:12:53	1	1	1	1	177.8	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.5625	2004
11.02.2020 14:12:54	1	1	1	1	177.8	60.5	0	26350.711	604.3010753	15867.14864	30000	0	0	30000	40.0625	2004
11.02.2020 14:12:55	1	1	1	1	177.8	60	0	26445.498	604.3010753	15810.07257	30000	0	0	30000	40	2004
11.02.2020 14:12:56	1	1	1	1	177.8	60	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:12:57	1	1	1	1	177.8	60.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	40.0625	2004
11.02.2020 14:12:58	1	1	1	1	177.8	60	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:12:59	1	1	1	1	177.8	60.25	0	26540.284	604.3010753	16238.14313	30000	0	0	30000	39.9375	2004
11.02.2020 14:13:00	1	1	1	1	177.8	59.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.25	2004
11.02.2020 14:13:01	1	1	1	1	177.5	60.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	40.6875	2004
11.02.2020 14:13:02	1	1	1	1	177.5	60.5	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	39.5	2004
11.02.2020 14:13:03	1	1	1	1	177.5	59.5	0	26492.891	608.6021505	16037.56149	30000	0	0	30000	40.125	2004
11.02.2020 14:13:04	1	1	1	1	177.5	60	0	26303.318	606.4516129	15922.59397	30000	0	0	30000	40.375	2004
11.02.2020 14:13:05	1	1	1	1	177.5	60.25	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	40.1875	2004
11.02.2020 14:13:06	1	1	1	1	177.5	60	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	40.5625	2004
11.02.2020 14:13:07	1	1	1	1	177.5	60.5	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	40	2004
11.02.2020 14:13:08	1	1	1	1	177.5	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
11.02.2020 14:13:09	1	1	1	1	177.5	60.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.875	2004
11.02.2020 14:13:10	1	1	1	1	177.5	59.75	0	26492.891	602.1505376	15867.14864	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:11	1	1	1	1	176.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.25	2004
11.02.2020 14:13:12	1	1	1	1	176.8	60.25	0	26445.498	597.8494624	16038.37687	30000	0	0	30000	40.375	2004
11.02.2020 14:13:13	1	1	1	1	176.8	60.25	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	40.375	2004
11.02.2020 14:13:14	1	1	1	1	176.8	60.25	0	26398.104	597.8494624	15867.14864	30000	0	0	30000	40.3125	2004
11.02.2020 14:13:15	1	1	1	1	176.8	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
11.02.2020 14:13:16	1	1	1	1	176.8	60.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.5	2004
11.02.2020 14:13:17	1	1	1	1	176.8	60.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	40.625	2004
11.02.2020 14:13:18	1	1	1	1	176.8	60.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.375	2004
11.02.2020 14:13:19	1	1	1	1	176.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:20	1	1	1	1	176.8	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.75	2004
11.02.2020 14:13:21	1	1	1	1	176.5	60.75	0	26777.251	600	16094.63757	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:22	1	1	1	1	176.5	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:23	1	1	1	1	176.5	60.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:25	1	1	1	1	176.5	60.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	40.625	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:32	1	1	1	1	177	60.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:33	1	1	1	1	177	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40	2004
11.02.2020 14:13:34	1	1	1	1	177	60	0	26729.858	602.1505376	16009.02346	30000	0	0	30000	40.625	2004
11.02.2020 14:13:35	1	1	1	1	177	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004
11.02.2020 14:13:36	1	1	1	1	177	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:13:37	1	1	1	1	177	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.5	2004
11.02.2020 14:13:38	1	1	1	1	177	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
11.02.2020 14:13:39	1	1	1	1	177	60.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	40.3125	2004
11.02.2020 14:13:40	1	1	1	1	177	60.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.375	2004
11.02.2020 14:13:41	1	1	1	1	178	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.5	2004
11.02.2020 14:13:42	1	1	1	1	178	60.5	0	26540.284	597.8494624	15981.30079	30000	0	0	30000	40.375	2004
11.02.2020 14:13:43	1	1	1	1	178	60.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.625	2004
11.02.2020 14:13:44	1	1	1	1	178	60.5	0	26824.645	600	16008.20808	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:45	1	1	1	1	178	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:46	1	1	1	1	178	60.25	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	40.5625	2004
11.02.2020 14:13:47	1	1	1	1	178	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
11.02.2020 14:13:48	1	1	1	1	178	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.3125	2004
11.02.2020 14:13:49	1	1	1	1	178	60.25	0	26445.498	602.1505376	15867.14864	30000	0	0	30000	40	2004
11.02.2020 14:13:50	1	1	1	1	178	60	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.1875	2004
11.02.2020 14:13:51	1	1	1	1	177.5	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.3125	2004
11.02.2020 14:13:52	1	1	1	1	177.5	60.25	0	26824.645	597.8494624	15835.34912	30000	0	0	30000	40.375	2004
11.02.2020 14:13:53	1	1	1	1	177.5	60.25	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	40.5	2004
11.02.2020 14:13:54	1	1	1	1	177.5	60.5	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	39.875	2004
11.02.2020 14:13:55	1	1	1	1	177.5	59.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.4375	2004
11.02.2020 14:13:56	1	1	1	1	177.5	60.25	0	26966.825	597.8494624	16035.93075	30000	0	0	30000	40.5	2004
11.02.2020 14:13:57	1	1	1	1	177.5	60.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.5	2004
11.02.2020 14:13:58	1	1	1	1	177.5	60.5	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	39.75	2004
11.02.2020 14:13:59	1	1	1	1	177.5	59.75	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	40.125	2004
11.02.2020 14:14:00	1	1	1	1	177.5	60	0	26824.645	593.5483871	15951.13201	30000	0	0	30000	40.4375	2004
11.02.2020 14:14:01	1	1	1	1	178	60.25	0	26824.645	595.6989247	15893.24056	30000	0	0	30000	39.6875	2004
11.02.2020 14:14:03	1	1	1	1	178	59.5	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:04	1	1	1	1	178	60.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	40	2004
11.02.2020 14:14:05	1	1	1	1	178	60	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:06	1	1	1	1	178	60.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.9375	2004
11.02.2020 14:14:07	1	1	1	1	178	60.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.625	2004
11.02.2020 14:14:08	1	1	1	1	178	60.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.9375	2004
11.02.2020 14:14:09	1	1	1	1	178	60.5	0	26824.645	600	16094.63757	30000	0	0	30000	40.125	2004
11.02.2020 14:14:10	1	1	1	1	178	60	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	40.1875	2004
11.02.2020 14:14:11	1	1	1	1	179	60	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:12	1	1	1	1	179	60.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	40.3125	2004
11.02.2020 14:14:13	1	1	1	1	179	60.25	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	40.375	2004
11.02.2020 14:14:14	1	1	1	1	179	60.25	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	40.5	2004
11.02.2020 14:14:15	1	1	1	1	179	60.5	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	40.5	2004
11.02.2020 14:14:16	1	1	1	1	179	60.5	0	26824.645	589.2473118	15978.0393	30000	0	0	30000	40.125	2004
11.02.2020 14:14:17	1	1	1	1	179	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.375	2004
11.02.2020 14:14:18	1	1	1	1	179	60.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	40.125	2004
11.02.2020 14:14:19	1	1	1	1	179	60	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	40.25	2004
11.02.2020 14:14:20	1	1	1	1	179	60.25	0	27061.611	593.5483871	16265.05042	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:14:21	1	1	1	1	179	60	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:22	1	1	1	1	179	60.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	39.5625	2004
11.02.2020 14:14:23	1	1	1	1	179	59.5	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	40.375	2004
11.02.2020 14:14:24	1	1	1	1	179	60.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.25	2004
11.02.2020 14:14:25	1	1	1	1	179	60.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.5	2004
11.02.2020 14:14:26	1	1	1	1	179	60.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	40.4375	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26872.038	593.5483871	15805.99571	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:34	1	1	1	1	178.5	60.5	0	26824.645	595.6989247	15835.34912	30000	0	0	30000	40.625	2004
11.02.2020 14:14:35	1	1	1	1	178.5	60.5	0	27109.005	593.5483871	16119.91411	30000	0	0	30000	40.625	2004
11.02.2020 14:14:36	1	1	1	1	178.5	60.5	0	26919.431	591.3978495	15862.25641	30000	0	0	30000	40.375	2004
11.02.2020 14:14:37	1	1	1	1	178.5	60.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:38	1	1	1	1	178.5	60.5	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	39.5625	2004
11.02.2020 14:14:40	1	1	1	1	178.5	59.5	0	26966.825	589.2473118	15945.4244	30000	0	0	30000	39.8125	2004
11.02.2020 14:14:41	1	1	1	1	178.5	59.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:14:42	1	1	1	1	179	60.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.3125	2004
11.02.2020 14:14:43	1	1	1	1	179	60.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:44	1	1	1	1	179	60.5	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	40.3125	2004
11.02.2020 14:14:45	1	1	1	1	179	60.25	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	40.875	2004
11.02.2020 14:14:46	1	1	1	1	179	60.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.25	2004
11.02.2020 14:14:47	1	1	1	1	179	60.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:48	1	1	1	1	179	60.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	40.4375	2004
11.02.2020 14:14:49	1	1	1	1	179	60.25	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	40.625	2004
11.02.2020 14:14:50	1	1	1	1	179	60.5	0	27061.611	597.8494624	16062.02267	30000	0	0	30000	40.5	2004
11.02.2020 14:14:51	1	1	1	1	179.5	60.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.3125	2004
11.02.2020 14:14:52	1	1	1	1	179.5	60.25	0	26966.825	602.1505376	16295.2192	30000	0	0	30000	40.4375	2004
11.02.2020 14:14:53	1	1	1	1	179.5	60.25	0	27061.611	595.6989247	16178.62093	30000	0	0	30000	40.5	2004
11.02.2020 14:14:54	1	1	1	1	179.5	60.5	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	40.5	2004
11.02.2020 14:14:55	1	1	1	1	179.5	60.5	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:56	1	1	1	1	179.5	60.5	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	40.5625	2004
11.02.2020 14:14:57	1	1	1	1	179.5	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.5	2004
11.02.2020 14:14:58	1	1	1	1	179.5	60.5	0	26966.825	587.0967742	16092.19145	30000	0	0	30000	40.375	2004
11.02.2020 14:14:59	1	1	1	1	179.5	60.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	40.5	2004
11.02.2020 14:15:00	1	1	1	1	179.5	60.5	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	40.375	2004
11.02.2020 14:15:01	1	1	1	1	180.5	60.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:15:02	1	1	1	1	180.5	60.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.25	2004
11.02.2020 14:15:03	1	1	1	1	180.5	60.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.5	2004
11.02.2020 14:15:04	1	1	1	1	180.5	60.5	0	26919.431	597.8494624	15978.0393	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:15:05	1	1	1	1	180.5	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.5	2004
11.02.2020 14:15:06	1	1	1	1	180.5	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.625	2004
11.02.2020 14:15:07	1	1	1	1	180.5	60.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.3125	2004
11.02.2020 14:15:08	1	1	1	1	180.5	60.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.125	2004
11.02.2020 14:15:09	1	1	1	1	180.5	60	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.5	2004
11.02.2020 14:15:10	1	1	1	1	180.5	60.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:11	1	1	1	1	180.5	60.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.5625	2004
11.02.2020 14:15:12	1	1	1	1	180.5	60.5	0	26824.645	593.5483871	15891.60982	30000	0	0	30000	40.375	2004
11.02.2020 14:15:13	1	1	1	1	180.5	60.25	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	39.75	2004
11.02.2020 14:15:14	1	1	1	1	180.5	59.75	0	27156.398	591.3978495	16090.5607	30000	0	0	30000	40.5625	2004
11.02.2020 14:15:15	1	1	1	1	180.5	60.5	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	40.5	2004
11.02.2020 14:15:17	1	1	1	1	180.5	60.5	0	27061.611	591.3978495	15889.97907	30000	0	0	30000	40.3125	2004
11.02.2020 14:15:18	1	1	1	1	180.5	60.25	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	39.9375	2004
11.02.2020 14:15:19	1	1	1	1	180.5	59.75	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	40.125	2004
11.02.2020 14:15:20	1	1	1	1	180.5	60	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	39.75	2004
11.02.2020 14:15:21	1	1	1	1	180.5	59.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.625	2004
11.02.2020 14:15:22	1	1	1	1	180.3	60.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	40.875	2004
11.02.2020 14:15:23	1	1	1	1	180.3	60.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	39.875	2004
11.02.2020 14:15:24	1	1	1	1	180.3	60.75	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	40.125	2004
11.02.2020 14:15:25	1	1	1	1	180.3	60	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	40.75	2004
11.02.2020 14:15:26	1	1	1	1	180.3	60.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	40.5	2004
11.02.2020 14:15:27	1	1	1	1	180.3	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.625	2004
11.02.2020 14:15:28	1	1	1	1	180.3	60.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:35	1	1	1	1	180	60	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.5	2004
11.02.2020 14:15:36	1	1	1	1	180	60.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:37	1	1	1	1	180	60.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.0625	2004
11.02.2020 14:15:38	1	1	1	1	180	60	0	27298.578	580.6451613	15877.74848	30000	0	0	30000	39.875	2004
11.02.2020 14:15:39	1	1	1	1	180	59.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.125	2004
11.02.2020 14:15:40	1	1	1	1	180	60	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.375	2004
11.02.2020 14:15:41	1	1	1	1	179.3	60.25	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	40.5	2004
11.02.2020 14:15:42	1	1	1	1	179.3	60.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.375	2004
11.02.2020 14:15:43	1	1	1	1	179.3	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.375	2004
11.02.2020 14:15:44	1	1	1	1	179.3	60.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:45	1	1	1	1	179.3	60.25	0	27345.972	582.7956989	16110.12964	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:46	1	1	1	1	179.3	60.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:47	1	1	1	1	179.3	60.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.375	2004
11.02.2020 14:15:48	1	1	1	1	179.3	60.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:15:49	1	1	1	1	179.3	60	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	40.5625	2004
11.02.2020 14:15:50	1	1	1	1	179.3	60.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	40.25	2004
11.02.2020 14:15:51	1	1	1	1	179.8	60.25	0	27535.545	584.9462366	16193.29764	30000	0	0	30000	40.4375	2004
11.02.2020 14:15:52	1	1	1	1	179.8	60.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	40.5625	2004
11.02.2020 14:15:54	1	1	1	1	179.8	60.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	40.3125	2004
11.02.2020 14:15:55	1	1	1	1	179.8	60.25	0	27156.398	580.6451613	15826.38002	30000	0	0	30000	40.1875	2004
11.02.2020 14:15:56	1	1	1	1	179.8	60	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.125	2004
11.02.2020 14:15:57	1	1	1	1	179.8	60	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.625	2004
11.02.2020 14:15:58	1	1	1	1	179.8	60.5	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:15:59	1	1	1	1	179.8	60.75	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	40.8125	2004
11.02.2020 14:16:00	1	1	1	1	179.8	60.75	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	40.5	2004
11.02.2020 14:16:01	1	1	1	1	180	60.25	0	27061.611	589.2473118	16148.45215	30000	0	0	30000	40.5	2004
11.02.2020 14:16:02	1	1	1	1	180	60.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	40.375	2004
11.02.2020 14:16:03	1	1	1	1	180	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.625	2004
11.02.2020 14:16:04	1	1	1	1	180	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.5	2004
11.02.2020 14:16:05	1	1	1	1	180	60.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	40.0625	2004
11.02.2020 14:16:06	1	1	1	1	180	60	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	40.375	2004
11.02.2020 14:16:07	1	1	1	1	180	60.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.3125	2004
11.02.2020 14:16:08	1	1	1	1	180	60.25	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	40.6875	2004
11.02.2020 14:16:09	1	1	1	1	180	60.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	40.25	2004
11.02.2020 14:16:10	1	1	1	1	180	60.25	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	40.5	2004
11.02.2020 14:16:11	1	1	1	1	180.3	60.5	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	40.5	2004
11.02.2020 14:16:12	1	1	1	1	180.3	60.5	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	40.125	2004
11.02.2020 14:16:13	1	1	1	1	180.3	60	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	40.4375	2004
11.02.2020 14:16:14	1	1	1	1	180.3	60.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.5	2004
11.02.2020 14:16:15	1	1	1	1	180.3	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.625	2004
11.02.2020 14:16:16	1	1	1	1	180.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.5	2004
11.02.2020 14:16:17	1	1	1	1	180.3	60.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	40.5625	2004
11.02.2020 14:16:18	1	1	1	1	180.3	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	39.5625	2004
11.02.2020 14:16:19	1	1	1	1	180.3	59.5	0	27345.972	576.344086	15819.04167	30000	0	0	30000	40.5	2004
11.02.2020 14:16:20	1	1	1	1	180.3	60.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	40.25	2004
11.02.2020 14:16:21	1	1	1	1	180	60.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	40.5625	2004
11.02.2020 14:16:22	1	1	1	1	180	60.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.6875	2004
11.02.2020 14:16:23	1	1	1	1	180	60.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.8125	2004
11.02.2020 14:16:24	1	1	1	1	180	60.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40.5625	2004
11.02.2020 14:16:25	1	1	1	1	180	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:16:26	1	1	1	1	180	60.25	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	40.6875	2004
11.02.2020 14:16:27	1	1	1	1	180	60.5	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	39.875	2004
11.02.2020 14:16:28	1	1	1	1	180	59.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	39.625	2004
11.02.2020 14:16:29	1	1	1	1	180	59.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.25	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:37	1	1	1	1	180.8	60.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:38	1	1	1	1	180.8	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:16:39	1	1	1	1	180.8	60.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.1875	2004
11.02.2020 14:16:40	1	1	1	1	180.8	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.4375	2004
11.02.2020 14:16:41	1	1	1	1	181	60.75	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	40.4375	2004
11.02.2020 14:16:42	1	1	1	1	181	60.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	39.875	2004
11.02.2020 14:16:43	1	1	1	1	181	59.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.6875	2004
11.02.2020 14:16:44	1	1	1	1	181	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.8125	2004
11.02.2020 14:16:45	1	1	1	1	181	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.3125	2004
11.02.2020 14:16:46	1	1	1	1	181	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.375	2004
11.02.2020 14:16:47	1	1	1	1	181	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5	2004
11.02.2020 14:16:48	1	1	1	1	181	60.5	0	27345.972	589.2473118	16345.77229	30000	0	0	30000	40.4375	2004
11.02.2020 14:16:49	1	1	1	1	181	60.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	39.375	2004
11.02.2020 14:16:50	1	1	1	1	181	59.25	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	40.5625	2004
11.02.2020 14:16:51	1	1	1	1	180.3	60.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.5625	2004
11.02.2020 14:16:52	1	1	1	1	180.3	60.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	40.5	2004
11.02.2020 14:16:53	1	1	1	1	180.3	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.5	2004
11.02.2020 14:16:54	1	1	1	1	180.3	60.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	40.125	2004
11.02.2020 14:16:55	1	1	1	1	180.3	60	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40.375	2004
11.02.2020 14:16:56	1	1	1	1	180.3	60.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	39.6875	2004
11.02.2020 14:16:57	1	1	1	1	180.3	59.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.25	2004
11.02.2020 14:16:58	1	1	1	1	180.3	60.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.375	2004
11.02.2020 14:16:59	1	1	1	1	180.3	60.25	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	40.8125	2004
11.02.2020 14:17:00	1	1	1	1	180.3	60.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.125	2004
11.02.2020 14:17:01	1	1	1	1	180.3	60	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	40.625	2004
11.02.2020 14:17:02	1	1	1	1	180.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.875	2004
11.02.2020 14:17:03	1	1	1	1	180.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:17:04	1	1	1	1	180.3	60	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.625	2004
11.02.2020 14:17:05	1	1	1	1	180.3	60.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	40.125	2004
11.02.2020 14:17:06	1	1	1	1	180.3	60	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40.0625	2004
11.02.2020 14:17:07	1	1	1	1	180.3	60	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.5625	2004
11.02.2020 14:17:08	1	1	1	1	180.3	60.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.5	2004
11.02.2020 14:17:10	1	1	1	1	180.3	60.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	40.625	2004
11.02.2020 14:17:11	1	1	1	1	180.3	60.5	0	27014.218	587.0967742	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:17:12	1	1	1	1	179.8	60.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	39.625	2004
11.02.2020 14:17:13	1	1	1	1	179.8	59.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.1875	2004
11.02.2020 14:17:14	1	1	1	1	179.8	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.375	2004
11.02.2020 14:17:15	1	1	1	1	179.8	60.25	0	27061.611	580.6451613	15915.25562	30000	0	0	30000	41	2004
11.02.2020 14:17:16	1	1	1	1	179.8	61	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	40.8125	2004
11.02.2020 14:17:17	1	1	1	1	179.8	60.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:17:18	1	1	1	1	179.8	60.5	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	41	2004
11.02.2020 14:17:19	1	1	1	1	179.8	60.5	0	27535.545	584.9462366	16015.54644	30000	0	0	30000	40.5625	2004
11.02.2020 14:17:20	1	1	1	1	179.8	60.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	39.875	2004
11.02.2020 14:17:21	1	1	1	1	180.3	59.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	40.625	2004
11.02.2020 14:17:22	1	1	1	1	180.3	60.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.3125	2004
11.02.2020 14:17:23	1	1	1	1	180.3	60.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.8125	2004
11.02.2020 14:17:24	1	1	1	1	180.3	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40	2004
11.02.2020 14:17:25	1	1	1	1	180.3	60	0	27156.398	582.7956989	15909.54801	30000	0	0	30000	40.5	2004
11.02.2020 14:17:26	1	1	1	1	180.3	60.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	39.75	2004
11.02.2020 14:17:27	1	1	1	1	180.3	59.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.4375	2004
11.02.2020 14:17:28	1	1	1	1	180.3	60.25	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	40.4375	2004
11.02.2020 14:17:29	1	1	1	1	180.3	60.25	0	27014.218	584.9462366	15887.53295	30000	0	0	30000	40.75	2004
11.02.2020 14:17:30	1	1	1	1	180.3	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.3125	2004
11.02.2020 14:17:31	1	1	1	1	180	60.25	0	27156.398	584.9462366	15915.25562	30000	0	0	30000	40.1875	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:17:39	1	1	1	1	180	60.25	0	27440.758	582.7956989	16075.06863	30000	0	0	30000	40	2004
11.02.2020 14:17:40	1	1	1	1	180	60	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.3125	2004
11.02.2020 14:17:41	1	1	1	1	180	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.6875	2004
11.02.2020 14:17:42	1	1	1	1	180	60.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	40.375	2004
11.02.2020 14:17:43	1	1	1	1	180	60.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.5625	2004
11.02.2020 14:17:44	1	1	1	1	180	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.25	2004
11.02.2020 14:17:45	1	1	1	1	180	60.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	40.5625	2004
11.02.2020 14:17:46	1	1	1	1	180	60.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	40.5	2004
11.02.2020 14:17:47	1	1	1	1	180	60.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.625	2004
11.02.2020 14:17:49	1	1	1	1	180	60.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.5	2004
11.02.2020 14:17:50	1	1	1	1	180	60.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.125	2004
11.02.2020 14:17:51	1	1	1	1	180	60	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.375	2004
11.02.2020 14:17:52	1	1	1	1	180	60.25	0	27582.938	584.9462366	16280.54249	30000	0	0	30000	40.125	2004
11.02.2020 14:17:53	1	1	1	1	180	60	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.8125	2004
11.02.2020 14:17:54	1	1	1	1	180	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.625	2004
11.02.2020 14:17:55	1	1	1	1	180	60.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41	2004
11.02.2020 14:17:56	1	1	1	1	180	61	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40	2004
11.02.2020 14:17:57	1	1	1	1	180	60	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	40.25	2004
11.02.2020 14:17:58	1	1	1	1	180	60.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	40.625	2004
11.02.2020 14:17:59	1	1	1	1	180	60.5	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	40.5	2004
11.02.2020 14:18:00	1	1	1	1	180	60.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.875	2004
11.02.2020 14:18:01	1	1	1	1	179.8	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:18:02	1	1	1	1	179.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:18:03	1	1	1	1	179.8	60.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:04	1	1	1	1	179.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
11.02.2020 14:18:05	1	1	1	1	179.8	60	0	27772.512	578.4946237	16153.34439	30000	0	0	30000	40.6875	2004
11.02.2020 14:18:06	1	1	1	1	179.8	60.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.0625	2004
11.02.2020 14:18:07	1	1	1	1	179.8	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.3125	2004
11.02.2020 14:18:08	1	1	1	1	179.8	60.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	40.625	2004
11.02.2020 14:18:09	1	1	1	1	179.8	60.5	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	40.6875	2004
11.02.2020 14:18:10	1	1	1	1	179.8	60.5	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	40.375	2004
11.02.2020 14:18:11	1	1	1	1	179.5	60.25	0	27630.332	582.7956989	16280.54249	30000	0	0	30000	40.625	2004
11.02.2020 14:18:12	1	1	1	1	179.5	60.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	39.125	2004
11.02.2020 14:18:13	1	1	1	1	179.5	59	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	40.25	2004
11.02.2020 14:18:14	1	1	1	1	179.5	60.25	0	27582.938	582.7956989	15956.02424	30000	0	0	30000	40.0625	2004
11.02.2020 14:18:15	1	1	1	1	179.5	60	0	27630.332	582.7956989	16185.14391	30000	0	0	30000	40.625	2004
11.02.2020 14:18:16	1	1	1	1	179.5	60.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	39.8125	2004
11.02.2020 14:18:17	1	1	1	1	179.5	59.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:18	1	1	1	1	179.5	60.25	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	40.625	2004
11.02.2020 14:18:19	1	1	1	1	179.5	60.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:20	1	1	1	1	179.5	60.25	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	40.25	2004
11.02.2020 14:18:21	1	1	1	1	179	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.5	2004
11.02.2020 14:18:22	1	1	1	1	179	60.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	40.625	2004
11.02.2020 14:18:23	1	1	1	1	179	60.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
11.02.2020 14:18:24	1	1	1	1	179	60.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	40.75	2004
11.02.2020 14:18:26	1	1	1	1	179	60.75	0	27819.905	580.6451613	15973.96244	30000	0	0	30000	40.625	2004
11.02.2020 14:18:27	1	1	1	1	179	60.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:28	1	1	1	1	179	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.3125	2004
11.02.2020 14:18:29	1	1	1	1	179	60.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:30	1	1	1	1	179	60.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:31	1	1	1	1	179	60.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.625	2004
11.02.2020 14:18:32	1	1	1	1	179	60.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.25	2004
11.02.2020 14:18:33	1	1	1	1	179	60.25	0	27725.118	580.6451613	16102.79129	30000	0	0	30000	40.8125	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:41	1	1	1	1	179	59.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:42	1	1	1	1	179	60.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.625	2004
11.02.2020 14:18:43	1	1	1	1	179	60.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:44	1	1	1	1	179	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
11.02.2020 14:18:45	1	1	1	1	179	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:18:46	1	1	1	1	179	60.5	0	27630.332	582.7956989	16221.0203	30000	0	0	30000	40.375	2004
11.02.2020 14:18:47	1	1	1	1	179	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
11.02.2020 14:18:48	1	1	1	1	179	59.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.25	2004
11.02.2020 14:18:49	1	1	1	1	179	60.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	40.875	2004
11.02.2020 14:18:50	1	1	1	1	179	60.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:51	1	1	1	1	178.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:52	1	1	1	1	178.8	60.25	0	27535.545	576.344086	15956.02424	30000	0	0	30000	40.75	2004
11.02.2020 14:18:53	1	1	1	1	178.8	60.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	40.625	2004
11.02.2020 14:18:54	1	1	1	1	178.8	60.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.5	2004
11.02.2020 14:18:55	1	1	1	1	178.8	60.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	40.6875	2004
11.02.2020 14:18:56	1	1	1	1	178.8	60.5	0	27630.332	587.0967742	15987.82377	30000	0	0	30000	40.4375	2004
11.02.2020 14:18:57	1	1	1	1	178.8	60.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	40.5625	2004
11.02.2020 14:18:58	1	1	1	1	178.8	60.5	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	40.5	2004
11.02.2020 14:18:59	1	1	1	1	178.8	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5	2004
11.02.2020 14:19:00	1	1	1	1	178.8	60.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.125	2004
11.02.2020 14:19:01	1	1	1	1	179.3	60	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.6875	2004
11.02.2020 14:19:02	1	1	1	1	179.3	60.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.125	2004
11.02.2020 14:19:03	1	1	1	1	179.3	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.125	2004
11.02.2020 14:19:04	1	1	1	1	179.3	60	0	27962.085	567.7419355	16203.08211	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:06	1	1	1	1	179.3	60.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.5	2004
11.02.2020 14:19:07	1	1	1	1	179.3	60.5	0	27725.118	576.344086	16093.00682	30000	0	0	30000	40.625	2004
11.02.2020 14:19:08	1	1	1	1	179.3	60.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:09	1	1	1	1	179.3	60.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:10	1	1	1	1	179.3	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	40.6875	2004
11.02.2020 14:19:11	1	1	1	1	179.3	60.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.125	2004
11.02.2020 14:19:12	1	1	1	1	179.5	60	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.125	2004
11.02.2020 14:19:13	1	1	1	1	179.5	60	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	40	2004
11.02.2020 14:19:14	1	1	1	1	179.5	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
11.02.2020 14:19:15	1	1	1	1	179.5	61	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:16	1	1	1	1	179.5	60.5	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	40.125	2004
11.02.2020 14:19:17	1	1	1	1	179.5	60	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:18	1	1	1	1	179.5	60.5	0	27867.299	578.4946237	15941.34754	30000	0	0	30000	40.4375	2004
11.02.2020 14:19:19	1	1	1	1	179.5	60.25	0	27772.512	576.344086	15978.85467	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:20	1	1	1	1	179.5	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.25	2004
11.02.2020 14:19:21	1	1	1	1	180.3	60.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.4375	2004
11.02.2020 14:19:22	1	1	1	1	180.3	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	39.9375	2004
11.02.2020 14:19:23	1	1	1	1	180.3	59.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.625	2004
11.02.2020 14:19:24	1	1	1	1	180.3	60.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	40.25	2004
11.02.2020 14:19:25	1	1	1	1	180.3	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.6875	2004
11.02.2020 14:19:26	1	1	1	1	180.3	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.375	2004
11.02.2020 14:19:27	1	1	1	1	180.3	60.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.5	2004
11.02.2020 14:19:28	1	1	1	1	180.3	60.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	40.5	2004
11.02.2020 14:19:29	1	1	1	1	180.3	60.5	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	40.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:19:30	1	1	1	1	180.3	60.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.75	2004
11.02.2020 14:19:31	1	1	1	1	180.3	60.75	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:32	1	1	1	1	180.3	60.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	40.375	2004
11.02.2020 14:19:33	1	1	1	1	180.3	60.25	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	40.4375	2004
11.02.2020 14:19:34	1	1	1	1	180.3	60.25	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	40.375	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:42	1	1	1	1	179.8	60.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	40.25	2004
11.02.2020 14:19:44	1	1	1	1	179.8	60.25	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	40.625	2004
11.02.2020 14:19:45	1	1	1	1	179.8	60.5	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	40.4375	2004
11.02.2020 14:19:46	1	1	1	1	179.8	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.625	2004
11.02.2020 14:19:47	1	1	1	1	179.8	60.5	0	27962.085	576.344086	16082.40698	30000	0	0	30000	40.375	2004
11.02.2020 14:19:48	1	1	1	1	179.8	60.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:49	1	1	1	1	179.8	60.5	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	40.625	2004
11.02.2020 14:19:50	1	1	1	1	179.8	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.375	2004
11.02.2020 14:19:51	1	1	1	1	179.8	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.625	2004
11.02.2020 14:19:52	1	1	1	1	179.5	60.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41	2004
11.02.2020 14:19:53	1	1	1	1	179.5	61	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	40.4375	2004
11.02.2020 14:19:54	1	1	1	1	179.5	60.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	40.625	2004
11.02.2020 14:19:55	1	1	1	1	179.5	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.3125	2004
11.02.2020 14:19:56	1	1	1	1	179.5	60.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:57	1	1	1	1	179.5	60.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.5625	2004
11.02.2020 14:19:58	1	1	1	1	179.5	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	40.6875	2004
11.02.2020 14:19:59	1	1	1	1	179.5	60.5	0	27867.299	576.344086	16088.11459	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:00	1	1	1	1	179.5	60.25	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	39.75	2004
11.02.2020 14:20:01	1	1	1	1	179.3	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:20:02	1	1	1	1	179.3	60.5	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:03	1	1	1	1	179.3	60.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.25	2004
11.02.2020 14:20:04	1	1	1	1	179.3	60.25	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:05	1	1	1	1	179.3	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:20:06	1	1	1	1	179.3	60.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:07	1	1	1	1	179.3	60.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	40.25	2004
11.02.2020 14:20:08	1	1	1	1	179.3	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.6875	2004
11.02.2020 14:20:09	1	1	1	1	179.3	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:10	1	1	1	1	179.3	60.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.8125	2004
11.02.2020 14:20:11	1	1	1	1	178.5	60.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	40.125	2004
11.02.2020 14:20:12	1	1	1	1	178.5	60	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	40.625	2004
11.02.2020 14:20:13	1	1	1	1	178.5	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:20:14	1	1	1	1	178.5	60.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.625	2004
11.02.2020 14:20:15	1	1	1	1	178.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:16	1	1	1	1	178.5	60.25	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:17	1	1	1	1	178.5	60.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:18	1	1	1	1	178.5	60.25	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	39.75	2004
11.02.2020 14:20:19	1	1	1	1	178.5	59.75	0	27962.085	576.344086	16088.11459	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:20	1	1	1	1	178.5	60.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.75	2004
11.02.2020 14:20:21	1	1	1	1	179	60.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	39.8125	2004
11.02.2020 14:20:23	1	1	1	1	179	59.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.75	2004
11.02.2020 14:20:24	1	1	1	1	179	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:25	1	1	1	1	179	60.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	40.625	2004
11.02.2020 14:20:26	1	1	1	1	179	60.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:27	1	1	1	1	179	60.25	0	27914.692	572.0430108	16263.41967	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:28	1	1	1	1	179	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.9375	2004
11.02.2020 14:20:29	1	1	1	1	179	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.875	2004
11.02.2020 14:20:30	1	1	1	1	179	60.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.5	2004
11.02.2020 14:20:31	1	1	1	1	179	60.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.0625	2004
11.02.2020 14:20:32	1	1	1	1	178.3	60	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	40.5	2004
11.02.2020 14:20:33	1	1	1	1	178.3	60.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:34	1	1	1	1	178.3	60.5	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	40.75	2004
11.02.2020 14:20:35	1	1	1	1	178.3	60.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	40.6875	2004
11.02.2020 14:20:36	1	1	1	1	178.3	60.5	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	40.625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:43	1	1	1	1	178	60.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:44	1	1	1	1	178	60.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	40.5	2004
11.02.2020 14:20:45	1	1	1	1	178	60.5	0	28341.232	565.5913978	15948.68589	30000	0	0	30000	40.6875	2004
11.02.2020 14:20:46	1	1	1	1	178	60.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	40.375	2004
11.02.2020 14:20:47	1	1	1	1	178	60.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:48	1	1	1	1	178	60.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	40.25	2004
11.02.2020 14:20:49	1	1	1	1	178	60.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.4375	2004
11.02.2020 14:20:50	1	1	1	1	178	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.3125	2004
11.02.2020 14:20:51	1	1	1	1	177.8	60.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:52	1	1	1	1	177.8	60.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.5	2004
11.02.2020 14:20:53	1	1	1	1	177.8	60.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	40.625	2004
11.02.2020 14:20:54	1	1	1	1	177.8	60.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	40.5	2004
11.02.2020 14:20:55	1	1	1	1	177.8	60.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.75	2004
11.02.2020 14:20:56	1	1	1	1	177.8	59.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.5625	2004
11.02.2020 14:20:57	1	1	1	1	177.8	60.5	0	28483.412	554.8387097	15803.54959	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:20:58	1	1	1	1	177.8	60.25	0	28625.592	556.9892473	16297.66532	30000	0	0	30000	40.75	2004
11.02.2020 14:20:59	1	1	1	1	177.8	60.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:01	1	1	1	1	177.8	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5	2004
11.02.2020 14:21:02	1	1	1	1	177	60.5	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:03	1	1	1	1	177	60.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.375	2004
11.02.2020 14:21:04	1	1	1	1	177	60.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:05	1	1	1	1	177	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:06	1	1	1	1	177	60.5	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	40.375	2004
11.02.2020 14:21:07	1	1	1	1	177	60.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.8125	2004
11.02.2020 14:21:08	1	1	1	1	177	60.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.625	2004
11.02.2020 14:21:09	1	1	1	1	177	60.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.875	2004
11.02.2020 14:21:10	1	1	1	1	177	60.75	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:11	1	1	1	1	177.5	60.25	0	28341.232	569.8924731	15841.8721	30000	0	0	30000	40.5	2004
11.02.2020 14:21:12	1	1	1	1	177.5	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.75	2004
11.02.2020 14:21:13	1	1	1	1	177.5	60.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.625	2004
11.02.2020 14:21:14	1	1	1	1	177.5	60.5	0	27962.085	574.1935484	15875.30237	30000	0	0	30000	40.375	2004
11.02.2020 14:21:15	1	1	1	1	177.5	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.8125	2004
11.02.2020 14:21:16	1	1	1	1	177.5	60.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	40.3125	2004
11.02.2020 14:21:17	1	1	1	1	177.5	60.25	0	28341.232	565.5913978	15846.76433	30000	0	0	30000	40.8125	2004
11.02.2020 14:21:18	1	1	1	1	177.5	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:19	1	1	1	1	177.5	60.5	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:20	1	1	1	1	177.5	60.5	0	27962.085	569.8924731	16263.41967	30000	0	0	30000	40.625	2004
11.02.2020 14:21:21	1	1	1	1	177.3	60.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	40.4375	2004
11.02.2020 14:21:22	1	1	1	1	177.3	60.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:23	1	1	1	1	177.3	60.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40	2004
11.02.2020 14:21:24	1	1	1	1	177.3	60	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.125	2004
11.02.2020 14:21:25	1	1	1	1	177.3	60	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:26	1	1	1	1	177.3	60.5	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	40.1875	2004
11.02.2020 14:21:27	1	1	1	1	177.3	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
11.02.2020 14:21:28	1	1	1	1	177.3	60.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:29	1	1	1	1	177.3	60.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:30	1	1	1	1	177.3	60.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.5	2004
11.02.2020 14:21:31	1	1	1	1	176	60.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	40.3125	2004
11.02.2020 14:21:32	1	1	1	1	176	60.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.3125	2004
11.02.2020 14:21:33	1	1	1	1	176	60.25	0	27867.299	567.7419355	15794.58049	30000	0	0	30000	40.75	2004
11.02.2020 14:21:34	1	1	1	1	176	60.75	0	27914.692	576.344086	15854.10268	30000	0	0	30000	40.4375	2004
11.02.2020 14:21:35	1	1	1	1	176	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.5	2004
11.02.2020 14:21:36	1	1	1	1	176	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.375	2004
11.02.2020 14:21:37	1	1	1	1	176	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:45	1	1	1	1	176	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.75	2004
11.02.2020 14:21:46	1	1	1	1	176	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.6875	2004
11.02.2020 14:21:47	1	1	1	1	176	60.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.375	2004
11.02.2020 14:21:48	1	1	1	1	176	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.9375	2004
11.02.2020 14:21:49	1	1	1	1	176	60.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	40.1875	2004
11.02.2020 14:21:50	1	1	1	1	176	60	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:21:51	1	1	1	1	176.5	61	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	40.8125	2004
11.02.2020 14:21:52	1	1	1	1	176.5	60.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	40.625	2004
11.02.2020 14:21:53	1	1	1	1	176.5	60.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.5625	2004
11.02.2020 14:21:54	1	1	1	1	176.5	60.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.375	2004
11.02.2020 14:21:55	1	1	1	1	176.5	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	39.5625	2004
11.02.2020 14:21:56	1	1	1	1	176.5	59.5	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	40	2004
11.02.2020 14:21:57	1	1	1	1	176.5	60	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.375	2004
11.02.2020 14:21:58	1	1	1	1	176.5	60.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.5	2004
11.02.2020 14:21:59	1	1	1	1	176.5	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.125	2004
11.02.2020 14:22:00	1	1	1	1	176.5	60	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	40.125	2004
11.02.2020 14:22:01	1	1	1	1	176	60	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:02	1	1	1	1	176	60.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	40.75	2004
11.02.2020 14:22:03	1	1	1	1	176	60.75	0	28483.412	563.4408602	16101.97592	30000	0	0	30000	40.5	2004
11.02.2020 14:22:04	1	1	1	1	176	60.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	40.375	2004
11.02.2020 14:22:05	1	1	1	1	176	60.25	0	28199.052	569.8924731	15902.20966	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:09	1	1	1	1	176	60.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.4375	2004
11.02.2020 14:22:09	1	1	1	1	176	60.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.4375	2004
11.02.2020 14:22:09	1	1	1	1	176	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.625	2004
11.02.2020 14:22:10	1	1	1	1	176	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.625	2004
11.02.2020 14:22:11	1	1	1	1	175.8	60.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.4375	2004
11.02.2020 14:22:12	1	1	1	1	175.8	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.1875	2004
11.02.2020 14:22:13	1	1	1	1	175.8	60	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	40.625	2004
11.02.2020 14:22:14	1	1	1	1	175.8	60.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	40.375	2004
11.02.2020 14:22:15	1	1	1	1	175.8	60.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	40.375	2004
11.02.2020 14:22:17	1	1	1	1	175.8	60.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	40.75	2004
11.02.2020 14:22:18	1	1	1	1	175.8	60.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:19	1	1	1	1	175.8	60.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.5	2004
11.02.2020 14:22:20	1	1	1	1	175.8	60.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:21	1	1	1	1	175.8	60.5	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	40.5625	2004
11.02.2020 14:22:22	1	1	1	1	175.8	60.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.5625	2004
11.02.2020 14:22:23	1	1	1	1	175.8	60.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.75	2004
11.02.2020 14:22:24	1	1	1	1	175.8	60.75	0	28199.052	559.1397849	16009.83883	30000	0	0	30000	40.5	2004
11.02.2020 14:22:25	1	1	1	1	175.8	60.5	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:26	1	1	1	1	175.8	60.5	0	28009.479	567.7419355	15668.19776	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:22:27	1	1	1	1	175.8	61	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:28	1	1	1	1	175.8	60.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
11.02.2020 14:22:29	1	1	1	1	175.8	60.75	0	28293.839	559.1397849	15706.52026	30000	0	0	30000	40.75	2004
11.02.2020 14:22:30	1	1	1	1	175.8	60.75	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:31	1	1	1	1	176	60.5	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	40.5	2004
11.02.2020 14:22:32	1	1	1	1	176	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.1875	2004
11.02.2020 14:22:33	1	1	1	1	176	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.375	2004
11.02.2020 14:22:34	1	1	1	1	176	60.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.125	2004
11.02.2020 14:22:35	1	1	1	1	176	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5	2004
11.02.2020 14:22:36	1	1	1	1	176	60.5	0	27819.905	576.344086	15745.65814	30000	0	0	30000	40.0625	2004
11.02.2020 14:22:37	1	1	1	1	176	60	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:38	1	1	1	1	176	60.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	40.5625	2004
11.02.2020 14:22:39	1	1	1	1	176	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.875	2004
11.02.2020 14:22:47	1	1	1	1	175	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.875	2004
11.02.2020 14:22:48	1	1	1	1	175	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.5	2004
11.02.2020 14:22:49	1	1	1	1	175	60.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	40.5	2004
11.02.2020 14:22:50	1	1	1	1	175	60.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	40.0625	2004
11.02.2020 14:22:51	1	1	1	1	174.5	60	0	27630.332	576.344086	15956.02424	30000	0	0	30000	40.125	2004
11.02.2020 14:22:52	1	1	1	1	174.5	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:53	1	1	1	1	174.5	60.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.5	2004
11.02.2020 14:22:54	1	1	1	1	174.5	60.5	0	27582.938	576.344086	15873.67162	30000	0	0	30000	40.75	2004
11.02.2020 14:22:56	1	1	1	1	174.5	60.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.3125	2004
11.02.2020 14:22:57	1	1	1	1	174.5	60.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.6875	2004
11.02.2020 14:22:58	1	1	1	1	174.5	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.5625	2004
11.02.2020 14:22:59	1	1	1	1	174.5	60.5	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	40.6875	2004
11.02.2020 14:23:00	1	1	1	1	174.5	60.5	0	27725.118	576.344086	16038.37687	30000	0	0	30000	39.875	2004
11.02.2020 14:23:01	1	1	1	1	174.5	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.75	2004
11.02.2020 14:23:02	1	1	1	1	174.5	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:23:03	1	1	1	1	174.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
11.02.2020 14:23:04	1	1	1	1	174.5	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:23:05	1	1	1	1	174.5	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.3125	2004
11.02.2020 14:23:06	1	1	1	1	174.5	60.25	0	27819.905	582.7956989	16273.20414	30000	0	0	30000	40.75	2004
11.02.2020 14:23:07	1	1	1	1	174.5	60.75	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	40	2004
11.02.2020 14:23:08	1	1	1	1	174.5	60	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.375	2004
11.02.2020 14:23:09	1	1	1	1	174.5	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:23:10	1	1	1	1	174.5	60.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:23:11	1	1	1	1	174.3	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.6875	2004
11.02.2020 14:23:12	1	1	1	1	174.3	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:13	1	1	1	1	174.3	60.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.875	2004
11.02.2020 14:23:14	1	1	1	1	174.3	60.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	40.375	2004
11.02.2020 14:23:15	1	1	1	1	174.3	60.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.75	2004
11.02.2020 14:23:16	1	1	1	1	174.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
11.02.2020 14:23:17	1	1	1	1	174.3	60.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.75	2004
11.02.2020 14:23:18	1	1	1	1	174.3	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.75	2004
11.02.2020 14:23:19	1	1	1	1	174.3	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.75	2004
11.02.2020 14:23:20	1	1	1	1	174.3	60.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	40.75	2004
11.02.2020 14:23:21	1	1	1	1	173.5	60.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	40.75	2004
11.02.2020 14:23:22	1	1	1	1	173.5	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.5625	2004
11.02.2020 14:23:23	1	1	1	1	173.5	60.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	40.125	2004
11.02.2020 14:23:24	1	1	1	1	173.5	60	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	40.6875	2004
11.02.2020 14:23:25	1	1	1	1	173.5	60.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:26	1	1	1	1	173.5	60.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.4375	2004
11.02.2020 14:23:27	1	1	1	1	173.5	60.25	0	27630.332	574.1935484	16043.2691	30000	0	0	30000	40.6875	2004
11.02.2020 14:23:28	1	1	1	1	173.5	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:23:29	1	1	1	1	173.5	60.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41	2004
11.02.2020 14:23:30	1	1	1	1	173.5	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.75	2004
11.02.2020 14:23:31	1	1	1	1	173.8	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:32	1	1	1	1	173.8	60.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	40.625	2004
11.02.2020 14:23:34	1	1	1	1	173.8	60.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
11.02.2020 14:23:35	1	1	1	1	173.8	59.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:23:36	1	1	1	1	173.8	60.75	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	40.875	2004
11.02.2020 14:23:37	1	1	1	1	173.8	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.625	2004
11.02.2020 14:23:38	1	1	1	1	173.8	60.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.875	2004
11.02.2020 14:23:39	1	1	1	1	173.8	60.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	40.5625	2004
11.02.2020 14:23:40	1	1	1	1	173.8	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
11.02.2020 14:23:41	1	1	1	1	173.8	60.75	0	27725.118	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:48	1	1	1	1	174	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:49	1	1	1	1	174	60.75	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	40.0625	2004
11.02.2020 14:23:50	1	1	1	1	174	60	0	27914.692	576.344086	16055.49969	30000	0	0	30000	40.6875	2004
11.02.2020 14:23:51	1	1	1	1	174.5	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.625	2004
11.02.2020 14:23:52	1	1	1	1	174.5	60.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.875	2004
11.02.2020 14:23:53	1	1	1	1	174.5	60.75	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.625	2004
11.02.2020 14:23:54	1	1	1	1	174.5	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:23:55	1	1	1	1	174.5	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.4375	2004
11.02.2020 14:23:56	1	1	1	1	174.5	60.25	0	27962.085	574.1935484	15934.82456	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:57	1	1	1	1	174.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.8125	2004
11.02.2020 14:23:58	1	1	1	1	174.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
11.02.2020 14:23:59	1	1	1	1	174.5	61	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	40.4375	2004
11.02.2020 14:24:00	1	1	1	1	174.5	60.25	0	27819.905	576.344086	16006.57734	30000	0	0	30000	40.125	2004
11.02.2020 14:24:01	1	1	1	1	174.8	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.3125	2004
11.02.2020 14:24:02	1	1	1	1	174.8	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.75	2004
11.02.2020 14:24:03	1	1	1	1	174.8	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.25	2004
11.02.2020 14:24:04	1	1	1	1	174.8	60.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	40.375	2004
11.02.2020 14:24:05	1	1	1	1	174.8	60.25	0	27725.118	576.344086	15924.22472	30000	0	0	30000	40.375	2004
11.02.2020 14:24:06	1	1	1	1	174.8	60.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.4375	2004
11.02.2020 14:24:07	1	1	1	1	174.8	60.25	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	40.4375	2004
11.02.2020 14:24:08	1	1	1	1	174.8	60.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.5625	2004
11.02.2020 14:24:09	1	1	1	1	174.8	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.1875	2004
11.02.2020 14:24:10	1	1	1	1	174.8	60	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.8125	2004
11.02.2020 14:24:11	1	1	1	1	174.5	60.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41	2004
11.02.2020 14:24:12	1	1	1	1	174.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
11.02.2020 14:24:13	1	1	1	1	174.5	60.75	0	27440.758	591.3978495	16051.42282	30000	0	0	30000	39.75	2004
11.02.2020 14:24:15	1	1	1	1	174.5	59.75	0	27535.545	576.344086	15897.31742	30000	0	0	30000	40.5	2004
11.02.2020 14:24:16	1	1	1	1	174.5	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.875	2004
11.02.2020 14:24:17	1	1	1	1	174.5	60.75	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	39.6875	2004
11.02.2020 14:24:18	1	1	1	1	174.5	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.375	2004
11.02.2020 14:24:19	1	1	1	1	174.5	60.25	0	28009.479	576.344086	15934.82456	30000	0	0	30000	40.625	2004
11.02.2020 14:24:20	1	1	1	1	174.5	60.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	40.6875	2004
11.02.2020 14:24:21	1	1	1	1	174.5	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.375	2004
11.02.2020 14:24:22	1	1	1	1	174	60.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	40.375	2004
11.02.2020 14:24:23	1	1	1	1	174	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.75	2004
11.02.2020 14:24:24	1	1	1	1	174	60.75	0	27488.152	582.7956989	16051.42282	30000	0	0	30000	40.875	2004
11.02.2020 14:24:25	1	1	1	1	174	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.5	2004
11.02.2020 14:24:26	1	1	1	1	174	60.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.5625	2004
11.02.2020 14:24:27	1	1	1	1	174	60.5	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	39.5	2004
11.02.2020 14:24:28	1	1	1	1	174	59.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	40.6875	2004
11.02.2020 14:24:29	1	1	1	1	174	60.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:30	1	1	1	1	174	60.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:31	1	1	1	1	173.8	60.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	40.75	2004
11.02.2020 14:24:32	1	1	1	1	173.8	60.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:33	1	1	1	1	173.8	60.75	0	27962.085	582.7956989	16296.03457	30000	0	0	30000	40.4375	2004
11.02.2020 14:24:34	1	1	1	1	173.8	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.75	2004
11.02.2020 14:24:35	1	1	1	1	173.8	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.875	2004
11.02.2020 14:24:36	1	1	1	1	173.8	60.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	40.625	2004
11.02.2020 14:24:37	1	1	1	1	173.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
11.02.2020 14:24:38	1	1	1	1	173.8	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:24:39	1	1	1	1	173.8	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.375	2004
11.02.2020 14:24:40	1	1	1	1	173.8	60.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:41	1	1	1	1	174	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.8125	2004
11.02.2020 14:24:42	1	1	1	1	174	60.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	40.9375	2004
11.02.2020 14:24:50	1	1	1	1	174	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.75	2004
11.02.2020 14:24:51	1	1	1	1	173.5	60.75	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	40.1875	2004
11.02.2020 14:24:53	1	1	1	1	173.5	60	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.8125	2004
11.02.2020 14:24:54	1	1	1	1	173.5	60.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	40.75	2004
11.02.2020 14:24:55	1	1	1	1	173.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
11.02.2020 14:24:56	1	1	1	1	173.5	60.75	0	27772.512	580.6451613	15864.70252	30000	0	0	30000	40.6875	2004
11.02.2020 14:24:57	1	1	1	1	173.5	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.5	2004
11.02.2020 14:24:58	1	1	1	1	173.5	60.5	0	27867.299	576.344086	16093.00682	30000	0	0	30000	40.125	2004
11.02.2020 14:24:59	1	1	1	1	173.5	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
11.02.2020 14:25:00	1	1	1	1	173.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
11.02.2020 14:25:01	1	1	1	1	173.5	60.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	40.8125	2004
11.02.2020 14:25:02	1	1	1	1	173.8	60.75	0	27819.905	578.4946237	15924.22472	30000	0	0	30000	41.0625	2004
11.02.2020 14:25:03	1	1	1	1	173.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
11.02.2020 14:25:04	1	1	1	1	173.8	60.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.1875	2004
11.02.2020 14:25:05	1	1	1	1	173.8	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.1875	2004
11.02.2020 14:25:06	1	1	1	1	173.8	60.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.875	2004
11.02.2020 14:25:07	1	1	1	1	173.8	60.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41	2004
11.02.2020 14:25:08	1	1	1	1	173.8	61	0	27914.692	576.344086	16000.86973	30000	0	0	30000	40.5	2004
11.02.2020 14:25:09	1	1	1	1	173.8	60.5	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	40.5	2004
11.02.2020 14:25:10	1	1	1	1	173.8	60.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	40.375	2004
11.02.2020 14:25:11	1	1	1	1	174	60.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.875	2004
11.02.2020 14:25:12	1	1	1	1	174	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.75	2004
11.02.2020 14:25:13	1	1	1	1	174	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.5	2004
11.02.2020 14:25:14	1	1	1	1	174	60.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	40.6875	2004
11.02.2020 14:25:15	1	1	1	1	174	60.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:25:16	1	1	1	1	174	60.75	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	40.25	2004
11.02.2020 14:25:17	1	1	1	1	174	60.25	0	27440.758	578.4946237	16047.34596	30000	0	0	30000	40.5	2004
11.02.2020 14:25:18	1	1	1	1	174	60.5	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	40.8125	2004
11.02.2020 14:25:19	1	1	1	1	174	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.875	2004
11.02.2020 14:25:20	1	1	1	1	174	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.875	2004
11.02.2020 14:25:21	1	1	1	1	173.8	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.875	2004
11.02.2020 14:25:22	1	1	1	1	173.8	60.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:25:23	1	1	1	1	173.8	60.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	40.6875	2004
11.02.2020 14:25:24	1	1	1	1	173.8	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
11.02.2020 14:25:25	1	1	1	1	173.8	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:25:26	1	1	1	1	173.8	60.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	40.5	2004
11.02.2020 14:25:27	1	1	1	1	173.8	60.5	0	27535.545	576.344086	15869.59476	30000	0	0	30000	40.3125	2004
11.02.2020 14:25:28	1	1	1	1	173.8	60.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	40.75	2004
11.02.2020 14:25:29	1	1	1	1	173.8	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.0625	2004
11.02.2020 14:25:30	1	1	1	1	173.8	60	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.625	2004
11.02.2020 14:25:31	1	1	1	1	174	60.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.375	2004
11.02.2020 14:25:33	1	1	1	1	174	60.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	40.75	2004
11.02.2020 14:25:34	1	1	1	1	174	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.75	2004
11.02.2020 14:25:35	1	1	1	1	174	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.875	2004
11.02.2020 14:25:36	1	1	1	1	174	60.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	40.125	2004
11.02.2020 14:25:37	1	1	1	1	174	60	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.8125	2004
11.02.2020 14:25:38	1	1	1	1	174	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.125	2004
11.02.2020 14:25:39	1	1	1	1	174	60	0	27582.938	576.344086	15897.31742	30000	0	0	30000	40.5625	2004
11.02.2020 14:25:40	1	1	1	1	174	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.1875	2004
11.02.2020 14:25:41	1	1	1	1	174	60	0	27867.299	576.344086	15973.96244	30000	0	0	30000	40.1875	2004
11.02.2020 14:25:42	1	1	1	1	173.5	60	0	27819.905	578.4946237	15627.42913	30000	0	0	30000	41.3125	2004
11.02.2020 14:25:43	1	1	1	1	173.5	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41	2004
11.02.2020 14:25:44	1	1	1	1	173.5	61	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	40.5	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:51	1	1	1	1	173.5	60.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:25:52	1	1	1	1	173.5	60.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	40.625	2004
11.02.2020 14:25:53	1	1	1	1	173.5	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
11.02.2020 14:25:54	1	1	1	1	173.5	60.75	0	27725.118	572.0430108	15913.62487	30000	0	0	30000	40.8125	2004
11.02.2020 14:25:55	1	1	1	1	173.5	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.6875	2004
11.02.2020 14:25:56	1	1	1	1	173.5	60.5	0	27630.332	576.344086	16093.00682	30000	0	0	30000	40.625	2004
11.02.2020 14:25:57	1	1	1	1	173.5	60.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.375	2004
11.02.2020 14:25:58	1	1	1	1	173.5	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.8125	2004
11.02.2020 14:25:59	1	1	1	1	173.5	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.75	2004
11.02.2020 14:26:00	1	1	1	1	173.5	60.75	0	27819.905	576.344086	15978.85467	30000	0	0	30000	41	2004
11.02.2020 14:26:01	1	1	1	1	173.5	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.625	2004
11.02.2020 14:26:02	1	1	1	1	173.5	60.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	40.75	2004
11.02.2020 14:26:03	1	1	1	1	173.5	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.875	2004
11.02.2020 14:26:04	1	1	1	1	173.5	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.9375	2004
11.02.2020 14:26:05	1	1	1	1	173.5	60.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.6875	2004
11.02.2020 14:26:06	1	1	1	1	173.5	60.5	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	40.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:26:53	1	1	1	1	175	60	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	40.875	2004
11.02.2020 14:26:53	1	1	1	1	175	60	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	40.875	2004
11.02.2020 14:26:54	1	1	1	1	175	60.75	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	40.6875	2004
11.02.2020 14:26:55	1	1	1	1	175	60.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.5625	2004
11.02.2020 14:26:56	1	1	1	1	175	60.5	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	40.9375	2004
11.02.2020 14:26:57	1	1	1	1	175	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.9375	2004
11.02.2020 14:26:58	1	1	1	1	175	60.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	40.625	2004
11.02.2020 14:26:59	1	1	1	1	175	60.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	40.8125	2004
11.02.2020 14:27:00	1	1	1	1	175	60.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.5	2004
11.02.2020 14:27:01	1	1	1	1	175	60.5	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	40.75	2004
11.02.2020 14:27:02	1	1	1	1	175.3	60.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	41.375	2004
11.02.2020 14:27:03	1	1	1	1	175.3	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
11.02.2020 14:27:04	1	1	1	1	175.3	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
11.02.2020 14:27:05	1	1	1	1	175.3	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40	2004
11.02.2020 14:27:06	1	1	1	1	175.3	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.75	2004
11.02.2020 14:27:07	1	1	1	1	175.3	60.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.875	2004
11.02.2020 14:27:08	1	1	1	1	175.3	60.75	0	28436.019	561.2903226	15872.85625	30000	0	0	30000	40.8125	2004
11.02.2020 14:27:09	1	1	1	1	175.3	60.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41	2004
11.02.2020 14:27:10	1	1	1	1	175.3	61	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.0625	2004
11.02.2020 14:27:11	1	1	1	1	175.5	61	0	27867.299	576.344086	16000.86973	30000	0	0	30000	40.5	2004
11.02.2020 14:27:12	1	1	1	1	175.5	60.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.0625	2004
11.02.2020 14:27:13	1	1	1	1	175.5	60	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	40	2004
11.02.2020 14:27:14	1	1	1	1	175.5	60	0	28625.592	567.7419355	16040.00761	30000	0	0	30000	40.6875	2004
11.02.2020 14:27:15	1	1	1	1	175.5	60.5	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	40.75	2004
11.02.2020 14:27:16	1	1	1	1	175.5	60.75	0	27867.299	576.344086	15627.42913	30000	0	0	30000	40.9375	2004
11.02.2020 14:27:17	1	1	1	1	175.5	60.75	0	28009.479	574.1935484	15875.30237	30000	0	0	30000	40.875	2004
11.02.2020 14:27:18	1	1	1	1	175.5	60.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.1875	2004
11.02.2020 14:27:19	1	1	1	1	175.5	60	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	40.8125	2004
11.02.2020 14:27:20	1	1	1	1	175.5	60.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41	2004
11.02.2020 14:27:21	1	1	1	1	174.5	61	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.8125	2004
11.02.2020 14:27:22	1	1	1	1	174.5	60.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	40.9375	2004
11.02.2020 14:27:23	1	1	1	1	174.5	60.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.8125	2004
11.02.2020 14:27:24	1	1	1	1	174.5	60.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.6875	2004
11.02.2020 14:27:25	1	1	1	1	174.5	60.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.1875	2004
11.02.2020 14:27:26	1	1	1	1	174.5	61	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	40.625	2004
11.02.2020 14:27:27	1	1	1	1	174.5	60.5	0	0	0	0	30000	0	8	30000	41.25	2004
11.02.2020 14:27:29	1	1	1	1	174.5	61.25	0	10616.114	0	0	30000	0	0	30000	41	2004
11.02.2020 14:27:30	1	1	1	1	174.5	61	0	11327.014	0	0	30000	0	0	30000	40.875	2004
11.02.2020 14:27:31	1	1	1	1	174.5	60.75	0	12085.308	0	0	30000	0	0	30000	41	2004
11.02.2020 14:27:32	1	1	1	1	174.3	61	0	12843.602	0	0	30000	0	0	30000	41.125	2004
11.02.2020 14:27:33	1	1	1	1	174.3	61	0	13601.896	2.150537634	58.70681923	30000	0	0	30000	41	2004
11.02.2020 14:27:34	1	1	1	1	174.3	61	0	14407.583	6.451612903	92.95246378	30000	0	0	30000	40.9375	2004
11.02.2020 14:27:35	1	1	1	1	174.3	60.75	0	15165.877	10.75268817	163.0744979	30000	0	0	30000	40.6875	2004





	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:29:04	1	1	1	1	174	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
11.02.2020 14:29:05	1	1	1	1	174	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.8125	2004
11.02.2020 14:29:06	1	1	1	1	174	60.75	0	28957.346	554.8387097	15978.0393	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:07	1	1	1	1	174	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.875	2004
11.02.2020 14:29:08	1	1	1	1	174	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.6875	2004
11.02.2020 14:29:09	1	1	1	1	174	60.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.75	2004
11.02.2020 14:29:10	1	1	1	1	174	60.75	0	28578.199	563.4408602	16313.15739	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:11	1	1	1	1	174.8	60.75	0	29052.133	552.688172	15994.34675	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:12	1	1	1	1	174.8	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5	2004
11.02.2020 14:29:13	1	1	1	1	174.8	60.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41	2004
11.02.2020 14:29:14	1	1	1	1	174.8	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.125	2004
11.02.2020 14:29:15	1	1	1	1	174.8	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:16	1	1	1	1	174.8	60.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	40.875	2004
11.02.2020 14:29:17	1	1	1	1	174.8	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.5	2004
11.02.2020 14:29:18	1	1	1	1	174.8	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
11.02.2020 14:29:19	1	1	1	1	174.8	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:20	1	1	1	1	174.8	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.8125	2004
11.02.2020 14:29:21	1	1	1	1	174.8	60.75	0	28862.559	552.688172	15978.0393	30000	0	0	30000	40.5625	2004
11.02.2020 14:29:22	1	1	1	1	174.8	60.5	0	28957.346	550.5376344	15703.25877	30000	0	0	30000	41.125	2004
11.02.2020 14:29:23	1	1	1	1	174.8	61	0	29810.427	544.0860215	16154.97513	30000	0	0	30000	41	2004
11.02.2020 14:29:25	1	1	1	1	174.8	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:29:26	1	1	1	1	174.8	60.5	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	40.8125	2004
11.02.2020 14:29:27	1	1	1	1	174.8	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41	2004
11.02.2020 14:29:28	1	1	1	1	174.8	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.3125	2004
11.02.2020 14:29:29	1	1	1	1	174.8	60.25	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	40.875	2004
11.02.2020 14:29:30	1	1	1	1	174.8	60.75	0	29052.133	552.688172	16119.09874	30000	0	0	30000	40.375	2004
11.02.2020 14:29:31	1	1	1	1	174.8	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.875	2004
11.02.2020 14:29:32	1	1	1	1	175.3	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.875	2004
11.02.2020 14:29:33	1	1	1	1	175.3	60.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.125	2004
11.02.2020 14:29:34	1	1	1	1	175.3	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.4375	2004
11.02.2020 14:29:35	1	1	1	1	175.3	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.875	2004
11.02.2020 14:29:36	1	1	1	1	175.3	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:29:37	1	1	1	1	175.3	60.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.375	2004
11.02.2020 14:29:38	1	1	1	1	175.3	60.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:29:39	1	1	1	1	175.3	60.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.0625	2004
11.02.2020 14:29:40	1	1	1	1	175.3	61	0	29052.133	550.5376344	16270.75802	30000	0	0	30000	41.3125	2004
11.02.2020 14:29:41	1	1	1	1	175.3	61.25	0	29099.526	554.8387097	16234.06626	30000	0	0	30000	40.875	2004
11.02.2020 14:29:42	1	1	1	1	175	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
11.02.2020 14:29:43	1	1	1	1	175	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.9375	2004
11.02.2020 14:29:44	1	1	1	1	175	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
11.02.2020 14:29:45	1	1	1	1	175	61	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	40.75	2004
11.02.2020 14:29:46	1	1	1	1	175	60.75	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41	2004
11.02.2020 14:29:47	1	1	1	1	175	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.875	2004







	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:31:16	1	1	1	1	173.5	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.875	2004
11.02.2020 14:31:17	1	1	1	1	173.5	60.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	40.8125	2004
11.02.2020 14:31:18	1	1	1	1	173.5	60.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:20	1	1	1	1	173.5	60.75	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	41	2004
11.02.2020 14:31:21	1	1	1	1	173.5	61	0	27440.758	587.0967742	15964.17797	30000	0	0	30000	40.8125	2004
11.02.2020 14:31:22	1	1	1	1	174	60.75	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	41.0625	2004
11.02.2020 14:31:23	1	1	1	1	174	61	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	40.875	2004
11.02.2020 14:31:24	1	1	1	1	174	60.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:25	1	1	1	1	174	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.5	2004
11.02.2020 14:31:26	1	1	1	1	174	60.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.0625	2004
11.02.2020 14:31:27	1	1	1	1	174	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.875	2004
11.02.2020 14:31:28	1	1	1	1	174	60.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
11.02.2020 14:31:29	1	1	1	1	174	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:30	1	1	1	1	174	60.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.8125	2004
11.02.2020 14:31:31	1	1	1	1	174	60.75	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:32	1	1	1	1	173.5	60.75	0	27203.791	584.9462366	15909.54801	30000	0	0	30000	41	2004
11.02.2020 14:31:33	1	1	1	1	173.5	61	0	27393.365	582.7956989	15877.74848	30000	0	0	30000	40.25	2004
11.02.2020 14:31:34	1	1	1	1	173.5	60.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.0625	2004
11.02.2020 14:31:35	1	1	1	1	173.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.6875	2004
11.02.2020 14:31:36	1	1	1	1	173.5	60.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41	2004
11.02.2020 14:31:37	1	1	1	1	173.5	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.0625	2004
11.02.2020 14:31:38	1	1	1	1	173.5	61	0	27440.758	580.6451613	15819.04167	30000	0	0	30000	40.375	2004
11.02.2020 14:31:39	1	1	1	1	173.5	60.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	40.75	2004
11.02.2020 14:31:40	1	1	1	1	173.5	60.75	0	27582.938	578.4946237	15869.59476	30000	0	0	30000	40.375	2004
11.02.2020 14:31:41	1	1	1	1	173.3	60.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:42	1	1	1	1	173.3	60.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	40.875	2004
11.02.2020 14:31:43	1	1	1	1	173.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.6875	2004
11.02.2020 14:31:44	1	1	1	1	173.3	60.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.125	2004
11.02.2020 14:31:45	1	1	1	1	173.3	61	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	40.625	2004
11.02.2020 14:31:46	1	1	1	1	173.3	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.4375	2004
11.02.2020 14:31:47	1	1	1	1	173.3	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.75	2004
11.02.2020 14:31:48	1	1	1	1	173.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:49	1	1	1	1	173.3	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.8125	2004
11.02.2020 14:31:50	1	1	1	1	173.3	60.75	0	27345.972	589.2473118	15995.9775	30000	0	0	30000	41	2004
11.02.2020 14:31:51	1	1	1	1	172.8	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.875	2004
11.02.2020 14:31:52	1	1	1	1	172.8	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.9375	2004
11.02.2020 14:31:53	1	1	1	1	172.8	60.75	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:32:01	1	1	1	1	172.8	60.75	0	27345.972	591.3978495	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:02	1	1	1	1	173	60.75	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	40.625	2004
11.02.2020 14:32:03	1	1	1	1	173	60.5	0	27440.758	587.0967742	15995.9775	30000	0	0	30000	40.5625	2004
11.02.2020 14:32:04	1	1	1	1	173	60.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	39.375	2004
11.02.2020 14:32:05	1	1	1	1	173	59.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41	2004
11.02.2020 14:32:06	1	1	1	1	173	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.5	2004
11.02.2020 14:32:07	1	1	1	1	173	60.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.0625	2004
11.02.2020 14:32:08	1	1	1	1	173	61	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.125	2004
11.02.2020 14:32:09	1	1	1	1	173	61	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	40.875	2004
11.02.2020 14:32:10	1	1	1	1	173	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
11.02.2020 14:32:11	1	1	1	1	173	60.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	40.6875	2004
11.02.2020 14:32:12	1	1	1	1	172.8	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.5	2004
11.02.2020 14:32:13	1	1	1	1	172.8	60.5	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	40.6875	2004
11.02.2020 14:32:14	1	1	1	1	172.8	60.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.8125	2004
11.02.2020 14:32:15	1	1	1	1	172.8	60.75	0	27156.398	584.9462366	15709.78175	30000	0	0	30000	40.5	2004
11.02.2020 14:32:16	1	1	1	1	172.8	60.5	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 14:32:17	1	1	1	1	172.8	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.1875	2004
11.02.2020 14:32:18	1	1	1	1	172.8	61	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	40.75	2004
11.02.2020 14:32:19	1	1	1	1	172.8	60.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:32:20	1	1	1	1	172.8	60.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.125	2004
11.02.2020 14:32:21	1	1	1	1	172.5	61	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	40.8125	2004
11.02.2020 14:32:22	1	1	1	1	172.5	60.75	0	27345.972	591.3978495	16113.39113	30000	0	0	30000	40.875	2004
11.02.2020 14:32:23	1	1	1	1	172.5	60.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41	2004
11.02.2020 14:32:24	1	1	1	1	172.5	61	0	27109.005	580.6451613	16144.37529	30000	0	0	30000	40.75	2004
11.02.2020 14:32:25	1	1	1	1	172.5	60.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.25	2004
11.02.2020 14:32:26	1	1	1	1	172.5	60.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:32:27	1	1	1	1	172.5	61	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:28	1	1	1	1	172.5	60.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.1875	2004
11.02.2020 14:32:29	1	1	1	1	172.5	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.3125	2004
11.02.2020 14:32:30	1	1	1	1	172.5	60.25	0	27298.578	584.9462366	15942.97828	30000	0	0	30000	40.8125	2004
11.02.2020 14:32:31	1	1	1	1	172.3	60.75	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	41	2004
11.02.2020 14:32:32	1	1	1	1	172.3	61	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	41	2004
11.02.2020 14:32:33	1	1	1	1	172.3	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.0625	2004
11.02.2020 14:32:34	1	1	1	1	172.3	61	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	41.125	2004
11.02.2020 14:32:35	1	1	1	1	172.3	61	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.6875	2004
11.02.2020 14:32:37	1	1	1	1	172.3	60.5	0	27440.758	582.7956989	16054.68431	30000	0	0	30000	39.9375	2004
11.02.2020 14:32:38	1	1	1	1	172.3	59.75	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:39	1	1	1	1	172.3	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.75	2004
11.02.2020 14:32:40	1	1	1	1	172.3	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.5	2004
11.02.2020 14:32:41	1	1	1	1	172.3	60.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
11.02.2020 14:32:42	1	1	1	1	172.5	60.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.125	2004
11.02.2020 14:32:43	1	1	1	1	172.5	61	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.0625	2004
11.02.2020 14:32:44	1	1	1	1	172.5	61	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:32:45	1	1	1	1	172.5	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:46	1	1	1	1	172.5	60.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	39.9375	2004
11.02.2020 14:32:47	1	1	1	1	172.5	59.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41	2004
11.02.2020 14:32:48	1	1	1	1	172.5	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.125	2004
11.02.2020 14:32:49	1	1	1	1	172.5	60	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.0625	2004
11.02.2020 14:32:50	1	1	1	1	172.5	61	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.125	2004
11.02.2020 14:32:51	1	1	1	1	172.5	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41	2004
11.02.2020 14:32:52	1	1	1	1	173.3	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	39.9375	2004
11.02.2020 14:32:53	1	1	1	1	173.3	61	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:54	1	1	1	1	173.3	60.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.9375	2004
11.02.2020 14:32:55	1	1	1	1	173.3	60.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	40.75	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:03	1	1	1	1	172.8	60.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.125	2004
11.02.2020 14:33:04	1	1	1	1	172.8	61	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	40.8125	2004
11.02.2020 14:33:05	1	1	1	1	172.8	60.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	40.75	2004
11.02.2020 14:33:06	1	1	1	1	172.8	60.75	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:07	1	1	1	1	172.8	60.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:33:08	1	1	1	1	172.8	61	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:09	1	1	1	1	172.8	61	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	40.875	2004
11.02.2020 14:33:10	1	1	1	1	172.8	60.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41	2004
11.02.2020 14:33:11	1	1	1	1	173.3	61	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	40.25	2004
11.02.2020 14:33:12	1	1	1	1	173.3	60.25	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:33:13	1	1	1	1	173.3	60.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41	2004
11.02.2020 14:33:14	1	1	1	1	173.3	61	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:16	1	1	1	1	173.3	61	0	27156.398	591.3978495	16085.66847	30000	0	0	30000	41	2004
11.02.2020 14:33:17	1	1	1	1	173.3	61	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:18	1	1	1	1	173.3	61	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	40.875	2004
11.02.2020 14:33:19	1	1	1	1	173.3	60.75	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	41	2004
11.02.2020 14:33:20	1	1	1	1	173.3	61	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	40.75	2004
11.02.2020 14:33:21	1	1	1	1	173.3	60.75	0	26966.825	587.0967742	15975.59318	30000	0	0	30000	41	2004
11.02.2020 14:33:22	1	1	1	1	173.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.125	2004
11.02.2020 14:33:23	1	1	1	1	173.8	61	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:24	1	1	1	1	173.8	61	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	40.8125	2004
11.02.2020 14:33:25	1	1	1	1	173.8	60.75	0	27061.611	593.5483871	16090.5607	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:26	1	1	1	1	173.8	61	0	27156.398	578.4946237	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:27	1	1	1	1	173.8	61	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	40.875	2004
11.02.2020 14:33:28	1	1	1	1	173.8	60.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	40.6875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:33:29	1	1	1	1	173.8	60.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:30	1	1	1	1	173.8	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:33:31	1	1	1	1	173.8	61	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.375	2004
11.02.2020 14:33:32	1	1	1	1	173.5	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.125	2004
11.02.2020 14:33:33	1	1	1	1	173.5	61.25	0	27298.578	587.0967742	15767.6732	30000	0	0	30000	41.125	2004
11.02.2020 14:33:36	1	1	1	1	173.5	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:36	1	1	1	1	173.5	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.5625	2004
11.02.2020 14:33:36	1	1	1	1	173.5	60.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:37	1	1	1	1	173.5	61	0	27061.611	584.9462366	15945.4244	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:38	1	1	1	1	173.5	61	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:33:39	1	1	1	1	173.5	61	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:33:40	1	1	1	1	173.5	61	0	26777.251	593.5483871	15835.34912	30000	0	0	30000	40.5	2004
11.02.2020 14:33:41	1	1	1	1	173.3	60.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.0625	2004
11.02.2020 14:33:42	1	1	1	1	173.3	61	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41	2004
11.02.2020 14:33:43	1	1	1	1	173.3	61	0	27156.398	593.5483871	15857.36417	30000	0	0	30000	40.875	2004
11.02.2020 14:33:44	1	1	1	1	173.3	60.75	0	27109.005	597.8494624	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:33:45	1	1	1	1	173.3	60.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	41.1875	2004
11.02.2020 14:33:46	1	1	1	1	173.3	61	0	27109.005	591.3978495	16062.02267	30000	0	0	30000	41.125	2004
11.02.2020 14:33:47	1	1	1	1	173.3	61	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	40.25	2004
11.02.2020 14:33:48	1	1	1	1	173.3	60.25	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:33:49	1	1	1	1	173.3	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:33:50	1	1	1	1	173.3	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.875	2004
11.02.2020 14:33:52	1	1	1	1	173	60.75	0	27109.005	595.6989247	16062.02267	30000	0	0	30000	41.125	2004
11.02.2020 14:33:53	1	1	1	1	173	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
11.02.2020 14:33:54	1	1	1	1	173	61	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	40.75	2004
11.02.2020 14:33:55	1	1	1	1	173	60.75	0	27109.005	595.6989247	16004.13122	30000	0	0	30000	40.625	2004
11.02.2020 14:33:56	1	1	1	1	173	60.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.125	2004
11.02.2020 14:33:57	1	1	1	1	173	61	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	40.875	2004
11.02.2020 14:34:04	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:04	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:04	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:05	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:05	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:05	1	1	1	1	172.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:34:05	1	1	1	1	172.8	61	0	26824.645	589.2473118	15863.88715	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:06	1	1	1	1	172.8	61	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:07	1	1	1	1	172.8	61	0	26966.825	595.6989247	16150.0829	30000	0	0	30000	41.4375	2004
11.02.2020 14:34:08	1	1	1	1	172.8	61.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:09	1	1	1	1	172.8	61	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	41.5625	2004
11.02.2020 14:34:10	1	1	1	1	172.8	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.4375	2004
11.02.2020 14:34:11	1	1	1	1	172.5	61	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	40.6875	2004
11.02.2020 14:34:12	1	1	1	1	172.5	60.5	0	27109.005	589.2473118	15713.04324	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:34:13	1	1	1	1	172.5	61	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:34:14	1	1	1	1	172.5	60.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:34:15	1	1	1	1	172.5	61.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.125	2004
11.02.2020 14:34:16	1	1	1	1	172.5	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.875	2004
11.02.2020 14:34:17	1	1	1	1	172.5	60.75	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	40.75	2004
11.02.2020 14:34:18	1	1	1	1	172.5	60.75	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	41.125	2004
11.02.2020 14:34:19	1	1	1	1	172.5	61	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	40.9375	2004
11.02.2020 14:34:20	1	1	1	1	172.5	60.75	0	26824.645	593.5483871	15835.34912	30000	0	0	30000	40.6875	2004
11.02.2020 14:34:21	1	1	1	1	172	60.5	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:22	1	1	1	1	172	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:34:23	1	1	1	1	172	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.9375	2004
11.02.2020 14:34:24	1	1	1	1	172	60.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	40.4375	2004
11.02.2020 14:34:25	1	1	1	1	172	60.25	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.25	2004
11.02.2020 14:34:26	1	1	1	1	172	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.1875	2004
11.02.2020 14:34:27	1	1	1	1	172	61	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:28	1	1	1	1	172	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:34:30	1	1	1	1	172	61	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.125	2004
11.02.2020 14:34:31	1	1	1	1	172	61	0	26919.431	595.6989247	15949.50126	30000	0	0	30000	40.8125	2004
11.02.2020 14:34:32	1	1	1	1	171.8	60.75	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.125	2004
11.02.2020 14:34:33	1	1	1	1	171.8	61	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41	2004
11.02.2020 14:34:34	1	1	1	1	171.8	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.125	2004
11.02.2020 14:34:35	1	1	1	1	171.8	61	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	41	2004
11.02.2020 14:34:36	1	1	1	1	171.8	61	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.125	2004
11.02.2020 14:34:37	1	1	1	1	171.8	61	0	26824.645	593.5483871	16065.28416	30000	0	0	30000	40.75	2004
11.02.2020 14:34:38	1	1	1	1	171.8	60.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:39	1	1	1	1	171.8	61	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	40.625	2004
11.02.2020 14:34:40	1	1	1	1	171.8	60.5	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:41	1	1	1	1	171.8	61	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	40.875	2004
11.02.2020 14:34:42	1	1	1	1	173.3	60.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:43	1	1	1	1	173.3	61	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.1875	2004
11.02.2020 14:34:44	1	1	1	1	173.3	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:34:45	1	1	1	1	173.3	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:46	1	1	1	1	173.3	61	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:34:47	1	1	1	1	173.3	61.25	0	26966.825	595.6989247	15862.25641	30000	0	0	30000	41.0625	2004
11.02.2020 14:34:48	1	1	1	1	173.3	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:34:49	1	1	1	1	173.3	61	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	40.9375	2004
11.02.2020 14:34:50	1	1	1	1	173.3	60.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.125	2004
11.02.2020 14:34:51	1	1	1	1	173.3	61	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	41.125	2004
11.02.2020 14:34:52	1	1	1	1	173.3	61	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	40.125	2004
11.02.2020 14:34:53	1	1	1	1	173.3	60	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:34:54	1	1	1	1	173.3	61.25	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:34:55	1	1	1	1	173.3	61	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	40.75	2004
11.02.2020 14:34:56	1	1	1	1	173.3	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:34:57	1	1	1	1	173.3	60.75	0	27109.005	591.3978495	15975.59318	30000	0	0	30000	41.1875	2004
11.02.2020 14:34:58	1	1	1	1	173.3	61	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	61	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:06	1	1	1	1	173	60.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41	2004
11.02.2020 14:35:08	1	1	1	1	173	61	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:09	1	1	1	1	173	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:35:10	1	1	1	1	173	61	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	41.125	2004
11.02.2020 14:35:11	1	1	1	1	173	61	0	26966.825	597.8494624	16353.11065	30000	0	0	30000	41.125	2004
11.02.2020 14:35:12	1	1	1	1	172.8	61	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	40.875	2004
11.02.2020 14:35:13	1	1	1	1	172.8	60.75	0	26966.825	591.3978495	15804.36496	30000	0	0	30000	40.75	2004
11.02.2020 14:35:14	1	1	1	1	172.8	60.75	0	26966.825	593.5483871	15889.97907	30000	0	0	30000	40.8125	2004
11.02.2020 14:35:15	1	1	1	1	172.8	60.75	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:16	1	1	1	1	172.8	61	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	40.8125	2004
11.02.2020 14:35:17	1	1	1	1	172.8	60.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:35:18	1	1	1	1	172.8	61	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:19	1	1	1	1	172.8	61	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:35:20	1	1	1	1	172.8	61.25	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:21	1	1	1	1	172.8	60.75	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	41	2004
11.02.2020 14:35:22	1	1	1	1	172	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:35:23	1	1	1	1	172	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.875	2004
11.02.2020 14:35:24	1	1	1	1	172	60.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:25	1	1	1	1	172	60.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.25	2004
11.02.2020 14:35:26	1	1	1	1	172	60.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:35:27	1	1	1	1	172	61.25	0	27061.611	593.5483871	16034.3	30000	0	0	30000	41.25	2004
11.02.2020 14:35:28	1	1	1	1	172	61.25	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:35:29	1	1	1	1	172	61	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	40.8125	2004
11.02.2020 14:35:30	1	1	1	1	172	60.75	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:31	1	1	1	1	173.3	61	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.25	2004
11.02.2020 14:35:32	1	1	1	1	173.3	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:33	1	1	1	1	173.3	61	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.4375	2004
11.02.2020 14:35:34	1	1	1	1	173.3	61.25	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:35	1	1	1	1	173.3	60.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:35:36	1	1	1	1	173.3	61	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:35:37	1	1	1	1	173.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:35:38	1	1	1	1	173.3	61	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:39	1	1	1	1	173.3	61	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	40.4375	2004
11.02.2020 14:35:40	1	1	1	1	173.3	60.25	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:35:41	1	1	1	1	173	60.75	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	40.3125	2004
11.02.2020 14:35:42	1	1	1	1	173	60.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41	2004
11.02.2020 14:35:43	1	1	1	1	173	61	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:35:45	1	1	1	1	173	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
11.02.2020 14:35:46	1	1	1	1	173	61	0	26966.825	587.0967742	16034.3	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:47	1	1	1	1	173	60.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:48	1	1	1	1	173	61	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	40.9375	2004
11.02.2020 14:35:49	1	1	1	1	173	60.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41	2004
11.02.2020 14:35:50	1	1	1	1	173	61	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.0625	2004
11.02.2020 14:35:51	1	1	1	1	173	61	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:35:52	1	1	1	1	173	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.1875	2004
11.02.2020 14:35:53	1	1	1	1	173	61	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	40.8125	2004
11.02.2020 14:35:54	1	1	1	1	173	60.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41	2004
11.02.2020 14:35:55	1	1	1	1	173	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:35:56	1	1	1	1	173	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:35:57	1	1	1	1	173	61	0	27061.611	597.8494624	15947.87052	30000	0	0	30000	41.125	2004
11.02.2020 14:35:58	1	1	1	1	173	61	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	40.875	2004
11.02.2020 14:35:59	1	1	1	1	173	60.75	0	27061.611	591.3978495	15973.96244	30000	0	0	30000	40.8125	2004
11.02.2020 14:36:00	1	1	1	1	173	60.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.125	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:36:08	1	1	1	1	172.5	61.25	0	27109.005	595.6989247	15887.53295	30000	0	0	30000	41.25	2004
11.02.2020 14:36:09	1	1	1	1	172.5	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:10	1	1	1	1	172.5	60.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:11	1	1	1	1	173.3	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:36:12	1	1	1	1	173.3	61.25	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:13	1	1	1	1	173.3	61	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	40.8125	2004
11.02.2020 14:36:14	1	1	1	1	173.3	60.75	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	40.6875	2004
11.02.2020 14:36:15	1	1	1	1	173.3	60.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	40.6875	2004
11.02.2020 14:36:16	1	1	1	1	173.3	60.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.6875	2004
11.02.2020 14:36:17	1	1	1	1	173.3	60.5	0	27109.005	595.6989247	16090.5607	30000	0	0	30000	41	2004
11.02.2020 14:36:18	1	1	1	1	173.3	61	0	27061.611	589.2473118	15829.64151	30000	0	0	30000	41.1875	2004
11.02.2020 14:36:19	1	1	1	1	173.3	61	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41	2004
11.02.2020 14:36:20	1	1	1	1	173.3	61	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:21	1	1	1	1	172.5	61	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:22	1	1	1	1	172.5	60.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:24	1	1	1	1	172.5	61	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	40.5625	2004
11.02.2020 14:36:25	1	1	1	1	172.5	60.5	0	27298.578	589.2473118	15909.54801	30000	0	0	30000	41.1875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:36:26	1	1	1	1	172.5	61	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:27	1	1	1	1	172.5	61	0	26777.251	593.5483871	15921.7786	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:28	1	1	1	1	172.5	61	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.1875	2004
11.02.2020 14:36:29	1	1	1	1	172.5	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41	2004
11.02.2020 14:36:30	1	1	1	1	172.5	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.125	2004
11.02.2020 14:36:31	1	1	1	1	172.5	61	0	27061.611	589.2473118	16148.45215	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:32	1	1	1	1	172.3	60.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.3125	2004
11.02.2020 14:36:33	1	1	1	1	172.3	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:34	1	1	1	1	172.3	60.75	0	27156.398	595.6989247	16059.57655	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:35	1	1	1	1	172.3	61	0	27156.398	591.3978495	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:36:36	1	1	1	1	172.3	61	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	41.25	2004
11.02.2020 14:36:37	1	1	1	1	172.3	61.25	0	26966.825	584.9462366	15945.4244	30000	0	0	30000	41	2004
11.02.2020 14:36:38	1	1	1	1	172.3	61	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:39	1	1	1	1	172.3	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:40	1	1	1	1	172.3	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.375	2004
11.02.2020 14:36:41	1	1	1	1	172.3	61.25	0	27109.005	587.0967742	15829.64151	30000	0	0	30000	41.3125	2004
11.02.2020 14:36:42	1	1	1	1	172.5	61.25	0	27061.611	587.0967742	16031.85389	30000	0	0	30000	41.3125	2004
11.02.2020 14:36:43	1	1	1	1	172.5	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.1875	2004
11.02.2020 14:36:44	1	1	1	1	172.5	60.25	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.125	2004
11.02.2020 14:36:45	1	1	1	1	172.5	61	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:46	1	1	1	1	172.5	60.75	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:47	1	1	1	1	172.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:48	1	1	1	1	172.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:49	1	1	1	1	172.5	60.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:36:50	1	1	1	1	172.5	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.8125	2004
11.02.2020 14:36:51	1	1	1	1	172.5	60.75	0	27061.611	584.9462366	15973.96244	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:52	1	1	1	1	172.5	60.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:36:53	1	1	1	1	172.5	61.25	0	27156.398	593.5483871	16001.6851	30000	0	0	30000	41.25	2004
11.02.2020 14:36:54	1	1	1	1	172.5	61.25	0	26872.038	591.3978495	15748.10426	30000	0	0	30000	41.1875	2004
11.02.2020 14:36:55	1	1	1	1	172.5	61	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:56	1	1	1	1	172.5	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:36:57	1	1	1	1	172.5	61	0	27109.005	593.5483871	16119.91411	30000	0	0	30000	40.9375	2004
11.02.2020 14:36:58	1	1	1	1	172.5	60.75	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41	2004
11.02.2020 14:36:59	1	1	1	1	172.5	61	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:00	1	1	1	1	172.5	61	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	41	2004
11.02.2020 14:37:02	1	1	1	1	172.8	61	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	40.4375	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:09	1	1	1	1	172.8	61	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:37:10	1	1	1	1	172.8	61	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	41.125	2004
11.02.2020 14:37:11	1	1	1	1	172.8	61	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	40.875	2004
11.02.2020 14:37:12	1	1	1	1	172.5	60.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:13	1	1	1	1	172.5	60.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41	2004
11.02.2020 14:37:14	1	1	1	1	172.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:37:15	1	1	1	1	172.5	61	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41.125	2004
11.02.2020 14:37:16	1	1	1	1	172.5	61	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:37:17	1	1	1	1	172.5	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:18	1	1	1	1	172.5	61	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:19	1	1	1	1	172.5	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:37:20	1	1	1	1	172.5	61.25	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:21	1	1	1	1	172.5	61	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 14:37:22	1	1	1	1	172	61.25	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	41	2004
11.02.2020 14:37:23	1	1	1	1	172	61	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:37:24	1	1	1	1	172	60.75	0	27298.578	587.0967742	15857.36417	30000	0	0	30000	41	2004
11.02.2020 14:37:25	1	1	1	1	172	61	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:26	1	1	1	1	172	61	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:27	1	1	1	1	172	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:37:28	1	1	1	1	172	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:29	1	1	1	1	172	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.875	2004
11.02.2020 14:37:30	1	1	1	1	172	60.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:31	1	1	1	1	172.3	61	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:32	1	1	1	1	172.3	60.75	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	40.6875	2004
11.02.2020 14:37:33	1	1	1	1	172.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:37:34	1	1	1	1	172.3	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.6875	2004
11.02.2020 14:37:35	1	1	1	1	172.3	60.5	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:36	1	1	1	1	172.3	60.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:37	1	1	1	1	172.3	61	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:38	1	1	1	1	172.3	61	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:39	1	1	1	1	172.3	60.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41	2004
11.02.2020 14:37:40	1	1	1	1	172.3	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:42	1	1	1	1	171.5	61	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:43	1	1	1	1	171.5	61	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	40.375	2004
11.02.2020 14:37:44	1	1	1	1	171.5	60.25	0	27535.545	587.0967742	16225.09717	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:45	1	1	1	1	171.5	61	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:37:46	1	1	1	1	171.5	61	0	27061.611	584.9462366	15973.96244	30000	0	0	30000	41.125	2004
11.02.2020 14:37:47	1	1	1	1	171.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.9375	2004
11.02.2020 14:37:48	1	1	1	1	171.5	60.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.875	2004
11.02.2020 14:37:49	1	1	1	1	171.5	60.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41	2004
11.02.2020 14:37:50	1	1	1	1	171.5	61	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	41.0625	2004
11.02.2020 14:37:51	1	1	1	1	171.5	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.1875	2004
11.02.2020 14:37:52	1	1	1	1	171.5	61	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	40.75	2004
11.02.2020 14:37:53	1	1	1	1	171.5	60.75	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:37:54	1	1	1	1	171.5	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:37:55	1	1	1	1	171.5	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.75	2004
11.02.2020 14:37:56	1	1	1	1	171.5	60.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.3125	2004
11.02.2020 14:37:57	1	1	1	1	171.5	60.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	40.625	2004
11.02.2020 14:37:58	1	1	1	1	171.5	60.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:37:59	1	1	1	1	171.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.875	2004
11.02.2020 14:38:00	1	1	1	1	171.5	60.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.125	2004
11.02.2020 14:38:01	1	1	1	1	171.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.125	2004
11.02.2020 14:38:02	1	1	1	1	171.5	61	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	40.625	2004
11.02.2020 14:38:03	1	1	1	1	171.5	60.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	171.5	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:38:11	1	1	1	1	173.3	61	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:12	1	1	1	1	173.3	61	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.25	2004
11.02.2020 14:38:13	1	1	1	1	173.3	61.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:14	1	1	1	1	173.3	61	0	27061.611	584.9462366	15945.4244	30000	0	0	30000	40.8125	2004
11.02.2020 14:38:15	1	1	1	1	173.3	60.75	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	41.25	2004
11.02.2020 14:38:16	1	1	1	1	173.3	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.75	2004
11.02.2020 14:38:18	1	1	1	1	173.3	60.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:19	1	1	1	1	173.3	61	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:20	1	1	1	1	173.3	61	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.9375	2004
11.02.2020 14:38:21	1	1	1	1	173.3	60.75	0	27345.972	587.0967742	15850.84119	30000	0	0	30000	40.9375	2004
11.02.2020 14:38:22	1	1	1	1	174.3	60.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	40.8125	2004
11.02.2020 14:38:23	1	1	1	1	174.3	60.75	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	41.0625	2004
11.02.2020 14:38:24	1	1	1	1	174.3	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.6875	2004
11.02.2020 14:38:25	1	1	1	1	174.3	60.5	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:38:26	1	1	1	1	174.3	61.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.9375	2004
11.02.2020 14:38:27	1	1	1	1	174.3	60.75	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:28	1	1	1	1	174.3	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:29	1	1	1	1	174.3	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:30	1	1	1	1	174.3	61	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:31	1	1	1	1	174.3	61	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.3125	2004
11.02.2020 14:38:32	1	1	1	1	175	61.25	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:38:33	1	1	1	1	175	61	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.8125	2004
11.02.2020 14:38:34	1	1	1	1	175	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 14:38:35	1	1	1	1	175	61.5	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	41.0625	2004
11.02.2020 14:38:36	1	1	1	1	175	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:38:37	1	1	1	1	175	61.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:38:38	1	1	1	1	175	60	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 14:38:39	1	1	1	1	175	61.25	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:40	1	1	1	1	175	61	0	27109.005	591.3978495	16203.08211	30000	0	0	30000	40.75	2004
11.02.2020 14:38:41	1	1	1	1	173.5	60.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.0625	2004
11.02.2020 14:38:42	1	1	1	1	173.5	61	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:38:43	1	1	1	1	173.5	61.25	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	41.375	2004
11.02.2020 14:38:44	1	1	1	1	173.5	61.25	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	41	2004
11.02.2020 14:38:45	1	1	1	1	173.5	61	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.375	2004
11.02.2020 14:38:46	1	1	1	1	173.5	60.25	0	27156.398	589.2473118	16203.08211	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:47	1	1	1	1	173.5	61	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	40.875	2004
11.02.2020 14:38:48	1	1	1	1	173.5	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.875	2004
11.02.2020 14:38:49	1	1	1	1	173.5	60.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:38:50	1	1	1	1	173.5	61	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:51	1	1	1	1	173.3	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	40.9375	2004
11.02.2020 14:38:52	1	1	1	1	173.3	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.8125	2004
11.02.2020 14:38:54	1	1	1	1	173.3	60.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.1875	2004
11.02.2020 14:38:55	1	1	1	1	173.3	61	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.25	2004
11.02.2020 14:38:56	1	1	1	1	173.3	61.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.75	2004
11.02.2020 14:38:57	1	1	1	1	173.3	60.75	0	27109.005	591.3978495	16144.37529	30000	0	0	30000	41.3125	2004
11.02.2020 14:38:58	1	1	1	1	173.3	61.25	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	41.3125	2004
11.02.2020 14:38:59	1	1	1	1	173.3	61.25	0	26919.431	584.9462366	15832.08763	30000	0	0	30000	40.8125	2004
11.02.2020 14:39:00	1	1	1	1	173.3	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
11.02.2020 14:39:01	1	1	1	1	173.3	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:39:02	1	1	1	1	172.3	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:03	1	1	1	1	172.3	61	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	41.25	2004
11.02.2020 14:39:04	1	1	1	1	172.3	61.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:05	1	1	1	1	172.3	61	0	27156.398	580.6451613	15624.16764	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.125	2004
11.02.2020 14:39:13	1	1	1	1	173	61	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.875	2004
11.02.2020 14:39:14	1	1	1	1	173	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.4375	2004
11.02.2020 14:39:15	1	1	1	1	173	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5	2004
11.02.2020 14:39:16	1	1	1	1	173	61	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:39:17	1	1	1	1	173	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:39:18	1	1	1	1	173	61	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.25	2004
11.02.2020 14:39:19	1	1	1	1	173	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:39:20	1	1	1	1	173	61	0	27061.611	589.2473118	15774.19618	30000	0	0	30000	40.5625	2004
11.02.2020 14:39:21	1	1	1	1	173.5	60.5	0	27156.398	593.5483871	15973.96244	30000	0	0	30000	40.9375	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:39:22	1	1	1	1	173.5	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:39:23	1	1	1	1	173.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:39:24	1	1	1	1	173.5	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.8125	2004
11.02.2020 14:39:25	1	1	1	1	173.5	60.75	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	40.6875	2004
11.02.2020 14:39:26	1	1	1	1	173.5	60.5	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:39:27	1	1	1	1	173.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:28	1	1	1	1	173.5	61	0	27014.218	587.0967742	15859.81029	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:29	1	1	1	1	173.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:39:30	1	1	1	1	173.5	61	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:31	1	1	1	1	172.8	61	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41	2004
11.02.2020 14:39:33	1	1	1	1	172.8	61	0	27298.578	584.9462366	16144.37529	30000	0	0	30000	40.9375	2004
11.02.2020 14:39:34	1	1	1	1	172.8	60.75	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	41.125	2004
11.02.2020 14:39:35	1	1	1	1	172.8	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41	2004
11.02.2020 14:39:36	1	1	1	1	172.8	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.3125	2004
11.02.2020 14:39:37	1	1	1	1	172.8	61.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:39:38	1	1	1	1	172.8	61	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:39:39	1	1	1	1	172.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:39:40	1	1	1	1	172.8	61	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 14:39:41	1	1	1	1	172.8	61.25	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	40.5625	2004
11.02.2020 14:39:42	1	1	1	1	173.8	60.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:43	1	1	1	1	173.8	61	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.125	2004
11.02.2020 14:39:44	1	1	1	1	173.8	61	0	27156.398	589.2473118	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:39:45	1	1	1	1	173.8	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41	2004
11.02.2020 14:39:46	1	1	1	1	173.8	61	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.3125	2004
11.02.2020 14:39:47	1	1	1	1	173.8	60.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.125	2004
11.02.2020 14:39:48	1	1	1	1	173.8	61	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	40.875	2004
11.02.2020 14:39:49	1	1	1	1	173.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:39:50	1	1	1	1	173.8	61	0	27298.578	587.0967742	15740.76591	30000	0	0	30000	40.9375	2004
11.02.2020 14:39:51	1	1	1	1	173.8	60.75	0	27109.005	580.6451613	16001.6851	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:52	1	1	1	1	173.8	61	0	26966.825	584.9462366	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:39:53	1	1	1	1	173.8	61.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:54	1	1	1	1	173.8	61	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.5	2004
11.02.2020 14:39:55	1	1	1	1	173.8	61.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	40.875	2004
11.02.2020 14:39:56	1	1	1	1	173.8	61	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	40.625	2004
11.02.2020 14:39:57	1	1	1	1	173.8	60.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:39:58	1	1	1	1	173.8	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
11.02.2020 14:39:59	1	1	1	1	173.8	61.25	0	26966.825	591.3978495	15832.08763	30000	0	0	30000	41.0625	2004
11.02.2020 14:40:00	1	1	1	1	173.8	61	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 14:40:01	1	1	1	1	173.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.9375	2004
11.02.2020 14:40:02	1	1	1	1	173.8	60.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.0625	2004
11.02.2020 14:40:03	1	1	1	1	173.8	61	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	40.6875	2004
11.02.2020 14:40:04	1	1	1	1	173.8	60.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:40:05	1	1	1	1	173.8	61.25	0	27156.398	584.9462366	15740.76591	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:40:06	1	1	1	1	173.8	61.25	0	27298.578	587.0967742	16001.6851	30000	0	0	30000	41.25	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:14	1	1	1	1	173	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:40:15	1	1	1	1	173	61	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	40.75	2004
11.02.2020 14:40:16	1	1	1	1	173	60.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.125	2004
11.02.2020 14:40:17	1	1	1	1	173	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:18	1	1	1	1	173	61	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:19	1	1	1	1	173	61	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	40.6875	2004
11.02.2020 14:40:20	1	1	1	1	173	60.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41	2004
11.02.2020 14:40:21	1	1	1	1	173	61	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:22	1	1	1	1	173.3	61	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	40.75	2004
11.02.2020 14:40:23	1	1	1	1	173.3	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.625	2004
11.02.2020 14:40:24	1	1	1	1	173.3	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:25	1	1	1	1	173.3	61	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	40.9375	2004
11.02.2020 14:40:26	1	1	1	1	173.3	60.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.25	2004
11.02.2020 14:40:27	1	1	1	1	173.3	61.25	0	27298.578	589.2473118	15740.76591	30000	0	0	30000	40.75	2004
11.02.2020 14:40:28	1	1	1	1	173.3	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:40:29	1	1	1	1	173.3	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.0625	2004
11.02.2020 14:40:30	1	1	1	1	173.3	61	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:40:31	1	1	1	1	173.3	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:40:32	1	1	1	1	173	61.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.25	2004
11.02.2020 14:40:33	1	1	1	1	173	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.25	2004
11.02.2020 14:40:34	1	1	1	1	173	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.9375	2004
11.02.2020 14:40:35	1	1	1	1	173	60.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.25	2004
11.02.2020 14:40:36	1	1	1	1	173	61.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41	2004
11.02.2020 14:40:37	1	1	1	1	173	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.9375	2004
11.02.2020 14:40:38	1	1	1	1	173	60.75	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:39	1	1	1	1	173	61	0	27014.218	587.0967742	15887.53295	30000	0	0	30000	41.3125	2004
11.02.2020 14:40:40	1	1	1	1	173	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.0625	2004
11.02.2020 14:40:41	1	1	1	1	173.3	61	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	40.3125	2004
11.02.2020 14:40:42	1	1	1	1	173.3	60.25	0	27109.005	593.5483871	15859.81029	30000	0	0	30000	40.8125	2004
11.02.2020 14:40:43	1	1	1	1	173.3	60.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.625	2004
11.02.2020 14:40:44	1	1	1	1	173.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.625	2004
11.02.2020 14:40:45	1	1	1	1	173.3	60.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.875	2004
11.02.2020 14:40:46	1	1	1	1	173.3	60.75	0	27014.218	593.5483871	16121.54486	30000	0	0	30000	40.6875	2004
11.02.2020 14:40:47	1	1	1	1	173.3	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:40:48	1	1	1	1	173.3	61	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.25	2004
11.02.2020 14:40:49	1	1	1	1	173.3	61.25	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:40:50	1	1	1	1	173.3	61.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	41.375	2004
11.02.2020 14:40:51	1	1	1	1	172.8	61.25	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	40.625	2004
11.02.2020 14:40:53	1	1	1	1	172.8	60.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:54	1	1	1	1	172.8	61	0	27298.578	602.1505376	16176.99019	30000	0	0	30000	41.375	2004
11.02.2020 14:40:55	1	1	1	1	172.8	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:40:56	1	1	1	1	172.8	61.25	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.1875	2004
11.02.2020 14:40:57	1	1	1	1	172.8	61	0	27109.005	589.2473118	15770.93469	30000	0	0	30000	40.8125	2004
11.02.2020 14:40:58	1	1	1	1	172.8	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.9375	2004
11.02.2020 14:40:59	1	1	1	1	172.8	60.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	40.75	2004
11.02.2020 14:41:00	1	1	1	1	172.8	60.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:01	1	1	1	1	172.8	61.25	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.375	2004
11.02.2020 14:41:02	1	1	1	1	173.5	61.25	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	40.8125	2004
11.02.2020 14:41:03	1	1	1	1	173.5	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:04	1	1	1	1	173.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 14:41:05	1	1	1	1	173.5	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.9375	2004
11.02.2020 14:41:06	1	1	1	1	173.5	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:07	1	1	1	1	173.5	61	0	26872.038	595.6989247	16267.49653	30000	0	0	30000	41.25	2004
11.02.2020 14:41:08	1	1	1	1	173.5	61.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:16	1	1	1	1	173.8	61.25	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	40.9375	2004
11.02.2020 14:41:17	1	1	1	1	173.8	60.75	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:18	1	1	1	1	173.8	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:41:19	1	1	1	1	173.8	61	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	41.25	2004
11.02.2020 14:41:20	1	1	1	1	173.8	61.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 14:41:21	1	1	1	1	174.3	61.25	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.25	2004
11.02.2020 14:41:22	1	1	1	1	174.3	61.25	0	27014.218	584.9462366	15887.53295	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:23	1	1	1	1	174.3	61	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	41.125	2004
11.02.2020 14:41:24	1	1	1	1	174.3	61	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	41.125	2004
11.02.2020 14:41:25	1	1	1	1	174.3	61	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.4375	2004
11.02.2020 14:41:26	1	1	1	1	174.3	61.25	0	27109.005	589.2473118	16090.5607	30000	0	0	30000	41.25	2004
11.02.2020 14:41:27	1	1	1	1	174.3	61.25	0	27061.611	595.6989247	16062.02267	30000	0	0	30000	41.0625	2004
11.02.2020 14:41:28	1	1	1	1	174.3	61	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:29	1	1	1	1	174.3	61	0	27061.611	584.9462366	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:41:31	1	1	1	1	174.3	61.25	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:32	1	1	1	1	174.3	61	0	27014.218	593.5483871	16034.3	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:33	1	1	1	1	174.3	61.25	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.375	2004
11.02.2020 14:41:34	1	1	1	1	174.3	61.25	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	41.25	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:41:35	1	1	1	1	174.3	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:41:36	1	1	1	1	174.3	61.25	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:37	1	1	1	1	174.3	61	0	27061.611	593.5483871	15945.4244	30000	0	0	30000	41.0625	2004
11.02.2020 14:41:38	1	1	1	1	174.3	61	0	26966.825	597.8494624	16178.62093	30000	0	0	30000	40.6875	2004
11.02.2020 14:41:39	1	1	1	1	174.3	60.5	0	26919.431	602.1505376	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:40	1	1	1	1	174.3	61	0	27014.218	593.5483871	16062.02267	30000	0	0	30000	41.25	2004
11.02.2020 14:41:41	1	1	1	1	174.3	61.25	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:41:42	1	1	1	1	174.3	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:43	1	1	1	1	174.3	61	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	40.8125	2004
11.02.2020 14:41:44	1	1	1	1	174.3	60.75	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:45	1	1	1	1	174.3	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.9375	2004
11.02.2020 14:41:46	1	1	1	1	174.3	60.75	0	27109.005	593.5483871	16207.15897	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:47	1	1	1	1	174.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.0625	2004
11.02.2020 14:41:48	1	1	1	1	174.3	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:49	1	1	1	1	174.3	61	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	40.5625	2004
11.02.2020 14:41:50	1	1	1	1	174.3	60.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:41:51	1	1	1	1	174.3	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
11.02.2020 14:41:52	1	1	1	1	175	61	0	26777.251	591.3978495	15863.88715	30000	0	0	30000	41.125	2004
11.02.2020 14:41:53	1	1	1	1	175	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	40.9375	2004
11.02.2020 14:41:54	1	1	1	1	175	60.75	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	41.25	2004
11.02.2020 14:41:55	1	1	1	1	175	61.25	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 14:41:56	1	1	1	1	175	61.25	0	27156.398	591.3978495	16148.45215	30000	0	0	30000	40.875	2004
11.02.2020 14:41:57	1	1	1	1	175	60.75	0	27109.005	593.5483871	15832.08763	30000	0	0	30000	41.1875	2004
11.02.2020 14:41:58	1	1	1	1	175	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:41:59	1	1	1	1	175	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.125	2004
11.02.2020 14:42:00	1	1	1	1	175	60	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:42:01	1	1	1	1	174.8	61	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.4375	2004
11.02.2020 14:42:02	1	1	1	1	174.8	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:42:03	1	1	1	1	174.8	60.75	0	27109.005	587.0967742	15945.4244	30000	0	0	30000	41.125	2004
11.02.2020 14:42:04	1	1	1	1	174.8	61	0	27109.005	582.7956989	15915.25562	30000	0	0	30000	40.8125	2004
11.02.2020 14:42:05	1	1	1	1	174.8	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.875	2004
11.02.2020 14:42:06	1	1	1	1	174.8	60.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.125	2004
11.02.2020 14:42:08	1	1	1	1	174.8	61	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	40.9375	2004
11.02.2020 14:42:09	1	1	1	1	174.8	60.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:10	1	1	1	1	174.8	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 14:42:18	1	1	1	1	174.8	61	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:42:19	1	1	1	1	174.8	60.75	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:20	1	1	1	1	174.8	61.25	0	26824.645	591.3978495	15835.34912	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:21	1	1	1	1	174.8	61	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	40.6875	2004
11.02.2020 14:42:22	1	1	1	1	175	60.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41	2004
11.02.2020 14:42:23	1	1	1	1	175	61	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.25	2004
11.02.2020 14:42:24	1	1	1	1	175	61.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.875	2004
11.02.2020 14:42:25	1	1	1	1	175	60.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:26	1	1	1	1	175	61	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:27	1	1	1	1	175	61	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:28	1	1	1	1	175	61.25	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:42:29	1	1	1	1	175	60.5	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:30	1	1	1	1	175	61	0	26966.825	593.5483871	16092.19145	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:31	1	1	1	1	175	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:42:32	1	1	1	1	175	61	0	27109.005	587.0967742	15654.33642	30000	0	0	30000	41.125	2004
11.02.2020 14:42:33	1	1	1	1	175	61	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 14:42:34	1	1	1	1	175	61.25	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.375	2004
11.02.2020 14:42:35	1	1	1	1	175	61.25	0	26919.431	602.1505376	15949.50126	30000	0	0	30000	41.25	2004
11.02.2020 14:42:36	1	1	1	1	175	61.25	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	41.25	2004
11.02.2020 14:42:37	1	1	1	1	175	61.25	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:38	1	1	1	1	175	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:39	1	1	1	1	175	61	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:40	1	1	1	1	175	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:42:41	1	1	1	1	175	61	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	41.25	2004
11.02.2020 14:42:42	1	1	1	1	175	61.25	0	26824.645	593.5483871	15893.24056	30000	0	0	30000	41	2004
11.02.2020 14:42:43	1	1	1	1	175	61	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:44	1	1	1	1	175	61.25	0	27298.578	589.2473118	16261.78893	30000	0	0	30000	41	2004
11.02.2020 14:42:45	1	1	1	1	175	61	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.0625	2004
11.02.2020 14:42:47	1	1	1	1	175	61	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40.8125	2004
11.02.2020 14:42:48	1	1	1	1	175	60.75	0	26824.645	593.5483871	15893.24056	30000	0	0	30000	41.375	2004
11.02.2020 14:42:49	1	1	1	1	175	61.25	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	41.4375	2004
11.02.2020 14:42:50	1	1	1	1	175	61.25	0	27061.611	589.2473118	15915.25562	30000	0	0	30000	40.9375	2004
11.02.2020 14:42:51	1	1	1	1	175	60.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.375	2004
11.02.2020 14:42:52	1	1	1	1	175	61.25	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41	2004
11.02.2020 14:42:53	1	1	1	1	175	61	0	26872.038	593.5483871	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:42:54	1	1	1	1	175	61	0	26729.858	593.5483871	15807.62645	30000	0	0	30000	41.3125	2004
11.02.2020 14:42:55	1	1	1	1	175	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.8125	2004
11.02.2020 14:42:56	1	1	1	1	175	60.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.375	2004
11.02.2020 14:42:57	1	1	1	1	175	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.125	2004
11.02.2020 14:42:58	1	1	1	1	175	61	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:42:59	1	1	1	1	175	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:43:00	1	1	1	1	175	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.9375	2004
11.02.2020 14:43:01	1	1	1	1	175	60.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.375	2004
11.02.2020 14:43:02	1	1	1	1	174.8	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:43:03	1	1	1	1	174.8	61.25	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41	2004
11.02.2020 14:43:04	1	1	1	1	174.8	61	0	27298.578	602.1505376	15887.53295	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:05	1	1	1	1	174.8	61	0	27109.005	595.6989247	15887.53295	30000	0	0	30000	41.375	2004
11.02.2020 14:43:06	1	1	1	1	174.8	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:43:07	1	1	1	1	174.8	61.25	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.4375	2004
11.02.2020 14:43:08	1	1	1	1	174.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.8125	2004
11.02.2020 14:43:09	1	1	1	1	174.8	60.75	0	26919.431	593.5483871	16005.76197	30000	0	0	30000	41.5625	2004
11.02.2020 14:43:10	1	1	1	1	174.8	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:11	1	1	1	1	174.5	61	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:19	1	1	1	1	174.5	61	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	40.9375	2004
11.02.2020 14:43:20	1	1	1	1	174.5	60.75	0	26966.825	587.0967742	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:21	1	1	1	1	175	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 14:43:22	1	1	1	1	175	61.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:23	1	1	1	1	175	61.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:25	1	1	1	1	175	61	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:26	1	1	1	1	175	61	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	41.0625	2004
11.02.2020 14:43:27	1	1	1	1	175	61	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.375	2004
11.02.2020 14:43:28	1	1	1	1	175	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.375	2004
11.02.2020 14:43:29	1	1	1	1	175	61.25	0	27014.218	593.5483871	16062.02267	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:30	1	1	1	1	175	61.25	0	26966.825	593.5483871	15975.59318	30000	0	0	30000	41.25	2004
11.02.2020 14:43:31	1	1	1	1	175	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:43:32	1	1	1	1	175	61.25	0	26966.825	597.8494624	16295.2192	30000	0	0	30000	40.8125	2004
11.02.2020 14:43:33	1	1	1	1	175	60.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:43:34	1	1	1	1	175	61.25	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:35	1	1	1	1	175	61.25	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	41.375	2004
11.02.2020 14:43:36	1	1	1	1	175	61.25	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	41.1875	2004
11.02.2020 14:43:37	1	1	1	1	175	61	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.125	2004
11.02.2020 14:43:38	1	1	1	1	175	61	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	40.875	2004
11.02.2020 14:43:39	1	1	1	1	175	60.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.5625	2004
11.02.2020 14:43:40	1	1	1	1	175	60.5	0	26919.431	589.2473118	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:43:41	1	1	1	1	175	61.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	41.0625	2004
11.02.2020 14:43:42	1	1	1	1	175.8	61	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 14:43:43	1	1	1	1	175.8	61.25	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	41.25	2004
11.02.2020 14:43:44	1	1	1	1	175.8	61.25	0	26824.645	589.2473118	15891.60982	30000	0	0	30000	41.4375	2004
11.02.2020 14:43:45	1	1	1	1	175.8	61.25	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	41.4375	2004
11.02.2020 14:43:46	1	1	1	1	175.8	61.25	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:43:47	1	1	1	1	175.8	61	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	40.9375	2004
11.02.2020 14:43:48	1	1	1	1	175.8	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:43:49	1	1	1	1	175.8	61.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.4375	2004
11.02.2020 14:43:50	1	1	1	1	175.8	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.25	2004
11.02.2020 14:43:51	1	1	1	1	176	61.25	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	40.9375	2004
11.02.2020 14:43:52	1	1	1	1	176	60.75	0	27061.611	597.8494624	16150.0829	30000	0	0	30000	41.5625	2004
11.02.2020 14:43:53	1	1	1	1	176	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.6875	2004
11.02.2020 14:43:54	1	1	1	1	176	60.5	0	27061.611	597.8494624	16005.76197	30000	0	0	30000	41.25	2004
11.02.2020 14:43:55	1	1	1	1	176	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:56	1	1	1	1	176	61.25	0	26966.825	597.8494624	16179.43631	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:57	1	1	1	1	176	61.25	0	26682.464	591.3978495	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:43:58	1	1	1	1	176	61.25	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 14:43:59	1	1	1	1	176	61.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:00	1	1	1	1	176	61.25	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 14:44:01	1	1	1	1	175.5	61.5	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	40.8125	2004
11.02.2020 14:44:03	1	1	1	1	175.5	60.75	0	27109.005	593.5483871	16323.75724	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:04	1	1	1	1	175.5	61.25	0	26919.431	593.5483871	15863.88715	30000	0	0	30000	41.125	2004
11.02.2020 14:44:05	1	1	1	1	175.5	61	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:06	1	1	1	1	175.5	61.25	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:07	1	1	1	1	175.5	61.25	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	41.1875	2004
11.02.2020 14:44:08	1	1	1	1	175.5	61	0	27109.005	604.3010753	16119.91411	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:09	1	1	1	1	175.5	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41	2004
11.02.2020 14:44:10	1	1	1	1	175.5	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.25	2004
11.02.2020 14:44:11	1	1	1	1	175.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 14:44:12	1	1	1	1	175.8	61.25	0	27156.398	591.3978495	16001.6851	30000	0	0	30000	40.9375	2004
11.02.2020 14:44:13	1	1	1	1	175.8	60.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.0625	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:21	1	1	1	1	175.8	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:22	1	1	1	1	175.8	61.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:23	1	1	1	1	175.8	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.375	2004
11.02.2020 14:44:24	1	1	1	1	175.8	61.25	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 14:44:25	1	1	1	1	175.8	61.5	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	41.1875	2004
11.02.2020 14:44:26	1	1	1	1	175.8	61	0	27061.611	597.8494624	16005.76197	30000	0	0	30000	41.5	2004
11.02.2020 14:44:27	1	1	1	1	175.8	61.5	0	27061.611	584.9462366	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:28	1	1	1	1	175.8	61.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:44:29	1	1	1	1	175.8	61.25	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.125	2004
11.02.2020 14:44:30	1	1	1	1	175.8	61	0	26966.825	589.2473118	15887.53295	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:44:31	1	1	1	1	175.3	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:44:32	1	1	1	1	175.3	61.25	0	27014.218	593.5483871	16005.76197	30000	0	0	30000	41.5	2004
11.02.2020 14:44:33	1	1	1	1	175.3	61.5	0	26824.645	593.5483871	15664.93627	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:34	1	1	1	1	175.3	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:35	1	1	1	1	175.3	61.25	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.375	2004
11.02.2020 14:44:36	1	1	1	1	175.3	61.25	0	27061.611	591.3978495	16148.45215	30000	0	0	30000	41.5	2004
11.02.2020 14:44:37	1	1	1	1	175.3	61.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:44:38	1	1	1	1	175.3	61.5	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	41.125	2004
11.02.2020 14:44:40	1	1	1	1	175.3	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:44:41	1	1	1	1	175.3	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.1875	2004
11.02.2020 14:44:42	1	1	1	1	174.3	61	0	26966.825	591.3978495	16062.02267	30000	0	0	30000	41.25	2004
11.02.2020 14:44:43	1	1	1	1	174.3	61.25	0	27109.005	589.2473118	16148.45215	30000	0	0	30000	41.375	2004
11.02.2020 14:44:44	1	1	1	1	174.3	61.25	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:44:45	1	1	1	1	174.3	60.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.8125	2004
11.02.2020 14:44:46	1	1	1	1	174.3	60.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:47	1	1	1	1	174.3	61.25	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	41.1875	2004
11.02.2020 14:44:48	1	1	1	1	174.3	61	0	26682.464	591.3978495	15779.90379	30000	0	0	30000	41.5	2004
11.02.2020 14:44:49	1	1	1	1	174.3	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:50	1	1	1	1	174.3	61.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:44:51	1	1	1	1	174.3	61.5	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	41.125	2004
11.02.2020 14:44:52	1	1	1	1	173.8	61	0	26919.431	595.6989247	16296.03457	30000	0	0	30000	41.25	2004
11.02.2020 14:44:53	1	1	1	1	173.8	61.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	41.375	2004
11.02.2020 14:44:54	1	1	1	1	173.8	61.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:55	1	1	1	1	173.8	61.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:56	1	1	1	1	173.8	61.25	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:57	1	1	1	1	173.8	61.25	0	26824.645	593.5483871	15835.34912	30000	0	0	30000	41	2004
11.02.2020 14:44:58	1	1	1	1	173.8	61	0	26729.858	597.8494624	16009.02346	30000	0	0	30000	41.4375	2004
11.02.2020 14:44:59	1	1	1	1	173.8	61.25	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:45:00	1	1	1	1	173.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	40	2004
11.02.2020 14:45:04	1	1	1	1	174	61.5	0	26824.645	593.5483871	15720.38159	30000	0	0	30000	41.25	2004
11.02.2020 14:45:04	1	1	1	1	174	61.5	0	26824.645	593.5483871	15720.38159	30000	0	0	30000	41.25	2004
11.02.2020 14:45:04	1	1	1	1	174	61.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	41.6875	2004
11.02.2020 14:45:05	1	1	1	1	174	61.25	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:06	1	1	1	1	174	61.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 14:45:07	1	1	1	1	174	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.25	2004
11.02.2020 14:45:08	1	1	1	1	174	61.25	0	26919.431	602.1505376	16123.1756	30000	0	0	30000	40.6875	2004
11.02.2020 14:45:09	1	1	1	1	174	60.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:45:10	1	1	1	1	174	61.25	0	26872.038	595.6989247	15891.60982	30000	0	0	30000	41.5	2004
11.02.2020 14:45:11	1	1	1	1	173.8	61.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:12	1	1	1	1	173.8	61.25	0	26966.825	591.3978495	16295.2192	30000	0	0	30000	41.5	2004
11.02.2020 14:45:13	1	1	1	1	173.8	61.5	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	41.4375	2004
11.02.2020 14:45:14	1	1	1	1	173.8	61.25	0	26824.645	593.5483871	15891.60982	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:22	1	1	1	1	173.8	61.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:23	1	1	1	1	173.8	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:45:24	1	1	1	1	173.8	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	40.6875	2004
11.02.2020 14:45:25	1	1	1	1	173.8	60.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.0625	2004
11.02.2020 14:45:26	1	1	1	1	173.8	61	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	41.25	2004
11.02.2020 14:45:27	1	1	1	1	173.8	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:45:28	1	1	1	1	173.8	61.25	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:29	1	1	1	1	173.8	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:30	1	1	1	1	173.8	61.25	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	41.625	2004
11.02.2020 14:45:31	1	1	1	1	173.8	61.5	0	26919.431	602.1505376	16151.71364	30000	0	0	30000	41.0625	2004
11.02.2020 14:45:32	1	1	1	1	173.3	61	0	26682.464	595.6989247	15951.13201	30000	0	0	30000	41.5625	2004
11.02.2020 14:45:33	1	1	1	1	173.3	61.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.375	2004
11.02.2020 14:45:34	1	1	1	1	173.3	61.25	0	26966.825	597.8494624	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:45:35	1	1	1	1	173.3	61.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.125	2004
11.02.2020 14:45:36	1	1	1	1	173.3	61	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.375	2004
11.02.2020 14:45:37	1	1	1	1	173.3	61.25	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:38	1	1	1	1	173.3	61.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.1875	2004
11.02.2020 14:45:39	1	1	1	1	173.3	61	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	40.875	2004
11.02.2020 14:45:40	1	1	1	1	173.3	60.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.1875	2004
11.02.2020 14:45:41	1	1	1	1	173.3	61	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	41.0625	2004
11.02.2020 14:45:42	1	1	1	1	173.3	61	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.4375	2004
11.02.2020 14:45:43	1	1	1	1	173.3	61.25	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:44	1	1	1	1	173.3	61.25	0	26682.464	593.5483871	15779.90379	30000	0	0	30000	41	2004
11.02.2020 14:45:45	1	1	1	1	173.3	61	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.25	2004
11.02.2020 14:45:46	1	1	1	1	173.3	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:45:47	1	1	1	1	173.3	61.5	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 14:45:48	1	1	1	1	173.3	61.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.375	2004
11.02.2020 14:45:49	1	1	1	1	173.3	61.25	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:50	1	1	1	1	173.3	61.25	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 14:45:51	1	1	1	1	173.3	61.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:52	1	1	1	1	173.3	61.25	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	41.375	2004
11.02.2020 14:45:53	1	1	1	1	173.3	61.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5	2004
11.02.2020 14:45:54	1	1	1	1	173.3	61.5	0	26635.071	591.3978495	15894.05593	30000	0	0	30000	41.4375	2004
11.02.2020 14:45:56	1	1	1	1	173.3	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:45:57	1	1	1	1	173.3	61	0	26919.431	589.2473118	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:45:58	1	1	1	1	173.3	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.4375	2004
11.02.2020 14:45:59	1	1	1	1	173.3	61.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:46:00	1	1	1	1	173.3	61.25	0	26682.464	600	15951.94738	30000	0	0	30000	41.5625	2004
11.02.2020 14:46:01	1	1	1	1	173.3	61.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:02	1	1	1	1	173.3	61.25	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:46:03	1	1	1	1	173.3	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:04	1	1	1	1	173.3	61.25	0	26919.431	591.3978495	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:46:05	1	1	1	1	173.3	61.5	0	26919.431	595.6989247	15891.60982	30000	0	0	30000	41.1875	2004
11.02.2020 14:46:06	1	1	1	1	173.3	61	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 14:46:07	1	1	1	1	173.3	61.5	0	26966.825	593.5483871	16121.54486	30000	0	0	30000	41.25	2004
11.02.2020 14:46:08	1	1	1	1	173.3	61.25	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:09	1	1	1	1	173.3	61	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 14:46:10	1	1	1	1	173.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:46:11	1	1	1	1	173.3	61.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.4375	2004
11.02.2020 14:46:12	1	1	1	1	173	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:46:13	1	1	1	1	173	61.5	0	26777.251	593.5483871	15779.90379	30000	0	0	30000	41.375	2004
11.02.2020 14:46:14	1	1	1	1	173	61.25	0	26587.678	595.6989247	15866.33327	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:15	1	1	1	1	173	61	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.375	2004
11.02.2020 14:46:16	1	1	1	1	173	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	61.25	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	40.6875	2004
11.02.2020 14:46:24	1	1	1	1	173	60.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:46:25	1	1	1	1	173	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:26	1	1	1	1	173	61.25	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	41.375	2004
11.02.2020 14:46:27	1	1	1	1	173	61.25	0	26824.645	602.1505376	16066.09953	30000	0	0	30000	41.25	2004
11.02.2020 14:46:28	1	1	1	1	173	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:46:29	1	1	1	1	173	61.25	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.25	2004
11.02.2020 14:46:30	1	1	1	1	173	61.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:31	1	1	1	1	173.5	61.25	0	27014.218	593.5483871	16092.19145	30000	0	0	30000	41.375	2004
11.02.2020 14:46:32	1	1	1	1	173.5	61.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:33	1	1	1	1	173.5	61	0	26872.038	597.8494624	15891.60982	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:35	1	1	1	1	173.5	61	0	27061.611	580.6451613	15973.96244	30000	0	0	30000	41	2004
11.02.2020 14:46:36	1	1	1	1	173.5	61	0	26966.825	591.3978495	15889.97907	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:37	1	1	1	1	173.5	61.25	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41.5	2004
11.02.2020 14:46:38	1	1	1	1	173.5	61.5	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	41.5	2004
11.02.2020 14:46:39	1	1	1	1	173.5	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 14:46:40	1	1	1	1	173.5	61.5	0	26824.645	595.6989247	16123.1756	30000	0	0	30000	41.1875	2004
11.02.2020 14:46:41	1	1	1	1	173.5	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:42	1	1	1	1	174.8	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:46:43	1	1	1	1	174.8	61.25	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:46:44	1	1	1	1	174.8	61.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:46:45	1	1	1	1	174.8	61.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.25	2004
11.02.2020 14:46:46	1	1	1	1	174.8	61.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:46:47	1	1	1	1	174.8	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:48	1	1	1	1	174.8	61	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:46:49	1	1	1	1	174.8	61.5	0	26824.645	602.1505376	16008.20808	30000	0	0	30000	41.1875	2004
11.02.2020 14:46:50	1	1	1	1	174.8	61	0	26540.284	589.2473118	15894.87131	30000	0	0	30000	41.5625	2004
11.02.2020 14:46:51	1	1	1	1	174.8	61.5	0	26824.645	597.8494624	16151.71364	30000	0	0	30000	41.4375	2004
11.02.2020 14:46:52	1	1	1	1	174.3	61.25	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 14:46:53	1	1	1	1	174.3	61.5	0	26919.431	591.3978495	16121.54486	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:54	1	1	1	1	174.3	61	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	41.3125	2004
11.02.2020 14:46:55	1	1	1	1	174.3	61.25	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.4375	2004
11.02.2020 14:46:56	1	1	1	1	174.3	61.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	41.1875	2004
11.02.2020 14:46:57	1	1	1	1	174.3	61	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	41.1875	2004
11.02.2020 14:46:58	1	1	1	1	174.3	61	0	27061.611	597.8494624	16178.62093	30000	0	0	30000	41.0625	2004
11.02.2020 14:46:59	1	1	1	1	174.3	61	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 14:47:00	1	1	1	1	174.3	61.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.9375	2004
11.02.2020 14:47:01	1	1	1	1	173.5	60.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:47:02	1	1	1	1	173.5	61.25	0	26824.645	595.6989247	15863.88715	30000	0	0	30000	41.375	2004
11.02.2020 14:47:03	1	1	1	1	173.5	61.25	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:47:04	1	1	1	1	173.5	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.0625	2004
11.02.2020 14:47:05	1	1	1	1	173.5	61	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.9375	2004
11.02.2020 14:47:06	1	1	1	1	173.5	60.75	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	40.9375	2004
11.02.2020 14:47:07	1	1	1	1	173.5	60.75	0	26587.678	593.5483871	15837.79523	30000	0	0	30000	41.3125	2004
11.02.2020 14:47:08	1	1	1	1	173.5	61.25	0	26966.825	595.6989247	15804.36496	30000	0	0	30000	41.375	2004
11.02.2020 14:47:09	1	1	1	1	173.5	61.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:47:10	1	1	1	1	173.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 14:47:11	1	1	1	1	173.5	61.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 14:47:12	1	1	1	1	173.5	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:47:13	1	1	1	1	173.5	61.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:47:15	1	1	1	1	173.5	61.25	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:47:16	1	1	1	1	173.5	61.25	0	26919.431	595.6989247	15978.85467	30000	0	0	30000	41.25	2004
11.02.2020 14:47:17	1	1	1	1	173.5	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:47:18	1	1	1	1	173.5	61.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	41.125	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:25	1	1	1	1	172.8	61	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:26	1	1	1	1	172.8	61.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:47:27	1	1	1	1	172.8	61	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:47:28	1	1	1	1	172.8	61.25	0	26966.825	593.5483871	16179.43631	30000	0	0	30000	41	2004
11.02.2020 14:47:29	1	1	1	1	172.8	61	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 14:47:30	1	1	1	1	172.8	61	0	26777.251	595.6989247	15779.90379	30000	0	0	30000	41.25	2004
11.02.2020 14:47:31	1	1	1	1	172.8	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41	2004
11.02.2020 14:47:32	1	1	1	1	172.8	61	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 14:47:33	1	1	1	1	172.8	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:47:34	1	1	1	1	172.8	61.25	0	26919.431	604.3010753	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 14:47:35	1	1	1	1	172.8	61.5	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 14:47:36	1	1	1	1	172.8	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	40.875	2004
11.02.2020 14:47:37	1	1	1	1	172.8	60.75	0	26919.431	587.0967742	16005.76197	30000	0	0	30000	41.0625	2004
11.02.2020 14:47:38	1	1	1	1	172.8	61	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:39	1	1	1	1	172.8	61.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:47:40	1	1	1	1	172.8	61.75	0	27109.005	595.6989247	16062.02267	30000	0	0	30000	41.375	2004
11.02.2020 14:47:41	1	1	1	1	172.8	61.25	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 14:47:42	1	1	1	1	172.8	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.3125	2004
11.02.2020 14:47:43	1	1	1	1	172.8	61.25	0	26966.825	589.2473118	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 14:47:44	1	1	1	1	172.8	61.5	0	26777.251	591.3978495	15978.85467	30000	0	0	30000	41	2004
11.02.2020 14:47:45	1	1	1	1	172.8	61	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	41.25	2004
11.02.2020 14:47:46	1	1	1	1	172.8	61.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:47:47	1	1	1	1	172.8	61.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:47:48	1	1	1	1	172.8	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:47:49	1	1	1	1	172.8	61.5	0	26824.645	584.9462366	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:47:51	1	1	1	1	172.8	61.5	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	41	2004
11.02.2020 14:47:52	1	1	1	1	173	61	0	26919.431	595.6989247	15748.10426	30000	0	0	30000	41.125	2004
11.02.2020 14:47:53	1	1	1	1	173	61	0	26777.251	591.3978495	15893.24056	30000	0	0	30000	41.625	2004
11.02.2020 14:47:54	1	1	1	1	173	61.5	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 14:47:55	1	1	1	1	173	61	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.1875	2004
11.02.2020 14:47:56	1	1	1	1	173	61	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:47:57	1	1	1	1	173	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 14:47:58	1	1	1	1	173	61.25	0	26824.645	589.2473118	15949.50126	30000	0	0	30000	41.25	2004
11.02.2020 14:47:59	1	1	1	1	173	61.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:00	1	1	1	1	173	61.25	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:48:01	1	1	1	1	173	61.25	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	41	2004
11.02.2020 14:48:02	1	1	1	1	172.8	61	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	41.25	2004
11.02.2020 14:48:03	1	1	1	1	172.8	61.25	0	26587.678	595.6989247	16066.9149	30000	0	0	30000	40.875	2004
11.02.2020 14:48:04	1	1	1	1	172.8	60.75	0	26635.071	593.5483871	15837.79523	30000	0	0	30000	41.125	2004
11.02.2020 14:48:05	1	1	1	1	172.8	61	0	27061.611	597.8494624	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:48:06	1	1	1	1	172.8	60.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:07	1	1	1	1	172.8	61.25	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:48:08	1	1	1	1	172.8	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:09	1	1	1	1	172.8	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:48:10	1	1	1	1	172.8	61	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.1875	2004
11.02.2020 14:48:11	1	1	1	1	172.8	61	0	27061.611	593.5483871	16381.64868	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:48:12	1	1	1	1	173.3	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.875	2004
11.02.2020 14:48:13	1	1	1	1	173.3	61.75	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	41.25	2004
11.02.2020 14:48:14	1	1	1	1	173.3	61.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	41.5	2004
11.02.2020 14:48:15	1	1	1	1	173.3	61.5	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:16	1	1	1	1	173.3	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.3125	2004
11.02.2020 14:48:17	1	1	1	1	173.3	61.25	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	41.5	2004
11.02.2020 14:48:18	1	1	1	1	173.3	61.5	0	26777.251	593.5483871	15836.97986	30000	0	0	30000	41.5	2004
11.02.2020 14:48:19	1	1	1	1	173.3	61.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61	0	27014.218	591.3978495	15887.53295	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61	0	27014.218	591.3978495	15887.53295	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61	0	27014.218	591.3978495	15887.53295	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61	0	27014.218	591.3978495	15887.53295	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61	0	27014.218	591.3978495	15887.53295	30000	0	0	30000	41.5	2004
11.02.2020 14:48:27	1	1	1	1	172.8	61.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	41.125	2004
11.02.2020 14:48:29	1	1	1	1	172.8	61	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.25	2004
11.02.2020 14:48:30	1	1	1	1	172.8	61.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.25	2004
11.02.2020 14:48:31	1	1	1	1	172.8	61.25	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	41.25	2004
11.02.2020 14:48:32	1	1	1	1	172.3	61.25	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:33	1	1	1	1	172.3	61.25	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:34	1	1	1	1	172.3	61.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.625	2004
11.02.2020 14:48:35	1	1	1	1	172.3	61.5	0	26777.251	593.5483871	15921.7786	30000	0	0	30000	41.5	2004
11.02.2020 14:48:36	1	1	1	1	172.3	61.5	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	41.5	2004
11.02.2020 14:48:37	1	1	1	1	172.3	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:38	1	1	1	1	172.3	61.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:39	1	1	1	1	172.3	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:40	1	1	1	1	172.3	61.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.5	2004
11.02.2020 14:48:41	1	1	1	1	172.3	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:48:42	1	1	1	1	172.5	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:48:43	1	1	1	1	172.5	61.5	0	26824.645	589.2473118	15891.60982	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:44	1	1	1	1	172.5	61.25	0	27061.611	589.2473118	15917.70174	30000	0	0	30000	41.75	2004
11.02.2020 14:48:45	1	1	1	1	172.5	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:46	1	1	1	1	172.5	61.25	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	40.6875	2004
11.02.2020 14:48:47	1	1	1	1	172.5	60.5	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	41.0625	2004
11.02.2020 14:48:48	1	1	1	1	172.5	61	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:48:49	1	1	1	1	172.5	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 14:48:50	1	1	1	1	172.5	61.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:51	1	1	1	1	172.5	61.25	0	26966.825	589.2473118	16063.65341	30000	0	0	30000	41.125	2004
11.02.2020 14:48:52	1	1	1	1	172.5	61	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:53	1	1	1	1	172.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 14:48:54	1	1	1	1	172.5	62	0	26872.038	600	16151.71364	30000	0	0	30000	41.6875	2004
11.02.2020 14:48:55	1	1	1	1	172.5	61.5	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:48:56	1	1	1	1	172.5	61.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.4375	2004
11.02.2020 14:48:57	1	1	1	1	172.5	61.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.3125	2004
11.02.2020 14:48:58	1	1	1	1	172.5	61.25	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41	2004
11.02.2020 14:48:59	1	1	1	1	172.5	61	0	27014.218	595.6989247	15832.08763	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:00	1	1	1	1	172.5	61.5	0	26919.431	595.6989247	16121.54486	30000	0	0	30000	41	2004
11.02.2020 14:49:01	1	1	1	1	172.5	61	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.5	2004
11.02.2020 14:49:02	1	1	1	1	172.5	61.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	40.875	2004
11.02.2020 14:49:03	1	1	1	1	172.5	60.75	0	26777.251	593.5483871	15779.90379	30000	0	0	30000	41.125	2004
11.02.2020 14:49:04	1	1	1	1	172.5	61	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.5	2004
11.02.2020 14:49:05	1	1	1	1	172.5	61.5	0	27061.611	593.5483871	16178.62093	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:06	1	1	1	1	172.5	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:49:08	1	1	1	1	172.5	61.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 14:49:09	1	1	1	1	172.5	61.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:10	1	1	1	1	172.5	61.5	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	41.125	2004
11.02.2020 14:49:11	1	1	1	1	172.5	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:12	1	1	1	1	172.5	61.5	0	26966.825	597.8494624	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 14:49:13	1	1	1	1	172.5	61.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 14:49:14	1	1	1	1	172.5	61.5	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:15	1	1	1	1	172.5	61.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:49:16	1	1	1	1	172.5	61	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.0625	2004
11.02.2020 14:49:17	1	1	1	1	172.5	61	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.9375	2004
11.02.2020 14:49:18	1	1	1	1	172.5	60.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:19	1	1	1	1	172.5	61.5	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	41.6875	2004
11.02.2020 14:49:20	1	1	1	1	172.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:49:21	1	1	1	1	172.5	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.25	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	41.3125	2004
11.02.2020 14:49:29	1	1	1	1	172.3	61.25	0	27014.218	593.5483871	16092.19145	30000	0	0	30000	40.9375	2004
11.02.2020 14:49:30	1	1	1	1	172.3	60.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	41.375	2004
11.02.2020 14:49:31	1	1	1	1	172.3	61.25	0	26872.038	595.6989247	16151.71364	30000	0	0	30000	41.9375	2004
11.02.2020 14:49:32	1	1	1	1	171.5	61.75	0	26966.825	597.8494624	16178.62093	30000	0	0	30000	41.4375	2004
11.02.2020 14:49:33	1	1	1	1	171.5	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:49:34	1	1	1	1	171.5	61.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:49:35	1	1	1	1	171.5	61.5	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:49:36	1	1	1	1	171.5	61.25	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	41.625	2004
11.02.2020 14:49:37	1	1	1	1	171.5	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.875	2004
11.02.2020 14:49:38	1	1	1	1	171.5	60.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41	2004
11.02.2020 14:49:39	1	1	1	1	171.5	61	0	26824.645	591.3978495	15978.85467	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:49:40	1	1	1	1	171.5	61.5	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 14:49:41	1	1	1	1	170.5	61.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:42	1	1	1	1	170.5	61.5	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	41.5	2004
11.02.2020 14:49:43	1	1	1	1	170.5	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:45	1	1	1	1	170.5	61.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	41.625	2004
11.02.2020 14:49:46	1	1	1	1	170.5	61.5	0	26966.825	593.5483871	16121.54486	30000	0	0	30000	41.4375	2004
11.02.2020 14:49:47	1	1	1	1	170.5	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.375	2004
11.02.2020 14:49:48	1	1	1	1	170.5	60.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 14:49:49	1	1	1	1	170.5	61.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.5	2004
11.02.2020 14:49:50	1	1	1	1	170.5	61.5	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	41.25	2004
11.02.2020 14:49:51	1	1	1	1	170.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:49:52	1	1	1	1	170.5	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 14:49:53	1	1	1	1	170.5	61	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 14:49:54	1	1	1	1	170.5	61.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:49:55	1	1	1	1	170.5	61.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 14:49:56	1	1	1	1	170.5	61.5	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:49:57	1	1	1	1	170.5	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 14:49:58	1	1	1	1	170.5	61.25	0	26966.825	593.5483871	15832.08763	30000	0	0	30000	41.125	2004
11.02.2020 14:49:59	1	1	1	1	170.5	61	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 14:50:00	1	1	1	1	170.5	61.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	40.875	2004
11.02.2020 14:50:01	1	1	1	1	170.5	60.75	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41.25	2004
11.02.2020 14:50:02	1	1	1	1	170	61.25	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	41.375	2004
11.02.2020 14:50:03	1	1	1	1	170	61.25	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	41.125	2004
11.02.2020 14:50:04	1	1	1	1	170	61	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.625	2004
11.02.2020 14:50:05	1	1	1	1	170	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:06	1	1	1	1	170	61.25	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:50:07	1	1	1	1	170	61.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.3125	2004
11.02.2020 14:50:08	1	1	1	1	170	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41	2004
11.02.2020 14:50:09	1	1	1	1	170	61	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:10	1	1	1	1	170	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 14:50:11	1	1	1	1	170	61.5	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	41.25	2004
11.02.2020 14:50:12	1	1	1	1	170	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41	2004
11.02.2020 14:50:13	1	1	1	1	170	61.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.625	2004
11.02.2020 14:50:14	1	1	1	1	170	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 14:50:15	1	1	1	1	170	61.5	0	26966.825	593.5483871	16092.19145	30000	0	0	30000	41.25	2004
11.02.2020 14:50:16	1	1	1	1	170	61.25	0	27061.611	597.8494624	16063.65341	30000	0	0	30000	41.125	2004
11.02.2020 14:50:17	1	1	1	1	170	61	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	41.625	2004
11.02.2020 14:50:18	1	1	1	1	170	61.5	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:50:19	1	1	1	1	170	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	40.75	2004
11.02.2020 14:50:20	1	1	1	1	170	60.75	0	27393.365	589.2473118	16228.35866	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:21	1	1	1	1	170.3	61.5	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:22	1	1	1	1	170.3	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:30	1	1	1	1	170.3	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:50:31	1	1	1	1	170.3	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 14:50:32	1	1	1	1	169.5	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.375	2004
11.02.2020 14:50:33	1	1	1	1	169.5	61.25	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:50:34	1	1	1	1	169.5	61.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:35	1	1	1	1	169.5	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.375	2004
11.02.2020 14:50:36	1	1	1	1	169.5	61.25	0	26777.251	589.2473118	15805.99571	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:37	1	1	1	1	169.5	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.375	2004
11.02.2020 14:50:38	1	1	1	1	169.5	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:39	1	1	1	1	169.5	61.25	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:40	1	1	1	1	169.5	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:41	1	1	1	1	169.5	61.5	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.5	2004
11.02.2020 14:50:42	1	1	1	1	169.5	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:43	1	1	1	1	169.5	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41	2004
11.02.2020 14:50:44	1	1	1	1	169.5	61	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.375	2004
11.02.2020 14:50:45	1	1	1	1	169.5	61.25	0	27061.611	582.7956989	15770.93469	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:46	1	1	1	1	169.5	61.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:47	1	1	1	1	169.5	61.25	0	27109.005	584.9462366	16059.57655	30000	0	0	30000	41.3125	2004
11.02.2020 14:50:48	1	1	1	1	169.5	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 14:50:49	1	1	1	1	169.5	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.75	2004
11.02.2020 14:50:50	1	1	1	1	169.5	60.75	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	41.625	2004
11.02.2020 14:50:51	1	1	1	1	169.5	61.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:52	1	1	1	1	169.5	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	42	2004
11.02.2020 14:50:53	1	1	1	1	169.5	62	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.25	2004
11.02.2020 14:50:54	1	1	1	1	169.5	61.5	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:55	1	1	1	1	169.5	61.5	0	27061.611	587.0967742	15859.81029	30000	0	0	30000	41.75	2004
11.02.2020 14:50:56	1	1	1	1	169.5	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:50:57	1	1	1	1	169.5	61	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 14:50:58	1	1	1	1	169.5	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.4375	2004
11.02.2020 14:50:59	1	1	1	1	169.5	61.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.25	2004
11.02.2020 14:51:00	1	1	1	1	169.5	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:51:01	1	1	1	1	168.5	61.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:51:02	1	1	1	1	168.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 14:51:03	1	1	1	1	168.5	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:04	1	1	1	1	168.5	61.5	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:06	1	1	1	1	168.5	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.125	2004
11.02.2020 14:51:07	1	1	1	1	168.5	61	0	26919.431	587.0967742	15718.75085	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:08	1	1	1	1	168.5	61.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:51:09	1	1	1	1	168.5	61	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.5	2004
11.02.2020 14:51:10	1	1	1	1	168.5	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:11	1	1	1	1	168.5	61.5	0	26824.645	600	16152.52901	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:12	1	1	1	1	168	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:13	1	1	1	1	168	61.5	0	26966.825	589.2473118	15688.58207	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:14	1	1	1	1	168	61.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.3125	2004
11.02.2020 14:51:15	1	1	1	1	168	60.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:16	1	1	1	1	168	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 14:51:17	1	1	1	1	168	61.5	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:18	1	1	1	1	168	61.5	0	27061.611	584.9462366	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:19	1	1	1	1	168	61.5	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:20	1	1	1	1	168	61.5	0	27014.218	589.2473118	15889.97907	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:21	1	1	1	1	168	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:51:22	1	1	1	1	168	61	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 14:51:23	1	1	1	1	168	61.5	0	27061.611	602.1505376	16062.02267	30000	0	0	30000	41.375	2004
11.02.2020 14:51:24	1	1	1	1	168	61.25	0	26919.431	591.3978495	16121.54486	30000	0	0	30000	41.5	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	168	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:32	1	1	1	1	167.5	61.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:33	1	1	1	1	167.5	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 14:51:34	1	1	1	1	167.5	61.5	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	41.125	2004
11.02.2020 14:51:35	1	1	1	1	167.5	61	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:36	1	1	1	1	167.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.1875	2004
11.02.2020 14:51:37	1	1	1	1	167.5	61	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 14:51:38	1	1	1	1	167.5	61.5	0	26824.645	589.2473118	15863.88715	30000	0	0	30000	41.5	2004
11.02.2020 14:51:39	1	1	1	1	167.5	61.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 14:51:40	1	1	1	1	167.5	61.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.625	2004
11.02.2020 14:51:41	1	1	1	1	167.3	61.5	0	26966.825	587.0967742	15889.97907	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:43	1	1	1	1	167.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:51:44	1	1	1	1	167.3	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.4375	2004
11.02.2020 14:51:45	1	1	1	1	167.3	61.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.5	2004
11.02.2020 14:51:46	1	1	1	1	167.3	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.375	2004
11.02.2020 14:51:47	1	1	1	1	167.3	61.25	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	41	2004
11.02.2020 14:51:48	1	1	1	1	167.3	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	40.9375	2004
11.02.2020 14:51:49	1	1	1	1	167.3	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 14:51:50	1	1	1	1	167.3	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:51:51	1	1	1	1	167.3	61.5	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:51:52	1	1	1	1	168	61.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:51:53	1	1	1	1	168	61.5	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 14:51:54	1	1	1	1	168	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.8125	2004
11.02.2020 14:51:55	1	1	1	1	168	61.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	41.625	2004
11.02.2020 14:51:56	1	1	1	1	168	61.5	0	27156.398	587.0967742	15885.08684	30000	0	0	30000	41.75	2004
11.02.2020 14:51:57	1	1	1	1	168	61.75	0	27298.578	591.3978495	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:51:58	1	1	1	1	168	61	0	27156.398	591.3978495	16261.78893	30000	0	0	30000	41.375	2004
11.02.2020 14:51:59	1	1	1	1	168	61.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:00	1	1	1	1	168	61.5	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 14:52:01	1	1	1	1	168	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 14:52:02	1	1	1	1	167.3	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:03	1	1	1	1	167.3	61.5	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:04	1	1	1	1	167.3	61.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.375	2004
11.02.2020 14:52:05	1	1	1	1	167.3	61.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:52:06	1	1	1	1	167.3	61.5	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	40.5625	2004
11.02.2020 14:52:07	1	1	1	1	167.3	60.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:08	1	1	1	1	167.3	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 14:52:09	1	1	1	1	167.3	61.25	0	26919.431	587.0967742	15862.25641	30000	0	0	30000	40.75	2004
11.02.2020 14:52:10	1	1	1	1	167.3	60.75	0	27061.611	593.5483871	16178.62093	30000	0	0	30000	40.75	2004
11.02.2020 14:52:11	1	1	1	1	166.8	61.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 14:52:12	1	1	1	1	166.8	61.5	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 14:52:13	1	1	1	1	166.8	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:14	1	1	1	1	166.8	61.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:15	1	1	1	1	166.8	61.5	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	41.375	2004
11.02.2020 14:52:16	1	1	1	1	166.8	61.25	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:52:17	1	1	1	1	166.8	61.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:52:18	1	1	1	1	166.8	61.5	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 14:52:19	1	1	1	1	166.8	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.3125	2004
11.02.2020 14:52:21	1	1	1	1	166.8	61.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 14:52:22	1	1	1	1	166.5	61.25	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	41.5	2004
11.02.2020 14:52:23	1	1	1	1	166.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:52:24	1	1	1	1	166.5	61.5	0	27109.005	584.9462366	16144.37529	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:25	1	1	1	1	166.5	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:26	1	1	1	1	166.5	61.25	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	40.875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:33	1	1	1	1	166.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:34	1	1	1	1	166.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:52:35	1	1	1	1	166.5	61	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.375	2004
11.02.2020 14:52:36	1	1	1	1	166.5	61.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:52:37	1	1	1	1	166.5	61.5	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:38	1	1	1	1	166.5	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 14:52:39	1	1	1	1	166.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 14:52:40	1	1	1	1	166.5	61.25	0	27298.578	587.0967742	16113.39113	30000	0	0	30000	41.25	2004
11.02.2020 14:52:41	1	1	1	1	166.5	61.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.375	2004
11.02.2020 14:52:42	1	1	1	1	166.8	61.25	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:43	1	1	1	1	166.8	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:44	1	1	1	1	166.8	61.5	0	27345.972	587.0967742	16168.83646	30000	0	0	30000	41.625	2004
11.02.2020 14:52:45	1	1	1	1	166.8	61.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	41	2004
11.02.2020 14:52:46	1	1	1	1	166.8	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:47	1	1	1	1	166.8	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 14:52:48	1	1	1	1	166.8	61.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 14:52:49	1	1	1	1	166.8	61.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:50	1	1	1	1	166.8	61.5	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:51	1	1	1	1	167	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.4375	2004
11.02.2020 14:52:52	1	1	1	1	167	61.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:53	1	1	1	1	167	61.5	0	27298.578	584.9462366	16113.39113	30000	0	0	30000	41.5625	2004
11.02.2020 14:52:54	1	1	1	1	167	61.5	0	27535.545	587.0967742	16193.29764	30000	0	0	30000	41.625	2004
11.02.2020 14:52:55	1	1	1	1	167	61.5	0	27440.758	582.7956989	15814.9648	30000	0	0	30000	41.75	2004
11.02.2020 14:52:56	1	1	1	1	167	61.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.6875	2004
11.02.2020 14:52:57	1	1	1	1	167	61.5	0	27109.005	587.0967742	15829.64151	30000	0	0	30000	41.75	2004
11.02.2020 14:52:59	1	1	1	1	167	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 14:53:00	1	1	1	1	167	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 14:53:01	1	1	1	1	167	61.75	0	26966.825	591.3978495	15746.47351	30000	0	0	30000	41.8125	2004
11.02.2020 14:53:02	1	1	1	1	168.3	61.75	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	41.3125	2004
11.02.2020 14:53:03	1	1	1	1	168.3	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:04	1	1	1	1	168.3	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.9375	2004
11.02.2020 14:53:05	1	1	1	1	168.3	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.4375	2004
11.02.2020 14:53:06	1	1	1	1	168.3	61.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 14:53:07	1	1	1	1	168.3	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 14:53:08	1	1	1	1	168.3	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
11.02.2020 14:53:09	1	1	1	1	168.3	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 14:53:10	1	1	1	1	168.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.1875	2004
11.02.2020 14:53:11	1	1	1	1	168.3	61	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:12	1	1	1	1	167.5	61.5	0	27061.611	595.6989247	16148.45215	30000	0	0	30000	41.125	2004
11.02.2020 14:53:13	1	1	1	1	167.5	61	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:53:14	1	1	1	1	167.5	61.5	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.125	2004
11.02.2020 14:53:15	1	1	1	1	167.5	61	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	40.0625	2004
11.02.2020 14:53:16	1	1	1	1	167.5	60	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 14:53:17	1	1	1	1	167.5	61.75	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	41.3125	2004
11.02.2020 14:53:18	1	1	1	1	167.5	61.25	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	41.25	2004
11.02.2020 14:53:19	1	1	1	1	167.5	61.25	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 14:53:20	1	1	1	1	167.5	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.25	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 14:53:21	1	1	1	1	167.5	61.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 14:53:22	1	1	1	1	168.5	61.5	0	27061.611	578.4946237	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 14:53:23	1	1	1	1	168.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
11.02.2020 14:53:24	1	1	1	1	168.5	61.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.4375	2004
11.02.2020 14:53:25	1	1	1	1	168.5	61.25	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:26	1	1	1	1	168.5	61.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.6875	2004
11.02.2020 14:53:27	1	1	1	1	168.5	61.5	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	42	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 14:53:35	1	1	1	1	168.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:53:37	1	1	1	1	168.5	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 14:53:38	1	1	1	1	168.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 14:53:39	1	1	1	1	168.5	61.25	0	27109.005	584.9462366	15973.96244	30000	0	0	30000	41.375	2004
11.02.2020 14:53:40	1	1	1	1	168.5	61.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.1875	2004
11.02.2020 14:53:41	1	1	1	1	168.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 14:53:42	1	1	1	1	167.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
11.02.2020 14:53:43	1	1	1	1	167.8	60.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 14:53:44	1	1	1	1	167.8	61.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.375	2004
11.02.2020 14:53:45	1	1	1	1	167.8	61.25	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:46	1	1	1	1	167.8	61.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:47	1	1	1	1	167.8	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 14:53:48	1	1	1	1	167.8	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 14:53:49	1	1	1	1	167.8	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:50	1	1	1	1	167.8	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.5625	2004
11.02.2020 14:53:51	1	1	1	1	167.8	61.5	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 14:53:52	1	1	1	1	168	61.5	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	41.5	2004
11.02.2020 14:53:53	1	1	1	1	168	61.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 14:53:54	1	1	1	1	168	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.25	2004
11.02.2020 14:53:55	1	1	1	1	168	61.25	0	26966.825	595.6989247	16238.14313	30000	0	0	30000	41.75	2004
11.02.2020 14:53:56	1	1	1	1	168	61.75	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	41.75	2004
11.02.2020 14:53:57	1	1	1	1	168	61.75	0	27298.578	589.2473118	15740.76591	30000	0	0	30000	41.1875	2004
11.02.2020 14:53:58	1	1	1	1	168	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.4375	2004
11.02.2020 14:53:59	1	1	1	1	168	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.5	2004
11.02.2020 14:54:00	1	1	1	1	168	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.1875	2004
11.02.2020 14:54:01	1	1	1	1	168	61	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	41.3125	2004
11.02.2020 14:54:02	1	1	1	1	168.3	61.25	0	26824.645	597.8494624	16152.52901	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:03	1	1	1	1	168.3	61.5	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	41.5	2004
11.02.2020 14:54:04	1	1	1	1	168.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:54:05	1	1	1	1	168.3	61.5	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 14:54:06	1	1	1	1	168.3	62	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.375	2004
11.02.2020 14:54:07	1	1	1	1	168.3	61.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 14:54:08	1	1	1	1	168.3	61.75	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.75	2004
11.02.2020 14:54:09	1	1	1	1	168.3	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:10	1	1	1	1	168.3	61.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:11	1	1	1	1	168.5	61.5	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 14:54:12	1	1	1	1	168.5	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.375	2004
11.02.2020 14:54:14	1	1	1	1	168.5	61.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:15	1	1	1	1	168.5	61.5	0	27061.611	589.2473118	16119.91411	30000	0	0	30000	41.125	2004
11.02.2020 14:54:16	1	1	1	1	168.5	61	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:17	1	1	1	1	168.5	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.25	2004
11.02.2020 14:54:18	1	1	1	1	168.5	61.25	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	41.0625	2004
11.02.2020 14:54:19	1	1	1	1	168.5	61	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:20	1	1	1	1	168.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:21	1	1	1	1	168.5	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:22	1	1	1	1	168	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:23	1	1	1	1	168	61.25	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	41.25	2004
11.02.2020 14:54:24	1	1	1	1	168	61.25	0	26682.464	589.2473118	15951.13201	30000	0	0	30000	41.8125	2004
11.02.2020 14:54:25	1	1	1	1	168	61.75	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:54:26	1	1	1	1	168	61.5	0	26966.825	602.1505376	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 14:54:27	1	1	1	1	168	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 14:54:28	1	1	1	1	168	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 14:54:29	1	1	1	1	168	61.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:37	1	1	1	1	167.5	61.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:38	1	1	1	1	167.5	61.25	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.25	2004
11.02.2020 14:54:38	1	1	1	1	167.5	61.25	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:39	1	1	1	1	167.5	61.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	41.625	2004
11.02.2020 14:54:40	1	1	1	1	167.5	61.5	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:41	1	1	1	1	167.5	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 14:54:42	1	1	1	1	166.5	61.75	0	27061.611	597.8494624	16178.62093	30000	0	0	30000	41.125	2004
11.02.2020 14:54:43	1	1	1	1	166.5	61	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	41.75	2004
11.02.2020 14:54:44	1	1	1	1	166.5	61.75	0	26919.431	595.6989247	16121.54486	30000	0	0	30000	41.5	2004
11.02.2020 14:54:45	1	1	1	1	166.5	61.75	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	41.625	2004
11.02.2020 14:54:46	1	1	1	1	166.5	61.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	41.4375	2004
11.02.2020 14:54:47	1	1	1	1	166.5	61.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 14:54:48	1	1	1	1	166.5	61.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:54:49	1	1	1	1	166.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:54:50	1	1	1	1	166.5	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.625	2004
11.02.2020 14:54:51	1	1	1	1	166.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:54:52	1	1	1	1	166.3	61.5	0	26966.825	591.3978495	16092.19145	30000	0	0	30000	41.75	2004
11.02.2020 14:54:54	1	1	1	1	166.3	61.75	0	26919.431	593.5483871	16151.71364	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:55	1	1	1	1	166.3	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:56	1	1	1	1	166.3	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 14:54:57	1	1	1	1	166.3	61.5	0	26966.825	593.5483871	16179.43631	30000	0	0	30000	41.6875	2004
11.02.2020 14:54:58	1	1	1	1	166.3	61.5	0	26966.825	589.2473118	15630.69062	30000	0	0	30000	41.5	2004
11.02.2020 14:54:59	1	1	1	1	166.3	61.5	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	41.75	2004
11.02.2020 14:55:00	1	1	1	1	166.3	61.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.625	2004
11.02.2020 14:55:01	1	1	1	1	166.3	61.5	0	26682.464	597.8494624	15779.90379	30000	0	0	30000	41.625	2004
11.02.2020 14:55:02	1	1	1	1	166.3	61.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	40.8125	2004
11.02.2020 14:55:03	1	1	1	1	166.3	60.75	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:55:04	1	1	1	1	166.3	61.5	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:05	1	1	1	1	166.3	61.75	0	26966.825	587.0967742	16005.76197	30000	0	0	30000	41.1875	2004
11.02.2020 14:55:06	1	1	1	1	166.3	61	0	26777.251	591.3978495	15951.13201	30000	0	0	30000	41.375	2004
11.02.2020 14:55:07	1	1	1	1	166.3	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.375	2004
11.02.2020 14:55:08	1	1	1	1	166.3	61.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:09	1	1	1	1	166.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 14:55:10	1	1	1	1	166.3	61.25	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 14:55:11	1	1	1	1	166.3	61.5	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:12	1	1	1	1	165.5	61.5	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:55:13	1	1	1	1	165.5	61.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.25	2004
11.02.2020 14:55:14	1	1	1	1	165.5	61.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.4375	2004
11.02.2020 14:55:15	1	1	1	1	165.5	61.25	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.1875	2004
11.02.2020 14:55:16	1	1	1	1	165.5	61	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	41.75	2004
11.02.2020 14:55:17	1	1	1	1	165.5	61.75	0	27298.578	591.3978495	16172.09795	30000	0	0	30000	41	2004
11.02.2020 14:55:18	1	1	1	1	165.5	61	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 14:55:19	1	1	1	1	165.5	61.75	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:20	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15978.85467	30000	0	0	30000	41.75	2004
11.02.2020 14:55:21	1	1	1	1	165.5	61.75	0	27109.005	591.3978495	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:22	1	1	1	1	165.5	61.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:23	1	1	1	1	165.5	61.75	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:24	1	1	1	1	165.5	61.5	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 14:55:25	1	1	1	1	165.5	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
11.02.2020 14:55:26	1	1	1	1	165.5	61	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.1875	2004
11.02.2020 14:55:27	1	1	1	1	165.5	61	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:28	1	1	1	1	165.5	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 14:55:29	1	1	1	1	165.5	61.75	0	27061.611	591.3978495	15889.97907	30000	0	0	30000	41	2004
11.02.2020 14:55:30	1	1	1	1	165.5	61	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:38	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 14:55:39	1	1	1	1	165.3	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:40	1	1	1	1	165.3	61.75	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 14:55:41	1	1	1	1	165.3	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 14:55:42	1	1	1	1	165.8	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.3125	2004
11.02.2020 14:55:43	1	1	1	1	165.8	61.25	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:44	1	1	1	1	165.8	61.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.5	2004
11.02.2020 14:55:45	1	1	1	1	165.8	61.5	0	26919.431	589.2473118	15978.0393	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:46	1	1	1	1	165.8	61.5	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:47	1	1	1	1	165.8	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.75	2004
11.02.2020 14:55:48	1	1	1	1	165.8	61.75	0	27109.005	595.6989247	16176.99019	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:49	1	1	1	1	165.8	61.5	0	26872.038	591.3978495	16093.82219	30000	0	0	30000	41.5	2004
11.02.2020 14:55:50	1	1	1	1	165.8	61.5	0	26919.431	591.3978495	16063.65341	30000	0	0	30000	41.75	2004
11.02.2020 14:55:51	1	1	1	1	165.8	61.75	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:52	1	1	1	1	165.5	61.75	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	41.75	2004
11.02.2020 14:55:53	1	1	1	1	165.5	61.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:54	1	1	1	1	165.5	61.75	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	41.625	2004
11.02.2020 14:55:55	1	1	1	1	165.5	61.5	0	27109.005	587.0967742	16118.28337	30000	0	0	30000	41.75	2004
11.02.2020 14:55:56	1	1	1	1	165.5	61.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 14:55:57	1	1	1	1	165.5	61.5	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.6875	2004
11.02.2020 14:55:58	1	1	1	1	165.5	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.8125	2004
11.02.2020 14:55:59	1	1	1	1	165.5	61.75	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:00	1	1	1	1	165.5	61.5	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	41.8125	2004
11.02.2020 14:56:01	1	1	1	1	165.5	61.75	0	27156.398	587.0967742	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 14:56:02	1	1	1	1	165	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 14:56:03	1	1	1	1	165	61.25	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 14:56:04	1	1	1	1	165	61.25	0	27109.005	582.7956989	16001.6851	30000	0	0	30000	41.75	2004
11.02.2020 14:56:05	1	1	1	1	165	61.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:06	1	1	1	1	165	61.5	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.4375	2004
11.02.2020 14:56:07	1	1	1	1	165	61.25	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.0625	2004
11.02.2020 14:56:08	1	1	1	1	165	61	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41.25	2004
11.02.2020 14:56:10	1	1	1	1	165	61.25	0	27109.005	597.8494624	16031.85389	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:11	1	1	1	1	165	61.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	41	2004
11.02.2020 14:56:12	1	1	1	1	164.5	61	0	26682.464	593.5483871	15779.90379	30000	0	0	30000	41.1875	2004
11.02.2020 14:56:13	1	1	1	1	164.5	61	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.5	2004
11.02.2020 14:56:14	1	1	1	1	164.5	61.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:15	1	1	1	1	164.5	61.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:16	1	1	1	1	164.5	61.5	0	26635.071	597.8494624	15894.87131	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:17	1	1	1	1	164.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:56:18	1	1	1	1	164.5	61.5	0	27109.005	595.6989247	16176.99019	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:19	1	1	1	1	164.5	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 14:56:20	1	1	1	1	164.5	61.5	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	41.75	2004
11.02.2020 14:56:21	1	1	1	1	164.5	61.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 14:56:22	1	1	1	1	164.8	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:23	1	1	1	1	164.8	61.5	0	27109.005	591.3978495	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 14:56:24	1	1	1	1	164.8	61.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.625	2004
11.02.2020 14:56:25	1	1	1	1	164.8	61.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.5	2004
11.02.2020 14:56:26	1	1	1	1	164.8	61.5	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	41.3125	2004
11.02.2020 14:56:27	1	1	1	1	164.8	61.25	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:28	1	1	1	1	164.8	61.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.4375	2004
11.02.2020 14:56:29	1	1	1	1	164.8	61.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:30	1	1	1	1	164.8	61.5	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.75	2004
11.02.2020 14:56:31	1	1	1	1	164.8	61.75	0	26966.825	597.8494624	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 14:56:32	1	1	1	1	165.5	61.5	0	26824.645	584.9462366	15920.14785	30000	0	0	30000	41.75	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	42	2004
11.02.2020 14:56:40	1	1	1	1	165.5	61.5	0	26872.038	597.8494624	16035.93075	30000	0	0	30000	41.5	2004
11.02.2020 14:56:41	1	1	1	1	165.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:42	1	1	1	1	165.5	61.5	0	26872.038	591.3978495	15691.02818	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:43	1	1	1	1	165.5	61.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:44	1	1	1	1	165.5	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:45	1	1	1	1	165.5	61.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.5625	2004
11.02.2020 14:56:46	1	1	1	1	165.5	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 14:56:47	1	1	1	1	165.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:49	1	1	1	1	165.5	61.5	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:50	1	1	1	1	165.5	61.5	0	27014.218	595.6989247	16005.76197	30000	0	0	30000	41.75	2004
11.02.2020 14:56:51	1	1	1	1	165.5	61.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.3125	2004
11.02.2020 14:56:52	1	1	1	1	165.8	61.25	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	41.8125	2004
11.02.2020 14:56:53	1	1	1	1	165.8	61.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.8125	2004
11.02.2020 14:56:54	1	1	1	1	165.8	61.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 14:56:55	1	1	1	1	165.8	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 14:56:56	1	1	1	1	165.8	61.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	41.75	2004
11.02.2020 14:56:57	1	1	1	1	165.8	61.75	0	26919.431	587.0967742	16063.65341	30000	0	0	30000	41.8125	2004
11.02.2020 14:56:58	1	1	1	1	165.8	61.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:56:59	1	1	1	1	165.8	61.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:57:00	1	1	1	1	165.8	61.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.5625	2004
11.02.2020 14:57:01	1	1	1	1	165.8	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:57:02	1	1	1	1	164.8	61.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 14:57:03	1	1	1	1	164.8	61.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:04	1	1	1	1	164.8	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.25	2004
11.02.2020 14:57:05	1	1	1	1	164.8	61.25	0	26587.678	595.6989247	15894.05593	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:06	1	1	1	1	164.8	61.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 14:57:07	1	1	1	1	164.8	61.75	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	41.625	2004
11.02.2020 14:57:08	1	1	1	1	164.8	61.5	0	26682.464	600	16009.02346	30000	0	0	30000	41.5625	2004
11.02.2020 14:57:09	1	1	1	1	164.8	61.5	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.3125	2004
11.02.2020 14:57:10	1	1	1	1	164.8	61.25	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:11	1	1	1	1	164.8	61.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.5	2004
11.02.2020 14:57:12	1	1	1	1	163.5	61.5	0	26777.251	593.5483871	15894.05593	30000	0	0	30000	41.625	2004
11.02.2020 14:57:13	1	1	1	1	163.5	61.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.8125	2004
11.02.2020 14:57:14	1	1	1	1	163.5	61.75	0	26919.431	595.6989247	16179.43631	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:15	1	1	1	1	163.5	61.25	0	26919.431	595.6989247	15891.60982	30000	0	0	30000	41.5	2004
11.02.2020 14:57:16	1	1	1	1	163.5	61.5	0	26919.431	593.5483871	15748.10426	30000	0	0	30000	41.75	2004
11.02.2020 14:57:17	1	1	1	1	163.5	61.75	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	41.75	2004
11.02.2020 14:57:18	1	1	1	1	163.5	61.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:19	1	1	1	1	163.5	61.5	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.75	2004
11.02.2020 14:57:20	1	1	1	1	163.5	61.75	0	26919.431	595.6989247	15949.50126	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:21	1	1	1	1	164	61.25	0	26919.431	602.1505376	15978.0393	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:22	1	1	1	1	164	61.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:23	1	1	1	1	164	61.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.3125	2004
11.02.2020 14:57:24	1	1	1	1	164	61.25	0	27061.611	595.6989247	15889.97907	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:25	1	1	1	1	164	61.5	0	26777.251	589.2473118	15720.38159	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:26	1	1	1	1	164	61.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 14:57:28	1	1	1	1	164	61.5	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	41.625	2004
11.02.2020 14:57:31	1	1	1	1	164	61.75	0	26872.038	587.0967742	16093.82219	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:31	1	1	1	1	164	61.75	0	26872.038	587.0967742	16093.82219	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:31	1	1	1	1	164	61.5	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	41.625	2004
11.02.2020 14:57:32	1	1	1	1	164	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 14:57:33	1	1	1	1	164	61.5	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:34	1	1	1	1	164	61.25	0	26682.464	597.8494624	16181.06705	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:41	1	1	1	1	164	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:42	1	1	1	1	164	61.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.3125	2004
11.02.2020 14:57:43	1	1	1	1	164	61.25	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	41.5	2004
11.02.2020 14:57:44	1	1	1	1	164	61.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:57:45	1	1	1	1	164	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:57:46	1	1	1	1	164	61.25	0	26966.825	589.2473118	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 14:57:47	1	1	1	1	164	61.5	0	27109.005	578.4946237	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:48	1	1	1	1	164	61.5	0	26824.645	591.3978495	15920.14785	30000	0	0	30000	41.6875	2004
11.02.2020 14:57:49	1	1	1	1	164	61.5	0	26919.431	589.2473118	16179.43631	30000	0	0	30000	41.625	2004
11.02.2020 14:57:50	1	1	1	1	164	61.5	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41	2004
11.02.2020 14:57:51	1	1	1	1	164	61	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 14:57:52	1	1	1	1	164.3	61.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.4375	2004
11.02.2020 14:57:53	1	1	1	1	164.3	61.25	0	26919.431	597.8494624	15891.60982	30000	0	0	30000	41.375	2004
11.02.2020 14:57:54	1	1	1	1	164.3	61.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40.8125	2004
11.02.2020 14:57:55	1	1	1	1	164.3	60.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.375	2004
11.02.2020 14:57:56	1	1	1	1	164.3	61.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	41.625	2004
11.02.2020 14:57:57	1	1	1	1	164.3	61.5	0	26587.678	595.6989247	15951.94738	30000	0	0	30000	41.8125	2004
11.02.2020 14:57:58	1	1	1	1	164.3	61	0	26777.251	597.8494624	16066.9149	30000	0	0	30000	41.75	2004
11.02.2020 14:57:59	1	1	1	1	164.3	61.75	0	26729.858	591.3978495	15894.05593	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:00	1	1	1	1	164.3	61.5	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	41.75	2004
11.02.2020 14:58:01	1	1	1	1	163.8	61.75	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:02	1	1	1	1	163.8	61.5	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:03	1	1	1	1	163.8	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:04	1	1	1	1	163.8	61.5	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	41.75	2004
11.02.2020 14:58:06	1	1	1	1	163.8	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
11.02.2020 14:58:07	1	1	1	1	163.8	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.25	2004
11.02.2020 14:58:08	1	1	1	1	163.8	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:09	1	1	1	1	163.8	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:10	1	1	1	1	163.8	61.5	0	26919.431	584.9462366	15889.97907	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:11	1	1	1	1	163.8	61.5	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41.75	2004
11.02.2020 14:58:12	1	1	1	1	163.3	61.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:13	1	1	1	1	163.3	61.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	41.5	2004
11.02.2020 14:58:14	1	1	1	1	163.3	61.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:15	1	1	1	1	163.3	61.5	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41	2004
11.02.2020 14:58:16	1	1	1	1	163.3	61	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:17	1	1	1	1	163.3	61.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	41.8125	2004
11.02.2020 14:58:18	1	1	1	1	163.3	61.75	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.375	2004
11.02.2020 14:58:19	1	1	1	1	163.3	61.25	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	41.625	2004
11.02.2020 14:58:20	1	1	1	1	163.3	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.75	2004
11.02.2020 14:58:21	1	1	1	1	163.3	61.75	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.875	2004
11.02.2020 14:58:22	1	1	1	1	163.3	61.75	0	26777.251	593.5483871	15921.7786	30000	0	0	30000	41.875	2004
11.02.2020 14:58:23	1	1	1	1	163.3	61.75	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.6875	2004
11.02.2020 14:58:24	1	1	1	1	163.3	61.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	41.4375	2004
11.02.2020 14:58:25	1	1	1	1	163.3	61.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 14:58:26	1	1	1	1	163.3	61.5	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.125	2004
11.02.2020 14:58:27	1	1	1	1	163.3	61	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	41.625	2004
11.02.2020 14:58:28	1	1	1	1	163.3	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:29	1	1	1	1	163.3	61.5	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:58:30	1	1	1	1	163.3	61.75	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	40.9375	2004
11.02.2020 14:58:31	1	1	1	1	163.3	60.75	0	26872.038	595.6989247	16093.82219	30000	0	0	30000	41.3125	2004
11.02.2020 14:58:32	1	1	1	1	163	61.25	0	26872.038	593.5483871	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 14:58:33	1	1	1	1	163	61.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:58:34	1	1	1	1	163	61.25	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	41.4375	2004
11.02.2020 14:58:35	1	1	1	1	163	61.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 14:58:43	1	1	1	1	163	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:43	1	1	1	1	163	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:43	1	1	1	1	163	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:43	1	1	1	1	163	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:43	1	1	1	1	163	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 14:58:43	1	1	1	1	163	61.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:45	1	1	1	1	163	61.5	0	26966.825	597.8494624	16035.93075	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:46	1	1	1	1	163	61.5	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	41.75	2004
11.02.2020 14:58:47	1	1	1	1	163	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.375	2004
11.02.2020 14:58:48	1	1	1	1	163	61.25	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.75	2004
11.02.2020 14:58:49	1	1	1	1	163	61.75	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 14:58:50	1	1	1	1	163	61	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.625	2004
11.02.2020 14:58:51	1	1	1	1	163	61.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:58:52	1	1	1	1	162.5	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.5625	2004
11.02.2020 14:58:53	1	1	1	1	162.5	61.5	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	41.625	2004
11.02.2020 14:58:54	1	1	1	1	162.5	61.5	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	41.625	2004
11.02.2020 14:58:55	1	1	1	1	162.5	61.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	41.5	2004
11.02.2020 14:58:56	1	1	1	1	162.5	61.5	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 14:58:57	1	1	1	1	162.5	61.25	0	26777.251	606.4516129	16123.99098	30000	0	0	30000	41.5	2004
11.02.2020 14:58:58	1	1	1	1	162.5	61.5	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	41.625	2004
11.02.2020 14:58:59	1	1	1	1	162.5	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:00	1	1	1	1	162.5	61.25	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.0625	2004
11.02.2020 14:59:01	1	1	1	1	162.5	61	0	27109.005	584.9462366	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:02	1	1	1	1	162.3	61.5	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:03	1	1	1	1	162.3	61.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 14:59:04	1	1	1	1	162.3	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:05	1	1	1	1	162.3	61.25	0	27440.758	591.3978495	16172.09795	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:06	1	1	1	1	162.3	61.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	41.125	2004
11.02.2020 14:59:07	1	1	1	1	162.3	61	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:08	1	1	1	1	162.3	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 14:59:09	1	1	1	1	162.3	61.5	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41.5	2004
11.02.2020 14:59:10	1	1	1	1	162.3	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 14:59:11	1	1	1	1	162.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:12	1	1	1	1	161.8	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:13	1	1	1	1	161.8	61.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:59:14	1	1	1	1	161.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 14:59:15	1	1	1	1	161.8	61.75	0	26682.464	589.2473118	15779.90379	30000	0	0	30000	41.625	2004
11.02.2020 14:59:16	1	1	1	1	161.8	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:17	1	1	1	1	161.8	62	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:18	1	1	1	1	161.8	61.25	0	26777.251	591.3978495	15779.90379	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:19	1	1	1	1	161.8	61.5	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	41.625	2004
11.02.2020 14:59:20	1	1	1	1	161.8	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:22	1	1	1	1	161.8	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.5	2004
11.02.2020 14:59:23	1	1	1	1	161.8	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:24	1	1	1	1	161.8	61.25	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 14:59:25	1	1	1	1	161.8	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 14:59:26	1	1	1	1	161.8	61.5	0	26919.431	600	16179.43631	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:27	1	1	1	1	161.8	61.5	0	26682.464	600	16009.02346	30000	0	0	30000	41.5	2004
11.02.2020 14:59:28	1	1	1	1	161.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41	2004
11.02.2020 14:59:29	1	1	1	1	161.8	61	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:30	1	1	1	1	161.8	61.5	0	26966.825	602.1505376	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 14:59:31	1	1	1	1	161.8	61.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.5	2004
11.02.2020 14:59:32	1	1	1	1	161.8	61.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	40.8125	2004
11.02.2020 14:59:33	1	1	1	1	161.8	60.75	0	26919.431	597.8494624	16063.65341	30000	0	0	30000	41.0625	2004
11.02.2020 14:59:34	1	1	1	1	161.8	61	0	26777.251	591.3978495	15978.85467	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:35	1	1	1	1	161.8	61.5	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	41	2004
11.02.2020 14:59:36	1	1	1	1	161.8	61	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.25	2004
11.02.2020 14:59:37	1	1	1	1	161.8	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:45	1	1	1	1	161	61.5	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	41.6875	2004
11.02.2020 14:59:46	1	1	1	1	161	61.5	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	41.75	2004
11.02.2020 14:59:47	1	1	1	1	161	61.75	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:48	1	1	1	1	161	61.5	0	26777.251	595.6989247	15779.90379	30000	0	0	30000	41.75	2004
11.02.2020 14:59:49	1	1	1	1	161	61.75	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.0625	2004
11.02.2020 14:59:50	1	1	1	1	161	61	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:51	1	1	1	1	161	61.5	0	26777.251	589.2473118	15978.85467	30000	0	0	30000	41.75	2004
11.02.2020 14:59:52	1	1	1	1	161.5	61.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	41.5625	2004
11.02.2020 14:59:53	1	1	1	1	161.5	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:54	1	1	1	1	161.5	61.25	0	27156.398	589.2473118	15770.93469	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:55	1	1	1	1	161.5	61.25	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.5	2004
11.02.2020 14:59:56	1	1	1	1	161.5	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:57	1	1	1	1	161.5	61.25	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 14:59:58	1	1	1	1	161.5	61.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.4375	2004
11.02.2020 14:59:59	1	1	1	1	161.5	61.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:00	1	1	1	1	161.5	61.5	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	41.625	2004
11.02.2020 15:00:01	1	1	1	1	161.8	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.75	2004
11.02.2020 15:00:03	1	1	1	1	161.8	61.75	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.8125	2004
11.02.2020 15:00:04	1	1	1	1	161.8	61.75	0	26966.825	593.5483871	16119.91411	30000	0	0	30000	41.8125	2004
11.02.2020 15:00:05	1	1	1	1	161.8	61.75	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 15:00:06	1	1	1	1	161.8	61.25	0	26919.431	587.0967742	16005.76197	30000	0	0	30000	41.3125	2004
11.02.2020 15:00:07	1	1	1	1	161.8	61.25	0	27014.218	597.8494624	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:08	1	1	1	1	161.8	61.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	41.375	2004
11.02.2020 15:00:09	1	1	1	1	161.8	61.25	0	26919.431	600	16007.39271	30000	0	0	30000	41.25	2004
11.02.2020 15:00:10	1	1	1	1	161.8	61.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 15:00:11	1	1	1	1	161.8	61.5	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:12	1	1	1	1	162.5	61.5	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:13	1	1	1	1	162.5	61.5	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	41.4375	2004
11.02.2020 15:00:14	1	1	1	1	162.5	61.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 15:00:15	1	1	1	1	162.5	61.5	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:16	1	1	1	1	162.5	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.9375	2004
11.02.2020 15:00:17	1	1	1	1	162.5	61.75	0	27014.218	597.8494624	16121.54486	30000	0	0	30000	41.375	2004
11.02.2020 15:00:18	1	1	1	1	162.5	61.25	0	26777.251	602.1505376	16094.63757	30000	0	0	30000	41.5	2004
11.02.2020 15:00:19	1	1	1	1	162.5	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.8125	2004
11.02.2020 15:00:20	1	1	1	1	162.5	61.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.8125	2004
11.02.2020 15:00:21	1	1	1	1	162.5	61.75	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	40.75	2004
11.02.2020 15:00:22	1	1	1	1	161.5	60.75	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.5	2004
11.02.2020 15:00:23	1	1	1	1	161.5	61.5	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.125	2004
11.02.2020 15:00:24	1	1	1	1	161.5	61	0	26966.825	593.5483871	15889.97907	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:25	1	1	1	1	161.5	61.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:26	1	1	1	1	161.5	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 15:00:27	1	1	1	1	161.5	61.5	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:28	1	1	1	1	161.5	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:29	1	1	1	1	161.5	61.5	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	41.625	2004
11.02.2020 15:00:30	1	1	1	1	161.5	61.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.375	2004
11.02.2020 15:00:31	1	1	1	1	161.5	61.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:32	1	1	1	1	161.5	61.5	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:33	1	1	1	1	161.5	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:34	1	1	1	1	161.5	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.9375	2004
11.02.2020 15:00:35	1	1	1	1	161.5	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.9375	2004
11.02.2020 15:00:36	1	1	1	1	161.5	60.75	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41.125	2004
11.02.2020 15:00:37	1	1	1	1	161.5	61	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:38	1	1	1	1	161.5	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.8125	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:46	1	1	1	1	162	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:47	1	1	1	1	162	61.5	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	41.25	2004
11.02.2020 15:00:48	1	1	1	1	162	61.25	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:49	1	1	1	1	162	61.5	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.75	2004
11.02.2020 15:00:50	1	1	1	1	162	61.75	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	41.75	2004
11.02.2020 15:00:51	1	1	1	1	162	61.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:52	1	1	1	1	161.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:53	1	1	1	1	161.3	61.5	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:00:54	1	1	1	1	161.3	61.5	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:55	1	1	1	1	161.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5625	2004
11.02.2020 15:00:56	1	1	1	1	161.3	61.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.875	2004
11.02.2020 15:00:57	1	1	1	1	161.3	61.75	0	26919.431	595.6989247	15863.88715	30000	0	0	30000	41.625	2004
11.02.2020 15:00:58	1	1	1	1	161.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:00:59	1	1	1	1	161.3	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.5	2004
11.02.2020 15:01:00	1	1	1	1	161.3	61.5	0	26919.431	593.5483871	15748.10426	30000	0	0	30000	41.625	2004
11.02.2020 15:01:01	1	1	1	1	161.3	61.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.4375	2004
11.02.2020 15:01:02	1	1	1	1	161.5	61.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.3125	2004
11.02.2020 15:01:03	1	1	1	1	161.5	61.25	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:04	1	1	1	1	161.5	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.375	2004
11.02.2020 15:01:05	1	1	1	1	161.5	61.25	0	26777.251	589.2473118	15549.96874	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:06	1	1	1	1	161.5	61.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:07	1	1	1	1	161.5	61.5	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	41.8125	2004
11.02.2020 15:01:08	1	1	1	1	161.5	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 15:01:09	1	1	1	1	161.5	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 15:01:10	1	1	1	1	161.5	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 15:01:11	1	1	1	1	161.5	61.5	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	42.0625	2004
11.02.2020 15:01:12	1	1	1	1	161.8	62	0	27109.005	593.5483871	16148.45215	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:13	1	1	1	1	161.8	61.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	41.9375	2004
11.02.2020 15:01:14	1	1	1	1	161.8	61.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	41.5	2004
11.02.2020 15:01:15	1	1	1	1	161.8	61.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.125	2004
11.02.2020 15:01:16	1	1	1	1	161.8	61	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	41.8125	2004
11.02.2020 15:01:17	1	1	1	1	161.8	61.75	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 15:01:18	1	1	1	1	161.8	61.5	0	27014.218	593.5483871	16005.76197	30000	0	0	30000	41.625	2004
11.02.2020 15:01:20	1	1	1	1	161.8	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:01:21	1	1	1	1	161.8	61.75	0	26824.645	589.2473118	15891.60982	30000	0	0	30000	41.875	2004
11.02.2020 15:01:22	1	1	1	1	161	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 15:01:23	1	1	1	1	161	61	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:24	1	1	1	1	161	61.5	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:25	1	1	1	1	161	61.5	0	26872.038	593.5483871	15720.38159	30000	0	0	30000	41.5	2004
11.02.2020 15:01:26	1	1	1	1	161	61.5	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:01:27	1	1	1	1	161	61.5	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	41.1875	2004
11.02.2020 15:01:28	1	1	1	1	161	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.8125	2004
11.02.2020 15:01:29	1	1	1	1	161	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:01:30	1	1	1	1	161	61.5	0	26966.825	589.2473118	16121.54486	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:31	1	1	1	1	161	61.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	41.625	2004
11.02.2020 15:01:32	1	1	1	1	160	61.5	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 15:01:33	1	1	1	1	160	61.25	0	27061.611	591.3978495	15887.53295	30000	0	0	30000	41.3125	2004
11.02.2020 15:01:34	1	1	1	1	160	61.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:35	1	1	1	1	160	61.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	40.5625	2004
11.02.2020 15:01:36	1	1	1	1	160	60.5	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	41.5	2004
11.02.2020 15:01:37	1	1	1	1	160	61.5	0	26824.645	591.3978495	15893.24056	30000	0	0	30000	41.625	2004
11.02.2020 15:01:38	1	1	1	1	160	61.5	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	41.75	2004
11.02.2020 15:01:39	1	1	1	1	160	61.75	0	27014.218	597.8494624	16119.91411	30000	0	0	30000	41.75	2004
11.02.2020 15:01:40	1	1	1	1	160	61.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:48	1	1	1	1	159.8	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:49	1	1	1	1	159.8	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 15:01:50	1	1	1	1	159.8	61.5	0	26872.038	589.2473118	15978.0393	30000	0	0	30000	41.6875	2004
11.02.2020 15:01:51	1	1	1	1	159.8	61.5	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	41.8125	2004
11.02.2020 15:01:52	1	1	1	1	159	61.75	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 15:01:53	1	1	1	1	159	61.75	0	26872.038	589.2473118	16035.93075	30000	0	0	30000	41.5	2004
11.02.2020 15:01:54	1	1	1	1	159	61.5	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	41.625	2004
11.02.2020 15:01:55	1	1	1	1	159	61.5	0	26682.464	595.6989247	15836.97986	30000	0	0	30000	41.625	2004
11.02.2020 15:01:56	1	1	1	1	159	61.5	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.4375	2004
11.02.2020 15:01:58	1	1	1	1	159	61.25	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	41.5625	2004
11.02.2020 15:01:59	1	1	1	1	159	61.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.875	2004
11.02.2020 15:02:00	1	1	1	1	159	61.75	0	26919.431	595.6989247	16267.49653	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:01	1	1	1	1	159	61.5	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	41.75	2004
11.02.2020 15:02:02	1	1	1	1	158.5	61.75	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:03	1	1	1	1	158.5	61.5	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:04	1	1	1	1	158.5	61.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 15:02:05	1	1	1	1	158.5	61.5	0	27109.005	593.5483871	16323.75724	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:06	1	1	1	1	158.5	61.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	41.8125	2004
11.02.2020 15:02:07	1	1	1	1	158.5	61.75	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	41.5	2004
11.02.2020 15:02:08	1	1	1	1	158.5	61.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	41.75	2004
11.02.2020 15:02:09	1	1	1	1	158.5	61.75	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:10	1	1	1	1	158.5	61.5	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:02:11	1	1	1	1	158.5	61	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.625	2004
11.02.2020 15:02:12	1	1	1	1	159.5	61.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 15:02:13	1	1	1	1	159.5	61.25	0	27156.398	584.9462366	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:02:14	1	1	1	1	159.5	61.75	0	26872.038	593.5483871	16093.82219	30000	0	0	30000	41.8125	2004
11.02.2020 15:02:15	1	1	1	1	159.5	61.75	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 15:02:16	1	1	1	1	159.5	61.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.3125	2004
11.02.2020 15:02:17	1	1	1	1	159.5	61.25	0	26919.431	591.3978495	15949.50126	30000	0	0	30000	41.75	2004
11.02.2020 15:02:18	1	1	1	1	159.5	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:02:19	1	1	1	1	159.5	61.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.875	2004
11.02.2020 15:02:20	1	1	1	1	159.5	61.75	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	41.25	2004
11.02.2020 15:02:21	1	1	1	1	159.5	61.25	0	27061.611	597.8494624	16119.91411	30000	0	0	30000	41.1875	2004
11.02.2020 15:02:22	1	1	1	1	159.3	61	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.3125	2004
11.02.2020 15:02:23	1	1	1	1	159.3	61.25	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	41.5	2004
11.02.2020 15:02:24	1	1	1	1	159.3	61.5	0	26966.825	593.5483871	15832.08763	30000	0	0	30000	41.5	2004
11.02.2020 15:02:25	1	1	1	1	159.3	61.5	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	40.875	2004
11.02.2020 15:02:26	1	1	1	1	159.3	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:02:27	1	1	1	1	159.3	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.8125	2004
11.02.2020 15:02:28	1	1	1	1	159.3	61.75	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 15:02:29	1	1	1	1	159.3	61.25	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:30	1	1	1	1	159.3	61.5	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	42.125	2004
11.02.2020 15:02:31	1	1	1	1	159.3	62	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:32	1	1	1	1	159	61.25	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.75	2004
11.02.2020 15:02:33	1	1	1	1	159	61.75	0	26966.825	582.7956989	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:34	1	1	1	1	159	61.5	0	26966.825	595.6989247	16179.43631	30000	0	0	30000	41.75	2004
11.02.2020 15:02:36	1	1	1	1	159	61.75	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	41.625	2004
11.02.2020 15:02:37	1	1	1	1	159	61.5	0	27014.218	591.3978495	16005.76197	30000	0	0	30000	41.75	2004
11.02.2020 15:02:38	1	1	1	1	159	61.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.9375	2004
11.02.2020 15:02:39	1	1	1	1	159	61.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 15:02:40	1	1	1	1	159	61.5	0	27156.398	587.0967742	16261.78893	30000	0	0	30000	41.625	2004
11.02.2020 15:02:41	1	1	1	1	159	61.5	0	27109.005	589.2473118	16207.15897	30000	0	0	30000	41.75	2004
11.02.2020 15:02:42	1	1	1	1	158.5	61.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41.625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61.5	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:50	1	1	1	1	158.5	61	0	27109.005	591.3978495	15829.64151	30000	0	0	30000	41.0625	2004
11.02.2020 15:02:51	1	1	1	1	158.5	61	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:52	1	1	1	1	158.5	61.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:53	1	1	1	1	158.5	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:54	1	1	1	1	158.5	61.5	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:02:55	1	1	1	1	158.5	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:56	1	1	1	1	158.5	61.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.5625	2004
11.02.2020 15:02:57	1	1	1	1	158.5	61.5	0	26919.431	589.2473118	16063.65341	30000	0	0	30000	41.6875	2004
11.02.2020 15:02:58	1	1	1	1	158.5	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 15:02:59	1	1	1	1	158.5	61.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 15:03:00	1	1	1	1	158.5	61.5	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 15:03:01	1	1	1	1	158.5	61.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.3125	2004
11.02.2020 15:03:02	1	1	1	1	158.5	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
11.02.2020 15:03:03	1	1	1	1	158.5	61.25	0	27345.972	593.5483871	16113.39113	30000	0	0	30000	41.5	2004
11.02.2020 15:03:04	1	1	1	1	158.5	61.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 15:03:05	1	1	1	1	158.5	61.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41.3125	2004
11.02.2020 15:03:06	1	1	1	1	158.5	61.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	41.75	2004
11.02.2020 15:03:07	1	1	1	1	158.5	61.75	0	27061.611	593.5483871	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 15:03:08	1	1	1	1	158.5	61.5	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	41.9375	2004
11.02.2020 15:03:09	1	1	1	1	158.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:03:10	1	1	1	1	158.5	61	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:11	1	1	1	1	158	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.625	2004
11.02.2020 15:03:12	1	1	1	1	158	61.5	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	41.25	2004
11.02.2020 15:03:14	1	1	1	1	158	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.1875	2004
11.02.2020 15:03:15	1	1	1	1	158	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 15:03:16	1	1	1	1	158	61.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.4375	2004
11.02.2020 15:03:17	1	1	1	1	158	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 15:03:18	1	1	1	1	158	61.25	0	27109.005	591.3978495	15829.64151	30000	0	0	30000	41.75	2004
11.02.2020 15:03:19	1	1	1	1	158	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.5625	2004
11.02.2020 15:03:20	1	1	1	1	158	61.5	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.625	2004
11.02.2020 15:03:21	1	1	1	1	158	61.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.375	2004
11.02.2020 15:03:22	1	1	1	1	158	61.25	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:03:23	1	1	1	1	158	61.25	0	27109.005	591.3978495	15829.64151	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:24	1	1	1	1	158	61.5	0	27109.005	589.2473118	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 15:03:25	1	1	1	1	158	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:03:26	1	1	1	1	158	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:27	1	1	1	1	158	61.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.375	2004
11.02.2020 15:03:28	1	1	1	1	158	61.25	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:29	1	1	1	1	158	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 15:03:30	1	1	1	1	158	61.5	0	27014.218	587.0967742	15859.81029	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:31	1	1	1	1	158	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.3125	2004
11.02.2020 15:03:32	1	1	1	1	157.8	61.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.375	2004
11.02.2020 15:03:33	1	1	1	1	157.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 15:03:34	1	1	1	1	157.8	61	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 15:03:35	1	1	1	1	157.8	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:03:36	1	1	1	1	157.8	61.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:37	1	1	1	1	157.8	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 15:03:38	1	1	1	1	157.8	61.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:03:39	1	1	1	1	157.8	61.75	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:40	1	1	1	1	157.8	61.5	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 15:03:41	1	1	1	1	157.8	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.625	2004
11.02.2020 15:03:42	1	1	1	1	158.3	61.5	0	27061.611	591.3978495	15829.64151	30000	0	0	30000	41.75	2004
11.02.2020 15:03:43	1	1	1	1	158.3	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:51	1	1	1	1	158.3	61.75	0	27298.578	589.2473118	16348.21841	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:52	1	1	1	1	158	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:03:53	1	1	1	1	158	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:54	1	1	1	1	158	61.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.9375	2004
11.02.2020 15:03:55	1	1	1	1	158	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.75	2004
11.02.2020 15:03:56	1	1	1	1	158	61.75	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:03:57	1	1	1	1	158	61.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.8125	2004
11.02.2020 15:03:58	1	1	1	1	158	61.75	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41.625	2004
11.02.2020 15:03:59	1	1	1	1	158	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:04:00	1	1	1	1	158	61.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	42	2004
11.02.2020 15:04:01	1	1	1	1	158	62	0	27345.972	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:04:02	1	1	1	1	157	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:03	1	1	1	1	157	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:04:04	1	1	1	1	157	61.75	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	41.8125	2004
11.02.2020 15:04:05	1	1	1	1	157	61.75	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:06	1	1	1	1	157	61.5	0	27345.972	578.4946237	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:07	1	1	1	1	157	61.5	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	41.625	2004
11.02.2020 15:04:08	1	1	1	1	157	61.5	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 15:04:09	1	1	1	1	157	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.5	2004
11.02.2020 15:04:10	1	1	1	1	157	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 15:04:11	1	1	1	1	157	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:04:12	1	1	1	1	157.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.125	2004
11.02.2020 15:04:13	1	1	1	1	157.8	61	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:14	1	1	1	1	157.8	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 15:04:15	1	1	1	1	157.8	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:04:16	1	1	1	1	157.8	61.5	0	27345.972	591.3978495	16230.80477	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:17	1	1	1	1	157.8	61.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.0625	2004
11.02.2020 15:04:18	1	1	1	1	157.8	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.375	2004
11.02.2020 15:04:19	1	1	1	1	157.8	61.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:04:20	1	1	1	1	157.8	61.75	0	27014.218	587.0967742	15832.08763	30000	0	0	30000	41.75	2004
11.02.2020 15:04:21	1	1	1	1	157.8	61.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 15:04:22	1	1	1	1	157.5	61.5	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:04:23	1	1	1	1	157.5	61.75	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	41.75	2004
11.02.2020 15:04:24	1	1	1	1	157.5	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42.25	2004
11.02.2020 15:04:25	1	1	1	1	157.5	62.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:04:26	1	1	1	1	157.5	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:04:27	1	1	1	1	157.5	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.9375	2004
11.02.2020 15:04:28	1	1	1	1	157.5	61.75	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	41.3125	2004
11.02.2020 15:04:30	1	1	1	1	157.5	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 15:04:31	1	1	1	1	157.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.375	2004
11.02.2020 15:04:32	1	1	1	1	157.3	61.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.1875	2004
11.02.2020 15:04:33	1	1	1	1	157.3	61	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	40.9375	2004
11.02.2020 15:04:34	1	1	1	1	157.3	60.75	0	27298.578	587.0967742	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:35	1	1	1	1	157.3	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:04:36	1	1	1	1	157.3	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.0625	2004
11.02.2020 15:04:37	1	1	1	1	157.3	61	0	27298.578	589.2473118	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:04:38	1	1	1	1	157.3	61.75	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:39	1	1	1	1	157.3	61.25	0	27109.005	591.3978495	16234.88164	30000	0	0	30000	41.5625	2004
11.02.2020 15:04:40	1	1	1	1	157.3	61.5	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	41.625	2004
11.02.2020 15:04:41	1	1	1	1	157.3	61.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.5625	2004
11.02.2020 15:04:42	1	1	1	1	157	61.5	0	27061.611	582.7956989	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:43	1	1	1	1	157	61.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.75	2004
11.02.2020 15:04:44	1	1	1	1	157	61.75	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:45	1	1	1	1	157	61.25	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.75	0	27109.005	593.5483871	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:53	1	1	1	1	157	61.25	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:04:54	1	1	1	1	157	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.8125	2004
11.02.2020 15:04:55	1	1	1	1	157	61.75	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.4375	2004
11.02.2020 15:04:56	1	1	1	1	157	61.25	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	41.875	2004
11.02.2020 15:04:57	1	1	1	1	157	61.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.0625	2004
11.02.2020 15:04:58	1	1	1	1	157	61	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.75	2004
11.02.2020 15:04:59	1	1	1	1	157	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.625	2004
11.02.2020 15:05:00	1	1	1	1	157	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:01	1	1	1	1	157	61.5	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.0625	2004
11.02.2020 15:05:02	1	1	1	1	156.8	61	0	27156.398	597.8494624	16118.28337	30000	0	0	30000	42	2004
11.02.2020 15:05:03	1	1	1	1	156.8	62	0	27014.218	589.2473118	15975.59318	30000	0	0	30000	41.25	2004
11.02.2020 15:05:04	1	1	1	1	156.8	61.25	0	27061.611	584.9462366	15798.65735	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:05	1	1	1	1	156.8	61.5	0	27298.578	584.9462366	15682.05909	30000	0	0	30000	41.5625	2004
11.02.2020 15:05:07	1	1	1	1	156.8	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:05:08	1	1	1	1	156.8	61.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:05:09	1	1	1	1	156.8	61.75	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	41.8125	2004
11.02.2020 15:05:10	1	1	1	1	156.8	61.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:05:11	1	1	1	1	156.8	61.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 15:05:12	1	1	1	1	156.5	61.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.75	2004
11.02.2020 15:05:13	1	1	1	1	156.5	61.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.4375	2004
11.02.2020 15:05:14	1	1	1	1	156.5	61.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 15:05:15	1	1	1	1	156.5	61.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:16	1	1	1	1	156.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:17	1	1	1	1	156.5	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:05:18	1	1	1	1	156.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:05:19	1	1	1	1	156.5	61.5	0	27298.578	582.7956989	15826.38002	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:20	1	1	1	1	156.5	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 15:05:21	1	1	1	1	156.5	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:22	1	1	1	1	156.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:23	1	1	1	1	156.8	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:05:24	1	1	1	1	156.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 15:05:25	1	1	1	1	156.8	61.5	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	41.625	2004
11.02.2020 15:05:26	1	1	1	1	156.8	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:27	1	1	1	1	156.8	61.5	0	27535.545	589.2473118	16165.57497	30000	0	0	30000	41.5	2004
11.02.2020 15:05:28	1	1	1	1	156.8	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:05:29	1	1	1	1	156.8	61.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.875	2004
11.02.2020 15:05:30	1	1	1	1	156.8	61.75	0	27109.005	580.6451613	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 15:05:31	1	1	1	1	156.8	61.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:05:32	1	1	1	1	156.5	61.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	40.9375	2004
11.02.2020 15:05:33	1	1	1	1	156.5	60.75	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 15:05:34	1	1	1	1	156.5	61.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:05:35	1	1	1	1	156.5	61.75	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 15:05:36	1	1	1	1	156.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:05:37	1	1	1	1	156.5	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:05:38	1	1	1	1	156.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:05:39	1	1	1	1	156.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:05:40	1	1	1	1	156.5	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:05:41	1	1	1	1	156.5	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.1875	2004
11.02.2020 15:05:42	1	1	1	1	157.3	62	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 15:05:43	1	1	1	1	157.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
11.02.2020 15:05:44	1	1	1	1	157.3	61	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:05:46	1	1	1	1	157.3	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:05:47	1	1	1	1	157.3	61.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:54	1	1	1	1	157.3	61.75	0	27014.218	584.9462366	15829.64151	30000	0	0	30000	41.5	2004
11.02.2020 15:05:55	1	1	1	1	157.3	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.625	2004
11.02.2020 15:05:56	1	1	1	1	157.3	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.25	2004
11.02.2020 15:05:57	1	1	1	1	157.3	61.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.5625	2004
11.02.2020 15:05:58	1	1	1	1	157.3	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:05:59	1	1	1	1	157.3	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 15:06:00	1	1	1	1	157.3	61.25	0	27156.398	587.0967742	15885.08684	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:01	1	1	1	1	157.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:06:02	1	1	1	1	156.8	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 15:06:03	1	1	1	1	156.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:04	1	1	1	1	156.8	61.5	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 15:06:05	1	1	1	1	156.8	61.75	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:06:06	1	1	1	1	156.8	61.75	0	27345.972	580.6451613	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:07	1	1	1	1	156.8	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:08	1	1	1	1	156.8	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:09	1	1	1	1	156.8	61.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.5	2004
11.02.2020 15:06:10	1	1	1	1	156.8	61.5	0	27440.758	587.0967742	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:06:11	1	1	1	1	156.8	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:12	1	1	1	1	156	61.75	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:13	1	1	1	1	156	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:14	1	1	1	1	156	61.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 15:06:15	1	1	1	1	156	61.5	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 15:06:16	1	1	1	1	156	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:17	1	1	1	1	156	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:06:18	1	1	1	1	156	61.75	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 15:06:19	1	1	1	1	156	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:06:20	1	1	1	1	156	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:06:21	1	1	1	1	156	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:06:22	1	1	1	1	156	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:06:23	1	1	1	1	156	61	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 15:06:25	1	1	1	1	156	61.5	0	27156.398	584.9462366	15654.33642	30000	0	0	30000	41.5	2004
11.02.2020 15:06:26	1	1	1	1	156	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:06:27	1	1	1	1	156	61.5	0	26966.825	584.9462366	15832.08763	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:28	1	1	1	1	156	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:29	1	1	1	1	156	61.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:30	1	1	1	1	156	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:06:31	1	1	1	1	156	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:32	1	1	1	1	155.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.1875	2004
11.02.2020 15:06:33	1	1	1	1	155.3	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:34	1	1	1	1	155.3	61.5	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:35	1	1	1	1	155.3	61.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:06:36	1	1	1	1	155.3	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:37	1	1	1	1	155.3	61.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:38	1	1	1	1	155.3	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 15:06:39	1	1	1	1	155.3	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:40	1	1	1	1	155.3	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:41	1	1	1	1	155.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 15:06:42	1	1	1	1	155	61	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:06:43	1	1	1	1	155	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:44	1	1	1	1	155	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:06:45	1	1	1	1	155	61.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	41.9375	2004
11.02.2020 15:06:46	1	1	1	1	155	61.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.3125	2004
11.02.2020 15:06:47	1	1	1	1	155	61.25	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	41.9375	2004
11.02.2020 15:06:48	1	1	1	1	155	61.75	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:06:56	1	1	1	1	154.8	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:06:57	1	1	1	1	154.8	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:06:58	1	1	1	1	154.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:06:59	1	1	1	1	154.8	61.5	0	27156.398	580.6451613	15740.76591	30000	0	0	30000	42.125	2004
11.02.2020 15:07:00	1	1	1	1	154.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.1875	2004
11.02.2020 15:07:01	1	1	1	1	154.8	62	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.25	2004
11.02.2020 15:07:02	1	1	1	1	154.5	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:07:04	1	1	1	1	154.5	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:07:05	1	1	1	1	154.5	61.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 15:07:06	1	1	1	1	154.5	61.25	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	41.25	2004
11.02.2020 15:07:07	1	1	1	1	154.5	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:07:08	1	1	1	1	154.5	61.5	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.75	2004
11.02.2020 15:07:09	1	1	1	1	154.5	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:10	1	1	1	1	154.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:11	1	1	1	1	154.5	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.5625	2004
11.02.2020 15:07:12	1	1	1	1	154	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 15:07:13	1	1	1	1	154	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:07:14	1	1	1	1	154	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:07:15	1	1	1	1	154	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 15:07:16	1	1	1	1	154	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.3125	2004
11.02.2020 15:07:17	1	1	1	1	154	61.25	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 15:07:18	1	1	1	1	154	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 15:07:19	1	1	1	1	154	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:07:20	1	1	1	1	154	61.5	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.5	2004
11.02.2020 15:07:21	1	1	1	1	154	61.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 15:07:22	1	1	1	1	155	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:07:23	1	1	1	1	155	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.5625	2004
11.02.2020 15:07:24	1	1	1	1	155	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:25	1	1	1	1	155	61.75	0	27393.365	584.9462366	15819.04167	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:26	1	1	1	1	155	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:07:27	1	1	1	1	155	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:07:28	1	1	1	1	155	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:29	1	1	1	1	155	61.75	0	27630.332	576.344086	15897.31742	30000	0	0	30000	41.5625	2004
11.02.2020 15:07:30	1	1	1	1	155	61.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 15:07:31	1	1	1	1	155	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:07:32	1	1	1	1	154.3	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 15:07:33	1	1	1	1	154.3	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:07:34	1	1	1	1	154.3	61.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.6875	2004
11.02.2020 15:07:35	1	1	1	1	154.3	61.5	0	27345.972	589.2473118	16289.51159	30000	0	0	30000	41.875	2004
11.02.2020 15:07:36	1	1	1	1	154.3	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:07:37	1	1	1	1	154.3	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:07:38	1	1	1	1	154.3	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:07:39	1	1	1	1	154.3	61.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:07:40	1	1	1	1	154.3	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:42	1	1	1	1	154.5	61.25	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 15:07:43	1	1	1	1	154.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:44	1	1	1	1	154.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:45	1	1	1	1	154.5	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:07:46	1	1	1	1	154.5	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:47	1	1	1	1	154.5	61.75	0	27440.758	582.7956989	16075.06863	30000	0	0	30000	41.5625	2004
11.02.2020 15:07:48	1	1	1	1	154.5	61.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:07:49	1	1	1	1	154.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:07:50	1	1	1	1	154.5	61.75	0	27393.365	584.9462366	15819.04167	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:07:58	1	1	1	1	154	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 15:07:59	1	1	1	1	154	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 15:08:00	1	1	1	1	154	61.75	0	27535.545	584.9462366	15873.67162	30000	0	0	30000	41.5	2004
11.02.2020 15:08:01	1	1	1	1	154	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 15:08:02	1	1	1	1	154.8	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 15:08:03	1	1	1	1	154.8	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:08:04	1	1	1	1	154.8	61.75	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	41.875	2004
11.02.2020 15:08:05	1	1	1	1	154.8	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:08:06	1	1	1	1	154.8	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:07	1	1	1	1	154.8	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 15:08:08	1	1	1	1	154.8	61.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:08:09	1	1	1	1	154.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.5625	2004
11.02.2020 15:08:10	1	1	1	1	154.8	61.5	0	27582.938	576.344086	15929.11695	30000	0	0	30000	41.75	2004
11.02.2020 15:08:11	1	1	1	1	154.8	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 15:08:12	1	1	1	1	154	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 15:08:13	1	1	1	1	154	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
11.02.2020 15:08:14	1	1	1	1	154	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:08:15	1	1	1	1	154	61.75	0	27630.332	576.344086	15718.75085	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:16	1	1	1	1	154	61.75	0	27725.118	574.1935484	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 15:08:17	1	1	1	1	154	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 15:08:18	1	1	1	1	154	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:20	1	1	1	1	154	61.5	0	27393.365	580.6451613	15877.74848	30000	0	0	30000	41.4375	2004
11.02.2020 15:08:21	1	1	1	1	154	61.25	0	27298.578	582.7956989	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:08:22	1	1	1	1	153.3	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:08:23	1	1	1	1	153.3	61.75	0	27582.938	580.6451613	15814.9648	30000	0	0	30000	41.4375	2004
11.02.2020 15:08:24	1	1	1	1	153.3	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 15:08:25	1	1	1	1	153.3	61.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 15:08:26	1	1	1	1	153.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 15:08:27	1	1	1	1	153.3	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:28	1	1	1	1	153.3	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:29	1	1	1	1	153.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 15:08:30	1	1	1	1	153.3	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 15:08:31	1	1	1	1	153.3	61.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.875	2004
11.02.2020 15:08:32	1	1	1	1	153.3	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.75	2004
11.02.2020 15:08:33	1	1	1	1	153.3	61.75	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:08:34	1	1	1	1	153.3	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:35	1	1	1	1	153.3	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:36	1	1	1	1	153.3	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 15:08:37	1	1	1	1	153.3	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:38	1	1	1	1	153.3	61.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	41.75	2004
11.02.2020 15:08:39	1	1	1	1	153.3	61.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:08:40	1	1	1	1	153.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:08:41	1	1	1	1	153.3	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.75	2004
11.02.2020 15:08:42	1	1	1	1	154.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:08:43	1	1	1	1	154.5	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.5625	2004
11.02.2020 15:08:44	1	1	1	1	154.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:08:45	1	1	1	1	154.5	61.75	0	27630.332	589.2473118	16047.34596	30000	0	0	30000	41.5625	2004
11.02.2020 15:08:46	1	1	1	1	154.5	61.5	0	27630.332	576.344086	15897.31742	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:47	1	1	1	1	154.5	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:08:48	1	1	1	1	154.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:08:49	1	1	1	1	154.5	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.3125	2004
11.02.2020 15:08:50	1	1	1	1	154.5	61.25	0	27440.758	572.0430108	15873.67162	30000	0	0	30000	41.375	2004
11.02.2020 15:08:51	1	1	1	1	154.5	61.25	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	41.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:08:59	1	1	1	1	153.8	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:09:02	1	1	1	1	153.5	61.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:09:02	1	1	1	1	153.5	61.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:09:02	1	1	1	1	153.5	61.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:09:03	1	1	1	1	153.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:04	1	1	1	1	153.5	61.75	0	27914.692	576.344086	16148.45215	30000	0	0	30000	41.875	2004
11.02.2020 15:09:05	1	1	1	1	153.5	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.0625	2004
11.02.2020 15:09:06	1	1	1	1	153.5	62	0	28009.479	576.344086	16203.08211	30000	0	0	30000	41.1875	2004
11.02.2020 15:09:07	1	1	1	1	153.5	61	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 15:09:08	1	1	1	1	153.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:09	1	1	1	1	153.5	61.75	0	27725.118	578.4946237	16153.34439	30000	0	0	30000	41.75	2004
11.02.2020 15:09:10	1	1	1	1	153.5	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:11	1	1	1	1	153.5	61.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:09:12	1	1	1	1	152.8	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 15:09:13	1	1	1	1	152.8	61.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.6875	2004
11.02.2020 15:09:14	1	1	1	1	152.8	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:15	1	1	1	1	152.8	61.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:09:16	1	1	1	1	152.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:09:17	1	1	1	1	152.8	61.75	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	42	2004
11.02.2020 15:09:18	1	1	1	1	152.8	62	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	41.75	2004
11.02.2020 15:09:19	1	1	1	1	152.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:20	1	1	1	1	152.8	61.75	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 15:09:21	1	1	1	1	152.8	61.5	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
11.02.2020 15:09:22	1	1	1	1	152.3	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
11.02.2020 15:09:23	1	1	1	1	152.3	61.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 15:09:24	1	1	1	1	152.3	61.5	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:25	1	1	1	1	152.3	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 15:09:26	1	1	1	1	152.3	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42	2004
11.02.2020 15:09:27	1	1	1	1	152.3	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:28	1	1	1	1	152.3	61.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.4375	2004
11.02.2020 15:09:29	1	1	1	1	152.3	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:30	1	1	1	1	152.3	61.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:31	1	1	1	1	152.3	61.75	0	27819.905	574.1935484	15864.70252	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:09:32	1	1	1	1	151.8	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:33	1	1	1	1	151.8	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 15:09:34	1	1	1	1	151.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:09:35	1	1	1	1	151.8	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.375	2004
11.02.2020 15:09:36	1	1	1	1	151.8	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 15:09:37	1	1	1	1	151.8	61.75	0	27582.938	580.6451613	15756.25798	30000	0	0	30000	42.1875	2004
11.02.2020 15:09:38	1	1	1	1	151.8	62	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:40	1	1	1	1	151.8	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.3125	2004
11.02.2020 15:09:41	1	1	1	1	151.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.3125	2004
11.02.2020 15:09:42	1	1	1	1	152	61.25	0	27630.332	580.6451613	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:43	1	1	1	1	152	61.75	0	27582.938	576.344086	15814.9648	30000	0	0	30000	41.875	2004
11.02.2020 15:09:44	1	1	1	1	152	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:45	1	1	1	1	152	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 15:09:46	1	1	1	1	152	61.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.4375	2004
11.02.2020 15:09:47	1	1	1	1	152	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:09:48	1	1	1	1	152	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:09:49	1	1	1	1	152	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.25	2004
11.02.2020 15:09:50	1	1	1	1	152	61.25	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 15:09:51	1	1	1	1	152	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 15:09:52	1	1	1	1	151.5	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:09:53	1	1	1	1	151.5	62	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:01	1	1	1	1	151.5	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:02	1	1	1	1	151	61.5	0	27819.905	582.7956989	16153.34439	30000	0	0	30000	41.375	2004
11.02.2020 15:10:03	1	1	1	1	151	61.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:04	1	1	1	1	151	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.0625	2004
11.02.2020 15:10:05	1	1	1	1	151	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:10:06	1	1	1	1	151	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.375	2004
11.02.2020 15:10:07	1	1	1	1	151	61.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.5	2004
11.02.2020 15:10:08	1	1	1	1	151	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:10:09	1	1	1	1	151	61.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.3125	2004
11.02.2020 15:10:10	1	1	1	1	151	61.25	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:11	1	1	1	1	151	61.5	0	27535.545	578.4946237	15987.82377	30000	0	0	30000	41.625	2004
11.02.2020 15:10:12	1	1	1	1	150.3	61.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:13	1	1	1	1	150.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:10:14	1	1	1	1	150.3	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.5625	2004
11.02.2020 15:10:15	1	1	1	1	150.3	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.1875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:10:17	1	1	1	1	150.3	62	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41.5	2004
11.02.2020 15:10:18	1	1	1	1	150.3	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:10:19	1	1	1	1	150.3	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:20	1	1	1	1	150.3	61.75	0	27582.938	574.1935484	15924.22472	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:21	1	1	1	1	150.3	61.5	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	42	2004
11.02.2020 15:10:22	1	1	1	1	150.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:10:23	1	1	1	1	150.8	61.75	0	27535.545	584.9462366	16193.29764	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:24	1	1	1	1	150.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 15:10:25	1	1	1	1	150.8	61.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 15:10:26	1	1	1	1	150.8	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:27	1	1	1	1	150.8	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 15:10:28	1	1	1	1	150.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5625	2004
11.02.2020 15:10:29	1	1	1	1	150.8	61.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:30	1	1	1	1	150.8	61.75	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:10:31	1	1	1	1	150.8	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.5625	2004
11.02.2020 15:10:32	1	1	1	1	151	61.5	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.3125	2004
11.02.2020 15:10:33	1	1	1	1	151	61.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.0625	2004
11.02.2020 15:10:34	1	1	1	1	151	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 15:10:35	1	1	1	1	151	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.0625	2004
11.02.2020 15:10:36	1	1	1	1	151	62	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 15:10:37	1	1	1	1	151	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.875	2004
11.02.2020 15:10:38	1	1	1	1	151	61.75	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:10:39	1	1	1	1	151	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:40	1	1	1	1	151	61.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.4375	2004
11.02.2020 15:10:41	1	1	1	1	151	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 15:10:42	1	1	1	1	151	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.375	2004
11.02.2020 15:10:43	1	1	1	1	151	61.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 15:10:44	1	1	1	1	151	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.625	2004
11.02.2020 15:10:45	1	1	1	1	151	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	42.0625	2004
11.02.2020 15:10:46	1	1	1	1	151	62	0	27630.332	587.0967742	16043.2691	30000	0	0	30000	41.25	2004
11.02.2020 15:10:47	1	1	1	1	151	61.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:10:48	1	1	1	1	151	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:49	1	1	1	1	151	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
11.02.2020 15:10:50	1	1	1	1	151	61.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:10:51	1	1	1	1	151	61.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 15:10:52	1	1	1	1	151	61.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.5	2004
11.02.2020 15:10:53	1	1	1	1	151	61.5	0	27535.545	582.7956989	16193.29764	30000	0	0	30000	42.125	2004
11.02.2020 15:10:55	1	1	1	1	151	62	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	42.125	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:02	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:03	1	1	1	1	151.3	61.75	0	27819.905	576.344086	16038.37687	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:04	1	1	1	1	151.3	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 15:11:05	1	1	1	1	151.3	62	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.875	2004
11.02.2020 15:11:06	1	1	1	1	151.3	61.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.75	2004
11.02.2020 15:11:07	1	1	1	1	151.3	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 15:11:08	1	1	1	1	151.3	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:11:09	1	1	1	1	151.3	61.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:11:10	1	1	1	1	151.3	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 15:11:11	1	1	1	1	151.3	61.75	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:11:12	1	1	1	1	150.5	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:13	1	1	1	1	150.5	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:14	1	1	1	1	150.5	61.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:11:15	1	1	1	1	150.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 15:11:16	1	1	1	1	150.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:17	1	1	1	1	150.5	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:18	1	1	1	1	150.5	61.5	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 15:11:19	1	1	1	1	150.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:20	1	1	1	1	150.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:21	1	1	1	1	150.5	61.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:11:22	1	1	1	1	150.8	61.75	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:23	1	1	1	1	150.8	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:24	1	1	1	1	150.8	61.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:25	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:11:26	1	1	1	1	150.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:11:27	1	1	1	1	150.8	61.75	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	41.75	2004
11.02.2020 15:11:28	1	1	1	1	150.8	61.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:11:29	1	1	1	1	150.8	61.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
11.02.2020 15:11:30	1	1	1	1	150.8	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
11.02.2020 15:11:31	1	1	1	1	150.8	61.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 15:11:33	1	1	1	1	151.8	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:11:34	1	1	1	1	151.8	61.75	0	27819.905	576.344086	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 15:11:35	1	1	1	1	151.8	62.25	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:36	1	1	1	1	151.8	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.1875	2004
11.02.2020 15:11:37	1	1	1	1	151.8	62	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	42.125	2004
11.02.2020 15:11:38	1	1	1	1	151.8	62	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	40.75	2004
11.02.2020 15:11:39	1	1	1	1	151.8	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:40	1	1	1	1	151.8	61.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:11:41	1	1	1	1	151.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:11:42	1	1	1	1	151.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:43	1	1	1	1	151.5	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:11:44	1	1	1	1	151.5	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:11:45	1	1	1	1	151.5	61.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 15:11:46	1	1	1	1	151.5	61.75	0	27582.938	578.4946237	15696.73579	30000	0	0	30000	41.5625	2004
11.02.2020 15:11:47	1	1	1	1	151.5	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
11.02.2020 15:11:48	1	1	1	1	151.5	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:11:49	1	1	1	1	151.5	61.75	0	27582.938	574.1935484	15864.70252	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:50	1	1	1	1	151.5	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 15:11:51	1	1	1	1	151.5	61.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:11:52	1	1	1	1	151.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:11:53	1	1	1	1	151.3	61.75	0	27630.332	576.344086	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:54	1	1	1	1	151.3	61.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:11:55	1	1	1	1	151.3	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:11:56	1	1	1	1	151.3	62	0	27819.905	584.9462366	16273.20414	30000	0	0	30000	41.375	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:04	1	1	1	1	151.3	61.25	0	27582.938	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 15:12:05	1	1	1	1	151.3	61.75	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 15:12:06	1	1	1	1	151.3	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 15:12:07	1	1	1	1	151.3	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 15:12:08	1	1	1	1	151.3	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
11.02.2020 15:12:09	1	1	1	1	151.3	61.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42	2004
11.02.2020 15:12:11	1	1	1	1	151.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:12:12	1	1	1	1	151.3	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.6875	2004
11.02.2020 15:12:13	1	1	1	1	150.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:12:14	1	1	1	1	150.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:12:15	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	41.5625	2004
11.02.2020 15:12:16	1	1	1	1	150.8	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 15:12:17	1	1	1	1	150.8	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 15:12:18	1	1	1	1	150.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 15:12:19	1	1	1	1	150.8	61.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	41.3125	2004
11.02.2020 15:12:20	1	1	1	1	150.8	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 15:12:21	1	1	1	1	150.8	61.75	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 15:12:22	1	1	1	1	150.5	61.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	41.9375	2004
11.02.2020 15:12:23	1	1	1	1	150.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:12:24	1	1	1	1	150.5	61.75	0	27819.905	576.344086	15913.62487	30000	0	0	30000	41.875	2004
11.02.2020 15:12:25	1	1	1	1	150.5	61.75	0	27582.938	572.0430108	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:12:26	1	1	1	1	150.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:12:27	1	1	1	1	150.5	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 15:12:28	1	1	1	1	150.5	61.75	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	41.875	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:13:13	1	1	1	1	152	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 15:13:14	1	1	1	1	152	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:13:15	1	1	1	1	152	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 15:13:16	1	1	1	1	152	61.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:13:17	1	1	1	1	152	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.625	2004
11.02.2020 15:13:18	1	1	1	1	152	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 15:13:19	1	1	1	1	152	61.5	0	27582.938	587.0967742	15987.82377	30000	0	0	30000	41.5625	2004
11.02.2020 15:13:20	1	1	1	1	152	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:21	1	1	1	1	152	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:13:22	1	1	1	1	152	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:23	1	1	1	1	152	61.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.3125	2004
11.02.2020 15:13:24	1	1	1	1	152	61.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:26	1	1	1	1	152	61.75	0	27772.512	569.8924731	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:27	1	1	1	1	152	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:13:28	1	1	1	1	152	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 15:13:29	1	1	1	1	152	61.75	0	27772.512	576.344086	16093.00682	30000	0	0	30000	41	2004
11.02.2020 15:13:30	1	1	1	1	152	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:13:31	1	1	1	1	152	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 15:13:32	1	1	1	1	151.5	62	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.25	2004
11.02.2020 15:13:33	1	1	1	1	151.5	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:13:34	1	1	1	1	151.5	62	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:35	1	1	1	1	151.5	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:13:36	1	1	1	1	151.5	61.75	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:37	1	1	1	1	151.5	61.75	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:38	1	1	1	1	151.5	61.75	0	27488.152	580.6451613	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:13:39	1	1	1	1	151.5	62	0	27345.972	580.6451613	15733.42755	30000	0	0	30000	42	2004
11.02.2020 15:13:40	1	1	1	1	151.5	62	0	27345.972	582.7956989	15760.33485	30000	0	0	30000	42.125	2004
11.02.2020 15:13:41	1	1	1	1	151.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:42	1	1	1	1	151.5	61.75	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:43	1	1	1	1	151.5	61.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	41.25	2004
11.02.2020 15:13:44	1	1	1	1	151.5	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42	2004
11.02.2020 15:13:45	1	1	1	1	151.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.4375	2004
11.02.2020 15:13:46	1	1	1	1	151.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:13:47	1	1	1	1	151.5	62	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	41.875	2004
11.02.2020 15:13:48	1	1	1	1	151.5	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:49	1	1	1	1	151.5	61.75	0	27440.758	580.6451613	15929.11695	30000	0	0	30000	41.625	2004
11.02.2020 15:13:50	1	1	1	1	151.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:51	1	1	1	1	151.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:13:52	1	1	1	1	151.8	62	0	27819.905	587.0967742	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:13:53	1	1	1	1	151.8	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 15:13:54	1	1	1	1	151.8	61.5	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41.6875	2004
11.02.2020 15:13:55	1	1	1	1	151.8	61.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 15:13:56	1	1	1	1	151.8	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.75	2004









	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:16:54	1	1	1	1	149.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:16:55	1	1	1	1	149.8	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:16:56	1	1	1	1	149.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:16:57	1	1	1	1	149.8	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.5	2004
11.02.2020 15:16:58	1	1	1	1	149.8	61.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 15:16:59	1	1	1	1	149.8	61.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:00	1	1	1	1	149.8	61.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:01	1	1	1	1	149.8	61.75	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	41.5	2004
11.02.2020 15:17:02	1	1	1	1	149.8	61.5	0	27630.332	582.7956989	16157.42125	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:03	1	1	1	1	149.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:04	1	1	1	1	149.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:17:12	1	1	1	1	149.8	61.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	41.1875	2004
11.02.2020 15:17:13	1	1	1	1	149.8	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:17:14	1	1	1	1	149.8	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 15:17:16	1	1	1	1	149.8	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42	2004
11.02.2020 15:17:17	1	1	1	1	149.8	62	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	41.75	2004
11.02.2020 15:17:18	1	1	1	1	149.8	61.75	0	27582.938	589.2473118	16280.54249	30000	0	0	30000	42.3125	2004
11.02.2020 15:17:19	1	1	1	1	149.8	62.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:20	1	1	1	1	149.8	62	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:21	1	1	1	1	149.8	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:22	1	1	1	1	150.8	61.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:17:23	1	1	1	1	150.8	61.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.6875	2004
11.02.2020 15:17:24	1	1	1	1	150.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:17:25	1	1	1	1	150.8	62	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:17:26	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:27	1	1	1	1	150.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:28	1	1	1	1	150.8	61.75	0	27440.758	572.0430108	15929.11695	30000	0	0	30000	42	2004
11.02.2020 15:17:29	1	1	1	1	150.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:17:30	1	1	1	1	150.8	61.5	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:31	1	1	1	1	150.8	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:32	1	1	1	1	150.8	61.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	41.4375	2004
11.02.2020 15:17:33	1	1	1	1	150.8	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:17:34	1	1	1	1	150.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:35	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 15:17:36	1	1	1	1	150.8	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.4375	2004
11.02.2020 15:17:37	1	1	1	1	150.8	61.25	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	41.8125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:17:38	1	1	1	1	150.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:39	1	1	1	1	150.8	61.75	0	27440.758	580.6451613	15760.33485	30000	0	0	30000	41.5625	2004
11.02.2020 15:17:40	1	1	1	1	150.8	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:17:41	1	1	1	1	150.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:17:42	1	1	1	1	151.5	62	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:43	1	1	1	1	151.5	61.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:17:44	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:17:45	1	1	1	1	151.5	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 15:17:46	1	1	1	1	151.5	61.5	0	27298.578	574.1935484	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 15:17:47	1	1	1	1	151.5	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:48	1	1	1	1	151.5	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 15:17:49	1	1	1	1	151.5	61.25	0	27298.578	576.344086	15733.42755	30000	0	0	30000	41.875	2004
11.02.2020 15:17:50	1	1	1	1	151.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:17:52	1	1	1	1	151.5	62	0	27630.332	576.344086	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 15:17:53	1	1	1	1	151.5	61.75	0	27582.938	582.7956989	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 15:17:54	1	1	1	1	151.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:17:55	1	1	1	1	151.5	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.1875	2004
11.02.2020 15:17:56	1	1	1	1	151.5	62	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	42	2004
11.02.2020 15:17:57	1	1	1	1	151.5	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42.125	2004
11.02.2020 15:17:58	1	1	1	1	151.5	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 15:17:59	1	1	1	1	151.5	61.75	0	27535.545	578.4946237	16221.0203	30000	0	0	30000	41.1875	2004
11.02.2020 15:18:00	1	1	1	1	151.5	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:18:01	1	1	1	1	151.5	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.375	2004
11.02.2020 15:18:02	1	1	1	1	151	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:03	1	1	1	1	151	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:18:04	1	1	1	1	151	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.25	2004
11.02.2020 15:18:05	1	1	1	1	151	61.25	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 15:18:06	1	1	1	1	151	61.75	0	27345.972	580.6451613	16023.70016	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:18:14	1	1	1	1	149.5	62	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	41.875	2004
11.02.2020 15:18:15	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:18:16	1	1	1	1	149.5	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:18:17	1	1	1	1	149.5	61.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:18:18	1	1	1	1	149.5	61.5	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	42	2004
11.02.2020 15:18:19	1	1	1	1	149.5	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:18:20	1	1	1	1	149.5	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:18:21	1	1	1	1	149.5	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:18:22	1	1	1	1	149.5	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:23	1	1	1	1	149.5	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:24	1	1	1	1	149.5	61.75	0	27298.578	572.0430108	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:25	1	1	1	1	149.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:26	1	1	1	1	149.5	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:18:27	1	1	1	1	149.5	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:28	1	1	1	1	149.5	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.125	2004
11.02.2020 15:18:29	1	1	1	1	149.5	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.1875	2004
11.02.2020 15:18:30	1	1	1	1	149.5	61	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:18:32	1	1	1	1	149.5	61.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:18:33	1	1	1	1	149	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:34	1	1	1	1	149	61.75	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	42.0625	2004
11.02.2020 15:18:35	1	1	1	1	149	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:18:36	1	1	1	1	149	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.125	2004
11.02.2020 15:18:37	1	1	1	1	149	62	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:18:38	1	1	1	1	149	61.25	0	27156.398	582.7956989	15767.6732	30000	0	0	30000	41.875	2004
11.02.2020 15:18:39	1	1	1	1	149	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:40	1	1	1	1	149	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.375	2004
11.02.2020 15:18:41	1	1	1	1	149	61.25	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:42	1	1	1	1	148.8	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 15:18:43	1	1	1	1	148.8	61.75	0	27109.005	580.6451613	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:18:44	1	1	1	1	148.8	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 15:18:45	1	1	1	1	148.8	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 15:18:46	1	1	1	1	148.8	61.5	0	27298.578	580.6451613	15995.9775	30000	0	0	30000	41.375	2004
11.02.2020 15:18:47	1	1	1	1	148.8	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:18:48	1	1	1	1	148.8	61.75	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	41.9375	2004
11.02.2020 15:18:49	1	1	1	1	148.8	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:18:50	1	1	1	1	148.8	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:18:51	1	1	1	1	148.8	61.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	42.0625	2004
11.02.2020 15:18:52	1	1	1	1	148.5	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:18:53	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:18:54	1	1	1	1	148.5	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 15:18:55	1	1	1	1	148.5	61.5	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	41.5625	2004
11.02.2020 15:18:56	1	1	1	1	148.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:18:57	1	1	1	1	148.5	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
11.02.2020 15:18:58	1	1	1	1	148.5	61.75	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:18:59	1	1	1	1	148.5	61.75	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:00	1	1	1	1	148.5	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:19:01	1	1	1	1	148.5	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:19:02	1	1	1	1	149	61.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.75	2004
11.02.2020 15:19:03	1	1	1	1	149	61.75	0	27109.005	584.9462366	15973.96244	30000	0	0	30000	41.5625	2004
11.02.2020 15:19:04	1	1	1	1	149	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:19:05	1	1	1	1	149	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:19:06	1	1	1	1	149	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:19:07	1	1	1	1	149	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:15	1	1	1	1	148.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:16	1	1	1	1	148.5	62	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	42.125	2004
11.02.2020 15:19:17	1	1	1	1	148.5	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:18	1	1	1	1	148.5	61.5	0	27298.578	576.344086	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:19:19	1	1	1	1	148.5	61.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.75	2004
11.02.2020 15:19:20	1	1	1	1	148.5	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 15:19:21	1	1	1	1	148.5	61.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	42	2004
11.02.2020 15:19:22	1	1	1	1	149.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:19:23	1	1	1	1	149.3	61.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:19:24	1	1	1	1	149.3	61.75	0	27298.578	595.6989247	16261.78893	30000	0	0	30000	42	2004
11.02.2020 15:19:25	1	1	1	1	149.3	62	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 15:19:26	1	1	1	1	149.3	61.75	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:27	1	1	1	1	149.3	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:19:28	1	1	1	1	149.3	61.5	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:29	1	1	1	1	149.3	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 15:19:30	1	1	1	1	149.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:19:31	1	1	1	1	149.3	62	0	27298.578	589.2473118	16230.80477	30000	0	0	30000	41.5	2004
11.02.2020 15:19:32	1	1	1	1	150.3	61.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:19:33	1	1	1	1	150.3	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 15:19:34	1	1	1	1	150.3	61.75	0	27440.758	591.3978495	16113.39113	30000	0	0	30000	41.75	2004
11.02.2020 15:19:35	1	1	1	1	150.3	61.75	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:19:36	1	1	1	1	150.3	62	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:37	1	1	1	1	150.3	61.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.8125	2004
11.02.2020 15:19:38	1	1	1	1	150.3	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 15:19:39	1	1	1	1	150.3	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.3125	2004
11.02.2020 15:19:40	1	1	1	1	150.3	61.25	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	42.0625	2004
11.02.2020 15:19:41	1	1	1	1	150.3	62	0	27630.332	584.9462366	16193.29764	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:42	1	1	1	1	151	61.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:19:43	1	1	1	1	151	61.75	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	42.0625	2004
11.02.2020 15:19:44	1	1	1	1	151	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 15:19:45	1	1	1	1	151	61.75	0	27345.972	574.1935484	15877.74848	30000	0	0	30000	41.5625	2004
11.02.2020 15:19:46	1	1	1	1	151	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 15:19:47	1	1	1	1	151	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:19:49	1	1	1	1	151	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:19:50	1	1	1	1	151	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:19:51	1	1	1	1	151	61.75	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	41.625	2004
11.02.2020 15:19:52	1	1	1	1	151	61.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.125	2004
11.02.2020 15:19:53	1	1	1	1	151.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:19:54	1	1	1	1	151.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:19:55	1	1	1	1	151.8	61.75	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.6875	2004
11.02.2020 15:19:56	1	1	1	1	151.8	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:19:57	1	1	1	1	151.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:19:58	1	1	1	1	151.8	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:19:59	1	1	1	1	151.8	61.75	0	27109.005	578.4946237	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:00	1	1	1	1	151.8	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 15:20:01	1	1	1	1	151.8	61.5	0	27345.972	587.0967742	16345.77229	30000	0	0	30000	41.625	2004
11.02.2020 15:20:02	1	1	1	1	152.8	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:20:03	1	1	1	1	152.8	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:04	1	1	1	1	152.8	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.8125	2004
11.02.2020 15:20:05	1	1	1	1	152.8	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 15:20:06	1	1	1	1	152.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:07	1	1	1	1	152.8	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 15:20:08	1	1	1	1	152.8	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:20:09	1	1	1	1	152.8	62	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:17	1	1	1	1	153.3	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:20:18	1	1	1	1	153.3	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:20:19	1	1	1	1	153.3	61.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:20	1	1	1	1	153.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:20:21	1	1	1	1	153.3	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:22	1	1	1	1	153.8	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:20:23	1	1	1	1	153.8	61.5	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:24	1	1	1	1	153.8	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:20:25	1	1	1	1	153.8	61.5	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:20:26	1	1	1	1	153.8	61.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:20:29	1	1	1	1	153.8	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 15:20:29	1	1	1	1	153.8	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 15:20:30	1	1	1	1	153.8	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:20:31	1	1	1	1	153.8	61.75	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	42.0625	2004
11.02.2020 15:20:32	1	1	1	1	153.8	62	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:33	1	1	1	1	153.8	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:34	1	1	1	1	153.8	61.75	0	27440.758	593.5483871	16054.68431	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:20:35	1	1	1	1	153.8	62	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.375	2004
11.02.2020 15:20:36	1	1	1	1	153.8	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:37	1	1	1	1	153.8	61.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.125	2004
11.02.2020 15:20:38	1	1	1	1	153.8	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:20:39	1	1	1	1	153.8	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.0625	2004
11.02.2020 15:20:40	1	1	1	1	153.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:20:41	1	1	1	1	153.8	61.75	0	27109.005	578.4946237	15798.65735	30000	0	0	30000	41.4375	2004
11.02.2020 15:20:42	1	1	1	1	154.3	61.25	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:43	1	1	1	1	154.3	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.75	2004
11.02.2020 15:20:44	1	1	1	1	154.3	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.875	2004
11.02.2020 15:20:45	1	1	1	1	154.3	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:20:46	1	1	1	1	154.3	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:20:47	1	1	1	1	154.3	61.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42	2004
11.02.2020 15:20:48	1	1	1	1	154.3	62	0	27440.758	584.9462366	16047.34596	30000	0	0	30000	42.0625	2004
11.02.2020 15:20:49	1	1	1	1	154.3	62	0	27440.758	576.344086	15987.82377	30000	0	0	30000	41.5	2004
11.02.2020 15:20:50	1	1	1	1	154.3	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:20:51	1	1	1	1	154.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:20:52	1	1	1	1	154.3	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:20:53	1	1	1	1	154.3	62	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:54	1	1	1	1	154.3	61.75	0	26966.825	589.2473118	15746.47351	30000	0	0	30000	41.875	2004
11.02.2020 15:20:55	1	1	1	1	154.3	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.375	2004
11.02.2020 15:20:56	1	1	1	1	154.3	61.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 15:20:57	1	1	1	1	154.3	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.125	2004
11.02.2020 15:20:58	1	1	1	1	154.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:20:59	1	1	1	1	154.3	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:00	1	1	1	1	154.3	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:21:01	1	1	1	1	154.3	62	0	27109.005	582.7956989	15885.08684	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:02	1	1	1	1	154.5	61.75	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	41.875	2004
11.02.2020 15:21:03	1	1	1	1	154.5	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:21:04	1	1	1	1	154.5	62	0	27345.972	587.0967742	16168.83646	30000	0	0	30000	41.875	2004
11.02.2020 15:21:06	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:21:07	1	1	1	1	154.5	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:21:08	1	1	1	1	154.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:09	1	1	1	1	154.5	61.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.1875	2004
11.02.2020 15:21:10	1	1	1	1	154.5	61	0	27630.332	582.7956989	16221.0203	30000	0	0	30000	42.3125	2004
11.02.2020 15:21:11	1	1	1	1	154.5	62.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.375	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:19	1	1	1	1	155.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:21:19	1	1	1	1	155.3	61.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.5625	2004
11.02.2020 15:21:20	1	1	1	1	155.3	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:21:21	1	1	1	1	155.3	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:21:22	1	1	1	1	153.8	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:21:23	1	1	1	1	153.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:21:24	1	1	1	1	153.8	62	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:25	1	1	1	1	153.8	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:26	1	1	1	1	153.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:21:27	1	1	1	1	153.8	61.75	0	27156.398	578.4946237	15792.13437	30000	0	0	30000	42.0625	2004
11.02.2020 15:21:28	1	1	1	1	153.8	62	0	27488.152	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 15:21:29	1	1	1	1	153.8	62	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	41.5625	2004
11.02.2020 15:21:30	1	1	1	1	153.8	61.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:31	1	1	1	1	153.8	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:21:32	1	1	1	1	154.8	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5	2004
11.02.2020 15:21:33	1	1	1	1	154.8	61.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42.125	2004
11.02.2020 15:21:34	1	1	1	1	154.8	62	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.0625	2004
11.02.2020 15:21:35	1	1	1	1	154.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:21:36	1	1	1	1	154.8	61.75	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:21:37	1	1	1	1	154.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:21:38	1	1	1	1	154.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:21:39	1	1	1	1	154.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.6875	2004
11.02.2020 15:21:40	1	1	1	1	154.8	60.5	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:21:41	1	1	1	1	154.8	61.75	0	27298.578	584.9462366	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 15:21:43	1	1	1	1	152.8	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:21:44	1	1	1	1	152.8	61.75	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:21:45	1	1	1	1	152.8	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 15:21:46	1	1	1	1	152.8	61.5	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:21:47	1	1	1	1	152.8	62	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	42.3125	2004
11.02.2020 15:21:48	1	1	1	1	152.8	62.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.75	2004
11.02.2020 15:21:49	1	1	1	1	152.8	61.75	0	27109.005	591.3978495	16062.02267	30000	0	0	30000	42	2004
11.02.2020 15:21:50	1	1	1	1	152.8	62.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 15:21:51	1	1	1	1	152.8	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.8125	2004
11.02.2020 15:21:52	1	1	1	1	152.8	61.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	40.75	2004
11.02.2020 15:21:53	1	1	1	1	152.8	60.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 15:21:54	1	1	1	1	152.8	61.5	0	27014.218	593.5483871	16119.91411	30000	0	0	30000	41.4375	2004
11.02.2020 15:21:55	1	1	1	1	152.8	61.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	42	2004
11.02.2020 15:21:56	1	1	1	1	152.8	62	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:21:57	1	1	1	1	152.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:21:58	1	1	1	1	152.8	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:21:59	1	1	1	1	152.8	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42	2004
11.02.2020 15:22:00	1	1	1	1	152.8	62	0	27014.218	591.3978495	16119.91411	30000	0	0	30000	42	2004
11.02.2020 15:22:01	1	1	1	1	152.8	62	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	42.1875	2004
11.02.2020 15:22:02	1	1	1	1	153.8	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.75	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:22:03	1	1	1	1	153.8	61.75	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:04	1	1	1	1	153.8	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:05	1	1	1	1	153.8	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:06	1	1	1	1	153.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:07	1	1	1	1	153.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:22:08	1	1	1	1	153.8	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:09	1	1	1	1	153.8	62	0	26966.825	584.9462366	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:22:10	1	1	1	1	153.8	62	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	41.6875	2004
11.02.2020 15:22:11	1	1	1	1	153.8	61.5	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:22:12	1	1	1	1	152	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:20	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:22:21	1	1	1	1	152	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:22:22	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:22:23	1	1	1	1	153	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:22:24	1	1	1	1	153	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.125	2004
11.02.2020 15:22:25	1	1	1	1	153	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:22:26	1	1	1	1	153	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:27	1	1	1	1	153	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:22:28	1	1	1	1	153	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:29	1	1	1	1	153	61.75	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:22:30	1	1	1	1	153	61.75	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:31	1	1	1	1	153	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:22:32	1	1	1	1	152.8	61.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.8125	2004
11.02.2020 15:22:33	1	1	1	1	152.8	61.75	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:22:34	1	1	1	1	152.8	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:22:35	1	1	1	1	152.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:22:36	1	1	1	1	152.8	62	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:37	1	1	1	1	152.8	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.8125	2004
11.02.2020 15:22:38	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:22:39	1	1	1	1	152.8	61.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42	2004
11.02.2020 15:22:40	1	1	1	1	152.8	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:22:41	1	1	1	1	152.8	61.25	0	27345.972	589.2473118	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:42	1	1	1	1	153	62	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:43	1	1	1	1	153	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:22:44	1	1	1	1	153	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 15:22:45	1	1	1	1	153	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:46	1	1	1	1	153	62	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	41.625	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:22:47	1	1	1	1	153	61.5	0	27298.578	576.344086	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:22:48	1	1	1	1	153	62	0	27156.398	589.2473118	16118.28337	30000	0	0	30000	41.5625	2004
11.02.2020 15:22:49	1	1	1	1	153	61.5	0	27014.218	587.0967742	15945.4244	30000	0	0	30000	42	2004
11.02.2020 15:22:50	1	1	1	1	153	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.6875	2004
11.02.2020 15:22:51	1	1	1	1	153	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42	2004
11.02.2020 15:22:52	1	1	1	1	154.3	62	0	27535.545	580.6451613	16221.0203	30000	0	0	30000	41.875	2004
11.02.2020 15:22:53	1	1	1	1	154.3	61.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42	2004
11.02.2020 15:22:54	1	1	1	1	154.3	62	0	27109.005	576.344086	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:22:55	1	1	1	1	154.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:22:56	1	1	1	1	154.3	61.5	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:22:57	1	1	1	1	154.3	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42	2004
11.02.2020 15:22:59	1	1	1	1	154.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 15:23:00	1	1	1	1	154.3	61.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.25	2004
11.02.2020 15:23:01	1	1	1	1	154.3	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 15:23:02	1	1	1	1	154.3	61.5	0	27156.398	574.1935484	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:23:03	1	1	1	1	155	61.75	0	27345.972	587.0967742	16289.51159	30000	0	0	30000	42	2004
11.02.2020 15:23:04	1	1	1	1	155	62	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:23:05	1	1	1	1	155	61.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:23:06	1	1	1	1	155	62	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:23:07	1	1	1	1	155	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:23:08	1	1	1	1	155	61.25	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:23:09	1	1	1	1	155	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:10	1	1	1	1	155	61.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:23:11	1	1	1	1	155	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:12	1	1	1	1	154.5	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:13	1	1	1	1	154.5	61.75	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:23:14	1	1	1	1	154.5	61.75	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	41.4375	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:22	1	1	1	1	152.5	62	0	27298.578	580.6451613	16144.37529	30000	0	0	30000	42	2004
11.02.2020 15:23:23	1	1	1	1	152.5	62	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42.125	2004
11.02.2020 15:23:24	1	1	1	1	152.5	62	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 15:23:25	1	1	1	1	152.5	61.75	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:23:26	1	1	1	1	152.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:23:27	1	1	1	1	152.5	61.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:23:28	1	1	1	1	152.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:29	1	1	1	1	152.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:23:30	1	1	1	1	152.5	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:23:31	1	1	1	1	152.5	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:23:32	1	1	1	1	153	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.625	2004
11.02.2020 15:23:33	1	1	1	1	153	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:23:34	1	1	1	1	153	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:23:35	1	1	1	1	153	61.5	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:36	1	1	1	1	153	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42.125	2004
11.02.2020 15:23:37	1	1	1	1	153	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 15:23:38	1	1	1	1	153	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:23:40	1	1	1	1	153	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:23:41	1	1	1	1	153	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:23:42	1	1	1	1	153	62	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:43	1	1	1	1	152.8	61.75	0	27203.791	589.2473118	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 15:23:44	1	1	1	1	152.8	61.75	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	42.1875	2004
11.02.2020 15:23:45	1	1	1	1	152.8	62	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	42	2004
11.02.2020 15:23:46	1	1	1	1	152.8	62	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	42.1875	2004
11.02.2020 15:23:47	1	1	1	1	152.8	62.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:23:48	1	1	1	1	152.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:49	1	1	1	1	152.8	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:23:50	1	1	1	1	152.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:51	1	1	1	1	152.8	61.75	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:52	1	1	1	1	153.3	61.75	0	27061.611	584.9462366	16118.28337	30000	0	0	30000	41.625	2004
11.02.2020 15:23:53	1	1	1	1	153.3	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:23:54	1	1	1	1	153.3	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:55	1	1	1	1	153.3	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.8125	2004
11.02.2020 15:23:56	1	1	1	1	153.3	61.75	0	27156.398	582.7956989	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:57	1	1	1	1	153.3	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:23:58	1	1	1	1	153.3	61.75	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	41.625	2004
11.02.2020 15:23:59	1	1	1	1	153.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:24:00	1	1	1	1	153.3	62	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:24:01	1	1	1	1	153.3	61.5	0	27203.791	589.2473118	16144.37529	30000	0	0	30000	42.125	2004
11.02.2020 15:24:02	1	1	1	1	153	62	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	41.8125	2004
11.02.2020 15:24:03	1	1	1	1	153	61.75	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 15:24:04	1	1	1	1	153	61.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.125	2004
11.02.2020 15:24:05	1	1	1	1	153	61	0	27440.758	584.9462366	16023.70016	30000	0	0	30000	41.5	2004
11.02.2020 15:24:06	1	1	1	1	153	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:24:07	1	1	1	1	153	61.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.3125	2004
11.02.2020 15:24:08	1	1	1	1	153	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 15:24:09	1	1	1	1	153	61.5	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.75	2004
11.02.2020 15:24:10	1	1	1	1	153	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:24:11	1	1	1	1	153	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:24:12	1	1	1	1	151.8	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:24:13	1	1	1	1	151.8	62	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 15:24:14	1	1	1	1	151.8	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:24:15	1	1	1	1	151.8	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:23	1	1	1	1	152	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:24	1	1	1	1	152	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.375	2004
11.02.2020 15:24:25	1	1	1	1	152	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:24:26	1	1	1	1	152	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42.0625	2004
11.02.2020 15:24:27	1	1	1	1	152	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:24:28	1	1	1	1	152	61.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:24:29	1	1	1	1	152	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:24:30	1	1	1	1	152	62	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:31	1	1	1	1	152	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:24:32	1	1	1	1	152	62	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:24:33	1	1	1	1	152	61.75	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	41.875	2004
11.02.2020 15:24:34	1	1	1	1	152	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:24:35	1	1	1	1	152	62	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.0625	2004
11.02.2020 15:24:36	1	1	1	1	152	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.25	2004
11.02.2020 15:24:37	1	1	1	1	152	61.25	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:24:38	1	1	1	1	152	62	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:24:39	1	1	1	1	152	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:24:40	1	1	1	1	152	62	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	42.0625	2004
11.02.2020 15:24:41	1	1	1	1	152	62	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 15:24:42	1	1	1	1	151.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:43	1	1	1	1	151.3	61.75	0	27109.005	578.4946237	15624.16764	30000	0	0	30000	42.0625	2004
11.02.2020 15:24:44	1	1	1	1	151.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:24:45	1	1	1	1	151.3	61.75	0	27440.758	589.2473118	16113.39113	30000	0	0	30000	41.875	2004
11.02.2020 15:24:46	1	1	1	1	151.3	61.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:24:47	1	1	1	1	151.3	61.75	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.9375	2004
11.02.2020 15:24:48	1	1	1	1	151.3	61.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:24:49	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:24:50	1	1	1	1	151.3	61.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	41.9375	2004
11.02.2020 15:24:51	1	1	1	1	151.3	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42	2004
11.02.2020 15:24:52	1	1	1	1	151.5	62	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.5	2004
11.02.2020 15:24:53	1	1	1	1	151.5	61.5	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:24:54	1	1	1	1	151.5	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.5625	2004
11.02.2020 15:24:56	1	1	1	1	151.5	61.5	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	41.625	2004
11.02.2020 15:24:57	1	1	1	1	151.5	61.5	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	41.9375	2004
11.02.2020 15:24:58	1	1	1	1	151.5	61.75	0	27203.791	582.7956989	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:24:59	1	1	1	1	151.5	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:25:44	1	1	1	1	150.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 15:25:45	1	1	1	1	150.8	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:25:46	1	1	1	1	150.8	61.75	0	27109.005	578.4946237	15826.38002	30000	0	0	30000	41.6875	2004
11.02.2020 15:25:47	1	1	1	1	150.8	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:25:48	1	1	1	1	150.8	61.5	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:25:49	1	1	1	1	150.8	61.5	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	42	2004
11.02.2020 15:25:50	1	1	1	1	150.8	62	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:25:51	1	1	1	1	150.8	61.75	0	27109.005	587.0967742	15654.33642	30000	0	0	30000	41.75	2004
11.02.2020 15:25:52	1	1	1	1	149.8	61.75	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 15:25:53	1	1	1	1	149.8	61.5	0	27298.578	578.4946237	15733.42755	30000	0	0	30000	41.8125	2004
11.02.2020 15:25:54	1	1	1	1	149.8	61.75	0	27440.758	584.9462366	15819.04167	30000	0	0	30000	41.75	2004
11.02.2020 15:25:55	1	1	1	1	149.8	61.75	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:25:56	1	1	1	1	149.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:25:57	1	1	1	1	149.8	61.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.8125	2004
11.02.2020 15:25:58	1	1	1	1	149.8	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:25:59	1	1	1	1	149.8	61.75	0	27440.758	589.2473118	16141.1138	30000	0	0	30000	41.6875	2004
11.02.2020 15:26:00	1	1	1	1	149.8	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 15:26:01	1	1	1	1	149.8	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:26:02	1	1	1	1	149.8	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.375	2004
11.02.2020 15:26:03	1	1	1	1	149.8	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:26:04	1	1	1	1	149.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:26:05	1	1	1	1	149.8	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:26:06	1	1	1	1	149.8	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:26:07	1	1	1	1	149.8	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:26:08	1	1	1	1	149.8	61.75	0	27298.578	580.6451613	15767.6732	30000	0	0	30000	42	2004
11.02.2020 15:26:09	1	1	1	1	149.8	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:26:10	1	1	1	1	149.8	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:26:12	1	1	1	1	149.8	62	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.75	2004
11.02.2020 15:26:13	1	1	1	1	150.3	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:26:14	1	1	1	1	150.3	62	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 15:26:15	1	1	1	1	150.3	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:26:16	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:26:17	1	1	1	1	150.3	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:18	1	1	1	1	150.3	61.75	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	41.4375	2004
11.02.2020 15:26:19	1	1	1	1	150.3	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.1875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.5	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	41.875	2004
11.02.2020 15:26:27	1	1	1	1	150.5	61.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:26:28	1	1	1	1	150.5	61.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 15:26:29	1	1	1	1	150.5	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	42.0625	2004
11.02.2020 15:26:30	1	1	1	1	150.5	62	0	27061.611	584.9462366	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 15:26:31	1	1	1	1	150.5	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.375	2004
11.02.2020 15:26:32	1	1	1	1	151.3	61.25	0	27298.578	580.6451613	15624.16764	30000	0	0	30000	42	2004
11.02.2020 15:26:33	1	1	1	1	151.3	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:26:34	1	1	1	1	151.3	62	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:35	1	1	1	1	151.3	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:36	1	1	1	1	151.3	61.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	41.625	2004
11.02.2020 15:26:37	1	1	1	1	151.3	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 15:26:38	1	1	1	1	151.3	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:39	1	1	1	1	151.3	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 15:26:40	1	1	1	1	151.3	61.5	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:26:41	1	1	1	1	151.3	61.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 15:26:42	1	1	1	1	151	61.5	0	27582.938	578.4946237	15756.25798	30000	0	0	30000	41.5	2004
11.02.2020 15:26:43	1	1	1	1	151	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.6875	2004
11.02.2020 15:26:44	1	1	1	1	151	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:26:45	1	1	1	1	151	61.5	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 15:26:46	1	1	1	1	151	61.75	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.25	2004
11.02.2020 15:26:47	1	1	1	1	151	61.25	0	27535.545	580.6451613	16106.86815	30000	0	0	30000	41.75	2004
11.02.2020 15:26:49	1	1	1	1	151	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:26:50	1	1	1	1	151	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:51	1	1	1	1	151	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	42	2004
11.02.2020 15:26:52	1	1	1	1	151	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 15:26:53	1	1	1	1	150.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 15:26:54	1	1	1	1	150.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 15:26:55	1	1	1	1	150.5	61.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.8125	2004
11.02.2020 15:26:56	1	1	1	1	150.5	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:26:57	1	1	1	1	150.5	61.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	42.25	2004
11.02.2020 15:26:58	1	1	1	1	150.5	62.25	0	27819.905	576.344086	15805.18033	30000	0	0	30000	42	2004
11.02.2020 15:26:59	1	1	1	1	150.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42	2004
11.02.2020 15:27:00	1	1	1	1	150.5	62	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	42	2004
11.02.2020 15:27:01	1	1	1	1	150.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004
11.02.2020 15:27:02	1	1	1	1	152	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:27:03	1	1	1	1	152	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:27:04	1	1	1	1	152	61.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	42.0625	2004
11.02.2020 15:27:05	1	1	1	1	152	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:27:06	1	1	1	1	152	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:27:07	1	1	1	1	152	61.75	0	27298.578	584.9462366	15798.65735	30000	0	0	30000	41.875	2004
11.02.2020 15:27:08	1	1	1	1	152	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:27:09	1	1	1	1	152	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.375	2004
11.02.2020 15:27:10	1	1	1	1	152	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 15:27:11	1	1	1	1	152	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:27:12	1	1	1	1	152	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:27:13	1	1	1	1	152	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 15:27:14	1	1	1	1	152	61.75	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:27:15	1	1	1	1	152	61.75	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:27:16	1	1	1	1	152	61.75	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 15:27:17	1	1	1	1	152	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 15:27:18	1	1	1	1	152	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:27:19	1	1	1	1	152	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:20	1	1	1	1	152	61.5	0	27109.005	587.0967742	15857.36417	30000	0	0	30000	41.375	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:28	1	1	1	1	151.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:29	1	1	1	1	151.3	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:27:30	1	1	1	1	151.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:31	1	1	1	1	151.3	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.4375	2004
11.02.2020 15:27:32	1	1	1	1	151.3	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:27:33	1	1	1	1	150.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:27:34	1	1	1	1	150.8	61.75	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	42.3125	2004
11.02.2020 15:27:35	1	1	1	1	150.8	62.25	0	27298.578	593.5483871	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:27:36	1	1	1	1	150.8	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:27:37	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.125	2004
11.02.2020 15:27:38	1	1	1	1	150.8	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:27:39	1	1	1	1	150.8	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:27:40	1	1	1	1	150.8	61.75	0	27061.611	584.9462366	15857.36417	30000	0	0	30000	41.8125	2004
11.02.2020 15:27:41	1	1	1	1	150.8	61.75	0	27298.578	580.6451613	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 15:27:42	1	1	1	1	150.3	61.75	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	41.875	2004
11.02.2020 15:27:43	1	1	1	1	150.3	61.75	0	27440.758	587.0967742	16343.32618	30000	0	0	30000	42	2004
11.02.2020 15:27:44	1	1	1	1	150.3	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:27:45	1	1	1	1	150.3	62	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:27:46	1	1	1	1	150.3	61.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	42	2004
11.02.2020 15:27:47	1	1	1	1	150.3	62	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	41.875	2004
11.02.2020 15:27:48	1	1	1	1	150.3	61.75	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.5625	2004
11.02.2020 15:27:49	1	1	1	1	150.3	61.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:27:50	1	1	1	1	150.3	61.75	0	27440.758	587.0967742	16345.77229	30000	0	0	30000	42.1875	2004
11.02.2020 15:27:51	1	1	1	1	150.3	62	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 15:27:52	1	1	1	1	150.8	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.875	2004
11.02.2020 15:27:53	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.1875	2004
11.02.2020 15:27:54	1	1	1	1	150.8	62	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	41.625	2004
11.02.2020 15:27:55	1	1	1	1	150.8	61.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:27:56	1	1	1	1	150.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:27:57	1	1	1	1	150.8	61.5	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:27:58	1	1	1	1	150.8	62	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:27:59	1	1	1	1	150.8	61.75	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	41.4375	2004
11.02.2020 15:28:00	1	1	1	1	150.8	61.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 15:28:01	1	1	1	1	150.8	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:28:02	1	1	1	1	151.5	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:28:04	1	1	1	1	151.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 15:28:05	1	1	1	1	151.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:28:06	1	1	1	1	151.5	61.75	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:07	1	1	1	1	151.5	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:28:08	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 15:28:09	1	1	1	1	151.5	61.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 15:28:10	1	1	1	1	151.5	61.5	0	27535.545	580.6451613	15756.25798	30000	0	0	30000	41.6875	2004
11.02.2020 15:28:11	1	1	1	1	151.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 15:28:12	1	1	1	1	151.5	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.25	2004
11.02.2020 15:28:13	1	1	1	1	151.8	62.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:28:14	1	1	1	1	151.8	62	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:28:15	1	1	1	1	151.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:28:16	1	1	1	1	151.8	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:28:17	1	1	1	1	151.8	62	0	27298.578	574.1935484	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:18	1	1	1	1	151.8	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:28:19	1	1	1	1	151.8	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:28:20	1	1	1	1	151.8	61.75	0	27298.578	576.344086	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:28:21	1	1	1	1	151.8	61.75	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.75	2004
11.02.2020 15:28:22	1	1	1	1	150.5	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 15:28:30	1	1	1	1	150.5	61.25	0	27109.005	582.7956989	15740.76591	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:31	1	1	1	1	150.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:28:32	1	1	1	1	151.5	61.75	0	27061.611	589.2473118	15915.25562	30000	0	0	30000	42	2004
11.02.2020 15:28:33	1	1	1	1	151.5	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42	2004
11.02.2020 15:28:34	1	1	1	1	151.5	62	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:28:35	1	1	1	1	151.5	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:28:36	1	1	1	1	151.5	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42.125	2004
11.02.2020 15:28:37	1	1	1	1	151.5	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:28:38	1	1	1	1	151.5	62	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:28:39	1	1	1	1	151.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:28:40	1	1	1	1	151.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:28:42	1	1	1	1	151.5	62	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:28:43	1	1	1	1	151.8	62	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:44	1	1	1	1	151.8	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:45	1	1	1	1	151.8	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42	2004
11.02.2020 15:28:46	1	1	1	1	151.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:28:47	1	1	1	1	151.8	61.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:28:48	1	1	1	1	151.8	61.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41.5	2004
11.02.2020 15:28:49	1	1	1	1	151.8	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 15:28:50	1	1	1	1	151.8	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:28:51	1	1	1	1	151.8	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 15:28:52	1	1	1	1	151.8	61.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:28:53	1	1	1	1	152	61.5	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	41.1875	2004
11.02.2020 15:28:54	1	1	1	1	152	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:28:55	1	1	1	1	152	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:56	1	1	1	1	152	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 15:28:57	1	1	1	1	152	61.75	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:28:58	1	1	1	1	152	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:28:59	1	1	1	1	152	61.75	0	26966.825	584.9462366	15832.08763	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:00	1	1	1	1	152	61.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:29:01	1	1	1	1	152	62	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 15:29:02	1	1	1	1	152.3	62	0	27156.398	589.2473118	15798.65735	30000	0	0	30000	42.1875	2004
11.02.2020 15:29:03	1	1	1	1	152.3	62	0	27345.972	578.4946237	16051.42282	30000	0	0	30000	42	2004
11.02.2020 15:29:04	1	1	1	1	152.3	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:05	1	1	1	1	152.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:06	1	1	1	1	152.3	61.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:29:07	1	1	1	1	152.3	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:29:08	1	1	1	1	152.3	62	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	41.8125	2004
11.02.2020 15:29:09	1	1	1	1	152.3	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:29:10	1	1	1	1	152.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:11	1	1	1	1	152.3	61.5	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:12	1	1	1	1	152.5	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:29:13	1	1	1	1	152.5	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:14	1	1	1	1	152.5	61.75	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:15	1	1	1	1	152.5	61.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:29:16	1	1	1	1	152.5	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:17	1	1	1	1	152.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:18	1	1	1	1	152.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:29:19	1	1	1	1	152.5	61.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:21	1	1	1	1	152.5	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:22	1	1	1	1	152.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:29:23	1	1	1	1	153	62	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:29:24	1	1	1	1	153	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:31	1	1	1	1	153	62.25	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:32	1	1	1	1	152.3	62	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	42.1875	2004
11.02.2020 15:29:33	1	1	1	1	152.3	62	0	27345.972	595.6989247	16172.09795	30000	0	0	30000	42.1875	2004
11.02.2020 15:29:34	1	1	1	1	152.3	62	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	42	2004
11.02.2020 15:29:35	1	1	1	1	152.3	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:29:36	1	1	1	1	152.3	62	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42	2004
11.02.2020 15:29:37	1	1	1	1	152.3	62	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:29:38	1	1	1	1	152.3	62	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 15:29:39	1	1	1	1	152.3	61.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:40	1	1	1	1	152.3	61.75	0	27298.578	580.6451613	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:29:41	1	1	1	1	152.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:42	1	1	1	1	152.5	61.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:43	1	1	1	1	152.5	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.625	2004
11.02.2020 15:29:44	1	1	1	1	152.5	61.5	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	42	2004
11.02.2020 15:29:45	1	1	1	1	152.5	62	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:46	1	1	1	1	152.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:47	1	1	1	1	152.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 15:29:48	1	1	1	1	152.5	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:49	1	1	1	1	152.5	61.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:50	1	1	1	1	152.5	62	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:51	1	1	1	1	152.5	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.75	2004
11.02.2020 15:29:52	1	1	1	1	153	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:29:53	1	1	1	1	153	62	0	27393.365	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:29:54	1	1	1	1	153	62	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.125	2004
11.02.2020 15:29:55	1	1	1	1	153	62	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:29:56	1	1	1	1	153	61.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:57	1	1	1	1	153	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:29:59	1	1	1	1	153	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:30:00	1	1	1	1	153	62	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:30:01	1	1	1	1	153	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.0625	2004
11.02.2020 15:30:02	1	1	1	1	153	62	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	42	2004
11.02.2020 15:30:03	1	1	1	1	151.5	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.4375	2004
11.02.2020 15:30:04	1	1	1	1	151.5	61.25	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	42	2004
11.02.2020 15:30:05	1	1	1	1	151.5	62	0	27298.578	593.5483871	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 15:30:06	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:30:07	1	1	1	1	151.5	61.75	0	27298.578	580.6451613	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:30:08	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:30:09	1	1	1	1	151.5	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:30:10	1	1	1	1	151.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004
11.02.2020 15:30:11	1	1	1	1	151.5	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:30:12	1	1	1	1	152.5	62	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	42.0625	2004
11.02.2020 15:30:13	1	1	1	1	152.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:30:14	1	1	1	1	152.5	62	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	42	2004
11.02.2020 15:30:15	1	1	1	1	152.5	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:30:16	1	1	1	1	152.5	61.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.75	2004
11.02.2020 15:30:17	1	1	1	1	152.5	61.75	0	27109.005	587.0967742	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 15:30:18	1	1	1	1	152.5	61.75	0	27582.938	584.9462366	16165.57497	30000	0	0	30000	41.5	2004
11.02.2020 15:30:19	1	1	1	1	152.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:30:20	1	1	1	1	152.5	61.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	42	2004
11.02.2020 15:30:21	1	1	1	1	152.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:30:22	1	1	1	1	152.5	62	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42	2004
11.02.2020 15:30:23	1	1	1	1	152.5	62	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	42.1875	2004
11.02.2020 15:30:24	1	1	1	1	152.5	62	0	27298.578	587.0967742	15826.38002	30000	0	0	30000	41.75	2004
11.02.2020 15:30:25	1	1	1	1	152.5	61.75	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.125	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:30:33	1	1	1	1	152	61.75	0	27298.578	584.9462366	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:30:34	1	1	1	1	152	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 15:30:35	1	1	1	1	152	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:30:37	1	1	1	1	152	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:30:38	1	1	1	1	152	62	0	27440.758	587.0967742	15877.74848	30000	0	0	30000	42	2004
11.02.2020 15:30:39	1	1	1	1	152	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:30:40	1	1	1	1	152	62	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:30:41	1	1	1	1	152	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:30:42	1	1	1	1	152	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42.125	2004
11.02.2020 15:30:43	1	1	1	1	151.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:30:44	1	1	1	1	151.8	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.1875	2004
11.02.2020 15:30:45	1	1	1	1	151.8	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42	2004
11.02.2020 15:30:46	1	1	1	1	151.8	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:30:47	1	1	1	1	151.8	62	0	27156.398	587.0967742	16203.08211	30000	0	0	30000	41.875	2004
11.02.2020 15:30:48	1	1	1	1	151.8	61.75	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	42.25	2004
11.02.2020 15:30:49	1	1	1	1	151.8	62.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.1875	2004
11.02.2020 15:30:50	1	1	1	1	151.8	62	0	26966.825	591.3978495	16092.19145	30000	0	0	30000	42	2004
11.02.2020 15:30:51	1	1	1	1	151.8	62	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.625	2004
11.02.2020 15:30:52	1	1	1	1	153.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:30:53	1	1	1	1	153.5	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:30:54	1	1	1	1	153.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 15:30:55	1	1	1	1	153.5	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:30:56	1	1	1	1	153.5	61.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:30:57	1	1	1	1	153.5	62	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.8125	2004
11.02.2020 15:30:58	1	1	1	1	153.5	61.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	41.875	2004
11.02.2020 15:30:59	1	1	1	1	153.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:31:00	1	1	1	1	153.5	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:31:01	1	1	1	1	153.5	61.75	0	27440.758	589.2473118	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:02	1	1	1	1	153	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:03	1	1	1	1	153	62	0	27061.611	587.0967742	15832.08763	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:04	1	1	1	1	153	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:31:05	1	1	1	1	153	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:31:06	1	1	1	1	153	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 15:31:07	1	1	1	1	153	62	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 15:31:08	1	1	1	1	153	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	42.1875	2004
11.02.2020 15:31:09	1	1	1	1	153	62	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:10	1	1	1	1	153	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:11	1	1	1	1	153	61.75	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	42	2004
11.02.2020 15:31:12	1	1	1	1	152.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:14	1	1	1	1	152.8	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:31:15	1	1	1	1	152.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:31:16	1	1	1	1	152.8	61.75	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:17	1	1	1	1	152.8	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:18	1	1	1	1	152.8	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.875	2004
11.02.2020 15:31:19	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:20	1	1	1	1	152.8	61.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:21	1	1	1	1	152.8	61.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:31:22	1	1	1	1	152.8	61.75	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:23	1	1	1	1	152.8	61.75	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:24	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:31:25	1	1	1	1	152.8	61.75	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	41.875	2004
11.02.2020 15:31:26	1	1	1	1	152.8	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:31:27	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:35	1	1	1	1	152.5	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:36	1	1	1	1	152.5	62	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:31:37	1	1	1	1	152.5	61.25	0	27345.972	589.2473118	16168.83646	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:38	1	1	1	1	152.5	62	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	41.5	2004
11.02.2020 15:31:39	1	1	1	1	152.5	61.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	42.125	2004
11.02.2020 15:31:40	1	1	1	1	152.5	62	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:31:41	1	1	1	1	152.5	61.75	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 15:31:42	1	1	1	1	151.8	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 15:31:43	1	1	1	1	151.8	61.5	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	42.125	2004
11.02.2020 15:31:44	1	1	1	1	151.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:45	1	1	1	1	151.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 15:31:46	1	1	1	1	151.8	61.75	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:31:47	1	1	1	1	151.8	61.25	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.625	2004
11.02.2020 15:31:48	1	1	1	1	151.8	61.5	0	27156.398	587.0967742	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 15:31:49	1	1	1	1	151.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:31:50	1	1	1	1	151.8	61.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:31:51	1	1	1	1	151.8	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	42	2004
11.02.2020 15:31:52	1	1	1	1	151.8	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5	2004
11.02.2020 15:31:54	1	1	1	1	151.8	61.5	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	42.0625	2004
11.02.2020 15:31:57	1	1	1	1	151.8	62	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	42	2004
11.02.2020 15:31:57	1	1	1	1	151.8	62	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	42	2004
11.02.2020 15:31:57	1	1	1	1	151.8	62	0	27109.005	580.6451613	15798.65735	30000	0	0	30000	42	2004
11.02.2020 15:31:58	1	1	1	1	151.8	62	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 15:31:59	1	1	1	1	151.8	61.75	0	27393.365	587.0967742	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:00	1	1	1	1	151.8	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:32:01	1	1	1	1	151.8	61.75	0	27156.398	591.3978495	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:02	1	1	1	1	151.8	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:32:03	1	1	1	1	151.8	61.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.5	2004
11.02.2020 15:32:04	1	1	1	1	151.8	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:05	1	1	1	1	151.8	61.5	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	41.625	2004
11.02.2020 15:32:06	1	1	1	1	151.8	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:32:07	1	1	1	1	151.8	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:08	1	1	1	1	151.8	61.75	0	27109.005	587.0967742	15654.33642	30000	0	0	30000	42.125	2004
11.02.2020 15:32:09	1	1	1	1	151.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:32:10	1	1	1	1	151.8	61.75	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:11	1	1	1	1	151.8	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:12	1	1	1	1	152.3	62	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:13	1	1	1	1	152.3	62	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	42.1875	2004
11.02.2020 15:32:14	1	1	1	1	152.3	62	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:15	1	1	1	1	152.3	61.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	42	2004
11.02.2020 15:32:16	1	1	1	1	152.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:32:17	1	1	1	1	152.3	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:18	1	1	1	1	152.3	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:32:19	1	1	1	1	152.3	61.75	0	27298.578	595.6989247	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:20	1	1	1	1	152.3	61.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:32:21	1	1	1	1	152.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:32:22	1	1	1	1	153.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:32:23	1	1	1	1	153.3	62	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 15:32:24	1	1	1	1	153.3	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 15:32:25	1	1	1	1	153.3	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:32:26	1	1	1	1	153.3	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 15:32:27	1	1	1	1	153.3	61.5	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.5	2004
11.02.2020 15:32:28	1	1	1	1	153.3	61.5	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	41.75	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:36	1	1	1	1	153.3	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:37	1	1	1	1	153.3	61.5	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:38	1	1	1	1	153.3	62	0	27109.005	584.9462366	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:39	1	1	1	1	153.3	62	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	42.125	2004
11.02.2020 15:32:40	1	1	1	1	153.3	62	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.875	2004
11.02.2020 15:32:41	1	1	1	1	153.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:32:42	1	1	1	1	153.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 15:32:43	1	1	1	1	153.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:44	1	1	1	1	153.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:32:45	1	1	1	1	153.3	62	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:46	1	1	1	1	153.3	62	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.875	2004
11.02.2020 15:32:47	1	1	1	1	153.3	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:48	1	1	1	1	153.3	61.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.625	2004
11.02.2020 15:32:49	1	1	1	1	153.3	61.5	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:50	1	1	1	1	153.3	61.75	0	27109.005	580.6451613	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 15:32:51	1	1	1	1	153.3	61.75	0	27345.972	591.3978495	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:32:52	1	1	1	1	152.3	62	0	27345.972	589.2473118	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:32:53	1	1	1	1	152.3	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:32:54	1	1	1	1	152.3	61.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	41.5	2004
11.02.2020 15:32:55	1	1	1	1	152.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 15:32:56	1	1	1	1	152.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:32:57	1	1	1	1	152.3	61.5	0	27156.398	587.0967742	15885.08684	30000	0	0	30000	41.8125	2004
11.02.2020 15:32:58	1	1	1	1	152.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:32:59	1	1	1	1	152.3	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42.125	2004
11.02.2020 15:33:00	1	1	1	1	152.3	62	0	27109.005	580.6451613	16085.66847	30000	0	0	30000	42.0625	2004
11.02.2020 15:33:01	1	1	1	1	152.3	62	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	42	2004
11.02.2020 15:33:02	1	1	1	1	152.3	62	0	27109.005	587.0967742	15857.36417	30000	0	0	30000	42.1875	2004
11.02.2020 15:33:03	1	1	1	1	152.3	62	0	27298.578	589.2473118	16230.80477	30000	0	0	30000	41.5625	2004
11.02.2020 15:33:04	1	1	1	1	152.3	61.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:33:05	1	1	1	1	152.3	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:33:06	1	1	1	1	152.3	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:33:07	1	1	1	1	152.3	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.9375	2004
11.02.2020 15:33:08	1	1	1	1	152.3	61.75	0	27109.005	584.9462366	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:33:09	1	1	1	1	152.3	61.75	0	27109.005	587.0967742	15945.4244	30000	0	0	30000	41.5625	2004
11.02.2020 15:33:11	1	1	1	1	152.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:33:12	1	1	1	1	152.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:33:13	1	1	1	1	152.5	61.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 15:33:14	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	42.1875	2004
11.02.2020 15:33:15	1	1	1	1	152.5	62	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 15:33:16	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.8125	2004
11.02.2020 15:33:17	1	1	1	1	152.5	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 15:33:18	1	1	1	1	152.5	61.5	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	42	2004
11.02.2020 15:33:19	1	1	1	1	152.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:33:20	1	1	1	1	152.5	61.75	0	27298.578	589.2473118	16031.85389	30000	0	0	30000	42.1875	2004
11.02.2020 15:33:21	1	1	1	1	152.5	62	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:33:22	1	1	1	1	152.5	61.75	0	27109.005	597.8494624	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:33:23	1	1	1	1	152.3	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	42	2004
11.02.2020 15:33:24	1	1	1	1	152.3	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:33:25	1	1	1	1	152.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:33:26	1	1	1	1	152.3	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 15:33:27	1	1	1	1	152.3	61.75	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	41.3125	2004
11.02.2020 15:33:28	1	1	1	1	152.3	61.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:33:29	1	1	1	1	152.3	62	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42	2004
11.02.2020 15:33:30	1	1	1	1	152.3	62	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	62	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 15:33:39	1	1	1	1	152.8	61.75	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	41.875	2004
11.02.2020 15:33:40	1	1	1	1	152.8	61.75	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:33:41	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:33:42	1	1	1	1	152.8	61.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:33:43	1	1	1	1	152.8	61.5	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	42.0625	2004
11.02.2020 15:33:44	1	1	1	1	152.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:33:45	1	1	1	1	152.8	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:33:46	1	1	1	1	152.8	62	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 15:33:48	1	1	1	1	152.8	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:33:49	1	1	1	1	152.8	62	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:33:50	1	1	1	1	152.8	61.75	0	27203.791	593.5483871	16144.37529	30000	0	0	30000	42.0625	2004
11.02.2020 15:33:51	1	1	1	1	152.8	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 15:33:52	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 15:33:53	1	1	1	1	153.3	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:33:54	1	1	1	1	153.3	62	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:33:55	1	1	1	1	153.3	61.5	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:33:56	1	1	1	1	153.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:33:57	1	1	1	1	153.3	61.75	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:33:58	1	1	1	1	153.3	61.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 15:33:59	1	1	1	1	153.3	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:34:00	1	1	1	1	153.3	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:34:01	1	1	1	1	153.3	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 15:34:02	1	1	1	1	152.8	61.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 15:34:03	1	1	1	1	152.8	61.75	0	27156.398	584.9462366	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:34:04	1	1	1	1	152.8	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:05	1	1	1	1	152.8	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:34:06	1	1	1	1	152.8	61.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	42	2004
11.02.2020 15:34:07	1	1	1	1	152.8	62	0	27109.005	582.7956989	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:34:08	1	1	1	1	152.8	61.75	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.875	2004
11.02.2020 15:34:09	1	1	1	1	152.8	61.75	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	41.5	2004
11.02.2020 15:34:10	1	1	1	1	152.8	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 15:34:11	1	1	1	1	152.8	61.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:12	1	1	1	1	152.8	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:34:13	1	1	1	1	152.8	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:14	1	1	1	1	152.8	61.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	42	2004
11.02.2020 15:34:15	1	1	1	1	152.8	62	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:16	1	1	1	1	152.8	61.5	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:17	1	1	1	1	152.8	62	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	42	2004
11.02.2020 15:34:18	1	1	1	1	152.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:34:19	1	1	1	1	152.8	61.75	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:20	1	1	1	1	152.8	61.5	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:34:21	1	1	1	1	152.8	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:23	1	1	1	1	152.5	62	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	41.8125	2004
11.02.2020 15:34:24	1	1	1	1	152.5	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:34:25	1	1	1	1	152.5	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:34:26	1	1	1	1	152.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 15:34:27	1	1	1	1	152.5	61.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:34:28	1	1	1	1	152.5	62	0	27109.005	593.5483871	15829.64151	30000	0	0	30000	41.9375	2004
11.02.2020 15:34:29	1	1	1	1	152.5	61.75	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	41.75	2004
11.02.2020 15:34:30	1	1	1	1	152.5	61.75	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	41.9375	2004
11.02.2020 15:34:31	1	1	1	1	152.5	61.75	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:34:32	1	1	1	1	152.5	61.5	0	27156.398	593.5483871	16176.99019	30000	0	0	30000	41.875	2004
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:34:40	1	1	1	1	151.8	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:34:40	1	1	1	1	151.8	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:34:41	1	1	1	1	151.8	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:42	1	1	1	1	152.3	61.5	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	41.75	2004
11.02.2020 15:34:43	1	1	1	1	152.3	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:34:44	1	1	1	1	152.3	62	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	42	2004
11.02.2020 15:34:45	1	1	1	1	152.3	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:34:46	1	1	1	1	152.3	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:34:47	1	1	1	1	152.3	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:48	1	1	1	1	152.3	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:34:49	1	1	1	1	152.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:34:50	1	1	1	1	152.3	61.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	41.5	2004
11.02.2020 15:34:51	1	1	1	1	152.3	61.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.875	2004
11.02.2020 15:34:52	1	1	1	1	151.3	61.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:34:53	1	1	1	1	151.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:34:54	1	1	1	1	151.3	61.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:55	1	1	1	1	151.3	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:56	1	1	1	1	151.3	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:34:57	1	1	1	1	151.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:34:58	1	1	1	1	151.3	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 15:34:59	1	1	1	1	151.3	61.5	0	27440.758	595.6989247	16110.12964	30000	0	0	30000	42.1875	2004
11.02.2020 15:35:01	1	1	1	1	151.3	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:02	1	1	1	1	151.3	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:03	1	1	1	1	150.8	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:04	1	1	1	1	150.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:05	1	1	1	1	150.8	62	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	41.875	2004
11.02.2020 15:35:06	1	1	1	1	150.8	61.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:07	1	1	1	1	150.8	61.75	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	42	2004
11.02.2020 15:35:08	1	1	1	1	150.8	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:09	1	1	1	1	150.8	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:10	1	1	1	1	150.8	62	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:35:11	1	1	1	1	150.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:12	1	1	1	1	150.8	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:13	1	1	1	1	152.3	61.75	0	27014.218	584.9462366	15743.21202	30000	0	0	30000	41.5625	2004
11.02.2020 15:35:14	1	1	1	1	152.3	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 15:35:15	1	1	1	1	152.3	62	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:35:16	1	1	1	1	152.3	62	0	27109.005	582.7956989	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:35:17	1	1	1	1	152.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:35:18	1	1	1	1	152.3	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:35:19	1	1	1	1	152.3	61.75	0	27109.005	595.6989247	16031.85389	30000	0	0	30000	41.75	2004
11.02.2020 15:35:20	1	1	1	1	152.3	61.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:35:21	1	1	1	1	152.3	62	0	27109.005	576.344086	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:22	1	1	1	1	151.5	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 15:35:23	1	1	1	1	151.5	61.5	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.6875	2004
11.02.2020 15:35:24	1	1	1	1	151.5	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:35:25	1	1	1	1	151.5	61.5	0	26966.825	591.3978495	15804.36496	30000	0	0	30000	41.1875	2004
11.02.2020 15:35:26	1	1	1	1	151.5	61	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 15:35:27	1	1	1	1	151.5	61.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:28	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:29	1	1	1	1	151.5	62	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	41.875	2004
11.02.2020 15:35:30	1	1	1	1	151.5	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:35:31	1	1	1	1	151.5	61.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 15:35:32	1	1	1	1	152	61.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 15:35:33	1	1	1	1	152	61.25	0	27156.398	597.8494624	15887.53295	30000	0	0	30000	41.25	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:41	1	1	1	1	152	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:42	1	1	1	1	152	61.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:43	1	1	1	1	152.8	61.75	0	27109.005	582.7956989	15826.38002	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:44	1	1	1	1	152.8	61.75	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	41.5625	2004
11.02.2020 15:35:45	1	1	1	1	152.8	61.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.5	2004
11.02.2020 15:35:46	1	1	1	1	152.8	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 15:35:47	1	1	1	1	152.8	61.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:35:48	1	1	1	1	152.8	61.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	41.8125	2004
11.02.2020 15:35:49	1	1	1	1	152.8	61.75	0	26872.038	593.5483871	15920.14785	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:50	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:35:51	1	1	1	1	152.8	61.75	0	27061.611	591.3978495	15975.59318	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:52	1	1	1	1	152.8	62	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.375	2004
11.02.2020 15:35:53	1	1	1	1	153.5	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:35:54	1	1	1	1	153.5	62	0	27061.611	597.8494624	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 15:35:55	1	1	1	1	153.5	61	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 15:35:56	1	1	1	1	153.5	62	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:57	1	1	1	1	153.5	62	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	42.0625	2004
11.02.2020 15:35:58	1	1	1	1	153.5	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5	2004
11.02.2020 15:35:59	1	1	1	1	153.5	61.5	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:00	1	1	1	1	153.5	62	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.625	2004
11.02.2020 15:36:01	1	1	1	1	153.5	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:36:02	1	1	1	1	153.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 15:36:03	1	1	1	1	153.3	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:36:04	1	1	1	1	153.3	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:05	1	1	1	1	153.3	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:06	1	1	1	1	153.3	62	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	41.9375	2004
11.02.2020 15:36:07	1	1	1	1	153.3	61.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	41.8125	2004
11.02.2020 15:36:08	1	1	1	1	153.3	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:36:09	1	1	1	1	153.3	62	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:10	1	1	1	1	153.3	62	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:36:11	1	1	1	1	153.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 15:36:12	1	1	1	1	153.3	61.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:36:13	1	1	1	1	153.3	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:14	1	1	1	1	153.3	62	0	27061.611	589.2473118	15859.81029	30000	0	0	30000	41.5625	2004
11.02.2020 15:36:15	1	1	1	1	153.3	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:36:17	1	1	1	1	153.3	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 15:36:18	1	1	1	1	153.3	61.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:36:19	1	1	1	1	153.3	61.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.75	2004
11.02.2020 15:36:20	1	1	1	1	153.3	61.75	0	27488.152	589.2473118	16168.83646	30000	0	0	30000	42.1875	2004
11.02.2020 15:36:21	1	1	1	1	153.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:36:22	1	1	1	1	153.3	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:36:23	1	1	1	1	153.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:36:24	1	1	1	1	153.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:36:25	1	1	1	1	153.5	61.75	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	41.9375	2004
11.02.2020 15:36:26	1	1	1	1	153.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:27	1	1	1	1	153.5	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.125	2004
11.02.2020 15:36:28	1	1	1	1	153.5	62	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.3125	2004
11.02.2020 15:36:29	1	1	1	1	153.5	61.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:30	1	1	1	1	153.5	62	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.1875	2004
11.02.2020 15:36:31	1	1	1	1	153.5	61	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:36:32	1	1	1	1	153.5	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 15:36:33	1	1	1	1	153.5	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42	2004
11.02.2020 15:36:34	1	1	1	1	153.5	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.0625	2004
11.02.2020 15:36:35	1	1	1	1	153.5	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27440.758	582.7956989	16106.86815	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:43	1	1	1	1	153	61.5	0	27298.578	578.4946237	15733.42755	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:44	1	1	1	1	153	61.5	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:36:45	1	1	1	1	153	61.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:36:46	1	1	1	1	153	61.75	0	26966.825	589.2473118	15945.4244	30000	0	0	30000	41.8125	2004
11.02.2020 15:36:47	1	1	1	1	153	61.75	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:48	1	1	1	1	153	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:36:49	1	1	1	1	153	61.5	0	27109.005	591.3978495	16062.02267	30000	0	0	30000	42.125	2004
11.02.2020 15:36:50	1	1	1	1	153	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42	2004
11.02.2020 15:36:51	1	1	1	1	153	62	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	42.1875	2004
11.02.2020 15:36:52	1	1	1	1	153.3	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42.125	2004
11.02.2020 15:36:53	1	1	1	1	153.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 15:36:54	1	1	1	1	153.3	61.75	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:36:55	1	1	1	1	153.3	62	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.8125	2004
11.02.2020 15:36:56	1	1	1	1	153.3	61.75	0	27061.611	593.5483871	15832.08763	30000	0	0	30000	41.875	2004
11.02.2020 15:36:57	1	1	1	1	153.3	61.75	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	41.6875	2004
11.02.2020 15:36:59	1	1	1	1	153.3	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 15:37:00	1	1	1	1	153.3	61.25	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:01	1	1	1	1	153.3	61.75	0	27109.005	582.7956989	16144.37529	30000	0	0	30000	41.875	2004
11.02.2020 15:37:02	1	1	1	1	153.3	61.75	0	26919.431	595.6989247	15920.14785	30000	0	0	30000	42.1875	2004
11.02.2020 15:37:03	1	1	1	1	153.3	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.8125	2004
11.02.2020 15:37:04	1	1	1	1	153.3	61.75	0	27298.578	589.2473118	16172.09795	30000	0	0	30000	41.75	2004
11.02.2020 15:37:05	1	1	1	1	153.3	61.75	0	27014.218	587.0967742	15887.53295	30000	0	0	30000	42.0625	2004
11.02.2020 15:37:06	1	1	1	1	153.3	62	0	27061.611	593.5483871	15975.59318	30000	0	0	30000	42	2004
11.02.2020 15:37:07	1	1	1	1	153.3	62	0	26919.431	591.3978495	16093.82219	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:08	1	1	1	1	153.3	61.75	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	41.5	2004
11.02.2020 15:37:09	1	1	1	1	153.3	61.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	41.875	2004
11.02.2020 15:37:10	1	1	1	1	153.3	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	42.0625	2004
11.02.2020 15:37:11	1	1	1	1	153.3	62	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.625	2004
11.02.2020 15:37:12	1	1	1	1	153.3	61.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.1875	2004
11.02.2020 15:37:13	1	1	1	1	154.5	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:37:14	1	1	1	1	154.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:37:15	1	1	1	1	154.5	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:16	1	1	1	1	154.5	61.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.875	2004
11.02.2020 15:37:17	1	1	1	1	154.5	61.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.375	2004
11.02.2020 15:37:18	1	1	1	1	154.5	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:37:19	1	1	1	1	154.5	61.75	0	27440.758	587.0967742	15995.9775	30000	0	0	30000	42	2004
11.02.2020 15:37:20	1	1	1	1	154.5	62	0	27345.972	584.9462366	16023.70016	30000	0	0	30000	41.875	2004
11.02.2020 15:37:21	1	1	1	1	154.5	61.75	0	27061.611	582.7956989	15915.25562	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:22	1	1	1	1	154.3	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 15:37:23	1	1	1	1	154.3	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:37:24	1	1	1	1	154.3	61.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	42	2004
11.02.2020 15:37:25	1	1	1	1	154.3	62	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:26	1	1	1	1	154.3	61.75	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.875	2004
11.02.2020 15:37:27	1	1	1	1	154.3	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:28	1	1	1	1	154.3	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:37:29	1	1	1	1	154.3	61.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:37:30	1	1	1	1	154.3	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:37:31	1	1	1	1	154.3	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:37:32	1	1	1	1	154	62	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.4375	2004
11.02.2020 15:37:33	1	1	1	1	154	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:34	1	1	1	1	154	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 15:37:36	1	1	1	1	154	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:37:37	1	1	1	1	154	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 15:37:44	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:44	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:44	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:44	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:45	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:45	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:45	1	1	1	1	152.5	61.75	0	27109.005	591.3978495	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:45	1	1	1	1	152.5	61.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	41.875	2004
11.02.2020 15:37:46	1	1	1	1	152.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:37:47	1	1	1	1	152.5	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 15:37:48	1	1	1	1	152.5	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:37:49	1	1	1	1	152.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:37:50	1	1	1	1	152.5	61.75	0	27203.791	589.2473118	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:37:51	1	1	1	1	152.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:37:52	1	1	1	1	152.5	62	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.25	2004
11.02.2020 15:37:53	1	1	1	1	152.8	61.75	0	27061.611	589.2473118	16148.45215	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:54	1	1	1	1	152.8	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42.125	2004
11.02.2020 15:37:55	1	1	1	1	152.8	62	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:56	1	1	1	1	152.8	61.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:57	1	1	1	1	152.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:37:58	1	1	1	1	152.8	61.75	0	27298.578	580.6451613	15767.6732	30000	0	0	30000	41.875	2004
11.02.2020 15:37:59	1	1	1	1	152.8	61.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:38:00	1	1	1	1	152.8	62	0	27156.398	593.5483871	16176.99019	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:01	1	1	1	1	152.8	62	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:38:02	1	1	1	1	153	62	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:03	1	1	1	1	153	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:04	1	1	1	1	153	62	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	41.5	2004
11.02.2020 15:38:05	1	1	1	1	153	61.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:38:06	1	1	1	1	153	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:38:07	1	1	1	1	153	62	0	27156.398	591.3978495	16031.85389	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:08	1	1	1	1	153	62	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	42.125	2004
11.02.2020 15:38:09	1	1	1	1	153	62	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:10	1	1	1	1	153	61.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	42.1875	2004
11.02.2020 15:38:11	1	1	1	1	153	62	0	27014.218	587.0967742	15887.53295	30000	0	0	30000	41.6875	2004
11.02.2020 15:38:12	1	1	1	1	152.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 15:38:14	1	1	1	1	152.8	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:38:15	1	1	1	1	152.8	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:16	1	1	1	1	152.8	61.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	42.125	2004
11.02.2020 15:38:17	1	1	1	1	152.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:38:18	1	1	1	1	152.8	62	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	41.875	2004
11.02.2020 15:38:19	1	1	1	1	152.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:38:20	1	1	1	1	152.8	62	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:21	1	1	1	1	152.8	61.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:22	1	1	1	1	152.8	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.8125	2004
11.02.2020 15:38:23	1	1	1	1	153	61.75	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	42.1875	2004
11.02.2020 15:38:24	1	1	1	1	153	62	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.5625	2004
11.02.2020 15:38:25	1	1	1	1	153	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:26	1	1	1	1	153	62	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	42	2004
11.02.2020 15:38:27	1	1	1	1	153	62	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 15:38:28	1	1	1	1	153	61.75	0	26919.431	593.5483871	16179.43631	30000	0	0	30000	42.1875	2004
11.02.2020 15:38:29	1	1	1	1	153	62	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	42.125	2004
11.02.2020 15:38:30	1	1	1	1	153	62	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41.25	2004
11.02.2020 15:38:31	1	1	1	1	153	61.5	0	27109.005	591.3978495	16118.28337	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:32	1	1	1	1	153.3	62	0	27109.005	589.2473118	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 15:38:33	1	1	1	1	153.3	61.5	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	42.1875	2004
11.02.2020 15:38:34	1	1	1	1	153.3	62	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:35	1	1	1	1	153.3	61.75	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	42	2004
11.02.2020 15:38:36	1	1	1	1	153.3	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:37	1	1	1	1	153.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:38:38	1	1	1	1	153.3	61.75	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	61.75	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:38:46	1	1	1	1	153	62	0	26966.825	591.3978495	15975.59318	30000	0	0	30000	41.5625	2004
11.02.2020 15:38:47	1	1	1	1	153	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:38:48	1	1	1	1	153	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:38:49	1	1	1	1	153	62	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:50	1	1	1	1	153	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:51	1	1	1	1	153	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.8125	2004
11.02.2020 15:38:53	1	1	1	1	153	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:38:54	1	1	1	1	153	62	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	41.75	2004
11.02.2020 15:38:55	1	1	1	1	153	61.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.9375	2004
11.02.2020 15:38:56	1	1	1	1	153	61.75	0	27156.398	591.3978495	15829.64151	30000	0	0	30000	41.8125	2004
11.02.2020 15:38:57	1	1	1	1	153	61.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 15:38:58	1	1	1	1	153	61.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:38:59	1	1	1	1	153	61.75	0	27061.611	578.4946237	15915.25562	30000	0	0	30000	41.4375	2004
11.02.2020 15:39:00	1	1	1	1	153	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:39:01	1	1	1	1	153	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:02	1	1	1	1	153	61.75	0	27156.398	580.6451613	15857.36417	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:03	1	1	1	1	153	61.75	0	27298.578	591.3978495	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:04	1	1	1	1	153	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:39:05	1	1	1	1	153	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 15:39:06	1	1	1	1	153	61.5	0	27582.938	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:07	1	1	1	1	153	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.375	2004
11.02.2020 15:39:08	1	1	1	1	153	62.25	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:39:09	1	1	1	1	153	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:39:10	1	1	1	1	153	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:39:11	1	1	1	1	153	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:39:12	1	1	1	1	150.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:13	1	1	1	1	150.5	61.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:14	1	1	1	1	150.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:15	1	1	1	1	150.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 15:39:16	1	1	1	1	150.5	61.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	41.375	2004
11.02.2020 15:39:17	1	1	1	1	150.5	61.25	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	41.5	2004
11.02.2020 15:39:18	1	1	1	1	150.5	61.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:19	1	1	1	1	150.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:39:20	1	1	1	1	150.5	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.25	2004
11.02.2020 15:39:21	1	1	1	1	150.5	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:39:22	1	1	1	1	151	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 15:39:23	1	1	1	1	151	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:24	1	1	1	1	151	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:25	1	1	1	1	151	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:39:26	1	1	1	1	151	61.75	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	42.0625	2004
11.02.2020 15:39:27	1	1	1	1	151	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:39:28	1	1	1	1	151	61.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	41.875	2004
11.02.2020 15:39:29	1	1	1	1	151	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 15:39:31	1	1	1	1	151	61.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.3125	2004
11.02.2020 15:39:32	1	1	1	1	151	61.25	0	27156.398	580.6451613	15826.38002	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:33	1	1	1	1	151.5	61.75	0	27109.005	584.9462366	16085.66847	30000	0	0	30000	42	2004
11.02.2020 15:39:34	1	1	1	1	151.5	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:39:35	1	1	1	1	151.5	62	0	27109.005	578.4946237	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:39:36	1	1	1	1	151.5	62	0	27156.398	582.7956989	15798.65735	30000	0	0	30000	41.875	2004
11.02.2020 15:39:37	1	1	1	1	151.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:38	1	1	1	1	151.5	61.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:39:39	1	1	1	1	151.5	62	0	27298.578	576.344086	15792.13437	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:40	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004
11.02.2020 15:39:48	1	1	1	1	151.8	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.3125	2004
11.02.2020 15:39:48	1	1	1	1	151.8	62	0	27109.005	584.9462366	15654.33642	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:49	1	1	1	1	151.8	61.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.75	2004
11.02.2020 15:39:50	1	1	1	1	151.8	61.75	0	27488.152	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:51	1	1	1	1	151.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:39:52	1	1	1	1	151.3	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:39:53	1	1	1	1	151.3	62	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.8125	2004
11.02.2020 15:39:54	1	1	1	1	151.3	61.75	0	27156.398	593.5483871	16031.85389	30000	0	0	30000	41.75	2004
11.02.2020 15:39:55	1	1	1	1	151.3	61.75	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	41.875	2004
11.02.2020 15:39:56	1	1	1	1	151.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:39:57	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:39:58	1	1	1	1	151.3	61.75	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	41.9375	2004
11.02.2020 15:39:59	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:40:00	1	1	1	1	151.3	62	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:01	1	1	1	1	151.3	61.75	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:02	1	1	1	1	151.3	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.875	2004
11.02.2020 15:40:03	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 15:40:04	1	1	1	1	151.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:40:05	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:06	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	15936.4553	30000	0	0	30000	42.0625	2004
11.02.2020 15:40:07	1	1	1	1	151.3	62	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42	2004
11.02.2020 15:40:08	1	1	1	1	151.3	62	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.5625	2004
11.02.2020 15:40:09	1	1	1	1	151.3	61.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:11	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:12	1	1	1	1	151.3	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 15:40:13	1	1	1	1	152	61.75	0	27061.611	589.2473118	16031.85389	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:14	1	1	1	1	152	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:15	1	1	1	1	152	61.75	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:16	1	1	1	1	152	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:40:17	1	1	1	1	152	61.75	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:18	1	1	1	1	152	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 15:40:19	1	1	1	1	152	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.75	2004
11.02.2020 15:40:20	1	1	1	1	152	61.75	0	27061.611	593.5483871	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:21	1	1	1	1	152	61.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:22	1	1	1	1	152	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 15:40:23	1	1	1	1	151.5	61.75	0	27109.005	580.6451613	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:40:24	1	1	1	1	151.5	61.75	0	27109.005	591.3978495	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:40:25	1	1	1	1	151.5	61.5	0	27156.398	589.2473118	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:40:26	1	1	1	1	151.5	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:40:27	1	1	1	1	151.5	62	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.625	2004
11.02.2020 15:40:28	1	1	1	1	151.5	61.5	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	42.3125	2004
11.02.2020 15:40:29	1	1	1	1	151.5	62.25	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 15:40:30	1	1	1	1	151.5	62.25	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:31	1	1	1	1	151.5	61.75	0	27298.578	584.9462366	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 15:40:32	1	1	1	1	152	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:40:33	1	1	1	1	152	62	0	27440.758	591.3978495	16168.83646	30000	0	0	30000	41.75	2004
11.02.2020 15:40:34	1	1	1	1	152	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:40:35	1	1	1	1	152	62	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:40:36	1	1	1	1	152	61.75	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:37	1	1	1	1	152	61.75	0	27298.578	587.0967742	16261.78893	30000	0	0	30000	41.4375	2004
11.02.2020 15:40:38	1	1	1	1	152	61.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:40:39	1	1	1	1	152	62	0	27345.972	580.6451613	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 15:40:40	1	1	1	1	152	61.5	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.5625	2004
11.02.2020 15:40:41	1	1	1	1	152	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:49	1	1	1	1	151.5	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:40:50	1	1	1	1	151.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:40:51	1	1	1	1	151.5	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:52	1	1	1	1	151.5	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42	2004
11.02.2020 15:40:53	1	1	1	1	151.3	62	0	27109.005	589.2473118	15857.36417	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:54	1	1	1	1	151.3	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 15:40:55	1	1	1	1	151.3	61.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42	2004
11.02.2020 15:40:56	1	1	1	1	151.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:40:57	1	1	1	1	151.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:40:58	1	1	1	1	151.3	61.5	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	41.75	2004
11.02.2020 15:40:59	1	1	1	1	151.3	61.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:00	1	1	1	1	151.3	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:01	1	1	1	1	151.3	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42	2004
11.02.2020 15:41:02	1	1	1	1	151.3	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.25	2004
11.02.2020 15:41:03	1	1	1	1	151	61.25	0	27345.972	578.4946237	15701.62803	30000	0	0	30000	41.75	2004
11.02.2020 15:41:04	1	1	1	1	151	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 15:41:05	1	1	1	1	151	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.25	2004
11.02.2020 15:41:06	1	1	1	1	151	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:07	1	1	1	1	151	61.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	42	2004
11.02.2020 15:41:08	1	1	1	1	151	62.25	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 15:41:09	1	1	1	1	151	61.75	0	27440.758	580.6451613	15701.62803	30000	0	0	30000	41.625	2004
11.02.2020 15:41:10	1	1	1	1	151	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:41:11	1	1	1	1	151	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:41:12	1	1	1	1	151.3	61.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:13	1	1	1	1	151.3	61.75	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:14	1	1	1	1	151.3	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42	2004
11.02.2020 15:41:15	1	1	1	1	151.3	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:16	1	1	1	1	151.3	62	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:17	1	1	1	1	151.3	61.75	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:18	1	1	1	1	151.3	62	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:19	1	1	1	1	151.3	62	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.875	2004
11.02.2020 15:41:20	1	1	1	1	151.3	61.75	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 15:41:21	1	1	1	1	151.3	61.75	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:41:22	1	1	1	1	151.3	61.75	0	27156.398	589.2473118	15829.64151	30000	0	0	30000	41.375	2004
11.02.2020 15:41:23	1	1	1	1	151.3	61.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:24	1	1	1	1	151.3	62	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:25	1	1	1	1	151.3	61.75	0	27630.332	582.7956989	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:41:26	1	1	1	1	151.3	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:41:28	1	1	1	1	151.3	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 15:41:29	1	1	1	1	151.3	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 15:41:30	1	1	1	1	151.3	61.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:31	1	1	1	1	151.3	62	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 15:41:32	1	1	1	1	151.3	61.5	0	27393.365	584.9462366	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:33	1	1	1	1	150.5	61.75	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	41.5	2004
11.02.2020 15:41:34	1	1	1	1	150.5	61.5	0	27582.938	584.9462366	15987.82377	30000	0	0	30000	42	2004
11.02.2020 15:41:35	1	1	1	1	150.5	62	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:36	1	1	1	1	150.5	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.125	2004
11.02.2020 15:41:37	1	1	1	1	150.5	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:41:38	1	1	1	1	150.5	61.75	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:41:39	1	1	1	1	150.5	61.5	0	27014.218	584.9462366	15774.19618	30000	0	0	30000	42	2004
11.02.2020 15:41:40	1	1	1	1	150.5	62	0	27298.578	589.2473118	16172.09795	30000	0	0	30000	42	2004
11.02.2020 15:41:41	1	1	1	1	150.5	62	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 15:41:42	1	1	1	1	150.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:41:43	1	1	1	1	150.3	62	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:51	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:41:52	1	1	1	1	148.8	61.75	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	41.4375	2004
11.02.2020 15:41:53	1	1	1	1	148.8	61.25	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.5	2004
11.02.2020 15:41:54	1	1	1	1	148.8	61.5	0	27440.758	584.9462366	16399.58688	30000	0	0	30000	41.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:41:55	1	1	1	1	148.8	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:41:56	1	1	1	1	148.8	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:57	1	1	1	1	148.8	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:41:58	1	1	1	1	148.8	61.5	0	27203.791	580.6451613	15740.76591	30000	0	0	30000	42.0625	2004
11.02.2020 15:41:59	1	1	1	1	148.8	62	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	42	2004
11.02.2020 15:42:00	1	1	1	1	148.8	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:01	1	1	1	1	148.8	61.75	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	41.75	2004
11.02.2020 15:42:02	1	1	1	1	148.5	61.75	0	27298.578	578.4946237	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 15:42:03	1	1	1	1	148.5	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 15:42:04	1	1	1	1	148.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:05	1	1	1	1	148.5	62	0	27345.972	584.9462366	16228.35866	30000	0	0	30000	41.75	2004
11.02.2020 15:42:06	1	1	1	1	148.5	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:42:08	1	1	1	1	148.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:42:09	1	1	1	1	148.5	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 15:42:10	1	1	1	1	148.5	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:11	1	1	1	1	148.5	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:12	1	1	1	1	148.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 15:42:13	1	1	1	1	150.5	61.75	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:14	1	1	1	1	150.5	62	0	27582.938	587.0967742	16134.59082	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:15	1	1	1	1	150.5	62	0	27298.578	587.0967742	15709.78175	30000	0	0	30000	42	2004
11.02.2020 15:42:16	1	1	1	1	150.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:42:17	1	1	1	1	150.5	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:42:18	1	1	1	1	150.5	61.75	0	27345.972	584.9462366	15877.74848	30000	0	0	30000	41.625	2004
11.02.2020 15:42:19	1	1	1	1	150.5	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 15:42:20	1	1	1	1	150.5	61.5	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 15:42:21	1	1	1	1	150.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:22	1	1	1	1	150.5	62	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	41.6875	2004
11.02.2020 15:42:23	1	1	1	1	148.8	61.5	0	27440.758	576.344086	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:24	1	1	1	1	148.8	62	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:42:25	1	1	1	1	148.8	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:26	1	1	1	1	148.8	61.75	0	27440.758	582.7956989	16228.35866	30000	0	0	30000	41.8125	2004
11.02.2020 15:42:27	1	1	1	1	148.8	61.75	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	42	2004
11.02.2020 15:42:28	1	1	1	1	148.8	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.4375	2004
11.02.2020 15:42:29	1	1	1	1	148.8	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.875	2004
11.02.2020 15:42:30	1	1	1	1	148.8	61.75	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	42	2004
11.02.2020 15:42:31	1	1	1	1	148.8	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:42:32	1	1	1	1	150.3	61.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:42:33	1	1	1	1	150.3	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 15:42:34	1	1	1	1	150.3	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:35	1	1	1	1	150.3	62	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.0625	2004
11.02.2020 15:42:36	1	1	1	1	150.3	62	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	41.4375	2004
11.02.2020 15:42:37	1	1	1	1	150.3	61.25	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:42:38	1	1	1	1	150.3	62	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:42:39	1	1	1	1	150.3	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	42.1875	2004
11.02.2020 15:42:40	1	1	1	1	150.3	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 15:42:41	1	1	1	1	150.3	61.5	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	42	2004
11.02.2020 15:42:42	1	1	1	1	150.8	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:42:43	1	1	1	1	150.8	61.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	42.1875	2004
11.02.2020 15:42:44	1	1	1	1	150.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 15:42:53	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:53	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:53	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:53	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:53	1	1	1	1	150.8	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:53	1	1	1	1	151	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 15:42:54	1	1	1	1	151	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:42:55	1	1	1	1	151	61.75	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	42	2004
11.02.2020 15:42:56	1	1	1	1	151	62	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.9375	2004
11.02.2020 15:42:57	1	1	1	1	151	61.75	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	42	2004
11.02.2020 15:42:58	1	1	1	1	151	62	0	27203.791	582.7956989	15565.46082	30000	0	0	30000	41.75	2004
11.02.2020 15:42:59	1	1	1	1	151	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.125	2004
11.02.2020 15:43:00	1	1	1	1	151	62	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:43:01	1	1	1	1	151	61.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:43:02	1	1	1	1	151	62	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:43:03	1	1	1	1	150.8	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:04	1	1	1	1	150.8	62	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 15:43:05	1	1	1	1	150.8	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:06	1	1	1	1	150.8	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 15:43:07	1	1	1	1	150.8	61.75	0	27345.972	580.6451613	15760.33485	30000	0	0	30000	41.75	2004
11.02.2020 15:43:08	1	1	1	1	150.8	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:09	1	1	1	1	150.8	62	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	41.75	2004
11.02.2020 15:43:10	1	1	1	1	150.8	61.75	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:11	1	1	1	1	150.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:12	1	1	1	1	151.3	61.75	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.25	2004
11.02.2020 15:43:13	1	1	1	1	151.3	62.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 15:43:14	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:43:15	1	1	1	1	151.3	62	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42	2004
11.02.2020 15:43:16	1	1	1	1	151.3	62	0	27440.758	578.4946237	15819.04167	30000	0	0	30000	41.8125	2004
11.02.2020 15:43:17	1	1	1	1	151.3	61.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:18	1	1	1	1	151.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 15:43:19	1	1	1	1	151.3	61.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
11.02.2020 15:43:20	1	1	1	1	151.3	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:43:21	1	1	1	1	151.3	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:43:22	1	1	1	1	151	62	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:43:25	1	1	1	1	151	62	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:25	1	1	1	1	151	62	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:25	1	1	1	1	151	61.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	42.125	2004
11.02.2020 15:43:27	1	1	1	1	151	62	0	27440.758	574.1935484	15873.67162	30000	0	0	30000	42	2004
11.02.2020 15:43:28	1	1	1	1	151	62	0	27535.545	584.9462366	16075.06863	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:29	1	1	1	1	151	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:30	1	1	1	1	151	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:31	1	1	1	1	151	61.75	0	27819.905	576.344086	15805.18033	30000	0	0	30000	41.625	2004
11.02.2020 15:43:32	1	1	1	1	151	61.5	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:33	1	1	1	1	150.5	62	0	27535.545	578.4946237	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:34	1	1	1	1	150.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:35	1	1	1	1	150.5	61.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 15:43:36	1	1	1	1	150.5	61.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.125	2004
11.02.2020 15:43:37	1	1	1	1	150.5	61	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:38	1	1	1	1	150.5	62	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:39	1	1	1	1	150.5	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 15:43:40	1	1	1	1	150.5	61.75	0	27014.218	576.344086	15798.65735	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:41	1	1	1	1	150.5	62	0	27582.938	589.2473118	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 15:43:42	1	1	1	1	150.5	61.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:43	1	1	1	1	150.5	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:44	1	1	1	1	150.5	62	0	27440.758	584.9462366	16134.59082	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:45	1	1	1	1	150.5	61.75	0	27582.938	580.6451613	16134.59082	30000	0	0	30000	42.1875	2004
11.02.2020 15:43:46	1	1	1	1	150.5	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	62	0	11279.621	0	0	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:54	1	1	1	1	148.8	61.75	0	12085.308	0	0	30000	0	0	30000	42.125	2004
11.02.2020 15:43:55	1	1	1	1	148.8	62	0	12890.995	4.301075269	55.44532927	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:56	1	1	1	1	148.8	62	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	41.9375	2004
11.02.2020 15:43:57	1	1	1	1	148.8	61.75	0	14407.583	19.35483871	278.8573914	30000	0	0	30000	42.0625	2004
11.02.2020 15:43:58	1	1	1	1	148.8	62	0	15165.877	27.95698925	423.9936945	30000	0	0	30000	42	2004
11.02.2020 15:43:59	1	1	1	1	148.8	62	0	15876.777	32.25806452	512.0539233	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:00	1	1	1	1	148.8	62	0	16729.858	38.70967742	683.2821461	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:01	1	1	1	1	148.8	62	0	17488.152	43.01075269	714.2663007	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:02	1	1	1	1	144.3	62	0	18293.839	58.06451613	1061.614981	30000	0	0	30000	41.875	2004
11.02.2020 15:44:03	1	1	1	1	144.3	61.75	0	19052.133	79.56989247	1515.777458	30000	0	0	30000	42.125	2004
11.02.2020 15:44:05	1	1	1	1	144.3	62	0	19668.246	103.2258065	1954.447857	30000	0	0	30000	42.125	2004
11.02.2020 15:44:06	1	1	1	1	144.3	62	0	20379.147	113.9784946	2234.935993	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:07	1	1	1	1	144.3	62	0	21137.441	126.8817204	2739.651564	30000	0	0	30000	42.1875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:44:08	1	1	1	1	144.3	62	0	21943.128	144.0860215	3161.199141	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:09	1	1	1	1	144.3	62	0	22511.848	150.5376344	3436.795043	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:10	1	1	1	1	144.3	62	0	22559.242	150.5376344	3388.688066	30000	0	0	30000	42	2004
11.02.2020 15:44:11	1	1	1	1	144.3	62	0	22511.848	152.688172	3436.795043	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:12	1	1	1	1	144.3	62	0	22511.848	152.688172	3422.118338	30000	0	0	30000	42	2004
11.02.2020 15:44:13	1	1	1	1	141.8	62	0	22511.848	156.9892473	3533.824369	30000	0	0	30000	42	2004
11.02.2020 15:44:14	1	1	1	1	141.8	62	0	22132.701	161.2903226	3569.700758	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:15	1	1	1	1	141.8	62	0	22890.995	169.8924731	3888.511402	30000	0	0	30000	40.8125	2004
11.02.2020 15:44:16	1	1	1	1	141.8	60.75	0	22890.995	167.7419355	3789.85133	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:17	1	1	1	1	141.8	62	0	22890.995	165.5913978	3789.85133	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:18	1	1	1	1	141.8	62	0	22890.995	163.4408602	3789.85133	30000	0	0	30000	41.9375	2004
11.02.2020 15:44:19	1	1	1	1	141.8	61.75	0	22890.995	163.4408602	3692.006632	30000	0	0	30000	42.125	2004
11.02.2020 15:44:20	1	1	1	1	141.8	62	0	22890.995	159.1397849	3692.006632	30000	0	0	30000	42.125	2004
11.02.2020 15:44:21	1	1	1	1	141.8	62	0	22890.995	163.4408602	3692.006632	30000	0	0	30000	41.9375	2004
11.02.2020 15:44:22	1	1	1	1	141.8	61.75	0	22890.995	165.5913978	3740.928981	30000	0	0	30000	42.375	2004
11.02.2020 15:44:23	1	1	1	1	140	62.25	0	22890.995	169.8924731	3888.511402	30000	0	0	30000	41.8125	2004
11.02.2020 15:44:24	1	1	1	1	140	61.75	0	22890.995	169.8924731	3888.511402	30000	0	0	30000	42.125	2004
11.02.2020 15:44:25	1	1	1	1	140	62	0	22843.602	169.8924731	3888.511402	30000	0	0	30000	41.875	2004
11.02.2020 15:44:26	1	1	1	1	140	61.75	0	22890.995	169.8924731	3888.511402	30000	0	0	30000	41.9375	2004
11.02.2020 15:44:27	1	1	1	1	140	61.75	0	22890.995	169.8924731	3888.511402	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:28	1	1	1	1	140	62	0	22890.995	176.344086	4085.831544	30000	0	0	30000	41.8125	2004
11.02.2020 15:44:29	1	1	1	1	140	61.75	0	23364.929	184.9462366	4312.505096	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:30	1	1	1	1	140	62	0	24075.829	217.2043011	5167.015465	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:31	1	1	1	1	140	62	0	24028.436	234.4086022	5683.961623	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:32	1	1	1	1	138	62	0	24786.73	249.4623656	6182.969587	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:33	1	1	1	1	138	62	0	25071.09	262.3655914	6577.609871	30000	0	0	30000	42.25	2004
11.02.2020 15:44:34	1	1	1	1	138	62.25	0	25497.63	279.5698925	7196.477591	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:35	1	1	1	1	138	62	0	25450.237	294.6236559	7498.165412	30000	0	0	30000	41.9375	2004
11.02.2020 15:44:36	1	1	1	1	138	61.75	0	25545.024	305.3763441	7910.743892	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:37	1	1	1	1	138	62	0	26066.351	322.5806452	8464.381812	30000	0	0	30000	42.125	2004
11.02.2020 15:44:38	1	1	1	1	138	62	0	25876.777	339.7849462	8792.161552	30000	0	0	30000	41.75	2004
11.02.2020 15:44:39	1	1	1	1	138	61.75	0	25734.597	352.688172	9164.78678	30000	0	0	30000	41.8125	2004
11.02.2020 15:44:40	1	1	1	1	138	61.75	0	26113.744	369.8924731	9658.902509	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:41	1	1	1	1	138	62	0	26255.924	384.9462366	10125.29557	30000	0	0	30000	42.0625	2004
11.02.2020 15:44:43	1	1	1	1	138	62	0	26587.678	397.8494624	10672.41051	30000	0	0	30000	41.75	2004
11.02.2020 15:44:44	1	1	1	1	138	61.75	0	26587.678	412.9032258	11074.38915	30000	0	0	30000	42.1875	2004
11.02.2020 15:44:45	1	1	1	1	138	62	0	26824.645	427.9569892	11594.5968	30000	0	0	30000	41.5	2004
11.02.2020 15:44:46	1	1	1	1	138	61.5	0	27156.398	445.1612903	12088.71253	30000	0	0	30000	41.8125	2004
11.02.2020 15:44:47	1	1	1	1	138	61.75	0	26966.825	460.2150538	12352.07784	30000	0	0	30000	42.125	2004
11.02.2020 15:44:48	1	1	1	1	138	62	0	26777.251	460.2150538	12322.72443	30000	0	0	30000	42	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.375	2004
11.02.2020 15:44:56	1	1	1	1	139.5	61.25	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:44:57	1	1	1	1	139.5	61.75	0	27819.905	574.1935484	15745.65814	30000	0	0	30000	41.875	2004
11.02.2020 15:44:58	1	1	1	1	139.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 15:44:59	1	1	1	1	139.5	61.75	0	28009.479	561.2903226	16070.17639	30000	0	0	30000	42	2004
11.02.2020 15:45:00	1	1	1	1	139.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.125	2004
11.02.2020 15:45:01	1	1	1	1	139.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.25	2004
11.02.2020 15:45:02	1	1	1	1	141.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:03	1	1	1	1	141.5	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:45:04	1	1	1	1	141.5	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 15:45:05	1	1	1	1	141.5	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:45:06	1	1	1	1	141.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:45:07	1	1	1	1	141.5	62	0	27867.299	576.344086	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:08	1	1	1	1	141.5	61.75	0	27819.905	569.8924731	16120.72949	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:09	1	1	1	1	141.5	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.4375	2004
11.02.2020 15:45:10	1	1	1	1	141.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:11	1	1	1	1	141.5	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:45:12	1	1	1	1	144.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:13	1	1	1	1	144.5	61.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
11.02.2020 15:45:14	1	1	1	1	144.5	61.75	0	28009.479	563.4408602	16016.36181	30000	0	0	30000	42.1875	2004
11.02.2020 15:45:15	1	1	1	1	144.5	62	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
11.02.2020 15:45:16	1	1	1	1	144.5	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:17	1	1	1	1	144.5	61.75	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:19	1	1	1	1	144.5	61.75	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:20	1	1	1	1	144.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:21	1	1	1	1	144.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:45:22	1	1	1	1	144.5	61.5	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	41.875	2004
11.02.2020 15:45:23	1	1	1	1	146	61.75	0	27582.938	576.344086	15837.79523	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:24	1	1	1	1	146	61.75	0	27535.545	576.344086	15956.02424	30000	0	0	30000	42	2004
11.02.2020 15:45:25	1	1	1	1	146	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 15:45:26	1	1	1	1	146	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:27	1	1	1	1	146	61.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:45:28	1	1	1	1	146	62	0	27962.085	576.344086	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:29	1	1	1	1	146	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
11.02.2020 15:45:30	1	1	1	1	146	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:31	1	1	1	1	146	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.625	2004
11.02.2020 15:45:32	1	1	1	1	146	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 15:45:33	1	1	1	1	144.8	61.75	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.6875	2004
11.02.2020 15:45:34	1	1	1	1	144.8	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:45:35	1	1	1	1	144.8	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:45:36	1	1	1	1	144.8	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:37	1	1	1	1	144.8	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	42.1875	2004
11.02.2020 15:45:38	1	1	1	1	144.8	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
11.02.2020 15:45:39	1	1	1	1	144.8	61.75	0	28341.232	565.5913978	16063.65341	30000	0	0	30000	42.25	2004
11.02.2020 15:45:40	1	1	1	1	144.8	62.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
11.02.2020 15:45:41	1	1	1	1	144.8	61.5	0	27819.905	565.5913978	15734.24293	30000	0	0	30000	42	2004
11.02.2020 15:45:42	1	1	1	1	145	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.4375	2004
11.02.2020 15:45:43	1	1	1	1	145	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42	2004
11.02.2020 15:45:44	1	1	1	1	145	62	0	28199.052	561.2903226	15766.85783	30000	0	0	30000	41.875	2004
11.02.2020 15:45:45	1	1	1	1	145	61.75	0	28341.232	554.8387097	15934.00919	30000	0	0	30000	41.875	2004
11.02.2020 15:45:46	1	1	1	1	145	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 15:45:47	1	1	1	1	145	61.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:48	1	1	1	1	145	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.9375	2004
11.02.2020 15:45:49	1	1	1	1	145	61.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:57	1	1	1	1	144.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 15:45:58	1	1	1	1	144.5	61.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:45:59	1	1	1	1	144.5	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.875	2004
11.02.2020 15:46:00	1	1	1	1	144.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 15:46:01	1	1	1	1	144.5	61.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.4375	2004
11.02.2020 15:46:02	1	1	1	1	144.5	61.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 15:46:03	1	1	1	1	146	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:04	1	1	1	1	146	61.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.875	2004
11.02.2020 15:46:05	1	1	1	1	146	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.375	2004
11.02.2020 15:46:06	1	1	1	1	146	61.25	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	41.8125	2004
11.02.2020 15:46:07	1	1	1	1	146	61.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.625	2004
11.02.2020 15:46:08	1	1	1	1	146	61.5	0	28199.052	576.344086	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 15:46:09	1	1	1	1	146	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:46:10	1	1	1	1	146	62	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	41.8125	2004
11.02.2020 15:46:11	1	1	1	1	146	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42	2004
11.02.2020 15:46:12	1	1	1	1	146	62	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.875	2004
11.02.2020 15:46:13	1	1	1	1	147.5	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 15:46:14	1	1	1	1	147.5	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 15:46:15	1	1	1	1	147.5	62	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.875	2004
11.02.2020 15:46:16	1	1	1	1	147.5	61.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:46:17	1	1	1	1	147.5	61.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 15:46:18	1	1	1	1	147.5	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:46:19	1	1	1	1	147.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:46:20	1	1	1	1	147.5	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:21	1	1	1	1	147.5	61.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:22	1	1	1	1	148.5	61.5	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	41.75	2004
11.02.2020 15:46:23	1	1	1	1	148.5	61.75	0	27914.692	582.7956989	15941.34754	30000	0	0	30000	41.375	2004
11.02.2020 15:46:24	1	1	1	1	148.5	61.25	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.5	2004
11.02.2020 15:46:25	1	1	1	1	148.5	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:46:26	1	1	1	1	148.5	61.5	0	27962.085	578.4946237	16203.08211	30000	0	0	30000	41.625	2004
11.02.2020 15:46:27	1	1	1	1	148.5	61.5	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	42.0625	2004
11.02.2020 15:46:28	1	1	1	1	148.5	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 15:46:29	1	1	1	1	148.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:30	1	1	1	1	148.5	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 15:46:31	1	1	1	1	148.5	61.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:33	1	1	1	1	149.3	61.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:46:34	1	1	1	1	149.3	61.75	0	27725.118	578.4946237	15864.70252	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:35	1	1	1	1	149.3	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.5	2004
11.02.2020 15:46:36	1	1	1	1	149.3	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:37	1	1	1	1	149.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:46:38	1	1	1	1	149.3	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 15:46:39	1	1	1	1	149.3	61.75	0	27867.299	580.6451613	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 15:46:40	1	1	1	1	149.3	61.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 15:46:41	1	1	1	1	149.3	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 15:46:42	1	1	1	1	149.3	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 15:46:43	1	1	1	1	148.8	61.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	41.0625	2004
11.02.2020 15:46:44	1	1	1	1	148.8	61	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 15:46:45	1	1	1	1	148.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:46:46	1	1	1	1	148.8	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 15:46:47	1	1	1	1	148.8	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 15:46:48	1	1	1	1	148.8	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5625	2004
11.02.2020 15:46:49	1	1	1	1	148.8	61.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.6875	2004
11.02.2020 15:46:50	1	1	1	1	148.8	61.5	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.3125	2004
11.02.2020 15:46:51	1	1	1	1	148.8	61.25	0	27867.299	576.344086	16027.77702	30000	0	0	30000	42.0625	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:46:59	1	1	1	1	147	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:47:00	1	1	1	1	147	61.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:47:01	1	1	1	1	147	61.75	0	27725.118	574.1935484	15978.85467	30000	0	0	30000	41.875	2004
11.02.2020 15:47:02	1	1	1	1	146.5	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:03	1	1	1	1	146.5	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:47:04	1	1	1	1	146.5	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 15:47:05	1	1	1	1	146.5	61.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42	2004
11.02.2020 15:47:06	1	1	1	1	146.5	62	0	27156.398	578.4946237	15740.76591	30000	0	0	30000	41.625	2004
11.02.2020 15:47:07	1	1	1	1	146.5	61.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 15:47:08	1	1	1	1	146.5	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:10	1	1	1	1	146.5	61.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:11	1	1	1	1	146.5	61.75	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	41.5	2004
11.02.2020 15:47:12	1	1	1	1	146.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:47:13	1	1	1	1	145	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 15:47:14	1	1	1	1	145	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 15:47:15	1	1	1	1	145	61.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.5625	2004
11.02.2020 15:47:16	1	1	1	1	145	61.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	42.0625	2004
11.02.2020 15:47:17	1	1	1	1	145	62	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	41.125	2004
11.02.2020 15:47:18	1	1	1	1	145	61	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 15:47:19	1	1	1	1	145	61.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.5	2004
11.02.2020 15:47:20	1	1	1	1	145	61.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	41.75	2004
11.02.2020 15:47:21	1	1	1	1	145	61.75	0	27962.085	567.7419355	16055.49969	30000	0	0	30000	41.625	2004
11.02.2020 15:47:22	1	1	1	1	145	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:47:23	1	1	1	1	144.8	62	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:24	1	1	1	1	144.8	61.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	42	2004
11.02.2020 15:47:25	1	1	1	1	144.8	62	0	27819.905	576.344086	16061.20729	30000	0	0	30000	41.875	2004
11.02.2020 15:47:26	1	1	1	1	144.8	61.75	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	41.5625	2004
11.02.2020 15:47:27	1	1	1	1	144.8	61.5	0	27772.512	580.6451613	15983.74691	30000	0	0	30000	41.25	2004
11.02.2020 15:47:28	1	1	1	1	144.8	61.25	0	27535.545	576.344086	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:29	1	1	1	1	144.8	61.75	0	27772.512	569.8924731	15627.42913	30000	0	0	30000	41.75	2004
11.02.2020 15:47:30	1	1	1	1	144.8	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.4375	2004
11.02.2020 15:47:31	1	1	1	1	144.8	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.1875	2004
11.02.2020 15:47:32	1	1	1	1	144.8	62	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 15:47:33	1	1	1	1	147.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:47:34	1	1	1	1	147.3	62	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	41.8125	2004
11.02.2020 15:47:35	1	1	1	1	147.3	61.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.8125	2004
11.02.2020 15:47:36	1	1	1	1	147.3	61.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41	2004
11.02.2020 15:47:37	1	1	1	1	147.3	61	0	28436.019	561.2903226	15689.39744	30000	0	0	30000	41.75	2004
11.02.2020 15:47:38	1	1	1	1	147.3	61.75	0	28436.019	554.8387097	15987.0084	30000	0	0	30000	41.8125	2004
11.02.2020 15:47:39	1	1	1	1	147.3	61.75	0	28578.199	550.5376344	16111.76039	30000	0	0	30000	41.875	2004
11.02.2020 15:47:40	1	1	1	1	147.3	61.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 15:47:41	1	1	1	1	147.3	61.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.75	2004
11.02.2020 15:47:42	1	1	1	1	147.8	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:47:43	1	1	1	1	147.8	62	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	41.75	2004
11.02.2020 15:47:44	1	1	1	1	147.8	61.75	0	28009.479	578.4946237	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 15:47:45	1	1	1	1	147.8	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5	2004
11.02.2020 15:47:46	1	1	1	1	147.8	61.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.625	2004
11.02.2020 15:47:47	1	1	1	1	147.8	61.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:47:49	1	1	1	1	147.8	61.75	0	27535.545	576.344086	15814.9648	30000	0	0	30000	41.9375	2004
11.02.2020 15:47:50	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:47:51	1	1	1	1	147.8	62	0	27819.905	578.4946237	15745.65814	30000	0	0	30000	42.0625	2004
11.02.2020 15:47:52	1	1	1	1	147.8	62	0	27582.938	567.7419355	15864.70252	30000	0	0	30000	41.3125	2004
11.02.2020 15:47:53	1	1	1	1	148.5	61.25	0	27535.545	576.344086	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:01	1	1	1	1	148.5	61.75	0	27914.692	567.7419355	15788.05751	30000	0	0	30000	41.625	2004
11.02.2020 15:48:02	1	1	1	1	148.5	61.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:48:03	1	1	1	1	149	62	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:04	1	1	1	1	149	61.75	0	28199.052	563.4408602	15975.59318	30000	0	0	30000	42.0625	2004
11.02.2020 15:48:05	1	1	1	1	149	62	0	28483.412	567.7419355	15987.0084	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:06	1	1	1	1	149	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.875	2004
11.02.2020 15:48:07	1	1	1	1	149	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:08	1	1	1	1	149	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
11.02.2020 15:48:09	1	1	1	1	149	62	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	42.25	2004
11.02.2020 15:48:10	1	1	1	1	149	62.25	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	42	2004
11.02.2020 15:48:11	1	1	1	1	149	62	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	42.375	2004
11.02.2020 15:48:12	1	1	1	1	148	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.375	2004
11.02.2020 15:48:13	1	1	1	1	148	61.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	41.75	2004
11.02.2020 15:48:14	1	1	1	1	148	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:48:15	1	1	1	1	148	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 15:48:16	1	1	1	1	148	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:17	1	1	1	1	148	61.75	0	27867.299	578.4946237	15913.62487	30000	0	0	30000	41.75	2004
11.02.2020 15:48:18	1	1	1	1	148	61.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:19	1	1	1	1	148	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:48:20	1	1	1	1	148	61.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:21	1	1	1	1	148	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:22	1	1	1	1	148.5	61.75	0	28151.659	569.8924731	16130.51396	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:23	1	1	1	1	148.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.625	2004
11.02.2020 15:48:24	1	1	1	1	148.5	61.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:25	1	1	1	1	148.5	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:26	1	1	1	1	148.5	61.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	41.5625	2004
11.02.2020 15:48:28	1	1	1	1	148.5	61.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 15:48:29	1	1	1	1	148.5	61.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 15:48:30	1	1	1	1	148.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:31	1	1	1	1	148.5	61.75	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:32	1	1	1	1	148.5	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:48:33	1	1	1	1	149.3	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 15:48:34	1	1	1	1	149.3	61.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:35	1	1	1	1	149.3	61.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:36	1	1	1	1	149.3	61.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.5	2004
11.02.2020 15:48:37	1	1	1	1	149.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:48:38	1	1	1	1	149.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:39	1	1	1	1	149.3	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.6875	2004
11.02.2020 15:48:40	1	1	1	1	149.3	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 15:48:41	1	1	1	1	149.3	61.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.25	2004
11.02.2020 15:48:42	1	1	1	1	149.3	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:43	1	1	1	1	148.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42	2004
11.02.2020 15:48:44	1	1	1	1	148.3	62	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:45	1	1	1	1	148.3	61.75	0	27440.758	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 15:48:46	1	1	1	1	148.3	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 15:48:47	1	1	1	1	148.3	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 15:48:48	1	1	1	1	148.3	61.5	0	27345.972	578.4946237	15991.90063	30000	0	0	30000	42.3125	2004
11.02.2020 15:48:49	1	1	1	1	148.3	62.25	0	27440.758	580.6451613	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:48:50	1	1	1	1	148.3	61.75	0	27582.938	584.9462366	16106.86815	30000	0	0	30000	41.8125	2004
11.02.2020 15:48:51	1	1	1	1	148.3	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.0625	2004
11.02.2020 15:48:52	1	1	1	1	147.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:48:53	1	1	1	1	147.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:48:54	1	1	1	1	147.8	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	147.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.1875	2004
11.02.2020 15:49:02	1	1	1	1	145.8	62	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:49:03	1	1	1	1	145.8	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:04	1	1	1	1	145.8	61.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 15:49:05	1	1	1	1	145.8	61.75	0	27819.905	576.344086	15864.70252	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:07	1	1	1	1	145.8	61.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 15:49:08	1	1	1	1	145.8	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42	2004
11.02.2020 15:49:09	1	1	1	1	145.8	62	0	27725.118	580.6451613	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 15:49:10	1	1	1	1	145.8	61.5	0	27345.972	589.2473118	15995.9775	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:11	1	1	1	1	145.8	62	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:12	1	1	1	1	145.8	61.75	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:13	1	1	1	1	147.3	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:14	1	1	1	1	147.3	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:15	1	1	1	1	147.3	62	0	27582.938	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:16	1	1	1	1	147.3	61.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:49:17	1	1	1	1	147.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:18	1	1	1	1	147.3	61.75	0	27440.758	584.9462366	16137.85231	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:19	1	1	1	1	147.3	62	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 15:49:20	1	1	1	1	147.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 15:49:21	1	1	1	1	147.3	61.75	0	27109.005	587.0967742	16090.5607	30000	0	0	30000	41.625	2004
11.02.2020 15:49:22	1	1	1	1	147.3	61.5	0	27488.152	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:23	1	1	1	1	147.5	61.75	0	27867.299	589.2473118	16300.92681	30000	0	0	30000	41.75	2004
11.02.2020 15:49:24	1	1	1	1	147.5	61.75	0	27440.758	589.2473118	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 15:49:25	1	1	1	1	147.5	61.75	0	27393.365	580.6451613	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 15:49:26	1	1	1	1	147.5	61.5	0	27440.758	576.344086	16015.54644	30000	0	0	30000	42	2004
11.02.2020 15:49:27	1	1	1	1	147.5	62	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
11.02.2020 15:49:28	1	1	1	1	147.5	62.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:29	1	1	1	1	147.5	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:30	1	1	1	1	147.5	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 15:49:31	1	1	1	1	147.5	61.5	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:32	1	1	1	1	147.8	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
11.02.2020 15:49:33	1	1	1	1	147.8	61.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:34	1	1	1	1	147.8	62	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:35	1	1	1	1	147.8	61.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.375	2004
11.02.2020 15:49:36	1	1	1	1	147.8	61.25	0	27582.938	574.1935484	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:49:37	1	1	1	1	147.8	62	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	40.4375	2004
11.02.2020 15:49:38	1	1	1	1	147.8	60.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 15:49:39	1	1	1	1	147.8	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 15:49:40	1	1	1	1	147.8	61.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42	2004
11.02.2020 15:49:41	1	1	1	1	147.8	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:42	1	1	1	1	145.5	62	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 15:49:44	1	1	1	1	145.5	61.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42	2004
11.02.2020 15:49:45	1	1	1	1	145.5	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 15:49:46	1	1	1	1	145.5	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 15:49:47	1	1	1	1	145.5	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:48	1	1	1	1	145.5	61.75	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	42.0625	2004
11.02.2020 15:49:49	1	1	1	1	145.5	62	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:50	1	1	1	1	145.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:51	1	1	1	1	145.5	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 15:49:52	1	1	1	1	145.5	61.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:53	1	1	1	1	146.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:49:54	1	1	1	1	146.8	61.75	0	27914.692	576.344086	16296.03457	30000	0	0	30000	41.5625	2004
11.02.2020 15:49:55	1	1	1	1	146.8	61.5	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	41.75	2004
11.02.2020 15:49:56	1	1	1	1	146.8	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:04	1	1	1	1	147.8	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.375	2004
11.02.2020 15:50:05	1	1	1	1	147.8	62.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 15:50:06	1	1	1	1	147.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 15:50:07	1	1	1	1	147.8	62	0	27582.938	576.344086	15956.02424	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:08	1	1	1	1	147.8	62	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:09	1	1	1	1	147.8	62	0	27440.758	574.1935484	15756.25798	30000	0	0	30000	41.8125	2004
11.02.2020 15:50:10	1	1	1	1	147.8	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 15:50:11	1	1	1	1	147.8	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:12	1	1	1	1	147.5	62	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	42	2004
11.02.2020 15:50:13	1	1	1	1	147.5	62	0	28672.986	565.5913978	16154.97513	30000	0	0	30000	42	2004
11.02.2020 15:50:14	1	1	1	1	147.5	62	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	42	2004
11.02.2020 15:50:15	1	1	1	1	147.5	62	0	28341.232	567.7419355	16422.41731	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:16	1	1	1	1	147.5	62	0	27440.758	576.344086	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 15:50:17	1	1	1	1	147.5	61.75	0	27345.972	580.6451613	15616.01392	30000	0	0	30000	41.375	2004
11.02.2020 15:50:18	1	1	1	1	147.5	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 15:50:19	1	1	1	1	147.5	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.5625	2004
11.02.2020 15:50:20	1	1	1	1	147.5	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 15:50:22	1	1	1	1	147.5	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 15:50:23	1	1	1	1	147.5	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 15:50:24	1	1	1	1	147.5	61.5	0	27725.118	580.6451613	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 15:50:25	1	1	1	1	147.5	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.125	2004
11.02.2020 15:50:26	1	1	1	1	147.5	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:27	1	1	1	1	147.5	62	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	42	2004
11.02.2020 15:50:28	1	1	1	1	147.5	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.625	2004
11.02.2020 15:50:29	1	1	1	1	147.5	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:30	1	1	1	1	147.5	62	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	42.1875	2004
11.02.2020 15:50:31	1	1	1	1	147.5	62	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.625	2004
11.02.2020 15:50:32	1	1	1	1	147.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 15:50:33	1	1	1	1	146.5	61.75	0	28436.019	563.4408602	15777.45767	30000	0	0	30000	41.8125	2004
11.02.2020 15:50:34	1	1	1	1	146.5	61.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.875	2004
11.02.2020 15:50:35	1	1	1	1	146.5	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.1875	2004
11.02.2020 15:50:36	1	1	1	1	146.5	62	0	28199.052	559.1397849	15766.85783	30000	0	0	30000	41.75	2004
11.02.2020 15:50:37	1	1	1	1	146.5	61.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42	2004
11.02.2020 15:50:38	1	1	1	1	146.5	62	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 15:50:39	1	1	1	1	146.5	61.75	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	42	2004
11.02.2020 15:50:40	1	1	1	1	146.5	62	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.6875	2004
11.02.2020 15:50:41	1	1	1	1	146.5	61.5	0	28341.232	563.4408602	16117.468	30000	0	0	30000	41.875	2004
11.02.2020 15:50:42	1	1	1	1	146.5	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.375	2004
11.02.2020 15:50:43	1	1	1	1	146.5	62.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:44	1	1	1	1	146.5	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.8125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 15:50:45	1	1	1	1	146.5	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
11.02.2020 15:50:46	1	1	1	1	146.5	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 15:50:47	1	1	1	1	146.5	61.75	0	27819.905	580.6451613	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 15:50:48	1	1	1	1	146.5	61.75	0	28199.052	576.344086	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:50:49	1	1	1	1	146.5	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.9375	2004
11.02.2020 15:50:50	1	1	1	1	146.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 15:50:51	1	1	1	1	146.5	61.5	0	28009.479	572.0430108	16263.41967	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:52	1	1	1	1	146.3	62	0	27962.085	580.6451613	15734.24293	30000	0	0	30000	41.5625	2004
11.02.2020 15:50:53	1	1	1	1	146.3	61.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 15:50:54	1	1	1	1	146.3	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 15:50:55	1	1	1	1	146.3	61.75	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	42.0625	2004
11.02.2020 15:50:56	1	1	1	1	146.3	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.6875	2004
11.02.2020 15:50:57	1	1	1	1	146.3	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.6875	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:06	1	1	1	1	146	61.75	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:07	1	1	1	1	146	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:08	1	1	1	1	146	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 15:51:09	1	1	1	1	146	61.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.625	2004
11.02.2020 15:51:10	1	1	1	1	146	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.375	2004
11.02.2020 15:51:11	1	1	1	1	146	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 15:51:12	1	1	1	1	146	61.5	0	28293.839	565.5913978	16009.83883	30000	0	0	30000	42	2004
11.02.2020 15:51:13	1	1	1	1	145.8	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.375	2004
11.02.2020 15:51:14	1	1	1	1	145.8	61.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42	2004
11.02.2020 15:51:15	1	1	1	1	145.8	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:16	1	1	1	1	145.8	62	0	27819.905	578.4946237	15827.19539	30000	0	0	30000	42.1875	2004
11.02.2020 15:51:17	1	1	1	1	145.8	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.125	2004
11.02.2020 15:51:18	1	1	1	1	145.8	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:19	1	1	1	1	145.8	62	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	41.875	2004
11.02.2020 15:51:20	1	1	1	1	145.8	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
11.02.2020 15:51:21	1	1	1	1	145.8	61.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:22	1	1	1	1	145.8	61.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:23	1	1	1	1	145.5	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.875	2004
11.02.2020 15:51:24	1	1	1	1	145.5	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.1875	2004
11.02.2020 15:51:25	1	1	1	1	145.5	62	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
11.02.2020 15:51:26	1	1	1	1	145.5	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.75	2004
11.02.2020 15:51:27	1	1	1	1	145.5	61.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.125	2004
11.02.2020 15:51:28	1	1	1	1	145.5	62	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:51:29	1	1	1	1	145.5	61.5	0	27962.085	567.7419355	15848.39508	30000	0	0	30000	41.5	2004
11.02.2020 15:51:30	1	1	1	1	145.5	61.5	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	41.75	2004
11.02.2020 15:51:31	1	1	1	1	145.5	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.625	2004
11.02.2020 15:51:32	1	1	1	1	144.8	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 15:51:33	1	1	1	1	144.8	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.4375	2004
11.02.2020 15:51:34	1	1	1	1	144.8	61.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
11.02.2020 15:51:35	1	1	1	1	144.8	62	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	41.8125	2004
11.02.2020 15:51:36	1	1	1	1	144.8	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42	2004
11.02.2020 15:51:37	1	1	1	1	144.8	62	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.875	2004
11.02.2020 15:51:39	1	1	1	1	144.8	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.6875	2004
11.02.2020 15:51:40	1	1	1	1	144.8	61.5	0	27962.085	567.7419355	16022.06942	30000	0	0	30000	41.6875	2004
11.02.2020 15:51:41	1	1	1	1	144.8	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.5	2004
11.02.2020 15:51:42	1	1	1	1	144.8	61.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:43	1	1	1	1	145.3	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.8125	2004
11.02.2020 15:51:44	1	1	1	1	145.3	61.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.75	2004
11.02.2020 15:51:45	1	1	1	1	145.3	61.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42.1875	2004
11.02.2020 15:51:46	1	1	1	1	145.3	62	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.6875	2004
11.02.2020 15:51:47	1	1	1	1	145.3	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:48	1	1	1	1	145.3	62	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.9375	2004
11.02.2020 15:51:49	1	1	1	1	145.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:50	1	1	1	1	145.3	62	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.75	2004
11.02.2020 15:51:51	1	1	1	1	145.3	61.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	41.5	2004
11.02.2020 15:51:52	1	1	1	1	145.3	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.875	2004
11.02.2020 15:51:53	1	1	1	1	145	61.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.75	2004
11.02.2020 15:51:54	1	1	1	1	145	61.75	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	41.8125	2004
11.02.2020 15:51:55	1	1	1	1	145	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 15:51:56	1	1	1	1	145	62	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 15:51:57	1	1	1	1	145	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.4375	2004
11.02.2020 15:51:58	1	1	1	1	145	61.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.1875	2004
11.02.2020 15:51:59	1	1	1	1	145	62	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	62	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:07	1	1	1	1	144.8	61.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.6875	2004
11.02.2020 15:52:08	1	1	1	1	144.8	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.6875	2004
11.02.2020 15:52:09	1	1	1	1	144.8	61.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.75	2004
11.02.2020 15:52:10	1	1	1	1	144.8	61.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:11	1	1	1	1	144.8	62	0	28009.479	565.5913978	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:12	1	1	1	1	144.8	62	0	28009.479	574.1935484	16373.49496	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:52:13	1	1	1	1	144.8	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:14	1	1	1	1	144.8	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:15	1	1	1	1	144.8	62	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	42	2004
11.02.2020 15:52:16	1	1	1	1	144.8	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:18	1	1	1	1	144.8	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:19	1	1	1	1	144.8	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 15:52:20	1	1	1	1	144.8	61.75	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 15:52:21	1	1	1	1	144.8	61.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:22	1	1	1	1	144.8	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 15:52:23	1	1	1	1	144.5	62	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	41.5625	2004
11.02.2020 15:52:24	1	1	1	1	144.5	61.5	0	27867.299	576.344086	15734.24293	30000	0	0	30000	42.125	2004
11.02.2020 15:52:25	1	1	1	1	144.5	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 15:52:26	1	1	1	1	144.5	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:52:27	1	1	1	1	144.5	61.75	0	28009.479	574.1935484	15902.20966	30000	0	0	30000	41.25	2004
11.02.2020 15:52:28	1	1	1	1	144.5	61.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.125	2004
11.02.2020 15:52:29	1	1	1	1	144.5	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:52:30	1	1	1	1	144.5	62	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42	2004
11.02.2020 15:52:31	1	1	1	1	144.5	62	0	28199.052	576.344086	16252.00446	30000	0	0	30000	41.6875	2004
11.02.2020 15:52:32	1	1	1	1	144.5	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
11.02.2020 15:52:33	1	1	1	1	144.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.8125	2004
11.02.2020 15:52:34	1	1	1	1	144.5	61.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.625	2004
11.02.2020 15:52:35	1	1	1	1	144.5	61.5	0	28672.986	559.1397849	16049.79208	30000	0	0	30000	42.1875	2004
11.02.2020 15:52:36	1	1	1	1	144.5	62	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.6875	2004
11.02.2020 15:52:37	1	1	1	1	144.5	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.625	2004
11.02.2020 15:52:38	1	1	1	1	144.5	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:39	1	1	1	1	144.5	62	0	28009.479	561.2903226	15948.68589	30000	0	0	30000	42	2004
11.02.2020 15:52:40	1	1	1	1	144.5	62	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.3125	2004
11.02.2020 15:52:41	1	1	1	1	144.5	62.25	0	28436.019	567.7419355	16171.28258	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:42	1	1	1	1	144.5	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42	2004
11.02.2020 15:52:43	1	1	1	1	144.8	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:44	1	1	1	1	144.8	61.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 15:52:45	1	1	1	1	144.8	61.75	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	41.5625	2004
11.02.2020 15:52:46	1	1	1	1	144.8	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
11.02.2020 15:52:47	1	1	1	1	144.8	62	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	42.125	2004
11.02.2020 15:52:48	1	1	1	1	144.8	62	0	27867.299	565.5913978	15761.15022	30000	0	0	30000	41.875	2004
11.02.2020 15:52:49	1	1	1	1	144.8	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:50	1	1	1	1	144.8	61.75	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	41.0625	2004
11.02.2020 15:52:51	1	1	1	1	144.8	61	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:52	1	1	1	1	145.3	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.0625	2004
11.02.2020 15:52:53	1	1	1	1	145.3	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.9375	2004
11.02.2020 15:52:55	1	1	1	1	145.3	61.75	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	42	2004
11.02.2020 15:52:56	1	1	1	1	145.3	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
11.02.2020 15:52:57	1	1	1	1	145.3	61.25	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:52:58	1	1	1	1	145.3	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 15:52:59	1	1	1	1	145.3	61.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:00	1	1	1	1	145.3	62	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	42	2004
11.02.2020 15:53:01	1	1	1	1	145.3	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 15:53:09	1	1	1	1	145.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:10	1	1	1	1	145.3	61.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.5625	2004
11.02.2020 15:53:11	1	1	1	1	145.3	61.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	42.1875	2004
11.02.2020 15:53:12	1	1	1	1	145.3	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:13	1	1	1	1	144.8	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 15:53:14	1	1	1	1	144.8	61.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.875	2004
11.02.2020 15:53:15	1	1	1	1	144.8	61.75	0	28388.626	567.7419355	16083.22235	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:16	1	1	1	1	144.8	62	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 15:53:17	1	1	1	1	144.8	61.75	0	28483.412	550.5376344	15864.70252	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:18	1	1	1	1	144.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.3125	2004
11.02.2020 15:53:19	1	1	1	1	144.8	62.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	42.1875	2004
11.02.2020 15:53:20	1	1	1	1	144.8	62	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:21	1	1	1	1	144.8	62	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.5625	2004
11.02.2020 15:53:22	1	1	1	1	144.8	61.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42	2004
11.02.2020 15:53:23	1	1	1	1	144.8	62	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 15:53:24	1	1	1	1	144.8	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 15:53:25	1	1	1	1	144.8	61.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.5	2004
11.02.2020 15:53:26	1	1	1	1	144.8	61.5	0	28341.232	569.8924731	15827.19539	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:27	1	1	1	1	144.8	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:53:28	1	1	1	1	144.8	61.75	0	27819.905	569.8924731	15941.34754	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:29	1	1	1	1	144.8	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.125	2004
11.02.2020 15:53:30	1	1	1	1	144.8	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:32	1	1	1	1	144.8	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42	2004
11.02.2020 15:53:33	1	1	1	1	144.5	62	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:34	1	1	1	1	144.5	62	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.75	2004
11.02.2020 15:53:35	1	1	1	1	144.5	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
11.02.2020 15:53:36	1	1	1	1	144.5	62	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:37	1	1	1	1	144.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:38	1	1	1	1	144.5	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
11.02.2020 15:53:39	1	1	1	1	144.5	62	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	42	2004
11.02.2020 15:53:40	1	1	1	1	144.5	62	0	28293.839	574.1935484	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:41	1	1	1	1	144.5	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:53:42	1	1	1	1	144.5	61.75	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:43	1	1	1	1	144.8	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:44	1	1	1	1	144.8	61.75	0	27914.692	576.344086	16055.49969	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:45	1	1	1	1	144.8	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:46	1	1	1	1	144.8	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42	2004
11.02.2020 15:53:47	1	1	1	1	144.8	62	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:48	1	1	1	1	144.8	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:49	1	1	1	1	144.8	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:50	1	1	1	1	144.8	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 15:53:51	1	1	1	1	144.8	61.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.375	2004
11.02.2020 15:53:52	1	1	1	1	144.8	61.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.8125	2004
11.02.2020 15:53:53	1	1	1	1	145.3	61.75	0	27819.905	576.344086	16212.86658	30000	0	0	30000	41.625	2004
11.02.2020 15:53:54	1	1	1	1	145.3	61.5	0	27914.692	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 15:53:55	1	1	1	1	145.3	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	42.0625	2004
11.02.2020 15:53:56	1	1	1	1	145.3	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 15:53:57	1	1	1	1	145.3	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 15:53:58	1	1	1	1	145.3	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 15:53:59	1	1	1	1	145.3	61.5	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	41.875	2004
11.02.2020 15:54:00	1	1	1	1	145.3	61.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.125	2004
11.02.2020 15:54:01	1	1	1	1	145.3	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 15:54:02	1	1	1	1	145	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.5625	2004
11.02.2020 15:54:10	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:10	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:10	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:10	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:11	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:11	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:11	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:11	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:11	1	1	1	1	145	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 15:54:12	1	1	1	1	145	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 15:54:13	1	1	1	1	145	61.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.875	2004
11.02.2020 15:54:14	1	1	1	1	145	61.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:15	1	1	1	1	145	61.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:16	1	1	1	1	145	61.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:17	1	1	1	1	145	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	42	2004
11.02.2020 15:54:18	1	1	1	1	145	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.875	2004
11.02.2020 15:54:19	1	1	1	1	145	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:54:20	1	1	1	1	145	62	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42	2004
11.02.2020 15:54:21	1	1	1	1	145	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 15:54:22	1	1	1	1	145	61.75	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 15:54:23	1	1	1	1	145.3	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.6875	2004
11.02.2020 15:54:24	1	1	1	1	145.3	61.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	41.75	2004
11.02.2020 15:54:25	1	1	1	1	145.3	61.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:54:26	1	1	1	1	145.3	62	0	27819.905	569.8924731	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:27	1	1	1	1	145.3	61.75	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	41.6875	2004
11.02.2020 15:54:28	1	1	1	1	145.3	61.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:29	1	1	1	1	145.3	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	42.0625	2004
11.02.2020 15:54:30	1	1	1	1	145.3	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 15:54:31	1	1	1	1	145.3	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.875	2004
11.02.2020 15:54:32	1	1	1	1	145.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 15:54:33	1	1	1	1	145	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 15:54:34	1	1	1	1	145	61.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.4375	2004
11.02.2020 15:54:35	1	1	1	1	145	61.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	42.125	2004
11.02.2020 15:54:36	1	1	1	1	145	62	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	42	2004
11.02.2020 15:54:37	1	1	1	1	145	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:54:38	1	1	1	1	145	61.75	0	28199.052	561.2903226	15915.25562	30000	0	0	30000	41.875	2004
11.02.2020 15:54:39	1	1	1	1	145	62	0	28341.232	563.4408602	15785.61139	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:40	1	1	1	1	145	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 15:54:41	1	1	1	1	145	61.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.3125	2004
11.02.2020 15:54:42	1	1	1	1	144.3	61.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 15:54:43	1	1	1	1	144.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 15:54:44	1	1	1	1	144.3	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
11.02.2020 15:54:45	1	1	1	1	144.3	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42	2004
11.02.2020 15:54:46	1	1	1	1	144.3	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:47	1	1	1	1	144.3	61.75	0	28009.479	580.6451613	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 15:54:49	1	1	1	1	144.3	62	0	27962.085	569.8924731	16055.49969	30000	0	0	30000	42.1875	2004
11.02.2020 15:54:50	1	1	1	1	144.3	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 15:54:53	1	1	1	1	144.3	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 15:54:53	1	1	1	1	144.3	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 15:54:53	1	1	1	1	144.3	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 15:54:54	1	1	1	1	144.3	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:54:55	1	1	1	1	144.3	61.75	0	27819.905	574.1935484	15854.10268	30000	0	0	30000	42.125	2004
11.02.2020 15:54:56	1	1	1	1	144.3	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 15:54:57	1	1	1	1	144.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 15:54:58	1	1	1	1	144.3	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 15:54:59	1	1	1	1	144.3	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 15:55:00	1	1	1	1	144.3	62	0	27867.299	563.4408602	15881.00997	30000	0	0	30000	42.125	2004
11.02.2020 15:55:01	1	1	1	1	144.3	62	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	41.875	2004
11.02.2020 15:55:02	1	1	1	1	144.3	61.75	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 15:55:03	1	1	1	1	144.3	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	42	2004
11.02.2020 15:55:04	1	1	1	1	144.3	62	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	41.75	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:12	1	1	1	1	144.3	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 15:55:13	1	1	1	1	144	62	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:14	1	1	1	1	144	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:55:15	1	1	1	1	144	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 15:55:16	1	1	1	1	144	62	0	27962.085	576.344086	15907.91727	30000	0	0	30000	42.125	2004
11.02.2020 15:55:17	1	1	1	1	144	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:18	1	1	1	1	144	61.75	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 15:55:19	1	1	1	1	144	61.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 15:55:20	1	1	1	1	144	62	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	42	2004
11.02.2020 15:55:21	1	1	1	1	144	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 15:55:22	1	1	1	1	143.3	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42	2004
11.02.2020 15:55:23	1	1	1	1	143.3	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
11.02.2020 15:55:24	1	1	1	1	143.3	62	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.75	2004
11.02.2020 15:55:25	1	1	1	1	143.3	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 15:55:27	1	1	1	1	143.3	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.3125	2004
11.02.2020 15:55:28	1	1	1	1	143.3	61.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 15:55:29	1	1	1	1	143.3	61.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	42	2004
11.02.2020 15:55:30	1	1	1	1	143.3	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.8125	2004
11.02.2020 15:55:31	1	1	1	1	143.3	61.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 15:55:32	1	1	1	1	143.3	62	0	28436.019	561.2903226	15838.61061	30000	0	0	30000	41.375	2004
11.02.2020 15:55:33	1	1	1	1	143	61.25	0	28293.839	574.1935484	15827.19539	30000	0	0	30000	42	2004
11.02.2020 15:55:34	1	1	1	1	143	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.8125	2004
11.02.2020 15:55:35	1	1	1	1	143	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
11.02.2020 15:55:36	1	1	1	1	143	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 15:55:37	1	1	1	1	143	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:38	1	1	1	1	143	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 15:55:39	1	1	1	1	143	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	42	2004
11.02.2020 15:55:40	1	1	1	1	143	62	0	28341.232	569.8924731	16090.5607	30000	0	0	30000	42	2004
11.02.2020 15:55:41	1	1	1	1	143	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.0625	2004
11.02.2020 15:55:42	1	1	1	1	143	62	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	41.875	2004
11.02.2020 15:55:43	1	1	1	1	143.3	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42	2004
11.02.2020 15:55:44	1	1	1	1	143.3	62	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:45	1	1	1	1	143.3	61.75	0	28293.839	563.4408602	16009.83883	30000	0	0	30000	42.125	2004
11.02.2020 15:55:46	1	1	1	1	143.3	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 15:55:47	1	1	1	1	143.3	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 15:55:48	1	1	1	1	143.3	61.75	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	41.8125	2004
11.02.2020 15:55:49	1	1	1	1	143.3	61.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.875	2004
11.02.2020 15:55:50	1	1	1	1	143.3	61.75	0	28436.019	559.1397849	16048.16134	30000	0	0	30000	41.625	2004
11.02.2020 15:55:51	1	1	1	1	143.3	61.5	0	28388.626	567.7419355	16205.52823	30000	0	0	30000	42	2004
11.02.2020 15:55:52	1	1	1	1	142.8	61.75	0	28436.019	569.8924731	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 15:55:53	1	1	1	1	142.8	62	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:55:54	1	1	1	1	142.8	62	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	41.75	2004
11.02.2020 15:55:55	1	1	1	1	142.8	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.9375	2004
11.02.2020 15:55:56	1	1	1	1	142.8	61.75	0	28293.839	567.7419355	16117.468	30000	0	0	30000	42.125	2004
11.02.2020 15:55:57	1	1	1	1	142.8	62	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
11.02.2020 15:55:58	1	1	1	1	142.8	62	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
11.02.2020 15:55:59	1	1	1	1	142.8	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 15:56:00	1	1	1	1	142.8	61.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.3125	2004
11.02.2020 15:56:02	1	1	1	1	142.8	61.25	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	42	2004
11.02.2020 15:56:03	1	1	1	1	142	62	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:04	1	1	1	1	142	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
11.02.2020 15:56:05	1	1	1	1	142	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 15:56:06	1	1	1	1	142	61.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.75	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:14	1	1	1	1	142.8	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:15	1	1	1	1	142.8	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42	2004
11.02.2020 15:56:16	1	1	1	1	142.8	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:17	1	1	1	1	142.8	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42	2004
11.02.2020 15:56:18	1	1	1	1	142.8	62	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:19	1	1	1	1	142.8	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:20	1	1	1	1	142.8	61.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:21	1	1	1	1	142.8	61.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:22	1	1	1	1	142.8	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:23	1	1	1	1	142	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:24	1	1	1	1	142	61.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:25	1	1	1	1	142	61.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:26	1	1	1	1	142	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.375	2004
11.02.2020 15:56:27	1	1	1	1	142	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:28	1	1	1	1	142	62	0	28625.592	563.4408602	16101.97592	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:29	1	1	1	1	142	62	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42.25	2004
11.02.2020 15:56:30	1	1	1	1	142	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:31	1	1	1	1	142	62	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	42	2004
11.02.2020 15:56:32	1	1	1	1	141.5	62	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:33	1	1	1	1	141.5	62	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:34	1	1	1	1	141.5	61.75	0	28578.199	552.688172	15855.73343	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:35	1	1	1	1	141.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:36	1	1	1	1	141.5	62	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	42	2004
11.02.2020 15:56:37	1	1	1	1	141.5	62	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:56:38	1	1	1	1	141.5	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:39	1	1	1	1	141.5	62	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.9375	2004
11.02.2020 15:56:41	1	1	1	1	141.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:42	1	1	1	1	141.5	62	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:43	1	1	1	1	141.5	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:56:44	1	1	1	1	141.5	62	0	28862.559	552.688172	15978.0393	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:45	1	1	1	1	141.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42	2004
11.02.2020 15:56:46	1	1	1	1	141.5	62	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	42.125	2004
11.02.2020 15:56:47	1	1	1	1	141.5	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42	2004
11.02.2020 15:56:48	1	1	1	1	141.5	62	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	42.125	2004
11.02.2020 15:56:49	1	1	1	1	141.5	62	0	28957.346	546.2365591	15630.69062	30000	0	0	30000	42	2004
11.02.2020 15:56:50	1	1	1	1	141.5	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42	2004
11.02.2020 15:56:51	1	1	1	1	141.5	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.125	2004
11.02.2020 15:56:52	1	1	1	1	141.5	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
11.02.2020 15:56:53	1	1	1	1	141	62	0	29099.526	559.1397849	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 15:56:54	1	1	1	1	141	62	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.125	2004
11.02.2020 15:56:55	1	1	1	1	141	62	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.875	2004
11.02.2020 15:56:56	1	1	1	1	141	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
11.02.2020 15:56:57	1	1	1	1	141	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:58	1	1	1	1	141	61.5	0	28625.592	541.9354839	15863.88715	30000	0	0	30000	41.6875	2004
11.02.2020 15:56:59	1	1	1	1	141	61.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.875	2004
11.02.2020 15:57:00	1	1	1	1	141	61.75	0	28957.346	554.8387097	15889.97907	30000	0	0	30000	41.875	2004
11.02.2020 15:57:01	1	1	1	1	141	61.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:02	1	1	1	1	141	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:03	1	1	1	1	140.3	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:04	1	1	1	1	140.3	61.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:05	1	1	1	1	140.3	62	0	29052.133	552.688172	16004.13122	30000	0	0	30000	42.375	2004
11.02.2020 15:57:06	1	1	1	1	140.3	62.25	0	29146.919	546.2365591	16161.49811	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:07	1	1	1	1	140.3	61.5	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	41.75	2004
11.02.2020 15:57:15	1	1	1	1	139.3	62	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:15	1	1	1	1	139.3	62	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:15	1	1	1	1	139.3	62	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:15	1	1	1	1	139.3	62	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:15	1	1	1	1	139.3	62	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:15	1	1	1	1	139.3	61.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:16	1	1	1	1	139.3	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:18	1	1	1	1	139.3	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:19	1	1	1	1	139.3	61.75	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
11.02.2020 15:57:20	1	1	1	1	139.3	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:21	1	1	1	1	139.3	62	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:22	1	1	1	1	139.3	62	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:57:23	1	1	1	1	138.5	62	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:24	1	1	1	1	138.5	61.75	0	29241.706	546.2365591	16087.29921	30000	0	0	30000	41.4375	2004
11.02.2020 15:57:25	1	1	1	1	138.5	61.25	0	29383.886	550.5376344	16024.51553	30000	0	0	30000	42	2004
11.02.2020 15:57:26	1	1	1	1	138.5	62	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.125	2004
11.02.2020 15:57:27	1	1	1	1	138.5	62	0	29099.526	539.7849462	15858.17955	30000	0	0	30000	41.625	2004
11.02.2020 15:57:28	1	1	1	1	138.5	61.5	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	42.125	2004
11.02.2020 15:57:29	1	1	1	1	138.5	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:30	1	1	1	1	138.5	62	0	29478.673	537.6344086	16255.26595	30000	0	0	30000	41.5625	2004
11.02.2020 15:57:31	1	1	1	1	138.5	61.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:32	1	1	1	1	138.5	61.75	0	29526.066	537.6344086	16064.46878	30000	0	0	30000	42	2004
11.02.2020 15:57:33	1	1	1	1	138.3	62	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:34	1	1	1	1	138.3	61.75	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:35	1	1	1	1	138.3	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42	2004
11.02.2020 15:57:36	1	1	1	1	138.3	62	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.125	2004
11.02.2020 15:57:37	1	1	1	1	138.3	62	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:38	1	1	1	1	138.3	61.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42	2004
11.02.2020 15:57:39	1	1	1	1	138.3	62	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.125	2004
11.02.2020 15:57:40	1	1	1	1	138.3	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:41	1	1	1	1	138.3	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:42	1	1	1	1	138.3	62	0	29289.1	550.5376344	15972.33169	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:43	1	1	1	1	137.8	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.5	2004
11.02.2020 15:57:44	1	1	1	1	137.8	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:45	1	1	1	1	137.8	61.75	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	42.4375	2004
11.02.2020 15:57:46	1	1	1	1	137.8	62.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:47	1	1	1	1	137.8	62.25	0	29336.493	546.2365591	16265.86579	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:48	1	1	1	1	137.8	62	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
11.02.2020 15:57:49	1	1	1	1	137.8	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.1875	2004
11.02.2020 15:57:50	1	1	1	1	137.8	62	0	29715.64	541.9354839	15848.39508	30000	0	0	30000	41.9375	2004
11.02.2020 15:57:51	1	1	1	1	137.8	61.75	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	41.6875	2004
11.02.2020 15:57:52	1	1	1	1	138	61.5	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	41.8125	2004
11.02.2020 15:57:53	1	1	1	1	138	61.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.0625	2004
11.02.2020 15:57:54	1	1	1	1	138	62	0	29289.1	544.0860215	16276.46563	30000	0	0	30000	42	2004
11.02.2020 15:57:55	1	1	1	1	138	62	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	42	2004
11.02.2020 15:57:57	1	1	1	1	138	62	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42	2004
11.02.2020 15:57:58	1	1	1	1	138	62	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	42	2004
11.02.2020 15:57:59	1	1	1	1	138	62	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	42	2004
11.02.2020 15:58:00	1	1	1	1	138	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
11.02.2020 15:58:01	1	1	1	1	138	61.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
11.02.2020 15:58:02	1	1	1	1	138	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.8125	2004
11.02.2020 15:58:03	1	1	1	1	137.5	61.75	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	42.125	2004
11.02.2020 15:58:04	1	1	1	1	137.5	62	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.1875	2004
11.02.2020 15:58:05	1	1	1	1	137.5	62	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42	2004
11.02.2020 15:58:06	1	1	1	1	137.5	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:58:07	1	1	1	1	137.5	62	0	29383.886	544.0860215	15708.96638	30000	0	0	30000	41.75	2004
11.02.2020 15:58:08	1	1	1	1	137.5	61.75	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:58:09	1	1	1	1	137.5	62	0	30000	535.483871	16064.46878	30000	0	0	30000	41.9375	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 15:58:17	1	1	1	1	136.3	61.75	0	29478.673	544.0860215	16229.17403	30000	0	0	30000	42.125	2004
11.02.2020 15:58:18	1	1	1	1	136.3	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.125	2004
11.02.2020 15:58:19	1	1	1	1	136.3	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 15:58:20	1	1	1	1	136.3	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
11.02.2020 15:58:21	1	1	1	1	136.3	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.9375	2004
11.02.2020 15:58:22	1	1	1	1	136.3	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:58:23	1	1	1	1	136	61.75	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	42	2004
11.02.2020 15:58:24	1	1	1	1	136	62	0	29526.066	535.483871	15810.07257	30000	0	0	30000	42.3125	2004
11.02.2020 15:58:25	1	1	1	1	136	62.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	42.3125	2004
11.02.2020 15:58:26	1	1	1	1	136	62	0	29620.853	535.483871	16013.91569	30000	0	0	30000	41.6875	2004
11.02.2020 15:58:27	1	1	1	1	136	61.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41.9375	2004
11.02.2020 15:58:28	1	1	1	1	136	61.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:29	1	1	1	1	136	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
11.02.2020 15:58:30	1	1	1	1	136	61.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.75	2004
11.02.2020 15:58:31	1	1	1	1	136	61.75	0	30000	533.3333333	15820.67241	30000	0	0	30000	41.8125	2004
11.02.2020 15:58:32	1	1	1	1	135.5	61.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	42.1875	2004
11.02.2020 15:58:33	1	1	1	1	135.5	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.875	2004
11.02.2020 15:58:35	1	1	1	1	135.5	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:36	1	1	1	1	135.5	62	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
11.02.2020 15:58:37	1	1	1	1	135.5	61.75	0	29620.853	533.3333333	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:38	1	1	1	1	135.5	62	0	29905.213	535.483871	15987.82377	30000	0	0	30000	42.1875	2004
11.02.2020 15:58:39	1	1	1	1	135.5	62	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	41.875	2004
11.02.2020 15:58:40	1	1	1	1	135.5	61.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:41	1	1	1	1	135.5	62	0	29810.427	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
11.02.2020 15:58:42	1	1	1	1	135.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.8125	2004
11.02.2020 15:58:43	1	1	1	1	135.3	61.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.125	2004
11.02.2020 15:58:44	1	1	1	1	135.3	62	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.125	2004
11.02.2020 15:58:45	1	1	1	1	135.3	62	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42	2004
11.02.2020 15:58:46	1	1	1	1	135.3	62	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	42	2004
11.02.2020 15:58:47	1	1	1	1	135.3	62	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	42	2004
11.02.2020 15:58:48	1	1	1	1	135.3	62	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
11.02.2020 15:58:49	1	1	1	1	135.3	61.75	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	41.75	2004
11.02.2020 15:58:50	1	1	1	1	135.3	61.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:58:51	1	1	1	1	135.3	61.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:58:52	1	1	1	1	135.3	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:53	1	1	1	1	135	62	0	29810.427	541.9354839	15975.59318	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:54	1	1	1	1	135	62	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:58:55	1	1	1	1	135	62	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.1875	2004
11.02.2020 15:58:56	1	1	1	1	135	62	0	29336.493	537.6344086	15771.75006	30000	0	0	30000	42.125	2004
11.02.2020 15:58:57	1	1	1	1	135	62	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.6875	2004
11.02.2020 15:58:58	1	1	1	1	135	61.5	0	29620.853	539.7849462	15797.84198	30000	0	0	30000	42.1875	2004
11.02.2020 15:58:59	1	1	1	1	135	62	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:00	1	1	1	1	135	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.75	2004
11.02.2020 15:59:01	1	1	1	1	135	61.75	0	29526.066	537.6344086	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 15:59:02	1	1	1	1	135	62	0	29857.82	535.483871	15962.54722	30000	0	0	30000	42.5	2004
11.02.2020 15:59:03	1	1	1	1	134.5	62	0	29810.427	537.6344086	16219.38956	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:04	1	1	1	1	134.5	61.75	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:05	1	1	1	1	134.5	62	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.3125	2004
11.02.2020 15:59:06	1	1	1	1	134.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.625	2004
11.02.2020 15:59:07	1	1	1	1	134.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 15:59:08	1	1	1	1	134.5	62	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.1875	2004
11.02.2020 15:59:09	1	1	1	1	134.5	62	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	41.875	2004
11.02.2020 15:59:10	1	1	1	1	134.5	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	42	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 15:59:19	1	1	1	1	134.5	61.75	0	29857.82	544.0860215	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:20	1	1	1	1	134.5	61.75	0	29810.427	537.6344086	16219.38956	30000	0	0	30000	41.625	2004
11.02.2020 15:59:21	1	1	1	1	134.5	61.5	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	42	2004
11.02.2020 15:59:22	1	1	1	1	134.5	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:23	1	1	1	1	133.3	61.75	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	41.75	2004
11.02.2020 15:59:24	1	1	1	1	133.3	61.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:25	1	1	1	1	133.3	61.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:26	1	1	1	1	133.3	62	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:27	1	1	1	1	133.3	62	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	42.125	2004
11.02.2020 15:59:28	1	1	1	1	133.3	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:29	1	1	1	1	133.3	62	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:30	1	1	1	1	133.3	62	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.1875	2004
11.02.2020 15:59:31	1	1	1	1	133.3	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
11.02.2020 15:59:32	1	1	1	1	133.3	61	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:33	1	1	1	1	133.8	61.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:34	1	1	1	1	133.8	61.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 15:59:35	1	1	1	1	133.8	61.5	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	42	2004
11.02.2020 15:59:36	1	1	1	1	133.8	62	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.8125	2004
11.02.2020 15:59:37	1	1	1	1	133.8	61.75	0	29952.607	529.0322581	15756.25798	30000	0	0	30000	42.1875	2004
11.02.2020 15:59:38	1	1	1	1	133.8	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.75	2004
11.02.2020 15:59:39	1	1	1	1	133.8	61.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004
11.02.2020 15:59:40	1	1	1	1	133.8	61	0	29905.213	537.6344086	16116.65262	30000	0	0	30000	42.1875	2004
11.02.2020 15:59:41	1	1	1	1	133.8	62	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	41.5	2004
11.02.2020 15:59:42	1	1	1	1	133.8	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.875	2004
11.02.2020 15:59:43	1	1	1	1	133.8	61.75	0	30000	516.1290323	15048.51466	30000	0	0	30000	41.625	2004
11.02.2020 15:59:44	1	1	1	1	133.8	61.5	0	29952.607	535.483871	16077.51474	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:45	1	1	1	1	133.8	62	0	29952.607	537.6344086	16077.51474	30000	0	0	30000	41.875	2004
11.02.2020 15:59:46	1	1	1	1	133.8	61.75	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	42	2004
11.02.2020 15:59:47	1	1	1	1	133.8	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.875	2004
11.02.2020 15:59:48	1	1	1	1	133.8	61.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 15:59:49	1	1	1	1	133.8	61.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 15:59:51	1	1	1	1	133.8	62	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.125	2004
11.02.2020 15:59:52	1	1	1	1	133.8	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:53	1	1	1	1	133.8	61.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.75	2004
11.02.2020 15:59:54	1	1	1	1	133.8	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.8125	2004
11.02.2020 15:59:55	1	1	1	1	133.8	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.9375	2004
11.02.2020 15:59:56	1	1	1	1	133.8	61.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
11.02.2020 15:59:57	1	1	1	1	133.8	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.375	2004
11.02.2020 15:59:58	1	1	1	1	133.8	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	42.0625	2004
11.02.2020 15:59:59	1	1	1	1	133.8	62	0	29952.607	529.0322581	15974.77781	30000	0	0	30000	41.875	2004
11.02.2020 16:00:00	1	1	1	1	133.8	61.75	0	30000	531.1827957	16064.46878	30000	0	0	30000	41.625	2004
11.02.2020 16:00:01	1	1	1	1	133.8	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.1875	2004
11.02.2020 16:00:02	1	1	1	1	133.8	62	0	30000	529.0322581	15677.16685	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:03	1	1	1	1	132	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.6875	2004
11.02.2020 16:00:04	1	1	1	1	132	61.5	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	42	2004
11.02.2020 16:00:05	1	1	1	1	132	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:06	1	1	1	1	132	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.875	2004
11.02.2020 16:00:07	1	1	1	1	132	61.75	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.75	2004
11.02.2020 16:00:08	1	1	1	1	132	61.75	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.625	2004
11.02.2020 16:00:09	1	1	1	1	132	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:10	1	1	1	1	132	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:11	1	1	1	1	132	61.75	0	29620.853	537.6344086	15886.71758	30000	0	0	30000	42.1875	2004
11.02.2020 16:00:12	1	1	1	1	132	62	0	29668.246	535.483871	15911.99413	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:00:20	1	1	1	1	131.5	62.25	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
11.02.2020 16:00:20	1	1	1	1	131.5	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42	2004
11.02.2020 16:00:21	1	1	1	1	131.5	62	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	42.375	2004
11.02.2020 16:00:22	1	1	1	1	130.8	62	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:23	1	1	1	1	130.8	61.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 16:00:24	1	1	1	1	130.8	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.625	2004
11.02.2020 16:00:25	1	1	1	1	130.8	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:26	1	1	1	1	130.8	61.75	0	29526.066	535.483871	15988.63914	30000	0	0	30000	41.5625	2004
11.02.2020 16:00:27	1	1	1	1	130.8	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:29	1	1	1	1	130.8	61.75	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:30	1	1	1	1	130.8	62	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:31	1	1	1	1	130.8	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.1875	2004
11.02.2020 16:00:32	1	1	1	1	130.8	62	0	29383.886	550.5376344	16013.10032	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:33	1	1	1	1	131	61.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:34	1	1	1	1	131	62	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:35	1	1	1	1	131	61.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.75	2004
11.02.2020 16:00:36	1	1	1	1	131	61.75	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:37	1	1	1	1	131	62	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
11.02.2020 16:00:38	1	1	1	1	131	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
11.02.2020 16:00:39	1	1	1	1	131	61.5	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:40	1	1	1	1	131	61.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:41	1	1	1	1	131	61.75	0	29668.246	541.9354839	16141.92917	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:42	1	1	1	1	131	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
11.02.2020 16:00:43	1	1	1	1	130.8	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42	2004
11.02.2020 16:00:44	1	1	1	1	130.8	62	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	42.125	2004
11.02.2020 16:00:45	1	1	1	1	130.8	62	0	29146.919	539.7849462	15795.39586	30000	0	0	30000	41.6875	2004
11.02.2020 16:00:46	1	1	1	1	130.8	61.5	0	29526.066	535.483871	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:47	1	1	1	1	130.8	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.875	2004
11.02.2020 16:00:48	1	1	1	1	130.8	61.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:49	1	1	1	1	130.8	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:00:50	1	1	1	1	130.8	61.75	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	41.8125	2004
11.02.2020 16:00:51	1	1	1	1	130.8	61.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.875	2004
11.02.2020 16:00:52	1	1	1	1	130.8	61.75	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	41.875	2004
11.02.2020 16:00:53	1	1	1	1	130.3	61.75	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	41.875	2004
11.02.2020 16:00:54	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:00:55	1	1	1	1	130.3	62	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	42.1875	2004
11.02.2020 16:00:56	1	1	1	1	130.3	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.1875	2004
11.02.2020 16:00:57	1	1	1	1	130.3	62	0	28909.953	550.5376344	15765.22708	30000	0	0	30000	42	2004
11.02.2020 16:00:58	1	1	1	1	130.3	62	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.6875	2004
11.02.2020 16:00:59	1	1	1	1	130.3	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.4375	2004
11.02.2020 16:01:00	1	1	1	1	130.3	61.5	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	41.8125	2004
11.02.2020 16:01:01	1	1	1	1	130.3	61.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:02	1	1	1	1	131	62	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:01:03	1	1	1	1	131	61.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:04	1	1	1	1	131	62	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:05	1	1	1	1	131	62	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42	2004
11.02.2020 16:01:06	1	1	1	1	131	62	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.875	2004
11.02.2020 16:01:07	1	1	1	1	131	61.75	0	29336.493	546.2365591	15835.34912	30000	0	0	30000	41.625	2004
11.02.2020 16:01:08	1	1	1	1	131	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.8125	2004
11.02.2020 16:01:10	1	1	1	1	131	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.3125	2004
11.02.2020 16:01:11	1	1	1	1	131	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.625	2004
11.02.2020 16:01:12	1	1	1	1	131	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.625	2004
11.02.2020 16:01:13	1	1	1	1	130.3	61.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.6875	2004
11.02.2020 16:01:14	1	1	1	1	130.3	61.5	0	29241.706	548.3870968	16150.89827	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:22	1	1	1	1	130.3	61.75	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:23	1	1	1	1	130.3	61.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:01:24	1	1	1	1	130.3	62	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.5625	2004
11.02.2020 16:01:25	1	1	1	1	130.3	61.5	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.75	2004
11.02.2020 16:01:26	1	1	1	1	130.3	61.75	0	29146.919	541.9354839	15872.85625	30000	0	0	30000	41.8125	2004
11.02.2020 16:01:27	1	1	1	1	130.3	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:28	1	1	1	1	130.3	62	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42	2004
11.02.2020 16:01:29	1	1	1	1	130.3	62	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
11.02.2020 16:01:30	1	1	1	1	130.3	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:31	1	1	1	1	130.3	62	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.875	2004
11.02.2020 16:01:32	1	1	1	1	130.3	61.75	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:33	1	1	1	1	129.8	61.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:34	1	1	1	1	129.8	62	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	42.125	2004
11.02.2020 16:01:35	1	1	1	1	129.8	62	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41.4375	2004
11.02.2020 16:01:36	1	1	1	1	129.8	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:01:37	1	1	1	1	129.8	62	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:38	1	1	1	1	129.8	62	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:39	1	1	1	1	129.8	62.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.9375	2004
11.02.2020 16:01:40	1	1	1	1	129.8	61.75	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.25	2004
11.02.2020 16:01:41	1	1	1	1	129.8	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:42	1	1	1	1	129.8	62	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:01:43	1	1	1	1	129.8	61.75	0	29668.246	535.483871	16078.33012	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:44	1	1	1	1	129.8	62	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.75	2004
11.02.2020 16:01:45	1	1	1	1	129.8	61.75	0	29905.213	541.9354839	16116.65262	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:46	1	1	1	1	129.8	62	0	29810.427	529.0322581	15987.82377	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:01:48	1	1	1	1	129.8	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.125	2004
11.02.2020 16:01:49	1	1	1	1	129.8	62	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	42.1875	2004
11.02.2020 16:01:50	1	1	1	1	129.8	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42	2004
11.02.2020 16:01:51	1	1	1	1	129.8	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42	2004
11.02.2020 16:01:52	1	1	1	1	129.8	62	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	42	2004
11.02.2020 16:01:53	1	1	1	1	129	62	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.5625	2004
11.02.2020 16:01:54	1	1	1	1	129	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.75	2004
11.02.2020 16:01:55	1	1	1	1	129	61.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	42	2004
11.02.2020 16:01:56	1	1	1	1	129	62	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:57	1	1	1	1	129	62	0	30047.393	533.3333333	16000.05436	30000	0	0	30000	42	2004
11.02.2020 16:01:58	1	1	1	1	129	62	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.0625	2004
11.02.2020 16:01:59	1	1	1	1	129	62	0	30000	496.7741935	14967.79279	30000	0	0	30000	42.125	2004
11.02.2020 16:02:00	1	1	1	1	129	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.6875	2004
11.02.2020 16:02:01	1	1	1	1	129	61.5	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	41.875	2004
11.02.2020 16:02:02	1	1	1	1	129	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
11.02.2020 16:02:03	1	1	1	1	129	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
11.02.2020 16:02:04	1	1	1	1	129	61.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 16:02:05	1	1	1	1	129	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	42.125	2004
11.02.2020 16:02:06	1	1	1	1	129	62	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.125	2004
11.02.2020 16:02:07	1	1	1	1	129	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.0625	2004
11.02.2020 16:02:08	1	1	1	1	129	62	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.8125	2004
11.02.2020 16:02:09	1	1	1	1	129	61.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:10	1	1	1	1	129	61.75	0	29620.853	544.0860215	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:02:11	1	1	1	1	129	61.5	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 16:02:12	1	1	1	1	129	61.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.875	2004
11.02.2020 16:02:13	1	1	1	1	129.3	61.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:14	1	1	1	1	129.3	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	42.1875	2004
11.02.2020 16:02:15	1	1	1	1	129.3	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.5	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:23	1	1	1	1	129.5	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.1875	2004
11.02.2020 16:02:24	1	1	1	1	129.5	62	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	42	2004
11.02.2020 16:02:26	1	1	1	1	129.5	62	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
11.02.2020 16:02:27	1	1	1	1	129.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
11.02.2020 16:02:28	1	1	1	1	129.5	62	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
11.02.2020 16:02:29	1	1	1	1	129.5	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42.125	2004
11.02.2020 16:02:30	1	1	1	1	129.5	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
11.02.2020 16:02:31	1	1	1	1	129.5	61.5	0	29763.033	539.7849462	16065.28416	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:02:32	1	1	1	1	129.5	61.75	0	29905.213	535.483871	16141.92917	30000	0	0	30000	42.0625	2004
11.02.2020 16:02:33	1	1	1	1	129.5	62	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.875	2004
11.02.2020 16:02:34	1	1	1	1	129.5	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.8125	2004
11.02.2020 16:02:35	1	1	1	1	129.5	61.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
11.02.2020 16:02:36	1	1	1	1	129.5	61.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	41.5	2004
11.02.2020 16:02:37	1	1	1	1	129.5	61.5	0	30000	529.0322581	15652.70568	30000	0	0	30000	41.625	2004
11.02.2020 16:02:38	1	1	1	1	129.5	61.5	0	30000	516.1290323	15677.16685	30000	0	0	30000	42.125	2004
11.02.2020 16:02:39	1	1	1	1	129.5	62	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	41.625	2004
11.02.2020 16:02:40	1	1	1	1	129.5	61.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	41.5	2004
11.02.2020 16:02:41	1	1	1	1	129.5	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.375	2004
11.02.2020 16:02:42	1	1	1	1	129.5	61.25	0	29526.066	533.3333333	15925.04009	30000	0	0	30000	41.8125	2004
11.02.2020 16:02:43	1	1	1	1	129	61.75	0	30000	520.4301075	15548.338	30000	0	0	30000	41.75	2004
11.02.2020 16:02:44	1	1	1	1	129	61.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.75	2004
11.02.2020 16:02:45	1	1	1	1	129	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.75	2004
11.02.2020 16:02:46	1	1	1	1	129	61.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.8125	2004
11.02.2020 16:02:47	1	1	1	1	129	61.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42	2004
11.02.2020 16:02:48	1	1	1	1	129	62	0	29526.066	539.7849462	15899.76354	30000	0	0	30000	41.875	2004
11.02.2020 16:02:49	1	1	1	1	129	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:50	1	1	1	1	129	61.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42	2004
11.02.2020 16:02:51	1	1	1	1	129	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.625	2004
11.02.2020 16:02:52	1	1	1	1	129	61.5	0	30000	501.0752688	15008.56141	30000	0	0	30000	41.9375	2004
11.02.2020 16:02:53	1	1	1	1	128.3	61.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	42	2004
11.02.2020 16:02:54	1	1	1	1	128.3	62	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	42.1875	2004
11.02.2020 16:02:55	1	1	1	1	128.3	62	0	30000	501.0752688	15161.03607	30000	0	0	30000	41.75	2004
11.02.2020 16:02:56	1	1	1	1	128.3	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
11.02.2020 16:02:57	1	1	1	1	128.3	61	0	29146.919	548.3870968	16161.49811	30000	0	0	30000	42	2004
11.02.2020 16:02:58	1	1	1	1	128.3	62	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	42.125	2004
11.02.2020 16:02:59	1	1	1	1	128.3	62	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
11.02.2020 16:03:00	1	1	1	1	128.3	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:01	1	1	1	1	128.3	61.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:03	1	1	1	1	128.8	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:03:04	1	1	1	1	128.8	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.75	2004
11.02.2020 16:03:05	1	1	1	1	128.8	61.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:03:06	1	1	1	1	128.8	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.8125	2004
11.02.2020 16:03:07	1	1	1	1	128.8	61.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.5625	2004
11.02.2020 16:03:08	1	1	1	1	128.8	61.5	0	29668.246	537.6344086	15669.8285	30000	0	0	30000	41.875	2004
11.02.2020 16:03:09	1	1	1	1	128.8	61.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.75	2004
11.02.2020 16:03:10	1	1	1	1	128.8	61.75	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5	2004
11.02.2020 16:03:11	1	1	1	1	128.8	61.5	0	29431.28	546.2365591	15898.1328	30000	0	0	30000	41.8125	2004
11.02.2020 16:03:12	1	1	1	1	128.8	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
11.02.2020 16:03:13	1	1	1	1	128.5	61.5	0	29715.64	535.483871	15937.27068	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:14	1	1	1	1	128.5	62	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
11.02.2020 16:03:15	1	1	1	1	128.5	61.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:03:16	1	1	1	1	128.5	61.75	0	29810.427	537.6344086	15783.98065	30000	0	0	30000	42	2004
11.02.2020 16:03:17	1	1	1	1	128.5	62	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	42.1875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.875	2004
11.02.2020 16:03:25	1	1	1	1	129.3	61.75	0	29952.607	524.7311828	16000.05436	30000	0	0	30000	41.75	2004
11.02.2020 16:03:26	1	1	1	1	129.3	61.75	0	30000	522.5806452	15612.75243	30000	0	0	30000	41.625	2004
11.02.2020 16:03:27	1	1	1	1	129.3	61.5	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
11.02.2020 16:03:28	1	1	1	1	129.3	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.875	2004
11.02.2020 16:03:29	1	1	1	1	129.3	61.75	0	29431.28	550.5376344	15860.62566	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:30	1	1	1	1	129.3	62	0	29289.1	546.2365591	15858.17955	30000	0	0	30000	41.375	2004
11.02.2020 16:03:31	1	1	1	1	129.3	61.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:03:32	1	1	1	1	129.3	61.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42	2004
11.02.2020 16:03:33	1	1	1	1	129.5	62	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	42.125	2004
11.02.2020 16:03:34	1	1	1	1	129.5	62	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.625	2004
11.02.2020 16:03:35	1	1	1	1	129.5	61.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:36	1	1	1	1	129.5	62	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.6875	2004
11.02.2020 16:03:37	1	1	1	1	129.5	61.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:38	1	1	1	1	129.5	61.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.75	2004
11.02.2020 16:03:39	1	1	1	1	129.5	61.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:41	1	1	1	1	129.5	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42	2004
11.02.2020 16:03:42	1	1	1	1	129.5	62	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.875	2004
11.02.2020 16:03:43	1	1	1	1	129.3	61.75	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	42.1875	2004
11.02.2020 16:03:44	1	1	1	1	129.3	62	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 16:03:45	1	1	1	1	129.3	61.5	0	28815.166	554.8387097	15951.94738	30000	0	0	30000	41.6875	2004
11.02.2020 16:03:46	1	1	1	1	129.3	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:47	1	1	1	1	129.3	62	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.6875	2004
11.02.2020 16:03:48	1	1	1	1	129.3	61.5	0	29241.706	541.9354839	15795.39586	30000	0	0	30000	41.8125	2004
11.02.2020 16:03:49	1	1	1	1	129.3	61.75	0	29146.919	544.0860215	15832.08763	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:50	1	1	1	1	129.3	62	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
11.02.2020 16:03:51	1	1	1	1	129.3	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:52	1	1	1	1	129.3	62	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:53	1	1	1	1	129.5	62	0	29052.133	554.8387097	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:54	1	1	1	1	129.5	62	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42	2004
11.02.2020 16:03:55	1	1	1	1	129.5	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.75	2004
11.02.2020 16:03:56	1	1	1	1	129.5	61.75	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:57	1	1	1	1	129.5	61.75	0	29099.526	548.3870968	15931.56307	30000	0	0	30000	42.0625	2004
11.02.2020 16:03:58	1	1	1	1	129.5	62	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	41.9375	2004
11.02.2020 16:03:59	1	1	1	1	129.5	61.75	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:04:00	1	1	1	1	129.5	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.1875	2004
11.02.2020 16:04:01	1	1	1	1	129.5	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.875	2004
11.02.2020 16:04:02	1	1	1	1	129.5	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
11.02.2020 16:04:03	1	1	1	1	129.8	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.125	2004
11.02.2020 16:04:04	1	1	1	1	129.8	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42	2004
11.02.2020 16:04:05	1	1	1	1	129.8	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.125	2004
11.02.2020 16:04:06	1	1	1	1	129.8	61	0	30000	520.4301075	15548.338	30000	0	0	30000	41.875	2004
11.02.2020 16:04:07	1	1	1	1	129.8	61.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.6875	2004
11.02.2020 16:04:08	1	1	1	1	129.8	61.5	0	28909.953	552.688172	15951.94738	30000	0	0	30000	41.8125	2004
11.02.2020 16:04:09	1	1	1	1	129.8	61.75	0	29857.82	539.7849462	15848.39508	30000	0	0	30000	41.75	2004
11.02.2020 16:04:10	1	1	1	1	129.8	61.75	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	42.1875	2004
11.02.2020 16:04:11	1	1	1	1	129.8	62	0	30000	522.5806452	15805.99571	30000	0	0	30000	41.875	2004
11.02.2020 16:04:12	1	1	1	1	130	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42	2004
11.02.2020 16:04:13	1	1	1	1	130	62	0	30000	533.3333333	15974.77781	30000	0	0	30000	42.125	2004
11.02.2020 16:04:14	1	1	1	1	130	62	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	41.75	2004
11.02.2020 16:04:15	1	1	1	1	130	61.75	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.75	2004
11.02.2020 16:04:17	1	1	1	1	130	61.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:04:18	1	1	1	1	130	61.75	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	42	2004
11.02.2020 16:04:19	1	1	1	1	130	62	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	62	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:27	1	1	1	1	129.8	61.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:28	1	1	1	1	129.8	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
11.02.2020 16:04:29	1	1	1	1	129.8	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.125	2004
11.02.2020 16:04:30	1	1	1	1	129.8	62	0	29526.066	544.0860215	16154.15976	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:31	1	1	1	1	129.8	62	0	29668.246	535.483871	15886.71758	30000	0	0	30000	42.125	2004
11.02.2020 16:04:32	1	1	1	1	129.8	62	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.125	2004
11.02.2020 16:04:33	1	1	1	1	130	62	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	41.875	2004
11.02.2020 16:04:34	1	1	1	1	130	61.75	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:35	1	1	1	1	130	62	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.4375	2004
11.02.2020 16:04:36	1	1	1	1	130	61.25	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:37	1	1	1	1	130	62	0	29620.853	535.483871	15925.04009	30000	0	0	30000	42.125	2004
11.02.2020 16:04:38	1	1	1	1	130	62	0	30000	537.6344086	16064.46878	30000	0	0	30000	42.1875	2004
11.02.2020 16:04:39	1	1	1	1	130	62	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	42.1875	2004
11.02.2020 16:04:40	1	1	1	1	130	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
11.02.2020 16:04:41	1	1	1	1	130	61.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.125	2004
11.02.2020 16:04:42	1	1	1	1	130	62	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.875	2004
11.02.2020 16:04:43	1	1	1	1	130.3	61.75	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:04:44	1	1	1	1	130.3	62	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:45	1	1	1	1	130.3	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.125	2004
11.02.2020 16:04:46	1	1	1	1	130.3	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:47	1	1	1	1	130.3	62	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	42.3125	2004
11.02.2020 16:04:48	1	1	1	1	130.3	62.25	0	29289.1	541.9354839	15872.85625	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:49	1	1	1	1	130.3	61.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:50	1	1	1	1	130.3	61.75	0	30000	511.827957	15354.27935	30000	0	0	30000	41.875	2004
11.02.2020 16:04:51	1	1	1	1	130.3	61.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.0625	2004
11.02.2020 16:04:52	1	1	1	1	130	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.125	2004
11.02.2020 16:04:53	1	1	1	1	130	62	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	41.875	2004
11.02.2020 16:04:54	1	1	1	1	130	61.75	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 16:04:55	1	1	1	1	130	62	0	29431.28	535.483871	15759.51947	30000	0	0	30000	42	2004
11.02.2020 16:04:56	1	1	1	1	130	62	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.1875	2004
11.02.2020 16:04:58	1	1	1	1	130	62	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 16:04:59	1	1	1	1	130	61.75	0	29668.246	533.3333333	16103.60666	30000	0	0	30000	41.875	2004
11.02.2020 16:05:00	1	1	1	1	130	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.875	2004
11.02.2020 16:05:01	1	1	1	1	130	61.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.8125	2004
11.02.2020 16:05:02	1	1	1	1	130	61.75	0	30000	526.8817204	15741.58128	30000	0	0	30000	42.125	2004
11.02.2020 16:05:03	1	1	1	1	129	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.6875	2004
11.02.2020 16:05:04	1	1	1	1	129	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.1875	2004
11.02.2020 16:05:05	1	1	1	1	129	62	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:06	1	1	1	1	129	62	0	29431.28	539.7849462	16038.37687	30000	0	0	30000	41.6875	2004
11.02.2020 16:05:07	1	1	1	1	129	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:08	1	1	1	1	129	62	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.625	2004
11.02.2020 16:05:09	1	1	1	1	129	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
11.02.2020 16:05:10	1	1	1	1	129	61.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	42	2004
11.02.2020 16:05:11	1	1	1	1	129	62	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	42	2004
11.02.2020 16:05:12	1	1	1	1	129	62	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	42	2004
11.02.2020 16:05:13	1	1	1	1	128.8	62	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:14	1	1	1	1	128.8	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.125	2004
11.02.2020 16:05:15	1	1	1	1	128.8	62	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.6875	2004
11.02.2020 16:05:16	1	1	1	1	128.8	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42	2004
11.02.2020 16:05:17	1	1	1	1	128.8	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
11.02.2020 16:05:18	1	1	1	1	128.8	62	0	29810.427	533.3333333	16077.51474	30000	0	0	30000	41.375	2004
11.02.2020 16:05:19	1	1	1	1	128.8	61.25	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:20	1	1	1	1	128.8	61.5	0	29431.28	537.6344086	15759.51947	30000	0	0	30000	41.9375	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:28	1	1	1	1	128.3	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:05:28	1	1	1	1	128.3	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.25	2004
11.02.2020 16:05:29	1	1	1	1	128.3	62	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:30	1	1	1	1	128.3	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42	2004
11.02.2020 16:05:31	1	1	1	1	128.3	62	0	29952.607	509.6774194	15483.92357	30000	0	0	30000	41.625	2004
11.02.2020 16:05:32	1	1	1	1	127.8	61.5	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	41.5	2004
11.02.2020 16:05:33	1	1	1	1	127.8	61.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42	2004
11.02.2020 16:05:35	1	1	1	1	127.8	62	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	42	2004
11.02.2020 16:05:36	1	1	1	1	127.8	62	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 16:05:37	1	1	1	1	127.8	61.75	0	29668.246	537.6344086	15911.99413	30000	0	0	30000	41.9375	2004
11.02.2020 16:05:38	1	1	1	1	127.8	61.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:39	1	1	1	1	127.8	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42	2004
11.02.2020 16:05:40	1	1	1	1	127.8	62	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	42.0625	2004
11.02.2020 16:05:41	1	1	1	1	127.8	62	0	29573.46	535.483871	15836.16449	30000	0	0	30000	41.875	2004
11.02.2020 16:05:42	1	1	1	1	127.8	61.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
11.02.2020 16:05:43	1	1	1	1	128	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42	2004
11.02.2020 16:05:44	1	1	1	1	128	62	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.9375	2004
11.02.2020 16:05:45	1	1	1	1	128	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
11.02.2020 16:05:46	1	1	1	1	128	62	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.8125	2004
11.02.2020 16:05:47	1	1	1	1	128	61.75	0	29715.64	535.483871	15937.27068	30000	0	0	30000	41.8125	2004
11.02.2020 16:05:48	1	1	1	1	128	61.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.75	2004
11.02.2020 16:05:49	1	1	1	1	128	61.75	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.8125	2004
11.02.2020 16:05:50	1	1	1	1	128	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
11.02.2020 16:05:51	1	1	1	1	128	61.5	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	41.9375	2004
11.02.2020 16:05:52	1	1	1	1	128	61.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	42	2004
11.02.2020 16:05:53	1	1	1	1	128.5	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.125	2004
11.02.2020 16:05:54	1	1	1	1	128.5	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
11.02.2020 16:05:55	1	1	1	1	128.5	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.875	2004
11.02.2020 16:05:56	1	1	1	1	128.5	61.75	0	29952.607	533.3333333	15781.53453	30000	0	0	30000	42.1875	2004
11.02.2020 16:05:57	1	1	1	1	128.5	62	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	41.625	2004
11.02.2020 16:05:58	1	1	1	1	128.5	61.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.1875	2004
11.02.2020 16:05:59	1	1	1	1	128.5	62	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
11.02.2020 16:06:00	1	1	1	1	128.5	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:01	1	1	1	1	128.5	61.75	0	29810.427	537.6344086	15783.98065	30000	0	0	30000	41.875	2004
11.02.2020 16:06:02	1	1	1	1	128.5	61.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.75	2004
11.02.2020 16:06:03	1	1	1	1	127.8	61.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 16:06:04	1	1	1	1	127.8	61.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.8125	2004
11.02.2020 16:06:05	1	1	1	1	127.8	61.75	0	30000	518.2795699	15637.2136	30000	0	0	30000	41.4375	2004
11.02.2020 16:06:06	1	1	1	1	127.8	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:07	1	1	1	1	127.8	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.4375	2004
11.02.2020 16:06:08	1	1	1	1	127.8	61.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.75	2004
11.02.2020 16:06:09	1	1	1	1	127.8	61.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.875	2004
11.02.2020 16:06:10	1	1	1	1	127.8	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.875	2004
11.02.2020 16:06:11	1	1	1	1	127.8	61.75	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:06:12	1	1	1	1	128	61.5	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	41.5625	2004
11.02.2020 16:06:14	1	1	1	1	128	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.0625	2004
11.02.2020 16:06:15	1	1	1	1	128	61	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.875	2004
11.02.2020 16:06:16	1	1	1	1	128	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.875	2004
11.02.2020 16:06:17	1	1	1	1	128	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:20	1	1	1	1	128	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:20	1	1	1	1	128	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:20	1	1	1	1	128	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:21	1	1	1	1	128	61.75	0	29952.607	505.3763441	15354.27935	30000	0	0	30000	41.5625	2004
11.02.2020 16:06:22	1	1	1	1	128	61.5	0	30094.787	518.2795699	15483.92357	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.75	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	41.5	2004
11.02.2020 16:06:30	1	1	1	1	126.8	61.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.0625	2004
11.02.2020 16:06:31	1	1	1	1	126.8	61	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.625	2004
11.02.2020 16:06:32	1	1	1	1	126.8	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.4375	2004
11.02.2020 16:06:33	1	1	1	1	126.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:34	1	1	1	1	126.5	61.75	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	41.75	2004
11.02.2020 16:06:35	1	1	1	1	126.5	61.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.8125	2004
11.02.2020 16:06:36	1	1	1	1	126.5	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.8125	2004
11.02.2020 16:06:37	1	1	1	1	126.5	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.1875	2004
11.02.2020 16:06:38	1	1	1	1	126.5	62	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
11.02.2020 16:06:39	1	1	1	1	126.5	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.0625	2004
11.02.2020 16:06:40	1	1	1	1	126.5	62	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.0625	2004
11.02.2020 16:06:41	1	1	1	1	126.5	62	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.75	2004
11.02.2020 16:06:42	1	1	1	1	126.5	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
11.02.2020 16:06:43	1	1	1	1	126.3	61.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.8125	2004
11.02.2020 16:06:44	1	1	1	1	126.3	61.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	42	2004
11.02.2020 16:06:45	1	1	1	1	126.3	62	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 16:06:46	1	1	1	1	126.3	61.5	0	29526.066	550.5376344	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:06:47	1	1	1	1	126.3	61.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.875	2004
11.02.2020 16:06:48	1	1	1	1	126.3	61.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.1875	2004
11.02.2020 16:06:49	1	1	1	1	126.3	62	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:06:51	1	1	1	1	126.3	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.625	2004
11.02.2020 16:06:52	1	1	1	1	126.3	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.9375	2004
11.02.2020 16:06:53	1	1	1	1	125.5	61.75	0	29810.427	533.3333333	16116.65262	30000	0	0	30000	41.5	2004
11.02.2020 16:06:54	1	1	1	1	125.5	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.75	2004
11.02.2020 16:06:55	1	1	1	1	125.5	61.75	0	29952.607	509.6774194	15548.338	30000	0	0	30000	42.0625	2004
11.02.2020 16:06:56	1	1	1	1	125.5	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:06:57	1	1	1	1	125.5	62	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42	2004
11.02.2020 16:06:58	1	1	1	1	125.5	62	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.875	2004
11.02.2020 16:06:59	1	1	1	1	125.5	61.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 16:07:00	1	1	1	1	125.5	61.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:01	1	1	1	1	125.5	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
11.02.2020 16:07:02	1	1	1	1	125.5	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:03	1	1	1	1	124.8	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:04	1	1	1	1	124.8	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:05	1	1	1	1	124.8	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42	2004
11.02.2020 16:07:06	1	1	1	1	124.8	62	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:07:07	1	1	1	1	124.8	61.75	0	29810.427	531.1827957	16052.2382	30000	0	0	30000	41.8125	2004
11.02.2020 16:07:08	1	1	1	1	124.8	61.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:09	1	1	1	1	124.8	61.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:10	1	1	1	1	124.8	62	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.5	2004
11.02.2020 16:07:11	1	1	1	1	124.8	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
11.02.2020 16:07:12	1	1	1	1	124.8	61.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.5625	2004
11.02.2020 16:07:13	1	1	1	1	124	61.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:14	1	1	1	1	124	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42	2004
11.02.2020 16:07:15	1	1	1	1	124	62	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:07:16	1	1	1	1	124	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	42.1875	2004
11.02.2020 16:07:17	1	1	1	1	124	62	0	29810.427	535.483871	15911.99413	30000	0	0	30000	42.1875	2004
11.02.2020 16:07:18	1	1	1	1	124	62	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
11.02.2020 16:07:19	1	1	1	1	124	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:20	1	1	1	1	124	61.75	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	41.875	2004
11.02.2020 16:07:21	1	1	1	1	124	61.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.8125	2004
11.02.2020 16:07:22	1	1	1	1	124	61.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	42.25	2004
11.02.2020 16:07:23	1	1	1	1	124.5	62.25	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	41.5	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	42	2004
11.02.2020 16:07:32	1	1	1	1	124.5	62	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:33	1	1	1	1	124.3	62	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	41.4375	2004
11.02.2020 16:07:34	1	1	1	1	124.3	61.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:35	1	1	1	1	124.3	62	0	29431.28	539.7849462	15911.99413	30000	0	0	30000	42.125	2004
11.02.2020 16:07:36	1	1	1	1	124.3	62	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:37	1	1	1	1	124.3	61.75	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:38	1	1	1	1	124.3	62	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:39	1	1	1	1	124.3	61.75	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	42	2004
11.02.2020 16:07:40	1	1	1	1	124.3	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:07:41	1	1	1	1	124.3	62	0	29383.886	537.6344086	15708.96638	30000	0	0	30000	41.8125	2004
11.02.2020 16:07:42	1	1	1	1	124.3	61.75	0	29289.1	550.5376344	16213.68195	30000	0	0	30000	42	2004
11.02.2020 16:07:43	1	1	1	1	124	62	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	42	2004
11.02.2020 16:07:44	1	1	1	1	124	62	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	41.3125	2004
11.02.2020 16:07:45	1	1	1	1	124	61.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:46	1	1	1	1	124	62	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.125	2004
11.02.2020 16:07:47	1	1	1	1	124	62	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	41.375	2004
11.02.2020 16:07:48	1	1	1	1	124	61.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:07:49	1	1	1	1	124	61.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:50	1	1	1	1	124	62	0	29004.739	552.688172	16119.09874	30000	0	0	30000	42.125	2004
11.02.2020 16:07:51	1	1	1	1	124	62	0	29052.133	552.688172	16004.13122	30000	0	0	30000	42	2004
11.02.2020 16:07:52	1	1	1	1	124	62	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.875	2004
11.02.2020 16:07:53	1	1	1	1	122.5	61.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.3125	2004
11.02.2020 16:07:54	1	1	1	1	122.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.0625	2004
11.02.2020 16:07:55	1	1	1	1	122.5	62	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.875	2004
11.02.2020 16:07:56	1	1	1	1	122.5	61.75	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:07:57	1	1	1	1	122.5	61.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.5625	2004
11.02.2020 16:07:58	1	1	1	1	122.5	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.9375	2004
11.02.2020 16:07:59	1	1	1	1	122.5	61.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:00	1	1	1	1	122.5	62	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:01	1	1	1	1	122.5	62	0	29099.526	554.8387097	16207.97434	30000	0	0	30000	41.6875	2004
11.02.2020 16:08:02	1	1	1	1	122.3	62.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:03	1	1	1	1	122.3	61.75	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.6875	2004
11.02.2020 16:08:04	1	1	1	1	122.3	61.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:05	1	1	1	1	122.3	61.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:07	1	1	1	1	122.3	62	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	41.6875	2004
11.02.2020 16:08:08	1	1	1	1	122.3	61.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:09	1	1	1	1	122.3	62	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:10	1	1	1	1	122.3	62	0	28815.166	565.5913978	15943.79366	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:11	1	1	1	1	122.3	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:12	1	1	1	1	122.3	62	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:13	1	1	1	1	121	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.75	2004
11.02.2020 16:08:14	1	1	1	1	121	61.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:15	1	1	1	1	121	62	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:16	1	1	1	1	121	61.75	0	28625.592	556.9892473	16031.85389	30000	0	0	30000	41.8125	2004
11.02.2020 16:08:17	1	1	1	1	121	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:18	1	1	1	1	121	61.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.625	2004
11.02.2020 16:08:19	1	1	1	1	121	61.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	41.5	2004
11.02.2020 16:08:20	1	1	1	1	121	61.5	0	28625.592	552.688172	15882.64072	30000	0	0	30000	41.75	2004
11.02.2020 16:08:21	1	1	1	1	121	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.8125	2004
11.02.2020 16:08:22	1	1	1	1	121	61.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:23	1	1	1	1	121.3	62	0	28815.166	552.688172	15951.94738	30000	0	0	30000	41.875	2004
11.02.2020 16:08:24	1	1	1	1	121.3	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:08:25	1	1	1	1	121.3	61.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	121.3	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:33	1	1	1	1	120.3	62	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:34	1	1	1	1	120.3	62	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.75	2004
11.02.2020 16:08:35	1	1	1	1	120.3	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
11.02.2020 16:08:36	1	1	1	1	120.3	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
11.02.2020 16:08:37	1	1	1	1	120.3	61.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:38	1	1	1	1	120.3	62	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.125	2004
11.02.2020 16:08:39	1	1	1	1	120.3	62	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 16:08:40	1	1	1	1	120.3	62.25	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	41.625	2004
11.02.2020 16:08:41	1	1	1	1	120.3	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:42	1	1	1	1	120.3	61.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:43	1	1	1	1	120.3	61.75	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:44	1	1	1	1	120.3	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:46	1	1	1	1	120.3	62	0	28578.199	559.1397849	16101.97592	30000	0	0	30000	41.5	2004
11.02.2020 16:08:47	1	1	1	1	120.3	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:48	1	1	1	1	120.3	62	0	28625.592	556.9892473	15794.58049	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:49	1	1	1	1	120.3	61.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.875	2004
11.02.2020 16:08:50	1	1	1	1	120.3	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.9375	2004
11.02.2020 16:08:51	1	1	1	1	120.3	61.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.75	2004
11.02.2020 16:08:52	1	1	1	1	120.3	61.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.8125	2004
11.02.2020 16:08:53	1	1	1	1	120.3	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
11.02.2020 16:08:54	1	1	1	1	120.3	61.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:55	1	1	1	1	120.3	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:56	1	1	1	1	120.3	62	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.75	2004
11.02.2020 16:08:57	1	1	1	1	120.3	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
11.02.2020 16:08:58	1	1	1	1	120.3	62	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	42.1875	2004
11.02.2020 16:08:59	1	1	1	1	120.3	62	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.8125	2004
11.02.2020 16:09:00	1	1	1	1	120.3	61.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:01	1	1	1	1	120.3	61.75	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	41.875	2004
11.02.2020 16:09:02	1	1	1	1	120.3	61.75	0	28436.019	561.2903226	15750.55038	30000	0	0	30000	41.625	2004
11.02.2020 16:09:03	1	1	1	1	120	61.5	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	42	2004
11.02.2020 16:09:04	1	1	1	1	120	62	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42.0625	2004
11.02.2020 16:09:05	1	1	1	1	120	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:06	1	1	1	1	120	61.75	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	42.125	2004
11.02.2020 16:09:07	1	1	1	1	120	62	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:08	1	1	1	1	120	62	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:09:09	1	1	1	1	120	62	0	28293.839	565.5913978	16009.83883	30000	0	0	30000	42.125	2004
11.02.2020 16:09:10	1	1	1	1	120	62	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.75	2004
11.02.2020 16:09:11	1	1	1	1	120	61.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:12	1	1	1	1	120	62	0	28293.839	561.2903226	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:09:13	1	1	1	1	120	61.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.75	2004
11.02.2020 16:09:14	1	1	1	1	120	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.6875	2004
11.02.2020 16:09:15	1	1	1	1	120	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:16	1	1	1	1	120	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 16:09:17	1	1	1	1	120	62	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	42	2004
11.02.2020 16:09:18	1	1	1	1	120	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.1875	2004
11.02.2020 16:09:19	1	1	1	1	120	62	0	28199.052	576.344086	15721.19697	30000	0	0	30000	42.0625	2004
11.02.2020 16:09:20	1	1	1	1	120	62	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:22	1	1	1	1	120	61.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:23	1	1	1	1	119.3	62	0	28199.052	567.7419355	16002.50048	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:24	1	1	1	1	119.3	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 16:09:25	1	1	1	1	119.3	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.5	2004
11.02.2020 16:09:26	1	1	1	1	119.3	61.5	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.5	2004
11.02.2020 16:09:27	1	1	1	1	119.3	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:35	1	1	1	1	118.5	62	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	42	2004
11.02.2020 16:09:36	1	1	1	1	118.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.625	2004
11.02.2020 16:09:37	1	1	1	1	118.5	61.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:38	1	1	1	1	118.5	62	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:39	1	1	1	1	118.5	61.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:40	1	1	1	1	118.5	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:09:41	1	1	1	1	118.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:09:42	1	1	1	1	118.5	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42	2004
11.02.2020 16:09:43	1	1	1	1	118	62	0	28436.019	563.4408602	16205.52823	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:44	1	1	1	1	118	62	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	42.1875	2004
11.02.2020 16:09:45	1	1	1	1	118	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.0625	2004
11.02.2020 16:09:46	1	1	1	1	118	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42	2004
11.02.2020 16:09:47	1	1	1	1	118	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 16:09:48	1	1	1	1	118	61.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.75	2004
11.02.2020 16:09:49	1	1	1	1	118	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.5625	2004
11.02.2020 16:09:50	1	1	1	1	118	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42.125	2004
11.02.2020 16:09:51	1	1	1	1	118	62	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
11.02.2020 16:09:52	1	1	1	1	118	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:09:53	1	1	1	1	117.8	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42	2004
11.02.2020 16:09:54	1	1	1	1	117.8	62	0	28578.199	567.7419355	16225.09717	30000	0	0	30000	42	2004
11.02.2020 16:09:55	1	1	1	1	117.8	62	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	42.3125	2004
11.02.2020 16:09:56	1	1	1	1	117.8	62.25	0	28341.232	572.0430108	16361.26437	30000	0	0	30000	41.75	2004
11.02.2020 16:09:57	1	1	1	1	117.8	61.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	42.4375	2004
11.02.2020 16:09:58	1	1	1	1	117.8	62.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.4375	2004
11.02.2020 16:09:59	1	1	1	1	117.8	61.5	0	28388.626	567.7419355	16090.5607	30000	0	0	30000	41.8125	2004
11.02.2020 16:10:00	1	1	1	1	117.8	61.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42	2004
11.02.2020 16:10:02	1	1	1	1	117.8	62	0	28293.839	569.8924731	16002.50048	30000	0	0	30000	42.125	2004
11.02.2020 16:10:03	1	1	1	1	117	62	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	42	2004
11.02.2020 16:10:04	1	1	1	1	117	62	0	28199.052	569.8924731	16123.99098	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:05	1	1	1	1	117	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:06	1	1	1	1	117	62	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:07	1	1	1	1	117	62	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	42.125	2004
11.02.2020 16:10:08	1	1	1	1	117	62	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.75	2004
11.02.2020 16:10:09	1	1	1	1	117	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.75	2004
11.02.2020 16:10:10	1	1	1	1	117	61.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.6875	2004
11.02.2020 16:10:11	1	1	1	1	117	61.5	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	42.125	2004
11.02.2020 16:10:12	1	1	1	1	117	62	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.125	2004
11.02.2020 16:10:13	1	1	1	1	116.3	62	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.75	2004
11.02.2020 16:10:14	1	1	1	1	116.3	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42	2004
11.02.2020 16:10:15	1	1	1	1	116.3	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:16	1	1	1	1	116.3	62	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	42	2004
11.02.2020 16:10:17	1	1	1	1	116.3	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 16:10:18	1	1	1	1	116.3	61.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	41.9375	2004
11.02.2020 16:10:19	1	1	1	1	116.3	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
11.02.2020 16:10:20	1	1	1	1	116.3	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:10:21	1	1	1	1	116.3	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:10:22	1	1	1	1	116.3	62	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:23	1	1	1	1	116.8	62	0	0	0	0	30000	0	8	30000	42.25	2004
11.02.2020 16:10:24	1	1	1	1	116.8	62.25	0	10426.54	0	0	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:25	1	1	1	1	116.8	62	0	11327.014	0	0	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:26	1	1	1	1	116.8	62	0	12180.095	0	0	30000	0	0	30000	42.125	2004
11.02.2020 16:10:27	1	1	1	1	116.8	62	0	12843.602	2.150537634	27.72266464	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:28	1	1	1	1	116.8	62	0	13601.896	6.451612903	87.24485636	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62.25	0	19052.133	75.2688172	1433.424836	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:36	1	1	1	1	116	62	0	19668.246	88.17204301	1874.541353	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:10:37	1	1	1	1	116	62.5	0	20142.18	96.77419355	1948.74025	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:38	1	1	1	1	116	62	0	21374.408	120.4301075	2574.130949	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:39	1	1	1	1	116	62	0	22132.701	137.6344086	3046.23162	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:41	1	1	1	1	116	62	0	22890.995	152.688172	3494.686489	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:42	1	1	1	1	116	62	0	22843.602	159.1397849	3676.514554	30000	0	0	30000	41.25	2004
11.02.2020 16:10:43	1	1	1	1	115	61.25	0	22890.995	152.688172	3692.006632	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:44	1	1	1	1	115	62	0	22985.782	161.2903226	3692.006632	30000	0	0	30000	42.125	2004
11.02.2020 16:10:45	1	1	1	1	115	62	0	22938.389	159.1397849	3642.26891	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:46	1	1	1	1	115	62	0	22890.995	161.2903226	3740.928981	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:47	1	1	1	1	115	62	0	22890.995	161.2903226	3692.006632	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:48	1	1	1	1	115	62	0	22890.995	163.4408602	3740.928981	30000	0	0	30000	42.125	2004
11.02.2020 16:10:49	1	1	1	1	115	62	0	22985.782	163.4408602	3740.928981	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:50	1	1	1	1	115	62	0	22985.782	152.688172	3509.363194	30000	0	0	30000	42.125	2004
11.02.2020 16:10:51	1	1	1	1	115	62	0	22890.995	152.688172	3593.34656	30000	0	0	30000	42.25	2004
11.02.2020 16:10:52	1	1	1	1	115	62.25	0	22985.782	156.9892473	3494.686489	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:53	1	1	1	1	114.3	62	0	22985.782	161.2903226	3494.686489	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:54	1	1	1	1	114.3	62	0	22985.782	152.688172	3608.023265	30000	0	0	30000	42.125	2004
11.02.2020 16:10:55	1	1	1	1	114.3	62	0	22985.782	163.4408602	3756.421058	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:56	1	1	1	1	114.3	62	0	22985.782	167.7419355	3839.589052	30000	0	0	30000	42.0625	2004
11.02.2020 16:10:57	1	1	1	1	114.3	62	0	22985.782	163.4408602	3756.421058	30000	0	0	30000	42.125	2004
11.02.2020 16:10:58	1	1	1	1	114.3	62	0	22890.995	152.688172	3740.928981	30000	0	0	30000	42.1875	2004
11.02.2020 16:10:59	1	1	1	1	114.3	62	0	22890.995	163.4408602	3740.928981	30000	0	0	30000	42.125	2004
11.02.2020 16:11:00	1	1	1	1	114.3	62	0	22938.389	163.4408602	3740.928981	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:01	1	1	1	1	114.3	62	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:02	1	1	1	1	114.3	62	0	23933.649	184.9462366	4538.363276	30000	0	0	30000	41.875	2004
11.02.2020 16:11:03	1	1	1	1	113.3	61.75	0	24218.009	206.4516129	5029.217514	30000	0	0	30000	41.75	2004
11.02.2020 16:11:04	1	1	1	1	113.3	61.75	0	24881.517	219.3548387	5404.288859	30000	0	0	30000	42	2004
11.02.2020 16:11:05	1	1	1	1	113.3	62	0	25592.417	232.2580645	6010.110619	30000	0	0	30000	42.125	2004
11.02.2020 16:11:06	1	1	1	1	113.3	62	0	25924.171	249.4623656	6466.719213	30000	0	0	30000	42	2004
11.02.2020 16:11:07	1	1	1	1	113.3	62	0	25734.597	266.6666667	6806.729541	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:08	1	1	1	1	113.3	62	0	26066.351	277.4193548	7286.983937	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:09	1	1	1	1	113.3	62	0	26540.284	294.6236559	7819.422173	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:10	1	1	1	1	113.3	62	0	26018.957	309.6774194	8001.250238	30000	0	0	30000	41.9375	2004
11.02.2020 16:11:11	1	1	1	1	113.3	61.75	0	26255.924	326.8817204	8598.1029	30000	0	0	30000	41.9375	2004
11.02.2020 16:11:12	1	1	1	1	113.3	61.75	0	26445.498	339.7849462	9018.019732	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:13	1	1	1	1	113	62	0	26682.464	354.8387097	9467.289974	30000	0	0	30000	42	2004
11.02.2020 16:11:14	1	1	1	1	113	62	0	26966.825	369.8924731	9974.451662	30000	0	0	30000	42.125	2004
11.02.2020 16:11:15	1	1	1	1	113	62	0	27014.218	384.9462366	10417.19892	30000	0	0	30000	41.625	2004
11.02.2020 16:11:16	1	1	1	1	113	61.5	0	27061.611	395.6989247	10960.237	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:17	1	1	1	1	113	62	0	27440.758	415.0537634	11389.12293	30000	0	0	30000	41.75	2004
11.02.2020 16:11:18	1	1	1	1	113	62	0	27630.332	445.1612903	12299.894	30000	0	0	30000	41.625	2004
11.02.2020 16:11:20	1	1	1	1	113	61.5	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	41.9375	2004
11.02.2020 16:11:21	1	1	1	1	113	61.75	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	41.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:11:22	1	1	1	1	113	61.5	0	28293.839	490.3225806	13886.60887	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:23	1	1	1	1	112.5	62	0	28293.839	507.5268817	14189.92743	30000	0	0	30000	41.875	2004
11.02.2020 16:11:24	1	1	1	1	112.5	61.75	0	28293.839	520.4301075	14749.27296	30000	0	0	30000	41.5	2004
11.02.2020 16:11:25	1	1	1	1	112.5	61.5	0	28578.199	535.483871	15252.35779	30000	0	0	30000	41.8125	2004
11.02.2020 16:11:26	1	1	1	1	112.5	61.75	0	28436.019	550.5376344	15742.39665	30000	0	0	30000	41.6875	2004
11.02.2020 16:11:27	1	1	1	1	112.5	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.8125	2004
11.02.2020 16:11:28	1	1	1	1	112.5	61.75	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	41.75	2004
11.02.2020 16:11:29	1	1	1	1	112.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.9375	2004
11.02.2020 16:11:30	1	1	1	1	112.5	61.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	42	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.75	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
11.02.2020 16:11:38	1	1	1	1	112	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.5	2004
11.02.2020 16:11:39	1	1	1	1	112	61.5	0	28483.412	563.4408602	16013.91569	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:40	1	1	1	1	112	62	0	28388.626	556.9892473	15777.45767	30000	0	0	30000	41.5625	2004
11.02.2020 16:11:41	1	1	1	1	112	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:42	1	1	1	1	112	62	0	28483.412	572.0430108	16022.06942	30000	0	0	30000	41.8125	2004
11.02.2020 16:11:43	1	1	1	1	111.5	61.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.1875	2004
11.02.2020 16:11:44	1	1	1	1	111.5	62	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.75	2004
11.02.2020 16:11:45	1	1	1	1	111.5	61.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
11.02.2020 16:11:46	1	1	1	1	111.5	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	42.1875	2004
11.02.2020 16:11:47	1	1	1	1	111.5	62	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.9375	2004
11.02.2020 16:11:48	1	1	1	1	111.5	61.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	42.125	2004
11.02.2020 16:11:49	1	1	1	1	111.5	62	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	42.125	2004
11.02.2020 16:11:50	1	1	1	1	111.5	62	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.875	2004
11.02.2020 16:11:51	1	1	1	1	111.5	61.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	42.1875	2004
11.02.2020 16:11:52	1	1	1	1	111.5	62	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.375	2004
11.02.2020 16:11:53	1	1	1	1	111.5	61.25	0	28530.806	561.2903226	16225.09717	30000	0	0	30000	42.1875	2004
11.02.2020 16:11:54	1	1	1	1	111.5	62	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42.125	2004
11.02.2020 16:11:55	1	1	1	1	111.5	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.125	2004
11.02.2020 16:11:56	1	1	1	1	111.5	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
11.02.2020 16:11:58	1	1	1	1	111.5	62	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42	2004
11.02.2020 16:11:59	1	1	1	1	111.5	62	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:00	1	1	1	1	111.5	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.1875	2004
11.02.2020 16:12:01	1	1	1	1	111.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.6875	2004
11.02.2020 16:12:02	1	1	1	1	111.5	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.8125	2004
11.02.2020 16:12:03	1	1	1	1	112	61.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.875	2004
11.02.2020 16:12:04	1	1	1	1	112	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 16:12:05	1	1	1	1	112	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:12:06	1	1	1	1	112	62	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:07	1	1	1	1	112	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.25	2004
11.02.2020 16:12:08	1	1	1	1	112	62.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
11.02.2020 16:12:09	1	1	1	1	112	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42	2004
11.02.2020 16:12:10	1	1	1	1	112	62	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:11	1	1	1	1	112	62	0	28436.019	569.8924731	15785.61139	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:12	1	1	1	1	112	61.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:13	1	1	1	1	112.5	61.75	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:14	1	1	1	1	112.5	61.75	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	41.6875	2004
11.02.2020 16:12:15	1	1	1	1	112.5	61.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.125	2004
11.02.2020 16:12:16	1	1	1	1	112.5	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:17	1	1	1	1	112.5	61.75	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	41.8125	2004
11.02.2020 16:12:18	1	1	1	1	112.5	61.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:19	1	1	1	1	112.5	61.75	0	28625.592	565.5913978	16190.03615	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:20	1	1	1	1	112.5	61.75	0	28530.806	565.5913978	16101.97592	30000	0	0	30000	41.875	2004
11.02.2020 16:12:21	1	1	1	1	112.5	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.1875	2004
11.02.2020 16:12:22	1	1	1	1	112.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:23	1	1	1	1	111.3	61.75	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	41.875	2004
11.02.2020 16:12:24	1	1	1	1	111.3	61.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:25	1	1	1	1	111.3	62	0	28578.199	567.7419355	16109.31427	30000	0	0	30000	42.125	2004
11.02.2020 16:12:26	1	1	1	1	111.3	62	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	42.1875	2004
11.02.2020 16:12:27	1	1	1	1	111.3	62	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42	2004
11.02.2020 16:12:28	1	1	1	1	111.3	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 16:12:29	1	1	1	1	111.3	61.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	42.125	2004
11.02.2020 16:12:30	1	1	1	1	111.3	62	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:31	1	1	1	1	111.3	62	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:40	1	1	1	1	110.3	62	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:41	1	1	1	1	110.3	62	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 16:12:42	1	1	1	1	110.3	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.125	2004
11.02.2020 16:12:43	1	1	1	1	109.3	62	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	41.9375	2004
11.02.2020 16:12:44	1	1	1	1	109.3	61.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.625	2004
11.02.2020 16:12:45	1	1	1	1	109.3	61.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.8125	2004
11.02.2020 16:12:46	1	1	1	1	109.3	61.75	0	28293.839	565.5913978	15888.34833	30000	0	0	30000	42.125	2004
11.02.2020 16:12:47	1	1	1	1	109.3	62	0	28388.626	565.5913978	16177.80556	30000	0	0	30000	42.0625	2004
11.02.2020 16:12:48	1	1	1	1	109.3	62	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.5	2004
11.02.2020 16:12:49	1	1	1	1	109.3	61.5	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:12:50	1	1	1	1	109.3	61.25	0	27867.299	563.4408602	15907.91727	30000	0	0	30000	41.75	2004
11.02.2020 16:12:51	1	1	1	1	109.3	61.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 16:12:52	1	1	1	1	109.3	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5625	2004
11.02.2020 16:12:53	1	1	1	1	109	61.5	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	41.8125	2004
11.02.2020 16:12:54	1	1	1	1	109	61.75	0	28246.445	563.4408602	16002.50048	30000	0	0	30000	41.75	2004
11.02.2020 16:12:55	1	1	1	1	109	61.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	42.125	2004
11.02.2020 16:12:56	1	1	1	1	109	62	0	28009.479	576.344086	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:12:57	1	1	1	1	109	62	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42	2004
11.02.2020 16:12:58	1	1	1	1	109	62	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:12:59	1	1	1	1	109	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42	2004
11.02.2020 16:13:00	1	1	1	1	109	62	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	42.125	2004
11.02.2020 16:13:01	1	1	1	1	109	62	0	28341.232	572.0430108	15827.19539	30000	0	0	30000	41.875	2004
11.02.2020 16:13:02	1	1	1	1	109	61.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.125	2004
11.02.2020 16:13:03	1	1	1	1	109	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42	2004
11.02.2020 16:13:04	1	1	1	1	109	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:13:05	1	1	1	1	109	61.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42	2004
11.02.2020 16:13:06	1	1	1	1	109	62	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	41.75	2004
11.02.2020 16:13:07	1	1	1	1	109	61.75	0	28388.626	561.2903226	15811.70331	30000	0	0	30000	41.875	2004
11.02.2020 16:13:08	1	1	1	1	109	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:13:09	1	1	1	1	109	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.0625	2004
11.02.2020 16:13:10	1	1	1	1	109	62	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	42.1875	2004
11.02.2020 16:13:11	1	1	1	1	109	62	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	42	2004
11.02.2020 16:13:12	1	1	1	1	109	62	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	42.125	2004
11.02.2020 16:13:13	1	1	1	1	108.3	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42.1875	2004
11.02.2020 16:13:15	1	1	1	1	108.3	62	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
11.02.2020 16:13:16	1	1	1	1	108.3	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5	2004
11.02.2020 16:13:17	1	1	1	1	108.3	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:13:18	1	1	1	1	108.3	61.75	0	28199.052	563.4408602	15975.59318	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:19	1	1	1	1	108.3	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
11.02.2020 16:13:20	1	1	1	1	108.3	62	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:21	1	1	1	1	108.3	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:22	1	1	1	1	108.3	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42	2004
11.02.2020 16:13:23	1	1	1	1	108.8	62	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
11.02.2020 16:13:24	1	1	1	1	108.8	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:13:25	1	1	1	1	108.8	61.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.875	2004
11.02.2020 16:13:26	1	1	1	1	108.8	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 16:13:27	1	1	1	1	108.8	61.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 16:13:28	1	1	1	1	108.8	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.6875	2004
11.02.2020 16:13:29	1	1	1	1	108.8	61.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:13:30	1	1	1	1	108.8	61.75	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:13:31	1	1	1	1	108.8	62	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	41.875	2004
11.02.2020 16:13:32	1	1	1	1	108.8	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:13:33	1	1	1	1	109	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.875	2004
11.02.2020 16:13:41	1	1	1	1	109	61.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
11.02.2020 16:13:42	1	1	1	1	109	61.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	42.125	2004
11.02.2020 16:13:43	1	1	1	1	108.3	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5625	2004
11.02.2020 16:13:44	1	1	1	1	108.3	61.5	0	28246.445	569.8924731	16070.17639	30000	0	0	30000	42	2004
11.02.2020 16:13:45	1	1	1	1	108.3	62	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.0625	2004
11.02.2020 16:13:46	1	1	1	1	108.3	62	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	41.1875	2004
11.02.2020 16:13:47	1	1	1	1	108.3	61	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	42.125	2004
11.02.2020 16:13:48	1	1	1	1	108.3	62	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	42.4375	2004
11.02.2020 16:13:49	1	1	1	1	108.3	62.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.8125	2004
11.02.2020 16:13:50	1	1	1	1	108.3	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
11.02.2020 16:13:52	1	1	1	1	108.3	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:53	1	1	1	1	108.8	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5	2004
11.02.2020 16:13:54	1	1	1	1	108.8	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.8125	2004
11.02.2020 16:13:55	1	1	1	1	108.8	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:56	1	1	1	1	108.8	61.75	0	28009.479	576.344086	16373.49496	30000	0	0	30000	41.9375	2004
11.02.2020 16:13:57	1	1	1	1	108.8	61.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
11.02.2020 16:13:58	1	1	1	1	108.8	61.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.0625	2004
11.02.2020 16:13:59	1	1	1	1	108.8	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:14:00	1	1	1	1	108.8	62	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:14:01	1	1	1	1	108.8	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.875	2004
11.02.2020 16:14:02	1	1	1	1	108.8	61.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.75	2004
11.02.2020 16:14:03	1	1	1	1	113.3	61.75	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:04	1	1	1	1	113.3	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.125	2004
11.02.2020 16:14:05	1	1	1	1	113.3	62	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 16:14:06	1	1	1	1	113.3	61.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	41.75	2004
11.02.2020 16:14:07	1	1	1	1	113.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:08	1	1	1	1	113.3	61.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.8125	2004
11.02.2020 16:14:09	1	1	1	1	113.3	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:10	1	1	1	1	113.3	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.3125	2004
11.02.2020 16:14:11	1	1	1	1	113.3	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:14:12	1	1	1	1	113.3	61.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42	2004
11.02.2020 16:14:13	1	1	1	1	109.3	62	0	27914.692	578.4946237	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:14	1	1	1	1	109.3	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.4375	2004
11.02.2020 16:14:15	1	1	1	1	109.3	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:14:16	1	1	1	1	109.3	62	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:17	1	1	1	1	109.3	61.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:14:18	1	1	1	1	109.3	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.625	2004
11.02.2020 16:14:19	1	1	1	1	109.3	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
11.02.2020 16:14:20	1	1	1	1	109.3	61.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:14:21	1	1	1	1	109.3	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:14:22	1	1	1	1	109.3	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.6875	2004
11.02.2020 16:14:23	1	1	1	1	108	61.5	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:24	1	1	1	1	108	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:14:25	1	1	1	1	108	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
11.02.2020 16:14:26	1	1	1	1	108	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.25	2004
11.02.2020 16:14:27	1	1	1	1	108	62.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 16:14:29	1	1	1	1	108	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:14:30	1	1	1	1	108	61.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	42	2004
11.02.2020 16:14:31	1	1	1	1	108	62	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:32	1	1	1	1	108	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:33	1	1	1	1	107.5	62	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	41.5625	2004
11.02.2020 16:14:34	1	1	1	1	107.5	61.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	42	2004
11.02.2020 16:14:35	1	1	1	1	107.5	62	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	107.5	61.75	0	28388.626	574.1935484	16002.50048	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:43	1	1	1	1	106.8	61.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	42	2004
11.02.2020 16:14:44	1	1	1	1	106.8	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:45	1	1	1	1	106.8	61.75	0	28246.445	569.8924731	16070.17639	30000	0	0	30000	41.4375	2004
11.02.2020 16:14:46	1	1	1	1	106.8	61.25	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:47	1	1	1	1	106.8	61.75	0	27867.299	567.7419355	15641.29046	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:48	1	1	1	1	106.8	62	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41.875	2004
11.02.2020 16:14:49	1	1	1	1	106.8	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.125	2004
11.02.2020 16:14:50	1	1	1	1	106.8	62	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
11.02.2020 16:14:51	1	1	1	1	106.8	62	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:52	1	1	1	1	106.8	62	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.8125	2004
11.02.2020 16:14:53	1	1	1	1	106	61.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 16:14:54	1	1	1	1	106	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:14:55	1	1	1	1	106	61.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.125	2004
11.02.2020 16:14:56	1	1	1	1	106	62	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	41.625	2004
11.02.2020 16:14:57	1	1	1	1	106	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:14:58	1	1	1	1	106	62	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:14:59	1	1	1	1	106	61.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 16:15:00	1	1	1	1	106	61.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:01	1	1	1	1	106	62	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:15:02	1	1	1	1	106	62	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.625	2004
11.02.2020 16:15:03	1	1	1	1	106.3	61.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42	2004
11.02.2020 16:15:05	1	1	1	1	106.3	62.25	0	28199.052	563.4408602	15975.59318	30000	0	0	30000	42.125	2004
11.02.2020 16:15:06	1	1	1	1	106.3	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:15:07	1	1	1	1	106.3	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:15:08	1	1	1	1	106.3	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:09	1	1	1	1	106.3	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:10	1	1	1	1	106.3	61.75	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:11	1	1	1	1	106.3	62	0	28293.839	572.0430108	15888.34833	30000	0	0	30000	41.75	2004
11.02.2020 16:15:12	1	1	1	1	106.3	61.75	0	27962.085	569.8924731	15814.9648	30000	0	0	30000	41.625	2004
11.02.2020 16:15:13	1	1	1	1	105.5	61.5	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	41.625	2004
11.02.2020 16:15:14	1	1	1	1	105.5	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 16:15:15	1	1	1	1	105.5	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 16:15:16	1	1	1	1	105.5	61.75	0	28199.052	567.7419355	16090.5607	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:17	1	1	1	1	105.5	61.75	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 16:15:18	1	1	1	1	105.5	61.75	0	27962.085	567.7419355	16082.40698	30000	0	0	30000	41.5	2004
11.02.2020 16:15:19	1	1	1	1	105.5	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:20	1	1	1	1	105.5	61.75	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	42.1875	2004
11.02.2020 16:15:21	1	1	1	1	105.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 16:15:22	1	1	1	1	105.5	61.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	42.1875	2004
11.02.2020 16:15:23	1	1	1	1	108	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 16:15:24	1	1	1	1	108	61.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:25	1	1	1	1	108	62	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	41.75	2004
11.02.2020 16:15:26	1	1	1	1	108	61.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:27	1	1	1	1	108	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.5625	2004
11.02.2020 16:15:28	1	1	1	1	108	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:29	1	1	1	1	108	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:15:30	1	1	1	1	108	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:15:31	1	1	1	1	108	61.75	0	28009.479	567.7419355	16312.34202	30000	0	0	30000	41.4375	2004
11.02.2020 16:15:32	1	1	1	1	108	61.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.4375	2004
11.02.2020 16:15:33	1	1	1	1	106.8	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
11.02.2020 16:15:34	1	1	1	1	106.8	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 16:15:35	1	1	1	1	106.8	61.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.625	2004
11.02.2020 16:15:36	1	1	1	1	106.8	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:45	1	1	1	1	105.8	61.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.6875	2004
11.02.2020 16:15:46	1	1	1	1	105.8	61.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:15:47	1	1	1	1	105.8	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:48	1	1	1	1	105.8	62	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	41.75	2004
11.02.2020 16:15:49	1	1	1	1	105.8	61.75	0	27962.085	574.1935484	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:15:50	1	1	1	1	105.8	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.4375	2004
11.02.2020 16:15:51	1	1	1	1	105.8	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:15:52	1	1	1	1	105.8	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:15:53	1	1	1	1	105.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
11.02.2020 16:15:54	1	1	1	1	105.5	62	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	41.875	2004
11.02.2020 16:15:55	1	1	1	1	105.5	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.9375	2004
11.02.2020 16:15:56	1	1	1	1	105.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:15:57	1	1	1	1	105.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:15:58	1	1	1	1	105.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.5625	2004
11.02.2020 16:15:59	1	1	1	1	105.5	61.5	0	27725.118	567.7419355	15745.65814	30000	0	0	30000	41.75	2004
11.02.2020 16:16:00	1	1	1	1	105.5	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 16:16:01	1	1	1	1	105.5	61.75	0	27772.512	572.0430108	15745.65814	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:02	1	1	1	1	105.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:16:03	1	1	1	1	105.5	61.75	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	42	2004
11.02.2020 16:16:04	1	1	1	1	105.5	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:16:05	1	1	1	1	105.5	62	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.6875	2004
11.02.2020 16:16:06	1	1	1	1	105.5	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.8125	2004
11.02.2020 16:16:07	1	1	1	1	105.5	61.75	0	28009.479	576.344086	16252.00446	30000	0	0	30000	42.1875	2004
11.02.2020 16:16:08	1	1	1	1	105.5	62	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.625	2004
11.02.2020 16:16:09	1	1	1	1	105.5	61.5	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	42	2004
11.02.2020 16:16:10	1	1	1	1	105.5	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 16:16:11	1	1	1	1	105.5	61.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	41.8125	2004
11.02.2020 16:16:12	1	1	1	1	105.5	61.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	42.125	2004
11.02.2020 16:16:13	1	1	1	1	105	62	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 16:16:14	1	1	1	1	105	61.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:16:15	1	1	1	1	105	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:16:16	1	1	1	1	105	61.75	0	27867.299	572.0430108	15627.42913	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:17	1	1	1	1	105	62	0	27630.332	565.5913978	15913.62487	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:18	1	1	1	1	105	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	42	2004
11.02.2020 16:16:19	1	1	1	1	105	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.125	2004
11.02.2020 16:16:20	1	1	1	1	105	62	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	41.5	2004
11.02.2020 16:16:22	1	1	1	1	105	61.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.4375	2004
11.02.2020 16:16:23	1	1	1	1	104.5	62.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
11.02.2020 16:16:24	1	1	1	1	104.5	62	0	27867.299	576.344086	16088.11459	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:25	1	1	1	1	104.5	62	0	28009.479	572.0430108	15721.19697	30000	0	0	30000	42	2004
11.02.2020 16:16:26	1	1	1	1	104.5	62	0	27914.692	576.344086	16088.11459	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:27	1	1	1	1	104.5	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:28	1	1	1	1	104.5	62	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:29	1	1	1	1	104.5	61.75	0	27772.512	569.8924731	15854.10268	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:30	1	1	1	1	104.5	61.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:16:31	1	1	1	1	104.5	61.75	0	27819.905	576.344086	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:32	1	1	1	1	104.5	61.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.5	2004
11.02.2020 16:16:33	1	1	1	1	104	61.5	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:34	1	1	1	1	104	61.75	0	27914.692	574.1935484	16207.97434	30000	0	0	30000	41.875	2004
11.02.2020 16:16:35	1	1	1	1	104	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:16:36	1	1	1	1	104	61.75	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:16:37	1	1	1	1	104	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	42	2004
11.02.2020 16:16:38	1	1	1	1	104	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	61.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:46	1	1	1	1	103.8	62	0	27914.692	576.344086	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:16:47	1	1	1	1	103.8	61.75	0	28009.479	582.7956989	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:16:48	1	1	1	1	103.8	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:16:49	1	1	1	1	103.8	61.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	42.125	2004
11.02.2020 16:16:50	1	1	1	1	103.8	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.5625	2004
11.02.2020 16:16:51	1	1	1	1	103.8	61.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 16:16:52	1	1	1	1	103.8	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:16:53	1	1	1	1	103.8	62	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	42.0625	2004
11.02.2020 16:16:54	1	1	1	1	103.8	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.625	2004
11.02.2020 16:16:55	1	1	1	1	103.8	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:16:56	1	1	1	1	103.8	61.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.5625	2004
11.02.2020 16:16:57	1	1	1	1	103.8	61.5	0	27914.692	569.8924731	15614.38317	30000	0	0	30000	41.875	2004
11.02.2020 16:16:58	1	1	1	1	103.8	61.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 16:17:00	1	1	1	1	103.8	61.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	42.3125	2004
11.02.2020 16:17:01	1	1	1	1	103.8	62.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:02	1	1	1	1	103.8	61.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 16:17:03	1	1	1	1	104	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:17:04	1	1	1	1	104	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 16:17:05	1	1	1	1	104	61.75	0	27819.905	569.8924731	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:06	1	1	1	1	104	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.3125	2004
11.02.2020 16:17:07	1	1	1	1	104	61.25	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:08	1	1	1	1	104	62	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	41.9375	2004
11.02.2020 16:17:09	1	1	1	1	104	61.75	0	27914.692	580.6451613	16027.77702	30000	0	0	30000	41.5	2004
11.02.2020 16:17:10	1	1	1	1	104	61.5	0	27962.085	569.8924731	15968.25483	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:11	1	1	1	1	104	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.125	2004
11.02.2020 16:17:12	1	1	1	1	104	61	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:13	1	1	1	1	102.8	62	0	27867.299	567.7419355	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:14	1	1	1	1	102.8	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:17:15	1	1	1	1	102.8	62	0	27962.085	576.344086	15907.91727	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:16	1	1	1	1	102.8	61.75	0	28293.839	572.0430108	16130.51396	30000	0	0	30000	42	2004
11.02.2020 16:17:17	1	1	1	1	102.8	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:17:18	1	1	1	1	102.8	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:17:19	1	1	1	1	102.8	62	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:17:20	1	1	1	1	102.8	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:21	1	1	1	1	102.8	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:22	1	1	1	1	102.8	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5	2004
11.02.2020 16:17:23	1	1	1	1	103	61.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42	2004
11.02.2020 16:17:24	1	1	1	1	103	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:25	1	1	1	1	103	62	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	42.125	2004
11.02.2020 16:17:26	1	1	1	1	103	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:17:27	1	1	1	1	103	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:28	1	1	1	1	103	62	0	27914.692	576.344086	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:17:29	1	1	1	1	103	61.75	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 16:17:30	1	1	1	1	103	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.625	2004
11.02.2020 16:17:31	1	1	1	1	103	61.5	0	28009.479	578.4946237	15961.73185	30000	0	0	30000	41.5	2004
11.02.2020 16:17:32	1	1	1	1	103	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:17:33	1	1	1	1	102.5	61.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	41.9375	2004
11.02.2020 16:17:34	1	1	1	1	102.5	61.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.625	2004
11.02.2020 16:17:35	1	1	1	1	102.5	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.9375	2004
11.02.2020 16:17:36	1	1	1	1	102.5	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.5	2004
11.02.2020 16:17:37	1	1	1	1	102.5	62.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.125	2004
11.02.2020 16:17:39	1	1	1	1	102.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:40	1	1	1	1	102.5	62	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	42.1875	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:48	1	1	1	1	103	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:17:51	1	1	1	1	103	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 16:17:51	1	1	1	1	103	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 16:17:51	1	1	1	1	103	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 16:17:51	1	1	1	1	103	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:17:52	1	1	1	1	103	62	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:17:53	1	1	1	1	102.8	61.75	0	27819.905	576.344086	15983.74691	30000	0	0	30000	41.3125	2004
11.02.2020 16:17:54	1	1	1	1	102.8	61.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 16:17:55	1	1	1	1	102.8	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 16:17:56	1	1	1	1	102.8	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:57	1	1	1	1	102.8	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.0625	2004
11.02.2020 16:17:58	1	1	1	1	102.8	62	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	42	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 16:17:59	1	1	1	1	102.8	62	0	27962.085	576.344086	16203.08211	30000	0	0	30000	41.9375	2004
11.02.2020 16:18:00	1	1	1	1	102.8	61.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	41.25	2004
11.02.2020 16:18:01	1	1	1	1	102.8	61.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 16:18:02	1	1	1	1	102.8	61.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	41.9375	2004
11.02.2020 16:18:03	1	1	1	1	102.8	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 16:18:04	1	1	1	1	102.8	62	0	28009.479	580.6451613	16175.35944	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:05	1	1	1	1	102.8	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:18:06	1	1	1	1	102.8	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:07	1	1	1	1	102.8	61.75	0	27867.299	567.7419355	15761.15022	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:08	1	1	1	1	102.8	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.4375	2004
11.02.2020 16:18:09	1	1	1	1	102.8	61.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.875	2004
11.02.2020 16:18:10	1	1	1	1	102.8	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:18:11	1	1	1	1	102.8	62	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	42.0625	2004
11.02.2020 16:18:12	1	1	1	1	102.8	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:13	1	1	1	1	102	61.75	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	41.625	2004
11.02.2020 16:18:14	1	1	1	1	102	61.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41	2004
11.02.2020 16:18:16	1	1	1	1	102	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.375	2004
11.02.2020 16:18:17	1	1	1	1	102	62.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	42.1875	2004
11.02.2020 16:18:18	1	1	1	1	102	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:18:19	1	1	1	1	102	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:18:20	1	1	1	1	102	61.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 16:18:21	1	1	1	1	102	62	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 16:18:22	1	1	1	1	102	61.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:23	1	1	1	1	102.3	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:18:24	1	1	1	1	102.3	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	42.1875	2004
11.02.2020 16:18:25	1	1	1	1	102.3	62	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 16:18:26	1	1	1	1	102.3	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.1875	2004
11.02.2020 16:18:27	1	1	1	1	102.3	62	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	41.625	2004
11.02.2020 16:18:28	1	1	1	1	102.3	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:18:29	1	1	1	1	102.3	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.6875	2004
11.02.2020 16:18:30	1	1	1	1	102.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:18:31	1	1	1	1	102.3	62	0	27725.118	580.6451613	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:18:32	1	1	1	1	102.3	62	0	27725.118	578.4946237	16153.34439	30000	0	0	30000	41.375	2004
11.02.2020 16:18:33	1	1	1	1	102	61.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 16:18:34	1	1	1	1	102	61.75	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 16:18:35	1	1	1	1	102	61.5	0	27582.938	569.8924731	15805.18033	30000	0	0	30000	42	2004
11.02.2020 16:18:36	1	1	1	1	102	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.125	2004
11.02.2020 16:18:37	1	1	1	1	102	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.125	2004
11.02.2020 16:18:38	1	1	1	1	102	62	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.875	2004
11.02.2020 16:18:39	1	1	1	1	102	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.1875	2004
11.02.2020 16:18:40	1	1	1	1	102	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 16:18:41	1	1	1	1	102	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:49	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:50	1	1	1	1	101.8	61.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.125	2004
11.02.2020 16:18:50	1	1	1	1	101.8	62	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	42.1875	2004
11.02.2020 16:18:51	1	1	1	1	101.8	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 16:18:53	1	1	1	1	101.8	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 16:18:54	1	1	1	1	102.3	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:18:55	1	1	1	1	102.3	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.375	2004
11.02.2020 16:18:56	1	1	1	1	102.3	62	0	27630.332	582.7956989	15956.02424	30000	0	0	30000	42.125	2004
11.02.2020 16:18:57	1	1	1	1	102.3	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.0625	2004
11.02.2020 16:18:58	1	1	1	1	102.3	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:18:59	1	1	1	1	102.3	61.5	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	42	2004
11.02.2020 16:19:00	1	1	1	1	102.3	62	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:01	1	1	1	1	102.3	62	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:02	1	1	1	1	102.3	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:03	1	1	1	1	103	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:19:04	1	1	1	1	103	62	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	42.1875	2004
11.02.2020 16:19:05	1	1	1	1	103	62	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:06	1	1	1	1	103	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 16:19:07	1	1	1	1	103	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
11.02.2020 16:19:08	1	1	1	1	103	61.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:09	1	1	1	1	103	62	0	27772.512	578.4946237	16033.48463	30000	0	0	30000	42.1875	2004
11.02.2020 16:19:10	1	1	1	1	103	62	0	27914.692	576.344086	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:11	1	1	1	1	103	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	42.1875	2004
11.02.2020 16:19:12	1	1	1	1	103	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:13	1	1	1	1	103.3	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:19:14	1	1	1	1	103.3	61.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41.4375	2004
11.02.2020 16:19:15	1	1	1	1	103.3	61.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	42	2004
11.02.2020 16:19:16	1	1	1	1	103.3	62	0	27867.299	565.5913978	15848.39508	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:17	1	1	1	1	103.3	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:18	1	1	1	1	103.3	62	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.8125	2004
11.02.2020 16:19:19	1	1	1	1	103.3	61.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42	2004
11.02.2020 16:19:20	1	1	1	1	103.3	62	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.8125	2004
11.02.2020 16:19:21	1	1	1	1	103.3	61.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.125	2004
11.02.2020 16:19:22	1	1	1	1	103.3	62	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:23	1	1	1	1	102	61.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:19:24	1	1	1	1	102	61.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 16:19:25	1	1	1	1	102	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.125	2004
11.02.2020 16:19:26	1	1	1	1	102	62	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	41.875	2004







	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 16:21:40	1	1	1	1	102.3	61.75	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 16:21:41	1	1	1	1	102.3	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:21:42	1	1	1	1	102.3	61.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.9375	2004
11.02.2020 16:21:43	1	1	1	1	101.8	61.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:21:44	1	1	1	1	101.8	62	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:21:45	1	1	1	1	101.8	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 16:21:46	1	1	1	1	101.8	61.75	0	27014.218	589.2473118	15947.87052	30000	0	0	30000	42.0625	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:54	1	1	1	1	101.5	62	0	27156.398	582.7956989	15740.76591	30000	0	0	30000	41.875	2004
11.02.2020 16:21:55	1	1	1	1	101.5	61.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	42.0625	2004
11.02.2020 16:21:56	1	1	1	1	101.5	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:21:57	1	1	1	1	101.5	61.75	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:21:58	1	1	1	1	101.5	62	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
11.02.2020 16:21:59	1	1	1	1	101.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:00	1	1	1	1	101.5	61.75	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	42.125	2004
11.02.2020 16:22:01	1	1	1	1	101.5	62	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 16:22:02	1	1	1	1	101.5	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42	2004
11.02.2020 16:22:03	1	1	1	1	101.5	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 16:22:05	1	1	1	1	101.5	62	0	27440.758	582.7956989	15877.74848	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:06	1	1	1	1	101.5	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	42.1875	2004
11.02.2020 16:22:07	1	1	1	1	101.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
11.02.2020 16:22:08	1	1	1	1	101.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
11.02.2020 16:22:09	1	1	1	1	101.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 16:22:10	1	1	1	1	101.5	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 16:22:11	1	1	1	1	101.5	61.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:12	1	1	1	1	101.5	62	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	42	2004
11.02.2020 16:22:13	1	1	1	1	101.3	62	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:14	1	1	1	1	101.3	61.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	41.8125	2004
11.02.2020 16:22:15	1	1	1	1	101.3	61.75	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:16	1	1	1	1	101.3	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:17	1	1	1	1	101.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42	2004
11.02.2020 16:22:18	1	1	1	1	101.3	62	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	41.875	2004
11.02.2020 16:22:19	1	1	1	1	101.3	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:22:20	1	1	1	1	101.3	62	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:22:21	1	1	1	1	101.3	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.875	2004
11.02.2020 16:22:22	1	1	1	1	101.3	61.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.4375	2004
11.02.2020 16:22:23	1	1	1	1	100.5	61.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:22:24	1	1	1	1	100.5	61.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 16:22:25	1	1	1	1	100.5	62	0	27867.299	567.7419355	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:26	1	1	1	1	100.5	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:22:27	1	1	1	1	100.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:22:28	1	1	1	1	100.5	62	0	28009.479	574.1935484	16163.94423	30000	0	0	30000	41.875	2004
11.02.2020 16:22:29	1	1	1	1	100.5	61.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 16:22:30	1	1	1	1	100.5	61.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	41.75	2004
11.02.2020 16:22:31	1	1	1	1	100.5	61.75	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:22:32	1	1	1	1	100.5	62	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:22:33	1	1	1	1	99.75	62	0	28009.479	576.344086	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:34	1	1	1	1	99.75	62	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	42	2004
11.02.2020 16:22:35	1	1	1	1	99.75	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:22:36	1	1	1	1	99.75	61.75	0	27535.545	578.4946237	15638.02897	30000	0	0	30000	41.625	2004
11.02.2020 16:22:37	1	1	1	1	99.75	61.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 16:22:38	1	1	1	1	99.75	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.6875	2004
11.02.2020 16:22:39	1	1	1	1	99.75	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:22:40	1	1	1	1	99.75	61.75	0	27582.938	582.7956989	16047.34596	30000	0	0	30000	41.5	2004
11.02.2020 16:22:42	1	1	1	1	99.75	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:22:43	1	1	1	1	99.75	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.1875	2004
11.02.2020 16:22:44	1	1	1	1	99	62	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:22:45	1	1	1	1	99	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.125	2004
11.02.2020 16:22:46	1	1	1	1	99	62	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:47	1	1	1	1	99	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41	2004
11.02.2020 16:22:48	1	1	1	1	99	61	0	27819.905	576.344086	16006.57734	30000	0	0	30000	41.9375	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:56	1	1	1	1	99	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:22:57	1	1	1	1	99	62	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	41.875	2004
11.02.2020 16:22:58	1	1	1	1	99	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.625	2004
11.02.2020 16:22:59	1	1	1	1	99	61.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.625	2004
11.02.2020 16:23:00	1	1	1	1	99	61.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 16:23:01	1	1	1	1	99	62	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.9375	2004
11.02.2020 16:23:02	1	1	1	1	99	61.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:03	1	1	1	1	98.75	62	0	27914.692	578.4946237	16175.35944	30000	0	0	30000	41.875	2004
11.02.2020 16:23:04	1	1	1	1	98.75	61.75	0	27962.085	576.344086	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:05	1	1	1	1	98.75	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:23:06	1	1	1	1	98.75	62	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:23:07	1	1	1	1	98.75	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:23:08	1	1	1	1	98.75	62	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 16:23:09	1	1	1	1	98.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:23:10	1	1	1	1	98.75	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 16:23:11	1	1	1	1	98.75	61.75	0	27582.938	580.6451613	15756.25798	30000	0	0	30000	41.875	2004
11.02.2020 16:23:12	1	1	1	1	98.75	61.75	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	41.6875	2004
11.02.2020 16:23:13	1	1	1	1	99.25	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 16:23:14	1	1	1	1	99.25	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:23:15	1	1	1	1	99.25	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
11.02.2020 16:23:16	1	1	1	1	99.25	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:17	1	1	1	1	99.25	62	0	27535.545	580.6451613	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:23:18	1	1	1	1	99.25	62	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41.875	2004
11.02.2020 16:23:19	1	1	1	1	99.25	61.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 16:23:21	1	1	1	1	99.25	61.75	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	41.625	2004
11.02.2020 16:23:22	1	1	1	1	99.25	61.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:23:23	1	1	1	1	99.25	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:23:24	1	1	1	1	99.25	62	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.875	2004
11.02.2020 16:23:25	1	1	1	1	99.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 16:23:26	1	1	1	1	99.25	62	0	28009.479	580.6451613	16263.41967	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:27	1	1	1	1	99.25	62	0	27819.905	572.0430108	16061.20729	30000	0	0	30000	42.1875	2004
11.02.2020 16:23:28	1	1	1	1	99.25	62	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:23:29	1	1	1	1	99.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
11.02.2020 16:23:30	1	1	1	1	99.25	61.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.9375	2004
11.02.2020 16:23:31	1	1	1	1	99.25	61.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:32	1	1	1	1	99.25	62	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:23:33	1	1	1	1	98.5	61.75	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	42	2004
11.02.2020 16:23:34	1	1	1	1	98.5	62	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:35	1	1	1	1	98.5	62	0	27819.905	578.4946237	16212.86658	30000	0	0	30000	41.9375	2004
11.02.2020 16:23:36	1	1	1	1	98.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:37	1	1	1	1	98.5	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.125	2004
11.02.2020 16:23:38	1	1	1	1	98.5	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:23:39	1	1	1	1	98.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:40	1	1	1	1	98.5	62	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	41.875	2004
11.02.2020 16:23:41	1	1	1	1	98.5	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:23:42	1	1	1	1	98.5	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:23:43	1	1	1	1	98.75	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42.125	2004
11.02.2020 16:23:44	1	1	1	1	98.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:45	1	1	1	1	98.75	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:23:46	1	1	1	1	98.75	61.75	0	27867.299	561.2903226	16088.11459	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:47	1	1	1	1	98.75	62	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:48	1	1	1	1	98.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.6875	2004
11.02.2020 16:23:49	1	1	1	1	98.75	61.5	0	27914.692	572.0430108	15934.82456	30000	0	0	30000	41.75	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	62	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:23:57	1	1	1	1	98.25	61.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	42.0625	2004
11.02.2020 16:23:58	1	1	1	1	98.25	62	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	42.125	2004
11.02.2020 16:23:59	1	1	1	1	98.25	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.875	2004
11.02.2020 16:24:01	1	1	1	1	98.25	61.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:02	1	1	1	1	98.25	61.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	42.3125	2004
11.02.2020 16:24:03	1	1	1	1	98.25	62.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:04	1	1	1	1	99	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:24:05	1	1	1	1	99	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.25	2004
11.02.2020 16:24:06	1	1	1	1	99	61.25	0	27819.905	576.344086	15805.18033	30000	0	0	30000	42.125	2004
11.02.2020 16:24:07	1	1	1	1	99	62.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.875	2004
11.02.2020 16:24:08	1	1	1	1	99	61.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42.125	2004
11.02.2020 16:24:09	1	1	1	1	99	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:24:10	1	1	1	1	99	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.625	2004
11.02.2020 16:24:11	1	1	1	1	99	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.4375	2004
11.02.2020 16:24:12	1	1	1	1	99	61.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:24:13	1	1	1	1	98.25	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:24:14	1	1	1	1	98.25	62	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.5	2004
11.02.2020 16:24:15	1	1	1	1	98.25	61.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:24:16	1	1	1	1	98.25	62	0	27819.905	565.5913978	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 16:24:17	1	1	1	1	98.25	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	42.0625	2004
11.02.2020 16:24:18	1	1	1	1	98.25	62	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	41.5625	2004
11.02.2020 16:24:19	1	1	1	1	98.25	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.125	2004
11.02.2020 16:24:20	1	1	1	1	98.25	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.625	2004
11.02.2020 16:24:21	1	1	1	1	98.25	61.5	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:22	1	1	1	1	98.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
11.02.2020 16:24:23	1	1	1	1	98.5	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:24:24	1	1	1	1	98.5	62	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.8125	2004
11.02.2020 16:24:25	1	1	1	1	98.5	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.625	2004
11.02.2020 16:24:26	1	1	1	1	98.5	61.5	0	27867.299	572.0430108	15745.65814	30000	0	0	30000	41.6875	2004
11.02.2020 16:24:27	1	1	1	1	98.5	61.5	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	41.6875	2004
11.02.2020 16:24:28	1	1	1	1	98.5	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:24:29	1	1	1	1	98.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:24:30	1	1	1	1	98.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
11.02.2020 16:24:31	1	1	1	1	98.5	61.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:24:32	1	1	1	1	98.5	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.6875	2004
11.02.2020 16:24:33	1	1	1	1	97.75	61.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:34	1	1	1	1	97.75	61.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	42	2004
11.02.2020 16:24:35	1	1	1	1	97.75	62	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:24:36	1	1	1	1	97.75	61.25	0	27867.299	576.344086	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 16:24:38	1	1	1	1	97.75	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:24:39	1	1	1	1	97.75	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.875	2004
11.02.2020 16:24:40	1	1	1	1	97.75	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:24:41	1	1	1	1	97.75	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
11.02.2020 16:24:42	1	1	1	1	97.75	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.1875	2004
11.02.2020 16:24:43	1	1	1	1	97.75	62	0	27867.299	576.344086	16033.48463	30000	0	0	30000	42.0625	2004
11.02.2020 16:24:44	1	1	1	1	97.25	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.125	2004
11.02.2020 16:24:45	1	1	1	1	97.25	62	0	27962.085	574.1935484	15934.82456	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:46	1	1	1	1	97.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:24:47	1	1	1	1	97.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 16:24:48	1	1	1	1	97.25	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:49	1	1	1	1	97.25	61.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:24:50	1	1	1	1	97.25	62	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:24:51	1	1	1	1	97.25	61.75	0	27867.299	569.8924731	16120.72949	30000	0	0	30000	41.8125	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:24:59	1	1	1	1	97.25	62	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:00	1	1	1	1	97.25	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.5625	2004
11.02.2020 16:25:01	1	1	1	1	97.25	61.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:25:02	1	1	1	1	97.25	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:25:03	1	1	1	1	97.75	61.75	0	27819.905	572.0430108	16120.72949	30000	0	0	30000	41.8125	2004
11.02.2020 16:25:04	1	1	1	1	97.75	61.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.5	2004
11.02.2020 16:25:05	1	1	1	1	97.75	61.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.1875	2004
11.02.2020 16:25:06	1	1	1	1	97.75	62	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:25:07	1	1	1	1	97.75	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:08	1	1	1	1	97.75	61.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:25:09	1	1	1	1	97.75	62	0	28009.479	580.6451613	16115.83725	30000	0	0	30000	42.125	2004
11.02.2020 16:25:10	1	1	1	1	97.75	62	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:11	1	1	1	1	97.75	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	42	2004
11.02.2020 16:25:12	1	1	1	1	97.75	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:25:13	1	1	1	1	97.75	62	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	42.1875	2004
11.02.2020 16:25:14	1	1	1	1	97.75	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.3125	2004
11.02.2020 16:25:15	1	1	1	1	97.75	61.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.1875	2004
11.02.2020 16:25:17	1	1	1	1	97.75	61	0	28199.052	576.344086	16252.00446	30000	0	0	30000	42	2004
11.02.2020 16:25:18	1	1	1	1	97.75	62	0	27914.692	576.344086	16115.83725	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:19	1	1	1	1	97.75	61.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	42.0625	2004
11.02.2020 16:25:20	1	1	1	1	97.75	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:25:21	1	1	1	1	97.75	62.5	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	41.25	2004
11.02.2020 16:25:22	1	1	1	1	97.75	61.25	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	41.5	2004
11.02.2020 16:25:23	1	1	1	1	96.75	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:24	1	1	1	1	96.75	61.75	0	27725.118	569.8924731	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:25:25	1	1	1	1	96.75	62	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	42.0625	2004
11.02.2020 16:25:26	1	1	1	1	96.75	62	0	27914.692	576.344086	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:27	1	1	1	1	96.75	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:25:28	1	1	1	1	96.75	62	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
11.02.2020 16:25:29	1	1	1	1	96.75	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:30	1	1	1	1	96.75	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42	2004
11.02.2020 16:25:31	1	1	1	1	96.75	62	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42.125	2004
11.02.2020 16:25:32	1	1	1	1	96.75	62	0	27962.085	576.344086	16142.74454	30000	0	0	30000	41.4375	2004
11.02.2020 16:25:33	1	1	1	1	96	61.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:25:34	1	1	1	1	96	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 16:25:35	1	1	1	1	96	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 16:25:36	1	1	1	1	96	61.75	0	27867.299	576.344086	15881.00997	30000	0	0	30000	41.8125	2004
11.02.2020 16:25:37	1	1	1	1	96	61.75	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:25:38	1	1	1	1	96	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:25:39	1	1	1	1	96	61.75	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	41.75	2004
11.02.2020 16:25:40	1	1	1	1	96	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:41	1	1	1	1	96	61.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:42	1	1	1	1	96	61.75	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:43	1	1	1	1	96.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:25:44	1	1	1	1	96.5	61.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	41.6875	2004
11.02.2020 16:25:45	1	1	1	1	96.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 16:25:46	1	1	1	1	96.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:25:47	1	1	1	1	96.5	61.5	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:25:48	1	1	1	1	96.5	62	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:25:49	1	1	1	1	96.5	61.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41.875	2004
11.02.2020 16:25:50	1	1	1	1	96.5	61.75	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	42.125	2004
11.02.2020 16:25:51	1	1	1	1	96.5	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.3125	2004
11.02.2020 16:25:52	1	1	1	1	96.5	61.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.25	2004
11.02.2020 16:26:01	1	1	1	1	95.75	62.25	0	27962.085	567.7419355	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:26:02	1	1	1	1	95.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:26:03	1	1	1	1	95.75	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.125	2004
11.02.2020 16:26:04	1	1	1	1	95.75	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:26:05	1	1	1	1	95.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:06	1	1	1	1	95.75	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	41.6875	2004
11.02.2020 16:26:07	1	1	1	1	95.75	61.5	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:08	1	1	1	1	95.75	61.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.75	2004
11.02.2020 16:26:09	1	1	1	1	95.75	61.75	0	27962.085	580.6451613	16115.83725	30000	0	0	30000	41.625	2004
11.02.2020 16:26:10	1	1	1	1	95.75	61.5	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	41.375	2004
11.02.2020 16:26:11	1	1	1	1	95.75	61.25	0	28009.479	578.4946237	16203.08211	30000	0	0	30000	42.125	2004
11.02.2020 16:26:12	1	1	1	1	95.75	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:26:13	1	1	1	1	95.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:26:14	1	1	1	1	95.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.5625	2004
11.02.2020 16:26:15	1	1	1	1	95.75	61.5	0	27440.758	574.1935484	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:26:16	1	1	1	1	95.75	62	0	27819.905	580.6451613	16157.42125	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:17	1	1	1	1	95.75	62	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.375	2004
11.02.2020 16:26:18	1	1	1	1	95.75	61.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.5625	2004
11.02.2020 16:26:19	1	1	1	1	95.75	61.5	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41.6875	2004
11.02.2020 16:26:20	1	1	1	1	95.75	61.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:26:21	1	1	1	1	95.75	61.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.75	2004
11.02.2020 16:26:22	1	1	1	1	95.75	61.75	0	28009.479	576.344086	15841.8721	30000	0	0	30000	41.75	2004
11.02.2020 16:26:23	1	1	1	1	95.75	61.75	0	27819.905	574.1935484	15686.95132	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:24	1	1	1	1	95.75	61.75	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:25	1	1	1	1	95.75	61.75	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:26:26	1	1	1	1	95.75	61.75	0	28199.052	572.0430108	15781.53453	30000	0	0	30000	42	2004
11.02.2020 16:26:27	1	1	1	1	95.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:28	1	1	1	1	95.75	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.875	2004
11.02.2020 16:26:29	1	1	1	1	95.75	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:30	1	1	1	1	95.75	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:32	1	1	1	1	95.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:26:33	1	1	1	1	95.75	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5625	2004
11.02.2020 16:26:34	1	1	1	1	95.25	61.5	0	27725.118	582.7956989	16185.14391	30000	0	0	30000	42.1875	2004
11.02.2020 16:26:35	1	1	1	1	95.25	62	0	28009.479	578.4946237	15995.16212	30000	0	0	30000	41.375	2004
11.02.2020 16:26:36	1	1	1	1	95.25	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.125	2004
11.02.2020 16:26:37	1	1	1	1	95.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 16:26:38	1	1	1	1	95.25	62	0	28199.052	576.344086	16252.00446	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:39	1	1	1	1	95.25	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.5625	2004
11.02.2020 16:26:40	1	1	1	1	95.25	61.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:26:41	1	1	1	1	95.25	62	0	27535.545	576.344086	15897.31742	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:42	1	1	1	1	95.25	62	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:43	1	1	1	1	95.25	62	0	27914.692	567.7419355	16055.49969	30000	0	0	30000	41.75	2004
11.02.2020 16:26:44	1	1	1	1	95.25	61.75	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	41.625	2004
11.02.2020 16:26:45	1	1	1	1	95.25	61.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:46	1	1	1	1	95.25	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 16:26:47	1	1	1	1	95.25	62	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	42.1875	2004
11.02.2020 16:26:48	1	1	1	1	95.25	62	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:26:49	1	1	1	1	95.25	61.5	0	27819.905	576.344086	16181.06705	30000	0	0	30000	42.0625	2004
11.02.2020 16:26:50	1	1	1	1	95.25	62	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 16:26:51	1	1	1	1	95.25	61.75	0	27914.692	574.1935484	15881.00997	30000	0	0	30000	41.9375	2004
11.02.2020 16:26:52	1	1	1	1	95.25	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.6875	2004
11.02.2020 16:26:53	1	1	1	1	95	61.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.75	2004
11.02.2020 16:26:54	1	1	1	1	95	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:02	1	1	1	1	95	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:27:03	1	1	1	1	95	62	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:27:04	1	1	1	1	95	61.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42	2004
11.02.2020 16:27:05	1	1	1	1	95	62	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.875	2004
11.02.2020 16:27:06	1	1	1	1	95	61.75	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:07	1	1	1	1	95	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:27:08	1	1	1	1	95	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
11.02.2020 16:27:10	1	1	1	1	95	62	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.9375	2004
11.02.2020 16:27:11	1	1	1	1	95	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:27:12	1	1	1	1	95	61.5	0	27345.972	587.0967742	15850.84119	30000	0	0	30000	41.875	2004
11.02.2020 16:27:13	1	1	1	1	95	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:14	1	1	1	1	94.75	62	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42	2004
11.02.2020 16:27:15	1	1	1	1	94.75	62	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 16:27:16	1	1	1	1	94.75	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.3125	2004
11.02.2020 16:27:17	1	1	1	1	94.75	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:27:18	1	1	1	1	94.75	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	42.1875	2004
11.02.2020 16:27:19	1	1	1	1	94.75	62	0	27630.332	574.1935484	16038.37687	30000	0	0	30000	41.375	2004
11.02.2020 16:27:20	1	1	1	1	94.75	61.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 16:27:21	1	1	1	1	94.75	61.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:22	1	1	1	1	94.75	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:23	1	1	1	1	95.75	62	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	41.75	2004
11.02.2020 16:27:24	1	1	1	1	95.75	61.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:25	1	1	1	1	95.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.1875	2004
11.02.2020 16:27:26	1	1	1	1	95.75	62	0	27914.692	578.4946237	15734.24293	30000	0	0	30000	41.9375	2004
11.02.2020 16:27:27	1	1	1	1	95.75	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.625	2004
11.02.2020 16:27:28	1	1	1	1	95.75	61.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:29	1	1	1	1	95.75	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:30	1	1	1	1	95.75	62	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42	2004
11.02.2020 16:27:31	1	1	1	1	95.75	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
11.02.2020 16:27:32	1	1	1	1	95.75	62	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:27:33	1	1	1	1	95	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:27:34	1	1	1	1	95	61.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.8125	2004
11.02.2020 16:27:35	1	1	1	1	95	61.75	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:27:36	1	1	1	1	95	61.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.9375	2004
11.02.2020 16:27:37	1	1	1	1	95	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:27:38	1	1	1	1	95	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:39	1	1	1	1	95	62	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42.1875	2004
11.02.2020 16:27:40	1	1	1	1	95	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:27:41	1	1	1	1	95	62	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 16:27:42	1	1	1	1	95	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
11.02.2020 16:27:43	1	1	1	1	94.75	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:44	1	1	1	1	94.75	62	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	42.1875	2004
11.02.2020 16:27:45	1	1	1	1	94.75	62	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:27:46	1	1	1	1	94.75	61.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:27:47	1	1	1	1	94.75	62	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.5625	2004
11.02.2020 16:27:49	1	1	1	1	94.75	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
11.02.2020 16:27:50	1	1	1	1	94.75	61.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 16:27:51	1	1	1	1	94.75	61.5	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	41.5625	2004
11.02.2020 16:27:52	1	1	1	1	94.75	61.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.8125	2004
11.02.2020 16:27:53	1	1	1	1	94.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:27:54	1	1	1	1	94.75	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.75	2004
11.02.2020 16:27:55	1	1	1	1	94.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:27:56	1	1	1	1	94.75	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	42.375	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:04	1	1	1	1	94.5	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:05	1	1	1	1	94.5	62	0	27630.332	569.8924731	15627.42913	30000	0	0	30000	41.75	2004
11.02.2020 16:28:06	1	1	1	1	94.5	61.75	0	28341.232	567.7419355	16361.26437	30000	0	0	30000	41.75	2004
11.02.2020 16:28:07	1	1	1	1	94.5	61.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	41.75	2004
11.02.2020 16:28:08	1	1	1	1	94.5	61.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	40.9375	2004
11.02.2020 16:28:09	1	1	1	1	94.5	60.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.875	2004
11.02.2020 16:28:10	1	1	1	1	94.5	61.75	0	27772.512	578.4946237	16038.37687	30000	0	0	30000	41.875	2004
11.02.2020 16:28:11	1	1	1	1	94.5	61.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:12	1	1	1	1	94.5	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:28:13	1	1	1	1	95.25	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:14	1	1	1	1	95.25	61.75	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	42	2004
11.02.2020 16:28:15	1	1	1	1	95.25	62	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	42.125	2004
11.02.2020 16:28:16	1	1	1	1	95.25	62	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:28:17	1	1	1	1	95.25	61.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:18	1	1	1	1	95.25	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.75	2004
11.02.2020 16:28:19	1	1	1	1	95.25	61.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	42.125	2004
11.02.2020 16:28:20	1	1	1	1	95.25	62	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.125	2004
11.02.2020 16:28:21	1	1	1	1	95.25	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:28:22	1	1	1	1	95.25	62	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:23	1	1	1	1	94.75	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:28:24	1	1	1	1	94.75	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:26	1	1	1	1	94.75	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:28:27	1	1	1	1	94.75	61.75	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	42.125	2004
11.02.2020 16:28:28	1	1	1	1	94.75	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:28:29	1	1	1	1	94.75	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:30	1	1	1	1	94.75	61.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:31	1	1	1	1	94.75	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:28:32	1	1	1	1	94.75	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.1875	2004
11.02.2020 16:28:33	1	1	1	1	94.75	62	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	41.625	2004
11.02.2020 16:28:34	1	1	1	1	94.75	61.75	0	28009.479	576.344086	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 16:28:35	1	1	1	1	94.75	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.125	2004
11.02.2020 16:28:36	1	1	1	1	94.75	62	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	42	2004
11.02.2020 16:28:37	1	1	1	1	94.75	62	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.6875	2004
11.02.2020 16:28:38	1	1	1	1	94.75	61.5	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:39	1	1	1	1	94.75	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42	2004
11.02.2020 16:28:40	1	1	1	1	94.75	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:28:41	1	1	1	1	94.75	61.75	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:42	1	1	1	1	94.75	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:28:43	1	1	1	1	94.75	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:28:44	1	1	1	1	94.75	61.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:45	1	1	1	1	94.75	61.75	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:28:46	1	1	1	1	94.75	62	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:28:47	1	1	1	1	94.75	61.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:48	1	1	1	1	94.75	61.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	42.1875	2004
11.02.2020 16:28:49	1	1	1	1	94.75	62	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.625	2004
11.02.2020 16:28:50	1	1	1	1	94.75	61.5	0	27867.299	563.4408602	15821.48778	30000	0	0	30000	41.875	2004
11.02.2020 16:28:51	1	1	1	1	94.75	61.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	41.75	2004
11.02.2020 16:28:52	1	1	1	1	94.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:28:53	1	1	1	1	94.75	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:28:54	1	1	1	1	94.75	61.75	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:28:55	1	1	1	1	94.75	62	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	41.6875	2004
11.02.2020 16:28:56	1	1	1	1	94.75	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.875	2004
11.02.2020 16:28:57	1	1	1	1	94.75	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.1875	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:06	1	1	1	1	94.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:07	1	1	1	1	94.5	62	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:08	1	1	1	1	94.5	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 16:29:09	1	1	1	1	94.5	61.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	42	2004
11.02.2020 16:29:10	1	1	1	1	94.5	62	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42	2004
11.02.2020 16:29:11	1	1	1	1	94.5	62	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:12	1	1	1	1	94.5	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:29:13	1	1	1	1	94.5	61.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	42.375	2004
11.02.2020 16:29:14	1	1	1	1	94.25	62	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:29:15	1	1	1	1	94.25	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:18	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:18	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:18	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:19	1	1	1	1	94.25	61.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:20	1	1	1	1	94.25	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.1875	2004
11.02.2020 16:29:21	1	1	1	1	94.25	62	0	27819.905	576.344086	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:22	1	1	1	1	94.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:23	1	1	1	1	94.25	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:24	1	1	1	1	94.25	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 16:29:25	1	1	1	1	94.25	61.5	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:26	1	1	1	1	94.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:27	1	1	1	1	94.25	62	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	42.125	2004
11.02.2020 16:29:28	1	1	1	1	94.25	62	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:29	1	1	1	1	94.25	62	0	27535.545	576.344086	15814.9648	30000	0	0	30000	41.75	2004
11.02.2020 16:29:30	1	1	1	1	94.25	61.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.8125	2004
11.02.2020 16:29:31	1	1	1	1	94.25	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.1875	2004
11.02.2020 16:29:32	1	1	1	1	94.25	62	0	27772.512	565.5913978	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:33	1	1	1	1	94.5	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
11.02.2020 16:29:34	1	1	1	1	94.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42	2004
11.02.2020 16:29:35	1	1	1	1	94.5	62	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	41.625	2004
11.02.2020 16:29:36	1	1	1	1	94.5	61.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42	2004
11.02.2020 16:29:37	1	1	1	1	94.5	62	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	41.6875	2004
11.02.2020 16:29:38	1	1	1	1	94.5	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:39	1	1	1	1	94.5	62	0	27962.085	565.5913978	15875.30237	30000	0	0	30000	42	2004
11.02.2020 16:29:40	1	1	1	1	94.5	62	0	27819.905	574.1935484	15686.95132	30000	0	0	30000	41.625	2004
11.02.2020 16:29:41	1	1	1	1	94.5	61.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	41.75	2004
11.02.2020 16:29:42	1	1	1	1	94.5	61.75	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	41.75	2004
11.02.2020 16:29:43	1	1	1	1	94.5	61.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	41.625	2004
11.02.2020 16:29:45	1	1	1	1	94.5	61.5	0	27914.692	572.0430108	16115.83725	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:29:46	1	1	1	1	94.5	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:29:47	1	1	1	1	94.5	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 16:29:48	1	1	1	1	94.5	61.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	42	2004
11.02.2020 16:29:49	1	1	1	1	94.5	62	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:29:50	1	1	1	1	94.5	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.4375	2004
11.02.2020 16:29:51	1	1	1	1	94.5	61.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	42.125	2004
11.02.2020 16:29:52	1	1	1	1	94.5	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:29:53	1	1	1	1	94.5	61.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	42.375	2004
11.02.2020 16:29:54	1	1	1	1	94	62	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.875	2004
11.02.2020 16:29:55	1	1	1	1	94	61.75	0	27819.905	569.8924731	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:29:56	1	1	1	1	94	61.75	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 16:29:57	1	1	1	1	94	61.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.5625	2004
11.02.2020 16:29:58	1	1	1	1	94	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	42	2004
11.02.2020 16:29:59	1	1	1	1	94	62	0	28009.479	572.0430108	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:07	1	1	1	1	94	62	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:08	1	1	1	1	94	61.75	0	27630.332	574.1935484	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:30:09	1	1	1	1	94	61.5	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:30:10	1	1	1	1	94	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:30:11	1	1	1	1	94	61.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	42	2004
11.02.2020 16:30:12	1	1	1	1	94	62	0	27962.085	576.344086	15907.91727	30000	0	0	30000	41.5	2004
11.02.2020 16:30:13	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	41.75	2004
11.02.2020 16:30:14	1	1	1	1	93.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.125	2004
11.02.2020 16:30:15	1	1	1	1	93.5	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.875	2004
11.02.2020 16:30:16	1	1	1	1	93.5	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:30:17	1	1	1	1	93.5	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:18	1	1	1	1	93.5	62	0	27772.512	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:30:19	1	1	1	1	93.5	61.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.1875	2004
11.02.2020 16:30:20	1	1	1	1	93.5	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:30:21	1	1	1	1	93.5	61.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	42	2004
11.02.2020 16:30:23	1	1	1	1	93.5	62	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	42	2004
11.02.2020 16:30:24	1	1	1	1	93.75	62	0	27867.299	576.344086	15913.62487	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:25	1	1	1	1	93.75	61.75	0	28009.479	576.344086	15995.16212	30000	0	0	30000	42	2004
11.02.2020 16:30:26	1	1	1	1	93.75	62	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:27	1	1	1	1	93.75	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.6875	2004
11.02.2020 16:30:28	1	1	1	1	93.75	61.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	42.1875	2004
11.02.2020 16:30:29	1	1	1	1	93.75	62	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:30:30	1	1	1	1	93.75	62	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:31	1	1	1	1	93.75	61.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:32	1	1	1	1	93.75	61.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.625	2004
11.02.2020 16:30:33	1	1	1	1	93.5	60.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:34	1	1	1	1	93.5	62	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:35	1	1	1	1	93.5	61.75	0	27819.905	580.6451613	16097.89906	30000	0	0	30000	41.5625	2004
11.02.2020 16:30:36	1	1	1	1	93.5	61.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42	2004
11.02.2020 16:30:37	1	1	1	1	93.5	62	0	27630.332	576.344086	16093.00682	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:38	1	1	1	1	93.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:39	1	1	1	1	93.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:30:40	1	1	1	1	93.5	62	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	41.875	2004
11.02.2020 16:30:41	1	1	1	1	93.5	61.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:42	1	1	1	1	93.5	62	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:43	1	1	1	1	93	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.3125	2004
11.02.2020 16:30:44	1	1	1	1	93	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:30:45	1	1	1	1	93	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:46	1	1	1	1	93	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 16:30:47	1	1	1	1	93	61.5	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:48	1	1	1	1	93	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.5625	2004
11.02.2020 16:30:49	1	1	1	1	93	61.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	41.4375	2004
11.02.2020 16:30:50	1	1	1	1	93	61.25	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:30:51	1	1	1	1	93	61.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	42	2004
11.02.2020 16:30:52	1	1	1	1	93	62	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	41.875	2004
11.02.2020 16:30:53	1	1	1	1	93.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:30:54	1	1	1	1	93.25	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:30:55	1	1	1	1	93.25	62	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:30:56	1	1	1	1	93.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.125	2004
11.02.2020 16:30:57	1	1	1	1	93.25	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:30:58	1	1	1	1	93.25	62	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:31:00	1	1	1	1	93.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:01	1	1	1	1	93.25	62	0	27867.299	578.4946237	15854.10268	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:09	1	1	1	1	92.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.75	2004
11.02.2020 16:31:10	1	1	1	1	92.75	61.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	41.6875	2004
11.02.2020 16:31:11	1	1	1	1	92.75	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42	2004
11.02.2020 16:31:12	1	1	1	1	92.75	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:13	1	1	1	1	92.75	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:31:14	1	1	1	1	92.75	62	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.3125	2004
11.02.2020 16:31:15	1	1	1	1	92.75	61.25	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:16	1	1	1	1	92.75	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5625	2004
11.02.2020 16:31:17	1	1	1	1	92.75	61.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:31:18	1	1	1	1	92.75	61.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	41.75	2004
11.02.2020 16:31:19	1	1	1	1	92.75	61.75	0	27962.085	574.1935484	16088.11459	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:20	1	1	1	1	92.75	61.75	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:21	1	1	1	1	92.75	62	0	27914.692	576.344086	16055.49969	30000	0	0	30000	41.5625	2004
11.02.2020 16:31:22	1	1	1	1	92.75	61.5	0	27582.938	576.344086	15837.79523	30000	0	0	30000	42	2004
11.02.2020 16:31:23	1	1	1	1	92.5	62	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:31:24	1	1	1	1	92.5	62	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:31:25	1	1	1	1	92.5	61.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:26	1	1	1	1	92.5	61.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:27	1	1	1	1	92.5	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.625	2004
11.02.2020 16:31:28	1	1	1	1	92.5	61.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:29	1	1	1	1	92.5	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:30	1	1	1	1	92.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:31:31	1	1	1	1	92.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:32	1	1	1	1	92.5	61.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:31:33	1	1	1	1	92	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.75	2004
11.02.2020 16:31:34	1	1	1	1	92	61.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:35	1	1	1	1	92	62	0	27962.085	578.4946237	16175.35944	30000	0	0	30000	41.5625	2004
11.02.2020 16:31:36	1	1	1	1	92	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:31:38	1	1	1	1	92	61.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:39	1	1	1	1	92	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.75	2004
11.02.2020 16:31:40	1	1	1	1	92	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:41	1	1	1	1	92	62	0	27962.085	574.1935484	15941.34754	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:42	1	1	1	1	92	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 16:31:43	1	1	1	1	92	61.75	0	27440.758	572.0430108	16047.34596	30000	0	0	30000	41.6875	2004
11.02.2020 16:31:44	1	1	1	1	92	61.5	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:31:45	1	1	1	1	92	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:46	1	1	1	1	92	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.125	2004
11.02.2020 16:31:47	1	1	1	1	92	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.375	2004
11.02.2020 16:31:48	1	1	1	1	92	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:31:49	1	1	1	1	92	61.5	0	27630.332	576.344086	16038.37687	30000	0	0	30000	41.8125	2004
11.02.2020 16:31:50	1	1	1	1	92	61.75	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	42.125	2004
11.02.2020 16:31:51	1	1	1	1	92	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:31:52	1	1	1	1	92	62	0	27914.692	576.344086	15941.34754	30000	0	0	30000	41.6875	2004
11.02.2020 16:31:53	1	1	1	1	92.25	61.5	0	27630.332	576.344086	15745.65814	30000	0	0	30000	41.9375	2004
11.02.2020 16:31:54	1	1	1	1	92.25	61.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	42	2004
11.02.2020 16:31:55	1	1	1	1	92.25	62	0	27819.905	576.344086	15924.22472	30000	0	0	30000	42.0625	2004
11.02.2020 16:31:56	1	1	1	1	92.25	62	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.5625	2004
11.02.2020 16:31:57	1	1	1	1	92.25	61.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:31:58	1	1	1	1	92.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:31:59	1	1	1	1	92.25	61.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	42.0625	2004
11.02.2020 16:32:00	1	1	1	1	92.25	62	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	42	2004
11.02.2020 16:32:01	1	1	1	1	92.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:32:02	1	1	1	1	92.25	61.75	0	27867.299	576.344086	16181.06705	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:11	1	1	1	1	92.5	61.75	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:12	1	1	1	1	92.5	61.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:13	1	1	1	1	92	61.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:14	1	1	1	1	92	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:15	1	1	1	1	92	61.75	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	41.75	2004
11.02.2020 16:32:17	1	1	1	1	92	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.4375	2004
11.02.2020 16:32:18	1	1	1	1	92	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:32:19	1	1	1	1	92	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:32:20	1	1	1	1	92	61.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:32:21	1	1	1	1	92	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:22	1	1	1	1	92	61.75	0	27061.611	578.4946237	15857.36417	30000	0	0	30000	42.1875	2004
11.02.2020 16:32:23	1	1	1	1	92	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:32:24	1	1	1	1	92.25	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.1875	2004
11.02.2020 16:32:25	1	1	1	1	92.25	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 16:32:26	1	1	1	1	92.25	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.75	2004
11.02.2020 16:32:27	1	1	1	1	92.25	61.75	0	27061.611	591.3978495	16031.85389	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:28	1	1	1	1	92.25	62.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.875	2004
11.02.2020 16:32:29	1	1	1	1	92.25	61.75	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:30	1	1	1	1	92.25	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 16:32:31	1	1	1	1	92.25	61.75	0	27819.905	574.1935484	15686.95132	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:32	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.5	2004
11.02.2020 16:32:33	1	1	1	1	92.75	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41	2004
11.02.2020 16:32:34	1	1	1	1	92.75	61	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:35	1	1	1	1	92.75	61.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:32:36	1	1	1	1	92.75	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:37	1	1	1	1	92.75	61.75	0	27867.299	576.344086	15854.10268	30000	0	0	30000	41.875	2004
11.02.2020 16:32:38	1	1	1	1	92.75	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:39	1	1	1	1	92.75	61.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:40	1	1	1	1	92.75	61.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:32:41	1	1	1	1	92.75	61.75	0	27630.332	576.344086	15978.85467	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:32:42	1	1	1	1	92.75	62	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:43	1	1	1	1	92.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.125	2004
11.02.2020 16:32:44	1	1	1	1	92.25	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42.125	2004
11.02.2020 16:32:45	1	1	1	1	92.25	62	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 16:32:46	1	1	1	1	92.25	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.0625	2004
11.02.2020 16:32:47	1	1	1	1	92.25	62	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:48	1	1	1	1	92.25	61.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:49	1	1	1	1	92.25	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:50	1	1	1	1	92.25	61.75	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:32:51	1	1	1	1	92.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:32:52	1	1	1	1	92.25	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	42.125	2004
11.02.2020 16:32:53	1	1	1	1	92	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:32:54	1	1	1	1	92	61.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:56	1	1	1	1	92	61.75	0	27867.299	574.1935484	15881.00997	30000	0	0	30000	41.9375	2004
11.02.2020 16:32:57	1	1	1	1	92	61.75	0	28009.479	574.1935484	15934.82456	30000	0	0	30000	41.375	2004
11.02.2020 16:32:58	1	1	1	1	92	61.25	0	27867.299	574.1935484	16268.31191	30000	0	0	30000	41.75	2004
11.02.2020 16:32:59	1	1	1	1	92	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:33:00	1	1	1	1	92	61.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:01	1	1	1	1	92	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:33:02	1	1	1	1	92	61.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.625	2004
11.02.2020 16:33:03	1	1	1	1	92	61.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
11.02.2020 16:33:04	1	1	1	1	91.75	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:12	1	1	1	1	91.75	61.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:33:13	1	1	1	1	92.25	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:33:14	1	1	1	1	92.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.0625	2004
11.02.2020 16:33:15	1	1	1	1	92.25	62	0	27630.332	574.1935484	16240.58924	30000	0	0	30000	41.75	2004
11.02.2020 16:33:16	1	1	1	1	92.25	61.75	0	28009.479	584.9462366	16115.83725	30000	0	0	30000	41.5625	2004
11.02.2020 16:33:17	1	1	1	1	92.25	61.5	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:18	1	1	1	1	92.25	61.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:19	1	1	1	1	92.25	61.75	0	27962.085	576.344086	16088.11459	30000	0	0	30000	41.6875	2004
11.02.2020 16:33:20	1	1	1	1	92.25	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:33:21	1	1	1	1	92.25	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:33:22	1	1	1	1	92.25	62	0	27914.692	576.344086	16120.72949	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:23	1	1	1	1	92	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42	2004
11.02.2020 16:33:24	1	1	1	1	92	62	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.625	2004
11.02.2020 16:33:25	1	1	1	1	92	61.5	0	27914.692	567.7419355	15761.15022	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:33:26	1	1	1	1	92	61.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:33:27	1	1	1	1	92	61.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42.0625	2004
11.02.2020 16:33:28	1	1	1	1	92	62	0	27867.299	578.4946237	15854.10268	30000	0	0	30000	42	2004
11.02.2020 16:33:29	1	1	1	1	92	62	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:33:30	1	1	1	1	92	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:33:31	1	1	1	1	92	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.75	2004
11.02.2020 16:33:33	1	1	1	1	92	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:34	1	1	1	1	91.75	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:35	1	1	1	1	91.75	61.75	0	27440.758	580.6451613	15956.02424	30000	0	0	30000	41.6875	2004
11.02.2020 16:33:36	1	1	1	1	91.75	61.5	0	27819.905	576.344086	16006.57734	30000	0	0	30000	41.875	2004
11.02.2020 16:33:37	1	1	1	1	91.75	61.75	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	41.5	2004
11.02.2020 16:33:38	1	1	1	1	91.75	61.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:39	1	1	1	1	91.75	61.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:40	1	1	1	1	91.75	61.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	41.5	2004
11.02.2020 16:33:41	1	1	1	1	91.75	61.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.5625	2004
11.02.2020 16:33:42	1	1	1	1	91.75	61.5	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:43	1	1	1	1	91.75	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:44	1	1	1	1	91.75	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:45	1	1	1	1	91.75	61.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:46	1	1	1	1	91.75	61.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	42	2004
11.02.2020 16:33:47	1	1	1	1	91.75	62	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	42.125	2004
11.02.2020 16:33:48	1	1	1	1	91.75	62	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:33:49	1	1	1	1	91.75	61.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	41.625	2004
11.02.2020 16:33:50	1	1	1	1	91.75	61.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	42	2004
11.02.2020 16:33:51	1	1	1	1	91.75	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	42	2004
11.02.2020 16:33:52	1	1	1	1	91.75	62	0	27630.332	576.344086	15897.31742	30000	0	0	30000	41.5625	2004
11.02.2020 16:33:53	1	1	1	1	91.75	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:33:54	1	1	1	1	91.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:33:55	1	1	1	1	91.75	61.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:33:56	1	1	1	1	91.75	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.4375	2004
11.02.2020 16:33:57	1	1	1	1	91.75	61.25	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:33:58	1	1	1	1	91.75	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:33:59	1	1	1	1	91.75	61.75	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:00	1	1	1	1	91.75	61.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.5	2004
11.02.2020 16:34:01	1	1	1	1	91.75	61.5	0	28199.052	576.344086	16312.34202	30000	0	0	30000	41.75	2004
11.02.2020 16:34:02	1	1	1	1	91.75	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.875	2004
11.02.2020 16:34:03	1	1	1	1	92	61.75	0	27914.692	576.344086	16296.03457	30000	0	0	30000	41.75	2004
11.02.2020 16:34:04	1	1	1	1	92	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:34:05	1	1	1	1	92	61.75	0	27725.118	576.344086	15864.70252	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:14	1	1	1	1	92.25	61.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.875	2004
11.02.2020 16:34:15	1	1	1	1	92.25	61.75	0	27867.299	584.9462366	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:16	1	1	1	1	92.25	61.75	0	27630.332	572.0430108	16153.34439	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:17	1	1	1	1	92.25	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.875	2004
11.02.2020 16:34:18	1	1	1	1	92.25	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:19	1	1	1	1	92.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:34:20	1	1	1	1	92.25	61.75	0	27867.299	567.7419355	16088.11459	30000	0	0	30000	42.125	2004
11.02.2020 16:34:21	1	1	1	1	92.25	62	0	27819.905	576.344086	16120.72949	30000	0	0	30000	42.0625	2004
11.02.2020 16:34:22	1	1	1	1	92.25	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42	2004
11.02.2020 16:34:23	1	1	1	1	92.25	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:24	1	1	1	1	92.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.375	2004
11.02.2020 16:34:25	1	1	1	1	92.25	61.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.5	2004
11.02.2020 16:34:26	1	1	1	1	92.25	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 16:34:27	1	1	1	1	92.25	61.5	0	27725.118	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:28	1	1	1	1	92.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:29	1	1	1	1	92.25	61.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:34:30	1	1	1	1	92.25	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:34:31	1	1	1	1	92.25	61.25	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:34:32	1	1	1	1	92.25	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 16:34:33	1	1	1	1	91.75	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.125	2004
11.02.2020 16:34:34	1	1	1	1	91.75	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 16:34:35	1	1	1	1	91.75	61.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.75	2004
11.02.2020 16:34:36	1	1	1	1	91.75	61.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:34:37	1	1	1	1	91.75	62	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.875	2004
11.02.2020 16:34:38	1	1	1	1	91.75	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:39	1	1	1	1	91.75	61.75	0	27630.332	584.9462366	15897.31742	30000	0	0	30000	42	2004
11.02.2020 16:34:40	1	1	1	1	91.75	62	0	27819.905	576.344086	16000.86973	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:41	1	1	1	1	91.75	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.4375	2004
11.02.2020 16:34:42	1	1	1	1	91.75	61.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.5625	2004
11.02.2020 16:34:43	1	1	1	1	92	61.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:34:44	1	1	1	1	92	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:34:45	1	1	1	1	92	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 16:34:46	1	1	1	1	92	61.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.0625	2004
11.02.2020 16:34:48	1	1	1	1	92	62	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	41.5625	2004
11.02.2020 16:34:49	1	1	1	1	92	61.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.8125	2004
11.02.2020 16:34:50	1	1	1	1	92	61.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
11.02.2020 16:34:51	1	1	1	1	92	61.75	0	27630.332	578.4946237	16162.31348	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:52	1	1	1	1	92	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	42	2004
11.02.2020 16:34:53	1	1	1	1	92	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:34:54	1	1	1	1	92	61.75	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	41.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:34:55	1	1	1	1	92	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:34:56	1	1	1	1	92	61.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.875	2004
11.02.2020 16:34:57	1	1	1	1	92	61.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 16:34:58	1	1	1	1	92	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42.1875	2004
11.02.2020 16:34:59	1	1	1	1	92	61.5	0	27867.299	578.4946237	15913.62487	30000	0	0	30000	41.875	2004
11.02.2020 16:35:00	1	1	1	1	92	61.75	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 16:35:01	1	1	1	1	92	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42	2004
11.02.2020 16:35:02	1	1	1	1	92	62	0	27725.118	576.344086	16033.48463	30000	0	0	30000	41.0625	2004
11.02.2020 16:35:03	1	1	1	1	91.75	61	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 16:35:04	1	1	1	1	91.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
11.02.2020 16:35:05	1	1	1	1	91.75	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:35:06	1	1	1	1	91.75	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
11.02.2020 16:35:07	1	1	1	1	91.75	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27772.512	582.7956989	16212.86658	30000	0	0	30000	41.875	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:35:15	1	1	1	1	91.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:35:16	1	1	1	1	91.5	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:35:17	1	1	1	1	91.5	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:35:18	1	1	1	1	91.5	61.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	42.0625	2004
11.02.2020 16:35:19	1	1	1	1	91.5	62	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.75	2004
11.02.2020 16:35:20	1	1	1	1	91.5	61.75	0	27630.332	580.6451613	16038.37687	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:21	1	1	1	1	91.5	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
11.02.2020 16:35:22	1	1	1	1	91.5	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:23	1	1	1	1	91.75	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:35:24	1	1	1	1	91.75	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
11.02.2020 16:35:25	1	1	1	1	91.75	61.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:35:27	1	1	1	1	91.75	62	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.625	2004
11.02.2020 16:35:28	1	1	1	1	91.75	61.5	0	27725.118	574.1935484	16273.20414	30000	0	0	30000	42	2004
11.02.2020 16:35:29	1	1	1	1	91.75	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.0625	2004
11.02.2020 16:35:30	1	1	1	1	91.75	62	0	27914.692	576.344086	16055.49969	30000	0	0	30000	41.5625	2004
11.02.2020 16:35:31	1	1	1	1	91.75	61.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.5625	2004
11.02.2020 16:35:32	1	1	1	1	91.75	61.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:33	1	1	1	1	91.75	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.3125	2004
11.02.2020 16:35:34	1	1	1	1	91.75	61.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:35:35	1	1	1	1	91.75	61.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	41.5	2004
11.02.2020 16:35:36	1	1	1	1	91.75	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
11.02.2020 16:35:37	1	1	1	1	91.75	61.75	0	27772.512	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 16:35:38	1	1	1	1	91.75	61.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:35:39	1	1	1	1	91.75	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 16:35:40	1	1	1	1	91.75	61.75	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 16:35:41	1	1	1	1	91.75	61.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:35:42	1	1	1	1	91.75	61.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 16:35:43	1	1	1	1	91.25	61.75	0	27630.332	576.344086	16162.31348	30000	0	0	30000	41.875	2004
11.02.2020 16:35:44	1	1	1	1	91.25	61.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.75	2004
11.02.2020 16:35:45	1	1	1	1	91.25	61.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.5	2004
11.02.2020 16:35:46	1	1	1	1	91.25	61.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:47	1	1	1	1	91.25	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.875	2004
11.02.2020 16:35:48	1	1	1	1	91.25	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:49	1	1	1	1	91.25	61.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 16:35:50	1	1	1	1	91.25	61.5	0	27914.692	576.344086	16088.11459	30000	0	0	30000	42	2004
11.02.2020 16:35:51	1	1	1	1	91.25	62	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.5625	2004
11.02.2020 16:35:52	1	1	1	1	91.25	61.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.5	2004
11.02.2020 16:35:53	1	1	1	1	91	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.6875	2004
11.02.2020 16:35:54	1	1	1	1	91	61.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	41.4375	2004
11.02.2020 16:35:55	1	1	1	1	91	61.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	42	2004
11.02.2020 16:35:56	1	1	1	1	91	62	0	27630.332	569.8924731	16066.09953	30000	0	0	30000	41.8125	2004
11.02.2020 16:35:57	1	1	1	1	91	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.125	2004
11.02.2020 16:35:58	1	1	1	1	91	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.6875	2004
11.02.2020 16:35:59	1	1	1	1	91	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:00	1	1	1	1	91	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:01	1	1	1	1	91	61.75	0	27819.905	576.344086	15913.62487	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:03	1	1	1	1	91	61.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:36:04	1	1	1	1	91	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42	2004
11.02.2020 16:36:05	1	1	1	1	91	62	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.75	2004
11.02.2020 16:36:06	1	1	1	1	91	61.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:36:07	1	1	1	1	91	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 16:36:08	1	1	1	1	91	62	0	27630.332	587.0967742	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:09	1	1	1	1	91	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:17	1	1	1	1	91	61.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:18	1	1	1	1	91	61.75	0	27630.332	574.1935484	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:19	1	1	1	1	91	61.75	0	27867.299	576.344086	15854.10268	30000	0	0	30000	42	2004
11.02.2020 16:36:20	1	1	1	1	91	62	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:21	1	1	1	1	91	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:22	1	1	1	1	91	61.75	0	27582.938	576.344086	15810.07257	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:36:23	1	1	1	1	91.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 16:36:24	1	1	1	1	91.25	61.5	0	27819.905	576.344086	16066.09953	30000	0	0	30000	41.6875	2004
11.02.2020 16:36:25	1	1	1	1	91.25	61.5	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	42	2004
11.02.2020 16:36:26	1	1	1	1	91.25	62	0	27914.692	576.344086	16148.45215	30000	0	0	30000	41.875	2004
11.02.2020 16:36:27	1	1	1	1	91.25	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:28	1	1	1	1	91.25	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:36:29	1	1	1	1	91.25	62	0	27440.758	576.344086	15756.25798	30000	0	0	30000	41.75	2004
11.02.2020 16:36:30	1	1	1	1	91.25	61.75	0	27725.118	578.4946237	16153.34439	30000	0	0	30000	41.875	2004
11.02.2020 16:36:31	1	1	1	1	91.25	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
11.02.2020 16:36:32	1	1	1	1	91.25	61.5	0	27630.332	578.4946237	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 16:36:33	1	1	1	1	90.75	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.75	2004
11.02.2020 16:36:34	1	1	1	1	90.75	61.75	0	28009.479	580.6451613	16027.77702	30000	0	0	30000	41.5	2004
11.02.2020 16:36:35	1	1	1	1	90.75	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42.0625	2004
11.02.2020 16:36:36	1	1	1	1	90.75	62	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:36:37	1	1	1	1	90.75	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.875	2004
11.02.2020 16:36:38	1	1	1	1	90.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:36:39	1	1	1	1	90.75	61.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
11.02.2020 16:36:40	1	1	1	1	90.75	61.5	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.75	2004
11.02.2020 16:36:41	1	1	1	1	90.75	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:36:42	1	1	1	1	90.75	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:36:43	1	1	1	1	90.25	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	42	2004
11.02.2020 16:36:44	1	1	1	1	90.25	62	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:36:46	1	1	1	1	90.25	62	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.875	2004
11.02.2020 16:36:47	1	1	1	1	90.25	61.75	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:48	1	1	1	1	90.25	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:49	1	1	1	1	90.25	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:36:50	1	1	1	1	90.25	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:36:51	1	1	1	1	90.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:36:52	1	1	1	1	90.25	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:53	1	1	1	1	90.25	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:54	1	1	1	1	90.75	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	42	2004
11.02.2020 16:36:55	1	1	1	1	90.75	62	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 16:36:56	1	1	1	1	90.75	61.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:36:57	1	1	1	1	90.75	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:36:58	1	1	1	1	90.75	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
11.02.2020 16:36:59	1	1	1	1	90.75	61.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:37:00	1	1	1	1	90.75	62	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	41.5	2004
11.02.2020 16:37:01	1	1	1	1	90.75	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.5	2004
11.02.2020 16:37:02	1	1	1	1	90.75	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:37:03	1	1	1	1	90.75	62	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:04	1	1	1	1	90.75	61.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:05	1	1	1	1	90.75	61.75	0	27630.332	580.6451613	16038.37687	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:06	1	1	1	1	90.75	61.75	0	27298.578	578.4946237	15819.04167	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:37:07	1	1	1	1	90.75	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
11.02.2020 16:37:08	1	1	1	1	90.75	61.5	0	27819.905	572.0430108	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:09	1	1	1	1	90.75	61.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:10	1	1	1	1	90.75	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:18	1	1	1	1	90.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:19	1	1	1	1	90.75	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 16:37:20	1	1	1	1	90.75	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:37:21	1	1	1	1	90.75	61.75	0	27440.758	576.344086	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:37:22	1	1	1	1	90.75	62	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:24	1	1	1	1	91.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:25	1	1	1	1	91.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:37:26	1	1	1	1	91.25	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:27	1	1	1	1	91.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:28	1	1	1	1	91.25	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42	2004
11.02.2020 16:37:29	1	1	1	1	91.25	62	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:37:30	1	1	1	1	91.25	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:31	1	1	1	1	91.25	61.75	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	41.625	2004
11.02.2020 16:37:32	1	1	1	1	91.25	61.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	41.75	2004
11.02.2020 16:37:33	1	1	1	1	91.25	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:37:34	1	1	1	1	91	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
11.02.2020 16:37:35	1	1	1	1	91	61.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 16:37:36	1	1	1	1	91	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:37:37	1	1	1	1	91	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:38	1	1	1	1	91	62	0	27535.545	578.4946237	15987.82377	30000	0	0	30000	41.375	2004
11.02.2020 16:37:39	1	1	1	1	91	61.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.625	2004
11.02.2020 16:37:40	1	1	1	1	91	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 16:37:41	1	1	1	1	91	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 16:37:42	1	1	1	1	91	61.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.875	2004
11.02.2020 16:37:43	1	1	1	1	91.5	61.75	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:37:44	1	1	1	1	91.5	61.5	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:45	1	1	1	1	91.5	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:46	1	1	1	1	91.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:37:47	1	1	1	1	91.5	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:48	1	1	1	1	91.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:37:49	1	1	1	1	91.5	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.375	2004
11.02.2020 16:37:50	1	1	1	1	91.5	61.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:37:51	1	1	1	1	91.5	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:37:52	1	1	1	1	91.5	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.4375	2004
11.02.2020 16:37:53	1	1	1	1	91.5	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5625	2004
11.02.2020 16:37:54	1	1	1	1	91.5	61.5	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
11.02.2020 16:37:55	1	1	1	1	91.5	61.75	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:37:56	1	1	1	1	91.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:37:57	1	1	1	1	91.5	62	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:37:58	1	1	1	1	91.5	61.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.75	2004
11.02.2020 16:37:59	1	1	1	1	91.5	61.75	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:38:01	1	1	1	1	91.5	62	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:38:02	1	1	1	1	91.5	61.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:03	1	1	1	1	91.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:38:04	1	1	1	1	91.25	61.75	0	27488.152	582.7956989	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:05	1	1	1	1	91.25	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:38:06	1	1	1	1	91.25	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42	2004
11.02.2020 16:38:07	1	1	1	1	91.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:08	1	1	1	1	91.25	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 16:38:09	1	1	1	1	91.25	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 16:38:10	1	1	1	1	91.25	61.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 16:38:11	1	1	1	1	91.25	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
11.02.2020 16:38:12	1	1	1	1	91.25	61.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.1875	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:20	1	1	1	1	91.25	61.75	0	27582.938	576.344086	15987.82377	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:21	1	1	1	1	91.25	61.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	42	2004
11.02.2020 16:38:22	1	1	1	1	91.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:38:23	1	1	1	1	92	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:38:24	1	1	1	1	92	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:38:25	1	1	1	1	92	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 16:38:26	1	1	1	1	92	61.75	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	41.5	2004
11.02.2020 16:38:27	1	1	1	1	92	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
11.02.2020 16:38:28	1	1	1	1	92	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:38:29	1	1	1	1	92	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:38:30	1	1	1	1	92	61.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:38:31	1	1	1	1	92	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.4375	2004
11.02.2020 16:38:32	1	1	1	1	92	61.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 16:38:33	1	1	1	1	91.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:34	1	1	1	1	91.5	61.5	0	27867.299	576.344086	16093.00682	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:38:35	1	1	1	1	91.5	61.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	41.6875	2004
11.02.2020 16:38:36	1	1	1	1	91.5	61.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	41.375	2004
11.02.2020 16:38:37	1	1	1	1	91.5	61.25	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	41.875	2004
11.02.2020 16:38:38	1	1	1	1	91.5	61.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.875	2004
11.02.2020 16:38:39	1	1	1	1	91.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:38:41	1	1	1	1	91.5	61.75	0	27867.299	578.4946237	16181.06705	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:42	1	1	1	1	91.5	61.5	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 16:38:43	1	1	1	1	91.5	61.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 16:38:44	1	1	1	1	91.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:45	1	1	1	1	91.5	61.5	0	27582.938	578.4946237	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 16:38:46	1	1	1	1	91.5	61.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	41.75	2004
11.02.2020 16:38:47	1	1	1	1	91.5	61.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.625	2004
11.02.2020 16:38:48	1	1	1	1	91.5	61.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.375	2004
11.02.2020 16:38:49	1	1	1	1	91.5	61.25	0	27630.332	576.344086	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 16:38:50	1	1	1	1	91.5	62	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.125	2004
11.02.2020 16:38:51	1	1	1	1	91.5	61	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:38:52	1	1	1	1	91.5	61.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:53	1	1	1	1	91.25	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.125	2004
11.02.2020 16:38:54	1	1	1	1	91.25	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 16:38:55	1	1	1	1	91.25	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.625	2004
11.02.2020 16:38:56	1	1	1	1	91.25	61.5	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.5625	2004
11.02.2020 16:38:57	1	1	1	1	91.25	61.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.25	2004
11.02.2020 16:38:58	1	1	1	1	91.25	61.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:38:59	1	1	1	1	91.25	61.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:39:00	1	1	1	1	91.25	61.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:01	1	1	1	1	91.25	61.75	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:02	1	1	1	1	91.25	61.75	0	27725.118	576.344086	16093.00682	30000	0	0	30000	41.875	2004
11.02.2020 16:39:03	1	1	1	1	91.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:04	1	1	1	1	91.25	61.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	41.875	2004
11.02.2020 16:39:05	1	1	1	1	91.25	61.75	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:06	1	1	1	1	91.25	61.5	0	27819.905	576.344086	15864.70252	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:07	1	1	1	1	91.25	61.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:39:08	1	1	1	1	91.25	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:09	1	1	1	1	91.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:10	1	1	1	1	91.25	61.5	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:11	1	1	1	1	91.25	61.75	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:12	1	1	1	1	91.25	61.5	0	27867.299	578.4946237	16148.45215	30000	0	0	30000	41.875	2004
11.02.2020 16:39:13	1	1	1	1	91	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:22	1	1	1	1	91	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.75	2004
11.02.2020 16:39:23	1	1	1	1	91	61.75	0	27345.972	580.6451613	15760.33485	30000	0	0	30000	41.875	2004
11.02.2020 16:39:24	1	1	1	1	91	61.75	0	27630.332	580.6451613	15837.79523	30000	0	0	30000	41.875	2004
11.02.2020 16:39:25	1	1	1	1	91	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
11.02.2020 16:39:26	1	1	1	1	91	62	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	42.125	2004
11.02.2020 16:39:27	1	1	1	1	91	62	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:28	1	1	1	1	91	61.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:39:29	1	1	1	1	91	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.3125	2004
11.02.2020 16:39:30	1	1	1	1	91	62.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	42	2004
11.02.2020 16:39:31	1	1	1	1	91	62	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	42.1875	2004
11.02.2020 16:39:32	1	1	1	1	91	62	0	27914.692	576.344086	16175.35944	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:33	1	1	1	1	91.25	61.5	0	27725.118	576.344086	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:34	1	1	1	1	91.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:35	1	1	1	1	91.25	61.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
11.02.2020 16:39:36	1	1	1	1	91.25	61.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:37	1	1	1	1	91.25	61.75	0	27772.512	587.0967742	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:38	1	1	1	1	91.25	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:39	1	1	1	1	91.25	61.5	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	41.625	2004
11.02.2020 16:39:40	1	1	1	1	91.25	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:41	1	1	1	1	91.25	61.5	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:42	1	1	1	1	91.25	61.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	41.4375	2004
11.02.2020 16:39:43	1	1	1	1	91	61.25	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:44	1	1	1	1	91	61.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 16:39:45	1	1	1	1	91	61.75	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	41.75	2004
11.02.2020 16:39:46	1	1	1	1	91	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:47	1	1	1	1	91	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:48	1	1	1	1	91	61.75	0	27630.332	576.344086	16038.37687	30000	0	0	30000	42	2004
11.02.2020 16:39:49	1	1	1	1	91	62	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:39:50	1	1	1	1	91	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 16:39:51	1	1	1	1	91	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:52	1	1	1	1	91	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
11.02.2020 16:39:53	1	1	1	1	91.25	61.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.75	2004
11.02.2020 16:39:54	1	1	1	1	91.25	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.9375	2004
11.02.2020 16:39:56	1	1	1	1	91.25	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5	2004
11.02.2020 16:39:57	1	1	1	1	91.25	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:58	1	1	1	1	91.25	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.6875	2004
11.02.2020 16:39:59	1	1	1	1	91.25	61.5	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 16:40:00	1	1	1	1	91.25	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:40:01	1	1	1	1	91.25	61.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42	2004
11.02.2020 16:40:02	1	1	1	1	91.25	62	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:03	1	1	1	1	91.25	61.75	0	27630.332	587.0967742	16134.59082	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:40:04	1	1	1	1	90.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:40:05	1	1	1	1	90.5	61.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.75	2004
11.02.2020 16:40:06	1	1	1	1	90.5	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.0625	2004
11.02.2020 16:40:07	1	1	1	1	90.5	62	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	41.625	2004
11.02.2020 16:40:08	1	1	1	1	90.5	61.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	41.75	2004
11.02.2020 16:40:09	1	1	1	1	90.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
11.02.2020 16:40:10	1	1	1	1	90.5	62.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	42.0625	2004
11.02.2020 16:40:11	1	1	1	1	90.5	62	0	27630.332	576.344086	16273.20414	30000	0	0	30000	41.875	2004
11.02.2020 16:40:12	1	1	1	1	90.5	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:40:13	1	1	1	1	90.5	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.4375	2004
11.02.2020 16:40:14	1	1	1	1	90.5	61.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:15	1	1	1	1	90.5	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:40:23	1	1	1	1	90.5	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90.5	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90.5	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90.5	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90	61.75	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90	61.75	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:23	1	1	1	1	90	61.75	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:24	1	1	1	1	90	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
11.02.2020 16:40:25	1	1	1	1	90	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.875	2004
11.02.2020 16:40:26	1	1	1	1	90	61.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.875	2004
11.02.2020 16:40:27	1	1	1	1	90	61.75	0	27962.085	578.4946237	16027.77702	30000	0	0	30000	41.625	2004
11.02.2020 16:40:28	1	1	1	1	90	61.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	41.8125	2004
11.02.2020 16:40:29	1	1	1	1	90	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:40:30	1	1	1	1	90	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.25	2004
11.02.2020 16:40:31	1	1	1	1	90	61.25	0	27630.332	576.344086	15805.18033	30000	0	0	30000	42	2004
11.02.2020 16:40:32	1	1	1	1	90	62	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:40:34	1	1	1	1	89.75	61.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	41.875	2004
11.02.2020 16:40:35	1	1	1	1	89.75	61.75	0	27772.512	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:40:36	1	1	1	1	89.75	61.75	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:40:37	1	1	1	1	89.75	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:40:38	1	1	1	1	89.75	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:40:39	1	1	1	1	89.75	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 16:40:40	1	1	1	1	89.75	61.75	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	41.8125	2004
11.02.2020 16:40:41	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42	2004
11.02.2020 16:40:42	1	1	1	1	89.75	62	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:45	1	1	1	1	90.25	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:40:45	1	1	1	1	90.25	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:40:45	1	1	1	1	90.25	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:40:46	1	1	1	1	90.25	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.3125	2004
11.02.2020 16:40:47	1	1	1	1	90.25	61.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	42.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:40:48	1	1	1	1	90.25	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:40:49	1	1	1	1	90.25	62	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	42.1875	2004
11.02.2020 16:40:50	1	1	1	1	90.25	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
11.02.2020 16:40:51	1	1	1	1	90.25	62.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.875	2004
11.02.2020 16:40:52	1	1	1	1	90.25	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.625	2004
11.02.2020 16:40:53	1	1	1	1	90.5	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.375	2004
11.02.2020 16:40:54	1	1	1	1	90.5	61.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:40:55	1	1	1	1	90.5	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 16:40:56	1	1	1	1	90.5	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 16:40:57	1	1	1	1	90.5	61.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.75	2004
11.02.2020 16:40:58	1	1	1	1	90.5	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
11.02.2020 16:40:59	1	1	1	1	90.5	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.875	2004
11.02.2020 16:41:00	1	1	1	1	90.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:01	1	1	1	1	90.5	61.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.875	2004
11.02.2020 16:41:02	1	1	1	1	90.5	61.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.6875	2004
11.02.2020 16:41:03	1	1	1	1	90	61.5	0	27867.299	582.7956989	16033.48463	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:04	1	1	1	1	90	61.75	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	41.5625	2004
11.02.2020 16:41:05	1	1	1	1	90	61.5	0	27867.299	576.344086	16027.77702	30000	0	0	30000	40.9375	2004
11.02.2020 16:41:06	1	1	1	1	90	60.75	0	27725.118	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:41:07	1	1	1	1	90	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:41:08	1	1	1	1	90	61.5	0	27867.299	574.1935484	15854.10268	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:09	1	1	1	1	90	61.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 16:41:10	1	1	1	1	90	61.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.875	2004
11.02.2020 16:41:11	1	1	1	1	90	61.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	41.6875	2004
11.02.2020 16:41:12	1	1	1	1	90	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
11.02.2020 16:41:13	1	1	1	1	89.75	61.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 16:41:15	1	1	1	1	89.75	61.5	0	27867.299	574.1935484	16148.45215	30000	0	0	30000	42	2004
11.02.2020 16:41:16	1	1	1	1	89.75	62	0	27819.905	578.4946237	16006.57734	30000	0	0	30000	41.75	2004
11.02.2020 16:41:17	1	1	1	1	89.75	61.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:25	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:41:25	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:41:25	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:41:25	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:41:25	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
11.02.2020 16:41:25	1	1	1	1	89.75	62	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	41.9375	2004
11.02.2020 16:41:26	1	1	1	1	89.75	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:41:27	1	1	1	1	89.75	61.5	0	27914.692	576.344086	16115.83725	30000	0	0	30000	42.0625	2004
11.02.2020 16:41:28	1	1	1	1	89.75	62	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	41.5625	2004
11.02.2020 16:41:29	1	1	1	1	89.75	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:41:30	1	1	1	1	89.75	61.75	0	27819.905	580.6451613	16038.37687	30000	0	0	30000	42.125	2004
11.02.2020 16:41:31	1	1	1	1	89.75	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:41:32	1	1	1	1	89.75	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:33	1	1	1	1	89.5	61.75	0	27582.938	582.7956989	15756.25798	30000	0	0	30000	41.75	2004
11.02.2020 16:41:34	1	1	1	1	89.5	61.75	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
11.02.2020 16:41:35	1	1	1	1	89.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:41:36	1	1	1	1	89.5	61.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 16:41:37	1	1	1	1	89.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:41:38	1	1	1	1	89.5	61.75	0	27582.938	578.4946237	15756.25798	30000	0	0	30000	41.375	2004
11.02.2020 16:41:39	1	1	1	1	89.5	61.25	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	42	2004
11.02.2020 16:41:40	1	1	1	1	89.5	62	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:41:41	1	1	1	1	89.5	61.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.375	2004
11.02.2020 16:41:42	1	1	1	1	89.5	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
11.02.2020 16:41:43	1	1	1	1	89.5	62	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.9375	2004
11.02.2020 16:41:44	1	1	1	1	89.5	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:45	1	1	1	1	89.5	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.9375	2004
11.02.2020 16:41:46	1	1	1	1	89.5	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:41:47	1	1	1	1	89.5	61.75	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.875	2004
11.02.2020 16:41:48	1	1	1	1	89.5	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:49	1	1	1	1	89.5	61.75	0	27630.332	567.7419355	16162.31348	30000	0	0	30000	41.75	2004
11.02.2020 16:41:50	1	1	1	1	89.5	61.75	0	27630.332	584.9462366	16134.59082	30000	0	0	30000	41.75	2004
11.02.2020 16:41:51	1	1	1	1	89.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:53	1	1	1	1	89.5	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 16:41:54	1	1	1	1	89.25	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:41:55	1	1	1	1	89.25	61.5	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	41.9375	2004
11.02.2020 16:41:56	1	1	1	1	89.25	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:41:57	1	1	1	1	89.25	61.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.8125	2004
11.02.2020 16:41:58	1	1	1	1	89.25	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:41:59	1	1	1	1	89.25	61.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	42.0625	2004
11.02.2020 16:42:00	1	1	1	1	89.25	62	0	27582.938	587.0967742	16134.59082	30000	0	0	30000	41.5625	2004
11.02.2020 16:42:01	1	1	1	1	89.25	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42	2004
11.02.2020 16:42:02	1	1	1	1	89.25	62	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	42	2004
11.02.2020 16:42:03	1	1	1	1	89.25	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 16:42:04	1	1	1	1	89.25	61.25	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
11.02.2020 16:42:05	1	1	1	1	89.25	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:42:06	1	1	1	1	89.25	61.75	0	27535.545	580.6451613	16193.29764	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:07	1	1	1	1	89.25	61.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.875	2004
11.02.2020 16:42:08	1	1	1	1	89.25	62	0	27582.938	576.344086	15897.31742	30000	0	0	30000	41.5	2004
11.02.2020 16:42:09	1	1	1	1	89.25	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:42:10	1	1	1	1	89.25	61.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:11	1	1	1	1	89.25	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:42:12	1	1	1	1	89.25	61.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:42:13	1	1	1	1	89.25	61.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:42:14	1	1	1	1	89.25	61.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.5	2004
11.02.2020 16:42:15	1	1	1	1	89.25	61.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:42:16	1	1	1	1	89.25	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:42:17	1	1	1	1	89.25	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 16:42:18	1	1	1	1	89.25	61.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:26	1	1	1	1	89	61.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:27	1	1	1	1	89	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41	2004
11.02.2020 16:42:28	1	1	1	1	89	61	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.3125	2004
11.02.2020 16:42:29	1	1	1	1	89	61.25	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.75	2004
11.02.2020 16:42:31	1	1	1	1	89	61.75	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:32	1	1	1	1	89	61.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 16:42:33	1	1	1	1	89	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 16:42:34	1	1	1	1	89	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
11.02.2020 16:42:35	1	1	1	1	89	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:36	1	1	1	1	89	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
11.02.2020 16:42:37	1	1	1	1	89	61.75	0	27725.118	580.6451613	15924.22472	30000	0	0	30000	41.4375	2004
11.02.2020 16:42:38	1	1	1	1	89	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.875	2004
11.02.2020 16:42:39	1	1	1	1	89	61.75	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	41.75	2004
11.02.2020 16:42:40	1	1	1	1	89	61.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:42:41	1	1	1	1	89	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:42:42	1	1	1	1	89	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.75	2004
11.02.2020 16:42:43	1	1	1	1	89	61.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.8125	2004
11.02.2020 16:42:44	1	1	1	1	89.25	61.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	41.75	2004
11.02.2020 16:42:45	1	1	1	1	89.25	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.875	2004
11.02.2020 16:42:46	1	1	1	1	89.25	61.75	0	27298.578	582.7956989	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 16:42:47	1	1	1	1	89.25	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 16:42:48	1	1	1	1	89.25	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 16:42:49	1	1	1	1	89.25	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 16:42:50	1	1	1	1	89.25	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 16:42:51	1	1	1	1	89.25	61.75	0	27061.611	584.9462366	15770.93469	30000	0	0	30000	41.5625	2004
11.02.2020 16:42:52	1	1	1	1	89.25	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 16:42:53	1	1	1	1	89.5	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.5625	2004
11.02.2020 16:42:54	1	1	1	1	89.5	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 16:42:55	1	1	1	1	89.5	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:56	1	1	1	1	89.5	61.5	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:42:57	1	1	1	1	89.5	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:42:58	1	1	1	1	89.5	61.5	0	27582.938	578.4946237	16134.59082	30000	0	0	30000	41.9375	2004
11.02.2020 16:42:59	1	1	1	1	89.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:43:00	1	1	1	1	89.5	61.5	0	27535.545	580.6451613	16051.42282	30000	0	0	30000	41.1875	2004
11.02.2020 16:43:01	1	1	1	1	89.5	61	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.9375	2004
11.02.2020 16:43:02	1	1	1	1	89.5	61.75	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:43:03	1	1	1	1	89.5	61.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.9375	2004
11.02.2020 16:43:04	1	1	1	1	89.5	61.75	0	27345.972	584.9462366	16168.83646	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:05	1	1	1	1	89.5	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 16:43:06	1	1	1	1	89.5	61.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.4375	2004
11.02.2020 16:43:07	1	1	1	1	89.5	61.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:43:09	1	1	1	1	89.5	61.5	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	42	2004
11.02.2020 16:43:10	1	1	1	1	89.5	62	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:11	1	1	1	1	89.5	61.75	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	41.875	2004
11.02.2020 16:43:12	1	1	1	1	89.5	61.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:13	1	1	1	1	89.5	61.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	41.1875	2004
11.02.2020 16:43:14	1	1	1	1	89.75	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:43:15	1	1	1	1	89.75	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 16:43:16	1	1	1	1	89.75	61.5	0	27345.972	576.344086	15936.4553	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:17	1	1	1	1	89.75	61.5	0	27440.758	576.344086	16075.06863	30000	0	0	30000	41.9375	2004
11.02.2020 16:43:18	1	1	1	1	89.75	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.75	2004
11.02.2020 16:43:19	1	1	1	1	89.75	61.75	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:20	1	1	1	1	89.75	61.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:28	1	1	1	1	90	61.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:29	1	1	1	1	90	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
11.02.2020 16:43:30	1	1	1	1	90	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:43:31	1	1	1	1	90	61.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 16:43:32	1	1	1	1	90	61.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.75	2004
11.02.2020 16:43:33	1	1	1	1	90	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:43:34	1	1	1	1	90	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:43:35	1	1	1	1	90	61.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:43:36	1	1	1	1	90	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42	2004
11.02.2020 16:43:37	1	1	1	1	90	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 16:43:38	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:43:39	1	1	1	1	90	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:40	1	1	1	1	90	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:43:41	1	1	1	1	90	61.5	0	27156.398	587.0967742	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 16:43:42	1	1	1	1	90	61.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:43	1	1	1	1	90	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:43:44	1	1	1	1	90	61.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:43:45	1	1	1	1	90	61.5	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	41.5625	2004
11.02.2020 16:43:47	1	1	1	1	90	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 16:43:48	1	1	1	1	90	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:49	1	1	1	1	90	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:43:50	1	1	1	1	90	61.75	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	41.875	2004
11.02.2020 16:43:51	1	1	1	1	90	61.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 16:43:52	1	1	1	1	90	61.5	0	27440.758	576.344086	16047.34596	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:53	1	1	1	1	90	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:43:54	1	1	1	1	89.5	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 16:43:55	1	1	1	1	89.5	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:43:56	1	1	1	1	89.5	61.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	41.875	2004
11.02.2020 16:43:57	1	1	1	1	89.5	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:43:58	1	1	1	1	89.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:43:59	1	1	1	1	89.5	62	0	27582.938	584.9462366	16162.31348	30000	0	0	30000	42	2004
11.02.2020 16:44:00	1	1	1	1	89.5	62	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:01	1	1	1	1	89.5	61.5	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	41.75	2004
11.02.2020 16:44:02	1	1	1	1	89.5	61.75	0	27156.398	580.6451613	15682.05909	30000	0	0	30000	41.625	2004
11.02.2020 16:44:03	1	1	1	1	90	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.9375	2004
11.02.2020 16:44:04	1	1	1	1	90	61.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:44:05	1	1	1	1	90	61.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.25	2004
11.02.2020 16:44:06	1	1	1	1	90	61.25	0	27156.398	580.6451613	15624.16764	30000	0	0	30000	41.75	2004
11.02.2020 16:44:07	1	1	1	1	90	61.75	0	27582.938	589.2473118	16134.59082	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:08	1	1	1	1	90	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.625	2004
11.02.2020 16:44:09	1	1	1	1	90	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:44:10	1	1	1	1	90	61.75	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	41.5625	2004
11.02.2020 16:44:11	1	1	1	1	90	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:44:12	1	1	1	1	90	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 16:44:13	1	1	1	1	89.5	61.75	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 16:44:14	1	1	1	1	89.5	61.75	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	41.875	2004
11.02.2020 16:44:15	1	1	1	1	89.5	61.75	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:16	1	1	1	1	89.5	61.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 16:44:17	1	1	1	1	89.5	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 16:44:18	1	1	1	1	89.5	61.75	0	27440.758	582.7956989	15964.17797	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:19	1	1	1	1	89.5	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:44:20	1	1	1	1	89.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:21	1	1	1	1	89.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:30	1	1	1	1	90	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
11.02.2020 16:44:31	1	1	1	1	90	62	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:44:32	1	1	1	1	90	61.5	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	41.75	2004
11.02.2020 16:44:33	1	1	1	1	90	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 16:44:34	1	1	1	1	89.75	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:35	1	1	1	1	89.75	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:44:36	1	1	1	1	89.75	61.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
11.02.2020 16:44:37	1	1	1	1	89.75	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 16:44:38	1	1	1	1	89.75	61	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 16:44:39	1	1	1	1	89.75	61.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:44:40	1	1	1	1	89.75	61.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 16:44:41	1	1	1	1	89.75	61.75	0	27298.578	591.3978495	15942.97828	30000	0	0	30000	42.0625	2004
11.02.2020 16:44:42	1	1	1	1	89.75	62	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:43	1	1	1	1	89.25	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:44	1	1	1	1	89.25	61.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:45	1	1	1	1	89.25	61.75	0	27440.758	591.3978495	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:44:46	1	1	1	1	89.25	61.5	0	27535.545	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:44:47	1	1	1	1	89.25	61.75	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	41.4375	2004
11.02.2020 16:44:48	1	1	1	1	89.25	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:44:49	1	1	1	1	89.25	61.75	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 16:44:50	1	1	1	1	89.25	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:51	1	1	1	1	89.25	61.75	0	27440.758	584.9462366	16193.29764	30000	0	0	30000	41.4375	2004
11.02.2020 16:44:52	1	1	1	1	89.25	61.25	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:44:53	1	1	1	1	89.25	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:44:54	1	1	1	1	89.25	61.75	0	27393.365	584.9462366	15964.17797	30000	0	0	30000	41.5	2004
11.02.2020 16:44:55	1	1	1	1	89.25	61.5	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	41.25	2004
11.02.2020 16:44:56	1	1	1	1	89.25	61.25	0	27630.332	589.2473118	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:44:57	1	1	1	1	89.25	61.75	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.75	2004
11.02.2020 16:44:58	1	1	1	1	89.25	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:44:59	1	1	1	1	89.25	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:45:00	1	1	1	1	89.25	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.3125	2004
11.02.2020 16:45:01	1	1	1	1	89.25	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:45:03	1	1	1	1	89.25	61.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 16:45:04	1	1	1	1	89	61.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:45:05	1	1	1	1	89	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:06	1	1	1	1	89	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.875	2004
11.02.2020 16:45:07	1	1	1	1	89	61.75	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:08	1	1	1	1	89	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:45:09	1	1	1	1	89	61.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42	2004
11.02.2020 16:45:10	1	1	1	1	89	62	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:11	1	1	1	1	89	61.5	0	27440.758	574.1935484	16047.34596	30000	0	0	30000	41.9375	2004
11.02.2020 16:45:12	1	1	1	1	89	61.75	0	27156.398	580.6451613	15709.78175	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:45:13	1	1	1	1	89	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 16:45:14	1	1	1	1	89.5	61.25	0	27440.758	587.0967742	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 16:45:15	1	1	1	1	89.5	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:45:16	1	1	1	1	89.5	61.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	41.0625	2004
11.02.2020 16:45:17	1	1	1	1	89.5	61	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:45:18	1	1	1	1	89.5	61.75	0	27109.005	582.7956989	15857.36417	30000	0	0	30000	42.0625	2004
11.02.2020 16:45:19	1	1	1	1	89.5	62	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	41.25	2004
11.02.2020 16:45:20	1	1	1	1	89.5	61.25	0	27298.578	582.7956989	15733.42755	30000	0	0	30000	42	2004
11.02.2020 16:45:21	1	1	1	1	89.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:45:22	1	1	1	1	89.5	61.75	0	27345.972	580.6451613	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 16:45:23	1	1	1	1	89	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:31	1	1	1	1	89	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:32	1	1	1	1	89	61.5	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:45:33	1	1	1	1	89.25	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:45:34	1	1	1	1	89.25	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:45:35	1	1	1	1	89.25	61.5	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	41.3125	2004
11.02.2020 16:45:36	1	1	1	1	89.25	61.25	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:37	1	1	1	1	89.25	61.5	0	27203.791	589.2473118	16001.6851	30000	0	0	30000	41.875	2004
11.02.2020 16:45:38	1	1	1	1	89.25	61.75	0	27345.972	572.0430108	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 16:45:39	1	1	1	1	89.25	61.75	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:45:40	1	1	1	1	89.25	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
11.02.2020 16:45:41	1	1	1	1	89.25	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:45:42	1	1	1	1	89.25	61.25	0	27345.972	584.9462366	16023.70016	30000	0	0	30000	41	2004
11.02.2020 16:45:44	1	1	1	1	89.25	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.375	2004
11.02.2020 16:45:45	1	1	1	1	89.25	61.25	0	27630.332	584.9462366	16015.54644	30000	0	0	30000	41.875	2004
11.02.2020 16:45:46	1	1	1	1	89.25	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.0625	2004
11.02.2020 16:45:47	1	1	1	1	89.25	61	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.875	2004
11.02.2020 16:45:48	1	1	1	1	89.25	61.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:45:49	1	1	1	1	89.25	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:45:50	1	1	1	1	89.25	61.5	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	41.875	2004
11.02.2020 16:45:51	1	1	1	1	89.25	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.4375	2004
11.02.2020 16:45:52	1	1	1	1	89.25	61.25	0	27440.758	584.9462366	16023.70016	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:53	1	1	1	1	89.25	61.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:54	1	1	1	1	88.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
11.02.2020 16:45:55	1	1	1	1	88.75	61.25	0	27345.972	587.0967742	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:45:56	1	1	1	1	88.75	61.5	0	27582.938	587.0967742	16051.42282	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:45:57	1	1	1	1	88.75	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:45:58	1	1	1	1	88.75	61.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:45:59	1	1	1	1	88.75	61.75	0	27440.758	576.344086	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:00	1	1	1	1	88.75	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42	2004
11.02.2020 16:46:01	1	1	1	1	88.75	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:46:02	1	1	1	1	88.75	61.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	42.25	2004
11.02.2020 16:46:03	1	1	1	1	88.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:04	1	1	1	1	88.5	61.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:46:05	1	1	1	1	88.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:46:06	1	1	1	1	88.5	61.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:46:07	1	1	1	1	88.5	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 16:46:08	1	1	1	1	88.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:46:09	1	1	1	1	88.5	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.125	2004
11.02.2020 16:46:10	1	1	1	1	88.5	61	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:11	1	1	1	1	88.5	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:46:12	1	1	1	1	88.5	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:46:13	1	1	1	1	89	61.5	0	27440.758	587.0967742	15877.74848	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:14	1	1	1	1	89	61.75	0	27345.972	591.3978495	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:46:15	1	1	1	1	89	61.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	41.625	2004
11.02.2020 16:46:16	1	1	1	1	89	61.5	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	41.5	2004
11.02.2020 16:46:17	1	1	1	1	89	61.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.1875	2004
11.02.2020 16:46:18	1	1	1	1	89	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:19	1	1	1	1	89	61.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:20	1	1	1	1	89	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:46:21	1	1	1	1	89	61.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:46:22	1	1	1	1	89	61.5	0	27298.578	578.4946237	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 16:46:23	1	1	1	1	89	61.5	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 16:46:25	1	1	1	1	89	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:33	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:34	1	1	1	1	89	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 16:46:35	1	1	1	1	89	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:36	1	1	1	1	89	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:46:37	1	1	1	1	89	61.5	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	41.5	2004
11.02.2020 16:46:38	1	1	1	1	89	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.0625	2004
11.02.2020 16:46:39	1	1	1	1	89	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.375	2004
11.02.2020 16:46:40	1	1	1	1	89	61.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:46:41	1	1	1	1	89	62	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 16:46:42	1	1	1	1	89	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:46:43	1	1	1	1	89.25	61.75	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	41.875	2004
11.02.2020 16:46:44	1	1	1	1	89.25	61.75	0	27345.972	580.6451613	15964.17797	30000	0	0	30000	41.875	2004
11.02.2020 16:46:45	1	1	1	1	89.25	61.75	0	27440.758	584.9462366	15701.62803	30000	0	0	30000	41.6875	2004
11.02.2020 16:46:46	1	1	1	1	89.25	61.5	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:47	1	1	1	1	89.25	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:46:48	1	1	1	1	89.25	61.75	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 16:46:49	1	1	1	1	89.25	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:46:50	1	1	1	1	89.25	61.5	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:46:51	1	1	1	1	89.25	61.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.25	2004
11.02.2020 16:46:52	1	1	1	1	89.25	61.25	0	27014.218	584.9462366	15887.53295	30000	0	0	30000	41.375	2004
11.02.2020 16:46:53	1	1	1	1	89.25	61.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 16:46:54	1	1	1	1	89.25	61.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.4375	2004
11.02.2020 16:46:55	1	1	1	1	89.25	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:46:56	1	1	1	1	89.25	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:46:57	1	1	1	1	89.25	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 16:46:58	1	1	1	1	89.25	61.5	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	41.1875	2004
11.02.2020 16:47:00	1	1	1	1	89.25	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:01	1	1	1	1	89.25	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:02	1	1	1	1	89.25	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.875	2004
11.02.2020 16:47:03	1	1	1	1	89.25	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:47:04	1	1	1	1	89	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:47:05	1	1	1	1	89	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:47:06	1	1	1	1	89	61.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:07	1	1	1	1	89	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:47:08	1	1	1	1	89	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.1875	2004
11.02.2020 16:47:09	1	1	1	1	89	61	0	27440.758	584.9462366	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 16:47:10	1	1	1	1	89	61.75	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	41.625	2004
11.02.2020 16:47:11	1	1	1	1	89	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:12	1	1	1	1	89	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:47:13	1	1	1	1	89	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:47:14	1	1	1	1	89	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:47:15	1	1	1	1	89	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 16:47:16	1	1	1	1	89	61.5	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	41.875	2004
11.02.2020 16:47:17	1	1	1	1	89	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.875	2004
11.02.2020 16:47:18	1	1	1	1	89	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:47:19	1	1	1	1	89	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:47:20	1	1	1	1	89	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:21	1	1	1	1	89	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:22	1	1	1	1	89	61.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.75	2004
11.02.2020 16:47:23	1	1	1	1	89	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 16:47:24	1	1	1	1	89	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:47:25	1	1	1	1	89	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:26	1	1	1	1	89	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:35	1	1	1	1	88.75	61.25	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 16:47:36	1	1	1	1	88.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:37	1	1	1	1	88.75	61.25	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	41.25	2004
11.02.2020 16:47:39	1	1	1	1	88.75	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.125	2004
11.02.2020 16:47:40	1	1	1	1	88.75	61	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:41	1	1	1	1	88.75	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:47:42	1	1	1	1	88.75	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:43	1	1	1	1	88.75	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:44	1	1	1	1	89.25	61.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:45	1	1	1	1	89.25	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:46	1	1	1	1	89.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:47	1	1	1	1	89.25	61.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 16:47:48	1	1	1	1	89.25	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:47:49	1	1	1	1	89.25	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:47:50	1	1	1	1	89.25	61.5	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:51	1	1	1	1	89.25	61.25	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 16:47:52	1	1	1	1	89.25	61.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5	2004
11.02.2020 16:47:53	1	1	1	1	89.25	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:47:54	1	1	1	1	89.25	61.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	42.1875	2004
11.02.2020 16:47:55	1	1	1	1	89.25	62	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 16:47:56	1	1	1	1	89.25	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:47:57	1	1	1	1	89.25	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.75	2004
11.02.2020 16:47:58	1	1	1	1	89.25	61.75	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 16:47:59	1	1	1	1	89.25	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 16:48:00	1	1	1	1	89.25	61.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:01	1	1	1	1	89.25	61.5	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	41.375	2004
11.02.2020 16:48:02	1	1	1	1	89.25	61.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.3125	2004
11.02.2020 16:48:03	1	1	1	1	88.75	61.25	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:48:04	1	1	1	1	88.75	61.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:05	1	1	1	1	88.75	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.3125	2004
11.02.2020 16:48:06	1	1	1	1	88.75	61.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:48:07	1	1	1	1	88.75	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 16:48:08	1	1	1	1	88.75	61.5	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:48:09	1	1	1	1	88.75	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:10	1	1	1	1	88.75	61.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:48:11	1	1	1	1	88.75	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5625	2004
11.02.2020 16:48:12	1	1	1	1	88.75	61.5	0	27156.398	580.6451613	15798.65735	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:13	1	1	1	1	89	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.875	2004
11.02.2020 16:48:14	1	1	1	1	89	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 16:48:15	1	1	1	1	89	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:48:17	1	1	1	1	89	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 16:48:18	1	1	1	1	89	61.25	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	41.8125	2004
11.02.2020 16:48:19	1	1	1	1	89	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 16:48:20	1	1	1	1	89	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:48:21	1	1	1	1	89	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:48:22	1	1	1	1	89	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:48:23	1	1	1	1	89	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:48:24	1	1	1	1	88.5	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:25	1	1	1	1	88.5	61.5	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:26	1	1	1	1	88.5	61.5	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:27	1	1	1	1	88.5	61.5	0	27582.938	582.7956989	15929.11695	30000	0	0	30000	41.5	2004
11.02.2020 16:48:28	1	1	1	1	88.5	61.5	0	27298.578	574.1935484	15909.54801	30000	0	0	30000	41.75	2004
11.02.2020 16:48:36	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:36	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:36	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:37	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:37	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:37	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:37	1	1	1	1	88.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:37	1	1	1	1	88.75	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.0625	2004
11.02.2020 16:48:38	1	1	1	1	88.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:48:39	1	1	1	1	88.75	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:48:40	1	1	1	1	88.75	61.75	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	41.8125	2004
11.02.2020 16:48:41	1	1	1	1	88.75	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:48:42	1	1	1	1	88.75	61.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.125	2004
11.02.2020 16:48:43	1	1	1	1	88.25	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:48:44	1	1	1	1	88.25	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:48:45	1	1	1	1	88.25	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:46	1	1	1	1	88.25	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.75	2004
11.02.2020 16:48:47	1	1	1	1	88.25	61.75	0	27535.545	587.0967742	16165.57497	30000	0	0	30000	41.6875	2004
11.02.2020 16:48:48	1	1	1	1	88.25	61.5	0	27298.578	578.4946237	15850.84119	30000	0	0	30000	41.25	2004
11.02.2020 16:48:49	1	1	1	1	88.25	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:48:50	1	1	1	1	88.25	61.75	0	27440.758	591.3978495	16228.35866	30000	0	0	30000	41.625	2004
11.02.2020 16:48:51	1	1	1	1	88.25	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.875	2004
11.02.2020 16:48:52	1	1	1	1	88.25	61.75	0	27630.332	589.2473118	16221.0203	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:48:53	1	1	1	1	88.75	61.5	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	41.375	2004
11.02.2020 16:48:55	1	1	1	1	88.75	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:48:56	1	1	1	1	88.75	61.75	0	27440.758	591.3978495	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:48:57	1	1	1	1	88.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:48:58	1	1	1	1	88.75	61.5	0	27535.545	584.9462366	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 16:48:59	1	1	1	1	88.75	61.75	0	27345.972	591.3978495	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 16:49:00	1	1	1	1	88.75	61.5	0	27582.938	587.0967742	16165.57497	30000	0	0	30000	41.75	2004
11.02.2020 16:49:01	1	1	1	1	88.75	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:02	1	1	1	1	88.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:49:03	1	1	1	1	88.75	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.3125	2004
11.02.2020 16:49:04	1	1	1	1	88.5	61.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.0625	2004
11.02.2020 16:49:05	1	1	1	1	88.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:06	1	1	1	1	88.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:07	1	1	1	1	88.5	61.5	0	27535.545	587.0967742	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:49:08	1	1	1	1	88.5	61.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:09	1	1	1	1	88.5	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:49:10	1	1	1	1	88.5	61.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:11	1	1	1	1	88.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:49:12	1	1	1	1	88.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.0625	2004
11.02.2020 16:49:13	1	1	1	1	88.5	61	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:14	1	1	1	1	88	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:49:15	1	1	1	1	88	61.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:49:16	1	1	1	1	88	62	0	27298.578	589.2473118	15915.25562	30000	0	0	30000	41.875	2004
11.02.2020 16:49:17	1	1	1	1	88	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:18	1	1	1	1	88	61.5	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:19	1	1	1	1	88	61.5	0	27345.972	582.7956989	15733.42755	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:20	1	1	1	1	88	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:21	1	1	1	1	88	61.5	0	27582.938	578.4946237	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:49:22	1	1	1	1	88	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:49:23	1	1	1	1	88.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:24	1	1	1	1	88.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.4375	2004
11.02.2020 16:49:25	1	1	1	1	88.5	61.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.5	2004
11.02.2020 16:49:26	1	1	1	1	88.5	61.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:27	1	1	1	1	88.5	61.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 16:49:28	1	1	1	1	88.5	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:49:29	1	1	1	1	88.5	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:49:38	1	1	1	1	88.25	61.25	0	27109.005	580.6451613	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:49:39	1	1	1	1	88.25	61.75	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	41.8125	2004
11.02.2020 16:49:40	1	1	1	1	88.25	61.75	0	27298.578	593.5483871	16085.66847	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:41	1	1	1	1	88.25	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.4375	2004
11.02.2020 16:49:42	1	1	1	1	88.25	61.25	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41.3125	2004
11.02.2020 16:49:43	1	1	1	1	88.25	61.25	0	27061.611	587.0967742	15945.4244	30000	0	0	30000	41.5625	2004
11.02.2020 16:49:44	1	1	1	1	87.75	61.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.5	2004
11.02.2020 16:49:45	1	1	1	1	87.75	61.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:46	1	1	1	1	87.75	61.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	41.125	2004
11.02.2020 16:49:47	1	1	1	1	87.75	61	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:48	1	1	1	1	87.75	61.5	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.5	2004
11.02.2020 16:49:49	1	1	1	1	87.75	61.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.3125	2004
11.02.2020 16:49:50	1	1	1	1	87.75	61.25	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.1875	2004
11.02.2020 16:49:51	1	1	1	1	87.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 16:49:52	1	1	1	1	87.75	61.25	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:49:53	1	1	1	1	87.75	61.75	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	41.875	2004
11.02.2020 16:49:54	1	1	1	1	87.75	61.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.375	2004
11.02.2020 16:49:55	1	1	1	1	87.75	61.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.6875	2004
11.02.2020 16:49:56	1	1	1	1	87.75	61.5	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	41.75	2004
11.02.2020 16:49:57	1	1	1	1	87.75	61.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:49:58	1	1	1	1	87.75	61.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
11.02.2020 16:49:59	1	1	1	1	87.75	61.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:00	1	1	1	1	87.75	61.5	0	27345.972	580.6451613	16110.12964	30000	0	0	30000	41.375	2004
11.02.2020 16:50:01	1	1	1	1	87.75	61.25	0	27630.332	587.0967742	16162.31348	30000	0	0	30000	41.625	2004
11.02.2020 16:50:02	1	1	1	1	87.75	61.5	0	27345.972	580.6451613	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:03	1	1	1	1	87.75	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:04	1	1	1	1	87.75	61.5	0	27440.758	584.9462366	15814.9648	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:05	1	1	1	1	87.75	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.125	2004
11.02.2020 16:50:06	1	1	1	1	87.75	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:50:07	1	1	1	1	87.75	61.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:08	1	1	1	1	87.75	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:50:09	1	1	1	1	87.75	61.5	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:11	1	1	1	1	87.75	61.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:12	1	1	1	1	87.75	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:50:13	1	1	1	1	87.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41	2004
11.02.2020 16:50:14	1	1	1	1	87.75	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:50:15	1	1	1	1	87.75	61.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.625	2004
11.02.2020 16:50:16	1	1	1	1	87.75	61.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41.1875	2004
11.02.2020 16:50:17	1	1	1	1	87.75	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:18	1	1	1	1	87.75	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.875	2004
11.02.2020 16:50:19	1	1	1	1	87.75	60.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.1875	2004
11.02.2020 16:50:20	1	1	1	1	87.75	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:50:21	1	1	1	1	87.75	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:50:22	1	1	1	1	87.75	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:50:23	1	1	1	1	87.75	61.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:50:24	1	1	1	1	88.25	61.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.625	2004
11.02.2020 16:50:25	1	1	1	1	88.25	61.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.8125	2004
11.02.2020 16:50:26	1	1	1	1	88.25	61.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:27	1	1	1	1	88.25	61.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.8125	2004
11.02.2020 16:50:28	1	1	1	1	88.25	61.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:29	1	1	1	1	88.25	61.5	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:50:30	1	1	1	1	88.25	61.5	0	27582.938	589.2473118	16047.34596	30000	0	0	30000	42.0625	2004
11.02.2020 16:50:31	1	1	1	1	88.25	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:39	1	1	1	1	87.5	61.25	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	41.125	2004
11.02.2020 16:50:40	1	1	1	1	87.5	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.3125	2004
11.02.2020 16:50:41	1	1	1	1	87.5	61.25	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 16:50:42	1	1	1	1	87.5	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:43	1	1	1	1	88	61.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.4375	2004
11.02.2020 16:50:44	1	1	1	1	88	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.25	2004
11.02.2020 16:50:45	1	1	1	1	88	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:50:46	1	1	1	1	88	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
11.02.2020 16:50:47	1	1	1	1	88	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:48	1	1	1	1	88	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
11.02.2020 16:50:50	1	1	1	1	88	61.5	0	27345.972	576.344086	15760.33485	30000	0	0	30000	41.6875	2004
11.02.2020 16:50:51	1	1	1	1	88	61.5	0	27440.758	576.344086	15756.25798	30000	0	0	30000	41	2004
11.02.2020 16:50:52	1	1	1	1	88	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
11.02.2020 16:50:53	1	1	1	1	88	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.125	2004
11.02.2020 16:50:54	1	1	1	1	87.25	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.1875	2004
11.02.2020 16:50:55	1	1	1	1	87.25	61	0	27630.332	580.6451613	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:50:56	1	1	1	1	87.25	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.5	2004
11.02.2020 16:50:57	1	1	1	1	87.25	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:50:58	1	1	1	1	87.25	61.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.125	2004
11.02.2020 16:50:59	1	1	1	1	87.25	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:00	1	1	1	1	87.25	61.5	0	27109.005	582.7956989	15682.05909	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:01	1	1	1	1	87.25	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:51:02	1	1	1	1	87.25	61.75	0	27156.398	578.4946237	15909.54801	30000	0	0	30000	41	2004
11.02.2020 16:51:03	1	1	1	1	87.25	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.125	2004
11.02.2020 16:51:04	1	1	1	1	88	61	0	27582.938	584.9462366	15873.67162	30000	0	0	30000	41.75	2004
11.02.2020 16:51:05	1	1	1	1	88	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:51:06	1	1	1	1	88	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.8125	2004
11.02.2020 16:51:07	1	1	1	1	88	61.75	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	41.1875	2004
11.02.2020 16:51:08	1	1	1	1	88	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 16:51:09	1	1	1	1	88	61.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:51:10	1	1	1	1	88	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:51:11	1	1	1	1	88	61.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.625	2004
11.02.2020 16:51:12	1	1	1	1	88	61.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:51:13	1	1	1	1	88	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:51:14	1	1	1	1	88	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:15	1	1	1	1	88	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.9375	2004
11.02.2020 16:51:16	1	1	1	1	88	60.75	0	27630.332	587.0967742	16134.59082	30000	0	0	30000	41.375	2004
11.02.2020 16:51:17	1	1	1	1	88	61.25	0	27345.972	593.5483871	16054.68431	30000	0	0	30000	41.25	2004
11.02.2020 16:51:18	1	1	1	1	88	61.25	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.875	2004
11.02.2020 16:51:19	1	1	1	1	88	61.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:51:20	1	1	1	1	88	61.5	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:51:21	1	1	1	1	88	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:22	1	1	1	1	88	61.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:51:23	1	1	1	1	87.75	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:24	1	1	1	1	87.75	61.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:51:25	1	1	1	1	87.75	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:27	1	1	1	1	87.75	61.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.75	2004
11.02.2020 16:51:28	1	1	1	1	87.75	61.75	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:29	1	1	1	1	87.75	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:30	1	1	1	1	87.75	61.5	0	27061.611	582.7956989	15770.93469	30000	0	0	30000	41.8125	2004
11.02.2020 16:51:31	1	1	1	1	87.75	61.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:32	1	1	1	1	87.75	61.5	0	27061.611	591.3978495	15859.81029	30000	0	0	30000	41.8125	2004
11.02.2020 16:51:33	1	1	1	1	87.75	61.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:41	1	1	1	1	87.75	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:51:42	1	1	1	1	87.75	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.1875	2004
11.02.2020 16:51:43	1	1	1	1	87.75	61	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	42	2004
11.02.2020 16:51:44	1	1	1	1	88	62	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 16:51:45	1	1	1	1	88	61.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.875	2004
11.02.2020 16:51:46	1	1	1	1	88	61.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	41.75	2004
11.02.2020 16:51:47	1	1	1	1	88	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.3125	2004
11.02.2020 16:51:48	1	1	1	1	88	60.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:49	1	1	1	1	88	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:51:50	1	1	1	1	88	61.5	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:51	1	1	1	1	88	61.5	0	27298.578	589.2473118	15973.96244	30000	0	0	30000	41.6875	2004
11.02.2020 16:51:52	1	1	1	1	88	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:51:53	1	1	1	1	87.75	61.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.375	2004
11.02.2020 16:51:54	1	1	1	1	87.75	61.25	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	41.25	2004
11.02.2020 16:51:55	1	1	1	1	87.75	61.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.25	2004
11.02.2020 16:51:56	1	1	1	1	87.75	61.25	0	27298.578	580.6451613	15819.04167	30000	0	0	30000	41.5	2004
11.02.2020 16:51:57	1	1	1	1	87.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:51:58	1	1	1	1	87.75	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.375	2004
11.02.2020 16:51:59	1	1	1	1	87.75	61.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:52:00	1	1	1	1	87.75	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.5	2004
11.02.2020 16:52:01	1	1	1	1	87.75	61.5	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:52:02	1	1	1	1	87.75	61.5	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	41.1875	2004
11.02.2020 16:52:03	1	1	1	1	88	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:52:05	1	1	1	1	88	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 16:52:06	1	1	1	1	88	61.5	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	41.6875	2004
11.02.2020 16:52:07	1	1	1	1	88	61.5	0	27535.545	584.9462366	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 16:52:08	1	1	1	1	88	61.5	0	27345.972	584.9462366	16082.40698	30000	0	0	30000	41.5	2004
11.02.2020 16:52:09	1	1	1	1	88	61.5	0	27440.758	584.9462366	15877.74848	30000	0	0	30000	41.0625	2004
11.02.2020 16:52:10	1	1	1	1	88	61	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.3125	2004
11.02.2020 16:52:11	1	1	1	1	88	61.25	0	27440.758	593.5483871	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:52:14	1	1	1	1	87.5	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:52:14	1	1	1	1	87.5	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:52:14	1	1	1	1	87.5	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:52:15	1	1	1	1	87.5	61.5	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41.4375	2004
11.02.2020 16:52:16	1	1	1	1	87.5	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:17	1	1	1	1	87.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:52:18	1	1	1	1	87.5	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:19	1	1	1	1	87.5	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 16:52:20	1	1	1	1	87.5	61.5	0	27298.578	587.0967742	15885.08684	30000	0	0	30000	41.75	2004
11.02.2020 16:52:21	1	1	1	1	87.5	61.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:22	1	1	1	1	87.5	61.5	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	41.375	2004
11.02.2020 16:52:23	1	1	1	1	87.5	61.25	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 16:52:24	1	1	1	1	87.75	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
11.02.2020 16:52:25	1	1	1	1	87.75	61.5	0	27535.545	584.9462366	16047.34596	30000	0	0	30000	41.8125	2004
11.02.2020 16:52:26	1	1	1	1	87.75	61.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.25	2004
11.02.2020 16:52:27	1	1	1	1	87.75	61.25	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	41.25	2004
11.02.2020 16:52:28	1	1	1	1	87.75	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.625	2004
11.02.2020 16:52:29	1	1	1	1	87.75	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:52:30	1	1	1	1	87.75	61.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.6875	2004
11.02.2020 16:52:31	1	1	1	1	87.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.0625	2004
11.02.2020 16:52:32	1	1	1	1	87.75	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:33	1	1	1	1	87.75	61.5	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:52:34	1	1	1	1	87.75	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:43	1	1	1	1	87.75	61.25	0	26824.645	591.3978495	15664.93627	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:44	1	1	1	1	87.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:52:45	1	1	1	1	87.5	61.5	0	27109.005	593.5483871	15887.53295	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:46	1	1	1	1	87.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 16:52:47	1	1	1	1	87.5	61.5	0	27345.972	584.9462366	15964.17797	30000	0	0	30000	41.6875	2004
11.02.2020 16:52:48	1	1	1	1	87.5	61.5	0	27393.365	584.9462366	16051.42282	30000	0	0	30000	41.3125	2004
11.02.2020 16:52:49	1	1	1	1	87.5	61.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.125	2004
11.02.2020 16:52:50	1	1	1	1	87.5	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:52:51	1	1	1	1	87.5	61.75	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:52	1	1	1	1	87.5	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:52:53	1	1	1	1	87.5	61.5	0	27440.758	589.2473118	16051.42282	30000	0	0	30000	41.1875	2004
11.02.2020 16:52:54	1	1	1	1	87.25	61	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.375	2004
11.02.2020 16:52:55	1	1	1	1	87.25	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:52:56	1	1	1	1	87.25	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:57	1	1	1	1	87.25	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:52:58	1	1	1	1	87.25	61.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.5625	2004
11.02.2020 16:52:59	1	1	1	1	87.25	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.125	2004
11.02.2020 16:53:00	1	1	1	1	87.25	61	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	41.1875	2004
11.02.2020 16:53:01	1	1	1	1	87.25	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 16:53:02	1	1	1	1	87.25	61.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:53:03	1	1	1	1	87.25	61.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.375	2004
11.02.2020 16:53:04	1	1	1	1	87.75	61.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:53:05	1	1	1	1	87.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:53:06	1	1	1	1	87.75	61.25	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	41.75	2004
11.02.2020 16:53:07	1	1	1	1	87.75	61.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	41.4375	2004
11.02.2020 16:53:08	1	1	1	1	87.75	61.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:53:09	1	1	1	1	87.75	61.5	0	27582.938	589.2473118	16047.34596	30000	0	0	30000	41	2004
11.02.2020 16:53:10	1	1	1	1	87.75	61	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.3125	2004
11.02.2020 16:53:11	1	1	1	1	87.75	61.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	41.25	2004
11.02.2020 16:53:12	1	1	1	1	87.75	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.3125	2004
11.02.2020 16:53:13	1	1	1	1	86.75	61.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.4375	2004
11.02.2020 16:53:14	1	1	1	1	86.75	61.25	0	27582.938	587.0967742	15987.82377	30000	0	0	30000	41.625	2004
11.02.2020 16:53:15	1	1	1	1	86.75	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:16	1	1	1	1	86.75	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
11.02.2020 16:53:17	1	1	1	1	86.75	61.5	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:53:18	1	1	1	1	86.75	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:53:19	1	1	1	1	86.75	61.5	0	27440.758	580.6451613	15756.25798	30000	0	0	30000	41.5	2004
11.02.2020 16:53:20	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.3125	2004
11.02.2020 16:53:21	1	1	1	1	86.75	61.25	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:23	1	1	1	1	86.75	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:24	1	1	1	1	87	61.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.125	2004
11.02.2020 16:53:25	1	1	1	1	87	61	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.75	2004
11.02.2020 16:53:26	1	1	1	1	87	61.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.8125	2004
11.02.2020 16:53:27	1	1	1	1	87	60.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:53:28	1	1	1	1	87	61.5	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.375	2004
11.02.2020 16:53:29	1	1	1	1	87	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:53:30	1	1	1	1	87	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:53:31	1	1	1	1	87	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.375	2004
11.02.2020 16:53:32	1	1	1	1	87	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:53:33	1	1	1	1	87	61.5	0	27535.545	589.2473118	15991.90063	30000	0	0	30000	41.1875	2004
11.02.2020 16:53:34	1	1	1	1	86.25	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.8125	2004
11.02.2020 16:53:35	1	1	1	1	86.25	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:53:36	1	1	1	1	86.25	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:44	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42	2004
11.02.2020 16:53:45	1	1	1	1	86.75	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
11.02.2020 16:53:46	1	1	1	1	86.75	61.25	0	27345.972	576.344086	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:53:47	1	1	1	1	86.75	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 16:53:48	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:49	1	1	1	1	86.75	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:50	1	1	1	1	86.75	61.5	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:53:51	1	1	1	1	86.75	61.75	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:52	1	1	1	1	86.75	61.5	0	27345.972	582.7956989	15991.90063	30000	0	0	30000	41.3125	2004
11.02.2020 16:53:53	1	1	1	1	86.75	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.25	2004
11.02.2020 16:53:54	1	1	1	1	86.75	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
11.02.2020 16:53:55	1	1	1	1	86.75	61	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41.75	2004
11.02.2020 16:53:56	1	1	1	1	86.75	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:53:57	1	1	1	1	86.75	61.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.375	2004
11.02.2020 16:53:58	1	1	1	1	86.75	61.25	0	27630.332	582.7956989	15897.31742	30000	0	0	30000	41.75	2004
11.02.2020 16:53:59	1	1	1	1	86.75	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.125	2004
11.02.2020 16:54:00	1	1	1	1	86.75	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:54:02	1	1	1	1	86.75	61.5	0	27298.578	587.0967742	15826.38002	30000	0	0	30000	41.6875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 16:54:03	1	1	1	1	86.75	61.5	0	27298.578	580.6451613	15674.72073	30000	0	0	30000	41.0625	2004
11.02.2020 16:54:04	1	1	1	1	86.75	61	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:54:05	1	1	1	1	86.75	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.5	2004
11.02.2020 16:54:06	1	1	1	1	86.75	61.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:07	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:54:08	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	16023.70016	30000	0	0	30000	41.75	2004
11.02.2020 16:54:09	1	1	1	1	86.75	61.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.625	2004
11.02.2020 16:54:10	1	1	1	1	86.75	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
11.02.2020 16:54:11	1	1	1	1	86.75	61.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:54:12	1	1	1	1	86.75	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:13	1	1	1	1	86.75	61.5	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:14	1	1	1	1	87.25	61.5	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:15	1	1	1	1	87.25	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:16	1	1	1	1	87.25	61.5	0	27819.905	580.6451613	16097.89906	30000	0	0	30000	41.75	2004
11.02.2020 16:54:17	1	1	1	1	87.25	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:54:18	1	1	1	1	87.25	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:19	1	1	1	1	87.25	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:54:20	1	1	1	1	87.25	61.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.625	2004
11.02.2020 16:54:21	1	1	1	1	87.25	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:54:22	1	1	1	1	87.25	61.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.75	2004
11.02.2020 16:54:23	1	1	1	1	87.25	61.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:24	1	1	1	1	86.75	61.75	0	27582.938	587.0967742	15933.19381	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:25	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.125	2004
11.02.2020 16:54:26	1	1	1	1	86.75	61	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	41.1875	2004
11.02.2020 16:54:27	1	1	1	1	86.75	61	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	40.8125	2004
11.02.2020 16:54:28	1	1	1	1	86.75	60.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:29	1	1	1	1	86.75	61.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:54:30	1	1	1	1	86.75	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:54:31	1	1	1	1	86.75	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:32	1	1	1	1	86.75	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:33	1	1	1	1	86.75	61.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 16:54:34	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	41.8125	2004
11.02.2020 16:54:35	1	1	1	1	86.75	61.75	0	27298.578	584.9462366	16172.09795	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:36	1	1	1	1	86.75	61.5	0	27109.005	584.9462366	16001.6851	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:38	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004
11.02.2020 16:54:46	1	1	1	1	86.5	61.5	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	41.3125	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
11.02.2020 16:54:47	1	1	1	1	86.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 16:54:48	1	1	1	1	86.5	61.25	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:54:49	1	1	1	1	86.5	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:50	1	1	1	1	86.5	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:54:51	1	1	1	1	86.5	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.75	2004
11.02.2020 16:54:52	1	1	1	1	86.5	61.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:53	1	1	1	1	86.5	61.5	0	27298.578	576.344086	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:54:54	1	1	1	1	86.75	61.25	0	27345.972	587.0967742	15877.74848	30000	0	0	30000	41.625	2004
11.02.2020 16:54:55	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.3125	2004
11.02.2020 16:54:56	1	1	1	1	86.75	60.25	0	27298.578	593.5483871	15942.97828	30000	0	0	30000	41.625	2004
11.02.2020 16:54:57	1	1	1	1	86.75	61.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	41.5625	2004
11.02.2020 16:54:58	1	1	1	1	86.75	61.5	0	27582.938	582.7956989	16340.06469	30000	0	0	30000	41.625	2004
11.02.2020 16:54:59	1	1	1	1	86.75	61.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	41.9375	2004
11.02.2020 16:55:00	1	1	1	1	86.75	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:55:01	1	1	1	1	86.75	61.25	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	41.25	2004
11.02.2020 16:55:02	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:55:03	1	1	1	1	86.5	61.5	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:55:04	1	1	1	1	86.5	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:55:05	1	1	1	1	86.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:55:06	1	1	1	1	86.5	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:55:07	1	1	1	1	86.5	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004
11.02.2020 16:55:08	1	1	1	1	86.5	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 16:55:09	1	1	1	1	86.5	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:55:10	1	1	1	1	86.5	61.5	0	27630.332	578.4946237	16162.31348	30000	0	0	30000	41.375	2004
11.02.2020 16:55:11	1	1	1	1	86.5	61.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.1875	2004
11.02.2020 16:55:12	1	1	1	1	86.5	61	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	41.75	2004
11.02.2020 16:55:13	1	1	1	1	87	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:55:14	1	1	1	1	87	61.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:55:15	1	1	1	1	87	61.5	0	27109.005	584.9462366	15682.05909	30000	0	0	30000	41.5625	2004
11.02.2020 16:55:17	1	1	1	1	87	61.5	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
11.02.2020 16:55:18	1	1	1	1	87	61	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	41.125	2004
11.02.2020 16:55:19	1	1	1	1	87	61	0	27582.938	582.7956989	16134.59082	30000	0	0	30000	41.5625	2004
11.02.2020 16:55:20	1	1	1	1	87	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.125	2004
11.02.2020 16:55:21	1	1	1	1	87	61	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	41.625	2004
11.02.2020 16:55:22	1	1	1	1	87	61.5	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	41.625	2004
11.02.2020 16:55:23	1	1	1	1	87	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 16:55:24	1	1	1	1	86.75	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.625	2004
11.02.2020 16:55:25	1	1	1	1	86.75	61.5	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	41.3125	2004
11.02.2020 16:55:26	1	1	1	1	86.75	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:55:27	1	1	1	1	86.75	61.5	0	27488.152	580.6451613	15933.19381	30000	0	0	30000	41.5625	2004
11.02.2020 16:55:28	1	1	1	1	86.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:55:29	1	1	1	1	86.75	61.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.625	2004
11.02.2020 16:55:30	1	1	1	1	86.75	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:55:31	1	1	1	1	86.75	61.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.6875	2004
11.02.2020 16:55:32	1	1	1	1	86.75	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 16:55:33	1	1	1	1	86.75	61	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.625	2004
11.02.2020 16:55:34	1	1	1	1	87	61.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.25	2004
11.02.2020 16:55:35	1	1	1	1	87	61.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:55:36	1	1	1	1	87	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
11.02.2020 16:55:37	1	1	1	1	87	61.25	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	42	2004
11.02.2020 16:55:38	1	1	1	1	87	62	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.125	2004
11.02.2020 16:55:39	1	1	1	1	87	61	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
11.02.2020 16:55:48	1	1	1	1	87.25	61.5	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	41.1875	2004
11.02.2020 16:55:49	1	1	1	1	87.25	61	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.1875	2004
11.02.2020 16:55:50	1	1	1	1	87.25	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
11.02.2020 16:55:51	1	1	1	1	87.25	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.6875	2004
11.02.2020 16:55:52	1	1	1	1	87.25	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.25	2004
11.02.2020 16:55:53	1	1	1	1	87.25	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.25	2004
11.02.2020 16:55:54	1	1	1	1	87.25	61.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:55:56	1	1	1	1	87.25	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.375	2004
11.02.2020 16:55:57	1	1	1	1	87.25	61.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.125	2004
11.02.2020 16:55:58	1	1	1	1	87.25	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:55:59	1	1	1	1	87.25	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
11.02.2020 16:56:00	1	1	1	1	87.25	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.375	2004
11.02.2020 16:56:01	1	1	1	1	87.25	61.25	0	27393.365	584.9462366	15991.90063	30000	0	0	30000	41.625	2004
11.02.2020 16:56:02	1	1	1	1	87.25	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:56:03	1	1	1	1	87.25	61.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:04	1	1	1	1	87	61.5	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 16:56:05	1	1	1	1	87	61.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:56:06	1	1	1	1	87	61.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:07	1	1	1	1	87	61.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.5	2004
11.02.2020 16:56:08	1	1	1	1	87	61.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:56:09	1	1	1	1	87	61.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:56:10	1	1	1	1	87	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:11	1	1	1	1	87	61.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41	2004
11.02.2020 16:56:12	1	1	1	1	87	61	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	41.375	2004
11.02.2020 16:56:13	1	1	1	1	87	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:14	1	1	1	1	87	61.5	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:56:15	1	1	1	1	87	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.8125	2004
11.02.2020 16:56:16	1	1	1	1	87	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.1875	2004
11.02.2020 16:56:17	1	1	1	1	87	61	0	27440.758	591.3978495	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:56:18	1	1	1	1	87	61.25	0	27345.972	578.4946237	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:56:19	1	1	1	1	87	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.6875	2004
11.02.2020 16:56:20	1	1	1	1	87	62	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	40.6875	2004
11.02.2020 16:56:21	1	1	1	1	87	60.5	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 16:56:22	1	1	1	1	87	61.75	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	41.625	2004
11.02.2020 16:56:23	1	1	1	1	87.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:56:24	1	1	1	1	87.5	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.0625	2004
11.02.2020 16:56:25	1	1	1	1	87.5	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:56:26	1	1	1	1	87.5	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:27	1	1	1	1	87.5	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:28	1	1	1	1	87.5	61.5	0	27630.332	574.1935484	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:56:29	1	1	1	1	87.5	61.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:56:30	1	1	1	1	87.5	61.25	0	27488.152	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:32	1	1	1	1	87.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 16:56:33	1	1	1	1	87.5	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:34	1	1	1	1	87	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5625	2004
11.02.2020 16:56:35	1	1	1	1	87	61.5	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	41.5625	2004
11.02.2020 16:56:36	1	1	1	1	87	61.5	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:37	1	1	1	1	87	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
11.02.2020 16:56:38	1	1	1	1	87	61.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:56:39	1	1	1	1	87	61.75	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	41.8125	2004
11.02.2020 16:56:40	1	1	1	1	87	61.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	41.75	2004
11.02.2020 16:56:41	1	1	1	1	87	61.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:49	1	1	1	1	87	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.6875	2004
11.02.2020 16:56:50	1	1	1	1	87	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.8125	2004
11.02.2020 16:56:51	1	1	1	1	87	61.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	41.3125	2004
11.02.2020 16:56:52	1	1	1	1	87	61.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.4375	2004
11.02.2020 16:56:53	1	1	1	1	87	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:56:54	1	1	1	1	87	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.3125	2004
11.02.2020 16:56:55	1	1	1	1	87	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.75	2004
11.02.2020 16:56:56	1	1	1	1	87	61.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.375	2004
11.02.2020 16:56:57	1	1	1	1	87	61.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.75	2004
11.02.2020 16:56:58	1	1	1	1	87	61.5	0	27440.758	584.9462366	16228.35866	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:56:59	1	1	1	1	87	60.5	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	41.0625	2004
11.02.2020 16:57:00	1	1	1	1	87	61	0	27298.578	582.7956989	16144.37529	30000	0	0	30000	41.625	2004
11.02.2020 16:57:01	1	1	1	1	87	61.5	0	27156.398	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:57:02	1	1	1	1	87	61.5	0	27345.972	584.9462366	16287.06547	30000	0	0	30000	41.8125	2004
11.02.2020 16:57:03	1	1	1	1	87	61.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:57:04	1	1	1	1	87	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:05	1	1	1	1	87	61.25	0	27535.545	580.6451613	15814.9648	30000	0	0	30000	40.9375	2004
11.02.2020 16:57:06	1	1	1	1	87	60.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:07	1	1	1	1	87	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
11.02.2020 16:57:08	1	1	1	1	87	61	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:09	1	1	1	1	87	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.375	2004
11.02.2020 16:57:10	1	1	1	1	87	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:12	1	1	1	1	87	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.75	2004
11.02.2020 16:57:13	1	1	1	1	87	61.75	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:14	1	1	1	1	86.75	61.5	0	27440.758	582.7956989	15814.9648	30000	0	0	30000	41.625	2004
11.02.2020 16:57:15	1	1	1	1	86.75	61.5	0	27345.972	576.344086	15819.04167	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:16	1	1	1	1	86.75	61.25	0	27345.972	587.0967742	15909.54801	30000	0	0	30000	41	2004
11.02.2020 16:57:17	1	1	1	1	86.75	61	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5	2004
11.02.2020 16:57:18	1	1	1	1	86.75	61.5	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	41.6875	2004
11.02.2020 16:57:19	1	1	1	1	86.75	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:20	1	1	1	1	86.75	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
11.02.2020 16:57:21	1	1	1	1	86.75	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.5	2004
11.02.2020 16:57:22	1	1	1	1	86.75	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.75	2004
11.02.2020 16:57:23	1	1	1	1	86.75	60.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	41.375	2004
11.02.2020 16:57:24	1	1	1	1	86.5	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.625	2004
11.02.2020 16:57:25	1	1	1	1	86.5	61.5	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	41.6875	2004
11.02.2020 16:57:26	1	1	1	1	86.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:57:27	1	1	1	1	86.5	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:28	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	41.5	2004
11.02.2020 16:57:29	1	1	1	1	86.5	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 16:57:30	1	1	1	1	86.5	61.5	0	27156.398	591.3978495	16144.37529	30000	0	0	30000	41.1875	2004
11.02.2020 16:57:31	1	1	1	1	86.5	61	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41.1875	2004
11.02.2020 16:57:32	1	1	1	1	86.5	61	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:33	1	1	1	1	86.5	61.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.625	2004
11.02.2020 16:57:34	1	1	1	1	85.75	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:35	1	1	1	1	85.75	61.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	41.5	2004
11.02.2020 16:57:36	1	1	1	1	85.75	61.75	0	27440.758	580.6451613	15936.4553	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:37	1	1	1	1	85.75	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.625	2004
11.02.2020 16:57:38	1	1	1	1	85.75	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 16:57:39	1	1	1	1	85.75	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.5	2004
11.02.2020 16:57:40	1	1	1	1	85.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:41	1	1	1	1	85.75	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:42	1	1	1	1	85.75	61.5	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:51	1	1	1	1	86	61.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:52	1	1	1	1	86	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.25	2004
11.02.2020 16:57:53	1	1	1	1	86	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.1875	2004
11.02.2020 16:57:54	1	1	1	1	85.75	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:55	1	1	1	1	85.75	61.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	41.4375	2004
11.02.2020 16:57:56	1	1	1	1	85.75	61.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:57	1	1	1	1	85.75	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:57:58	1	1	1	1	85.75	61.5	0	27156.398	580.6451613	15968.25483	30000	0	0	30000	41.375	2004
11.02.2020 16:57:59	1	1	1	1	85.75	61.25	0	27630.332	580.6451613	16075.06863	30000	0	0	30000	41.625	2004
11.02.2020 16:58:00	1	1	1	1	85.75	61.5	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	41.5625	2004
11.02.2020 16:58:01	1	1	1	1	85.75	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:58:02	1	1	1	1	85.75	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.75	2004
11.02.2020 16:58:03	1	1	1	1	85.75	61.75	0	27582.938	593.5483871	16110.12964	30000	0	0	30000	41.4375	2004
11.02.2020 16:58:04	1	1	1	1	85.75	61.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.375	2004
11.02.2020 16:58:05	1	1	1	1	85.75	61.25	0	27298.578	593.5483871	15915.25562	30000	0	0	30000	41.5	2004
11.02.2020 16:58:06	1	1	1	1	85.75	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.375	2004
11.02.2020 16:58:07	1	1	1	1	85.75	60.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.625	2004
11.02.2020 16:58:08	1	1	1	1	85.75	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
11.02.2020 16:58:09	1	1	1	1	85.75	61	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	41.4375	2004
11.02.2020 16:58:10	1	1	1	1	85.75	61.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.625	2004
11.02.2020 16:58:11	1	1	1	1	85.75	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.0625	2004
11.02.2020 16:58:12	1	1	1	1	85.75	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5625	2004
11.02.2020 16:58:13	1	1	1	1	85.75	61.5	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	41.875	2004
11.02.2020 16:58:14	1	1	1	1	85.5	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 16:58:15	1	1	1	1	85.5	61.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	41.3125	2004
11.02.2020 16:58:16	1	1	1	1	85.5	61.75	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	41.4375	2004
11.02.2020 16:58:17	1	1	1	1	85.5	61.25	0	27109.005	582.7956989	15798.65735	30000	0	0	30000	41.5625	2004
11.02.2020 16:58:18	1	1	1	1	85.5	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.4375	2004
11.02.2020 16:58:19	1	1	1	1	85.5	61.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.9375	2004
11.02.2020 16:58:20	1	1	1	1	85.5	60.75	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	40.9375	2004
11.02.2020 16:58:21	1	1	1	1	85.5	60.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	41.5	2004
11.02.2020 16:58:22	1	1	1	1	85.5	61.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	41.375	2004
11.02.2020 16:58:23	1	1	1	1	85.5	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:58:24	1	1	1	1	85.5	61.5	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.25	2004
11.02.2020 16:58:25	1	1	1	1	85.5	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.75	2004
11.02.2020 16:58:26	1	1	1	1	85.5	61.75	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	41.4375	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
11.02.2020 16:59:12	1	1	1	1	86	61.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.5	2004
11.02.2020 16:59:13	1	1	1	1	86	61.5	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:14	1	1	1	1	86.25	61.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
11.02.2020 16:59:15	1	1	1	1	86.25	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:59:16	1	1	1	1	86.25	61.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	41.3125	2004
11.02.2020 16:59:17	1	1	1	1	86.25	61.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.625	2004
11.02.2020 16:59:18	1	1	1	1	86.25	61.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
11.02.2020 16:59:19	1	1	1	1	86.25	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.375	2004
11.02.2020 16:59:20	1	1	1	1	86.25	61.25	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	41.625	2004
11.02.2020 16:59:21	1	1	1	1	86.25	61.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.5	2004
11.02.2020 16:59:22	1	1	1	1	86.25	61.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:23	1	1	1	1	86.25	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.6875	2004
11.02.2020 16:59:24	1	1	1	1	86.5	61.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.1875	2004
11.02.2020 16:59:25	1	1	1	1	86.5	61	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	41.3125	2004
11.02.2020 16:59:26	1	1	1	1	86.5	61.25	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.375	2004
11.02.2020 16:59:27	1	1	1	1	86.5	61.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.3125	2004
11.02.2020 16:59:28	1	1	1	1	86.5	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.5	2004
11.02.2020 16:59:29	1	1	1	1	86.5	61.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:30	1	1	1	1	86.5	61.5	0	27061.611	580.6451613	16031.85389	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:31	1	1	1	1	86.5	61.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.375	2004
11.02.2020 16:59:32	1	1	1	1	86.5	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.625	2004
11.02.2020 16:59:33	1	1	1	1	86.5	61.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.625	2004
11.02.2020 16:59:34	1	1	1	1	86	61.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.9375	2004
11.02.2020 16:59:35	1	1	1	1	86	61.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:36	1	1	1	1	86	62	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:37	1	1	1	1	86	61.5	0	27440.758	587.0967742	16345.77229	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:38	1	1	1	1	86	61.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:59:39	1	1	1	1	86	61.5	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:40	1	1	1	1	86	61.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.3125	2004
11.02.2020 16:59:41	1	1	1	1	86	61.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.6875	2004
11.02.2020 16:59:42	1	1	1	1	86	61.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.3125	2004
11.02.2020 16:59:43	1	1	1	1	86	61.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.5	2004
11.02.2020 16:59:44	1	1	1	1	86	61.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	41.4375	2004
11.02.2020 16:59:45	1	1	1	1	86	61.25	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	41.5625	2004
11.02.2020 16:59:54	1	1	1	1	86	61	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.6875	2004
11.02.2020 16:59:54	1	1	1	1	86	61	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 16:59:54	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 16:59:54	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 16:59:54	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 16:59:54	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 16:59:54	1	1	1	1	86.5	61.5	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	41	2004
11.02.2020 17:48:57	1	1	1	1	115.5	62	0	22132.701	217.2043011	4712.037616	30000	0	0	30000	42.375	2004