

As outlined in 18 AAC 50.077(c) ADEC has reviewed & issued determinations for the certification test reports of the devices listed below. For dispute of a decision by the department a review may be requested under 18 AAC 15.185 or 18 AAC 15.195 – 18 AAC 15.340 within 30 days of the determination date.

Basis Legend (for detailed explanations see ADEC Regulatory Basis Document)	
ESA – weighted average emissions exceed 2.0 g/hr	M1 – lab did not collect data on mandatory reporting elements
ES1 – one-hour filter values exceed 6.0 g/hr	NTR – no test report found
MD – mandatory test elements/data were not reported	IDU – report data reported inaccurately
IR – incomplete Report	NR – non-representative report

Note: Models on this list are subject to change upon review and approval of additional or new information

Manufacturer	Model	Test Method	Prelim	Final	AK List Status	Why	Disapproval Date
A.J. Wells and Sons	Charnwood Skye E700	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
Blaze King Industries Inc	Ashford AF30.2, Chinook CK30.2, and Sirocco SC30.2	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, MD, IDU, IR, NR	9/1/2020
Blaze King Industries Inc	PI29 Princess Insert	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
Dovre	Norflam Harbor Light, Sierra Flame Lynwood W76, SBI Cape Town 1800	ASTM E3053	Requires a more thorough review	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
England's Stoves	15-SSW01, 50-SHSSW01, 50-TRSSW01	EPA M28R	Disapproved	Disapproved	Disapproved List	M1, IDU, IR	9/1/2020
England's Stoves	15-W06, 50-SHW06, 50-SHW06L, 50TRW06, 15-W08, 50-SHW08, 50-SHW08L, 50TRW08	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
England's Stoves	32-NC, 50-SNC32, 50-TNC32	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Foyers Suprême	Ambiance Elegance 36 24SF	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	M1, IDU, IR, NR	9/1/2020
Foyers Suprême	Astra 18, Elegance 30, Novo 18 – Soapstone, and Novo 18 – Cast Iron	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Foyers Suprême	Astra 24 24SFC	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
Foyers Suprême	Astra 32 and Elegance 40	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Foyers Suprême	Astra 38, Elegance 42, Novo 38 – Soapstone, Novo 38 Cast Iron	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
Foyers Suprême	Fusion 18 18FN	EPA M28R	Disapproved	Disapproved	Disapproved List	ESA, M1, IDU, IR	9/1/2020
FPI / Regency Fireplace Products	CI2700, HI500	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, MD, NR	9/1/2020
FPI / Regency Fireplace Products	F2450	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
FPI / Regency Fireplace Products	F5200	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Hearthstone Quality Home Products	WFP100	ASTM E3053	Requires a more thorough review	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
HHT/Hearth & Home Technologies	Intrepid Flexburn 2115	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	MD, IDU, IR	9/1/2020
HHT/Hearth & Home Technologies	Quadra Fire Pioneer - III	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
HHT/Hearth and Home Technologies	Quadra Fire 57ST-ACC-C	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
HHT/Hearth and Home Technologies	Vermont Castings Dauntless Flexburn Catalytic Model	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR	9/1/2020
HHT/Hearth and Home Technologies	Vermont Castings Dauntless FlexBurn Model	ASTM E3053	Disapproved	Disapproved	Disapproved List	MD, ES1, IR	9/1/2020
HHT/Vermont Castings	Aspen C3	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	M1, IDU, IR	9/1/2020
Innovative Hearth Products	Ladera CAT WRT3920WS	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, MD, IDU, IR	9/1/2020

Innovative Hearth Products	Montecito Estate CAT and WCT6940WS	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, MD, IR, NR	9/1/2020
Innovative Hearth Products	S160 AGL, S160TGL, C160AGL, T160AGL, WX2016	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, IDU, NR	9/1/2020
Innovative Hearth Products	GV230GL and ML230GL	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
Innovative Hearth Products	GV300GL and ML300GL	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
J. A. Roby	Cook, Cicero, Chief, Cuistot, Elda, and Marmiton	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
J.A. Roby	Polaris, Centauri, Vega, Sirius, Antares and Rigel	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, MD, IR, NR	9/1/2020
Jotul	F602 v2	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, MD, IDU, IR,	9/1/2020
Kuma Stove and Iron Works	K-180 Series, Aspen LE, Tamarack LE, Aberdeen LE, Alpine LE	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Morso Jernstoberi A/S	3112B/3142B	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR	9/1/2020
New Buck Corporation	Model 74	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
New Buck Corporation	Model 91	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Pacific Energy Fireplace Products	Super Insert LE, Alderlea T5 Insert LE, Super LE, Super Classic LE, Alderlea T5 LE	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, MD, IDU, IR, NR	9/1/2020
Pacific Energy Fireplaces	NEO 2.5 LE, NEO 2.5 Insert LE, NEOSTONE 2.5 LE	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
RAIS A/S	Viva 100 L (CA) USA, Viva 100 L G (CA) USA, Viva 100 L Classic (CA) USA, Viva 100 L G Classic (CA) USA, Viva 120 L (CA) USA, Viva 120 L G (CA) USA, Viva 120 L Classic (CA) USA, Viva 120 L G Classic (CA) USA, Viva 160 L (CA) USA, Viva 160 L	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Stove Builder International	2.3 Series Archway 2300, FW2900, FW2900-SD, Gateway 2300, and Green Mountain Insert 70 Insert	ASTM E3053	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Stove Builder International	2.3 Series Escape 1800, Escape 1800-I Insert, 2000 Stove, 2000-I Insert, Harmony 2.3 Stove, Solution 2.3 Stove, Solution 2.3-I Insert, XTD 1.9 Stove, XTD 1.9-I Insert, CW2900 Insert, Destination 2.3-I Insert, HEI 240 Insert, HEI 240R Insert	ASTM E3053	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Stove Builder International	3.5 Series - Solution 3.5, Escape 2100, HT-3000, Osburn 3500, Gateway 3500	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Stove Builder International	Everest II Series HE300 II, HE325, Everest II, St. Clair 3000	ASTM E3053	Requires a more thorough review	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Stove Builder International	HE350, FP-15-Waterloo, Horizon, and Monaco XL, WFP100	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Thelin Company Inc. (Canada)	Thelin Parlour T-4000	EPA M28R	Requires a more thorough review	Disapproved	Disapproved List	ES1, IR	9/1/2020
Travis Industries	36 Elite	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Travis Industries	42 Apex	ASTM E3053	Disapproved	Disapproved	Disapproved List	NTR, IDU, NR, data in question	9/1/2020
Travis Industries	44 Elite	ASTM E3053	Disapproved	Disapproved	Disapproved List	IDU, IR, NR	9/1/2020
Travis Industries	Endeavor	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Travis Industries	Evergreen	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Travis Industries	Large Flush Hybrid Frye	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, MD, IDU, IR, NR, data in question	9/1/2020
Travis Industries	Liberty	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
Travis Industries	Lopi Cape Cod Hybrid-Frye	ASTM E3053	Disapproved	Disapproved	Disapproved List	M1, IDU, IR, NR	9/1/2020
Travis Industries	Lopi Rockport Hybrid-Frye	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IR, NR	9/1/2020
Travis Industries	Medium Flush Wood Hybrid Frye Insert	ASTM E3053	Disapproved	Disapproved	Disapproved List	ES1, IDU, IR, NR	9/1/2020
Travis Industries	Medium Flush Wood Insert	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
United State Stove Company	US1800E, VG1820, AW1820E, CH18, NM690, SW1.8, AHWS182C	ASTM E3053	Disapproved	Disapproved	Disapproved List	IR, NR	9/1/2020
United States Stove Company	1269e	EPA M28R	Disapproved	Disapproved	Disapproved List		9/1/2020
Wolf Steel	Napoleon EPI3C, Napoleon EPI3T, Napoleon EPI3TN	Not reported	Disapproved	Disapproved	Disapproved List	No test report	9/1/2020
Wolf Steel	Timberwolf 2100, Napoleon S15	Not reported	Disapproved	Disapproved	Disapproved List	incorrect test report posted- NO REVIEW	9/1/2020

Wolf Steel	Timberwolf 2200, Timberwolf EPI22, Napoleon S20, Napoleon S20-I, Napoleon 2020-S, Napoleon 2020-Si	ASTM E3053	Disapproved	Disapproved	Disapproved List	IDU, IR	9/1/2020
Woodstock Soapstone Co	210 Ideal Steel	ASTM E3053	Disapproved	Disapproved	Disapproved List	ESA, ES1, IR, NR	9/1/2020
Woodstock Soapstone Co	210a Ideal Steel Hybrid	ASTM E3053		Disapproved	Disapproved List	ESI, IDU, IR	9/1/2020
Woodstock Soapstone Co	Absolute Steel Hybrid 211	EPA M28R	Disapproved	Disapproved	Disapproved List	ES1, MD, IDU, IR	9/1/2020