



# NOTICE OF REVIEW

## APDES Proposed Final Individual Permit

Alaska Department of Environmental Conservation (DEC)  
Wastewater Discharge Authorization Program  
555 Cordova Street  
Anchorage, Alaska 99501

### NOTICE OF REVIEW OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) PROPOSED FINAL INDIVIDUAL PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

Following the close of a 30-day public notice period, DEC has prepared an APDES proposed final individual permit for the City of Fairbanks and Golden Heart Utilities Wastewater Treatment Facility. Prior to making the final decision to issue the individual permit, DEC invites you to view the proposed final individual permit and associated documents. You can access the proposed final individual permit and associated documents at DEC's Wastewater Discharge Authorization Program web page at: <http://www.dec.state.ak.us/water/wastewater/>.

#### **Proposed Final Permit Review**

**Start Date:** September 2, 2021

**End Date:** September 10, 2021

**Permit No.:** AK0023451

#### **Proposed Permit Coverage:**

The proposed discharge of secondary treated domestic wastewater from the City of Fairbanks and Golden Heart Utilities Wastewater Treatment Facility will occur at a maximum rate of 11.2 million gallons per day to the Tanana River at 64° 47' 54.78" north latitude and 147° 46' 44.07" west longitude

A mixing zone is proposed for ammonia, copper, temperature, and whole effluent toxicity.

#### **Determination:**

The DEC has determined to reissue the above listed general permit.

**DEC Contact:** Marie Klingman  
907-451-2101  
[marie.klingman@alaska.gov](mailto:marie.klingman@alaska.gov)

**Administrative Record:**

The APDES proposed final permit, fact sheet, and associated documents are available for public review at the DEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street <b>Anchorage, AK 99501</b> 907-269-6285	610 University Avenue <b>Fairbanks, AK 99709</b> 907-451-2100	P.O. Box 111800 <b>Juneau, AK 99811-1800</b>  Location: 410 Willoughby Ave, Suite 303 <b>Juneau, AK</b> 907-465-5300
43335 Kalifornsky Beach Road <b>Soldotna, AK 99615</b> 907-262-5210	1700 E Bogard Road #B, Suite #103 <b>Wasilla, AK 99654</b> 907-376-1850	

The documents are also accessible from the ADEC website at:

<http://www.dec.state.ak.us/water/wastewater/>

**Disability Reasonable Accommodation Notice**

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a reasonable accommodation in order to participate in this public process, please contact Brian Blessington at 907-269-7660 or TDD Relay Service 1-800-770-8973/TTY or dial 711 to ensure that any necessary accommodations can be provided in a timely manner.