Best Practices Score Saxman Spring 2022

	Category	O&M Scoring Criteria	Possible	Score	Explanation of Score	How to Improve Score	Contact
Technical	Operator Certification	Utility has more than one operator certified to the level of the water system	10	0	Primary Operator: <i>Richard Shields</i> backu Certification Level: <i>Operator holds no current</i> the V	Richard Shields needs to take and pass the WT 1 exam. A backup operator needs to be identified and take and pass the WT 1 exam. Please see the enclosed flyer with more information about certification.	ADEC Operator Certification Program 465-1139
		Primary operator is certified to the level of the water system and the backup operator holds some level of certification in water treatment or distribution	7				
		Primary operator is certified to the level of the water system and the backup operator holds no certification or there is no backup operator	5				
		Utility has one or more operators certified at some level in water treatment or distribution	3				
		Utility has no certified operators	0		Richard Shields holds no certification. There is no backup operator identified.		
	Preventive Maintenance Plan	Utility has a written PM plan; PM is performed on schedule; records of completion are submitted on a quarterly basis and have been verified	25	25	a regular basis and keeping records. Each month, the to perform maintenance	Full points have been awarded in this category. Continue to perform maintenance according to the PM plan and	Tanner Cote ADEC RMW 269-7609
		Utility has a written PM plan; performance of PM and record keeping are not consistent	15			send monthly records to the assigned RMW.	
		Utility has no PM plan or performs no PM	0				
	Compliance	Utility had no Monitoring and Reporting violations during the past year	10	0	The utility had 21 Drinking Water Monitoring and Reporting violations in 2021.	The Drinking Water Program provides you with an Annual Monitoring Summary with all of the required samples for your water system. All samples and reports must be collected and submitted in a timely manner.	Jamie Bjorkman ADEC Drinking Water Program 262-3423
		Utility had up to five Monitoring and Reporting violation during the past year	5				
		Utility had more than five Monitoring and Reporting violation during the last year	0				
Managerial	Utility Management Training	A person who holds a position of responsibility for management of the utility has completed a DCRA approved Utility Management course or other utility management training course within the last five years	5	5	Lori Richmond attended Personnel Management for Rural Utilities training on 1/31/2020.	To maintain the full points in this category, consider sending someone to one of the free RUBA trainings each year.	202 3 123
	Meetings of the Governing Body	The utility owner's governing body meets routinely consistent with the local ordinance/bylaw requirements and receives a current report from the operator	5	5	this reporting period: June, July, August, September, October, and November 2021. The utility operator report was consistently included in the meeting	To maintain full points, the governing body must continue to meet according to ordinance/bylaw and provide RUBA with meeting minutes.	
		The utility owner's governing body meets routinely consistent with the local ordinance/bylaw requirements	2				
		The utility owner's governing body does not meet	0		minutes.		
	Budget	Utility owner and the Utility have each adopted a realistic budget and budget amendments are adopted as needed; Accurate monthly budget reports are prepared and submitted to the governing body	15	10	provided, but utility did not provide monthly financial reports.	Provide RUBA with monthly financial reports that are submitted to the council and documented in meeting minutes.	Iura Leahu DCRA RUBA Program 465-4814
		Either the Utility or the Utility owner has adopted and implemented a budget, the other has not	13				
		Either the Utility or the Utility owner has adopted a budget, but it is not being implemented	10				
Financial		Utility owner and the Utility have not adopted a budget	0				
	Revenue	Utility is collecting revenue sufficient to cover the Utility's operating expenses and to	20		The monthly financial reports are not in compliance with the Best Practices guidelines. The reports must be in cash basis and compare annual budgeted amounts to actual year-to-date amounts each month.	Please work with your RUBA specialist on how to format an accurate monthly financial report.	
		contribute to a repair and replacement account	45	_			
		Utility is collecting revenue sufficient to cover expenses	15	5			
		Utility has a fee schedule and a collection policy that is followed Utility has no fee structure or collection policy	5 0	•			
		Utility has had a worker's compensation policy for all employees for the past two years and	U		Continuous coverage for the utility owner was	Full points have been awarded. The utility owner must	
	Worker's	has a current policy in place	5	5	confirmed by the Alaska Municipal League Joint Insurance Association on 12/02/21 and a Department	maintain an active worker's compensation policy to continue receiving these points.	
	Compensation	Utility has a current worker's compensation policy in place for all employees	2				
	Insurance	Utility has no worker's compensation policy	0		of Labor and Workforce Development database query on 12/30/21.		
	Payroll Liability Compliance	Utility has no past due tax liabilities and is current with all tax obligations	5		Utility has no past due tax liabilities and is current with all tax obligations. Full points have been awarded. Continue to submit reports and payments to maintain these points.	Full points have been awarded. Continue to submit timely	
		Utility owes back taxes, but has a signed payment agreement, is current on that agreement, and is up-to-date with all other tax obligations	2	5		reports and payments to maintain these points.	
		Utility is not current with its tax obligations and/or does not have a signed repayment agreement for back taxes owed	0				
	CIP O&M Score	0 TOTAL SCORE	60	כ			