

Department of Environmental Conservation

DIVISION OF WATER

Fax: 907.334.2415

Wastewater Discharge Authorization Program

555 Cordova Street Anchorage, Alaska 99501-2617 Main: 907.269.6285

www.dec.alaska.gov/water/wwdp

April 8, 2022

Sarah Ferguson-Brown NCL (Bahamas) Ltd. 7665 Corporate Center Drive

Re: Authorization to Discharge 2013DB0004-0015: Norwegian Jewel

Dear Ms. Ferguson-Brown:

The Alaska Department of Environmental Conservation (DEC) has completed its review and acknowledges that you have submitted a complete Notice of Intent (NOI) form for the 2013DB0004 Large Commercial Passenger Vessel Wastewater Discharge General Permit (Permit).

The Norwegian Jewel is hereby authorized to discharge treated wastewater into Alaska marine waters and is issued wastewater discharge authorization number <u>2013DB0004-0015</u>. Discharge from this vessel is authorized in accordance with the terms and conditions of the general permit and any vessel-specific conditions included in this document.

An electronic copy of the Permit and this authorization is available at the Department website http://dec.alaska.gov/water/cruise-ships/cruise-general-permit/.

The following are vessel specific conditions that apply to this authorization:

- 1) Treated wastewater discharge is authorized when the vessel is operating at speeds of 6 knots or greater.
 - a. Mixing Zone: Mixing zone size for the permittee is authorized for discharges at speeds of 6 knots or greater and is limited to 63 meters in length, 5 meters in width, and a depth from the water surface to the depth the discharge port is below the water surface plus one meter. The shape of the mixing zone is an elongated rectangle that extends from the discharge port towards the stern of the ship. See Permit Section <u>5.2.3</u>.
- 2) Treated wastewater discharge is authorized when the vessel is operating at speeds of less than 6 knots.
 - a. Mixing Zone: Mixing zone size for permittees authorized for discharges at speeds under 6 knots, excepted as specified in Section 5.2.5, is limited to a radius of 83 meters and a depth from the water surface to the depth the discharge port is below the water surface plus one meter. The mixing zone will extend away from the hull of the vessel in a semicircle centered on the discharge port. See Permit Section 5.2.4.
- 3) Treated wastewater discharge is authorized when the vessel is docked in Skagway at either the Broadway Dock, or the Ore Dock.
 - a. Mixing Zone: Mixing zone size for permittees authorized for discharge when docked in Skagway at Broadway Dock or Ore Dock when cruise ships are present at both docks is limited to a radius of 15 meters and a depth from the water surface to the depth the discharge port is below the water surface plus one meter. The mixing zone will extend away from the hull of the vessel in a semicircle centered on the discharge port. See Permit Section 5.2.5.

2022DB0004-0015 4/7/2022

4) In-port discharge is only authorized from a single port that is located on the outboard side of the vessel from the dock.

- 5) Effluent Limits and sampling requirements are identified in Tables 3, 4, 5 and 6 of the Permit.
- 6) Receiving Water Monitoring is required twice per year in accordance with Permit Section <u>6.9.3</u>.
- 7) Discharge from multiple ports simultaneously is prohibited.

The permittee is reminded of the following permit requirements, and is responsible for all submissions and activities in the Permit even if they are not summarized below:

- All Commercial Passenger Vessels must register annually see Permit Part <u>2.1.3</u>. http://dec.alaska.gov/water/cruise-ships/cruise-registration/.
- As per Permit Part 4.2.3, the permittee shall notify the Department, in writing, of wastewater treatment system modifications that change information provided to the Department in the approved NOI form at least 48 hours prior to the discharge of any treated wastewater into marine waters of the state. The NOI Application form can be accessed at the Departments website http://dec.alaska.gov/water/cruise-ships/cruise-general-permit/.
- Quality Assurance Project Plan (QAPP) see Permit Part 6.1: The owner/operator of a vessel that
 intends to discharge wastewater into Alaskan waters must submit a wastewater sampling QAPP to
 ADEC for approval.
- Vessels Specific Sampling Plan (VSSP) see Permit Part <u>6.2</u>: All vessels are required to have an approved Vessel Specific Sampling Plan (VSSP) 21 days before sampling.
- Sampling requirements for discharges underway at speeds greater than 6 knots and associated effluent limits can be found in Tables 2, 3 and 5 of the permit.
- Sampling requirements for discharges at speeds less than 6 knots and associated effluent limits are located in Tables 4 and 6 of the permit.
- Discharge Monitoring Reports (DMRs): see Permit Part 7.2: DMRs are required for each calendar month that the vessel operated in the marine waters of the state and must be submitted within the first 21 days of the following calendar month.
- Submit all CPVEC registration correspondence, support documents, and reports to: <u>DEC.WQ.Cruise@alaska.gov</u> or mail to: ADEC-CPVEC, ATTN: Cruise Ship Program, P.O. Box 111800 Juneau, AK 99811-1800.
- A copy of the General Permit 2013DB0004 and this authorization letter must be kept onboard the vessel. This letter does not relieve the permittee from other local, state, or federal government permitting requirements.

Please reference your permit authorization number 2013DB0004-0015 and vessel name in all future correspondence. If you have any questions regarding the above, please contact Sam Kito at 907-269-7542, or via email at Sam.Kito@alaska.gov.

Sincerely,

James Rypkema

Program Manager, Cruise Ship Permitting

Enclosure: NOI

cc: DEC.WQ.Cruise@alaska.gov



NOTICE OF INTENT FORM

Notice of Intent to be covered under the Wastewater General Permit 2013DB0004 for Large Commercial Passenger Vessels Operating in Alaska (See Sections 2 and 3 of the permit.)

Submission of this document constitutes a request that certain discharges into marine waters of the

state resulting from the operation of the large commercial passenger vessels identified herein be authorized under General Permit 2013-DB0004. **Vessel Owner Information** Who is the main point of contact for the vessel? (e.g. owner, operator, or Alaska Agent): Owner Vessel Owner's Business Name: NCL (Bahamas) Ltd. Phone: Mailing Address: 7665 Corporate Center Drive, Miami FL 33126 +1 305 436 4216 Email: Representative: Senior Vice President Marine Operations Lrazeto@nclCorp.com **Vessel Owner's or Operator's Alaska Agent Information** Company Name: Cruise Line Agencies of Alaska Mailing Address: Phone: +1 (907) 586-1282 Cruise Line Agencies Of Alaska PO Box 21507 Juneau, AK 99802 Email: Juneau@claalaska.com Representative: Andrew Greene Vessel Operator's Business Name if Different From the Owner's Business Name Vessel Operator's Business Name: NCL (Bahamas) Ltd. Phone: Mailing Address: 305-436-4349 7665 Corporate Center Drive Miami, FL 33126 Email: Representative: Sarah Ferguson-Brown sbrown@nclcorp.com

Vessel Information (Y/N)					
Are you seeking authorization to discharge with a mixing zone?					
Are you seeking authorization to discharge while moving at 6 knots or greater?					
Are you seeking authorization to discharge while moving at under 6 knots?					
Are you seeking authorization to discharge while in Skagway at Broadway or Ore Docks?					
	If the permittee is seeking authorization which includes a mixing zone, attach (may be emailed				
separately) a drawing to scale that in	ndicate	s the length of the vessel and the locations of	all		
wastewater effluent penetration po	ints (po	rts) on the hull.			
Vessel Name:		Norwegian Jewel			
Vessel IMO Number:		9304045			
Vessel Gross Tonnage:		93502			
Port of Registry:		Bahamas			
Maximum Passenger Capacity per Voyage:		2889 (maximum), 2376 (double occupancy)			
Maximum Crew Capacity per Voyage:		1100			
Vessel Draft ¹ :		8.60 meters			
Vessel Length in Meters at Waterline ² :		264.80 meters			
Vessel Tracking					
Method of submitting hourly vessel tracking information while in Alaskan waters (Marine Exchange					
of Alaska AIS or other Department ap	proved	method):			
Name, physical address, and	Marine Exchange of Alaska				
mailing addresses of the service:	100 Harbour Way Suite 204				
	Juneau, Alaska 99801				
Contact's name, email address,	Phone: +1 (907) 463 3607				
and phone number:	Fax :+1 (800) 682 2898				
	24 hours contact: +1 (907) 463 3064				
	Email: ops1@mxak.org				

¹ Vessel draft under a) loaded condition for Alaska operations (bunkers / waste water storage etc.) and b) under light ship conditions for Alaska operations (bunkers empty / no waste water storage etc.)

² Length of Waterline (LWL) under normal load in standard Alaska conditions.

Discharge Port Characteristics					
Note: If there is more than one discharge port attach a sheet with the characteristics below for					
each AWTS Port. If more than one discharge pump attach sheet with capacity for each.					
Discharge Bort	Overboard				
Discharge Port Name ³ :	Valve A – WTC Location (Starboard/Port): 13		PORT		
				Discharge Port	100 mm
Internal Diameter:	100 11111	Vertical Distance from Keel:	z.9 meters		
Discharge Port		Discharge Port Centerline			
Distance from Bow at	160 meters	Vertical Distance from	4500 mm		
Waterline (normal	100 meters	Waterline (normal load) ⁴ :	4500 11111		
load):		waterine (normanoau) .			
Discharge Port shape	round	Discharge Port Pump Capacity	40 m3/hour per		
(round, oval, square):	Tourid	(m³/hr) for each Pump ⁵ :	pump		
Discharge Port		Discharge Port Horizontal Angle			
Vertical Angle Relative	90 degrees	Relative to Centerline ⁷ :	90 degrees		
to Waterline ⁶ :		nciative to centernine.			

Wastewater Discharge Information					
Estimates of the average and maximum volume of the wastewater	Average:	1100 m3			
to be discharged per 24 hour period (in cubic meters), and the beginning and ending dates between which discharges may occur the first year of the permit;	Maximum:	1440 m3			
	Startup Date:	04/25/2022			
	Ending date:	10/19/2022			

³ Name or identification as used in VSSP and Waste Water Discharge Logbook.

⁴ Vertical distance from the vertical centerline of the discharge port relative to the standard (loaded) conditions waterline.

⁵ Treated wastewater discharge pump for the named discharge port. For vessels with variable speed / capacity pumps identify the effective discharge capacities. For vessels with more than one pump simultaneously operated identify the total effective pump capacities.

⁶ Parallel with the Vertical Longitudinal Center Plane orientation of the hull orientation angle defined as the angle in degrees between the horizontally perpendicular projected line originating from the vertical longitudinal center plane of the hull self to the center of the discharge port, and the projected perpendicular line originating from the port center self (face) vertically directed to the center plane of the hull (Y-Y axis).

⁷ Parallel with the Vertical Longitudinal Center Plane orientation of the hull orientation angle defined as the angle in degrees between the horizontally perpendicular projected line originating from the vertical longitudinal center plane of the hull self to the center of the discharge port, and the projected perpendicular line originating from the port center self (face) horizontally directed to the vertical center plane of the hull (X-X axis).

The type, number, and combined maximum design capacity in cubic meters per 24 hour period of all advanced wastewater treatment systems (AWTS) onboard;	Type (s) (including manufacturer, model name, model number, and year built): Number of AWTS: Combined design capacity:	Scanship Type II Advanced Water Treatment System Mussel FA45 2005 1 1780 m3/day	
Type(s) of sewage treatment and system capacity in cubic meters per 24 hour period;	Type (s) (including manufacturer, model name, model number, and year built):		
Type(s) of graywater treatment and system capacity in cubic meters per 24 hour period;	Combined design capacity: Type (s) (including manufacturer, model name, model number, and year built):		
	Combined design capacity:		
Average volume of sewage generation per day in cubic meters;	100 m3		
Maximum volume of sewage generation per day in cubic meters;	120 m3		
Average graywater generation per day in cubic meters for the following sources;	Accommodations: 500 Galley: 260 Laundry: 120 Other (list types and volumes): n/a		
Maximum graywater generation per day in cubic meters for the following sources;	Accommodations: 600 Galley: 350 Laundry: 150 Other (list types and volumes): n/a		

The method of handling and disposal of sludge and biosolids produced from the treatment of sewage and graywater.

The sludge and bio-solids produced from the treatment of wastewater will be retained onboard for discharge at sea more than 12 NM from nearest land (outside the Alaskan Territorial Waters).

Signature and Certification for NOI

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Signature of Responsible Corporate Officer	Printed Name
	Sarah Ferguson-Brown
a colon	
Title/Company	Date
Sr. Director, Environmental Operations, NCL	2/18/2022
C. L D. L. Martine of Laborators	

Submit this Notice of Intent to:

Commercial Passenger Vessel Environmental Compliance Program
Division of Water
Alaska Dept. of Environmental Conservation
PO Box 111800
Juneau, AK 99811-1800